



**STATE OF TENNESSEE
DEPARTMENT OF COMMERCE AND INSURANCE
STATE FIRE MARSHAL'S OFFICE
CODES ENFORCEMENT SECTION**

Davy Crockett Tower, Third Floor
500 James Robertson Parkway
Nashville, Tennessee 37243-1162
Phone (615) 741-7190
FAX: (615) 253-3267

<http://tn.gov/commerce/sfm/modindex.shtml>

MODULAR MEMORANDUM 2009-04

RE: Tennessee Modular Building Units - Kiosk Code Criteria

DATE: August 29, 2009

All Tennessee Modular Building Units of the Kiosk type shall follow the following criteria:

- a. Kiosk that are listed as Business Occupancy (B) and are for the use of **the employee only** are not required to have toilet facilities, if they meet the following requirement.

North Carolina State Building Code, Volume 1-C (2002 Edition with the 2004 Revisions) 11.2 Access to Toilets:

An accessible toilet room or rooms shall be located so that a disabled – handicapped person shall not be required to travel more than 200 feet horizontal travel distance for access.

Note:

This note is required to be placed on the cover sheet of the plan that the kiosk must be placed within 200 feet.

A letter from the Owner, on company letterhead, stating that the modular building unit conforms with the code requirement listed above, must accompany the plan submittal. This type of modular building unit will be reviewed on a single use basis only.

- b. Kiosk that are listed as Business Occupancy (B) and are for the use of **the employee only** are required to have toilet facilities, if they do not meet the **North Carolina State Building Code, Volume 1-C (2002 Edition with the 2004 Revisions) 11.2, Access to Toilets**, as noted above. Provide a single unisex restroom if the kiosk cannot be placed within the 200 foot horizontal travel distance for access requirement.

Date: August 29, 2009

- c. Kiosk that are listed as a business/mercantile occupancy and **allow the entrance of the general public into the building**, are required to have restroom facilities provided. Separate facilities shall be provided for each sex, refer to the **International Plumbing Code , 2006 Edition, Chapter 4** and the **North Carolina State Building Code, Volume 1-C (2002 Edition with the 2004 Revisions) 11.1, General Requirements.**

If you have any questions regarding this matter, please contact the Tennessee Modular Building Program at (615) 741-7190 or modular.buildings@tn.gov

This memorandum supersedes and replaces Modular Memorandum No. 2004-02, dated August 24, 2004.