



Voc

Personal Assistance Environmental Checklist

In compliance with federal rules that require safety of staff and the person receiving services, the Department of Intellectual and Developmental Disabilities (DIDD) requires inspection of all private homes as the first step in providing Personal Assistance services. Should it be necessary, the DIDD Case Manager/ISC and the provider will work with the family to find resources to ensure the home meets these standards. However, if the standards are not met, PA services may not be provided and other service alternatives will be offered.

		162	110	
a.	Dangerous stairs or floors			
b.	Unable to get to home entrance			
c.	Unable to get to bathroom or bedroom			
d.	Major appliances not working			
e.	No heating or cooling			
f.	No water or hot water / toilet not working			
g.	Home has unpleasant odor or pests			
h.	Smoke alarms are not installed			
i.	Electrical hazards are present			
j.	Lighting is not adequate for safety (indoors or out)			
k.	Stove is unsafe			
I.	Loose or slippery rugs (fall hazard)			
m.	Locks for doors and/or windows are not operational			
n.	Other problems? Describe, i.e. accessibility and other concerns including			
	dangerous neighborhood or family conditions			
	j			
		Yes	No	
1.	In case of an emergency, such as a fire, do you think you would be able to get out			
	of your house or apartment safely?			
2.	In case of an emergency, such as a fire or fall, do you think you could summon help			
	to your home?			
Signature of person completing form		Date		
Signature of person supported		Date		
Signature of family or legal representative		Da	te	
	If Yes is checked to any of the above (a. through n.), the condition must be corrected.			

Documentation of corrective action must be maintained for review as warranted.