

Estimated Quantities -- Letting May 11, 2018

Quantities shown are for information only and should not be used for bidding purposes. The official bid files should be obtained from www.bidx.com

Contract ID CNS926 - ANDERSON , BLOUNT, ETC.

Item No.	Description	Quantity	Units
705-01.01	GUARDRAIL AT BRIDGE ENDS	270.000	L.F.
705-01.02	GUARDRAIL AT BRIDGE PIERS	21.000	L.F.
705-01.04	METAL BEAM GUARD FENCE	180.000	L.F.
705-02.01	SINGLE GUARDRAIL, WITH RUB-RAIL (TYPE 2)	125.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	25,000.000	L.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	500.000	EACH
705-02.20	SINGLE GUARDRAIL (TYPE 2) LONG POST (6 FT-9 FT)	18,900.000	L.F.
705-02.25	SINGLE GUARDRAIL (TYPE 2) LONG POST (9 FT-12 FT)	475.000	L.F.
705-03.01	MEDIAN DIVIDER GUARDRAIL, WITH RUB-RAIL (TYPE 2)	50.000	L.F.
705-03.02	MEDIAN DIVIDER GUARDRAIL (TYPE 2)	25.000	L.F.
705-03.03	MEDIAN DIVIDER GUARDRAIL (TYPE 2) (27" MT HT)	550.000	L.F.
705-03.04	MEDIAN DIVIDER GUARDRAIL AT CONCRETE BARRIER	25.000	L.F.
705-04.02	GUARDRAIL TERMINAL (TYPE 12)	2.000	EACH
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	12.000	EACH
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	16.000	EACH
705-04.11	STONE FOR GUARDRAIL END TERMINAL PAD	320.000	TON
705-04.24	GUARDRAIL END TERMINAL DELINEATION SHEETING	200.000	S.F.
705-04.29	C-A-T CRASH CUSHION ATTENUATING TERMINAL	6.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	250.000	L.F.
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	10.000	EACH
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	10.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	500.000	EACH

Contract ID CNS926 - ANDERSON , BLOUNT, ETC.

Item No.	Description	Quantity	Units
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	10.000	EACH
705-10.30	GUARDRAIL ATTACHMENT TO SLOPE FACE ENDPOST	61.000	L.F.
705-10.31	GUARDRAIL ATTACHMENT TO VERTICAL FACE ENDPOST	26.000	L.F.
705-10.32	GUARDRAIL ATTACHMENT TO EXISTING BRIDGE PIER PROTECTION	2.000	EACH
705-11.01	GUARDRAIL AT BRIDGE ENDS (POWDER COATED)	40.000	L.F.
705-11.03	SINGLE GUARDRAIL (TYPE 2) (POWDER COATED)	220.000	L.F.
705-11.08	GUARDRAIL TERMINAL (TYPE 13) (POWDER COATED)	2.000	EACH
706-01	GUARDRAIL REMOVED	900.000	L.F.
706-02.21	RESET SINGLE GUARDRAIL (TYPE 2)	900.000	L.F.
706-03.01	POSTS FURNISHED	60.000	EACH
706-06.02	MEDIAN DIVIDER THRIE RAIL (TYPE 2)	21.000	L.F.
706-06.03	RADIUS RAIL	2,075.000	L.F.
706-06.05	RADIUS RAIL LONG POST (6-9 FT)	900.000	L.F.
706-06.06	RADIUS RAIL LONG POST (9-12 FT)	50.000	L.F.
706-10.26	ROUNDED END ELEMENT	99.000	EACH
706-10.54	RE-ALIGN GUARDRAIL	4,500.000	L.F.
706-10.56	BUFFER ENDS 88"	5.000	EACH
706-10.71	HAZARD MARKERS	6.000	EACH
706-10.72	PULL AND REINSTALL GUARDARAIL POST FOR VERIFICATION	16.000	EACH
706-10.74	CONCRETE BARRIER WALL REPAIR	6.000	C.Y.
706-10.80	MICHIGAN AND MODIFIED MICHIGAN END SHOE	16.000	EACH
706-10.81	GUARDRAIL REFLECTORS	45.000	EACH
706-10.82	CONCRETE BRIDGE END OR PIER PROTECTION REPAIR	3.000	C.Y.
706-10.83	DRILL BR. PAR. WALL FOR MICHIGAN END SHOE	18.000	EACH
712-01.02	LANE CLOSURE	684.000	EACH
717-01	MOBILIZATION	(1)	LS

Contract ID CNS926 - ANDERSON , BLOUNT, ETC.

Item No.	Description	Quantity	Units
717-01.04	MOBILIZATION (DESCRIPTION) (EMERGENCY CALL- OUT)	25.000	EACH

Contract ID CNS927 - BEDFORD , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
705-01.01	GUARDRAIL AT BRIDGE ENDS	216.000	L.F.
705-01.02	GUARDRAIL AT BRIDGE PIERS	35.000	L.F.
705-01.04	METAL BEAM GUARD FENCE	240.000	L.F.
705-02.01	SINGLE GUARDRAIL, WITH RUB-RAIL (TYPE 2)	75.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	30,000.000	L.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	500.000	EACH
705-02.20	SINGLE GUARDRAIL (TYPE 2) LONG POST (6 FT-9 FT)	350.000	L.F.
705-02.25	SINGLE GUARDRAIL (TYPE 2) LONG POST (9 FT-12 FT)	125.000	L.F.
705-03.01	MEDIAN DIVIDER GUARDRAIL, WITH RUB-RAIL (TYPE 2)	50.000	L.F.
705-03.02	MEDIAN DIVIDER GUARDRAIL (TYPE 2)	50.000	L.F.
705-03.03	MEDIAN DIVIDER GUARDRAIL (TYPE 2) (27" MT HT)	225.000	L.F.
705-03.04	MEDIAN DIVIDER GUARDRAIL AT CONCRETE BARRIER	50.000	L.F.
705-04.02	GUARDRAIL TERMINAL (TYPE 12)	4.000	EACH
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	44.000	EACH
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	10.000	EACH
705-04.11	STONE FOR GUARDRAIL END TERMINAL PAD	10,000.000	TON
705-04.24	GUARDRAIL END TERMINAL DELINEATION SHEETING	200.000	S.F.
705-04.29	C-A-T CRASH CUSHION ATTENUATING TERMINAL	4.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	250.000	L.F.
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	10.000	EACH
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	10.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	500.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	10.000	EACH
705-10.30	GUARDRAIL ATTACHMENT TO SLOPE FACE ENDPOST	35.000	L.F.
705-10.31	GUARDRAIL ATTACHMENT TO VERTICAL FACE ENDPOST	35.000	L.F.

Contract ID CNS927 - BEDFORD , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
705-10.32	GUARDRAIL ATTACHMENT TO EXISTING BRIDGE PIER PROTECTION	44.000	EACH
705-11.01	GUARDRAIL AT BRIDGE ENDS (POWDER COATED)	87.000	L.F.
705-11.03	SINGLE GUARDRAIL (TYPE 2) (POWDER COATED)	700.000	L.F.
705-11.08	GUARDRAIL TERMINAL (TYPE 13) (POWDER COATED)	2.000	EACH
706-01	GUARDRAIL REMOVED	2,800.000	L.F.
706-02.21	RESET SINGLE GUARDRAIL (TYPE 2)	560.000	L.F.
706-03.01	POSTS FURNISHED	16.000	EACH
706-06.02	MEDIAN DIVIDER THRIE RAIL (TYPE 2)	35.000	L.F.
706-06.03	RADIUS RAIL	1,400.000	L.F.
706-06.05	RADIUS RAIL LONG POST (6-9 FT)	75.000	L.F.
706-06.06	RADIUS RAIL LONG POST (9-12 FT)	75.000	L.F.
706-10.26	ROUNDED END ELEMENT	36.000	EACH
706-10.54	RE-ALIGN GUARDRAIL	2,100.000	L.F.
706-10.56	BUFFER ENDS 88"	6.000	EACH
706-10.71	HAZARD MARKERS	7.000	EACH
706-10.72	PULL AND REINSTALL GUARDARAIL POST FOR VERIFICATION	20.000	EACH
706-10.74	CONCRETE BARRIER WALL REPAIR	20.000	C.Y.
706-10.80	MICHIGAN AND MODIFIED MICHIGAN END SHOE	10.000	EACH
706-10.81	GUARDRAIL REFLECTORS	80.000	EACH
706-10.82	CONCRETE BRIDGE END OR PIER PROTECTION REPAIR	4.000	C.Y.
706-10.83	DRILL BR. PAR. WALL FOR MICHIGAN END SHOE	12.000	EACH
712-01.02	LANE CLOSURE	1,188.000	EACH
717-01	MOBILIZATION	(1)	LS
717-01.04	MOBILIZATION (DESCRIPTION) (EMERGENCY CALL- OUT)	25.000	EACH

Contract ID CNS928 - BLEDSOE , BRADLEY, ETC.

Item No.	Description	Quantity	Units
705-01.01	GUARDRAIL AT BRIDGE ENDS	270.000	L.F.
705-01.02	GUARDRAIL AT BRIDGE PIERS	18.000	L.F.
705-01.04	METAL BEAM GUARD FENCE	100.000	L.F.
705-02.01	SINGLE GUARDRAIL, WITH RUB-RAIL (TYPE 2)	75.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	30,000.000	L.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	500.000	EACH
705-02.20	SINGLE GUARDRAIL (TYPE 2) LONG POST (6 FT-9 FT)	2,950.000	L.F.
705-02.25	SINGLE GUARDRAIL (TYPE 2) LONG POST (9 FT-12 FT)	275.000	L.F.
705-03.01	MEDIAN DIVIDER GUARDRAIL, WITH RUB-RAIL (TYPE 2)	50.000	L.F.
705-03.02	MEDIAN DIVIDER GUARDRAIL (TYPE 2)	50.000	L.F.
705-03.03	MEDIAN DIVIDER GUARDRAIL (TYPE 2) (27" MT HT)	50.000	L.F.
705-03.04	MEDIAN DIVIDER GUARDRAIL AT CONCRETE BARRIER	18.000	L.F.
705-04.02	GUARDRAIL TERMINAL (TYPE 12)	4.000	EACH
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	10.000	EACH
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	17.000	EACH
705-04.11	STONE FOR GUARDRAIL END TERMINAL PAD	3,200.000	TON
705-04.24	GUARDRAIL END TERMINAL DELINEATION SHEETING	200.000	S.F.
705-04.29	C-A-T CRASH CUSHION ATTENUATING TERMINAL	3.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	250.000	L.F.
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	10.000	EACH
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	10.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	400.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	10.000	EACH
705-10.30	GUARDRAIL ATTACHMENT TO SLOPE FACE ENDPOST	53.000	L.F.
705-10.31	GUARDRAIL ATTACHMENT TO VERTICAL FACE ENDPOST	26.000	L.F.

Contract ID CNS928 - BLEDSOE , BRADLEY, ETC.

Item No.	Description	Quantity	Units
705-10.32	GUARDRAIL ATTACHMENT TO EXISTING BRIDGE PIER PROTECTION	2.000	EACH
705-11.01	GUARDRAIL AT BRIDGE ENDS (POWDER COATED)	18.000	L.F.
705-11.03	SINGLE GUARDRAIL (TYPE 2) (POWDER COATED)	70.000	L.F.
705-11.08	GUARDRAIL TERMINAL (TYPE 13) (POWDER COATED)	2.000	EACH
706-01	GUARDRAIL REMOVED	800.000	L.F.
706-02.21	RESET SINGLE GUARDRAIL (TYPE 2)	584.000	L.F.
706-03.01	POSTS FURNISHED	40.000	EACH
706-06.01	SINGLE THRIE RAIL (TYPE 2)	18.000	L.F.
706-06.02	MEDIAN DIVIDER THRIE RAIL (TYPE 2)	18.000	L.F.
706-06.03	RADIUS RAIL	550.000	L.F.
706-06.05	RADIUS RAIL LONG POST (6-9 FT)	100.000	L.F.
706-06.06	RADIUS RAIL LONG POST (9-12 FT)	75.000	L.F.
706-10.26	ROUNDED END ELEMENT	24.000	EACH
706-10.54	RE-ALIGN GUARDRAIL	4,000.000	L.F.
706-10.56	BUFFER ENDS 88"	10.000	EACH
706-10.71	HAZARD MARKERS	4.000	EACH
706-10.72	PULL AND REINSTALL GUARDARAIL POST FOR VERIFICATION	7.000	EACH
706-10.74	CONCRETE BARRIER WALL REPAIR	4.000	C.Y.
706-10.80	MICHIGAN AND MODIFIED MICHIGAN END SHOE	12.000	EACH
706-10.81	GUARDRAIL REFLECTORS	14.000	EACH
706-10.82	CONCRETE BRIDGE END OR PIER PROTECTION REPAIR	3.000	C.Y.
706-10.83	DRILL BR. PAR. WALL FOR MICHIGAN END SHOE	18.000	EACH
712-01.02	LANE CLOSURE	720.000	EACH
717-01	MOBILIZATION	(1)	LS
717-01.04	MOBILIZATION (DESCRIPTION) (EMERGENCY CALL-OUT)	25.000	EACH

Contract ID CNS929 - BRADLEY

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	253.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	600.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	32.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	3,905.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	4.900	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	4,496.000	TON
705-04.24	GUARDRAIL END TERMINAL DELINEATION SHEETING	2.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	384.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	205.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	14.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	65.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	542.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	223.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	285.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	5.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	19.800	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	9.900	L.M.
716-13.03	SPRAY THERMO PVMT MRKNG (60 mil) (8IN BARRIER LINE)	268.000	L.F.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	60.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS930 - CAMPBELL

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	12,276.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	826.000	C.Y.
203-05	UNDERCUTTING	785.000	C.Y.
203-06	WATER	31.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	402.000	C.Y.
204-08.01	BACKFILL MATERIAL (FLOWABLE FILL)	3.000	C.Y.
209-02.05	12" TEMPORARY SLOPE DRAIN	85.000	L.F.
209-02.07	18" TEMPORARY SLOPE DRAIN	25.000	L.F.
209-05	SEDIMENT REMOVAL	40.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	1,085.000	L.F.
209-08.07	ROCK CHECK DAM PER	17.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	6.000	EACH
209-08.09	FILTER SOCK CHECK DAM	5.000	EACH
209-09.04	SEDIMENT FILTER BAG(15' X 10')	1.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	1.000	EACH
209-65.04	TEMPORARY IN STREAM DIVERSION	220.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	3,364.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	12.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	213.000	TON
307-03.01	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING A	939.000	TON
307-03.02	PERF. GRADE ASPH. CEMENT(PG76-22)GRADING AS	7.000	TON
307-03.03	AGGREGATE(BPMB-HM) GRADING AS	183.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	256.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	5.000	TON

Contract ID CNS930 - CAMPBELL

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	4.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	154.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	454.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	0.800	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	6,027.000	S.Y.
604-02.01	CLASS A CONCRETE (BOX BRIDGES)	13.000	C.Y.
604-02.02	STEEL BAR REINFORCEMENT (BOX BRIDGES)	2,680.000	LB.
621-03.02	18" TEMPORARY DRAINAGE PIPE	225.000	L.F.
621-03.03	24" TEMPORARY DRAINAGE PIPE	550.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	423.000	L.F.
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	1.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH
706-01	GUARDRAIL REMOVED	355.000	L.F.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	500.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	50.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	1,370.000	TON
709-05.10	MACHINED RIP-RAP (DESCRIPTION) (CLASS C-GROUTED)	195.000	C.Y.
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	1,199.000	L.F.
710-05	LATERAL UNDERDRAIN	90.000	L.F.
710-06.15	LATERAL UNDERDRAIN ENDWALL (6:1)	6.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	1,320.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	52.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	62.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	26.000	EACH
712-06	SIGNS (CONSTRUCTION)	355.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	2.000	EACH

Contract ID CNS930 - CAMPBELL

Item No.	Description	Quantity	Units
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	200.000	HOUR
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	5.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	1,496.000	LB.
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	72.000	EACH
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	4,293.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	133.000	LB.
713-11.03	2 1/2" DIA ROUND STEEL TUBE SIGN POST	87.000	LB.
713-11.23	ROUND POST SLIP BASE	2.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	25.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	40.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	64.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	182.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	40.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	225.000	L.F.
716-04.07	PLASTIC PAVEMENT MARKING (EXIT ONLY ARROW)	3.000	EACH
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	2.000	L.F.
716-08.30	HYDROBLAST REMOVAL OF PAVEMENT MARKING (LINE)	0.100	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.200	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	755.000	L.F.
716-12.10	ENHANCED FLAT LINE THERMO (12IN DOTTED)	550.000	L.F.
716-13.08	SPRAY THERMO PVMT MRKNG (40 mil) (8IN BARRIER LINE)	650.000	L.F.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	169.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	1,360.000	S.Y.

Contract ID CNS930 - CAMPBELL

Item No.	Description	Quantity	Units
740-11.02	TEMPORARY SEDIMENT TUBE 12IN	1,950.000	L.F.
740-11.05	TEMPORARY SEDIMENT TUBE 24IN	522.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	67.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	67.000	UNIT
801-03	WATER (SEEDING & SODDING)	14.000	M.G.
805-12.02	EROSION CONTROL BLANKET (TYPE II)	11,240.000	S.Y.

Contract ID CNS931 - FENTRESS & OVERTON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	25.000	TON
403-01.10	High Performance Fog Seals	217,330.000	S.Y.
405-03.01	PM REJUVENATING SCRUB SEAL	217,330.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	1.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
706-01	GUARDRAIL REMOVED	50.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,184.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	1,042.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	360.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	189.000	L.M.
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	47.200	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	63.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS932 - GRUNDY

Item No.	Description	Quantity	Units
307-01.10	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING C-W	5,939.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	38.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,470.000	TON
705-04.24	GUARDRAIL END TERMINAL DELINEATION SHEETING	2.000	S.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	3.000	EACH
706-01	GUARDRAIL REMOVED	150.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	623.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	312.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	312.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	216.000	L.F.
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	29.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	25.300	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	18.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS933 - JACKSON

Item No.	Description	Quantity	Units
403-01.10	High Performance Fog Seals	149,248.000	S.Y.
405-03.01	PM REJUVENATING SCRUB SEAL	149,248.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	576.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	701.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	250.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	127.200	L.M.
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	31.800	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	42.400	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS905 - MARION

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
202-01.02	REMOVAL OF ASBESTOS	(1)	LS
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (BR. NO. 58-SR156-25.58)	(1)	LS
204-02.01	DRY EXCAVATION (BRIDGES)	53.000	C.Y.
204-03.01	WET EXCAVATION (BRIDGES) (BRIDGES)	23.000	C.Y.
209-05	SEDIMENT REMOVAL	4.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	400.000	L.F.
209-10.01	TEMPORARY DEWATERING STRUCTURE	138.000	C.Y.
209-13.04	TURBIDITY CURTAIN(DESCRIPTION) (ABUTMENTS 1 AND 2)	512.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	875.000	TON
303-01.02	GRANULAR BACKFILL (BRIDGES)	40.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	144.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	316.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	4.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	15.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	2.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	292.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	1,867.000	S.Y.
604-02.03	EPOXY COATED REINFORCING STEEL	14,912.000	LB.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	16,422.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	220.000	S.Y.
604-03.74	CLASS X CONCRETE	50.000	C.Y.
604-03.75	CLASS X CONCRETE	43.000	C.Y.
604-03.76	CLASS X CONCRETE	136.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	776.000	S.Y.
604-04.02	APPLIED TEXTURE FINISH (EXISTING STRUCTURES)	96.000	S.Y.

Contract ID CNS905 - MARION

Item No.	Description	Quantity	Units
604-10.54	CONCRETE REPAIRS	191.000	S.F.
604-10.58	EPOXY INJECTION (INJECTION)	2.000	GAL.
604-10.62	EPOXY INJECTION REPAIR (COMPLETE AND IN PLACE)	46.000	L.F.
615-02.03	PRESTRESSED CONCRETE BOX BEAM (21" X 36")	936.000	L.F.
615-04.03	PRECAST DECK PANEL (5,000 PSI)	120.000	C.Y.
617-01	BRIDGE DECK SEALANT	953.000	S.Y.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	378.000	L.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	108.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	250.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
705-08.11	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	3.000	EACH
709-05.08	MACHINED RIP-RAP (CLASS B)	505.000	TON
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	118.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	22.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	165.000	L.F.
712-02.47	BRIDGE MOUNTED INTERCONNECTED PORTABLE BARRIER RAIL	263.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	21.000	EACH
712-06	SIGNS (CONSTRUCTION)	353.000	S.F.
712-09.01	REMOVABLE PAVEMENT MARKING LINE	4,070.000	L.F.
712-09.04	REMOVABLE PAVEMENT MARKING (STOP LINE)	70.000	L.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	5.000	EACH
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-05.01	ELECTRICAL SERVICE CONNECTION	1.000	EACH
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	1.000	EACH
790-05.02	POLE 50FT CLASS 2 WOOD	2.000	EACH
790-25.21	3PH CROSSARM DEADEND SGL 15KV	6.000	EACH

Contract ID CNS905 - MARION

Item No.	Description	Quantity	Units
790-32.01	DOWN GUY - THROUGH BOLT TYPE	8.000	EACH
790-33.04	SCREW TYPE ANCHOR 10,000LB-12,000LB	4.000	EACH
790-40.06	OH COND 4/0 6/1 ACSR PENGUIN	376.000	L.F.
790-40.09	OH COND 336.4 18/1 ACSR MERLIN	1,128.000	L.F.
790-41.06	UG PRI COND 4/0 AL 15KV	1,086.000	L.F.
790-42.10	4IN DIA PVC PIPE	240.000	L.F.
790-42.19	4 DUCT BANK @ 36IN-48IN DEPTH	100.000	L.F.
790-42.41	BRIDGE HANGER SYSTEM AND PIPE	1.000	LS
790-43.47	PRIMARY PULLBOX	2.000	EACH
790-43.56	2PH PRIMARY RISER W/ 4IN CONDUIT	4.000	EACH
790-68.01	POLE GROUND ROD TYPE	2.000	EACH
790-98.01	REMOVE WIRE	2,608.000	L.F.
790-98.02	REMOVE POLES	2.000	EACH
790-98.03	REMOVE FRAMING/ASSOCIATED APPARATUS	12.000	EACH
793-01.41	ANCHOR 1IN	4.000	EACH
793-13.07	4IN SCHEDULE 40 PVC	480.000	L.F.
793-13.17	2 DUCT FORMATION @ 36IN DEPTH	120.000	L.F.
793-14.09	BRIDGE CONDUIT HANGER SYSTEM	(1)	LS
793-14.26	UNDERGROUND TO OVERHEAD RISER	2.000	EACH
795-01.03	6IN DIP RESTRAINED JOINT WATER LINE	300.000	L.F.
795-06.04	CONNECT TO 6IN WATER LINE	2.000	EACH
795-06.33	CUT AND CAP 6IN WATERLINE	2.000	EACH
795-08.04	6IN GATE VALVE ASSEMBLY	2.000	EACH
795-11.01	BLOW-OFF ASSEMBLY	1.000	EACH
795-13.01	DI FITTINGS	600.000	LB.
795-13.04	BRIDGE HANGER SYSTEM	(1)	LS
795-15.03	14IN STEEL CASING PIPE OPEN CUT METHOD	52.000	L.F.
795-25.01	REMOVE WATER MAIN FROM BRIDGE	1.000	LS
798-02.03	4IN DIAMETER CONDUIT (PVC)	240.000	L.F.
798-04.21	BRIDGE HANGER SYSTEM AND PIPE	(1)	LS

Contract ID CNS905 - MARION

Item No.	Description	Quantity	Units
798-05.02	FIBER OPTIC CABLE ENCLOSURE	6.000	EACH
798-05.04	1/4IN EHS STEEL STRAND	380.000	L.F.
798-06.08	FIBER OPTIC CABLE (72F)	380.000	L.F.
798-06.13	FIBER OPTIC CABLE (DESCRIPTION) (24F)	380.000	L.F.
798-06.20	FIBER OPTIC CABLE (144F)	380.000	L.F.
798-06.48	FIBER STORAGE LOOP	6.000	EACH
798-08.01	RISER	2.000	EACH
798-09.01	REMOVE STEEL STRAND	1,980.000	L.F.
798-09.02	REMOVE AERIAL CABLE/TERMINALS	1,980.000	L.F.
798-09.03	REMOVE POLES, GUYS, ANCHORS	2.000	EACH
798-11.41	DOWNGUY - WRAP TYPE	4.000	EACH
798-13.07	STRAND DOUBLE DEADEND ASSEMBLY	2.000	EACH
798-13.08	STRAND DEADEND ASSEMBLY	4.000	EACH

Contract ID CNS934 - PUTNAM

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	125.000	TON
403-01.10	High Performance Fog Seals	165,897.000	S.Y.
405-03.01	PM REJUVENATING SCRUB SEAL	165,897.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	5.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	25.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	5.000	EACH
706-01	GUARDRAIL REMOVED	275.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	954.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	955.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	115.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	19.300	L.M.
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	41.800	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	41.800	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS935 - RHEA

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	735.440	C.Y.
203-06	WATER	48.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	288.750	C.Y.
209-03.23	FILTER SOCK (24 INCH)	40.000	L.F.
209-05	SEDIMENT REMOVAL	15.980	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	784.000	L.F.
209-08.08	ENHANCED ROCK CHECK DAM	2.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	5,050.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	9.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	50.000	TON
307-01.21	ASP. CONC. MIX(PG70-22) (BPMB-HM) GR. A-S	256.425	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	319.085	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	203.575	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	3.400	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	14.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	45.000	TON
407-20.05	SAW CUTTING ASPHALT PAVEMENT	1,150.000	L.F.
411-01.10	ACS MIX(PG64-22) GRADING D	5,679.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	1,489.115	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	3.710	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	3.500	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,581.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	19,362.000	S.Y.
705-01.04	METAL BEAM GUARD FENCE	37.500	L.F.

Contract ID CNS935 - RHEA

Item No.	Description	Quantity	Units
705-02.02	SINGLE GUARDRAIL (TYPE 2)	531.250	L.F.
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	8.000	EACH
705-04.05	GUARDRAIL TERMINAL (TYPE-IN-LINE)	1.000	EACH
705-04.10	EARTH PAD FOR GUARD RAIL END TREATMENT	8.000	EACH
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	3.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	45.400	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	1,345.000	L.F.
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	30.000	EACH
712-06	SIGNS (CONSTRUCTION)	819.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-02.26	CONCRETE BARRIER/PARAPET DELINEATOR	25.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
713-16.09	RAILROAD ADVANCE WARNING SIGN AND SUPPORT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	46.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	84.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	354.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	442.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	62.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	376.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	14.000	EACH
716-02.11	PLASTIC PAVEMENT MARKING (6" DOTTED LINE)	1,176.618	L.F.
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	7.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	11.600	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	268.000	L.F.
716-05.06	PAINTED PAVEMENT MARKING (TURN LANE ARROW)	7.000	EACH

Contract ID CNS935 - RHEA

Item No.	Description	Quantity	Units
716-05.21	PAINTED PAVEMENT MARKING(4"DOTTED LINE)	2,276.618	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	12.600	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	280.000	S.Y.
801-01	SEEDING (WITH MULCH)	20.948	UNIT
801-03	WATER (SEEDING & SODDING)	14.079	M.G.
803-01	SODDING (NEW SOD)	1,155.000	S.Y.
806-02.03	PROJECT MOWING	1.000	CYCL

Contract ID CNS925 - ROANE

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
209-05	SEDIMENT REMOVAL	5.000	C.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	793.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	791.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	27.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	325.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	747.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	1.600	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	11,250.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	1.000	EACH
705-02.20	SINGLE GUARDRAIL (TYPE 2) LONG POST (6 FT-9 FT)	2,343.000	L.F.
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	2,790.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
705-08.11	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	1.000	EACH
706-01	GUARDRAIL REMOVED	1,475.000	L.F.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	234.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	2,940.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	18.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	150.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	75.000	EACH
712-06	SIGNS (CONSTRUCTION)	524.000	S.F.
712-06.16	SIGNS (CONSTRUCTION)(REDUCED SPEED WARNING)	2.000	EACH
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	168.000	HOUR

Contract ID CNS925 - ROANE

Item No.	Description	Quantity	Units
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	1.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	201.000	LB.
713-02.14	FLEXIBLE DELINEATOR (WHITE)	229.000	EACH
713-02.21	SIGN POST DELINEATION ENHANCEMENT	59.000	L.F.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	380.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	1,187.000	LB.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	144.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.06	TEMPORARY RAISED PAVEMENT MARKER,WHITE	115.000	EACH
716-01.07	TEMPORARY RAISED PAVEMENT MARKER,YELLOW	115.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	915.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	60.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	97.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	975.000	L.F.
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	4,000.000	L.F.
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	1.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.700	L.M.
717-01	MOBILIZATION	(1)	LS
740-11.03	TEMPORARY SEDIMENT TUBE 18IN	2,863.000	L.F.

Contract ID CNS936 - RUTHERFORD

Item No.	Description	Quantity	Units
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	36.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	743.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	125.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	115.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	4,988.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	7,576.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	6.300	L.M.
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	10.200	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	7,311.000	TON
611-01.20	ADJUSTMENT OF EXISTING MANHOLE	1.000	EACH
701-01.01	CONCRETE SIDEWALK (4 ")	100.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	910.000	S.F.
701-03	CONCRETE MEDIAN PAVEMENT	6.000	C.Y.
702-01	CONCRETE CURB	5.000	C.Y.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	1,430.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	2.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
706-01	GUARDRAIL REMOVED	1,601.000	L.F.
706-06.03	RADIUS RAIL	50.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	167.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	8.000	EACH
712-06	SIGNS (CONSTRUCTION)	3,573.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH

Contract ID CNS936 - RUTHERFORD

Item No.	Description	Quantity	Units
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	1,515.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	386.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	115.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	220.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	67.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	200.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	831.000	L.F.
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	1.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	14.000	S.F.
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	2.000	EACH
716-04.17	PLASTIC PAVEMENT MARKING (YIELD SYMBOL)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	28.600	L.M.
716-05.04	PAINTED PAVEMENT MARKING (CHANNELIZATION STRIPING)	210.000	S.Y.
716-05.21	PAINTED PAVEMENT MARKING(4"DOTTED LINE)	175.000	L.F.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	72.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	22.100	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	775.000	L.F.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	14.200	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	8,200.000	L.F.
730-14.03	LOOP WIRE	18,025.000	L.F.
604-10.44	EXPANSION JOINT REPAIRS	174.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.
604-10.53	CONCRETE REPAIRS	5.000	S.Y.

Contract ID CNS937 - SULLIVAN

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	504.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	7.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	43.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,108.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	8,061.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	11.700	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	850.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	484.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	484.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	50.000	L.F.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	635.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	7.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	29.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS938 - WAYNE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,540.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	32.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,666.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	9.800	L.M.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	37.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	37.000	EACH
706-01	GUARDRAIL REMOVED	925.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	802.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	403.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	140.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	10.500	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	12.200	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS924 - WEAKLEY

Item No.	Description	Quantity	Units
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	105.000	S.Y.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	765.000	S.Y.
203-06	WATER	11.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	1,137.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	352.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	49.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	8,768.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (4IN WIDTH)	4.271	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	99,715.000	S.Y.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	2,340.000	S.F.
701-02.03	CONCRETE CURB RAMP	2,209.000	S.F.
701-03	CONCRETE MEDIAN PAVEMENT	105.000	C.Y.
705-04.10	EARTH PAD FOR GUARD RAIL END TREATMENT	4.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	4.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	2,144.000	S.F.
713-16.20	SIGNS (DESCRIPTION) (W3-1)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	305.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	870.000	L.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	480.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	8.000	EACH
716-03.06	PLASTIC WORD PAVEMENT MARKING (SIGNAL AHEAD)	1.000	EACH
716-04.10	PLASTIC PAVEMENT MARKING (HANDICAP SYMBOL)	5.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	15.288	L.M.
716-05.08	PAINTED PAVEMENT MARKING (PARKING LINE)	1,200.000	L.F.

Contract ID CNS924 - WEAKLEY

Item No.	Description	Quantity	Units
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	15.428	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS220 - ANDERSON

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	162.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,447.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	10,140.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	9.500	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	6,420.000	S.Y.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	2,814.000	L.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	8.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	8.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	36.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	18.000	EACH
712-06	SIGNS (CONSTRUCTION)	802.000	S.F.
713-02.17	REMOVE & REPLACE DELINEATORS (SINGLE WHITE)	20.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R2-1)	9.000	EACH
713-16.21	SIGNS (DESCRIPTION) (W3-5)	1.000	EACH
713-16.22	SIGNS (DESCRIPTION) (OM-3)	3.000	EACH
713-16.23	SIGNS (DESCRIPTION) (W1-8)	3.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	774.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	910.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	491.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	187.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	54.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING () (SLOW)	4.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	24,468.000	L.F.
716-04.16	PLASTIC PAVEMENT MARKING (NOISE STRIP)	264.000	L.F.

Contract ID CNS220 - ANDERSON

Item No.	Description	Quantity	Units
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	9.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	34.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS233 - ANDERSON , BEDFORD, ETC.

Item No.	Description	Quantity	Units
502-02	HOLES	30.000	EACH
502-03.24	FULL DEPTH PCC PAVEMENT REPAIR HIGH EARLY (DESCRIPTION)	2,282.000	C.Y.
502-03.25	FULL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	2,218.000	C.Y.
502-03.26	PARTIAL DEPTH PCC PAVEMENT REPAIR HIGH EARLY	1,150.000	S.Y.
502-04.01	SAWING CONCRETE PAVEMENT (FULL DEPTH)	24,460.000	L.F.
502-04.02	LOAD TRANSFER DOWELS	9,710.000	EACH
502-04.03	TRANSVERSE TIE-BARS	3,550.000	EACH
502-08	PRE-ROLLING	225.000	S.Y.
502-08.02	RESEALING JOINTS (SILICONE SEALANT)	18,000.000	L.F.
502-08.03	SEALING SHOULDER JOINTS	10,500.000	L.F.
502-08.07	SEALING RANDOM CRACKS (SILICONE SEALANT)	2,950.000	L.F.
502-10	CEMENT-FLY ASH GROUT	280.000	C.F.
502-25	SAWING CONCRETE JOINTS	6,000.000	L.F.
503-01	GRINDING CONCRETE PAVEMENT	4,500.000	S.Y.
503-60	RETROFIT DOWEL BAR	360.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-01.02	LANE CLOSURE	60.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	60.000	EACH
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	450.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,100.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	6.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	60.000	DAY
712-09.01	REMOVABLE PAVEMENT MARKING LINE	1,500.000	L.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	4.000	EACH
716-01.10	SNOWPLOWABLE REFLECTIVE MARKER	30.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	30.000	EACH

Contract ID CNS233 - ANDERSON , BEDFORD, ETC.

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	6.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	2,000.000	L.F.
717-01.04	MOBILIZATION (DESCRIPTION) (Locations)	15.000	EACH
717-01.05	MOBILIZATION (DESCRIPTION) (Region 1)	10.000	EACH
717-01.06	MOBILIZATION (DESCRIPTION) (Region 2)	10.000	EACH
717-01.07	MOBILIZATION (DESCRIPTION) (Region 3)	10.000	EACH

Contract ID CNS193 - ANDERSON , BLOUNT, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	2.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	5.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	10.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	4,000.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	2,500.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	50.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	10,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	45.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	45.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	23.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	60.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	150.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	100.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,000.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	5.000	EACH
713-15.03	REMOVAL OF LARGER BARRIER MOUNTED SIGNS WITH SADDLE SUPPORTS	30.000	EACH
713-15.10	REMOVAL OF SMALL BARRIER MOUNTED SIGNS W/ FLAT PLAT SUPPORTS	30.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	10.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	24.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	19.000	S.F.

Contract ID CNS193 - ANDERSON , BLOUNT, ETC.

Item No.	Description	Quantity	Units
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	6.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	235.000	L.F.
713-20.30	SIGN ADJUSTMENTS	8.000	EACH
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	225.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	1,440.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	113.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (SADDLE)	8.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (PERF/KNOCKOUT) (FLAT PLATE)	10.000	EACH

Contract ID CNS195 - BEDFORD , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	3.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	5.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	15.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	2,880.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	2,400.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	45.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	10,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	45.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	45.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	38.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	27.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	180.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	100.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,500.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	8.000	EACH
713-15.03	REMOVAL OF LARGER BARRIER MOUNTED SIGNS WITH SADDLE SUPPORTS	30.000	EACH
713-15.10	REMOVAL OF SMALL BARRIER MOUNTED SIGNS W/ FLAT PLAT SUPPORTS	30.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	5.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	45.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	45.000	S.F.

Contract ID CNS195 - BEDFORD , CHEATHAM, ETC.

Item No.	Description	Quantity	Units
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	4.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	235.000	L.F.
713-20.30	SIGN ADJUSTMENTS	8.000	EACH
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	300.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	4,320.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	135.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (SADDLE)	11.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (PERF/KNOCKOUT) (PERF/KNOCKOUT)	36.000	EACH

Contract ID CNS196 - BENTON , CARROLL, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	2.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	5.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	12.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	4,000.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	1,500.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	75.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	12,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	60.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	60.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	38.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	50.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	225.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	75.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,000.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	5.000	EACH
713-15.03	REMOVAL OF LARGER BARRIER MOUNTED SIGNS WITH SADDLE SUPPORTS	30.000	EACH
713-15.10	REMOVAL OF SMALL BARRIER MOUNTED SIGNS W/ FLAT PLAT SUPPORTS	30.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	6.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	30.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	19.000	S.F.

Contract ID CNS196 - BENTON , CARROLL, ETC.

Item No.	Description	Quantity	Units
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	5.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	235.000	L.F.
713-20.30	SIGN ADJUSTMENTS	6.000	EACH
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	300.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	2,880.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	150.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (SADDLE)	8.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (PERF/KNOCKOUT) (FLAT PLATE)	17.000	EACH

Contract ID CNS194 - BLEDSOE , BRADLEY, ETC.

Item No.	Description	Quantity	Units
712-01.02	LANE CLOSURE	2.000	EACH
712-01.03	LANE CLOSURE(NIGHT WORK)	4.000	EACH
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	20.000	DAY
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	15.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	4,000.000	LB.
713-04.02	STEEL I-BEAMS & W-F BEAMS FOR SIGN SUPPORTS	3,000.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	75.000	LB.
713-06	STEEL I-BEAMS & WF-BEAMS(BREAKAWAY) SIGN SUPPORT	12,000.000	LB.
713-11.01	"U" SECTION STEEL POSTS	45.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	45.000	LB.
713-11.05	SQUARE TUBE SIGN SUPPORT	45.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	30.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	38.000	S.F.
713-13.12	FLAT SHEET ALUM SIGNS OVERLAY (0.080" THICK)	150.000	S.F.
713-13.14	FLORESCENT YELLOW SIGN SHEETING	200.000	S.F.
713-14	EXTRUDED ALUMINUM PANEL SIGNS	4,000.000	S.F.
713-15.01	REMOVAL OF EXISTING SIGN POST	3.000	EACH
713-15.03	REMOVAL OF LARGER BARRIER MOUNTED SIGNS WITH SADDLE SUPPORTS	30.000	EACH
713-15.10	REMOVAL OF SMALL BARRIER MOUNTED SIGNS W/ FLAT PLAT SUPPORTS	30.000	EACH
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	8.000	EACH
713-15.37	INSTALLATION OF SIGN MESSAGE(LETTER,#,ARROW,SHIELD)	15.000	S.F.
713-15.38	EXTRUDED ALUMINUM PANELS FOR OVERLAYING BACKGROUND	30.000	S.F.

Contract ID CNS194 - BLEDSOE , BRADLEY, ETC.

Item No.	Description	Quantity	Units
713-17.02	INSTALL AUXILIARY SUPPORT FOR EXIT NUMBER PANEL	5.000	EACH
713-17.04	INSTALL AUXILIARY SUPPORT ON EXISTING SIGN	100.000	L.F.
713-20.30	SIGN ADJUSTMENTS	4.000	EACH
713-30.02	BRIDGE MOUNTED SIGN SUPPORT	225.000	LB.
713-30.05	BARRIER MOUNTED SQUARE TUBE SIGN SUPPORT	1,440.000	LB.
713-30.08	BARRIER MOUNTED PERFORATED/KNOCKOUT SIGN SUPPORT	90.000	LB.
713-30.09	BARRIER MOUNTED SIGN SUPPORT (SADDLE)	8.000	EACH
713-30.10	BARRIER MOUNTED SIGN SUPPORT (PERF/KNOCKOUT) (FLAT PLATE)	10.000	EACH

Contract ID CNS203 - BLOUNT

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-01.01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
202-03.01	REMOVAL OF ASPHALT PAVEMENT	963.000	S.Y.
202-08.10	REMOVAL OF CURB (DESCRIPTION) (IN EXISTING PARKING LOTS)	450.000	L.F.
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	4,240.000	C.Y.
203-07	FURNISHING & SPREADING TOPSOIL	76.000	C.Y.
203-10.15	WASTE MATERIAL	3,647.000	C.Y.
209-05	SEDIMENT REMOVAL	105.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	920.000	L.F.
209-08.07	ROCK CHECK DAM PER	9.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	8.000	EACH
209-09.43	CURB INLET PROTECTION (TYPE 4)	7.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	6.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,612.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	5.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	406.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	517.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	338.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	8.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	27.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	4.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	9.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	238.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	198.000	TON
607-03.02	18" CONCRETE PIPE CULVERT (CLASS III)	907.000	L.F.

Contract ID CNS203 - BLOUNT

Item No.	Description	Quantity	Units
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	120.000	L.F.
611-01.02	MANHOLES, > 4' - 8' DEPTH	1.000	EACH
611-07.31	18IN ENDWALL (SIDE DRAIN)	2.000	EACH
611-07.55	18IN ENDWALL (CROSS DRAIN) 4:1	1.000	EACH
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	1.000	EACH
611-09.03	CAPPING EXISTING CATCHBASIN	1.000	EACH
611-12.01	CATCH BASINS, TYPE 12, 0' - 4' DEPTH	6.000	EACH
611-12.02	CATCH BASINS, TYPE 12, > 4' - 8' DEPTH	1.000	EACH
611-42.01	CATCH BASINS, TYPE 42, 0' - 4' DEPTH	3.000	EACH
701-02.03	CONCRETE CURB RAMP	352.000	S.F.
702-01	CONCRETE CURB	7.000	C.Y.
702-03	CONCRETE COMBINED CURB & GUTTER	139.000	C.Y.
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	500.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	23.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	200.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	160.000	EACH
712-06	SIGNS (CONSTRUCTION)	288.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	108.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	146.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	429.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	67.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	53.000	S.F.
713-14.21	STREET NAME SIGN (RIGID 0.100IN THICK	72.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	3.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	30.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	22.000	EACH

Contract ID CNS203 - BLOUNT

Item No.	Description	Quantity	Units
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	282.000	L.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	80.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	1.000	L.M.
716-05.02	PAINTED PAVEMENT MARKING (8" BARRIER LINE)	3,200.000	L.F.
716-08.05	REMOVAL OF PAVEMENT MARKING (STOP LINE)	62.000	L.F.
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	1.000	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	5.000	EACH
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	3.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	5.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	1.000	EACH
730-08.01	SIGNAL CABLE - 3 CONDUCTOR	710.000	L.F.
730-08.02	SIGNAL CABLE - 5 CONDUCTOR	758.000	L.F.
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	544.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	238.000	L.F.
730-12.16	CONDUIT (DESCRIPTION) (DESCRIPTION)	279.000	L.F.
730-13.02	VEHICLE DETECTOR (VIDEO)	1.000	EACH
730-15.07	CABINET (DESCRIPTION) (BACKUP POWER CABINET)	1.000	EACH
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	1.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	1.000	EACH
730-23.30	PEDESTAL POLE (DESCRIPTION) (PEDESTRIAN)	4.000	EACH
730-23.64	CANTILEVER SIGNAL SUPPORT (1 ARM @ 30')	2.000	EACH
730-23.80	CANTILEVER SIGNAL SUPPORT (1 ARM @ 40')	1.000	EACH
730-23.88	CANTILEVER SIGNAL SUPPORT (1 ARM @ 45')	1.000	EACH
730-26.11	COUNTDOWN PED SGNL HEAD W/AUDIBLE PUSH BUTTON & 15IN SIGN	8.000	EACH

Contract ID CNS203 - BLOUNT

Item No.	Description	Quantity	Units
730-35.06	BATTERY BACK-UP AND POWER CONDITIONER	1.000	EACH
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	226.000	S.Y.
740-11.04	TEMPORARY SEDIMENT TUBE 20IN	3,168.000	L.F.
801-01	SEEDING (WITH MULCH)	40.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	32.000	UNIT
801-03	WATER (SEEDING & SODDING)	25.000	M.G.
803-01	SODDING (NEW SOD)	2,506.000	S.Y.

Contract ID CNS181 - BLOUNT

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	44.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	310.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	2,800.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	7.000	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	300.000	S.F.
716-01.21	Snowplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	256.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	256.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	180.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	4.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	16.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS170 - BLOUNT & MONROE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	200.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	139.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	521.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	8,913.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	2.400	L.M.
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	8.200	L.M.
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	5.500	L.M.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	264.000	L.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	26.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	26.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	26.000	EACH
706-01	GUARDRAIL REMOVED	264.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,184.000	S.F.
713-15.41	SIGN REMOVAL (DESCRIPTION)	(1)	LS
713-16.20	SIGNS (DESCRIPTION) (OM3-L, OM3-R)	6.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	666.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	313.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	38.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	227.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	9.500	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	28.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	4.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	8.000	L.M.

Contract ID CNS170 - BLOUNT & MONROE

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	1.000	EACH
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.
604-10.53	CONCRETE REPAIRS	30.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	715.000	S.Y.

Contract ID CNS175 - BRADLEY

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	319.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	400.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	46.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	2,908.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,018.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	6.200	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	4,359.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	591.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	256.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	147.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	16.700	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	12.200	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS160 - CAMPBELL

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	103.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	3,369.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	12,041.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	6.000	L.M.
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	7.000	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	15,053.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	2,400.000	S.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	160.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	80.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,694.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-02.21	SIGN POST DELINEATION ENHANCEMENT	60.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	189.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	506.000	LB.
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	27.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	122.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	22.000	EACH
713-16.09	RAILROAD ADVANCE WARNING SIGN AND SUPPORT	4.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	382.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	706.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	422.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	1,000.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	285.000	S.Y.

Contract ID CNS160 - CAMPBELL

Item No.	Description	Quantity	Units
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	2,041.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	78.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	66.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	180.000	L.F.
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	4.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	26,656.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	7.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	48.000	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	224.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	24.000	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	3,350.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.200	L.M.
717-01	MOBILIZATION	(1)	LS
730-02.41	SIGNAL HEAD MODIFICATION (DESCRIPTION) (BACKPLATE W/ REFLECTIVE BORDER)	8.000	EACH
730-14.02	SAW SLOT	50,000.000	L.F.
730-14.03	LOOP WIRE	100,000.000	L.F.

Contract ID CNS215 - CAMPBELL

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	1,289.000	C.Y.
203-02.01	BORROW EXCAVATION (GRADED SOLID ROCK)	2,845.000	TON
203-04	PLACING AND SPREADING TOPSOIL	49.000	C.Y.
203-06	WATER	14.000	M.G.
209-03.20	FILTER SOCK (8 INCH)	370.000	L.F.
209-05	SEDIMENT REMOVAL	54.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	460.000	L.F.
209-08.09	FILTER SOCK CHECK DAM	10.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,845.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	123.000	TON
307-02.02	ASPHALT CEMENT (PG70-22)(BPMB-HM) GRADING A-S	3.000	TON
307-02.03	AGGREGATE (BPMB-HM) GRADING A-S MIX	93.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	81.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	2.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	2.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	47.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	280.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	0.200	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	0.100	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	3,598.000	S.Y.
621-03.02	18" TEMPORARY DRAINAGE PIPE	50.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	617.000	L.F.
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	1.000	EACH
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	2.000	EACH

Contract ID CNS215 - CAMPBELL

Item No.	Description	Quantity	Units
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	50.000	TON
710-02	AGGREGATE UNDERDRAINS (WITH PIPE)	720.000	L.F.
710-05	LATERAL UNDERDRAIN	133.000	L.F.
710-06.10	LATERAL UNDERDRAIN ENDWALL (1:1)	4.000	EACH
710-06.12	LATERAL UNDERDRAIN ENDWALL (3:1)	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	1,128.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	50.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	25.000	EACH
712-06	SIGNS (CONSTRUCTION)	588.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
712-08.20	TRUCK MOUNTED ATTENUATOR W/MSSAGE BOARD	138.000	DAY
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	4,723.000	L.F.
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	20.000	EACH
713-14.21	STREET NAME SIGN (RIGID 0.100IN THICK	50.000	S.F.
713-15.02	REMOVAL & RELOCATION OF SIGN & SUPPORT	2.000	EACH
713-15.07	SUSPENDED FLAT SHEET ALUMINUM SIGN (0.080" THICK)	2.000	EACH
716-01.13	RAISED PVMT MARKERS (BI-DIRECTIONAL) (2 COLOR LENS)	40.000	EACH
716-01.23	Snowplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	22.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	22.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	169.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.030	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	169.000	L.F.

Contract ID CNS215 - CAMPBELL

Item No.	Description	Quantity	Units
716-05.06	PAINTED PAVEMENT MARKING (TURN LANE ARROW)	3.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	0.100	L.M.
716-08.01	REMOVAL OF PAVEMENT MARKING (LINE)	691.000	L.F.
716-08.06	REMOVAL OF PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	0.500	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	127.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.300	L.M.
717-01	MOBILIZATION	(1)	LS
730-01.01	REMOVE & RELOCATE EXISTING TRAFFIC SIGNAL EQUIPMENT	1.000	EACH
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	1.000	EACH
730-01.04	MODIFICATION OF EXISTING TRAFFIC SIGNAL EQUIPMENT	(1)	LS
730-03.20	INSTALL PULL BOX (TYPE A)	3.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	7.000	EACH
730-05.01	ELECTRICAL SERVICE CONNECTION	1.000	EACH
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	955.000	L.F.
730-12.01	CONDUIT 1" DIAMETER (PVC)	570.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	200.000	L.F.
730-12.13	CONDUIT 2" DIAMETER (JACK AND BORE)	426.000	L.F.
730-13.03	VEHICLE DETECTOR (4 - CHANNEL, RACK MOUNT)	1.000	EACH
730-14.01	SHIELDED DETECTOR CABLE	1,589.000	L.F.
730-14.02	SAW SLOT	852.000	L.F.
730-14.03	LOOP WIRE	2,274.000	L.F.
730-23.36	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 68' & 1 ARM @ 77')	1.000	EACH
730-23.37	CANTILEVER SIGNAL SUPPORT (DESCRIPTION) (1 ARM @ 63' & 1 ARM @ 81')	1.000	EACH
730-40	TEMPORARY TRAFFIC SIGNAL SYSTEM	1.000	EACH

Contract ID CNS215 - CAMPBELL

Item No.	Description	Quantity	Units
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	86.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	1,356.000	S.Y.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	1.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	2.000	UNIT
801-03	WATER (SEEDING & SODDING)	1.000	M.G.
805-12.01	EROSION CONTROL BLANKET (TYPE I)	243.000	S.Y.

Contract ID CNS210 - CAMPBELL

Item No.	Description	Quantity	Units
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	120.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	3,792.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	6.400	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	634.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	308.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	100.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	408.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	73.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	460.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	12.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	4.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	16.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS190 - CHEATHAM

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,297.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	62.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	6,062.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	13.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	5,617.000	TON
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	4.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	200.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	4.000	EACH
706-01	GUARDRAIL REMOVED	200.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,416.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	548.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	548.000	EACH
716-02.22	PLASTIC AERIAL SPEED BARS	133.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	32.100	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	15.500	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	16.600	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS192 - CLAIBORNE

Item No.	Description	Quantity	Units
411-02.10	ACS MIX(PG70-22) GRADING D	2,637.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	2,610.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	200.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	100.000	EACH
712-06	SIGNS (CONSTRUCTION)	486.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	123.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	203.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	282.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	22.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	11.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	5.400	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	5,500.000	L.F.
730-14.03	LOOP WIRE	8,800.000	L.F.

Contract ID CNS185 - COCKE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	349.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	65.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	422.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	4,173.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	8.400	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	410.000	S.F.
713-16.20	SIGNS (DESCRIPTION) (W1-2)	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (W1-8)	1.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W2-2)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	348.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	50.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	30.000	S.Y.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	1,366.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	5.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	21.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	265.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS230 - COFFEE & WARREN

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	325.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	165.100	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	5,316.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	20,467.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	5.500	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	347,750.000	S.Y.
611-03.04	GRAY IRON CASTINGS (CATCHBASIN)	17.000	LB.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	13.000	EACH
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	13.000	EACH
706-01	GUARDRAIL REMOVED	611.000	L.F.
706-06.03	RADIUS RAIL	12.500	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,126.500	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	525.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	525.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	1,050.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	40.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	757.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	46.000	EACH
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	91.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	59.600	L.M.
716-13.03	SPRAY THERMO PVMT MRKNG (60 mil) (8IN BARRIER LINE)	254.000	L.F.

Contract ID CNS230 - COFFEE & WARREN

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	3,080.000	L.F.
730-14.03	LOOP WIRE	9,240.000	L.F.

Contract ID CNS221 - CROCKETT

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	130.000	S.Y.
203-06	WATER	11.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) ("C OR D")	1,281.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	30.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	3.000	TON
405-03.01	PM REJUVENATING SCRUB SEAL	69,567.000	S.Y.
411-01.10	ACS MIX(PG64-22) GRADING D	254.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	3,250.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	8.360	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	4,600.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	16.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	3.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	16.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,056.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	356.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	275.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	16.656	L.M.
716-08.05	REMOVAL OF PAVEMENT MARKING (STOP LINE)	91.000	L.F.
716-08.11	REMOVAL OF WORD PAVEMENT MARKING (DESCRIPTION) (STOP AHEAD)	1.000	EACH
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	16.656	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	5.936	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	10.720	L.M.

Contract ID CNS221 - CROCKETT

Item No.	Description	Quantity	Units
717-01	MOBILIZATION	(1)	LS

Contract ID CNS198 - DAVIDSON

Item No.	Description	Quantity	Units
712-01.56	MAINTENANCE OF TRAFFIC () (THOMPSON LANE UNDERPASS)	12.000	EACH
717-01	MOBILIZATION	(1)	LS
760-01.05	TUNNEL CLEANING (THOMPSON LANE TUNNELS)	12.000	EACH

Contract ID CNS093 - DYER

Item No.	Description	Quantity	Units
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	2,325.000	L.F.
705-06.01	W BEAM GR (TYPE 2) MASH TL3	300.000	L.F.
706-01	GUARDRAIL REMOVED	300.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.14	FLEXIBLE DELINEATOR (WHITE)	10.000	EACH
713-02.20	ROADSIDE OBSTACLE DELINEATION	3.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	318.000	L.F.
713-02.22	BARRIER WALL DELINEATION ENHANCEMENT	700.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	364.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	1,952.000	LB.
713-11.21	P POST SLIP BASE	7.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	89.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	449.000	S.F.
713-15.35	METAL BARRICADE (TYPE III)	1.000	EACH
713-15.41	SIGN REMOVAL (DESCRIPTION)	(1)	LS
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	250.000	L.F.
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	44.000	L.F.
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	100.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-04.16	PLASTIC PAVEMENT MARKING (NOISE STRIP)	120.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	16.150	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	100.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS218 - FAYETTE & SHELBY

Item No.	Description	Quantity	Units
725-10.75	TDOT SMARTWAY ITS SYSTEM MAINTENANCE (3 YEARS)	(1)	LS
725-10.76	REPAIR MAINTENANCE LABOR	5,000.000	HOURL
725-10.77	SPARE PARTS AND EQUIPMENT REPLACEMENT	1,000,000.000	DOLL
725-10.78	ONE CALL SERVICE	5,000.000	HOURL
725-10.79	SOFTWARE AND NETWORK MAINTENANCE AND SUPPORT	250,000.000	DOLL
725-10.80	SPECIAL MAINTENANCE REPAIR	4,000,000.000	DOLL

Contract ID CNS219 - FENTRESS

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	4,866.000	C.Y.
203-06	WATER	6.000	M.G.
203-07	FURNISHING & SPREADING TOPSOIL	42.000	C.Y.
203-08	CHANNEL EXCAVATION (UNCLASSIFIED)	139.000	C.Y.
209-02.03	8" TEMPORARY SLOPE DRAIN	99.000	L.F.
209-05	SEDIMENT REMOVAL	61.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	1,047.000	L.F.
209-08.07	ROCK CHECK DAM PER	57.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	2.000	EACH
209-09.04	SEDIMENT FILTER BAG(15' X 10')	1.000	EACH
209-65.04	TEMPORARY IN STREAM DIVERSION	79.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	677.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	12.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	126.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	3.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	11.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	0.800	TON
403-02	ASPHALT CEMENT FOR TACK COAT (TC)	0.400	TON
411-01.10	ACS MIX(PG64-22) GRADING D	78.000	TON
415-01.03	COLD PLANING BITUMINOUS PAVEMENT	14.000	C.Y.
604-10.51	SCARIFYING	312.000	S.Y.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	70.000	L.F.
705-01.04	METAL BEAM GUARD FENCE	113.000	L.F.
705-02.02	SINGLE GUARDRAIL (TYPE 2)	298.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	3.000	EACH

Contract ID CNS219 - FENTRESS

Item No.	Description	Quantity	Units
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	3.000	EACH
705-15.82	TRANSITION PANEL, NEW JERSEY BARRIER	4.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	257.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	16.000	TON
709-05.08	MACHINED RIP-RAP (CLASS B)	421.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-05.01	WARNING LIGHTS (TYPE A)	12.000	EACH
712-06	SIGNS (CONSTRUCTION)	151.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	58.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.590	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	261.000	S.Y.
740-11.01	TEMPORARY SEDIMENT TUBE 8IN	485.000	L.F.
740-11.02	TEMPORARY SEDIMENT TUBE 12IN	269.000	L.F.
801-01	SEEDING (WITH MULCH)	6.000	UNIT
801-01.07	TEMPORARY SEEDING (WITH MULCH)	79.000	UNIT
801-03	WATER (SEEDING & SODDING)	42.000	M.G.
803-01	SODDING (NEW SOD)	3,276.000	S.Y.
805-01.01	TURF REINFORCEMENT MAT (CLASS I)	154.000	S.Y.
204-01	CULVERT EXCAVATION (UNCLASSIFIED)	360.000	C.Y.
303-01.01	GRANULAR BACKFILL (ROADWAY)	305.000	TON
604-02.01	CLASS A CONCRETE (BOX BRIDGES)	224.000	C.Y.
604-02.02	STEEL BAR REINFORCEMENT (BOX BRIDGES)	46,881.000	LB.
795-01.01	4IN DIP RESTRAINED JOINT WATER LINE	300.000	L.F.
795-09.01	3/4IN WATER SERVICE METER ASSEMBLY	2.000	EACH
795-09.19	3/4IN PVC SERVICE PIPE	250.000	L.F.
795-11.01	BLOW-OFF ASSEMBLY	1.000	EACH
795-13.01	DI FITTINGS	600.000	LB.
795-15.01	8IN STEEL CASING PIPE OPEN CUT METHOD	50.000	L.F.

Contract ID CNS219 - FENTRESS

Contract ID CNS176 - FRANKLIN & MARION

Item No.	Description	Quantity	Units
307-01.10	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING C-W	5,386.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	35.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (4IN WIDTH)	8.200	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	75,544.000	S.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	533.000	S.F.
716-01.21	Snowplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	339.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	203.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	55.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	29.500	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	4.600	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	10.200	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS211 - GIBSON

Item No.	Description	Quantity	Units
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	67.000	S.Y.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	925.000	S.Y.
203-06	WATER	20.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C or D)	2,547.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	426.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	107.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	2,487.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	14,882.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	6.585	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	5.575	L.M.
411-12.04	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (4IN WIDTH)	1.104	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	245,869.000	S.Y.
701-01.01	CONCRETE SIDEWALK (4 ")	600.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	5,944.000	S.F.
701-02.03	CONCRETE CURB RAMP	120.000	S.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	12.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	12.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	12.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	3,132.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	8.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	286.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	370.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	630.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	90.000	EACH

Contract ID CNS211 - GIBSON

Item No.	Description	Quantity	Units
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	1,867.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	350.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,321.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	46.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	655.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	2.000	EACH
716-03.06	PLASTIC WORD PAVEMENT MARKING (SIGNAL AHEAD)	12.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	100.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	9.960	L.M.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	15.120	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	15.120	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	9.960	L.M.
717-01	MOBILIZATION	(1)	LS
730-12.01	CONDUIT 1" DIAMETER (PVC)	100.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	100.000	L.F.
730-14.02	SAW SLOT	5,112.000	L.F.
730-14.03	LOOP WIRE	11,544.000	L.F.

Contract ID CNS191 - GILES

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	3,764.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	59.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	7,648.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	16.000	L.M.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	45.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	45.000	EACH
706-01	GUARDRAIL REMOVED	2,250.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,664.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	660.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	330.000	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	15.900	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	20.000	L.M.
717-01	MOBILIZATION	(1)	LS
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	644.000	S.Y.

Contract ID CNS204 - GILES

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,516.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	38.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	7,726.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	10.700	L.M.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	30.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	30.000	EACH
706-01	GUARDRAIL REMOVED	750.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	866.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	440.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	132.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	11.300	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	13.400	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS107 - GRAINGER & KNOX

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	6,355.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	250.000	TON
403-05.01	BITUMINOUS MATERIAL (FOG SEAL) SHOULDER	26.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	4,499.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	10,648.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	3,472.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	6,124.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	6.400	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	5.120	L.M.
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	6.700	L.M.
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	8.400	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	6,059.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	1,200.000	S.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	1.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	1.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
705-08.11	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	2.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	900.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	191.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	45.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	95.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,754.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-09.02	REMOVABLE PAVEMENT MARKING (8" BARRIER LINE)	900.000	L.F.
713-16.20	SIGNS (DESCRIPTION) (OM3)	4.000	EACH

Contract ID CNS107 - GRAINGER & KNOX

Item No.	Description	Quantity	Units
713-16.21	SIGNS (DESCRIPTION) (R8-10)	2.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W10-4)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	887.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	294.000	EACH
716-01.23	Snwplwble Pvmt Mrks (Bi-Dir)(2 Color)	928.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	1,773.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	760.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	799.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	374.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	109.000	EACH
716-02.11	PLASTIC PAVEMENT MARKING (6" DOTTED LINE)	17.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	2.000	EACH
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	2.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	23.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	77.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	585.000	L.F.
717-01	MOBILIZATION	(1)	LS
604-10.44	EXPANSION JOINT REPAIRS	160.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	10.000	S.Y.
604-10.53	CONCRETE REPAIRS	10.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	2,326.000	S.Y.

Contract ID CNS174 - HAMBLLEN & JEFFERSON

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	55.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	723.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	5,481.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	2,784.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	5.800	L.M.
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	7.400	L.M.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	130.000	S.F.
701-02.03	CONCRETE CURB RAMP	375.000	S.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	3.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	3.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	3.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,346.000	S.F.
713-16.20	SIGNS (DESCRIPTION) (OM3)	4.000	EACH
713-16.21	SIGNS (DESCRIPTION) (S3-1)	2.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W1-2)	2.000	EACH
713-16.23	SIGNS (DESCRIPTION) (W1-5)	2.000	EACH
713-16.24	SIGNS (DESCRIPTION) (W1-8L)	7.000	EACH
713-16.25	SIGNS (DESCRIPTION) (W1-8R)	7.000	EACH
713-16.26	SIGNS (DESCRIPTION) (W11-2)	3.000	EACH
713-16.27	SIGNS (DESCRIPTION) (W13-1P)	1.000	EACH
713-16.28	SIGNS (DESCRIPTION) (W16-7P)	1.000	EACH
713-16.29	SIGNS (DESCRIPTION) (W16-9P)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	630.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	63.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	310.000	EACH

Contract ID CNS174 - HAMBLEN & JEFFERSON

Item No.	Description	Quantity	Units
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	55.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	431.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	16.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	230.000	L.F.
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	18.000	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	28.000	S.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	37.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS002 - HAMILTON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.000	TON
407-20.05	SAW CUTTING ASPHALT PAVEMENT	25.000	L.F.
411-02.10	ACS MIX(PG70-22) GRADING D	40.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	439.000	S.Y.
701-03	CONCRETE MEDIAN PAVEMENT	3.000	C.Y.
702-01	CONCRETE CURB	3.000	C.Y.
702-01.01	EXTRUDED SLOPING CURB	15.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	10.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	6.000	EACH
712-06	SIGNS (CONSTRUCTION)	135.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	76.000	L.F.
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	3.000	C.Y.
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	251.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	120.000	LB.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	28.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	10.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	12.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	1.000	EACH
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	1.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	1.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS002 - HAMILTON

Contract ID CNS228 - HAMILTON

Item No.	Description	Quantity	Units
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	94.000	S.Y.
202-08.15	REMOVAL OF CURB AND GUTTER (DESCRIPTION) (VARIOUS LOCATIONS)	450.000	L.F.
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	92.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	25.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	42.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	6,335.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	6,216.000	TON
611-03.04	GRAY IRON CASTINGS (CATCHBASIN)	750.000	LB.
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	61.000	EACH
701-01.01	CONCRETE SIDEWALK (4 ")	500.000	S.F.
701-01.05	CONCRETE SIDEWALK -6IN (DESCRIPTION)	100.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	1,708.000	S.F.
701-02.03	CONCRETE CURB RAMP	80.000	S.F.
701-03	CONCRETE MEDIAN PAVEMENT	5.700	C.Y.
702-01	CONCRETE CURB	7.000	C.Y.
702-03	CONCRETE COMBINED CURB & GUTTER	34.000	C.Y.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	61.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	61.000	EACH
712-06	SIGNS (CONSTRUCTION)	892.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	270.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	530.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	480.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	235.000	S.Y.

Contract ID CNS228 - HAMILTON

Item No.	Description	Quantity	Units
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,580.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	53.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING () (ONLY)	5.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	6.000	EACH
716-04.02	PLASTIC PAVEMENT MARKING(DOUBLE TURNING ARROW)	20.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	5.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	14.100	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	1,580.000	L.F.
716-05.21	PAINTED PAVEMENT MARKING(4"DOTTED LINE)	42,240.000	L.F.
716-08.01	REMOVAL OF PAVEMENT MARKING (LINE)	2,484.000	L.F.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	48.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	11.100	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	21,120.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-01.03	MODIFICATION OF EXISTING TRAFFIC SIGNAL EQUIPMENT	40.000	EACH
730-14.02	SAW SLOT	10,394.000	L.F.
730-14.03	LOOP WIRE	28,502.000	L.F.

Contract ID CNS206 - HAMILTON

Item No.	Description	Quantity	Units
104-03.71	ADDITIONAL WORK (DESCRIPTION) (CLEANING OF PORTAL FACADES @ MCCALLIE TUNNELS)	7,850.000	S.F.
712-01.52	MAINTENANCE OF TRAFFIC () (MCCALLIE TUNNELS)	12.000	EACH
712-01.53	MAINTENANCE OF TRAFFIC () (BACHMAN TUNNELS)	12.000	EACH
712-01.54	MAINTENANCE OF TRAFFIC () (STRINGERS RIDGE TUNNEL)	12.000	EACH
717-01	MOBILIZATION	(1)	LS
760-01.01	TUNNEL CLEANING (MCCALLIE TUNNELS)	12.000	EACH
760-01.02	TUNNEL CLEANING (BACHMAN TUNNELS)	12.000	EACH
760-01.03	TUNNEL CLEANING (STRINGER RIDGE TUNNEL)	12.000	EACH

Contract ID CNS217 - HANCOCK & HAWKINS

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	36.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,760.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,900.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	8.000	L.M.
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	11,100.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	684.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	450.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	208.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	384.000	LB.
713-11.21	P POST SLIP BASE	3.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	38.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	115.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	5.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R1-1)	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (W1-2R)	1.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W1-11R)	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (W1-6)	1.000	EACH
713-16.24	SIGNS (DESCRIPTION) (W13-1P)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	288.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	135.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	5.000	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	7.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	5.500	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS222 - HARDIN

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	40.000	S.Y.
203-06	WATER	1.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (D)	27.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	19.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	35.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-02.10	ACS MIX(PG70-22) GRADING D	5,290.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	79,473.000	S.Y.
701-01.01	CONCRETE SIDEWALK (4 ")	20.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	5,472.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,408.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	306.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	224.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	2,182.000	L.F.
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	31.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	899.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	56.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	2.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	8.450	L.M.
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	8.450	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	100.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS222 - HARDIN

Item No.	Description	Quantity	Units
730-12.01	CONDUIT 1" DIAMETER (PVC)	50.000	L.F.
730-14.01	SHIELDED DETECTOR CABLE	50.000	L.F.
730-14.02	SAW SLOT	3,748.000	L.F.
730-14.03	LOOP WIRE	8,376.000	L.F.

Contract ID CNS189 - HAWKINS

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	92.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	800.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	5,819.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	12.900	L.M.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	2.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	2.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	537.000	S.F.
713-16.20	SIGNS (DESCRIPTION) (W11-2)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	529.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	529.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	240.000	L.F.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	2,222.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	8.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	32.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS213 - HAWKINS

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	81.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	1,604.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	4,877.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	12.800	L.M.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	2.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	2.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	394.000	S.F.
713-16.20	SIGNS (DESCRIPTION) (R2-1)	3.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R4-7)	1.000	EACH
713-16.22	SIGNS (DESCRIPTION) (R5-1)	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (W1-5)	4.000	EACH
713-16.24	SIGNS (DESCRIPTION) (W1-6)	1.000	EACH
713-16.25	SIGNS (DESCRIPTION) (W2-2)	1.000	EACH
713-16.26	SIGNS (DESCRIPTION) (W3-5)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	444.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	444.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	31.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	24.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	8.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	32.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS199 - HICKMAN

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,777.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	600.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	68.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	7,177.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	16.900	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	4,405.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	8.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,416.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	699.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	465.000	EACH
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	27.800	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	21.000	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	21.000	L.M.
717-01	MOBILIZATION	(1)	LS
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	20.000	S.Y.
604-10.53	CONCRETE REPAIRS	5.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	4,122.000	S.Y.

Contract ID CNS201 - HICKMAN

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,797.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	300.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	32.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	4,101.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	10.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	157.000	TON
705-02.03	SINGLE GUARDRAIL (TYPE 2) LONG POST	50.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	2.000	EACH
706-01	GUARDRAIL REMOVED	75.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,074.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	440.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	30.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	1.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	13.200	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	13.200	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS177 - JACKSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	120.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	45.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	6,708.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	1.000	L.M.
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	8.900	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	6,082.000	TON
705-06.01	W BEAM GR (TYPE 2) MASH TL3	1,350.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
706-01	GUARDRAIL REMOVED	50.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	618.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	410.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	139.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	38.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	150.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	8.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	1.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	18.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	47.600	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	13.400	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	100.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	12.100	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS183 - JEFFERSON

Item No.	Description	Quantity	Units
712-01	TRAFFIC CONTROL	(1)	LS
713-02.21	SIGN POST DELINEATION ENHANCEMENT	36.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	163.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	333.000	LB.
713-11.21	P POST SLIP BASE	2.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	44.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	77.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	12.000	EACH
716-01.40	REMOVE AND REPLACE LENS ON SNOWPLOWABLE REFLECTIVE MARKER	68.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	215.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	52.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING () (YIELD AHEAD)	2.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	21.000	S.F.
716-04.16	PLASTIC PAVEMENT MARKING (NOISE STRIP)	576.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	1.750	L.M.
716-13.03	SPRAY THERMO PVMT MRKNG (60 mil) (8IN BARRIER LINE)	150.000	L.F.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	1,050.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-26.08	FLASHING WARNING BEACON (DESCRIPTION)	2.000	EACH

Contract ID CNS188 - JOHNSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	932.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	74.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	704.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	4,688.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	11.000	L.M.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	98.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	98.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	656.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	465.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	300.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	7.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	28.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS135 - KNOX

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	74.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	750.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	4,578.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	11.000	L.M.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	200.000	S.F.
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	700.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,116.000	S.F.
713-02.21	SIGN POST DELINEATION ENHANCEMENT	114.000	L.F.
713-02.22	BARRIER WALL DELINEATION ENHANCEMENT	100.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	299.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	687.000	LB.
713-11.21	P POST SLIP BASE	3.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	68.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	161.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	12.000	EACH
713-16.20	SIGNS (DESCRIPTION) (OM3)	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R2-1)	1.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W2-1)	1.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	882.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	53.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	901.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	174.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	15.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	170.000	L.F.

Contract ID CNS135 - KNOX

Item No.	Description	Quantity	Units
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	2.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	2.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	2,339.000	L.F.
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	7.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	7.000	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	16.000	S.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	27.000	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	425.000	L.F.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	150.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-02.41	SIGNAL HEAD MODIFICATION (DESCRIPTION) (DESCRIPTION)	14.000	EACH

Contract ID CNS105 - KNOX

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	11,734.000	S.Y.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	270.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	185.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	8,624.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	16,483.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	12.000	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	10.600	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	23,732.000	TON
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	10.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	13.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	14.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	576.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	157.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	131.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,234.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-16.20	SIGNS (DESCRIPTION) (5-1)	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (5-1a)	6.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W4-5P)	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (R6-1)	1.000	EACH
713-16.24	SIGNS (DESCRIPTION) (S3-1)	1.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	1,735.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	834.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	7,656.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	137.000	L.F.

Contract ID CNS105 - KNOX

Item No.	Description	Quantity	Units
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	12.000	EACH
716-02.11	PLASTIC PAVEMENT MARKING (6" DOTTED LINE)	1,530.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-04.06	PLASTIC PAVEMENT MARKING (WRONG WAY ARROW)	7.000	EACH
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	4.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	35.000	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	35.000	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	3,344.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS197 - KNOX

Item No.	Description	Quantity	Units
712-01.56	MAINTENANCE OF TRAFFIC () (SMARTFIX I-40 RAMP)	12.000	EACH
712-01.60	MAINTENANCE OF TRAFFIC (HENLEY STREET TUNNELS)	12.000	EACH
717-01	MOBILIZATION	(1)	LS
760-01.04	TUNNEL CLEANING (HENLEY STREET TUNNELS)	12.000	EACH
760-01.07	TUNNEL CLEANING (SMARTFIX I-40 RAMP)	12.000	EACH

Contract ID CNS167 - LAWRENCE

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	3,815.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	1,000.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	73.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	9,879.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	5,000.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	22.600	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	108.000	TON
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	5.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	5.000	EACH
706-01	GUARDRAIL REMOVED	250.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	8.000	EACH
712-06	SIGNS (CONSTRUCTION)	3,591.000	S.F.
713-16.20	SIGNS (DESCRIPTION) (DESCRIPTION)	30.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	960.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	5.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	460.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	480.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-03.06	PLASTIC WORD PAVEMENT MARKING (SIGNAL AHEAD)	1.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	2.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.500	L.M.

Contract ID CNS167 - LAWRENCE

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	25.900	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	28.400	L.M.
717-01	MOBILIZATION	(1)	LS
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	820.000	S.Y.

Contract ID CNS208 - LOUDON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,422.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	76.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	4,919.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	11,236.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	17.600	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	447.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	12.000	EACH
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	56.000	EACH
705-11.01	GUARDRAIL AT BRIDGE ENDS (POWDER COATED)	162.000	L.F.
705-11.03	SINGLE GUARDRAIL (TYPE 2) (POWDER COATED)	10,205.000	L.F.
705-11.11	TAN ENERGY ABSORB TERMINAL (NCHRP 350, TL 3)(POWDER COATED)	56.000	EACH
705-11.15	GUARDRAIL TERMINAL TYPE 12 (POWDER COATED)	5.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	28.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	14.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,077.000	S.F.
713-16.20	SIGNS (DESCRIPTION) (W11-3)	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (RS-054)	1.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W14-3)	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (R3-9b)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	1,539.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	164.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	600.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	159.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	39.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.000	L.M.

Contract ID CNS208 - LOUDON

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	49.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS209 - MADISON

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	434.000	S.Y.
203-06	WATER	10.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	1,441.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	100.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	99.000	TON
311-03.04	HOT IN PLACE RECYCLING OF ASPHALT PAVEMENT (2.00IN)	111,046.000	S.Y.
311-03.10	Asphalt Rejuvenating Agent	44,419.000	GAL.
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	73.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	6,024.000	TON
411-03.24	ACS MIX(PG64-22) THIN LIFT E ASPHALT	2,541.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	7.720	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	6.176	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	20,426.000	S.Y.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	11.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	25.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	11.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,968.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	616.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	40.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	52.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	192.000	L.F.

Contract ID CNS209 - MADISON

Item No.	Description	Quantity	Units
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	12.000	EACH
716-03.06	PLASTIC WORD PAVEMENT MARKING (SIGNAL AHEAD)	2.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	17.370	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	19.890	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	2,012.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS187 - MCMINN

Item No.	Description	Quantity	Units
203-06	WATER	362.000	M.G.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	751.000	TON
304-01.04	PROCESSING (RECLAIMED BASE MATERIAL)	55,136.000	S.Y.
304-01.08	PORTLAND CEMENT (FULL DEPTH PAVEMENT RECLAMATION)	1,620.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	39.000	TON
405-01.01	BITUMINOUS MATERIAL (BSC)	74.000	TON
405-01.02	MINERAL AGGREGATE (BSC)	579.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	3,931.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	3.400	L.M.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	1.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
706-01	GUARDRAIL REMOVED	138.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	100.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	50.000	EACH
712-06	SIGNS (CONSTRUCTION)	716.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	150.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	60.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	120.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	3.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	108.000	S.F.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	120.000	L.F.
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	21.600	L.M.

Contract ID CNS187 - MCMINN

Item No.	Description	Quantity	Units
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	10.400	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	300.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	1,200.000	L.F.
730-14.03	LOOP WIRE	3,600.000	L.F.

Contract ID CNS173 - MONTGOMERY

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,504.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	27.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	2,605.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	4.300	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	2,413.000	TON
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	3.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	3.000	EACH
706-01	GUARDRAIL REMOVED	75.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,400.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	620.000	EACH
716-01.22	Snwplwble Pvmt Mrks (Mono-Dir)(1 Color)	42.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	620.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	5,000.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	100.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	15.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	100.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	11.200	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	5.800	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	5.400	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	800.000	L.F.
730-14.03	LOOP WIRE	1,700.000	L.F.

Contract ID CNS173 - MONTGOMERY

Contract ID CNS223 - MONTGOMERY

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	2,326.000	C.Y.
203-07	FURNISHING & SPREADING TOPSOIL	2,562.000	C.Y.
209-05	SEDIMENT REMOVAL	54.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,000.000	L.F.
209-08.07	ROCK CHECK DAM PER	14.000	EACH
209-08.08	ENHANCED ROCK CHECK DAM	3.000	EACH
209-08.09	FILTER SOCK CHECK DAM	35.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	9,579.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	34.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	2,453.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	1,608.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	21.000	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	73.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	12.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	835.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	551.000	TON
607-39.04	30" PIPE CULVERT (SIDE DRAIN)	134.000	L.F.
607-57.02	REINFORCED CONCRETE PIPE ARCH (29" X 18")	191.000	L.F.
607-57.03	REINFORCED CONCRETE PIPE ARCH (36" X 23")	151.000	L.F.
705-04.03	GUARDRAIL TERMINAL (TYPE 13)	1.000	EACH
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	1.000	EACH
705-04.10	EARTH PAD FOR GUARD RAIL END TREATMENT	1.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	217.000	L.F.
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	292.000	TON

Contract ID CNS223 - MONTGOMERY

Item No.	Description	Quantity	Units
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	90.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	6.000	EACH
712-06	SIGNS (CONSTRUCTION)	458.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	36.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	6.000	L.M.
716-05.04	PAINTED PAVEMENT MARKING (CHANNELIZATION STRIPING)	127.000	S.Y.
716-05.06	PAINTED PAVEMENT MARKING (TURN LANE ARROW)	6.000	EACH
716-05.21	PAINTED PAVEMENT MARKING(4"DOTTED LINE)	300.000	L.F.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	725.000	S.Y.
740-11.03	TEMPORARY SEDIMENT TUBE 18IN	4,771.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	277.000	UNIT
801-03	WATER (SEEDING & SODDING)	28.000	M.G.
803-01	SODDING (NEW SOD)	15,369.000	S.Y.

Contract ID CNS178 - OVERTON

Item No.	Description	Quantity	Units
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	625.000	TON
307-01.10	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING C-W	9,047.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	38.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (4IN WIDTH)	11.700	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	587.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	608.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	819.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	65.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	180.000	L.F.
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	31.100	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	29.600	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS232 - OVERTON & PUTNAM

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	445.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	32.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	4,762.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	8.600	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	4,874.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,091.000	S.F.
716-01.21	Snowplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	527.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	527.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	355.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	40.400	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.700	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	200.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	10.600	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS012 - ROANE

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
202-01	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	633.000	C.Y.
203-06	WATER	0.100	M.G.
209-03.21	FILTER SOCK (12 INCH)	460.000	L.F.
209-05	SEDIMENT REMOVAL	50.000	C.Y.
209-40.33	CATCH BASIN PROTECTION (TYPE D)	1.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	616.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	32.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	185.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	101.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	2.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	1.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	86.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	53.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	1,022.000	S.Y.
701-03	CONCRETE MEDIAN PAVEMENT	20.000	C.Y.
702-01	CONCRETE CURB	16.000	C.Y.
705-08.51	PORTABLE IMPACT ATTENUATOR NCHRP350 TL-3	2.000	EACH
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	500.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	100.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	14.000	EACH
712-06	SIGNS (CONSTRUCTION)	656.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-02.26	CONCRETE BARRIER/PARAPET DELINEATOR	25.000	EACH
713-14.22	STREET NAME SIGN (SUSPENDED 0.100IN THICK)	48.000	S.F.

Contract ID CNS012 - ROANE

Item No.	Description	Quantity	Units
713-16.20	SIGNS (DESCRIPTION) (R3-8a)	2.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R10-12 MODIFIED)	2.000	EACH
713-16.22	SIGNS (DESCRIPTION) (W11-1)	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (W16-1P)	1.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	70.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	220.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	16.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	275.000	L.F.
716-03.09	PLASTIC WORD PAVEMENT MARKING () (DRIVE THRU)	1.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	3.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.300	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	64.000	L.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	1.500	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	2,050.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	0.200	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	30.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-01.02	REMOVAL OF SIGNAL EQUIPMENT	1.000	EACH
730-02.09	SIGNAL HEAD ASSEMBLY (130 WITH BACKPLATE)	6.000	EACH
730-02.17	SIGNAL HEAD ASSEMBLY (150 A2H WITH BACKPLATE)	1.000	EACH
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (130 A3 WITH BACKPLATE)	2.000	EACH
730-02.31	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (140 A1 WITH BACKPLATE)	1.000	EACH
730-02.32	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (140 A4F WITH BACKPLATE)	2.000	EACH
730-03.21	INSTALL PULL BOX (TYPE B)	1.000	EACH

Contract ID CNS012 - ROANE

Item No.	Description	Quantity	Units
730-08.03	SIGNAL CABLE - 7 CONDUCTOR	1,270.000	L.F.
730-09.01	SPAN WIRE ASSEMBLY(____LBS.MIN.BRK STRENGTH) (29,000 LBS.MIN.BRK STRENGTH)	600.000	L.F.
730-10.01	TETHER WIRE ASSEMBLY - 1/4" DIAMETER	600.000	L.F.
730-12.02	CONDUIT 2" DIAMETER (PVC)	45.000	L.F.
730-13.13	VEHICLE DETECTOR (RADAR)	6.000	EACH
730-15.32	CABINET (EIGHT PHASE BASE MOUNTED)	1.000	EACH
730-16.02	EIGHT PHASE ACTUATED CONTROLLER	1.000	EACH
730-23.02	STEEL STRAIN POLE (DESCRIPTION) (MOMENT CAPACITY = 391,094 FT-LBS)	2.000	EACH
730-23.03	STEEL STRAIN POLE (DESCRIPTION) (MOMENT CAPACITY = 462,585 FT-LBS)	2.000	EACH
730-50.10	SOLAR POWERED FLASHING ASSEMBLY	3.000	EACH
801-03	WATER (SEEDING & SODDING)	1.000	M.G.
803-01	SODDING (NEW SOD)	50.000	S.Y.

Contract ID CNS003 - ROANE

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (PARTIAL BRIDGE NO. 73-SR061-5.17 (LL))	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	130.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	320.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	180.000	C.Y.
204-02.01	DRY EXCAVATION (BRIDGES)	1,654.000	C.Y.
204-03.01	WET EXCAVATION (BRIDGES) (BRIDGES)	320.000	C.Y.
204-04.01	ROCK EXCAVATION (BRIDGES)	8.000	C.Y.
204-05	ROCK DRILLING (BRIDGES)	24.000	L.F.
204-10.01	FOUNDATION PREPARATION(PR NO. ,STA) (ABUTMENT NO. 1, STA. 179+08.29)	(1)	LS
204-10.02	FOUNDATION PREPARATION(PR NO. ,STA) (PIER NO. 1, STA. 179+39.50)	(1)	LS
204-10.03	FOUNDATION PREPARATION(PR NO. ,STA) (PIER NO. 2, STA. 179+68.00)	(1)	LS
204-10.04	FOUNDATION PREPARATION(PR NO. ,STA) (ABUTMENT NO. 2, STA. 179+99.21)	(1)	LS
209-05	SEDIMENT REMOVAL	2.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	1,300.000	L.F.
209-09.04	SEDIMENT FILTER BAG(15' X 10')	2.000	EACH
209-65.04	TEMPORARY IN STREAM DIVERSION	150.000	L.F.
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	190.000	TON
303-01.02	GRANULAR BACKFILL (BRIDGES)	400.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	12.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	70.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	35.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	60.000	TON
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	430.000	S.Y.
602-10.05	BRACING REPAIRS	(1)	LS

Contract ID CNS003 - ROANE

Item No.	Description	Quantity	Units
602-10.06	STRUCTURAL STEEL	5,256.000	LB.
604-02.03	EPOXY COATED REINFORCING STEEL	50,746.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	203.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	31,718.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	221.000	S.Y.
604-03.09	CLASS D CONCRETE (BRIDGE DECK)	119.000	C.Y.
604-04.02	APPLIED TEXTURE FINISH (EXISTING STRUCTURES)	399.000	S.Y.
604-05.31	BRIDGE DECK GROOVING (MECHANICAL)	607.000	S.Y.
604-10.05	CONCRETE	6.000	S.F.
604-10.14	REMOVE EXISTING WEARING SURFACE	(1)	LS
604-10.54	CONCRETE REPAIRS	7.000	S.F.
606-02.03	STEEL PILES (10 INCH)	80.000	L.F.
606-24.12	TEMPORARY SHEET PILES	400.000	S.F.
610-07.03	18" PIPE DRAIN (BRIDGE DRAIN)	100.000	L.F.
611-06.13	BRIDGE END DRAIN (SIZE) (2'X8'-7")	4.000	EACH
615-02.03	PRESTRESSED CONCRETE BOX BEAM (21" X 36")	410.000	L.F.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	264.000	L.F.
705-01.01	GUARDRAIL AT BRIDGE ENDS	54.000	L.F.
705-04.09	EARTH PAD FOR TYPE 38 GR END TREATMENT	1.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	175.000	L.F.
705-06.10	GR TERMINALTRAILING END (TYPE 13) MASH TL3	1.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	1.000	EACH
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	1.000	EACH
706-01	GUARDRAIL REMOVED	280.000	L.F.
709-01.01	RUBBLE STONE RIP-RAP	11.000	C.Y.
709-05.08	MACHINED RIP-RAP (CLASS B)	111.000	TON
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	52.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	77.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS

Contract ID CNS003 - ROANE

Item No.	Description	Quantity	Units
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	440.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	40.000	EACH
712-04.50	PORTABLE BARRIER RAIL DELINEATOR	26.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	8.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	30.000	EACH
712-06	SIGNS (CONSTRUCTION)	529.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	1.000	EACH
712-09.01	REMOVABLE PAVEMENT MARKING LINE	3,365.000	L.F.
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	0.060	L.M.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	100.000	S.Y.
801-02	SEEDING (WITHOUT MULCH)	1.000	UNIT
801-02.01	CROWN VETCH MIXTURE (WITHOUT MULCH)	5.000	UNIT
805-12.01	EROSION CONTROL BLANKET (TYPE I)	50.000	S.Y.
805-12.02	EROSION CONTROL BLANKET (TYPE II)	440.000	S.Y.

Contract ID CNS216 - ROBERTSON

Item No.	Description	Quantity	Units
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	2.100	L.M.
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	3,195.000	L.F.
711-04.21	CONCRETE BARRIER DELINEATION ENHANCEMENT	430.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.14	FLEXIBLE DELINEATOR (WHITE)	70.000	EACH
713-02.21	SIGN POST DELINEATION ENHANCEMENT	240.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	566.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	1,444.000	LB.
713-11.21	P POST SLIP BASE	14.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	191.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	319.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	52.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	236.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	26.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	22.200	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	66.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	8.000	EACH
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	684.000	L.F.
716-04.06	PLASTIC PAVEMENT MARKING (WRONG WAY ARROW)	2.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	8.000	S.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	8.700	L.M.
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	341.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS207 - ROBERTSON

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	3,043.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	44.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	6,712.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (8IN WIDTH)	8.600	L.M.
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	6,649.000	TON
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	8.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	200.000	L.F.
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	8.000	EACH
706-01	GUARDRAIL REMOVED	400.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,074.000	S.F.
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	707.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	707.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	891.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	60.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	7.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	8.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	21.400	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	10.600	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	10.800	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS169 - RUTHERFORD

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	472.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	200.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	26.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	5,197.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	2.300	L.M.
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	4.900	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	886.000	S.Y.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	260.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	50.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,652.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	12.000	L.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	288.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	5.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	15.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	80.000	L.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	77.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	1.000	EACH
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.500	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.600	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	5.800	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	400.000	L.F.
730-14.03	LOOP WIRE	850.000	L.F.

Contract ID CNS169 - RUTHERFORD

Contract ID CNS094 - SCOTT

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	266.000	C.Y.
203-03	BORROW EXCAVATION (UNCLASSIFIED)	296.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	37.000	C.Y.
209-05	SEDIMENT REMOVAL	17.000	C.Y.
209-08.02	TEMPORARY SILT FENCE (WITH BACKING)	326.000	L.F.
209-08.08	ENHANCED ROCK CHECK DAM	2.000	EACH
209-09.04	SEDIMENT FILTER BAG(15' X 10')	2.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	351.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	12.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	76.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	50.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	0.700	TON
402-02	AGGREGATE FOR COVER MATERIAL (PC)	3.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	0.400	TON
411-01.10	ACS MIX(PG64-22) GRADING D	43.000	TON
705-01.05	GUARDRAIL AT BRIDGE ENDS LOW VOLUME	4.000	EACH
705-04.04	GUARDRAIL TERMINAL (TYPE 21)	4.000	EACH
707-08.11	HIGH-VISIBILITY CONSTRUCTION FENCE	250.000	L.F.
709-05.08	MACHINED RIP-RAP (CLASS B)	837.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	19.000	EACH
712-06	SIGNS (CONSTRUCTION)	166.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	30.000	L.F.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	59.000	LB.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	18.000	S.F.

Contract ID CNS094 - SCOTT

Item No.	Description	Quantity	Units
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	0.800	L.M.
716-05.05	PAINTED PAVEMENT MARKING (STOP LINE)	30.000	L.F.
717-01	MOBILIZATION	(1)	LS
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	83.000	S.Y.
740-10.04	GEOTEXTILE (TYPE IV)(STABILIZATION)	330.000	S.Y.
801-01	SEEDING (WITH MULCH)	2.000	UNIT
801-02	SEEDING (WITHOUT MULCH)	4.000	UNIT
801-03	WATER (SEEDING & SODDING)	60.000	M.G.
805-12.02	EROSION CONTROL BLANKET (TYPE II)	441.000	S.Y.
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (BRIDGE NO. 76-0A323-00.01)	(1)	LS
204-02.01	DRY EXCAVATION (BRIDGES)	132.000	C.Y.
303-01.02	GRANULAR BACKFILL (BRIDGES)	25.000	TON
604-02.03	EPOXY COATED REINFORCING STEEL	20,080.000	LB.
604-03.01	CLASS A CONCRETE (BRIDGES)	72.000	C.Y.
604-03.02	STEEL BAR REINFORCEMENT (BRIDGES)	8,659.000	LB.
604-03.04	PAVEMENT @ BRIDGE ENDS	171.000	S.Y.
604-03.09	CLASS D CONCRETE (BRIDGE DECK)	60.000	C.Y.
604-04.01	APPLIED TEXTURE FINISH (NEW STRUCTURES)	305.000	S.Y.
604-04.41	THREE STAR STATE EMBLEM	4.000	EACH
606-02.03	STEEL PILES (10 INCH)	200.000	L.F.
606-02.06	PILE TIPS (STEEL PILES, 10 INCH)	20.000	EACH
615-01.03	PRESTRESSED CONCRETE I-BEAM (TYPE III)	328.000	L.F.
620-05.01	CONC PARAPET SINGLE SLOPE (STD-1-1SS)	222.000	L.F.
710-09.01	6" PERFORATED PIPE WITH VERTICAL DRAIN SYSTEM	101.000	L.F.
710-09.02	6" PIPE UNDERDRAIN	30.000	L.F.

Contract ID CNS149 - SEVIER

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	109.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	1,444.000	TON
411-02.11	ACS MIX(PG70-22) GRADING E RWDY	230.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	15,534.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	16,696.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	3,700.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	404.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	349.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,527.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	563.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	1,008.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	202.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	2,212.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,536.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	142.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	2,139.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	14.000	EACH
716-03.09	PLASTIC WORD PAVEMENT MARKING () (CROSS WALK)	28.000	EACH
716-04.01	PLASTIC PAVEMENT MARKING (STRAIGHT-TURN ARROW)	3.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	31.000	EACH
716-04.17	PLASTIC PAVEMENT MARKING (YIELD SYMBOL)	28.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	25.600	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	795.000	S.F.

Contract ID CNS149 - SEVIER

Item No.	Description	Quantity	Units
716-12.01	ENHANCED FLATLINE THERMO PVMT MRKNG (4IN LINE)	25.600	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	1,900.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	12,500.000	L.F.
730-14.03	LOOP WIRE	25,000.000	L.F.

Contract ID CNS171 - SEVIER

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	857.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	74.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	556.000	TON
411-03.13	ACS MIX(PG70-22) THIN LIFT D ASPHALT	4,749.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (4IN WIDTH)	8.900	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	970.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrks (Bi-Dir)(1 Color)	545.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	1,765.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	112.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	11.000	EACH
716-04.03	PLASTIC PAVEMENT MARKING (4" DOTTED LINE)	19.000	L.F.
716-04.04	PLASTIC PAVEMENT MARKING (TRANSVERSE SHOULDER)	1,572.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	7.000	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	26.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS225 - SHELBY

Item No.	Description	Quantity	Units
202-03	REMOVAL OF RIGID PAVEMENT, SIDEWALK, ETC.	9.000	S.Y.
202-03.01	REMOVAL OF ASPHALT PAVEMENT	1,000.000	S.Y.
203-06	WATER	9.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C or D)	1,135.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	230.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	230.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	96.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	17,481.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	15,658.000	TON
701-01.01	CONCRETE SIDEWALK (4 ")	5,070.000	S.F.
701-02.01	CONCRETE CURB RAMP (RETROFIT)	5,190.000	S.F.
701-02.03	CONCRETE CURB RAMP	1,745.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,798.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	24.000	L.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
713-16.20	SIGNS (DESCRIPTION) (M1-5, SR 177)	3.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R3-7R, RIGHT LANE MUST TURN RIGHT)	7.000	EACH
713-16.22	SIGNS (DESCRIPTION) (R3-5R, RIGHT TURN ONLY)	1.000	EACH
713-16.23	SIGNS (DESCRIPTION) (R8-7, EMERGENCY STOPPING ONLY)	3.000	EACH
713-16.24	SIGNS (DESCRIPTION) (R11-1, KEEP OFF MEDIAN)	1.000	EACH
713-16.25	SIGNS (DESCRIPTION) (R4-17, DO NOT DRIVE ON SHOULDER)	1.000	EACH
713-16.26	SIGNS (DESCRIPTION) (D1-1, CORDOVA COMMUNITY CENTER)	1.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	389.000	S.Y.

Contract ID CNS225 - SHELBY

Item No.	Description	Quantity	Units
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	2,120.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	118.000	EACH
716-02.07	PLASTIC PAVEMENT MARKING (24" BARRIER LINE)	266.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	4,335.000	L.F.
716-03.01	PLASTIC WORD PAVEMENT MARKING (ONLY)	52.000	EACH
716-03.05	PLASTIC WORD PAVEMENT MARKING (BIKE LANE)	2.000	EACH
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	4.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	3.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	16.795	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	16.795	L.M.
717-01	MOBILIZATION	(1)	LS
730-12.14	CONDUIT 3" DIAMETER (JACK AND BORE)	85.000	L.F.
730-13.02	VEHICLE DETECTOR (VIDEO)	31.000	EACH
771-30.32	CONCRETE CURB AND GUTTER	10.000	L.F.

Contract ID CNS224 - SHELBY

Item No.	Description	Quantity	Units
202-03.01	REMOVAL OF ASPHALT PAVEMENT	1,867.000	S.Y.
203-06	WATER	10.000	M.G.
303-02	MINERAL AGGREGATE, TYPE B BASE, GRADING (DESCRIPTION) (C OR D)	1,264.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	859.000	TON
307-03.08	ASPHALT CONCRETE MIX (PG76-22) (BPMB-HM) GRADING B-M2	200.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	133.000	TON
407-07.01	INTELLIGENT COMPACTION EQUIPMENT	(1)	LS
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	5,154.000	TON
411-03.10	ACS MIX(PG76-22) GRADING D	14,819.000	TON
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	15.344	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	303,732.000	S.Y.
502-08.03	SEALING SHOULDER JOINTS	47,800.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.02	FLEXIBLE DRUMS (CHANNELIZATION)	700.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	20.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	700.000	EACH
712-06	SIGNS (CONSTRUCTION)	2,384.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	4.000	EACH
712-08.10	MOBILE MESSAGE SIGN UNIT W/ATTENUATOR	270.000	HOUR
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	10.000	EACH
713-16.20	SIGNS (DESCRIPTION) (R2-1, 55 MPH SPEED LIMIT)	2.000	EACH
713-20.30	SIGN ADJUSTMENTS	1.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	1,800.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	1,800.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	10,806.000	S.Y.

Contract ID CNS224 - SHELBY

Item No.	Description	Quantity	Units
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	6.000	EACH
716-05.20	PAINTED PAVEMENT MARKING (6" LINE)	24.435	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVTM MRKNG (6IN LINE)	33.735	L.M.
716-12.03	ENHANCED FLATLINE THERMO PVTM MRKNG (8IN BARRIER LINE)	18,971.000	L.F.
716-12.05	ENHANCED FLATLINE THERMO PVTM MRKNG (6IN DOTTED LINE)	6,600.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-03.20	INSTALL PULL BOX (TYPE A)	4.000	EACH
730-03.25	INSTALL PULL BOX (DESCRIPTION) (29" X 21")	2.000	EACH
730-12.02	CONDUIT 2" DIAMETER (PVC)	90.000	L.F.
730-14.02	SAW SLOT	1,900.000	L.F.
730-14.03	LOOP WIRE	8,100.000	L.F.
730-15.07	CABINET (DESCRIPTION) (41" TALL, 25" WIDE, 18" DEEP)	2.000	EACH

Contract ID CNS205 - SHELBY

Item No.	Description	Quantity	Units
717-10.01	INVOLUNTARY WORK SUSPENSION (DESCRIPTION) (BY THE DAY)	6.000	DAY
719-02	REMOVAL AND DISPOSAL OF LITTER	3,248.000	L.M.
806-01	MOWING	4,524.000	ACRE

Contract ID CNS172 - SMITH

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,598.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	30.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	700.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	63.000	TON
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	8,737.000	TON
411-12.04	SCORING FOR RUMBLE STRIPE (NON- CONTINUOUS) (4IN WIDTH)	22.500	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	267.000	S.Y.
611-09.01	ADJUSTMENT OF EXISTING CATCHBASIN	7.000	EACH
701-02.01	CONCRETE CURB RAMP (RETROFIT)	390.000	S.F.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	13.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	1,262.000	L.F.
705-06.30	GR TERMINAL (TYPE 21) MASH TL2	17.000	EACH
706-01	GUARDRAIL REMOVED	1,587.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	75.000	EACH
712-06	SIGNS (CONSTRUCTION)	3,451.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.05	RAILROAD CROSS-BUCK SIGN & SUPPORT	4.000	EACH
713-16.09	RAILROAD ADVANCE WARNING SIGN AND SUPPORT	3.000	EACH
713-16.20	SIGNS (DESCRIPTION) (W10-4, HIGHWAY-RAIL GRADE CROSSING ADVANCE WARNING)	1.000	EACH
713-16.21	SIGNS (DESCRIPTION) (R1-2, YIELD SIGN)	4.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	640.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	320.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	320.000	EACH
716-02.03	PLASTIC PAVEMENT MARKING (CROSS-WALK)	225.000	L.F.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	227.000	L.F.

Contract ID CNS172 - SMITH

Item No.	Description	Quantity	Units
716-03.02	PLASTIC WORD PAVEMENT MARKING (RXR)	5.000	EACH
716-03.03	PLASTIC WORD PAVEMENT MARKING (STOP AHEAD)	1.000	EACH
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	1.000	EACH
716-05.09	PAINTED PAVEMENT MARKING(STRAIGHT-TURN ARROW)	1.000	EACH
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	40.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	9.100	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	48.300	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	800.000	L.F.
730-14.03	LOOP WIRE	1,700.000	L.F.

Contract ID CNS168 - SMITH

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	703.000	TON
307-01.15	ASC MIX (PG64-22) (BPMLC-HM) GRADING CS	500.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	60.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	13,116.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	17.000	L.M.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	25.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	4.000	EACH
712-06	SIGNS (CONSTRUCTION)	1,751.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	751.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	634.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	40.000	S.Y.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	13.000	EACH
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	29.000	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS184 - SULLIVAN & WASHINGTON

Item No.	Description	Quantity	Units
604-04.20	PAINTING CONCRETE SURFACES	525.000	S.F.
705-04.21	GUARDRAIL DELINEATION ENHANCEMENT	5,675.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
713-02.21	SIGN POST DELINEATION ENHANCEMENT	474.000	L.F.
713-02.22	BARRIER WALL DELINEATION ENHANCEMENT	250.000	L.F.
713-11.01	"U" SECTION STEEL POSTS	345.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	4,082.000	LB.
713-11.21	P POST SLIP BASE	6.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	138.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	984.000	S.F.
713-15.36	REMOVE SIGN, SUPPORT & FOOTING	106.000	EACH
716-01.21	Snowplwble Pvmt Mrks (Bi-Dir)(1 Color)	216.000	EACH
716-01.22	Snowplwble Pvmt Mrks (Mono-Dir)(1 Color)	250.000	EACH
716-01.40	REMOVE AND REPLACE LENS ON SNOWPLOWABLE REFLECTIVE MARKER	200.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	62.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	1,468.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	34.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	600.000	L.F.
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	162.000	L.F.
716-04.05	PLASTIC PAVEMENT MARKING (STRAIGHT ARROW)	2.000	EACH
716-04.14	PLASTIC PAVEMENT MARKING (LANE REDUCTION ARROW)	4.000	EACH
716-12.03	ENHANCED FLATLINE THERMO PVMT MRKNG (8IN BARRIER LINE)	1,000.000	L.F.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	24.000	L.M.
716-13.03	SPRAY THERMO PVMT MRKNG (60 mil) (8IN BARRIER LINE)	250.000	L.F.

Contract ID CNS184 - SULLIVAN & WASHINGTON

Item No.	Description	Quantity	Units
716-13.04	SPRAY THERMO PVMT MRKNG (60 mil) (4IN DOTTED LINE)	1,125.000	L.F.
716-13.05	SPRAY THERMO PVMT MRKNG (60 mil) (6IN DOTTED LINE)	325.000	L.F.
717-01	MOBILIZATION	(1)	LS
730-01.04	MODIFICATION OF EXISTING TRAFFIC SIGNAL EQUIPMENT	(1)	LS
730-02.30	SIGNAL HEAD ASSEMBLY (DESCRIPTION) (140A4F WITH BACKPLATE)	4.000	EACH
730-02.41	SIGNAL HEAD MODIFICATION (DESCRIPTION) (BACKPLATE W/ REFLECTIVE BORDER)	71.000	EACH
730-26.08	FLASHING WARNING BEACON (DESCRIPTION)	4.000	EACH
730-41.25	REWORK OF CONTROLLER	3.000	EACH

Contract ID CNS226 - WARREN

Item No.	Description	Quantity	Units
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	1,586.000	TON
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	69.000	TON
405-03.01	PM REJUVENATING SCRUB SEAL	206,395.000	S.Y.
411-03.12	ACS MIX(PG64-22) THIN LIFT D ASPHALT	8,972.000	TON
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	14.400	L.M.
705-02.10	GUARDRAIL TRANSITION 27IN TO 31IN	11.000	EACH
705-06.01	W BEAM GR (TYPE 2) MASH TL3	388.000	L.F.
705-06.11	GR TERMINAL (IN-INLINE) MASH TL3	2.000	EACH
705-06.20	TANGENT ENERGY ABSORBING TERM MASH TL-3	13.000	EACH
706-01	GUARDRAIL REMOVED	938.000	L.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	1,062.000	S.F.
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	640.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	60.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	100.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	504.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	7.000	EACH
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	49.600	L.M.
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	33.500	L.M.
716-13.02	SPRAY THERMO PVMT MRKNG (60 mil) (6IN LINE)	33.500	L.M.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS229 - WASHINGTON

Item No.	Description	Quantity	Units
105-01	CONSTRUCTION STAKES, LINES AND GRADES	(1)	LS
201-01	CLEARING AND GRUBBING	(1)	LS
202-02.01	REMOVAL OF PIPE (SIZE ,STA.) (15" RCP, STA. 108+00 LT.)	10.000	L.F.
202-02.02	REMOVAL OF PIPE (SIZE ,STA.) (18" CMP, STA. 107+90 LT.)	49.000	L.F.
202-02.03	REMOVAL OF PIPE (SIZE ,STA.) (24" RCP, STA. 108+23 LT.)	68.000	L.F.
202-04.01	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (END WALL, STA. 107+72 LT.)	(1)	LS
202-04.02	REMOVAL OF STRUCTURES (DESCRIPTION, STA.) (DRAINAGE STRUCTURE, STA. 108+05 LT.)	(1)	LS
203-01	ROAD & DRAINAGE EXCAVATION (UNCLASSIFIED)	2,423.000	C.Y.
203-04	PLACING AND SPREADING TOPSOIL	349.000	C.Y.
203-07	FURNISHING & SPREADING TOPSOIL	21.000	C.Y.
209-05	SEDIMENT REMOVAL	28.000	C.Y.
209-08.03	TEMPORARY SILT FENCE (WITHOUT BACKING)	1,057.000	L.F.
209-08.07	ROCK CHECK DAM PER	3.000	EACH
209-40.33	CATCH BASIN PROTECTION (TYPE D)	3.000	EACH
209-40.41	CATCH BASIN FILTER ASSEMBLY(TYPE 1)	1.000	EACH
303-01	MINERAL AGGREGATE, TYPE A BASE, GRADING D	2,631.000	TON
303-01.01	GRANULAR BACKFILL (ROADWAY)	125.000	TON
303-10.01	MINERAL AGGREGATE (SIZE 57)	5.000	TON
307-01.01	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING A	252.000	TON
307-01.08	ASPHALT CONCRETE MIX (PG64-22) (BPMB-HM) GRADING B-M2	165.000	TON
307-02.01	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING A	240.000	TON
307-02.08	ASPHALT CONCRETE MIX (PG70-22) (BPMB-HM) GRADING B-M2	118.000	TON
402-01	BITUMINOUS MATERIAL FOR PRIME COAT (PC)	7.000	TON

Contract ID CNS229 - WASHINGTON

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	3.000	TON
407-20.05	SAW CUTTING ASPHALT PAVEMENT	355.000	L.F.
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	204.000	TON
411-01.10	ACS MIX(PG64-22) GRADING D	138.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	274.000	TON
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	0.250	L.M.
411-12.03	SCORING FOR RUMBLE STRIPE (NON-CONTINUOUS) (8IN WIDTH)	0.050	L.M.
415-01.02	COLD PLANING BITUMINOUS PAVEMENT	918.000	S.Y.
607-05.02	24" CONCRETE PIPE CULVERT (CLASS III)	112.000	L.F.
607-39.02	18" PIPE CULVERT (SIDE DRAIN)	59.000	L.F.
611-03.04	GRAY IRON CASTINGS (CATCHBASIN)	459.000	LB.
611-07.01	CLASS A CONCRETE (PIPE ENDWALLS)	2.000	C.Y.
611-07.02	STEEL BAR REINFORCEMENT (PIPE ENDWALLS)	68.000	LB.
611-07.32	24IN ENDWALL (SIDE DRAIN)	1.000	EACH
611-09.04	CATCHBASIN RETROFIT	1.000	EACH
703-01	CEMENT CONCRETE DITCH PAVING	15.000	C.Y.
705-04.50	PORTABLE BARRIER RAIL DELINEATOR	23.000	EACH
705-20.25	TEMPORARY CRASH CUSHION (MASH TL-3)	4.000	EACH
709-05.05	MACHINED RIP-RAP (CLASS A-3)	100.000	TON
709-05.06	MACHINED RIP-RAP (CLASS A-1)	260.000	TON
709-05.09	MACHINED RIP-RAP (CLASS C)	53.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-02.02	INTERCONNECTED PORTABLE BARRIER RAIL	900.000	L.F.
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	100.000	EACH
712-05.01	WARNING LIGHTS (TYPE A)	74.000	EACH
712-06	SIGNS (CONSTRUCTION)	373.000	S.F.
712-07.03	TEMPORARY BARRICADES (TYPE III)	96.000	L.F.
713-01.01	CLASS A CONCRETE (FOUNDATION FOR SIGN SUPPORTS)	1.000	C.Y.

Contract ID CNS229 - WASHINGTON

Item No.	Description	Quantity	Units
713-01.02	STEEL BAR REINFORCEMENT(FOUNDATION FOR SIGN SUPPORTS)	50.000	LB.
713-05	STEEL HOLLOW SQUARE POST (BREAKAWAY) SIGN SUPPORTS	192.000	LB.
713-11.02	PERFORATED/KNOCKOUT SQUARE TUBE POST	732.000	LB.
713-11.21	P POST SLIP BASE	7.000	EACH
713-13.02	FLAT SHEET ALUMINUM SIGNS (0.080" THICK)	112.000	S.F.
713-13.03	FLAT SHEET ALUMINUM SIGNS (0.100" THICK)	59.000	S.F.
713-15	REMOVAL OF SIGNS, POSTS AND FOOTINGS	(1)	LS
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	3.000	EACH
716-01.05	TEMPORARY RAISED PAVEMENT MARKER	50.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	22.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	8.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	68.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	94.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	4.000	EACH
716-02.08	PLASTIC PAVEMENT MARKING (8" DOTTED LINE)	345.000	L.F.
716-03.07	PLASTIC WORD PAVEMENT MARKING (STOP)	2.000	EACH
716-04.12	PLASTIC PAVEMENT MARKING (YIELD LINE)	9.000	S.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	1.500	L.M.
716-08.20	REMOVAL OF PAVEMENT MARKING (LINE)	1.500	L.M.
716-13.01	SPRAY THERMO PVMT MRKNG (60 mil) (4IN LINE)	1.500	L.M.
717-01	MOBILIZATION	(1)	LS
740-06.01	GEOMEMBRANE	683.000	S.Y.
740-10.03	GEOTEXTILE (TYPE III)(EROSION CONTROL)	226.000	S.Y.
740-11.01	TEMPORARY SEDIMENT TUBE 8IN	1,119.000	L.F.
740-11.04	TEMPORARY SEDIMENT TUBE 20IN	300.000	L.F.
801-01.07	TEMPORARY SEEDING (WITH MULCH)	19.000	UNIT
801-03	WATER (SEEDING & SODDING)	23.000	M.G.
803-01	SODDING (NEW SOD)	2,115.000	S.Y.

Contract ID CNS229 - WASHINGTON

Contract ID CNS186 - WASHINGTON

Item No.	Description	Quantity	Units
403-01	BITUMINOUS MATERIAL FOR TACK COAT (TC)	50.000	TON
411-01.07	ACS MIX (PG64-22) GRADING E SHOULDER	300.000	TON
411-02.10	ACS MIX(PG70-22) GRADING D	7,435.000	TON
415-01.01	COLD PLANING BITUMINOUS PAVEMENT	8,013.000	TON
701-02.01	CONCRETE CURB RAMP (RETROFIT)	150.000	S.F.
701-02.03	CONCRETE CURB RAMP	100.000	S.F.
712-01	TRAFFIC CONTROL	(1)	LS
712-04.01	FLEXIBLE DRUMS (CHANNELIZING)	167.000	EACH
712-05.03	WARNING LIGHTS (TYPE C)	84.000	EACH
712-06	SIGNS (CONSTRUCTION)	603.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
716-01.21	Snwplwble Pvmt Mrkrs (Bi-Dir)(1 Color)	351.000	EACH
716-01.22	Snwplwble Pvmt Mrkrs (Mono-Dir)(1 Color)	372.000	EACH
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	252.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	29.000	EACH
716-02.09	PLASTIC PAVEMENT MARKING (LONGITUDINAL CROSS-WALK)	390.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	12.000	L.M.
716-10.30	TRUNCATED DOME DETECTABLE WARNING MAT	32.000	S.F.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	12.000	L.M.
717-01	MOBILIZATION	(1)	LS
730-14.02	SAW SLOT	6,000.000	L.F.
730-14.03	LOOP WIRE	12,000.000	L.F.
604-10.50	BRIDGE DECK REPAIRS (PARTIAL DEPTH OF SLAB)	5.000	S.Y.
604-10.53	CONCRETE REPAIRS	5.000	S.Y.
617-04.02	TYPE 2 THIN EPOXY OVERLAY (LOW-MOD EPOXY)	1,356.000	S.Y.

Contract ID CNS180 - WHITE

Item No.	Description	Quantity	Units
311-03.01	HOT IN PLACE RECYCLING OF ASPHALT PAVEMENT (1.25IN)	140,181.000	S.Y.
311-03.10	Asphalt Rejuvenating Agent	35,045.000	GAL.
403-01.01	BITUMINOUS MATERIAL FOR TACK COAT (MICRO-SURFACING)	16.000	TON
403-01.10	High Performance Fog Seals	59,721.000	S.Y.
411-12.01	SCORING SHOULDERS (CONTINUOUS) (16IN WIDTH)	8.700	L.M.
411-12.02	SCORING SHOULDERS (NON-CONTINUOUS) (16IN WIDTH)	6.900	L.M.
414-03.01	EMULSIFIED ASPHALT FOR MICRO-SURFACING	160.000	TON
414-03.02	AGGREGATE FOR MICRO SURFACING	1,316.000	TON
712-01	TRAFFIC CONTROL	(1)	LS
712-06	SIGNS (CONSTRUCTION)	605.000	S.F.
712-08.03	ARROW BOARD (TYPE C)	2.000	EACH
713-02.15	FLEXIBLE DELINEATOR (YELLOW)	32.000	EACH
713-16.01	CHANGEABLE MESSAGE SIGN UNIT	2.000	EACH
716-01.23	Snwplwble Pvmt Mrkrs (Bi-Dir)(2 Color)	610.000	EACH
716-01.30	REMOVAL OF SNOWPLOWABLE REFLECTIVE MARKER	610.000	EACH
716-02.04	PLASTIC PAVEMENT MARKING(CHANNELIZATION STRIPING)	376.000	S.Y.
716-02.05	PLASTIC PAVEMENT MARKING (STOP LINE)	237.000	L.F.
716-02.06	PLASTIC PAVEMENT MARKING (TURN LANE ARROW)	10.000	EACH
716-04.16	PLASTIC PAVEMENT MARKING (NOISE STRIP)	72.000	L.F.
716-05.01	PAINTED PAVEMENT MARKING (4" LINE)	19.900	L.M.
716-12.02	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN LINE)	19.900	L.M.
716-12.05	ENHANCED FLATLINE THERMO PVMT MRKNG (6IN DOTTED LINE)	200.000	L.F.
717-01	MOBILIZATION	(1)	LS

Contract ID CNS180 - WHITE

Contract ID CNS165 - WILSON

Item No.	Description	Quantity	Units
607-65.20	SITE PREPARATION	1.000	EACH
680-02.01	BUILDING (DESCRIPTION) (FOUNDATION AND STRUCTURE)	1.000	EACH
680-02.02	BUILDING (DESCRIPTION) (INTERIOR CONSTRUCTION)	1.000	EACH
717-01	MOBILIZATION	(1)	LS

