

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
Qualified Products List Report



Parameters: **Product Category:** 15 - Pre-Packaged Concrete Mixture
Approved Begin Date: 01/01/1990
Approved End Date: 01/01/2050
Display Expired Materials? No
Expired Begin Date: 01/01/1990
Expired End Date: 01/01/2050
Display Address Info For Sources: No

Product Category: 15 - Pre-Packaged Concrete Mixture
Section:
Material: QPL.15.001 - Pre-Packaged Concrete Mixture

89900231 - CTS Cement Manufacturing Corp

Trade Name

CTS 24/6 Concrete Mix

Evaluation #

21076

1-day strength = 2500 psi; 28-day strength = 6000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.

89901502 - MAPEI Corporation

Trade Name

Planitop 11

Evaluation #

20037

28-day strength > 6000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.

Planitop 11 SCC

20038

28-day strength > 7000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.

89900741 - Quikrete Co

Trade Name

Comm Grade FastSet DOT Mix - Extended

Evaluation #

20022

28-day strength = 8000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.

FastSet Concrete Mix

20024

**STATE OF TENNESSEE
 DEPARTMENT OF TRANSPORTATION
 Qualified Products List Report**



Product Category: 15 - Pre-Packaged Concrete Mixture
Section:
Material: QPL.15.001 - Pre-Packaged Concrete Mixture

89900741 - Quikrete Co

<u>Trade Name</u>	<u>Evaluation #</u>
28-day strength = 8000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer. (No. 1004-51).	
Form & Pour Concrete Mix MS	20023
28-day strength = 6500 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer. (No. 1120-80).	

89901532 - Sakrete of North America

<u>Trade Name</u>	<u>Evaluation #</u>
Sakrete Fast Setting Concrete Mix	20117
3-day strength = 2500 psi; 7-day strength = 3500 psi; 28-day strength = 4000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.	
Sakrete High Strength Concrete Mix	20043
28-day strength = 4000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.	
Sakrete Pro-Mix Accelerated Concrete Mix	19068
28-day strength > 6000 psi. Must be mixed IAW manufacturer's recommendations with a mechanical mixer.	

89900836 - Sika Corp

<u>Trade Name</u>	<u>Evaluation #</u>
SikaCrete 211 SCC Plus	10118
Polymer-modified, non-shrink concrete. Compressive strength: 2000 @ 1 day, 6000 @ 7 days, 7000 @ 28 days.	
Sikacrete 321 Fast Set	10075
--	
Sikacrete 421 CI Rapid	18091
--	

Number of Approved Materials in Report:

12

* Material has been expired

Print Date: 06/24/2021
JJ01646

STATE OF TENNESSEE
DEPARTMENT OF TRANSPORTATION
Qualified Products List Report



RR013a
* Material has been expired

V13 *END OF REPORT*