

COUNTY: CHEATHAM BRIDGE ID NUMBER: 11S62750001 BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00839 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROCK SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: BARTONS CREEK LOG MILE: 2.71 LOCATION: 2 MI SE OF SOUTHSIDE SUFFICIENCY RATING: 88.3 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.35458 DEGREES YFS (17a.b) LONGITUDE: 87.27990 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT FLIGIBLE FOR THE CONTINUOUS **NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: OPEN (42b) UNDER BRIDGE: **WATERWAY APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 149.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 30.5 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 8/15/2022 NOT APPLICABLE (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): **NOT APPLICABLE** N/A (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): **NOT APPLICABLE** N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA = (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S63310001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00958 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD CLARKSVILLE PK. COUNTY SEQUENCE: 2 CROSSING: HALF PONE CREEK LOG MILE: 0.24 SUFFICIENCY RATING: 83.1 LOCATION: 2 M. SW. SR112. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.42300 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.14850 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 47.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 35.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/17/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11S63310003 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00958 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD CLARKSVILLE PK. COUNTY SEQUENCE: 2 CROSSING: RACCOON CREEK LOG MILE: 3.73 SUFFICIENCY RATING: 98.1 LOCATION: 2 M. SW. SR 112. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.40053 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09555 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2009 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 35.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/20/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N00

(92c) SPECIAL INSP FREQUENCY (MONTHS):

BRIDGE ID NUMBER: 11S63310005



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00958 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD CLARKSVILLE PK. COUNTY SEQUENCE: 2 CROSSING: SPRING CREEK LOG MILE: 6.15 SUFFICIENCY RATING: 81.9 LOCATION: 2 M. SW. SR112. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37608 DEGREES YES 87.07073 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2009 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 34.4 FT (71) WATERWAY ADEQUACY: 7 40.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 31.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 28.5 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 35 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/20/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11S63310007 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00958 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD CLARKSVILLE PK. COUNTY SEQUENCE: 2 CROSSING: BRANCH LOG MILE: 8.70 SUFFICIENCY RATING: 76.3 LOCATION: .5 M E SR49 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.35580 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.03923 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 37.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 37.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$102,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$11,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$154,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/21/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 11S63310009

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 00958

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD CLARKSVILLE PK. COUNTY SEQUENCE: 2 CROSSING: SYCAMORE CREEK LOG MILE: 9.63 SUFFICIENCY RATING: 55.7 LOCATION: 1 M. E. SR49 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34565 DEGREES YES 87.02898 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: CONCRETE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 6 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 323.2 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 354 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$2,758,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$276,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$4.138.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/21/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S61500001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00979 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LOCKERTSVILLE RD. COUNTY SEQUENCE: 1 CROSSING: SYCAMORE CREEK LOG MILE: 3.82 SUFFICIENCY RATING: 52.5 LOCATION: 1.5 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.32410 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09308 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1949 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 39.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 169.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 169.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$180,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$19,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$271,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/18/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 06/2021 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): 08/2023 NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): Y12 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 11S61500003



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00979 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LOCKERTSVILLE RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 4.00 SUFFICIENCY RATING: 81.5 LOCATION: 1.5 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.32650 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09310 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 5 32.2 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 32.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$65,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$7,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$98,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/18/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 11S61500005



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00979 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LOCKERTSVILLE RD. COUNTY SEQUENCE: 1 CROSSING: SPRING CREEK LOG MILE: 4.59 SUFFICIENCY RATING: 82.6 LOCATION: 2 M. NE. SR 12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.33400 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09772 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2009 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 44.3 FT (71) WATERWAY ADEQUACY: 8 46.9 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 21.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/18/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11009790017 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00979 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: THOMASVILLE RD. COUNTY SEQUENCE: 1 CROSSING: SUGAR FORK CREEK LOG MILE: 7.80 SUFFICIENCY RATING: 69.7 LOCATION: 2.1 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.35975 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12185 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 20.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 20.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS 22.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 20 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$56,000.00 (34) BRIDGE SKEW: 55 DEGREES ROADWAY IMPROVEMENT COST: \$6,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$85,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/6/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 11F00080009



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00979 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: THOMASVILLE RD. COUNTY SEQUENCE: 1 CROSSING: DRY FORK CREEK LOG MILE: 9.49 SUFFICIENCY RATING: 79.7 LOCATION: 3.1 M. E. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.38250 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12050 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 4 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$113,000.00 (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: \$12,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$170,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/6/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11F00080011



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00979 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: THOMASVILLE RD. COUNTY SEQUENCE: 1 CROSSING: RACOON CREEK LOG MILE: 10.32 SUFFICIENCY RATING: 86.9 LOCATION: 3 M. E. SR 12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39315 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12608 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/6/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11F00050013



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00979 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: THOMASVILLE RD. COUNTY SEQUENCE: 1 CROSSING: HALF POND CREEK LOG MILE: 12.46 SUFFICIENCY RATING: 66.8 LOCATION: 3.5 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.42005 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12800 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 44.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 44.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$102,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$11,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$154,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/17/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 11F00050015



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 00979 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: THOMASVILLE RD. COUNTY SEQUENCE: 1 CROSSING: RUSH BRANCH LOG MILE: 13.04 SUFFICIENCY RATING: 85.9 LOCATION: 4 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.42750 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12667 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$136,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$14,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$205.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/17/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11019310001



COUNTY: CHEATHAM

BRIDGE OWNER: CITY OF KINGSTON SPRINGS ROUTE: 01931 FIPS CODE: 39660 SPECIAL CASE: 0 ROAD NAME: PARK ST. COUNTY SEQUENCE: 1 CROSSING: HARPETH RIVER LOG MILE: 1.91 SUFFICIENCY RATING: 91.2 LOCATION: 1.5 M. S. US70. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.10145 DEGREES YES 87.10795 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 86.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 344.2 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/19/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11019330001 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01933 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CEDAR HILL RD. COUNTY SEQUENCE: 1 CROSSING: HARPETH RIVER LOG MILE: 7.11 SUFFICIENCY RATING: 79.3 LOCATION: 2.5 SE. SR250. IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.16803 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12852 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1982 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 69.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 280.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 4 (51) BRIDGE CURB TO CURB WIDTH: 27.6 FT RECOMMENDED IMPROVEMENTS 29.5 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 280.8 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$241,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$25,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$362,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/9/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 08/2023 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 11019330003



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY **ROUTE: 01933** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CEDAR HILL RD. COUNTY SEQUENCE: 1 CROSSING: HARPETH RIVER LOG MILE: 8.57 SUFFICIENCY RATING: 88.1 LOCATION: 3.2 M. SE. SR250. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.15158 DEGREES YES 87.11883 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 125.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 429.1 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 6 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/13/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11019330009 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01933 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CEDAR HILL RD. COUNTY SEQUENCE: 1 CROSSING: MOUND CREEK LOG MILE: 10.30 SUFFICIENCY RATING: 71.2 LOCATION: 1 M. N. SR-1. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.14055 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09518 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1978 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 42.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 89.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 23.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/13/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11019330005



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01933 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CEDAR HILL RD. COUNTY SEQUENCE: 1 CROSSING: DOG CREEK LOG MILE: 11.64 SUFFICIENCY RATING: 97.3 LOCATION: 0.1 M. N. SR-1. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.12467 DEGREES YES 87.09805 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 34.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/13/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11019370001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01937 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: POND CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.82 SUFFICIENCY RATING: 68.1 LOCATION: 2.5 M. S. SR12. IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.16933 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.99598 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1940 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 28.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$86,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$9,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$130,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/8/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 11019370003 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01937 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: POND CREEK RD. COUNTY SEQUENCE: 1 CROSSING: POND CREEK LOG MILE: 3.67 SUFFICIENCY RATING: 56.0 LOCATION: 3 M. S. SR12. IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.18073 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.99737 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1955 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 85.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.6 FT **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 85 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$133,000.00 (34) BRIDGE SKEW: 50 DEGREES ROADWAY IMPROVEMENT COST: \$14,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$200,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/8/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A



BRIDGE ID NUMBER: 11019370005 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01937 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: POND CREEK RD. COUNTY SEQUENCE: 1 CROSSING: WEST FORK POND CREEK LOG MILE: 4.10 SUFFICIENCY RATING: 83.9 LOCATION: 2.1 M. S. SR12. - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν YES 36.18388 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.00280 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 13.1 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 32.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$67,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$7,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$101,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/8/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 11019420003



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01942 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SWEET HOME RD. COUNTY SEQUENCE: 1 CROSSING: SUGAR FORK CREEK LOG MILE: 6.25 SUFFICIENCY RATING: 78.3 LOCATION: 2.3 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.35513 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.11115 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1981 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 20.0 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 56.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 55.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$122,000.00 (34) BRIDGE SKEW: 64 DEGREES ROADWAY IMPROVEMENT COST: \$13,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$184,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/6/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 11019420005 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01942 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SWEET HOME RD. COUNTY SEQUENCE: 1 CROSSING: SUGAR FORK CREEK LOG MILE: 6.53 SUFFICIENCY RATING: 71.5 LOCATION: 2.8 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.35477 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.10630 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1981 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 11.2 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 39 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$93,000.00 (34) BRIDGE SKEW: 53 DEGREES ROADWAY IMPROVEMENT COST: \$10,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$140,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/8/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 11019420007



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01942 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SWEET HOME RD. COUNTY SEQUENCE: 1 CROSSING: SUGAR FORK CREEK LOG MILE: 7.00 SUFFICIENCY RATING: 90.4 LOCATION: 3 M. NE. SR12. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.35458 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09823 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2004 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 49.4 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 101.6 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11019450001 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01945 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCMAHAN HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: SYCAMORE CREEK LOG MILE: 0.18 SUFFICIENCY RATING: 87.0 LOCATION: .1 M. N. SR-112. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37088 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 86.98355 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1979 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 55.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 166.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 30.2 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/19/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

NOT APPLICABLE

N/A

N/A

N/A

NO NAVIGATION CONTROL

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N00

N/A

N00

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

BRIDGE ID NUMBER: 11S61520003

BRIDGE OWNER: CITY OF KINGSTON SPRINGS



COUNTY: CHEATHAM

ROUTE: 01948

FIPS CODE: 39660 SPECIAL CASE: 0 ROAD NAME: W. KINGSTON SPRINGS RD. COUNTY SEQUENCE: 1 LOG MILE: 0.62 CROSSING: BIG TURNBULL CREEK SUFFICIENCY RATING: 93.9 LOCATION: 1 MI S OF SR 1 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.10087 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12555 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 101.0 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 308.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 42 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 40.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/19/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11019480001 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 01948 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KINGSTON SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: CSX RAILROAD LOG MILE: 1.05 SUFFICIENCY RATING: 78.9 LOCATION: 2 MI NW OF I40 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.09973 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.13352 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 6 (48) MAXIMUM SPAN LENGTH: 41.0 FT (71) WATERWAY ADEQUACY: Ν 121.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 121.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$250,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$26,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$376,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES **RAILROAD BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 23 FT (90) DATE OF LAST REGULAR INSPECTION: 9/19/2022 (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 15.09 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 110A0040001 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A004 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HUNLEY BRANCH RD. COUNTY SEQUENCE: 1 LOG MILE: 0.02 CROSSING: HUNLEY BRANCH SUFFICIENCY RATING: 97.0 LOCATION: 1 M. E. MONGOMERY CO. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34502 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.27140 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A0120001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A012 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HOUSTON FIELDER RD. COUNTY SEQUENCE: 1 CROSSING: HALF PONE CREEK LOG MILE: 2.79 SUFFICIENCY RATING: 86.0 LOCATION: 1.5 M. SE. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.37332 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.21685 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1981 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 89.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/16/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A0130001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A013

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GOSSETT RD. COUNTY SEQUENCE: 1 CROSSING: HALF PONE CREEK LOG MILE: 2.08 SUFFICIENCY RATING: 70.8 LOCATION: 1 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39895 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.18492 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 47.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/18/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A0170001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A017 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD HWY. 12 COUNTY SEQUENCE: 1 CROSSING: HALF PONE CREEK LOG MILE: 0.79 SUFFICIENCY RATING: 87.7 LOCATION: 0.5 M. SW. SR 12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.38272 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.19617 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 40.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 121.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/16/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A0180001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A018 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EWING ALBRIGHT RD. COUNTY SEQUENCE: 1 CROSSING: DRY FORK CREEK LOG MILE: 0.81 SUFFICIENCY RATING: 92.4 LOCATION: 1.5 M. SW. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36070 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.20545 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 38.1 FT (71) WATERWAY ADEQUACY: 7 40.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 25.3 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 40 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$37,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$4,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$56,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/16/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A0320003



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A032 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHAPMANSBORO RD. COUNTY SEQUENCE: 1 LOG MILE: 2.19 CROSSING: SYCAMORE CREEK SUFFICIENCY RATING: 80.4 LOCATION: 2 M. W. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.30312 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12810 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS CONTINUOUS **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: STEEL CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 109.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 288.1 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/17/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 07/2023 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A0460001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A046

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SADDLE TREE RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.50 SUFFICIENCY RATING: 76.7 LOCATION: 1.2 M. N. SR 12 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.33532 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12722 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 6 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 5 37.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.3 FT **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 37.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$86,000.00 (34) BRIDGE SKEW: 33 DEGREES ROADWAY IMPROVEMENT COST: \$9,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$130,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/17/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 110A0470001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A047

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MACON WALL RD. COUNTY SEQUENCE: 1 LOG MILE: 2.25 CROSSING: BRANCH SUFFICIENCY RATING: 95.2 LOCATION: 0.1 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.31403 DEGREES YES 87.11940 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 24.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/17/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A0550003

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A055

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BUCK HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.40 SUFFICIENCY RATING: 94.2 LOCATION: 1 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36183 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.16008 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/18/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A0550001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A055 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BUCK HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: DRY FORK CREEK LOG MILE: 0.57 SUFFICIENCY RATING: 94.9 LOCATION: 1 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.35997 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.15722 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/18/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A0610001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A061 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LEO BAKER RD. COUNTY SEQUENCE: 1 CROSSING: RACCOON CREEK LOG MILE: 1.45 SUFFICIENCY RATING: 80.8 LOCATION: 1 M. E. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.39002 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.17660 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 4 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 27.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/18/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A0620001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A062

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JOHN SHORES RD. COUNTY SEQUENCE: 1 CROSSING: RACCOON CREEK LOG MILE: 1.85 SUFFICIENCY RATING: 95.9 LOCATION: 2 M. E. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.38995 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.14153 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1976 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/12/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 110A0760001 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PORTER MORRIS RD. COUNTY SEQUENCE: 1 CROSSING: HALF PONE CREEK LOG MILE: 0.32 SUFFICIENCY RATING: 86.2 LOCATION: 4 M. NW SR49-4.5 M.NESR12 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.42147 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.10675 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/12/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A1070001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A107

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SPRING CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SPRING CREEK LOG MILE: 0.31 SUFFICIENCY RATING: 98.9 LOCATION: 2.5 M. W. SR49. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.35833 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09828 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2010 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 87.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.6 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A1280001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A128 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GEORGE BOYD RD. COUNTY SEQUENCE: 1 CROSSING: BLUE SPRING CREEK LOG MILE: 1.58 SUFFICIENCY RATING: 70.5 LOCATION: 1 M. E. SR49. - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.32667 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.02980 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 29.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 67.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.6 FT **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 67.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$125,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$13,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$188,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/15/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A1300001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A130

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GEORGE BOYD RD. COUNTY SEQUENCE: 1 LOG MILE: 0.02 CROSSING: BRANCH SUFFICIENCY RATING: 97.0 LOCATION: 1 M. E. SR49. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34252 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.02815 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A1420001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A142

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WATER PLANT RD. COUNTY SEQUENCE: 1 CROSSING: WATER PLANT RD / BRANCH LOG MILE: 0.03 SUFFICIENCY RATING: 56.9 LOCATION: NEAR SR49 / SYCAMORE CR. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32005 DEGREES YES 87.05068 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN WATERWAY (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 13.5 FT RECOMMENDED IMPROVEMENTS 15.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 60 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$246,000.00 (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: \$25,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$370,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 110A1440001 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A144 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CARNEY WINTERS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.36 SUFFICIENCY RATING: 91.8 LOCATION: 1.5 M. E. SR49. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32372 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.01638 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 8 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/6/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N00

(92c) SPECIAL INSP FREQUENCY (MONTHS):

BRIDGE ID NUMBER: 110A1440003



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A144 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CARNEY WINTERS RD. COUNTY SEQUENCE: 1 CROSSING: BLUE SPRING CREEK LOG MILE: 1.67 SUFFICIENCY RATING: 97.0 LOCATION: 1.8 M. E. SR49. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32597 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.01357 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 64.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 27.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/6/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 110A1490001 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A149 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BENNETT RD. COUNTY SEQUENCE: 1 CROSSING: BLUE SPRING CREEK LOG MILE: 0.62 SUFFICIENCY RATING: 86.0 LOCATION: 2.8 M. E. SR49. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32323 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.99693 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 7 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/6/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 110A1500001 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A150 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BLUE SPRINGS RD. COUNTY SEQUENCE: 1 LOG MILE: 0.92 CROSSING: BLUE SPRING CREEK SUFFICIENCY RATING: 81.8 LOCATION: 3.1 M. E. SR49. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.32297 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.98772 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 24.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 17.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 25.9 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$254,000.00 (34) BRIDGE SKEW: **48 DEGREES** ROADWAY IMPROVEMENT COST: \$26,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$382,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 64.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/6/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A1500003



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A150 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RED BINKLEY RD. COUNTY SEQUENCE: 1 CROSSING: JONES BRANCH LOG MILE: 3.50 SUFFICIENCY RATING: 70.5 LOCATION: 4 M. E. SR49. IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.35222 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.96773 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 22.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 29.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$73,000.00 (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: \$8,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$110,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/19/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A1520001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MT. ZION RD. COUNTY SEQUENCE: 1 CROSSING: SYCAMORE CREEK LOG MILE: 2.76 SUFFICIENCY RATING: 91.8 LOCATION: 2 M. E. SR49. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36177 DEGREES YES 87.01030 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2004 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 100.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 399.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1110 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/20/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A2010001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A201 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CEDAR HILL RD. COUNTY SEQUENCE: 1 CROSSING: HARPETH RIVER LOG MILE: 0.52 SUFFICIENCY RATING: 84.9 LOCATION: ON DICKSON CO. LINE. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.17202 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.16002 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1982 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 89.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 323.2 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 4 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/9/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 08/2023 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: CHEATHAM BRIDGE ID NUMBER: 110A2050001 BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A205 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ABERNATHY RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.42 SUFFICIENCY RATING: 77.6 LOCATION: 1.5 M W DAVIDSON CO LN IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.28840 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.97315 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 21.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 28.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$77,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$8,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$116,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/1/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 110A2050003



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A205 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ABERNATHY RD. COUNTY SEQUENCE: 1 CROSSING: MARROWBONE CREEK LOG MILE: 1.99 SUFFICIENCY RATING: 89.1 LOCATION: 2 M. W. DAVIDSON CO. LN. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.29270 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.96568 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 40.0 FT (71) WATERWAY ADEQUACY: 6 84.3 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1110 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A2160001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A216 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: VALLEY VIEW RD. COUNTY SEQUENCE: 1 CROSSING: MARROWBONE CREEK LOG MILE: 3.73 SUFFICIENCY RATING: 95.3 LOCATION: 1.5 M. W. DAVIDSON CO. LN - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.28048 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.98153 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 20.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 69.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.6 FT RECOMMENDED IMPROVEMENTS 29.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 22 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.2 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A2260001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A226

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DRY FORK RD. COUNTY SEQUENCE: 1 CROSSING: DRY FORK CREEK LOG MILE: 0.87 SUFFICIENCY RATING: 88.3 LOCATION: 2.2 M. E. SR 12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27402 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.01242 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 7.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 25.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT RECOMMENDED IMPROVEMENTS 26.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A2260003

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A226

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DRY FORK RD. COUNTY SEQUENCE: 1 CROSSING: DRY FORK CREEK LOG MILE: 2.40 SUFFICIENCY RATING: 90.3 LOCATION: 1 M. E. SR 12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27003 DEGREES YES 87.03795 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 5 33.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 33.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$161,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$17,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$242,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A2270001



COUNTY: CHEATHAM

BRIDGE OWNER: CITY OF ASHLAND CITY ROUTE: 0A227 SPECIAL CASE: 0 FIPS CODE: 2180 ROAD NAME: FORREST ST. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 2.49 SUFFICIENCY RATING: 77.2 LOCATION: 0.2 M. E. SR12. IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 36.26275 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.04253 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 46.9 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 101.0 FT (72) APPROACH ROADWAY ALIGNMENT: 3 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 101 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$180,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$19,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$271,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/1/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 110A2310001 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A231 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BIG MARROWBONE RD. COUNTY SEQUENCE: 1 CROSSING: MARROWBONE CREEK LOG MILE: 1.05 SUFFICIENCY RATING: 89.2 LOCATION: 2 M. NE. SR12. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25249 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 86.99296 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1981 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 89.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N00

(92c) SPECIAL INSP FREQUENCY (MONTHS):

NATIONAL BRIDGE INVENTORY



TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 110A2310003 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A231 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BIG MARROWBONE RD. COUNTY SEQUENCE: 1 CROSSING: MARROWBONE CREEK LOG MILE: 2.19 SUFFICIENCY RATING: 47.4 LOCATION: 2.3 M. NE. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.26170 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.98647 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: WEIGHT POSTED **APPRAISAL**

N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:		
HIGHWAY	(42a) SERVICE ON BRIDGE:		
WATERWAY	(42b) UNDER BRIDGE:		
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:		
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:		
GEOMETRIC DATA			
38.1 FT	(48) MAXIMUM SPAN LENGTH:		
80.1 FT	(49) TOTAL BRIDGE LENGTH:		

(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	25.6 FT
(52) BRIDGE OUT TO OUT WIDTH:	28.2 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	20.0 FT
(33) BRIDGE MEDIAN:	NO MEDIAN
(34) BRIDGE SKEW:	0 DEGREES
(35) BRIDGE FLARE:	NO FLARE
(520) MIN VERTICAL CLEARANCE OVER RD:	100 FT
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:	25.3 FT
(54a) VERT UNDERCLR: NOT A HIGHWAY C	OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE: NOT	APPLICABLE
(55a) HORZ UNDERCLR: NOT A HIGHWAY C	OR RAILROAD
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT	APPLICABLE

NAVIGATION DATA		
(38)	NAV CONTROL:	NO NAVIGATION CONTROL

NOT APPLICABLE

(39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

NIANICATION DATA

PUBLICATION DATE 11-Mar-24

(56) MIN HORZ UNDERCLR ON LEFT:

2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK 6 7 4 5 Ν HS-20-44 **13 TONS** 23 TONS (67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3 RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): 09/2023

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

Y12

(92c) SPECIAL INSP FREQUENCY (MONTHS):

BRIDGE ID NUMBER: 110A2350001



COUNTY: CHEATHAM

BRIDGE OWNER: CITY OF ASHLAND CITY ROUTE: 0A235 FIPS CODE: 2180 SPECIAL CASE: 0 ROAD NAME: LITTLE MARROWBONE RD. COUNTY SEQUENCE: 1 CROSSING: MARROWBONE CREEK LOG MILE: 0.58 SUFFICIENCY RATING: 39.4 LOCATION: 0.56 M. E. SR 12. IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.24552 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.01392 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 4 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **13 TONS** (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): 23 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 59.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 167.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 0.0 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 30.2 FT **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 167 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$511,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$52,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$767,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/14/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A2350003



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A235 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LITTLE MARROWBONE RD. COUNTY SEQUENCE: 1 CROSSING: MARROWBONE CREEK LOG MILE: 1.20 SUFFICIENCY RATING: 66.2 LOCATION: 1.19 M. E. SR12. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24400 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.00502 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 44.0 FT (71) WATERWAY ADEQUACY: 6 119.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: YES, FLARED (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/14/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A2360001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A236 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROSS HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE MARROWBONE CREEK LOG MILE: 0.23 SUFFICIENCY RATING: 86.2 LOCATION: 1 M. E. SR12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.22450 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.00255 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 34.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 71.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 18.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/14/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A2450001



COUNTY: CHEATHAM

BRIDGE OWNER: CITY OF ASHLAND CITY ROUTE: 0A245 SPECIAL CASE: 0 FIPS CODE: 2180 ROAD NAME: HAYWOOD HILLS LN. COUNTY SEQUENCE: 1 CROSSING: MARROWBONE CREEK LOG MILE: 0.35 SUFFICIENCY RATING: 58.8 LOCATION: 0.35 M. W. SR12. IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.25698 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.05113 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **13 TONS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **33.1 TONS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 41.0 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 82.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 8.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 10.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 11.8 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 82 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$296,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$30,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$445,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 8.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/15/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 08/2023 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A3190001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A319

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHESTNUT RD. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 0.01 SUFFICIENCY RATING: 91.6 LOCATION: 2.5 M. SW. SR-12. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.20255 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.05950 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/29/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 110A3250001 COUNTY: CHEATHAM BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A325 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: INDIAN SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: WEST FORK POND CREEK LOG MILE: 0.01 SUFFICIENCY RATING: 86.5 LOCATION: 3 M. S. SR12. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.16895 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.01555 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/12/2022

NO NAVIGATION CONTROL (38) NAV CONTROL: (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A

NOT A HIGHWAY OR RAILROAD

NOT APPLICABLE

NOT APPLICABLE

(116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

NAVIGATION DATA

PUBLICATION DATE 11-Mar-24

(55a) HORZ UNDERCLR:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

24

N/A

N00

N/A

N00

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: CHEATHAM BRIDGE ID NUMBER: 110A3260001 BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A326 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: INDIAN SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: WEST FORK POND CREEK LOG MILE: 0.60 SUFFICIENCY RATING: 65.9 LOCATION: 3.5 M. S. SR12. - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.16110 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.01890 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: 5 35.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 19.4 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 21.3 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 35.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$89,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$9,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$134,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/12/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 110A3390001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A339 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SEAR RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.20 SUFFICIENCY RATING: 78.4 LOCATION: 1.5 M. NE. SR-1. IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.11125 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.01978 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 36.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 23.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 36.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$75,000.00 (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: \$8,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$113,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/12/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



COUNTY: CHEATHAM BRIDGE ID NUMBER: 110A3600001 BRIDGE OWNER: CITY OF PEGRAM ROUTE: 0A360 FIPS CODE: 57480 SPECIAL CASE: 0 ROAD NAME: RIVERVIEW DR. COUNTY SEQUENCE: 1 CROSSING: HARPETH RIVER LOG MILE: 0.31 SUFFICIENCY RATING: 59.1 LOCATION: 0.75 M.N. 140 IN PEGRAM IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.09603 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.05447 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 87.9 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 351.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 351 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$982,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$99,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1,474,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/4/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 07/2023 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A



BRIDGE ID NUMBER: 11I00400009

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: BEECH HILL RD.

CROSSING: BEECH HILL RD / I40

LOCATION: 2 M.E. DAVIDSON CO. LN.

CLASSIFICATION

COUNTY: CHEATHAM

ROUTE: 0A363

SPECIAL CASE: 0

COUNTY SEQUENCE: 1

LOG MILE: 0.97

SUFFICIENCY RATING: 89.9

LOCATION: 2 M.E. DAVIDSON CO. LN.	SOFFICIENCE RATING. 69.9
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.08832 DEGREES	G (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.06862 DEGREES	6 (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: STEEL	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(FO) CLIDEDCTDLICTLIDE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHAL	- (61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(CO) CHILLEDT CONDITION (IE ADDITION E).
C) TYPE PROTECTION: NONE	DECIGNAL CAR AND WEIGHT DOCTING
,	(31) DESIGN LOADING: H-15-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 196	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N// (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
<u> </u>	APPRAISAL —
	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH: 65.9 F	(69) UNDERCLEARANCE RATING: 4
(49) TOTAL BRIDGE LENGTH: 213.9 F	(71) WATERWAY ADEQUACY:
(50a) LEFT SIDEWALK WIDTH: 0.0 F	(72) APPROACH ROADWAY AI IGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 F	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING:
(52) BRIDGE OUT TO OUT WIDTH: 28.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 F	- (75) TYPE OF WORK: BRIDGE REHABILITATION
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 213.9 FT
(34) BRIDGE SKEW: 0 DEGREES	
(35) BRIDGE FLARE: NO FLARE	
(520) MIN VERTICAL CLEARANCE OVER RD: 100 F	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 F	
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: 15.91 FT	• •
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	1 1
(55b) MIN HORZ UNDERCLR ON RIGHT: 10.17 F	
(56) MIN HORZ UNDERCLR ON LEFT: 27.56 F	
NAVIGATION DATA	= (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NOT APPLICABLE	· · · · · · · · · · · · · · · · · · ·
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: CHEATHAM BRIDGE ID NUMBER: 110A1580001 BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A371 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GOODSPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.39 SUFFICIENCY RATING: 71.1 LOCATION: 2 M. E. SR 49. IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.36957 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.00463 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 29.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$78,000.00 (34) BRIDGE SKEW: 12 DEGREES ROADWAY IMPROVEMENT COST: \$8,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$118,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/19/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 11100400005



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0A372 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. HARPETH RD. COUNTY SEQUENCE: 1 CROSSING: LUYBEN HILLS RD. / I-40 LOG MILE: 0.00 SUFFICIENCY RATING: 92.2 LOCATION: 3.65 M.NE. WILLIAMSON CO. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08360 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09785 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2007 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 5 (48) MAXIMUM SPAN LENGTH: 84.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 304.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 51.5 FT RECOMMENDED IMPROVEMENTS 53.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 51.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 36 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 51.5 FT INSPECTION DATES = (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.14 FT (90) DATE OF LAST REGULAR INSPECTION: 8/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 11.48 FT (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 27.56 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11100400005

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: CHEATHAM

ROUTE: 0A372

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LUYBEN HILLS RD. COUNTY SEQUENCE: 1 CROSSING: LUYBEN HILLS RD. / I-40 LOG MILE: 0.00 SUFFICIENCY RATING: 92.2 LOCATION: 3.65 M.NE. WILLIAMSON CO. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08360 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09785 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2007 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 5 (48) MAXIMUM SPAN LENGTH: 84.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 304.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 51.5 FT RECOMMENDED IMPROVEMENTS 53.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 51.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 36 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 51.5 FT INSPECTION DATES = (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.14 FT (90) DATE OF LAST REGULAR INSPECTION: 8/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 11.48 FT (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 27.56 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A3720001



COUNTY: CHEATHAM

BRIDGE OWNER: CITY OF KINGSTON SPRINGS ROUTE: 0A372 FIPS CODE: 39660 SPECIAL CASE: 0 ROAD NAME: S. HARPETH RD. COUNTY SEQUENCE: 1 CROSSING: BRUSH CREEK LOG MILE: 1.27 SUFFICIENCY RATING: 32.3 LOCATION: 0.8 M. S. 140. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07715 DEGREES YES (17a,b) LONGITUDE: 87.08060 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 0 TONS (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): 0 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 0 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: CLOSED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: O (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 0 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 44.9 FT (71) WATERWAY ADEQUACY: 5 92.8 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 22.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 18.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 123 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$646,000.00 (34) BRIDGE SKEW: 17 DEGREES ROADWAY IMPROVEMENT COST: \$65,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$970,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/21/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A3720003



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A372 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. HARPETH RD. COUNTY SEQUENCE: 1 CROSSING: SOUTH HARPETH RIVER LOG MILE: 4.05 SUFFICIENCY RATING: 97.7 LOCATION: 1.5 M. S. I40 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06145 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.05497 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.7 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 150.6 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/21/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A3720005

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A372

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. HARPETH RD. COUNTY SEQUENCE: 1 CROSSING: POPLAR CREEK LOG MILE: 5.56 SUFFICIENCY RATING: 85.9 LOCATION: 3 M SE OF PEGRAM IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.05017 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.04143 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1980 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 23 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/21/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



COUNTY: CHEATHAM BRIDGE ID NUMBER: 11100400003 BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0A383 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: MT. PLEASANT RD. COUNTY SEQUENCE: 1 CROSSING: I-40 LOG MILE: 0.13 SUFFICIENCY RATING: 44.4 LOCATION: 1.57 M.N. WILLIAMSON CO L IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.06703 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12782 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 67.9 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 227.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 227 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$433,000.00 (34) BRIDGE SKEW: 11 DEGREES ROADWAY IMPROVEMENT COST: \$44,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$650,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES **HIGHWAY BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 16.67 FT (90) DATE OF LAST REGULAR INSPECTION: 8/11/2022 (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 10.83 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: 27.89 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 11100400001

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: CHEATHAM

ROUTE: 0A384

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FAIRVIEW K S RD. COUNTY SEQUENCE: 1 CROSSING: FVIEW-KSPG RD / I40 LOG MILE: 0.36 SUFFICIENCY RATING: 54.2 LOCATION: 0.35 M. N. WILLIAMSON CO IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.05285 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.14052 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 6 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 4 (48) MAXIMUM SPAN LENGTH: 73.2 FT (71) WATERWAY ADEQUACY: Ν 432.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 432.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$595,000.00 (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: \$60,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$893,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES **HIGHWAY BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 16.4 FT (90) DATE OF LAST REGULAR INSPECTION: 8/11/2022 (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 9.84 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: 18.04 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A3940001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A394 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CAMPBELL RIDGE RD. COUNTY SEQUENCE: 1 CROSSING: TALLEY BRANCH LOG MILE: 0.05 SUFFICIENCY RATING: 83.6 LOCATION: 1 M. W. 140. IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.05933 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.15620 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1919 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1970 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 42.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 23.3 FT RECOMMENDED IMPROVEMENTS 25.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 42 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$86,000.00 (34) BRIDGE SKEW: 41 DEGREES ROADWAY IMPROVEMENT COST: \$9,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$130,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/2/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 110A3940003

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A394

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CAMPBELL RIDGE RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.27 SUFFICIENCY RATING: 68.1 LOCATION: 1 M. W. 140. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.05812 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.15305 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/2/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A3950001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A395 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHICKADEE TR. COUNTY SEQUENCE: 1 CROSSING: TALLY BRANCH LOG MILE: 0.64 SUFFICIENCY RATING: 75.9 LOCATION: 2 M NW I40@WILLIAMSON CL IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06442 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.15545 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 67.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/2/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S61520001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A417

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CRAGGIE HOPE RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.49 SUFFICIENCY RATING: 88.8 LOCATION: 1.5 MI S OF SR 1 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.09607 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.14120 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 5 32.5 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/14/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S61520007

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A417

SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: CRAGGIE HOPE RD. COUNTY SEQUENCE: 1 CROSSING: ROCK BRANCH LOG MILE: 1.44 SUFFICIENCY RATING: 71.5 LOCATION: 2 MI NW OF I40 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.09583 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.15157 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1976 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$60,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$7,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$91,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/14/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A4470001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A447 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CAUTHERN RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF TURNBULL CREEK LOG MILE: 0.18 SUFFICIENCY RATING: 91.2 LOCATION: 1.5 M W KINGSTON-SPRGS - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.09457 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.15585 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 29.9 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/14/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: CHEATHAM BRIDGE ID NUMBER: 110A4640001 BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0A464 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NARROWS OF THE HARPETH RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH (HRSP) LOG MILE: 0.31 SUFFICIENCY RATING: 76.2 LOCATION: .4 M SW JCT NFA 1933&A464 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.14687 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.12132 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: OTHER (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1984 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 39.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 0.0 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 13.8 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 15.4 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 40 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$120,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$13,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$181,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 13.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/13/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 110A4670001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A467 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PERCY HARRIS RD. COUNTY SEQUENCE: 1 CROSSING: LEATHERWOOD CREEK LOG MILE: 0.02 SUFFICIENCY RATING: 58.0 LOCATION: 1 M.E. DICKSON CO. LN. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.14862 DEGREES YES 87.14598 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1984 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 29.9 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 14.4 FT RECOMMENDED IMPROVEMENTS 17.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 12.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 32.2 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$145,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$15,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$218,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 14.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/13/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A4850001

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A485

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TURNIPSEED RD. COUNTY SEQUENCE: 1 CROSSING: TURNIPSEED CREEK LOG MILE: 1.78 SUFFICIENCY RATING: 97.0 LOCATION: 1 M. NW. SR250. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21878 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.16838 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/9/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 110A5060001 COUNTY: CHEATHAM
BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A506
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: LOST HOLLOW LN. COUNTY SEQUENCE: 1
CROSSING: SOUTH HARPETH RIVER LOG MILE: 0.01

CROSSING: SOUTH HARPETH RIVER	LOG MILE: 0.01
LOCATION: 1.2 M. S. 140.	SUFFICIENCY RATING: 14.4
IDENTIFICATION ————	CLASSIFICATION —
(16a,b) LATITUDE: N 36.06540 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 87.05878 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: STEEL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) ALLIKOLANIMATERIAE. NOT AFFEICABLE	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 4
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 4
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 5
A) TYPE OF SURFACE: MONOLITHIC CONCRETE	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1950	WEIGHT POSTING (2 AXLE VEHICLES): 7 TONS
(106) YEAR THE BRIDGE WAS BOILT. 1930 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 7.9 TONS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 3
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 1	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 3
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 60.0 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 61.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 12.1 FT	(113) SCOUR CONDITION RATING: 8
	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 15.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 84.6 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$479,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$48,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(96) TOTAL PROJECT COST: \$719,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 14.1 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/20/2022
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	· · ·
	(92c) SPECIAL INSP-FREQUENCY (MONTHS): NOO
(39) NAVIGATION VERTICAL CLEARANCE: N/A	(92c) SPECIAL INSP FREQUENCY (MONTHS): N00 PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A5250001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A525 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRUSH CREEK RD. COUNTY SEQUENCE: 1 CROSSING: WEST FORK BRUSH CREEK LOG MILE: 1.27 SUFFICIENCY RATING: 75.9 LOCATION: 1.5 M.S. 140. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.05928 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09442 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 32.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$157,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$16,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$236,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/16/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 110A5250003

BRIDGE OWNER: CHEATHAM COUNTY



COUNTY: CHEATHAM

ROUTE: 0A525

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRUSH CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.72 SUFFICIENCY RATING: 97.4 LOCATION: 1.5 M.S. I40. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06400 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.09777 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2016 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 20.7 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.6 FT RECOMMENDED IMPROVEMENTS 27.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/16/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11019350001



COUNTY: CHEATHAM

BRIDGE OWNER: CHEATHAM COUNTY ROUTE: 0A526 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 1.10 SUFFICIENCY RATING: 68.9 LOCATION: 2.5 M. SW. SR12. IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.20347 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.05832 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 4 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 5 58.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 19.4 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 58.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$128,000.00 (34) BRIDGE SKEW: 55 DEGREES ROADWAY IMPROVEMENT COST: \$13,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$193,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/29/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



COUNTY SEQUENCE: 2

LOG MILE: 0.36

BRIDGE ID NUMBER: 11100240002 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 10024 SPECIAL CASE: 0 FIPS CODE: 00000

ROAD NAME: I-24

CROSSING: 124 LL/ RIDGE ROAD

LOCATION: .33 MI.E.OF ROBERTSON CO.	SUFFICIENCY RATING: 82.3
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.36817 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 86.96500 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL INTERSTATE
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: LEFT LANE BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 1-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK
CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: N
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1973	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: OPEN
(42b) UNDER BRIDGE: HIGHWAY	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 2	(68) DECK GEOMETRY:
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING: 7
(48) MAXIMUM SPAN LENGTH: 69.9 FT	(71) WATERWAY ADEQUACY:
(49) TOTAL BRIDGE LENGTH: 184.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0111
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: N
(51) BRIDGE CURB TO CURB WIDTH: 42 FT	RECOMMENDED IMPROVEMENTS —
(52) BRIDGE OUT TO OUT WIDTH: 44 FT	(75) TYPE OF WORK: NOT APPLICABLE
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 42.0 FT (33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 17 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: HIGHWAY BENEATH BRIDGE	INSPECTION DATES ————
(54b) MIN VERTICAL UNDERCLEARANCE: 16.14 FT	(90) DATE OF LAST REGULAR INSPECTION: 8/1/2022
(55a) HORZ UNDERCLR: HIGHWAY BENEATH BRIDGE	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: 14.11 FT	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

NOT APPLICABLE

N/A

N/A

N/A

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N/A

N00

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

NATIONAL BRIDGE INVENTORY



6

5

7

Ν

Ν

5

8

9

Ν

8

Ν

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 11100240001 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 10024 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: I-24 COUNTY SEQUENCE: 2 CROSSING: 124 RL/ RIDGE ROAD LOG MILE: 0.47 SUFFICIENCY RATING: 78.0 LOCATION: .48 MI.E.OF ROBERTSON CO. - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.36565 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.96335 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL INTERSTATE** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1973 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 97.1 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 98.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

NO MEDIAN

NO FLARE

100 FT

42.0 FT

16.63 FT

13.12 FT

N/A

N/A

N/A

NOT APPLICABLE

NOT APPLICABLE

33 DEGREES

HIGHWAY BENEATH BRIDGE

HIGHWAY BENEATH BRIDGE

(75) TYPE OF WORK: **NOT APPLICABLE**

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	8/1/2022
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N00
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N00

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

BRIDGE ID NUMBER: 11100400008



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10040** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: I-40 COUNTY SEQUENCE: 1 CROSSING: HARPETH RIVER LOG MILE: 4.08 SUFFICIENCY RATING: 60.6 LOCATION: .4 M E JCT SR249&I40 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.08530 DEGREES 87.08868 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL INTERSTATE** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 14 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 4 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1988 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 48.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 599.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 2.0 FT (36) TRAFFIC SAFETY FEATURES: 100N (50b) RIGHT SIDEWALK WIDTH: 2.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 38.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 599.1 FT (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: \$3,956,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$396,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$5.935.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/25/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 05/2021 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11100400007



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10040** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: I-40 COUNTY SEQUENCE: 1 CROSSING: HARPETH RIVER LOG MILE: 4.08 SUFFICIENCY RATING: 57.8 LOCATION: .4 M E JCT SR249&I40 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.08525 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.08870 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL INTERSTATE** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 14 (58) DECK: (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1988 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 48.9 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 599.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 2.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 2.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 38.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 599.1 FT (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: \$3,956,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$396,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$5.935.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/25/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 05/2021 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11100400011 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE **ROUTE: 10040** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: I-40 COUNTY SEQUENCE: 1 CROSSING: HARPETH RIVER LOG MILE: 5.63 SUFFICIENCY RATING: 89.8 LOCATION: 2 M E JCT SR249&I40 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08775 DEGREES YES 87.06638 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL INTERSTATE** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 8 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CORRUGATED STEEL** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2016 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Frror (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY-WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 83.3 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 628.3 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 130.6 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 133.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 130.6 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **CLOSED MEDIAN - WITH BARRIER** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **40 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 66.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 19.16 FT (90) DATE OF LAST REGULAR INSPECTION: 8/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 19.03 FT (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 19.68 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR0010001



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR001 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-70 COUNTY SEQUENCE: 1 CROSSING: HARPETH RIVER LOG MILE: 4.78 SUFFICIENCY RATING: 78.2 LOCATION: IN SCHACKLETT COMMUNITY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.12367 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.10118 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 9 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 102.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 682.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 44.3 FT RECOMMENDED IMPROVEMENTS 46.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 44.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/4/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11SR0010003 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR001 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PEGRAM AVE. COUNTY SEQUENCE: 1 CROSSING: TURNER CREEK LOG MILE: 8.87 SUFFICIENCY RATING: 51.3 LOCATION: IN PEGRAM - TENNESSEE - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.09718 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.04587 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1926 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1953 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 24.0 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 0.0 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 34.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 26.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$91,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$10,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$137,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/4/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 11SR0120015

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: CHEATHAM

ROUTE: SR012

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LINDAHL PKWY. COUNTY SEQUENCE: 1 CROSSING: BULL RUN CREEK LOG MILE: 0.23 SUFFICIENCY RATING: 83.0 LOCATION: .2 M E OF DAVIDSON CO LN - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21525 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.98328 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1936 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1970 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 26.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: ONON (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 31.8 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/11/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR0120002

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: CHEATHAM

ROUTE: SR012

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LINDAHL PKWY. COUNTY SEQUENCE: 1 LOG MILE: 3.24 CROSSING: MARROW BONE CREEK SUFFICIENCY RATING: 84.6 LOCATION: 2 MI.S.E.ASHLAND CITY - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.24133 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.02358 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 79.4 FT (71) WATERWAY ADEQUACY: 7 390.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 38.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/11/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR0120001

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: CHEATHAM

ROUTE: SR012

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LINDAHL PKWY. COUNTY SEQUENCE: 1 LOG MILE: 3.24 CROSSING: MARROW BONE CREEK SUFFICIENCY RATING: 84.6 LOCATION: 2 MI.S.E.ASHLAND CITY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.24165 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.02347 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 79.4 FT (71) WATERWAY ADEQUACY: 7 390.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 38.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/11/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR0120013



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR012 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LINDAHL PKWY. COUNTY SEQUENCE: 1 CROSSING: SANDY RUN CREEK LOG MILE: 4.19 SUFFICIENCY RATING: 74.9 LOCATION: 2 MI SW JCT. SR12 & SR49 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.25185 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.03473 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.2 FT (71) WATERWAY ADEQUACY: 7 33.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 76.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 33.1 FT **NO MEDIAN** (33) BRIDGE MEDIAN: BRIDGE IMPROVEMENT COST: \$297,000.00 (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: \$30,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$446,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/9/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR0120003



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR012 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LINDAHL PKWY. COUNTY SEQUENCE: 1 CROSSING: DRY FORK CREEK LOG MILE: 5.16 SUFFICIENCY RATING: 84.6 LOCATION: .5 MI.SE.OF ASHLAND CITY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.31058 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.04750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 9 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 75.5 FT (71) WATERWAY ADEQUACY: 7 663.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 84 FT RECOMMENDED IMPROVEMENTS 86 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 84.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 84.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/9/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11SR0120005 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR012 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: N. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: MARKS CREEK LOG MILE: 7.72 SUFFICIENCY RATING: 65.0 LOCATION: IN ASHLAND CITY LIMITS - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.28573 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.07802 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1949 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 86.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 86 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$269,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$27,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$404,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/9/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A



BRIDGE ID NUMBER: 11SR0120007 COUNTY: CHEATHAM
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR012
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: SR-12 COUNTY SEQUENCE: 1
CROSSING: SYCAMORE CREEK
LOCATION: 3.6 MI.NW.OF ASHLAND CITY SUFFICIENCY RATING: 65.0

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.32983 DEGREES (17a,b) LONGITUDE: W 87.12168 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(17a,b) LONGITUDE: W 87.12168 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE (26) FUNCTIONAL CLASS: RURAL ARTERIAL
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 6	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7 (60) SUBSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6 (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1949	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: 2011	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: OPEN
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 3
(48) MAXIMUM SPAN LENGTH: 53.1 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 317.9 FT	(71) WATERWAY ADEQUACY: 6
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 6
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111 (113) SCOUR CONDITION RATING: 5
(51) BRIDGE CURB TO CURB WIDTH: 25.9 FT	(113)
(52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 348.8 FT
(34) BRIDGE SKEW: 15 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$2,904,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$291,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(96) TOTAL PROJECT COST: \$4,357,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/9/2022
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): 08/2023
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N00
(39) NAVIGATION VERTICAL CLEARANCE: N/A	

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR0120009



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR012 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-12 COUNTY SEQUENCE: 1 CROSSING: DRY FORK CREEK LOG MILE: 16.41 SUFFICIENCY RATING: 65.3 LOCATION: 1.4 MI.NE.OF CHEAP HILL - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.35707 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.17553 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1955 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: 7 86.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 32.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 115.8 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$899,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$90,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.349.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/4/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 11SR0120011



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR012 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-12 COUNTY SEQUENCE: 1 CROSSING: HALF PONE CREEK LOG MILE: 18.44 SUFFICIENCY RATING: 47.7 LOCATION: 2.2 MI.S.OF MONTGOMERY CO - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.38385 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.19093 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1955 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2000 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 157.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 111N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 30.5 FT RECOMMENDED IMPROVEMENTS 32.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 31.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.5 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/4/2022 **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11SR0490001 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR049 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-49 COUNTY SEQUENCE: 2 CROSSING: SR-49 / HARPETH RIVER LOG MILE: 0.39 SUFFICIENCY RATING: 82.8 LOCATION: 5 MI.WEST OF ASHLAND CITY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.28667 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.14667 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: PRESTRESSED CONCRETE **NOT BEEN DETERMINED CONTINUOUS** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 4 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 200.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 1040.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 45.3 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 08/2023 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR0490003



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR049 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-49 COUNTY SEQUENCE: 2 CROSSING: BRANCH LOG MILE: 1.30 SUFFICIENCY RATING: 45.7 LOCATION: .9 MI.E.OF HARPETH RIVER - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.27650 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.13630 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1931 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 5 32.2 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.6 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 32.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$105,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$11,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$158,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A



BRIDGE ID NUMBER: 11SR0490005 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR049 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-49 COUNTY SEQUENCE: 2 CROSSING: BIG BLUFF CREEK LOG MILE: 3.43 SUFFICIENCY RATING: 50.0 LOCATION: 1.6 MI.W.OF CUMBERLAND RV - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.28010 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.10177 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1975 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 171.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 38.1 FT RECOMMENDED IMPROVEMENTS 40 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 36.1 FT 171.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$1,091,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$110,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.637.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2022 **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11SR0490009 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR049 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-49 COUNTY SEQUENCE: 2 CROSSING: CUMBERLAND RIVER LOG MILE: 4.95 SUFFICIENCY RATING: 77.7 LOCATION: .1 MI.W.OF ASHLAND CITY - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.27022 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 87.07870 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: PRESTRESSED CONCRETE **NATIONAL REGISTER CONTINUOUS** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 6 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 350.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 1671.6 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 71.9 FT RECOMMENDED IMPROVEMENTS 74.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 69.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 71.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/24/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 09/2021 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NAVIGATION CONTROLLED WATERWAY** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: 54.5 FT

N/A

329.7 FT

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR0490011



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR049 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: STATE HWY. 49 COUNTY SEQUENCE: 2 CROSSING: SYCAMORE CREEK LOG MILE: 9.46 SUFFICIENCY RATING: 84.7 LOCATION: 2.5 MI.N.OF ASHLAND CITY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.31973 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.05103 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2006 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 120.4 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 359.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 44.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/23/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR1120001



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR112 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-41A COUNTY SEQUENCE: 1 CROSSING: SYCAMORE CREEK LOG MILE: 4.77 SUFFICIENCY RATING: 81.5 LOCATION: 3 MI.NW.OF PINNACLE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.36993 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 86.98718 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 114.8 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 229.7 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 38.4 FT RECOMMENDED IMPROVEMENTS 40.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 39.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.4 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR1120003



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR112 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: US-41A COUNTY SEQUENCE: 2 CROSSING: BRANCH OF SPRING CREEK LOG MILE: 3.20 SUFFICIENCY RATING: 75.0 LOCATION: IN PLEASANTVIEW - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.40072 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.03222 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1936 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 24.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 36.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.2 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11SR2490001

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: CHEATHAM

ROUTE: SR249

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. KINGSTON SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.60 SUFFICIENCY RATING: 95.5 LOCATION: N.OF INTERSTATE 40 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24370 DEGREES YES 87.06365 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2009 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 38.4 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 65.3 FT RECOMMENDED IMPROVEMENTS 75.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.7 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 65.3 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/5/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 11S61520005



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR249 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. KINGSTON SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: HARPETH RIVER LOG MILE: 2.56 SUFFICIENCY RATING: 92.9 LOCATION: IN PEGRAM CITY LIMITS - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.10682 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.07498 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 83.0 FT (71) WATERWAY ADEQUACY: 4 (49) TOTAL BRIDGE LENGTH: 412.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 42 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/5/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S63600005



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR249 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SAMS CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SAMS CREEK LOG MILE: 6.90 SUFFICIENCY RATING: 98.1 LOCATION: 5.5 MI. N. OF PEGRAM IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.15913 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.04425 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1968 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 45.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11S63600007 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR249 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SAMS CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SAMS CREEK LOG MILE: 7.87 SUFFICIENCY RATING: 98.1 LOCATION: 6.5 MI. N. OF PEGRAM IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.17178 DEGREES YES 87.04713 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1968 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 29.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S63600009

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: CHEATHAM

ROUTE: SR249

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SAMS CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SAMS CREEK LOG MILE: 8.51 SUFFICIENCY RATING: 62.8 LOCATION: 4.8 MI.S.E. OF SR 49 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.17898 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 87.03957 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1968 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 32.2 FT (71) WATERWAY ADEQUACY: 6 94.2 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 94.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$288,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$29,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$433,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



COUNTY: CHEATHAM BRIDGE ID NUMBER: 11S63600011 BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR249 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SAMS CREEK RD. COUNTY SEQUENCE: 1 CROSSING: SAMS CREEK LOG MILE: 10.57 SUFFICIENCY RATING: 55.7 LOCATION: 3.2 MI.S.OF LILLAMAY IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.20238 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 87.03342 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1964 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 36.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 106.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 106 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$322,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$33,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$484,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 11S63600013



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR249 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SAMS CREEK RD. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 11.54 SUFFICIENCY RATING: 73.3 LOCATION: 1.7 MI.S. OF LILLAMAY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21230 DEGREES YES 87.04507 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 32.2 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 94.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 7 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 29.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 94.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$562,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$57,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$844.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S61510003

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: CHEATHAM

ROUTE: SR249

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RIVER RD. COUNTY SEQUENCE: 1 CROSSING: BRUSH CREEK LOG MILE: 13.52 SUFFICIENCY RATING: 83.8 LOCATION: IN LILLAMAY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.23535 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.05807 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 113.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 120.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 44.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S61510001



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR249 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RIVER RD. COUNTY SEQUENCE: 1 CROSSING: BLUE CREEK LOG MILE: 14.14 SUFFICIENCY RATING: 95.7 LOCATION: .6 MI.N.E. OF LILLAMAY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.24370 DEGREES YES 87.06365 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N1N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 29.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11100240003 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR249 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JACKSON FELTS RD. COUNTY SEQUENCE: 1 CROSSING: NEW HOPE RD. / 124 LOG MILE: 26.02 SUFFICIENCY RATING: 67.0 LOCATION: 2.8 M NE OF MOUNT ZION - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.34792 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.93170 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1973 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 6 (48) MAXIMUM SPAN LENGTH: 119.1 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 236.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1100 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 44.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 236.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$1,732,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$174,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$2.599.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2020 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.57 FT (90) DATE OF LAST REGULAR INSPECTION: 8/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 29.53 FT (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 43.96 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S61490001



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR250 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PETWAY RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.40 SUFFICIENCY RATING: 91.1 LOCATION: 2 M SW JCT GERMNTWN&SR250 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.20947 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.15942 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 4 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 28.5 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S61490003

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: CHEATHAM

ROUTE: SR250

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PETWAY RD. COUNTY SEQUENCE: 1 CROSSING: TURNIPSEED CREEK LOG MILE: 2.10 SUFFICIENCY RATING: 91.9 LOCATION: 1.3 MI.N.E. OF HARPETH R. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.21645 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.14997 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2008 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 21.0 FT (71) WATERWAY ADEQUACY: 6 44.3 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 28.5 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 26.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 11S61510005



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR251 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RIVER RD. COUNTY SEQUENCE: 1 CROSSING: SAMS CREEK LOG MILE: 0.63 SUFFICIENCY RATING: 81.5 LOCATION: 3.4 MI.W. OF DAVIDSON CO. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.22650 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.03677 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 61.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 170.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 39.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/8/2022 **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 08/2023 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 11S61510007 COUNTY: CHEATHAM BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR251 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RIVER RD. COUNTY SEQUENCE: 1 CROSSING: POND CREEK LOG MILE: 3.54 SUFFICIENCY RATING: 55.6 LOCATION: .5 MI.W. OF DAVIDSON CO. IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 36.20437 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 86.99193 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1957 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 86.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 86 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$264,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$27,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$397,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/8/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 08/2023 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 110A2860001



COUNTY: CHEATHAM

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR455 FIPS CODE: 2180 SPECIAL CASE: 0 ROAD NAME: TENNESSEE WALTZ PKWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.07 SUFFICIENCY RATING: 93.6 LOCATION: 0.1 M. S. SR49-ASHLAND CT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.27110 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 87.06917 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2021 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 14.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 32.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 38.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/24/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE: