

BRIDGE ID NUMBER: 27F00030001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 00835 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TYSON STORE-MASON HALL RD COUNTY SEQUENCE: 1 CROSSING: GRASS CREEK LOG MILE: 2.51 LOCATION: 4.4 MI NE JCT SR105&DYER SUFFICIENCY RATING: 72.5 IDENTIFICATION CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.17786 DEGREES YFS (17a.b) LONGITUDE: 89.07958 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT FLIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS • (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν NONE B) TYPE MEMBRANE: DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: WEIGHT POSTED (42b) UNDER BRIDGE: **WATERWAY APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 21 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.9 FT **NEEDED)** (76) LENGTH OF BRIDGE IMPROVEMENT: 38.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$98,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$10,000.00 (35) BRIDGE FLARE: NO FLARE (96)TOTAL PROJECT COST: \$148,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): **NO NAVIGATION CONTROL** N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27008530003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 00853 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GANN RD. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FK. OBION RIV LOG MILE: 1.94 SUFFICIENCY RATING: 68.7 LOCATION: 3.3 MI N JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96794 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.75192 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 6 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1980 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 46.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 277.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 277.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$1,650,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$166,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$2,476,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/30/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27S80160001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 00853 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GANN RD. COUNTY SEQUENCE: 1 CROSSING: ROBERTSON CREEK LOG MILE: 2.69 SUFFICIENCY RATING: 89.4 LOCATION: 3.2 MI NW JCT SR76&CARROL - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97850 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.75017 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 21.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 66.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS 33.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 33.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27\$80160003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 00853 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GANN RD. COUNTY SEQUENCE: 1 CROSSING: THOMPSON CREEK LOG MILE: 6.63 SUFFICIENCY RATING: 89.4 LOCATION: 5.1 MI SE JCT SR43&SR105 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03239 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.73742 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1944 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 11.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 33.1 FT RECOMMENDED IMPROVEMENTS 35.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80160005



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 00853 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GANN RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 6.70 SUFFICIENCY RATING: 95.9 LOCATION: 5.0 MI SE JCT SR5&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03331 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.73772 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 11.0 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80310005



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 00854 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FROG JUMP-BRAZIL RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.09 SUFFICIENCY RATING: 96.8 LOCATION: 5.2 MI NE JCT SR54&CROCK. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.91636 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.00981 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80310007



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 00854 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FROG JUMP-BRAZIL RD. COUNTY SEQUENCE: 1 CROSSING: REAGAN CREEK LOG MILE: 1.26 SUFFICIENCY RATING: 96.8 LOCATION: 4.9 MI NE JCT SR54&CROCK. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.91775 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.03006 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.5 FT (71) WATERWAY ADEQUACY: 8 50.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27\$80310009 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 00854 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EATON-BRAZIL RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 7.40 SUFFICIENCY RATING: 96.8 LOCATION: 3.0 MI S JCT SR104&SR188 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.95025 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.11797 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 57.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 113.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

This document is covered by 23 USC §409 and its production pursuant to a public

document records request does not waive the provisions of §409

PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27\$80310003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 00854 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EATON-BRAZIL RD. COUNTY SEQUENCE: 1 CROSSING: BUCK CREEK LOG MILE: 7.52 SUFFICIENCY RATING: 96.8 LOCATION: 2.9 MI S JCT SR104&SR188 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.95206 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.11778 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 79.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 81.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023

**NOT A HIGHWAY OR RAILROAD** 

**NO NAVIGATION CONTROL** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

24

N/A

N00

N/A

N00

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27\$80310001 BRIDGE OWNER: GIBSON COUNTY ROUTE: 00854 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EATON-BRAZIL RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 7.66 LOCATION: 2.8 MI S JCT SR104&SR188 SUFFICIENCY RATING: 96.8

200/11/01. Zio ilii 0 001 ott 1040011/00	0011101211011111101 0010
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 35.95417 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 89.11747 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 8
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	— DESIGN LOAD AND WEIGHT POSTING —
,	(31) DESIGN LOADING: H-15-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1969	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 53.1 FT	(71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 55.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 5
(51) BRIDGE CURB TO CURB WIDTH: 28.9 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 7/26/2023
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A	(92c) SPECIAL INSP FREQUENCY (MONTHS): N00
(39) NAVIGATION VERTICAL CLEARANCE: N/A	

N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27008600003 BRIDGE OWNER: GIBSON COUNTY ROUTE: 00860 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CONCORD-CADES RD. COUNTY SEQUENCE: 1 CROSSING: ADAMS BRANCH LOG MILE: 5.03 SUFFICIENCY RATING: 79.6 LOCATION: 5.0 MI NW JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.97664 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81517 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 33.5 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 90.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 26.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.3 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 90.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$478,000.00 (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: \$48,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$718.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27008600005 BRIDGE OWNER: GIBSON COUNTY ROUTE: 00860 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CONCORD-CADES RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 5.06 SUFFICIENCY RATING: 88.7 LOCATION: 5.0 MI NW JCT SR43&SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97658 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81458 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 65.3 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 65.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27008600019 BRIDGE OWNER: GIBSON COUNTY ROUTE: 00860 FIPS CODE: 48660 SPECIAL CASE: 0 ROAD NAME: CADES-ATWOOD RD. COUNTY SEQUENCE: 1 CROSSING: MAYS CREEK LOG MILE: 7.16 SUFFICIENCY RATING: 86.8 LOCATION: 2.5 MI NW JCT SR43&SR426 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97528 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77753 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: NONE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2020 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: 7 60.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/23/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27008600007

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 00860

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CADES-ATWOOD RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 7.47 SUFFICIENCY RATING: 97.7 LOCATION: 3.9 MI N JCT SR43&SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97753 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77297 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 50.5 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 149.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27008600009



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 00860 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CADES-ATWOOD RD. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FK. OBION RIV LOG MILE: 7.58 SUFFICIENCY RATING: 77.8 LOCATION: 4.1 MI NW JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97875 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77183 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 56.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 144.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 144 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$744,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$75,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.117.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27008600011



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 00860 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CADES-ATWOOD RD. COUNTY SEQUENCE: 1 CROSSING: BROWNING CREEK LOG MILE: 7.95 SUFFICIENCY RATING: 97.7 LOCATION: 4.1 MI N JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98017 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.76594 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 67.9 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 69.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.5 FT RECOMMENDED IMPROVEMENTS 35.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.3 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27008600013 BRIDGE OWNER: GIBSON COUNTY ROUTE: 00860 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CADES-ATWOOD RD. COUNTY SEQUENCE: 1 CROSSING: ROBERTSON CREEK LOG MILE: 8.54 SUFFICIENCY RATING: 99.7 LOCATION: 3.6 MI NE JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97750 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.75631 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 49.9 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 136.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 50 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/30/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27008600015



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 00860 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CADES-ATWOOD RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 10.82 SUFFICIENCY RATING: 80.5 LOCATION: 4.4 MI NE JCT SR76&SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.97514 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.71758 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 64.0 FT (71) WATERWAY ADEQUACY: 7 65.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27008600017



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 00860 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CADES-ATWOOD RD. COUNTY SEQUENCE: 1 CROSSING: CRESSVILLE CREEK LOG MILE: 10.97 SUFFICIENCY RATING: 90.5 LOCATION: 4.5 MI NE JCT SR76&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.97364 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.71617 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 64.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 65.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.6 FT RECOMMENDED IMPROVEMENTS 30.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0430001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 00880 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD SR-43 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.88 SUFFICIENCY RATING: 91.7 LOCATION: .1 MI.N.OF MEDINA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81014 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.77042 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1925 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 48.9 FT RECOMMENDED IMPROVEMENTS 50.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27014010001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01401 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KEELEY MILL RD. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FK. OBION R. LOG MILE: 2.83 SUFFICIENCY RATING: 92.6 LOCATION: 3.0 MI NW JCT SR54&SR185 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08108 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91508 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2015 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 150.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 150.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27014010003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 01401 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KEELEY MILL RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 2.96 SUFFICIENCY RATING: 85.8 LOCATION: 2.9 MI NW JCT SR54&SR185 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08056 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91719 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 178.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS 30.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27014010005



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01401 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KEELEY MILL RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 3.22 SUFFICIENCY RATING: 80.0 LOCATION: 2.8 MI NW JCT SR54&SR185 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07789 DEGREES YES 88.92044 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 49.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 109.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 109.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$501,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$51,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$752,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27014010007



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01401 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KEELEY MILL RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 3.35 SUFFICIENCY RATING: 93.6 LOCATION: 2.9 MI NW JCT SR54&SR185 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07622 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92144 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2021 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 75.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 75.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.2 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27014140001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 01414 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BELLS CHAPEL RD. COUNTY SEQUENCE: 1 CROSSING: MUD CREEK LOG MILE: 3.92 SUFFICIENCY RATING: 96.8 LOCATION: 4.4 MI NW JCT SR5&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.12069 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.05331 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1963 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27\$80330001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 01444 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: S. 17TH AVE. COUNTY SEQUENCE: 1 CROSSING: DRAINAGE DITCH LOG MILE: 0.08 LOCATION: 1.4 MI S JCT SR5&SR76 SUFFICIENCY RATING: 77.4 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: Ν 35.79861 DEGREES (17a,b) LONGITUDE: 88.91097 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: 00 (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL

22.1 FT

(43a) MAIN SPAN MATERIAL:	ALUMINUM, WROUGHT OR CAST IRON	(37)
(44a) APPR SPAN MATERIAL:	NOT APPLICABLE	
(45) NUMBER OF MAIN SPANS	S: <b>1</b>	
(46) NUMBER OF APPROACH	SPANS: 0	(58) D
(107) TYPE OF DECK:	NOT APPLICABLE	(59) S
(108) TYPE OF WEARING SUF	RFACE AND DECK PROTECTION:	(60) S
A) TYPE OF SURFACE:	NOT APPLICABLE	(61) S
B) TYPE MEMBRANE:	NONE	(62) C
C) TYPE PROTECTION:	NONE	

	AGE AND SERVICE -	
(27)	YEAR THE BRIDGE WAS BUILT:	1998
(106)	YEAR THE BRIDGE WAS REHABILITATED:	N/A
(42a)	SERVICE ON BRIDGE:	HIGHWAY
(42b)	UNDER BRIDGE:	WATERWAY
(28a)	NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b)	NUMBER OF LANES UNDER THE BRIDGE:	0
	GEOMETRIC DATA	

25.5 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
<b>UNDER FILL</b>	(51) BRIDGE CURB TO CURB WIDTH:
<b>UNDER FILL</b>	(52) BRIDGE OUT TO OUT WIDTH:
27.9 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
100 FT	(520) MIN VERTICAL CLEARANCE OVER RD:
27.9 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:
OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHWAY C
APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE: NOT
OR RAILROAD	(55a) HORZ UNDERCLR: NOT A HIGHWAY C
APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT: NOT
APPLICABLE	(56) MIN HORZ UNDERCLR ON LEFT: NOT

	NΑ	۷IG	AΙ	ION I	DA	IΑ
TROI					NO	М۸۱

(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL CLEAR	NCE: N/A
(116)	LIFT BRIDGE VERT CLEARANCE	:: <b>N/A</b>
(40)	NAVIGATION HORZ CLEARANCE	E: N/A

## PUBLICATION DATE 11-Mar-24

(48) MAXIMUM SPAN LENGTH:

CLASSII ICA	11014
(112) MEETS NBIS BRIDGE LENGTH:	YES
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE
(26) FUNCTIONAL CLASS:	RURAL MINOR COLLECTOR
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE
(102) TRAFFIC DIR:	2-WAY TRAFFIC
(103) TEMPORARY BRIDGE:	NOT APPLICABLE
(110) NATIONAL TRUCK ROUTE:	NOT ON TRUCK NETWORK
-	IS NOT ELIGIBLE FOR THE AL REGISTER
CONDITION RA	ATINGS ————
(58) DECK:	N

(59) SUPERSTRUCTURE:	N
(60) SUBSTRUCTURE:	N
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	6

#### DESIGN LOAD AND WEIGHT POSTING (31) DESIGN LOADING:

(31) DESIGN LOADING:	HS-20-44
WEIGHT POSTING (2 AXLE VEHICLES):	ALL LEGAL LOADS
WEIGHT POSTING (3 OR MORE AXLES):	ALL LEGAL LOADS
(70) BRIDGE POSTING CODE:	5
(41) WT POSTING STATUS: OPEN	
APPRAISAL	
(CT) OTDUOTUDAL EVALUATION	_

5	(67) STRUCTURAL EVALUATION:
N	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
6	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
8	(113) SCOUR CONDITION RATING:

#### RECOMMENDED IMPROVEMENTS

9	RECOMMENDED IMI ROVEMENTO
	(75) TYPE OF WORK: BRIDGE REHABILITATION
26.6 FT	(76) LENGTH OF BRIDGE IMPROVEMENT:
\$159,000.00	(94) BRIDGE IMPROVEMENT COST:
\$16,000.00	(95) ROADWAY IMPROVEMENT COST:
\$239,000.00	(96) TOTAL PROJECT COST:
2022	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
	——— INSPECTION DATES ——

# (90) DATE OF LAST REGULAR INSPECTION: 8/15/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

BRIDGE ID NUMBER: 27\$80330003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01444 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. 17TH AVE. COUNTY SEQUENCE: 1 CROSSING: SUGAR CREEK LOG MILE: 0.39 SUFFICIENCY RATING: 88.2 LOCATION: 1.1 MI SE JCT SR5&SR76 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.80300 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91092 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1997 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 81.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 81.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 30.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/12/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27S80330005



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01444 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: S. 17TH AVE. COUNTY SEQUENCE: 1 CROSSING: DRAINAGE DITCH LOG MILE: 0.83 SUFFICIENCY RATING: 76.0 LOCATION: 1.0 MI SE JCT SR5&SR76 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.80919 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91200 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 56.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 33.5 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 56.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$68,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$7,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$103,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27015210001 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY ROUTE: 01521
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: BASELINE RD. COUNTY SEQUENCE: 1
CROSSING: COOL SPRINGS BRANCH LOG MILE: 0.04
LOCATION: 2.7 MI E JCT SR105&DYER SUFFICIENCY RATING: 49.1

IDENTIFICATION —	
(16a,b) LATITUDE: N 36.15333 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 89.11167 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:  (46) NUMBER OF ARRESTALIONALIO	(58) DECK: 6
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 5
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(60) SUBSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	
AGE AND SERVICE	(2.)
(27) YEAR THE BRIDGE WAS BUILT: 1960	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES):  (70) BRIDGE POSTING CODE:  0
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(42b) UNDER BRIDGE: WATERWAY	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 4
` '	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT (49) TOTAL BRIDGE LENGTH: 57.0 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT  (49) TOTAL BRIDGE LENGTH: 57.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: 4 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT  (49) TOTAL BRIDGE LENGTH: 57.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  0.0 FT  (51) BRIDGE CURB TO CURB WIDTH:  24 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: BRIDGE REHABILITATION
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 24.9 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT:  57.1 FT
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 24.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       57.1 FT         (94) BRIDGE IMPROVEMENT COST:       \$260,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       57.1 FT         (94) BRIDGE IMPROVEMENT COST:       \$260,000.00         (95) ROADWAY IMPROVEMENT COST:       \$27,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 24 FT (52) BRIDGE OUT TO OUT WIDTH: 24.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       57.1 FT         (94) BRIDGE IMPROVEMENT COST:       \$260,000.00         (95) ROADWAY IMPROVEMENT COST:       \$27,000.00         (96) TOTAL PROJECT COST:       \$391,000.00
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       57.1 FT         (94) BRIDGE IMPROVEMENT COST:       \$260,000.00         (95) ROADWAY IMPROVEMENT COST:       \$27,000.00         (96) TOTAL PROJECT COST:       \$391,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2021
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  19.0 FT  19.0 FT  19.0 FT	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       57.1 FT         (94) BRIDGE IMPROVEMENT COST:       \$260,000.00         (95) ROADWAY IMPROVEMENT COST:       \$27,000.00         (96) TOTAL PROJECT COST:       \$391,000.00
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (10) FT (17) MIN HORIZONTAL CLEARANCE ON ROADWAY: (19) TP. (190 FT	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       57.1 FT         (94) BRIDGE IMPROVEMENT COST:       \$260,000.00         (95) ROADWAY IMPROVEMENT COST:       \$27,000.00         (96) TOTAL PROJECT COST:       \$391,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2021
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN HORIZONTAL CLEARANCE ON ROADWAY: (540) VERT UNDERCLR: (541) NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021  INSPECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT  (49) TOTAL BRIDGE LENGTH: 57.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 24 FT  (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       57.1 FT         (94) BRIDGE IMPROVEMENT COST:       \$260,000.00         (95) ROADWAY IMPROVEMENT COST:       \$27,000.00         (96) TOTAL PROJECT COST:       \$391,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2021         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       7/25/2023         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24         (93b) DATE OF LAST UNDERWATER INSP (MO/YR):       N/A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT  (49) TOTAL BRIDGE LENGTH: 57.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (50b) RIGHT SIDEWALK WIDTH: 24 FT  (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION:       4         (68) DECK GEOMETRY:       5         (69) UNDERCLEARANCE RATING:       N         (71) WATERWAY ADEQUACY:       7         (72) APPROACH ROADWAY ALIGNMENT:       8         (36) TRAFFIC SAFETY FEATURES:       0000         (113) SCOUR CONDITION RATING:       3         RECOMMENDED IMPROVEMENTS         (75) TYPE OF WORK:       BRIDGE REHABILITATION         (76) LENGTH OF BRIDGE IMPROVEMENT:       57.1 FT         (94) BRIDGE IMPROVEMENT COST:       \$260,000.00         (95) ROADWAY IMPROVEMENT COST:       \$27,000.00         (96) TOTAL PROJECT COST:       \$391,000.00         (97) YEAR OF IMPROVEMENT COST ESTIMATE:       2021         INSPECTION DATES         (90) DATE OF LAST REGULAR INSPECTION:       7/25/2023         (91) REGULAR INSPECTION FREQUENCY (MONTHS):       24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT  (49) TOTAL BRIDGE LENGTH: 57.0 FT  (50a) LEFT SIDEWALK WIDTH: 0.0 FT  (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT  (33) BRIDGE MEDIAN: NO MEDIAN  (34) BRIDGE SKEW: 0 DEGREES  (35) BRIDGE FLARE: NO FLARE  (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT  (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT  (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD  (55b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION: (92) TISSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (97) NAME OF LAST UNDERWATER INSP (MO/YR): (98) DATE OF LAST UNDERWATER INSP (MO/YR): (97) NAME OF LAST UNDERWATER INSP (MO/YR): (98) DATE OF LAST UNDERWATER INSP (MO/YR): (99) DATE OF LAST UNDERWATER INSP (MO/YR): (90) DATE OF LAST UNDERWATER INSP (MO/YR): (91) REGULAR INSPECTION (MO/YR): (91) REGULAR INSPECTION (MO/YR): (92) DATE OF LAST UNDERWATER INSP (MO/YR): (93) DATE OF LAST UNDERWATER INSP (MO/YR):

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015820001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 01582

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HUMBOLDT-GIBSON WELLS RD. COUNTY SEQUENCE: 1 CROSSING: BR MID FORK FORKED DEER LOG MILE: 7.62 SUFFICIENCY RATING: 57.2 LOCATION: 4.5 MI NW JCT SR5&SR152 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.87425 DEGREES YES 88.96964 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2002 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 37.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 57.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$352,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$36,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$529,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/13/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27015820005 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 01582 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HUMBOLDT-GIBSON WELLS RD. COUNTY SEQUENCE: 1 CROSSING: BR MID FORK FORKED DEER LOG MILE: 9.53 SUFFICIENCY RATING: 59.0 LOCATION: 3.2 MI NW JCT SR5&SR152 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.85719 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.95219 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1973 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 55.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 77.8 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$480,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$49,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$721.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015820007



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01582 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: HUMBOLDT-GIBSON WELLS RD. COUNTY SEQUENCE: 1 CROSSING: BARNETT BRANCH LOG MILE: 11.37 SUFFICIENCY RATING: 94.9 LOCATION: 1.5 MI NW JCT SR5&SR152 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.84108 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.93531 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.4 FT (71) WATERWAY ADEQUACY: 8 60.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 33.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015850003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01585 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SALEM CHURCH RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF RUTHERFORD FOR LOG MILE: 0.65 SUFFICIENCY RATING: 97.0 LOCATION: 1 MI NE JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.94897 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.74369 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 11.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 25.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27015850005 COUNTY GIBSON
BRIDGE OWNER: GIBSON COUNTY ROUTE: 01585
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: SALEM CHURCH RD. COUNTY SEQUENCE: 1
CROSSING: OVERFLOW LOG MILE: 1.36
LOCATION: 3.4 MI NE JCT SR43&SR77 SUFFICIENCY RATING: 63.5

LOOMHON. U.4 IIII NE UUT UNAUUMT	33.7.3.2.3.7 10.11110. 00.0
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 35.95806 DEGREE	S (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.73797 DEGREE	S (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: 0	0 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABL	E (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 4
A) TYPE OF SURFACE: ASPHAL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NON	(62) CHI VERT CONDITION (IE ARRI ICARI E).
C) TYPE PROTECTION: NON	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: H-15-44
	WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS
(27) YEAR THE BRIDGE WAS BUILT: 197	WEIGHT POSTING (3 OR MORE AXLES): 18 TONS
(106) YEAR THE BRIDGE WAS REHABILITATED: 199	(70) BRIDGE POSTING CODE:
(42a) SERVICE ON BRIDGE: HIGHWA	(41) WT POSTING STATUS: WEIGHT POSTED
(42b) UNDER BRIDGE: WATERWA	APPRAISAI ————
(20a) NI IMPED OF LANES CADDIED BY BDIDGE:	,
` '	(C7) CTDUCTUDAL EVALUATION:
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 F	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 F (49) TOTAL BRIDGE LENGTH: 38.1 F	(67) STRUCTURAL EVALUATION:  (68) DECK GEOMETRY:  (69) UNDERCLEARANCE RATING:  (71) WATERWAY ADEQUACY:  (72) APPROACH ROADWAY ALIGNMENT:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 F  (49) TOTAL BRIDGE LENGTH: 38.1 F  (50a) LEFT SIDEWALK WIDTH: 0.0 F	(67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 5 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FFATURES:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  0.0 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 20 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 21.7 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAL	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (77) RECOMMENDED IMPROVEMENT: (78) REPLACEMENT (79) REPLACEMENT: (104) REPLACEMENT: (105) STRUCTURAL EVALUATION: (107) STRUCTURAL EVALUATION: (107) TYPE OF WORK: (107) REPLACEMENT: (10
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  0 DEGREE:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) ROADWAY IMPROVEMENT COST: (97) TORROADWAY IMPROVEMENT COST: (97) TORROADWAY IMPROVEMENT COST: (98) ROADWAY IMPROVEMENT COST: (98) ROADWAY IMPROVEMENT COST: (99) ROADWAY IMPROVEMENT COST: (90) ROADWAY IMPROVEMENT COST: (91) ROADWAY IMPROVEMENT COST: (92) ROADWAY IMPROVEMENT COST: (93) ROADWAY IMPROVEMENT COST: (94) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) ROADWAY IMPROVEMENT COST: (97) ROADWAY IMPROVEMENT COST: (97) ROADWAY IMPROVEMENT COST: (98) ROADWAY IMPROVEMENT COST: (98) ROADWAY IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 F (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (114) STOAL PROJECT COST: (115) STRUCTURAL EVALUATION: (116) UNDERCLEARANCE RATING: (117) WATERWAY ADEQUACY: (118) SCOUR CONDITION RATING: (118) SCOUR CONDITION RATING: (119) TYPE OF WORK: (119) BRIDGE REPLACEMENT (119) BRIDGE IMPROVEMENT: (119) BRIDGE IMPROVEMENT COST:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  19.0 F  19.0 F  19.0 F  19.0 F  18.1 F  19.0 F  10.0 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) TOTAL PROJECT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  21.0 F	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (76) USUATION OF THE STRUCK OF
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (77) BRIDGE IMPROVEMENT: (78) GEOMMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (92) (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98)
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 F (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 F (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK:  (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) RECOMMENT COST: (94) BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (97) 9/20/2023
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 F (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT: (77) RECOMMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (94) REGULAR INSPECTION FREQUENCY (MONTHS): (95) ROADWAY IMPROVEMENT COST ESTIMATE: (96) DATE OF LAST REGULAR INSPECTION: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) PROJECTION DATES
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: (19.0 F  10.0 F  10.	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY ALIGNMENT: (38) TRAFFIC SAFETY FEATURES: (38) TRAFFIC SAFETY FEATURES: (38) TRAFFIC SAFETY FEATURES: (38) DATE OF LAST UNDERWATER INSP (MO/YR): (37) TRAFFIC SAFETY SAF
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (56) MIN HORZ UNDERCLR ON LEFT: (57) NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: (57) NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: (57) NOT APPLICABLE (57)	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) TYPE OF WORK: BRIDGE REPLACEMENT (78) ROADWAY IMPROVEMENT COST: (99) ROADWAY IMPROVEMENT COST: (91) REGULAR PROJECT COST: (91) TOTAL PROJECT COST: (92) UNDATE OF LAST REGULAR INSPECTION: (93) DATE OF LAST UNDERWATER INSP (MO/YR): (94) UNDERWATER INSP FREQUENCY (MONTHS): (95) NOO
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: (19.0 F  10.0 F  10.	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENTS (77) RECOMMENDED IMPROVEMENT: (78) LENGTH OF BRIDGE IMPROVEMENT: (79) ROADWAY IMPROVEMENT COST: (91) ROADWAY IMPROVEMENT COST: (92) WARROUSE OF LAST REGULAR INSPECTION: (93) DATE OF LAST REGULAR INSPECTION: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST REGULAR INSPECTION: (99) DATE OF LAST UNDERWATER INSP (MO/YR): (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): (93c) DATE OF SPECIAL INSPECTION (MO/YR):

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015850011



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01585 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SALEM CHURCH RD. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FK OF OBION R LOG MILE: 1.73 SUFFICIENCY RATING: 85.9 LOCATION: 3.6 MI NE JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.96197 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.73367 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **OTHER** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 51.8 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 122.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS 23.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/30/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27015850015 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 01585 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SALEM CHURCH RD. COUNTY SEQUENCE: 1 CROSSING: CRESSVILLE CREEK LOG MILE: 2.55 SUFFICIENCY RATING: 97.0 LOCATION: 4.4 MI NE JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97050 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.72486 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **INTEGRAL CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2013 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 100.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 100.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1100 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 19.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27015870001 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY ROUTE: 01587
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: BRAZIL-ELLIOTT STORE RD. COUNTY SEQUENCE: 1
CROSSING: BUCK CREEK LOG MILE: 1.85
LOCATION: 4.9 MI SE JCT SR104&SR188 SUFFICIENCY RATING: 49.2

IDENTIFICATION —	
(16a,b) LATITUDE: N 35.94283 DEGF	REES (112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 89.05486 DEGF	REES (104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE:	N/A (26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE:	<b>00</b> (101) PARALLEL BRIDGE: <b>NO PARALLEL BRIDGE</b>
(99) BORDER BRIDGE NUMBER: NOT APPLICA	ABLE (102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS:	0 (58) DECK: 7
(107) TYPE OF DECK: CONCRETE PRECAST PAN	(FO) SUPERSTRUCTURE:
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION	(CO) CLIDCIDLICILIDE.
A) TYPE OF SURFACE: ASPI	(64) STDEAM CHANNEL AND CHANNEL DROTECTION:
•	IONE (62) CULVERT CONDITION (IF APPLICABLE):
•	DESIGN LOAD AND WEIGHT POSTING —
AGE AND SERVICE	(31) DESIGN LOADING: <b>HS-20-44</b>
	WEIGHT POSTING (2 AXLE VEHICLES): 11 TONS
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED:	WEIGHT POSTING (3 OR MORE AXLES): 26.6 TONS
(42a) SERVICE ON BRIDGE: HIGH	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATER	(41) WT POSTING STATUS: <b>WEIGHT POSTED</b>
(125) STEET BRIDGE:	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	APPRAISAL —
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:	APPRAISAL  0 (67) STRUCTURAL EVALUATION: 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:	2 (67) CTDUCTUDAL EVALUATION:
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.6	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 (49) TOTAL BRIDGE LENGTH: 95.0	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.6 (49) TOTAL BRIDGE LENGTH: 95.6 (50a) LEFT SIDEWALK WIDTH: 0.6	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 00000
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 00000 (113) SCOUR CONDITION RATING: 3
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 (51) BRIDGE CURB TO CURB WIDTH: 2	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 22 (52) BRIDGE OUT TO OUT WIDTH: 23	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 00000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 22 (52) BRIDGE OUT TO OUT WIDTH: 23	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 00000 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REPLACEMENT DIAN (76) LENGTH OF BRIDGE IMPROVEMENT: 125 FT
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 20 (52) BRIDGE OUT TO OUT WIDTH: 21 (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21 21 22	2 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REPLACEMENT DIAN (76) LENGTH OF BRIDGE IMPROVEMENT: 125 FT REES (94) BRIDGE IMPROVEMENT COST: \$697,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FL	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 125 FT REES (94) BRIDGE IMPROVEMENT: \$697,000.00 LARE (95) ROADWAY IMPROVEMENT COST: \$70,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FL	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 125 FT (77) RECOMMENDED IMPROVEMENT: 125 FT (8EES (94) BRIDGE IMPROVEMENT COST: \$697,000.00 (95) ROADWAY IMPROVEMENT COST: \$70,000.00 (96) TOTAL PROJECT COST: \$1,046,000.00
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  19.6  NO FL	Color
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.6 (33) BRIDGE MEDIAN: NO ME (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILR	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 125 FT (77) REES (94) BRIDGE IMPROVEMENT COST: \$697,000.00 (17) ARE (95) ROADWAY IMPROVEMENT COST: \$70,000.00 (17) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (17) APPROACH ROADWAY IMPROVEMENT COST ESTIMATE: 2022 (18) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: \$697,000.00 (97) YEAR OF IMPROVEMENT COST: \$1,046,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 (33) BRIDGE MEDIAN: NO ME (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILR (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICA	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENTS (77) RECOMMENDED IMPROVEMENT: 125 FT (78) RESS (94) BRIDGE IMPROVEMENT: 125 FT (79) ROADWAY IMPROVEMENT COST: \$697,000.00 (10) FT (96) TOTAL PROJECT COST: \$1,046,000.00 (11) OFT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (10) ABLE (90) DATE OF LAST REGULAR INSPECTION: 8/3/2023
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 (33) BRIDGE MEDIAN: NO ME (34) BRIDGE SKEW: 0 DEGR (35) BRIDGE FLARE: NO FL (520) MIN VERTICAL CLEARANCE OVER RD: 10 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILR (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILR	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENTS (77) RECOMMENDED IMPROVEMENT: 125 FT (8EES (94) BRIDGE IMPROVEMENT COST: \$697,000.00 (95) ROADWAY IMPROVEMENT COST: \$70,000.00 (96) TOTAL PROJECT COST: \$1,046,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (10AD INSPECTION DATES (10AD (91) REGULAR INSPECTION: 8/3/2023 (10AD (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.(33) BRIDGE MEDIAN: NO ME (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: 10 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILR (55b) MIN VERTICAL UNDERCLE NOT A HIGHWAY OR RAILR (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILR	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENTS (77) RECOMMENDED IMPROVEMENT: 125 FT (8EES (94) BRIDGE IMPROVEMENT COST: \$697,000.00 (10) ARE (95) ROADWAY IMPROVEMENT COST: \$70,000.00 (10) FT (96) TOTAL PROJECT COST: \$1,046,000.00 (11) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (10) ABLE (90) DATE OF LAST REGULAR INSPECTION: 8/3/2023 (10) ABLE (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON LEFT: NOT APPLICATION.	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENTS (77) RECOMMENDED IMPROVEMENT: 125 FT (94) BRIDGE IMPROVEMENT COST: \$697,000.00 (95) ROADWAY IMPROVEMENT COST: \$70,000.00 (96) TOTAL PROJECT COST: \$1,046,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (10 AD INSPECTION DATES (10 ABLE (90) DATE OF LAST REGULAR INSPECTION: 8/3/2023 (11 ABLE (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (12 ABLE (93b) UNDERWATER INSP FREQUENCY (MONTHS): N00
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.( 33) BRIDGE MEDIAN: NO ME (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: 10 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILR (55b) MIN VERTICAL UNDERCLR ON RIGHT: NOT APPLICATION.	0 (67) STRUCTURAL EVALUATION: 5 (68) DECK GEOMETRY: 4 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 3 (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENTS: 125 FT (94) BRIDGE IMPROVEMENT COST: \$697,000.00 (95) ROADWAY IMPROVEMENT COST: \$70,000.00 (96) TOTAL PROJECT COST: \$1,046,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (10AD INSPECTION DATES (10ABLE (90) DATE OF LAST REGULAR INSPECTION: 8/3/2023 (10ABLE (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (10ABLE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N/A (10ABLE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N/A (10ABLE (92b) UNDERWATER INSP FREQUENCY (MONTHS): N/A

N/A

N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE

11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

BRIDGE ID NUMBER: 27015870003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01587 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRAZIL-ELLIOTT STORE RD. COUNTY SEQUENCE: 1 CROSSING: BUCK CREEK LOG MILE: 2.02 SUFFICIENCY RATING: 90.6 LOCATION: 4.7 MI SE JCT SR104&SR188 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.94525 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.05472 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 74.1 FT (71) WATERWAY ADEQUACY: 6 75.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015880001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01588 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SANDERS STORE TO MILAN RD. COUNTY SEQUENCE: 1 CROSSING: HOG CREEK LOG MILE: 0.80 SUFFICIENCY RATING: 77.3 LOCATION: 2.1 MI NE JCT SR76&SR186 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.89775 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.82772 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 6 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 33.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.9 FT **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 33.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$96,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$10,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$145,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 27015880003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01588 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SANDERS STORE TO MILAN RD. COUNTY SEQUENCE: 1 CROSSING: N. FORK OF FORKED DEER R LOG MILE: 1.80 SUFFICIENCY RATING: 93.3 LOCATION: 3.9 MI NW JCT SR43&SR187 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.89978 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81047 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2007 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 79.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 80.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0110 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 32.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015880005



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01588 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SANDERS STORE TO MILAN RD. COUNTY SEQUENCE: 1 CROSSING: BR OF N. FK. FORKED DEER LOG MILE: 2.21 SUFFICIENCY RATING: 82.7 LOCATION: 3.4 MI NW JCT SR43&SR187 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.90072 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.80272 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 21.0 FT (71) WATERWAY ADEQUACY: 7 67.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015890001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01589 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CONCORD MOORES CHAPEL RD. COUNTY SEQUENCE: 1 CROSSING: ADAMS BRANCH LOG MILE: 2.14 SUFFICIENCY RATING: 96.1 LOCATION: 5.4 MI E JCT SR5&SR186 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97228 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.83289 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 33.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 35.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015910001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01591 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LAKEVIEW-CONCORD RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.65 SUFFICIENCY RATING: 85.1 LOCATION: 5.3 MI E JCT SR5&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00242 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.83594 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 86.6 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 89.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27015920001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 01592 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD TRENTON -EATON RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH BUCK CREEK LOG MILE: 8.30 SUFFICIENCY RATING: 53.2 LOCATION: 2.1 MI S JCT SR104&SR188 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96392 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.11661 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 32.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$362,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$37,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$544.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N/A

N00

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

**NO NAVIGATION CONTROL** 

N/A

N/A

N/A

BRIDGE ID NUMBER: 27015930003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01593 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD TRENTON-DRESDEN RD. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FK OF OBION LOG MILE: 2.83 SUFFICIENCY RATING: 98.2 LOCATION: 1.1 MI NW JCT SR54&SR185 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06083 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.88906 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 47.6 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 141.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 24 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015930013

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 01593

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD TRENTON-DRESDEN RD. COUNTY SEQUENCE: 1 CROSSING: SOUTH FORK OBION RIVER LOG MILE: 8.04 SUFFICIENCY RATING: 77.6 LOCATION: 3.3 MI NW JCT SR43&SRU05 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.12819 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.84972 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: INTEGRAL CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 56.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 152.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 25.3 FT **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 152.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$221,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$23,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$332,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/17/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 27015930019



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01593 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD TRENTON-DRESDEN RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW S FORK OBION LOG MILE: 8.34 SUFFICIENCY RATING: 99.8 LOCATION: 3.6 MI NW JCT SR43&SR105 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.13236 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.84867 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 99.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 100.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015940001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01594 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD DYERSBURG RD. COUNTY SEQUENCE: 1 CROSSING: ROGERS BRANCH LOG MILE: 0.80 SUFFICIENCY RATING: 95.5 LOCATION: 3.0 MI NW JCT SR104&SR367 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.02056 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96567 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 49.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 35.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015940003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01594 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD DYERSBURG RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF FORKED DEER RI LOG MILE: 2.56 SUFFICIENCY RATING: 96.9 LOCATION: 2.4 MI SW JCT SR5&SR185 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.02925 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.99472 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 49.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27015940007 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: OLD DYERSBURG RD. COUNTY SEQUENCE: 1

CROSSING: **DRAINAGE DITCH**LOCATION: **4.6 MI SW JCT SR5&SR185**LOCATION: **4.7.23**SUFFICIENCY RATING: **37.2** 

LOCATION: 4.6 MI SW JCT SR5&SR185	SUFFICIENCY RATING: 37.2
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.05047 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 89.07089 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN ORANG	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2	(58) DECK: <b>6</b>
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 6
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(60) SUBSTRUCTURE: 6
(108) TYPE OF SUPEACE.	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
A) TYPE OF SURFACE:  B) TYPE MEMBRANE:  NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
B) TYPE MEMBRANE: NONE C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
,	(31) DESIGN LOADING: HS-20-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES): 6 TONS
(27) YEAR THE BRIDGE WAS BUILT: 1965	WEIGHT POSTING (2 OR MORE AXLES): 7.6 TONS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE:
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 3
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(68) DECK GEOMETRY:
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 19.0 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 39.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 5
(51) BRIDGE CURB TO CURB WIDTH: 21 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 22 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: 61 FT
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST: \$367,000.00
(34) BRIDGE SKEW: 0 DEGREES	(95) ROADWAY IMPROVEMENT COST: \$37,000.00
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST: \$551,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT	• •
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 7/17/2023
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A	(92c) SPECIAL INSP FREQUENCY (MONTHS): N00
(33) INAVIGATION VERTICAL CLEARANCE. N/A	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015940009



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01594 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD DYERSBURG RD. COUNTY SEQUENCE: 1 CROSSING: MUD CREEK LOG MILE: 7.28 SUFFICIENCY RATING: 93.6 LOCATION: 4.6 MI SW JCT SR5&SR185 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.05100 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.07130 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: INTEGRAL CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2002 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 75.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 75.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015940013



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01594 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: OLD DYERSBURG RD. COUNTY SEQUENCE: 1 CROSSING: SQUIRT CREEK LOG MILE: 9.24 SUFFICIENCY RATING: 92.9 LOCATION: 3.9 MI NE JCT SR104&SR188 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03333 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.10283 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 49.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27015950001 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY ROUTE: 01595
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: CHINA GROVE RD.
CROSSING: BRANCH
LOG MILE: 2.25
LOCATION: 3.4 MI NE JCT SR5&SR105 SUFFICIENCY RATING: 86.0

IDENTIFICATION CLASSIFICATION
16a,b) LATITUDE: N 36.13989 DEGREES (112) MEETS NBIS BRIDGE LENGTH:
17a,b) LONGITUDE: W 88.92953 DEGREES (104) NATIONAL HIGHWAY SYSTEM: NOT

IDENTIFICATION	
(16a,b) LATITUDE: <b>N</b> 36.13989 <b>DEGREES</b>	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.92953 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE CONTINUOUS</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN CRANC.	CONDITION RATINGS
(45) NUMBER OF MAIN SPANS: 2 (46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(12)	(59) SUPERSTRUCTURE: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 5
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1986 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 15.0 FT	(71) WATERWAY ADEQUACY: 8
(49) TOTAL BRIDGE LENGTH: 32.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(51) BRIDGE CURB TO CURB WIDTH: 28.9 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 7/24/2023
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(20) NAV CONTROL	(OO-) CDECIAL INCD EDECLIENCY (MONTHS).

NO NAVIGATION CONTROL

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N00

(92c) SPECIAL INSP FREQUENCY (MONTHS):

BRIDGE ID NUMBER: 27015960001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01596 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NEW BETHLEHEM RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 6.36 SUFFICIENCY RATING: 92.6 LOCATION: 2.2 MI E JCT SR5&SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07292 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.96122 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2020 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 100.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 100.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27015960003 BRIDGE OWNER: GIBSON COUNTY ROUTE: 01596 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NEW BETHLEHEM RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 7.20 SUFFICIENCY RATING: 33.0 LOCATION: 3.1 MI E JCT SR5&SR77 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.07111 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.94628 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 12 TONS (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): 14 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 66.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.9 FT **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 66.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$123,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$13,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$185,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/12/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27SR0430017 BRIDGE OWNER: GIBSON COUNTY ROUTE: 01598 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: OLD HWY. 45E COUNTY SEQUENCE: 1 CROSSING: BEAR CREEK LOG MILE: 0.03 SUFFICIENCY RATING: 72.6 LOCATION: IN THE CITY OF LDLEWILD IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.03350 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81197 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1935 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1958 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 36.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 71.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 28.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 71.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$1,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$1,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$2,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/23/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 27016020001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01602 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SHADES BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW S FORK OBION RV LOG MILE: 1.01 SUFFICIENCY RATING: 86.0 LOCATION: 2.4 MI NE JCT SR43&SR105 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.09475 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.75083 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1974 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 75.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 102.4 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$582,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$59,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$874.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/18/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27016020003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01602 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SHADES BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: OLD RIVERBD S FORK OBION LOG MILE: 1.14 SUFFICIENCY RATING: 93.6 LOCATION: 2.5 MI NE JCT SR43&SR105 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.09550 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.74861 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2002 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 119.1 FT (71) WATERWAY ADEQUACY: 8 120.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/18/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27016040001 BRIDGE OWNER: GIBSON COUNTY ROUTE: 01604 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: TAYLOR RD. COUNTY SEQUENCE: 1 CROSSING: BEAR CREEK LOG MILE: 0.48 SUFFICIENCY RATING: 41.2 LOCATION: 3.2 MI NE JCT SR43&SR54 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.09722 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.76081 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 6 TONS (27) YEAR THE BRIDGE WAS BUILT: 1936 WEIGHT POSTING (3 OR MORE AXLES): **10.4 TONS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 0 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 20.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 56.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 19 FT RECOMMENDED IMPROVEMENTS 21 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 56.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$91,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$10,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$137,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/13/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 27016040003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 01604 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TAYLOR RD. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 1.33 SUFFICIENCY RATING: 83.0 LOCATION: 2.6 MI NE JCT SR43&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.09900 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77497 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 21.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 68.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT RECOMMENDED IMPROVEMENTS 28.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A7470001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 02000 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LUCK MADDEN RD. COUNTY SEQUENCE: 1 CROSSING: DUFFY BRANCH LOG MILE: 1.60 SUFFICIENCY RATING: 85.8 LOCATION: 3.6 MI NE JCT SR76&SR366 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.86006 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89533 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 42 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270B0150003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 02114 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DAVIS GROVE RD. COUNTY SEQUENCE: 1 CROSSING: TOMS CREEK LOG MILE: 1.58 SUFFICIENCY RATING: 97.0 LOCATION: 2.9 MI SW JCT SR43&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.04247 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.83550 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 48.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 30.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270B0150005



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 02114 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DAVIS GROVE RD. COUNTY SEQUENCE: 1 CROSSING: BR RUTHERFORD FK OBION R LOG MILE: 2.98 SUFFICIENCY RATING: 96.9 LOCATION: 3.3 MI SW JCT SR 43&SR 54 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.04958 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.85683 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1997 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 25.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 22 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050033

BRIDGE OWNER: CITY OF RUTHERFORD



COUNTY: GIBSON

ROUTE: 02463

FIPS CODE: 65760 SPECIAL CASE: 0 ROAD NAME: N. TRENTON ST. COUNTY SEQUENCE: 1 CROSSING: CUMMINS CREEK LOG MILE: 1.07 SUFFICIENCY RATING: 75.4 LOCATION: IN RUTHERFORD CITY LIMITS - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.14233 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.99108 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1929 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 36.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 23 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$124,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$13,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$187,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050031

BRIDGE OWNER: CITY OF RUTHERFORD



COUNTY: GIBSON

ROUTE: 02482

FIPS CODE: 65760 SPECIAL CASE: 0 ROAD NAME: S. TRENTON ST. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.78 SUFFICIENCY RATING: 65.7 LOCATION: IN RUTHERFORD CITY LIMITS IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.11028 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.98956 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1927 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1962 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 32.2 FT (71) WATERWAY ADEQUACY: 6 33.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 33.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$42,000.00 (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: \$5,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$64,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 27SR0050019



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 02483 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYER HWY. COUNTY SEQUENCE: 1 CROSSING: DRAINAGE DITCH LOG MILE: 0.08 SUFFICIENCY RATING: 89.2 LOCATION: 1.3 MI.NORTH OF TRENTON - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.00675 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94931 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.4 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 37.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 35.1 FT RECOMMENDED IMPROVEMENTS 53.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 26.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050021



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 02483 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYER HWY. COUNTY SEQUENCE: 1 CROSSING: ROGERS BRANCH LOG MILE: 1.35 SUFFICIENCY RATING: 48.5 LOCATION: 2.7 MI.N.OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.02200 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.96181 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1929 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$149,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$15,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$224,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050023



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 02483 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYER HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.45 SUFFICIENCY RATING: 48.8 LOCATION: 2.6 MI.N.OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.02328 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.96258 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1929 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 31.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 30.8 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$200,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$21,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$301.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050025



COUNTY: GIBSON

BRIDGE OWNER: CITY OF DYER ROUTE: 02483 FIPS CODE: 22180 SPECIAL CASE: 0 ROAD NAME: S. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 3.50 SUFFICIENCY RATING: 67.3 LOCATION: IN DYER CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.04939 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.98031 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1929 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$149,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$15,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$224,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR1040011

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 02488

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD SR-104 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.00 SUFFICIENCY RATING: 78.1 LOCATION: 4.1 MILES WEST OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98606 DEGREES YES 89.02269 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1978 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 28.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 33.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 28.5 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$150,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$16,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$226,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/19/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR1040013



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 02488 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD SR-104 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.28 SUFFICIENCY RATING: 75.0 LOCATION: 2.7 MILES WEST OF TRENTON IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.98392 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.00014 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1939 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 21.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 63.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 33.1 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 63 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$80,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$9,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$121,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27M30000001



COUNTY: GIBSON

BRIDGE OWNER: CITY OF HUMBOLDT ROUTE: 03000 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: HADLEY DR. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.01 SUFFICIENCY RATING: 97.9 LOCATION: IN CITY OF HUMBOLT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81958 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.92628 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: PRESTRESSED CONCRETE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 1 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1976 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 48.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 67.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 33.1 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27046060001



COUNTY: GIBSON

BRIDGE OWNER: CITY OF HUMBOLDT ROUTE: 04606 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: CHERE-CAROL RD. COUNTY SEQUENCE: 1 CROSSING: SUGAR CREEK LOG MILE: 0.25 SUFFICIENCY RATING: 96.7 LOCATION: CHERE-CAROL ROAD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81353 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.89269 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 50.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 35.1 FT RECOMMENDED IMPROVEMENTS 41 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27\$80290023

BRIDGE OWNER: GIBSON COUNTY

FIPS CODE: 00000

ROAD NAME: BASELINE RD.

CROSSING: PARKER BRANCH

LOCATION: 2.7 MI SE JCT SR105&DYER

COUNTY SEQUENCE: 1

LOCATION: 98.1

LOCATION. 2.7 WII SE JCT SKIUSADTEK	SUPPOLING RATING. 90.1
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.14181 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 89.11322 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MINOR COLLECTOR
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: <b>7</b>
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 7
A) TYPE OF SURFACE: EPOXY OVERLAY	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HL-93
(27) YEAR THE BRIDGE WAS BUILT: 2012	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL —
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 7
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 100.0 FT	(69) UNDERCLEARANCE RATING: N
(49) TOTAL BRIDGE LENGTH: 100.0 FT	(71) WATERWAY ADEQUACY: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 1111
(51) BRIDGE CURB TO CURB WIDTH: 27.9 FT	(113) SCOUR CONDITION RATING: 8
(52) BRIDGE OUT TO OUT WIDTH: 30.2 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT	(75) TYPE OF WORK: NOT APPLICABLE
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST:
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST:
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(96) TOTAL PROJECT COST:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE:
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 8/2/2023
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A0080001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A008 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SCOTT RD. COUNTY SEQUENCE: 1 CROSSING: BETHEL BRANCH LOG MILE: 1.45 SUFFICIENCY RATING: 85.0 LOCATION: 2.7 MI SE JCT SR77&DYER C - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08525 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.13147 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.4 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0150001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A015 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOM AUSTIN RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF SQUIRT CREEK LOG MILE: 1.18 SUFFICIENCY RATING: 96.0 LOCATION: 4.5 MI NE JCT SR104&DYER - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.06203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.10517 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/31/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0170001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A017 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MIDWAY RD. COUNTY SEQUENCE: 1 CROSSING: SQUIRT CREEK LOG MILE: 0.13 SUFFICIENCY RATING: 30.9 LOCATION: 4.4 MI SE JCT SR77&DYER IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.06669 DEGREES NO (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.10011 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: 4 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.4 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 19.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 18 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 19 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 19 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$51,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$6,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$77,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A



BRIDGE ID NUMBER: 270A0220001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A022 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ED MCDONALD RD. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 1.79 SUFFICIENCY RATING: 97.0 LOCATION: 4.4 MI NW JCT SR5&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.09114 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.07514 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0250001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A025 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MIDWAY RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF MUD CREEK LOG MILE: 0.75 SUFFICIENCY RATING: 90.7 LOCATION: 4.1 MI SW JCT SR5&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06819 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.07281 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 37.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0290001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A029 FIPS CODE: 82360 SPECIAL CASE: 0 ROAD NAME: HAPPY HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: YORK BRANCH LOG MILE: 0.28 LOCATION: JUST OUTSIDE YORKVILLE SUFFICIENCY RATING: 100.0 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.10456 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.12308 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2020 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0290003

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A029

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HAPPY HOLLOW RD. COUNTY SEQUENCE: 1 CROSSING: PARKER BRANCH LOG MILE: 3.98 SUFFICIENCY RATING: 99.7 LOCATION: 1.1 MI SE JCT SR105&DYER - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.14872 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.14078 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 71.9 FT (71) WATERWAY ADEQUACY: 8 75.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0290005



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A029 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: COOL SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: COOL SPRINGS BRANCH LOG MILE: 5.23 SUFFICIENCY RATING: 97.0 LOCATION: 1.2 MI NE JCT SR105&DYER - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.16678 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.13814 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2008 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 11.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 32.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A0290007 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A029 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: COOL SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: BR OF COOL SPRINGS BRANC LOG MILE: 5.63 SUFFICIENCY RATING: 34.8 LOCATION: 1.5 MI NE JCT SR105&DYER - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.17128 DEGREES YES 89.13433 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 7 TONS (27) YEAR THE BRIDGE WAS BUILT: 1966 WEIGHT POSTING (3 OR MORE AXLES): **7.9 TONS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 0 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 29.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 29.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 18.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 28.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$132,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$14,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$199,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0320001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A032 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CLAUDE MCKNIGHT RD. COUNTY SEQUENCE: 1 CROSSING: REEDS CREEK LOG MILE: 0.46 SUFFICIENCY RATING: 100.0 LOCATION: 1.5 MI SE JCT SR105&DYER IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.13706 DEGREES YES (17a,b) LONGITUDE: w **DEGREES** (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2008 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 62.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 62.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A9790001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A034 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GUMWOODS RD. COUNTY SEQUENCE: 1 CROSSING: BR OF N FORK FORKED DEER LOG MILE: 1.19 SUFFICIENCY RATING: 38.8 LOCATION: 0.81 MI FROM SR104 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00456 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.07206 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: NONE (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 4 TONS (27) YEAR THE BRIDGE WAS BUILT: 2020 WEIGHT POSTING (3 OR MORE AXLES): **7.9 TONS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 3 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 25.5 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 78.3 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 31.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 52.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$212,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$22,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$319.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/9/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A0390001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A039 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FLETCHER RD. COUNTY SEQUENCE: 1 CROSSING: BR OF N FORK FORKED DEER LOG MILE: 1.40 SUFFICIENCY RATING: 55.2 LOCATION: 3.7 MI SW JCT SR5&SR185 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.02303 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.03414 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 6 TONS (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **7.2 TONS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 0 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 22.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 12.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$104,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$11,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$157.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/14/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A0440001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A044 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ESQUIRE GREEN RD. COUNTY SEQUENCE: 1 CROSSING: COW CREEK LOG MILE: 0.87 SUFFICIENCY RATING: 100.0 LOCATION: 2.8 MI SW JCT SR5&SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06769 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.04883 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2004 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 38.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 41.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A0440003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A044 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ESQUIRE GREEN RD. COUNTY SEQUENCE: 1 CROSSING: DRAINAGE DITCH - COW CR. LOG MILE: 0.99 SUFFICIENCY RATING: 81.9 LOCATION: 2.9 MI SW JCT SR5&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06903 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.04767 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1997 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 19.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/18/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A0440005 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A044 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ESQUIRE GREEN RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW-COW CREEK LOG MILE: 1.13 SUFFICIENCY RATING: 62.4 LOCATION: 3.0 MI SW JCT SR5&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07067 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.04653 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 4 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: NONE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1972 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2006 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 38.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$163,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$17,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$245,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/18/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0460001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A046 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: REG THOMPSON RD. COUNTY SEQUENCE: 1 CROSSING: MUD CREEK LOG MILE: 1.53 SUFFICIENCY RATING: 100.0 LOCATION: 3.2 MI NW JCT SR5&SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08900 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.05133 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2007 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 74.8 FT (71) WATERWAY ADEQUACY: 8 80.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0470001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A047 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GRAVETTES CROSSING RD. W. COUNTY SEQUENCE: 1 CROSSING: MUD CREEK LOG MILE: 1.78 SUFFICIENCY RATING: 95.0 LOCATION: 3.5 MI NW JCT SR5&SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.10019 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.04861 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 64.0 FT (71) WATERWAY ADEQUACY: 7 65.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0610001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A061 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JODIE HALL RD. COUNTY SEQUENCE: 1 CROSSING: COOL SPRINGS BRANCH LOG MILE: 0.08 SUFFICIENCY RATING: 73.8 LOCATION: 3.1 MI E JCT SR105&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.15369 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.10150 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): 18 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: 2001 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.4 FT (71) WATERWAY ADEQUACY: 6 36.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS 23 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 36.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$156,000.00 (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: \$16,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$235,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 270A0620001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A062 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SWITZER RD. COUNTY SEQUENCE: 1 CROSSING: COOL SPRINGS BRANCH LOG MILE: 1.85 SUFFICIENCY RATING: 65.5 LOCATION: 1.1 MI NE JCT SR105&DYER - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.17336 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.14772 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 19.4 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.7 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20.7 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 38.7 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$166,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$17,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$250,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A0630001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A063 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOB CRAIG RD. COUNTY SEQUENCE: 1 LOG MILE: 2.34 CROSSING: EDMUNDSON CREEK SUFFICIENCY RATING: 98.1 LOCATION: 3.9 MI NW JCT SR5&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.15583 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.04439 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2008 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 31.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 33.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0680001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A068 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOM RODEN RD. COUNTY SEQUENCE: 1 CROSSING: DILLARD CREEK LOG MILE: 1.71 SUFFICIENCY RATING: 85.0 LOCATION: 3.8 MI NE JCT SR105&DYER - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.19972 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.10950 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 32.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A0760001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CONOVER NEEDHAM RD. COUNTY SEQUENCE: 1 CROSSING: EDMUNDSON CREEK LOG MILE: 1.66 SUFFICIENCY RATING: 72.5 LOCATION: 5.3 MI E JCT SR105&DYER - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.15208 DEGREES NO (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.05983 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1980 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.7 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 20.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20.7 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 23 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$108,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$11,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$163,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 270A0770001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A077 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: SAW MILL LN. COUNTY SEQUENCE: 1 CROSSING: EDMUNDSON CREEK LOG MILE: 0.38 SUFFICIENCY RATING: 24.0 LOCATION: 4.9 MI E JCT SR105&DYER - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.14872 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.06808 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 4 (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: WOOD OR TIMBER (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1972 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.7 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 15.4 FT RECOMMENDED IMPROVEMENTS 16.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 44 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$246,000.00 (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: \$25,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$370,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 15.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A

**NO NAVIGATION CONTROL** 

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

N00

(92c) SPECIAL INSP FREQUENCY (MONTHS):



BRIDGE ID NUMBER: 270A0810001 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: TULL RD. COUNTY SEQUENCE: 1
CROSSING: BRANCH OF GRASS CREEK LOG MILE: 0.99

	IDENTIFICATION			
(16a,b) LATITUDE:	N	36.18203	DEGREES	

LOCATION: 3.0 MI SW JCT SR89&OBION

(17a,b) LONGITUDE: W 89.06222 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: 00

(99) BORDER BRIDGE NUMBER: NOT APPLICABLE

#### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: STEEL

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:	1	
(46) NUMBER OF APPROACH SPANS:	0	
(107) TYPE OF DECK:	WOOD OR TIMBER	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:		
A) TYPE OF CUREACE.	ACDUALT	

A) TYPE OF SURFACE:

B) TYPE MEMBRANE:

C) TYPE PROTECTION:

ASPHALT

NONE

NONE

AGE AND SERVICE		
1988	(27) YEAR THE BRIDGE WAS BUILT:	
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:	
(42a) SERVICE ON BRIDGE: HIGHWAY		
WATERWAY	(42b) UNDER BRIDGE:	
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:	
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:	

GEOMETRIC DATA		
30.8 FT	(48) MAXIMUM SPAN LENGTH:	
31.2 FT	(49) TOTAL BRIDGE LENGTH:	
0.0 FT	(50a) LEFT SIDEWALK WIDTH:	
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:	
22.6 FT	(51) BRIDGE CURB TO CURB WIDTH:	
24 FT	(52) BRIDGE OUT TO OUT WIDTH:	
22.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	
NO MEDIAN	(33) BRIDGE MEDIAN:	

(33) BRIDGE MEDIAN:
(34) BRIDGE SKEW:
(35) BRIDGE FLARE:
(520) MIN VERTICAL CLEARANCE OVER RD:
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:
(54a) VERT UNDERCLR:
NOT A HIGHWAY OR RAILROAD
(54b) MIN VERTICAL UNDERCLEARANCE:
NOT APPLICABLE

(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE
 (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE

**NOT A HIGHWAY OR RAILROAD** 

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL
 (39) NAVIGATION VERTICAL CLEARANCE: N/A
 (116) LIFT BRIDGE VERT CLEARANCE: N/A
 (40) NAVIGATION HORZ CLEARANCE: N/A

## PUBLICATION DATE 11-Mar-24

(55a) HORZ UNDERCLR:

(112) MEETS NBIS BRIDGE LENGTH:	YES	
(104) NATIONAL HIGHWAY SYSTEM:	NOT A NHS ROUTE	
(26) FUNCTIONAL CLASS:	LOCAL RURAL ROAD	
(101) PARALLEL BRIDGE:	NO PARALLEL BRIDGE	
(102) TRAFFIC DIR:	2-WAY TRAFFIC	
(103) TEMPORARY BRIDGE:	NOT APPLICABLE	
(110) NATIONAL TRUCK ROUTE: NO	T ON TRUCK NETWORK	
(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED		
CONDITION RATINGS		

SUFFICIENCY RATING: 39.9

—— DESIGN LOAD AND W	EIGHT POSTING ———
(62) CULVERT CONDITION (IF APPLI	CABLE): N
(61) STREAM CHANNEL AND CHANN	IEL PROTECTION: 7
(60) SUBSTRUCTURE:	5
(59) SUPERSTRUCTURE:	6
(58) DECK:	6

DESIGN LOAD AND WEIGHT FOSTING	
(31) DESIGN LOADING:	H-10-44
WEIGHT POSTING (2 AXLE VEHICLES):	4 TONS
WEIGHT POSTING (3 OR MORE AXLES):	5 TONS
(70) BRIDGE POSTING CODE:	3
(41) WT POSTING STATUS: WEIGHT POSTED	

(41) WT POSTING STATUS:	WEIGHT POSTED	
APPRAISAL -		
(07) OTDUOTUDAL EVALUAT	101	

3	(67) STRUCTURAL EVALUATION:
5	(68) DECK GEOMETRY:
N	(69) UNDERCLEARANCE RATING:
6	(71) WATERWAY ADEQUACY:
8	(72) APPROACH ROADWAY ALIGNMENT:
0000	(36) TRAFFIC SAFETY FEATURES:
U	(113) SCOUR CONDITION RATING:

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WOR	RK: BRIDGE REHABILITATIO	N
(76) LENGTH OF E	BRIDGE IMPROVEMENT:	31.2 FT
(94) BRIDGE IMPR	ROVEMENT COST:	\$142,000.00

(95) ROADWAY IMPROVEMENT COST: \$15,000.00 (96) TOTAL PROJECT COST: \$214,000.00

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 7/26/2023
(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS): N/O
(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS): N00

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

2021



BRIDGE ID NUMBER: 270A0810003 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: TULL RD. COUNTY SEQUENCE: 1
CROSSING: GRASS CREEK LOG MILE: 1.44

LOCATION: 2.7 MI SW JCT SR89&OBION	SUFFICIENCY RATING: 100.0
IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (99b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER:  BRIDGE TYPE AND MATERIAL  (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR: (103) TEMPORARY BRIDGE: (103) TEMPORARY BRIDGE: (104) NATIONAL TRUCK ROUTE: (105) NOT APPLICABLE (110) NATIONAL TRUCK ROUTE: (107) NOT ON TRUCK NETWORK (108) NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 1	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: NONE B) TYPE MEMBRANE: NONE	(58) DECK:       7         (59) SUPERSTRUCTURE:       8         (60) SUBSTRUCTURE:       7         (61) STREAM CHANNEL AND CHANNEL PROTECTION:       6         (62) CULVERT CONDITION (IF APPLICABLE):       N         DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE  AGE AND SERVICE	(31) DESIGN LOADING: HL-93
(27) YEAR THE BRIDGE WAS BUILT: (106) YEAR THE BRIDGE WAS REHABILITATED: (42a) SERVICE ON BRIDGE:  WATERWAY  WATERWAY	WEIGHT POSTING (2 AXLE VEHICLES): WEIGHT POSTING (3 OR MORE AXLES): (70) BRIDGE POSTING CODE: (41) WT POSTING STATUS: OPEN  ALL LEGAL LOADS  ALL LEGAL LOADS  5  ALL LEGAL LOADS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 8
GEOMETRIC DATA	(68) DECK GEOMETRY: 6
(48) MAXIMUM SPAN LENGTH:       59.5 FT         (49) TOTAL BRIDGE LENGTH:       59.5 FT         (50a) LEFT SIDEWALK WIDTH:       0.0 FT         (50b) RIGHT SIDEWALK WIDTH:       0.0 FT	<ul> <li>(69) UNDERCLEARANCE RATING: N</li> <li>(71) WATERWAY ADEQUACY: 8</li> <li>(72) APPROACH ROADWAY ALIGNMENT: 8</li> <li>(36) TRAFFIC SAFETY FEATURES: 1111</li> <li>(113) SCOUR CONDITION RATING: 8</li> </ul>
(51) BRIDGE CURB TO CURB WIDTH: 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: 27.9 FT	RECOMMENDED IMPROVEMENTS —
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE (56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00
(38) NAV CONTROL: NO NAVIGATION CONTROL	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A1080001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A108 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TURKEY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: TURKEY CREEK LOG MILE: 0.05 SUFFICIENCY RATING: 88.7 LOCATION: 1.6 MI SE JCT SR152&SR186 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.79464 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81036 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2011 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 100.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 100.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 21.7 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A1140001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A114

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NEELY THOMAS RD. COUNTY SEQUENCE: 1 CROSSING: BR RUTHERFORD FORK OBION LOG MILE: 1.06 SUFFICIENCY RATING: 100.0 LOCATION: 0.6 MI SW JCT SR5&SR89 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.17981 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.02441 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2015 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.4 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 34.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 12.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 13 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.6 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A1170001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A117 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GEORGE KING RD. COUNTY SEQUENCE: 1 CROSSING: BR OF EDMUNDSON CREEK LOG MILE: 1.36 SUFFICIENCY RATING: 83.5 LOCATION: 2.3 MI NW JCT SR5&SR105 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.14406 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.02153 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 26.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 27.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A1200001



COUNTY: GIBSON

BRIDGE OWNER: CITY OF RUTHERFORD ROUTE: 0A120 FIPS CODE: 65760 SPECIAL CASE: 0 ROAD NAME: MOD HALLIBURTON RD. COUNTY SEQUENCE: 1 CROSSING: CUMMINGS CREEK LOG MILE: 0.06 SUFFICIENCY RATING: 97.0 LOCATION: 1.3 MI NW JCT SR5&SR105 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.14219 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.99903 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 32.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.6 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A1570001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A157 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HERMAN CAVITT RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.04 SUFFICIENCY RATING: 96.0 LOCATION: 1.7 MI SE JCT SR5&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.10456 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.97233 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 33.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 30.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A1580001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A158

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NEW HOPE RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF RUTHERFORD FK LOG MILE: 1.25 SUFFICIENCY RATING: 94.4 LOCATION: 1.7 MI SE JCT SR5&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.10420 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.97280 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2008 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 30.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 270A1590001 BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A159 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROBERT R. THORNTON RD. COUNTY SEQUENCE: 1 CROSSING: OWEN BRANCH LOG MILE: 1.36 LOCATION: 3.2 MI NE JCT SR5&SR77 SUFFICIENCY RATING: 55.9

200/11/01/. U.Z IIII 142 UUT URUUUNTT	0011101211011111111101 00.0
IDENTIFICATION —	
(16a,b) LATITUDE: N 36.09231 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.94975 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN ORANG	———— CONDITION RATINGS
(45) NUMBER OF MAIN SPANS:	(58) DECK: 7
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 5
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(60) SUBSTRUCTURE:
(108) TYPE OF CUREACE.	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
A) TYPE OF SURFACE:  ASPHALT  NONE	(62) CULVERT CONDITION (IF APPLICABLE):
B) TYPE MEMBRANE: NONE	DESIGN LOAD AND WEIGHT POSTING
C) TYPE PROTECTION: NONE	(31) DESIGN LOADING: H-10-44
AGE AND SERVICE	WEIGHT POSTING (2 AXLE VEHICLES):  ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1991	WEIGHT POSTING (2 AXLE VEHICLES):  WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 19.0 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 38.1 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT:  8
(50a) LEFT SIDEWALK WIDTH: 21.7 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING:
(51) BRIDGE CURB TO CURB WIDTH: 20.3 FT	
(52) BRIDGE OUT TO OUT WIDTH: 22 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT	(75) TYPE OF WORK: BRIDGE REPLACEMENT
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 60 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$321,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$33,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(96) TOTAL PROJECT COST: \$482,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 9/12/2023
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): 09/2023
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): Y12
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO

N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A1610001 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A161
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: BOHAM RD. COUNTY SEQUENCE: 1
CROSSING: OWEN BRANCH LOG MILE: 1.33
LOCATION: 2.6 MI NE JCT SR5&SR77 SUFFICIENCY RATING: 40.9

LOCATION: 2.6 MI NE JCT SR5&SR77	SUFFICIENCY RATING: 40.9
IDENTIFICATION	
(16a,b) LATITUDE: (17a,b) LONGITUDE: (98a) BORDER BRIDGE STATE CODE: (98b) PERCENT SHARE: (99) BORDER BRIDGE NUMBER:  N 36.08361 DEGREES N/A  88.95364 DEGREES N/A  900 NOT APPLICABLE	(112) MEETS NBIS BRIDGE LENGTH: (104) NATIONAL HIGHWAY SYSTEM: (26) FUNCTIONAL CLASS: (101) PARALLEL BRIDGE: (102) TRAFFIC DIR:  YES NOT A NHS ROUTE LOCAL RURAL ROAD NO PARALLEL BRIDGE 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS: 2	———— CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 6
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 5
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-15-44
(27) YEAR THE BRIDGE WAS BUILT: 2000	WEIGHT POSTING (2 AXLE VEHICLES): 1 TONS
	WEIGHT POSTING (3 OR MORE AXLES): 1.1 TONS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 3
	(41) WT POSTING STATUS: WEIGHT POSTED
	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 3
	(68) DECK GEOMETRY: 6
GEOMETRIC DATA	(69) UNDERCLEARANCE RATING:
(48) MAXIMUM SPAN LENGTH: 19.0 FT	(71) WATERWAY ADEQUACY: 6
(49) TOTAL BRIDGE LENGTH: 38.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: U
(51) BRIDGE CURB TO CURB WIDTH: 24.3 FT	RECOMMENDED IMPROVEMENTS —
(52) BRIDGE OUT TO OUT WIDTH: 25.3 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: 38.7 FT
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST: \$166,000.00
(34) BRIDGE SKEW: 0 DEGREES	(95) ROADWAY IMPROVEMENT COST: \$17,000.00
(35) BRIDGE FLARE: NO FLARE	(96) TOTAL PROJECT COST: \$250,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT	` '
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 7/25/2023
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A1610003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A161 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOHAM RD. COUNTY SEQUENCE: 1 CROSSING: BR RUTHERFORD FORK OBION LOG MILE: 2.25 SUFFICIENCY RATING: 39.9 LOCATION: 3.1 MI NE JCT SR5&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07783 DEGREES YES 88.94306 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 3 TONS (27) YEAR THE BRIDGE WAS BUILT: 2022 WEIGHT POSTING (3 OR MORE AXLES): 36 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 5 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 38.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$163,000.00 (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: \$17,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$245,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A1990001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A199 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD DYER-YORKVILLE RD. COUNTY SEQUENCE: 1 CROSSING: SAND CREEK LOG MILE: 1.26 SUFFICIENCY RATING: 54.5 LOCATION: 1.2 MI SW JCT SR5&SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06892 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.01614 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS (27) YEAR THE BRIDGE WAS BUILT: 1972 WEIGHT POSTING (3 OR MORE AXLES): 18.4 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 5 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 57.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 24.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 80.1 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$493,000.00 (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: \$50,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$740.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/19/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A2100001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A210 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: STOCKTON-DAVIDSON RD. COUNTY SEQUENCE: 1 CROSSING: COW CREEK LOG MILE: 2.14 SUFFICIENCY RATING: 98.8 LOCATION: 0.1MI S OF SR 5 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.05711 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.00139 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 11.5 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A2110001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A211 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NEE RD. COUNTY SEQUENCE: 1 CROSSING: COW CREEK LOG MILE: 0.37 SUFFICIENCY RATING: 59.1 LOCATION: 1.8 MI SW JCT SR5 & SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.05611 DEGREES NO Ν 89.01814 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 17.1 FT (71) WATERWAY ADEQUACY: 6 19.7 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 23.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 19.7 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$111,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$12,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$167.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/19/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 270A2150001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A215 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SHANKLIN RD. COUNTY SEQUENCE: 1 CROSSING: CAMP CREEK LOG MILE: 2.12 SUFFICIENCY RATING: 100.0 LOCATION: 4.5 MI E JCT SR5&SR185 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.05808 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.90569 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2018 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 70.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 70.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A2240001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A224 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: SKIFF BARTON RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF CAMP CREEK LOG MILE: 0.47 SUFFICIENCY RATING: 21.4 LOCATION: 2.1 MI SW JCT SR54&SR185 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03133 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91325 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 4 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 27.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: NNNN (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 16.1 FT RECOMMENDED IMPROVEMENTS 17.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 49.5 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$269,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$27,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$404.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 16.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A2260001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A226 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOB BATCHELOR RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF CAMP CREEK LOG MILE: 0.84 SUFFICIENCY RATING: 99.0 LOCATION: 1.7 MI SW JCT SR54&SR185 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.04317 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91333 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 11.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N01 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 38.1 FT RECOMMENDED IMPROVEMENTS 40 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A2320001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A232 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JOE PENN RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF OBION RIVER LOG MILE: 0.81 SUFFICIENCY RATING: 88.5 LOCATION: 3.8 MI SE JCT SR5&SR89 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.19397 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94911 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **OTHER** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 38.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/15/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A2370001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A237 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOMMY DUFFY LOOP COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.62 SUFFICIENCY RATING: 88.0 LOCATION: 2.8 MI NE JCT SR5&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.16273 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.97697 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2011 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 36.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22.3 FT RECOMMENDED IMPROVEMENTS 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 270A2370003 BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A237 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WEBB RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 6.27 SUFFICIENCY RATING: 80.0 LOCATION: 4.4 MI NE JCT SR5&SR105 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.15797 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.91483 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 48.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 47.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$111,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$12,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$167,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/11/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A



BRIDGE ID NUMBER: 270A2380001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A238 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WILEY RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.15 SUFFICIENCY RATING: 46.0 LOCATION: 4.4 MI NE JCT SR5&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.16800 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92536 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: WOOD OR TIMBER (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 5 TONS (27) YEAR THE BRIDGE WAS BUILT: 1982 WEIGHT POSTING (3 OR MORE AXLES): 5 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 3 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 22.5 FT (71) WATERWAY ADEQUACY: 8 23.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 18.4 FT RECOMMENDED IMPROVEMENTS 18.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.4 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 44 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$247,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$25,000.00 (35) BRIDGE FLARE: YES, FLARED (96) TOTAL PROJECT COST: \$371.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/15/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A2390001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A239 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: BRODIE STEWART RD. COUNTY SEQUENCE: 1 CROSSING: BR OF S FORK OF OBION RI LOG MILE: 0.87 SUFFICIENCY RATING: 99.0 LOCATION: 3.5 MI NE JCT SR5&SR105 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.14597 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92742 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 27.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 29.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A2400001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A240 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHARLIE JACKSON RD. COUNTY SEQUENCE: 1 CROSSING: BR S FORK OBION RIVER LOG MILE: 0.19 SUFFICIENCY RATING: 36.7 LOCATION: 4.4 MI NE JCT SR5&SR105 - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.15531 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91803 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 6 TONS (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): 10.1 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 3 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 20.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 38.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 17.1 FT RECOMMENDED IMPROVEMENTS 19 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.4 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 38.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$91,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$10,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$137,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 17.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/15/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



COUNTY: GIBSON BRIDGE ID NUMBER: 270A2450001 BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A245 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MOORE LOOP RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.13 SUFFICIENCY RATING: 66.5 LOCATION: 2.4 MI NE JCT SR43&SR105 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.15131 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.90100 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: NONE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 15.1 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 38.4 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$94,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$10,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$142,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/20/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 270A2480001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A248 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SAMPLE RD. COUNTY SEQUENCE: 1 CROSSING: LICK CREEK LOG MILE: 1.63 SUFFICIENCY RATING: 90.2 LOCATION: 4.1 MI NW JCT SR43&WEAKLY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.13350 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.88433 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2007 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 62.0 FT (71) WATERWAY ADEQUACY: 7 62.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 19.4 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 58 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A2540001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A254 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WILDCAT LANE RD. COUNTY SEQUENCE: 1 CROSSING: LOCUST GROVE CREEK LOG MILE: 1.46 SUFFICIENCY RATING: 99.0 LOCATION: 2.3 MI NE JCT SR43&SR54 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.09906 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.84144 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2019 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 70.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 70.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/17/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A2600001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A260 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BLACKBURN RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF LICK CREEK LOG MILE: 0.56 SUFFICIENCY RATING: 96.0 LOCATION: 4.7 MI NW JCT SR43&SR54 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.09389 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89914 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 33.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A2660003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A266 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LILLIE BROWN RD. COUNTY SEQUENCE: 1 CROSSING: BRADFORD CREEK LOG MILE: 1.63 SUFFICIENCY RATING: 44.2 LOCATION: 0.9 MI NE JCT SR43&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.10222 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.80264 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 6 TONS (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): 14.8 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 0 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 57.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: NNNN (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 19 FT RECOMMENDED IMPROVEMENTS 21 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 21.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 57.1 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$231,000.00 (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: \$24,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$347.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/19/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 270A2750001 COUNTY: GIBSON BRIDGE OWNER: CITY OF BRADFORD ROUTE: 0A275 FIPS CODE: 7860 SPECIAL CASE: 0 ROAD NAME: GIN ST. COUNTY SEQUENCE: 1 CROSSING: BRADFORD CREEK LOG MILE: 0.14 SUFFICIENCY RATING: 85.0 LOCATION: IN CITY OF BRADFORD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08039 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81247 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **OTHER** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 39.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS 30.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/17/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A3090001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A309 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KERMIT CATES RD. COUNTY SEQUENCE: 1 LOG MILE: 0.44 CROSSING: BEAR CREEK SUFFICIENCY RATING: 43.1 LOCATION: 2.6 MI NE JCT SR43&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08997 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.76735 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 4 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS (27) YEAR THE BRIDGE WAS BUILT: 2006 WEIGHT POSTING (3 OR MORE AXLES): 10.1 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 0 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.5 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 47.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20.7 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 47.2 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$200,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$21,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$301.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/13/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 270A3130001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A313 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GOOSEFOOT RD. COUNTY SEQUENCE: 1 CROSSING: DOLAN CREEK LOG MILE: 0.56 SUFFICIENCY RATING: 97.0 LOCATION: 3.6 MI SE JCT SR43&SR54 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.05517 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.75389 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 32.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 35.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 28.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A3130003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A313 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GOOSEFOOT RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF DOLAN CREEK LOG MILE: 0.88 SUFFICIENCY RATING: 80.5 LOCATION: 3.9 MI SE JCT SR43&SR54 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.05400 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.74819 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 19.4 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.7 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 38.7 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$166,000.00 (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: \$17,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$250,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/19/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A3140003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A314 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MULBERRY GROVE RD. COUNTY SEQUENCE: 1 CROSSING: BEAR CREEK LOG MILE: 0.35 SUFFICIENCY RATING: 90.6 LOCATION: 3 M SE JCT SR 43&SR 54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.04589 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77711 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 17.0 FT (71) WATERWAY ADEQUACY: 7 38.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 29.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 26.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A3140001 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A314
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: MULBERRY GROVE RD. COUNTY SEQUENCE: 1
CROSSING: BEAR CREEK LOG MILE: 1.72
LOCATION: 2.3 MI SE JCT SR43&SR54
SUFFICIENCY RATING: 54.1

IDENTIFICATION —	CLASSIFICATION —	_
(16a,b) LATITUDE: N 36.04647 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YE	s
(17a,b) LONGITUDE: W 88.80169 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUT	E
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROA	D
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDG	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFI	С
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABL	E
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWOR	K
(43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
	CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS: 3		_
(46) NUMBER OF APPROACH SPANS: 0	` '	5
(107) TYPE OF DECK: CONCRETE PRECAST PANELS		5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(,	5
A) TYPE OF SURFACE: ASPHALT		6
B) TYPE MEMBRANE: NONE	,	N —
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: H-10-4	
(27) YEAR THE BRIDGE WAS BUILT: 1991	WEIGHT POSTING (2 AXLE VEHICLES): 10 TON	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 15.1 TON	
(42a) SERVICE ON BRIDGE: HIGHWAY		4
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL -	_
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:	4
	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY:	4
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:	4 N
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA	<ul><li>(67) STRUCTURAL EVALUATION:</li><li>(68) DECK GEOMETRY:</li><li>(69) UNDERCLEARANCE RATING:</li><li>(71) WATERWAY ADEQUACY:</li></ul>	4 N 6
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  19.0 FT	<ul><li>(67) STRUCTURAL EVALUATION:</li><li>(68) DECK GEOMETRY:</li><li>(69) UNDERCLEARANCE RATING:</li><li>(71) WATERWAY ADEQUACY:</li><li>(72) APPROACH ROADWAY ALIGNMENT:</li></ul>	4 N 6 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT (49) TOTAL BRIDGE LENGTH: 57.0 FT	<ul> <li>(67) STRUCTURAL EVALUATION:</li> <li>(68) DECK GEOMETRY:</li> <li>(69) UNDERCLEARANCE RATING:</li> <li>(71) WATERWAY ADEQUACY:</li> <li>(72) APPROACH ROADWAY ALIGNMENT:</li> <li>(36) TRAFFIC SAFETY FEATURES:</li> </ul>	4 N 6 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT (49) TOTAL BRIDGE LENGTH: 57.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:	4 N 6 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  19.0 FT  (49) TOTAL BRIDGE LENGTH:  57.0 FT  (50a) LEFT SIDEWALK WIDTH:  0.0 FT  (50b) RIGHT SIDEWALK WIDTH:  0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS	4 N 6 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: 21 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT	4 N 6 8 00 U
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20 21 21 22 25 27 26 27 28 28 29 20 20 20 21 21 22 21 21 21 22 21 21 21 22 21 21	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 80.1 I	4 N 6 8 00 U
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 00 19.0 FT 21 FT 22 FT 32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: \$466,000.0	4 N 6 8 00 U
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: \$466,000.0 (95) ROADWAY IMPROVEMENT COST: \$47,000.0	4 N 6 8 00 U
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  0 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (5700,000.0	4 N 6 8 00 U
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 20:	4 N 6 8 00 U
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (52) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 20:  INSPECTION DATES	4 N 6 8 00 U FT 00 00 22
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLE: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 7/23/202	4 N 6 8 00 U FT 00 00 00 22
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: (55a) HORZ UNDERCLR: (190. FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  1NSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS):	4 N 6 8 8 00 U FT 00 00 22
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  N/	4 N 6 8 8 00 U FT 00 00 00 22 24 7 A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN VERTICAL UNDERCLEARANCE: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON LEFT: (50) MIN HORZ UNDERCLR ON LEFT:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): NO	4 N 6 8 8 00 U FT 00 00 22 24 7 A
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): NO	4 N 6 8 00 U FT 00 00 22 23 24 7 A

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A3170001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A317 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CECIL CARROLL RD. COUNTY SEQUENCE: 1 CROSSING: BEAR CREEK LOG MILE: 0.36 SUFFICIENCY RATING: 86.5 LOCATION: 2.1 MI SE JCT SR43&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06869 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77794 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2004 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20.7 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT 51.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$289,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$29,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$434.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

**NOT APPLICABLE** 

N/A

N/A

N/A

**NO NAVIGATION CONTROL** 

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N00

N/A

N00

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

BRIDGE ID NUMBER: 270A3180001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A318

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BUDDY NEAL RD. COUNTY SEQUENCE: 1 CROSSING: DOLAN CREEK LOG MILE: 0.35 SUFFICIENCY RATING: 40.0 LOCATION: 3.5 MI SE JCT SR43&SR54 - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: NO Ν 36.05069 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.75661 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: ALUMINUM. WROUGHT OR CAST (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS IRON **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2002 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 5 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 8.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 8.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: NNNN 0.0 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 16.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 20 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$96,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$10,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$145,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 270A3230001 BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A323 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: IDLEWILD-HOLLY LEAF RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF THOMPSON CREEK LOG MILE: 1.58 SUFFICIENCY RATING: 23.3 LOCATION: 1.7 MI SW JCT SR105&CAROL - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.03106 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.71131 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 4 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 3 TONS (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): 4 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 0 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 29.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 67.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 21 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 66.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$157,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$16,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$236,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/21/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A3230003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A323 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: IDLEWILD-HOLLY LEAF RD. COUNTY SEQUENCE: 1 CROSSING: BR OF THOMPSON CREEK LOG MILE: 2.66 SUFFICIENCY RATING: 98.2 LOCATION: 0.8 MI SW JCT SR105&CAROL - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.04078 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.69697 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2018 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 270A3230005 BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A323 SPECIAL CASE: 0 FIPS CODE: 75100 ROAD NAME: REPUBLICAN GROVE RD. COUNTY SEQUENCE: 1 CROSSING: THOMPSON CREEK LOG MILE: 2.83 SUFFICIENCY RATING: 23.3 LOCATION: 0.6 MI SW JCT SR105&CAROL - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.04316 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.69644 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 4 TONS (27) YEAR THE BRIDGE WAS BUILT: 2023 WEIGHT POSTING (3 OR MORE AXLES): 36 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 5 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 85.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 85.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/21/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A3250001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A325 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HOBERT ROCHELL RD. COUNTY SEQUENCE: 1 CROSSING: THOMPSON CREEK LOG MILE: 0.70 SUFFICIENCY RATING: 96.0 LOCATION: 2.1 MI SW JCT SR105&CAROL - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.03417 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.71911 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 32.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A3250003

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A325

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HOBERT ROCHELL RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF THOMPSON CREEK LOG MILE: 0.81 SUFFICIENCY RATING: 65.1 LOCATION: 2.2 MI SW JCT SR105&CAROL - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03256 DEGREES YES 88.71944 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 4 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 7 TONS (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **21.2 TONS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 0 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 17.0 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 34.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: ONNN (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 19 FT RECOMMENDED IMPROVEMENTS 21 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 56.1 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$302,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$31,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$454.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A3350003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A335 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HERBERT NEILL RD. COUNTY SEQUENCE: 1 CROSSING: BROWNING CREEK LOG MILE: 2.25 SUFFICIENCY RATING: 85.9 LOCATION: 5.2 MI N JCT SR 43 &SR 77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99508 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.76375 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 54.1 FT RECOMMENDED IMPROVEMENTS 56.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A3400001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A340 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HARMON ARNOLD RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.38 SUFFICIENCY RATING: 97.0 LOCATION: 5.6 MI SE JCT SR43&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99722 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.79294 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 11.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 34.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A3490001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A349 FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: THETFORD RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF RUTHERFORD FK. LOG MILE: 1.39 SUFFICIENCY RATING: 99.9 LOCATION: 4.8 MI S JCT SR43&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00547 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.80958 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2019 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Frror (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 65.0 FT (71) WATERWAY ADEQUACY: 6 65.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/23/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A3490003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A349 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: THETFORD RD. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FORK OF OBION LOG MILE: 1.52 SUFFICIENCY RATING: 95.9 LOCATION: 5.1 MI SW JCT SR43&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00408 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81100 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 42.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 120.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/23/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

#### NATIONAL BRIDGE INVENTORY



YES

7

7

6

7

Ν

N/A

N00

N/A

N00

TENNESSEE INVENTORY AND APPRAISAL REPORT BRIDGE ID NUMBER: 270A3540001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A354 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BANKS-TURNER RD. COUNTY SEQUENCE: 1 CROSSING: BETHEL BRANCH LOG MILE: 0.00 SUFFICIENCY RATING: 46.9 LOCATION: 2.8 MI S JCT SR77&DYER CO IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: 36.07344 DEGREES Ν 89.16103 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: **NO PARALLEL BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE (27) YEAR THE BRIDGE WAS BUILT: 1972 (106) YEAR THE BRIDGE WAS REHABILITATED: 1991 (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE:

N/A

N/A

N/A

(28a) NUMBER OF LANES CARRIED B	Y BRIDGE: 2	
(28b) NUMBER OF LANES UNDER THE	BRIDGE: 0	
GEOMETRIC	DATA —	
(48) MAXIMUM SPAN LENGTH:	19.0 FT	
(49) TOTAL BRIDGE LENGTH:	57.1 FT	
(50a) LEFT SIDEWALK WIDTH:	0.0 FT	
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT	
(51) BRIDGE CURB TO CURB WIDTH:	21 FT	
(52) BRIDGE OUT TO OUT WIDTH:	22 FT	
(32) APPROACH ROADWAY (W/ SHLD	S) WIDTH: <b>23.0 FT</b>	
(33) BRIDGE MEDIAN:	NO MEDIAN	
(34) BRIDGE SKEW:	0 DEGREES	
(35) BRIDGE FLARE:	NO FLARE	
(520) MIN VERTICAL CLEARANCE OVI	ER RD: <b>100 FT</b>	
(47) MIN HORIZONTAL CLEARANCE C	N ROADWAY: 21.0 FT	
(54a) VERT UNDERCLR: NO	Γ A HIGHWAY OR RAILROAD	
(54b) MIN VERTICAL UNDERCLEARAN	ICE: NOT APPLICABLE	
(55a) HORZ UNDERCLR: NO	Γ A HIGHWAY OR RAILROAD	
(55b) MIN HORZ UNDERCLR ON RIGH	T: NOT APPLICABLE	
(56) MIN HORZ UNDERCLR ON LEFT	NOT APPLICABLE	
NAVIGATION DATA		
(38) NAV CONTROL:	NO NAVIGATION CONTROL	

WEIGHT POSTING (2 AXLE VEHICLES):	3 TONS	
WEIGHT POSTING (2 OR MORE AXLES):	4.7 TONS	
(70) BRIDGE POSTING CODE:	3	
• •	3	
(41) WT POSTING STATUS: WEIGHT POSTED		
APPRAISAL		
(67) STRUCTURAL EVALUATION:	3	
(68) DECK GEOMETRY:	5	
(69) UNDERCLEARANCE RATING:	N	
(71) WATERWAY ADEQUACY:	6	
(72) APPROACH ROADWAY ALIGNMENT:	8	
(36) TRAFFIC SAFETY FEATURES:	0000	
(113) SCOUR CONDITION RATING:	5	
RECOMMENDED IMPROVEMENTS		
(75) TYPE OF WORK: BRIDGE REHABILITATION		
(76) LENGTH OF BRIDGE IMPROVEMENT:	57.1 FT	
(94) BRIDGE IMPROVEMENT COST:	\$231,000.00	
(95) ROADWAY IMPROVEMENT COST:	\$24,000.00	
(96) TOTAL PROJECT COST:	\$347,000.00	
(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2021	
INSPECTION DATES		
(90) DATE OF LAST REGULAR INSPECTION:	7/17/2023	
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24	

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

**PUBLICATION DATE** 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A3580001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A358 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOBBY BURGESS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.01 SUFFICIENCY RATING: 38.9 LOCATION: 6.2 MI NW JCT SR43&SR77 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.00297 DEGREES NO Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81583 **DEGREES NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1971 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 21 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 18.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 41.3 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$233,000.00 (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: \$24,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$350,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

**NOT APPLICABLE** 

N/A

N/A

N/A

**NO NAVIGATION CONTROL** 

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N00

N/A

N00

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA



BRIDGE ID NUMBER: 270A3580003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A358 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOBBY BURGESS RD. COUNTY SEQUENCE: 1 CROSSING: ADAMS BRANCH LOG MILE: 2.13 SUFFICIENCY RATING: 72.5 LOCATION: 4.9 MI NW JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.98297 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.80019 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 38.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 21.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 38.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$163,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$17,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$245,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 270A3610001 BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A361 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: CHRISTMASVILLE RD. COUNTY SEQUENCE: 1 CROSSING: BR THOMPSON LEVEE CREEK LOG MILE: 1.46 SUFFICIENCY RATING: 72.3 LOCATION: 3.2 MI NE JCT SR5&SR54 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.00411 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.87475 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1972 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 54.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 54.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$119,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$12,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$179,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 270A3610003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A361 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: CHRISTMASVILLE RD. COUNTY SEQUENCE: 1 CROSSING: BR N FORK FORKED DEER LOG MILE: 4.85 SUFFICIENCY RATING: 44.5 LOCATION: 1.1 MI SE JCT SR5&SR54 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.98606 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92697 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.3 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.6 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 38.7 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$114,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$12,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$172,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/19/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 270A3640001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A364 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: POWELL RD. COUNTY SEQUENCE: 1 CROSSING: DITCH LOG MILE: 1.04 SUFFICIENCY RATING: 39.0 LOCATION: 4.0 MI NE JCT SR5&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.03317 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.87783 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2015 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 22.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 19 FT RECOMMENDED IMPROVEMENTS 20 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 42.7 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$241,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$25,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$362,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 19.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 270A3690001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A369 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHIP BEATHALL RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.86 SUFFICIENCY RATING: 89.5 LOCATION: 3.8 MI NE JCT SR5&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.01917 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.86925 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 24.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A3700001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A370 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: VAUGHNS GROVE RD. COUNTY SEQUENCE: 1 CROSSING: BR THOMPSON LEVEE CREEK LOG MILE: 1.67 SUFFICIENCY RATING: 97.0 LOCATION: 3.5 MI E JCT SR5&SR54 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00131 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.87028 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 27.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.9 FT RECOMMENDED IMPROVEMENTS 28.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A

(40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE

11-Mar-24

This document and its production document and it

N/A

N/A

**NO NAVIGATION CONTROL** 

(38) NAV CONTROL:

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST

N00

(92c) SPECIAL INSP FREQUENCY (MONTHS):



COUNTY: GIBSON BRIDGE ID NUMBER: 270A3790001 BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A379 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: T.J. SCOTT RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW FORKED DEER RV LOG MILE: 1.69 SUFFICIENCY RATING: 79.1 LOCATION: 3.4 MI N JCT SR76&SR186 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.92250 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.84169 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 36.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 107.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 107.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$138,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$14,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$208,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 270A3790003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A379 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: T.J. SCOTT RD. COUNTY SEQUENCE: 1 CROSSING: N FORK OF FORKED DEER LOG MILE: 1.79 SUFFICIENCY RATING: 79.1 LOCATION: 3.5 MI N JCT SR76&SR186 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.92381 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.84111 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 36.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 107.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 107.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$138,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$14,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$208,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 270A3790005

BRIDGE OWNER: GIBSON COUNTY

FIPS CODE: 00000

ROAD NAME: T.J. SCOTT RD.

CROSSING: OVERFLOW FORKED DEER RIV

LOCATION: 3.7 MI N JCT SR76&SR186

COUNTY SEQUENCE: 1

LOCATION: OVERFLOW FORKED DEER RIV

LOCATION: CLASSIFICATION

IDENTIFICATION ————	CLASSIFICATION —
(16a,b) LATITUDE: N 35.92639 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.84011 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: <b>NOT APPLICABLE</b>
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: 7
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1970 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6
GEOMETRIC DATA	(68) DECK GEOMETRY: 4
	(69) UNDERCLEARANCE RATING: N
(48) MAXIMUM SPAN LENGTH: 39.0 FT (49) TOTAL BRIDGE LENGTH: 99.1 FT	(71) WATERWAY ADEQUACY: 7
(50a) LEFT SIDEWALK WIDTH: 99.1 FT	(72) APPROACH ROADWAY ALIGNMENT: 8
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0001
(51) BRIDGE CURB TO CURB WIDTH: 24 FT	(113) SCOUR CONDITION RATING: 5
(52) BRIDGE OUT TO OUT WIDTH: 27.9 FT	RECOMMENDED IMPROVEMENTS
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 99.1 FT
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$469,000.00
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$47,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(96) TOTAL PROJECT COST: \$704,000.00
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 7/28/2023
(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY OR RAILROAD</b>	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: <b>NOT APPLICABLE</b>	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: <b>NOT APPLICABLE</b>	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A3790007
BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A379

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: T.J. SCOTT RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH FORKED DEER RIVER LOG MILE: 2.89 SUFFICIENCY RATING: 79.7 LOCATION: 4.6 MI N JCT SR76&SR186 IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.93956 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.83806 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1958 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 30.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 91.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 91.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$120,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$13,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$181,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 270A3800001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A380 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. AIRPORT RD. COUNTY SEQUENCE: 1 CROSSING: BR N FORK FORKED DEER LOG MILE: 0.26 SUFFICIENCY RATING: 92.5 LOCATION: 3.8 M NE JCT SR76&SR186 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.93008 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.84350 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2019 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Frror (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 32.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 29.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A3820001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A382 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: GERMANTOWN RD. COUNTY SEQUENCE: 1 CROSSING: BR.RUTHERFORD FK.OBION R LOG MILE: 0.97 SUFFICIENCY RATING: 33.6 LOCATION: 2.9 MI NW JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.94700 DEGREES NO (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.80047 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 20.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 20.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: NNNN (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 20 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$108,000.00 (34) BRIDGE SKEW: 23 DEGREES ROADWAY IMPROVEMENT COST: \$11,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$163,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A4800001



COUNTY: GIBSON

BRIDGE OWNER: CITY OF TRENTON ROUTE: 0A480 FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: LYNDALE ST. COUNTY SEQUENCE: 1 CROSSING: BR OF N FORK FORKED DEER LOG MILE: 0.09 SUFFICIENCY RATING: 98.2 LOCATION: IN CITY OF TRENTON - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.95783 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94283 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2006 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 25.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 27.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A4970001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A497 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: THOMAS GROVE RD. COUNTY SEQUENCE: 1 CROSSING: ADAMS BRANCH LOG MILE: 0.41 LOCATION: 4.9 MI NW JCT SR43&SR77 SUFFICIENCY RATING: 58.7 IDENTIFICATION (16a,b) LATITUDE: N 35.97128 DEGREES (17a,b) LONGITUDE: W 88.82317 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: 00 (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (43a) MAIN SPAN MATERIAL: CONCRETE (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(114)/11/11/11/11/11/11/11/11/11/11/11/11/11	51 74 1 E1071DEE	
(45) NUMBER OF MAIN SPANS:	2	co
(46) NUMBER OF APPROACH SP.	ANS: 0	(58) DECK:
(107) TYPE OF DECK:	CONCRETE PRECAST PANELS	(59) SUPERSTRUCTUR
(108) TYPE OF WEARING SURFA		(60) SUBSTRUCTURE:
A) TYPE OF SURFACE:	ASPHALT	(61) STREAM CHANNE
B) TYPE MEMBRANE:	NONE	(62) CULVERT CONDIT
C) TYPE PROTECTION:	NONE	DESIGN LO
		(31) DESIGN LOADING

AGE AND SERVICE		
1995	(27) YEAR THE BRIDGE WAS BUILT:	
N/A	(106) YEAR THE BRIDGE WAS REHABILITATED:	
HIGHWAY	(42a) SERVICE ON BRIDGE:	
WATERWAY	(42b) UNDER BRIDGE:	
2	(28a) NUMBER OF LANES CARRIED BY BRIDGE:	
0	(28b) NUMBER OF LANES UNDER THE BRIDGE:	
GEOMETRIC DATA		

20.0 FT	(48) MAXIMUM SPAN LENGTH:
39.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
21 FT	(51) BRIDGE CURB TO CURB WIDTH:
22 FT	(52) BRIDGE OUT TO OUT WIDTH:
24.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
0 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
100 FT	(520) MIN VERTICAL CLEARANCE OVER RD:
′: <b>21.0 FT</b>	(47) MIN HORIZONTAL CLEARANCE ON ROADWAY
OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHWAY
T APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE: NC
OR RAILROAD	(55a) HORZ UNDERCLR: NOT A HIGHWAY
T APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT: NC
T APPLICABLE	(56) MIN HORZ UNDERCLR ON LEFT: NO

NAVIGATION DATA		
(38)	NAV CONTROL:	NO NAVIGATION CONTROL
(39)	NAVIGATION VERTICAL C	LEARANCE: N/A

(116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 11-Mar-24

	CLASSIFICATION —	
	(112) MEETS NBIS BRIDGE LENGTH:	YES
	` '	NHS ROUTE
	` '	URAL ROAD
	•	EL BRIDGE
	( ' /	AY TRAFFIC
		PPLICABLE
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK	_
	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE	
	NATIONAL REGISTER	
	——— CONDITION RATINGS	
	(58) DECK:	5
	(59) SUPERSTRUCTURE:	5
	(60) SUBSTRUCTURE:	4
	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	4
	(62) CULVERT CONDITION (IF APPLICABLE):	N
	DESIGN LOAD AND WEIGHT POSTING	3 <del></del>
	(31) DESIGN LOADING:	H-10-44
	WEIGHT POSTING (2 AXLE VEHICLES):	10 TONS
	WEIGHT POSTING (3 OR MORE AXLES):	21.2 TONS
	(70) BRIDGE POSTING CODE:	0
	(41) WT POSTING STATUS: WEIGHT POSTED	
	APPRAISAL —	
	(67) STRUCTURAL EVALUATION:	5
_	(68) DECK GEOMETRY:	5
	(69) UNDERCLEARANCE RATING:	N
	(71) WATERWAY ADEQUACY:	6
	(72) APPROACH ROADWAY ALIGNMENT:	8
	(36) TRAFFIC SAFETY FEATURES:	0000
	(113) SCOUR CONDITION RATING:	3
	RECOMMENDED IMPROVEMENTS	
	(75) TYPE OF WORK: BRIDGE REHABILITATION	
	(76) LENGTH OF BRIDGE IMPROVEMENT:	39 FT
	(94) BRIDGE IMPROVEMENT COST:	\$167,000.00
	(95) ROADWAY IMPROVEMENT COST:	\$17,000.00
	(96) TOTAL PROJECT COST:	\$251,000.00
	(97) YEAR OF IMPROVEMENT COST ESTIMATE:	2022
	INSPECTION DATES	
	(90) DATE OF LAST REGULAR INSPECTION:	7/27/2023
	(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
	(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
	(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N00
•	(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
	(92c) SPECIAL INSP FREQUENCY (MONTHS):	N00



BRIDGE ID NUMBER: 270A4970005 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A497 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: THOMAS GROVE RD. COUNTY SEQUENCE: 1 CROSSING: MAYO BRANCH LOG MILE: 2.51 SUFFICIENCY RATING: 98.0 LOCATION: 3.3 MI NW JCT SR43&SR77 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.95803 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.79669 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 38.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 23 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A4990001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A499 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MANNER FRANK RD. COUNTY SEQUENCE: 1 CROSSING: FLIPPEN CREEK LOG MILE: 0.41 SUFFICIENCY RATING: 96.9 LOCATION: 1.6 MI NW JCT SR43&SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.94208 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77403 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 21.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 30.8 FT RECOMMENDED IMPROVEMENTS 33.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A5020001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A502 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: B. MARTIN RD. COUNTY SEQUENCE: 1 CROSSING: FLIPPEN CREEK LOG MILE: 0.12 SUFFICIENCY RATING: 40.0 LOCATION: 2.7 MI N JCT SR43&SR77 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.95931 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.75453 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING

C) TYPE PROTECTION:	NONE
AGE AND SERVICE	
(27) YEAR THE BRIDGE WAS BUILT:	1974
(106) YEAR THE BRIDGE WAS REHABILITATED:	1998
(42a) SERVICE ON BRIDGE:	HIGHWAY
(42b) UNDER BRIDGE:	WATERWAY
(28a) NUMBER OF LANES CARRIED BY BRIDGE:	2
(28b) NUMBER OF LANES UNDER THE BRIDGE:	0

	GEOMETRIC DATA
24.9 FT	(48) MAXIMUM SPAN LENGTH:
41.0 FT	(49) TOTAL BRIDGE LENGTH:
0.0 FT	(50a) LEFT SIDEWALK WIDTH:
0.0 FT	(50b) RIGHT SIDEWALK WIDTH:
23.6 FT	(51) BRIDGE CURB TO CURB WIDTH:
25.6 FT	(52) BRIDGE OUT TO OUT WIDTH:
18.0 FT	(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:
NO MEDIAN	(33) BRIDGE MEDIAN:
20 DEGREES	(34) BRIDGE SKEW:
NO FLARE	(35) BRIDGE FLARE:
100 FT	(520) MIN VERTICAL CLEARANCE OVER RD:
24.9 FT	(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:
OR RAILROAD	(54a) VERT UNDERCLR: NOT A HIGHWAY
T APPLICABLE	(54b) MIN VERTICAL UNDERCLEARANCE: NO
OR RAILROAD	(55a) HORZ UNDERCLR: <b>NOT A HIGHWAY</b>
T APPLICABLE	(55b) MIN HORZ UNDERCLR ON RIGHT: NO
T APPLICABLE	(56) MIN HORZ UNDERCLR ON LEFT: NO

#### NAVIGATION DATA

(38) NAV CONTROL: NO NAVIGATION CONTROL (39) NAVIGATION VERTICAL CLEARANCE: N/A N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 11-Mar-24

#### YES **NOT A NHS ROUTE LOCAL RURAL ROAD** NO PARALLEL BRIDGE 2-WAY TRAFFIC **NOT APPLICABLE** NOT ON TRUCK NETWORK HISTORICAL SIGNIFICANCE HAS 6 6 6 6 Ν (31) DESIGN LOADING: H-15-44 WEIGHT POSTING (2 AXLE VEHICLES): 4 TONS WEIGHT POSTING (3 OR MORE AXLES): **6.1 TONS** (70) BRIDGE POSTING CODE: 3 (41) WT POSTING STATUS: WEIGHT POSTED **APPRAISAL** (67) STRUCTURAL EVALUATION: 3 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: **BRIDGE REHABILITATION** (76) LENGTH OF BRIDGE IMPROVEMENT: 41 FT (94) BRIDGE IMPROVEMENT COST: \$176,000.00 (95) ROADWAY IMPROVEMENT COST: \$18,000.00 (96) TOTAL PROJECT COST: \$265,000.00 (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 INSPECTION DATES (90) DATE OF LAST REGULAR INSPECTION: 9/14/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

BRIDGE ID NUMBER: 270A5690001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A569

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LES ROSS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF GRASS CREEK LOG MILE: 1.62 SUFFICIENCY RATING: 24.4 LOCATION: 2.3 MI W JCT SR89&OBION IDENTIFICATION - CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.20208 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.06803 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 24.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 24.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 16.1 FT RECOMMENDED IMPROVEMENTS 17.1 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 24 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$75,000.00 (34) BRIDGE SKEW: 23 DEGREES ROADWAY IMPROVEMENT COST: \$8,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$113,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 16.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 270A6460001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A646 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOGLE LOOP COUNTY SEQUENCE: 1 CROSSING: BR OF N FORK FORKED DEER LOG MILE: 0.01 SUFFICIENCY RATING: 100.0 LOCATION: 2.4 MI NE JCT SR76&SR186 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.88930 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.80870 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2008 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 33.0 FT (71) WATERWAY ADEQUACY: 8 40.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.6 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A6480001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A648 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHAPEL HILL RD. COUNTY SEQUENCE: 1 CROSSING: N FORK OF FORKED DEER LOG MILE: 1.94 SUFFICIENCY RATING: 97.0 LOCATION: 3.5 MI SW JCT SR43&SR76 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.86825 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77547 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 33.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A6480003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A648 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MATHIS CROSSING RD. COUNTY SEQUENCE: 1 CROSSING: BR OF OLIVER BRANCH LOG MILE: 3.00 SUFFICIENCY RATING: 88.5 LOCATION: 2.8 MI SW JCT SR43&SR187 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.85461 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.78236 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: OTHER (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 21.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A6490001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A649 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCMINN RD. COUNTY SEQUENCE: 1 CROSSING: N FORK OF FORKED DEER LOG MILE: 1.36 SUFFICIENCY RATING: 96.0 LOCATION: 1.8 MI SW JCT SR43&SR187 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.86636 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77178 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: INTEGRAL CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 8 39.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 23.3 FT RECOMMENDED IMPROVEMENTS 29.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 31 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A6510001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A651 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: KILLEN RD. COUNTY SEQUENCE: 1 CROSSING: BR OF N FORK FORKED DEER LOG MILE: 0.29 SUFFICIENCY RATING: 29.7 LOCATION: 3.2 MI SW JCT SR43&SR187 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.85561 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.78761 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1966 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 21.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 15.1 FT RECOMMENDED IMPROVEMENTS 16.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 17.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 21 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$101,000.00 (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: \$11,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$152,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 15.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7020001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A702

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WILBURN NELSON RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.35 SUFFICIENCY RATING: 70.1 LOCATION: 2.8 MI NE JCT SR76&SR186 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.88447 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.79914 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **13 TONS** (27) YEAR THE BRIDGE WAS BUILT: 1973 WEIGHT POSTING (3 OR MORE AXLES): 13.7 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 28.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$132,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$14,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$199,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 270A7020003

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A702

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DAWSON BOTTOM RD. COUNTY SEQUENCE: 1 CROSSING: N FORK OF FORKED DEER RV LOG MILE: 1.61 SUFFICIENCY RATING: 100.0 LOCATION: 2.1 MI SE JCT SR76&SR186 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.87364 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81061 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2017 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Frror (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 76.7 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 80.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7020005



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A702 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DAWSON BOTTOM RD. COUNTY SEQUENCE: 1 CROSSING: BEE CREEK LOG MILE: 2.51 SUFFICIENCY RATING: 84.0 LOCATION: 1.1 MI SE JCT SR76&SR186 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.87242 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.82611 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7060001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A706 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WHITE BROTHERS RD. COUNTY SEQUENCE: 1 CROSSING: HOG CREEK LOG MILE: 0.70 SUFFICIENCY RATING: 95.0 LOCATION: 0.8 MI SW JCT SR76&SR186 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.86911 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.85733 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 33.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 23 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7080001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A708

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DONALD BEARD LN. COUNTY SEQUENCE: 1 CROSSING: HOG CREEK LOG MILE: 2.35 SUFFICIENCY RATING: 77.5 LOCATION: WILSON STEEL RD / BEE CR IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.87887 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.82117 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2015 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.3 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 28.3 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20.7 FT RECOMMENDED IMPROVEMENTS 22.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 28.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$133,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$14,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$200.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/18/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 270A7110001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A711 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOB HAZELWOOD RD. COUNTY SEQUENCE: 1 CROSSING: HOG CREEK LOG MILE: 2.00 SUFFICIENCY RATING: 92.5 LOCATION: 0.5 MI SW JCT SR76&SR186 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.87114 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.85439 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: NONE (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2018 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 36.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 33.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 17.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7180001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A718 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: B.L. EDWARDS RD. COUNTY SEQUENCE: 1 CROSSING: BR OF N FORK FORKED DEER LOG MILE: 0.92 SUFFICIENCY RATING: 97.0 LOCATION: 2.3 MI NW JCT SR76&SR186 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.90378 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.86381 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 23 FT RECOMMENDED IMPROVEMENTS 33.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A7220001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A722 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FRUITLAND ELDAD RD. COUNTY SEQUENCE: 1 CROSSING: CAIN CREEK **LOG MILE: 1.75** SUFFICIENCY RATING: 70.1 LOCATION: 4.8 MI N JCT SR5&SR152 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.89556 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92703 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 58.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT 81.4 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$500,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$51,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$751.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N/A

N00

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

**NO NAVIGATION CONTROL** 

N/A

N/A

N/A

BRIDGE ID NUMBER: 270A7220003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A722 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FRUITLAND ELDAD RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.79 SUFFICIENCY RATING: 96.7 LOCATION: .5 MI NE JCT SR5&SR420 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.89556 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92769 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 49.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A7250001 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A725
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: CASEY RD. COUNTY SEQUENCE: 1
CROSSING: PARKER BRANCH LOG MILE: 0.600
LOCATION: 3.4 MI SE JCT SR5&SR186 SUFFICIENCY RATING: 75.5

LOCATION. 3.4 WI SE JCT SK3&3K100	SUFFICIENCY RATING. 73.3
IDENTIFICATION —	
(16a,b) LATITUDE: N 35.92856 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.89889 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 5
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 4
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 5
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):  N
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1995	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE:  (41) WT POSTING STATUS: WEIGHT POSTED
(42b) UNDER BRIDGE: WATERWAY	APPRAISAL
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	_
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 5
GEOMETRIC DATA	(68) DECK GEOMETRY: 5
(48) MAXIMUM SPAN LENGTH: 19.0 FT	(69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5
(49) TOTAL BRIDGE LENGTH: 38.0 FT	(72) APPROACH ROADWAY ALIGNMENT:
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(113) SCOUR CONDITION RATING: 5
(51) BRIDGE CURB TO CURB WIDTH: 20 FT	RECOMMENDED IMPROVEMENTS
(52) BRIDGE OUT TO OUT WIDTH: 21 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT	(76) LENGTH OF BRIDGE IMPROVEMENT: 38.1 FT
(33) BRIDGE MEDIAN: NO MEDIAN	(94) BRIDGE IMPROVEMENT COST: \$163,000.00
(34) BRIDGE SKEW: 0 DEGREES	(95) ROADWAY IMPROVEMENT COST: \$17,000.00
(35) BRIDGE FLARE:  NO FLARE  (520) MIN VERTICAL CLEARANCE OVER PD:	(96) TOTAL PROJECT COST: \$245,000.00
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 7/27/2023
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N00
(39) NAVIGATION VERTICAL CLEARANCE: N/A	<u> </u>
	PRODUCED PURSUANT TO

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7310001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A731 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD TRENTON-HUMBOLDT RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF CAIN CREEK LOG MILE: 0.51 SUFFICIENCY RATING: 88.5 LOCATION: 4.1 MI S JCT SR54&SR367 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.90750 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94125 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **OTHER** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1980 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2004 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 35.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 36.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS 21.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 6 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7320001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A732 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GALE FAUCETT RD. COUNTY SEQUENCE: 1 CROSSING: CAIN CREEK LOG MILE: 0.27 SUFFICIENCY RATING: 85.2 LOCATION: 3.1 MI SW JCT SR54&SR367 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.92219 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94392 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.7 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7340001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A734 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NEWT BLACKWELL RD. COUNTY SEQUENCE: 1 CROSSING: CAIN CREEK LOG MILE: 0.06 SUFFICIENCY RATING: 84.4 LOCATION: 4.3 MI SE JCT SR54&SR367 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.90542 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.93489 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7380001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A738

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ESQUIRE HUNT RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF BARNETT BRANCH LOG MILE: 2.05 SUFFICIENCY RATING: 36.0 LOCATION: 3.8 MI NW JCT SR5&SR152 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.87903 DEGREES Ν YES 88.94003 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: WOOD OR TIMBER (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 7 33.2 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 18 FT RECOMMENDED IMPROVEMENTS 19 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 15.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 55.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$298,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$30,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$448,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 270A7430001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A743 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LESLIE SCRUGGS RD. COUNTY SEQUENCE: 1 CROSSING: PARKER BRANCH LOG MILE: 1.98 SUFFICIENCY RATING: 93.0 LOCATION: 3.1 MI N JCT SR5&SR152 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.87172 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91342 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2004 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 71.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 75.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0110 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 23.3 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.3 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A7430003 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A743
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: MCNIGHT RD. COUNTY SEQUENCE: 1
CROSSING: DUFFY BRANCH LOG MILE: 4.92
LOCATION: 1.6 MI NW JCT SR5&SR152 SUFFICIENCY RATING: 38.9

IDENTIFICATION —	CLASSIFICATION —	
(16a,b) LATITUDE: N 35.84347 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 88.93075 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL CITY STREET	
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(44a) APPR SPAN MATERIAL: <b>STEEL</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER	
(45) NUMBER OF MAIN SPANS:	CONDITION RATINGS	
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 5	
(107) TYPE OF DECK: WOOD OR TIMBER	(59) SUPERSTRUCTURE: 6	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 3	
A) TYPE OF SURFACE: GRAVEL	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N	
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44	
(27) YEAR THE BRIDGE WAS BUILT: 1993	WEIGHT POSTING (2 AXLE VEHICLES): 5 TONS	
(106) YEAR THE BRIDGE WAS BOILT. 1993 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): 0 TONS	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 0	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: CLOSED	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL -	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 3	
GEOMETRIC DATA	(68) DECK GEOMETRY: 5	
(48) MAXIMUM SPAN LENGTH: 30.8 FT	(69) UNDERCLEARANCE RATING: N	
(49) TOTAL BRIDGE LENGTH: 30.8 FT	(71) WATERWAY ADEQUACY: 6	
(45) TO THE BRIDGE ELITOTTI.	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) THE TROTOL	
(50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 23 FT	(36) TRAFFIC SAFETY FEATURES: 0000	
(50b) RIGHT SIDEWALK WIDTH:       0.0 FT         (51) BRIDGE CURB TO CURB WIDTH:       23 FT         (52) BRIDGE OUT TO OUT WIDTH:       24 FT	(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8	
(50b) RIGHT SIDEWALK WIDTH:       0.0 FT         (51) BRIDGE CURB TO CURB WIDTH:       23 FT         (52) BRIDGE OUT TO OUT WIDTH:       24 FT	(36) TRAFFIC SAFETY FEATURES: 0000 (113) SCOUR CONDITION RATING: 8  RECOMMENDED IMPROVEMENTS	
(50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  (52) BRIDGE OUT TO OUT WIDTH:  (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  19.0 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REPLACEMENT	
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  0.0 FT  19.0 FT  19.0 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT:  52.8 FT	
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  0.0 FT  19.0 FT  NO MEDIAN  NO MEDIAN	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REPLACEMENT  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: \$30,000.00	
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  0.0 FT  19.0 FT  NO MEDIAN  NO MEDIAN  NO MEDIAN	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: \$30,000.00	
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  0.0 FT  19.0 FT  NO MEDIAN  NO MEDIAN  19.0 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REPLACEMENT  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: \$30,000.00	
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY:  0.0 FT  19.0 FT  NO MEDIAN  5 DEGREES  NO FLARE  100 FT	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021	
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021  INSPECTION DATES	
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REPLACEMENT  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  1NSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  877/2023	
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN VERTICAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REPLACEMENT  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REPLACEMENT  (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): (92b) UNDERWATER INSP FREQUENCY (MONTHS): (92c) NOO	

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7450001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A745 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: MAG DUFFY RD. COUNTY SEQUENCE: 1 CROSSING: DUFFY BRANCH LOG MILE: 1.01 SUFFICIENCY RATING: 37.9 LOCATION: 1.4 MI NE JCT SR5&SR366 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.85681 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.90728 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 9 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 9 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 9 A) TYPE OF SURFACE: NONE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE 5 TONS WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 2023 WEIGHT POSTING (3 OR MORE AXLES): 36 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 5 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 50.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$285,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$29,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$428,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/15/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7490001



COUNTY: GIBSON

BRIDGE OWNER: CITY OF HUMBOLDT ROUTE: 0A749 SPECIAL CASE: 0 FIPS CODE: 36460 ROAD NAME: WILLIAM BARNETT RD. COUNTY SEQUENCE: 1 CROSSING: LITTLE SUGAR CREEK LOG MILE: 0.31 SUFFICIENCY RATING: 13.6 LOCATION: 0.8 MI E JCT SR76&SR366 - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.83544 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.88047 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: OTHER (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 0 TONS (27) YEAR THE BRIDGE WAS BUILT: 1993 WEIGHT POSTING (3 OR MORE AXLES): 27 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 5 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: O (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 0 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 50.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 50.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20.7 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 49.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$185,000.00 (34) BRIDGE SKEW: 90 DEGREES ROADWAY IMPROVEMENT COST: \$19,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$278,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/15/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 270A7500003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A750 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PLEASANT HILL RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH SUGAR CREEK LOG MILE: 2.99 SUFFICIENCY RATING: 93.7 LOCATION: 3.7 MI NE JCT SR76&SR152 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83258 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.84353 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 270A7520001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A752 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CREEKWOOD RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF SUGAR CREEK LOG MILE: 0.51 SUFFICIENCY RATING: 93.7 LOCATION: 2.7 MI E JCT SR76&SR152 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.82253 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.85992 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2017 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 105.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 105.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7520003



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A752 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CREEKWOOD RD. COUNTY SEQUENCE: 1 CROSSING: SUGAR CREEK LOG MILE: 0.56 SUFFICIENCY RATING: 93.7 LOCATION: 2.8 MI E JCT SR76&SR152 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.82169 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.85986 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2017 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 105.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 105.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 23.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A7530001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A753 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: JIM BOB SCRUGGS RD. COUNTY SEQUENCE: 1 CROSSING: SUGAR CREEK LOG MILE: 2.56 SUFFICIENCY RATING: 95.1 LOCATION: 1.4 MI NE JCT SR76&SR366 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.84633 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.87658 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2008 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 37.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.6 FT RECOMMENDED IMPROVEMENTS 37.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.6 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A8000001

BRIDGE OWNER: CITY OF HUMBOLDT



COUNTY: GIBSON

ROUTE: 0A800 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: N. 11TH AVE. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.40 SUFFICIENCY RATING: 84.0 LOCATION: IN CITY OF HUMBOLT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.82269 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91961 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 30.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

**PUBLICATION DATE** 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A9250001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A925

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DAISY DONALDSON RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.80 SUFFICIENCY RATING: 62.8 LOCATION: 4.5 MI NW JCT SR5&SR152 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: NO Ν 35.86181 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.97972 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): 18 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 17.5 FT (71) WATERWAY ADEQUACY: 4 (49) TOTAL BRIDGE LENGTH: 18.4 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 9 (51) BRIDGE CURB TO CURB WIDTH: 21.3 FT RECOMMENDED IMPROVEMENTS 21.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 19.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 37.7 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$215,000.00 (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: \$22,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$323,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 270A9300001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A930 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PETER SMITH GRAVEL RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF DAVIS CREEK LOG MILE: 1.07 SUFFICIENCY RATING: 97.0 LOCATION: 5.0 MI NE JCT SR54&CROCKE - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.89106 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.98878 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2011 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 18.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/25/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A9310001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A931 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LAYMAN RD. COUNTY SEQUENCE: 1 CROSSING: DAVIS CREEK LOG MILE: 0.62 SUFFICIENCY RATING: 97.0 LOCATION: 4.4 MI SW JCT SR 5 &SR367 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.89668 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.99837 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 55.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 58.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

LOCATION: 3.6 MI NE JCT SR54&CROCK.



SUFFICIENCY RATING: 35.5

BRIDGE ID NUMBER: 270A9310003 COUNTY GIBSON
BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A931
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: LAYMAN RD. COUNTY SEQUENCE: 1
CROSSING: REAGAN CREEK LOG MILE: 2.58

IDENTIFICATION —	CLASSIFICATION —	_
(16a,b) LATITUDE: N 35.89511 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	2
(17a,b) LONGITUDE: W 89.03261 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAL	
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRID	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: WOOD OR TIMBER	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS	•
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NOT BEEN DETERMINED	
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS	_
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK:	3
(107) TYPE OF DECK: WOOD OR TIMBER	(59) SUPERSTRUCTURE:	5
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE:	6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):	1
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	_
AGE AND SERVICE	(31) DESIGN LOADING: H-20-44	4
	WEIGHT POSTING (2 AXLE VEHICLES): 4 TONS	3
(27) YEAR THE BRIDGE WAS BUILT: 1990	WEIGHT POSTING (3 OR MORE AXLES): 0 TONS	3
(106) YEAR THE BRIDGE WAS REHABILITATED: 2015 (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE:	0
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: CLOSED	
(42b) ONDER BRIDGE.		
(28a) NUMBER OF LANES CARRIED BY BRIDGE	AFFRAISAL	_
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0		3
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION:	3 5
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION:	5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  19.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:	5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT  (49) TOTAL BRIDGE LENGTH: 38.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT:	5 N
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT (49) TOTAL BRIDGE LENGTH: 38.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000	5 N 8 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT (49) TOTAL BRIDGE LENGTH: 38.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:	5 N 8 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT (49) TOTAL BRIDGE LENGTH: 38.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000	5 N 8 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  (49) TOTAL BRIDGE LENGTH:  (50a) LEFT SIDEWALK WIDTH:  (50b) RIGHT SIDEWALK WIDTH:  (51) BRIDGE CURB TO CURB WIDTH:  23 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:	5 N 8 8
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 20 21 22 24 25 26 26 27 28 29 29 20 20 20 21 22 23 24 24 25 26 26 27 28 28 28 28 28 28 28 28 28 28 28 28 28	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS	5 N 8 8 0 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:  20  CEOMETRIC DATA  19.0 FT  20  21  22  23  24  26  26  26  27  27  27  28  29  29  20  20  20  20  20  20  20  20	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: \$163,000.0	5 N 8 8 8 0 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (117,000.0	5 N 8 8 8 0 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 7 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) STRUCTURAL EVALUATION: (98) TOTAL PROJECT COST: (98) \$163,000.00 (99) TOTAL PROJECT COST: (92) \$245,000.00	5 N 8 8 8 0 5
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98)	5 N 8 8 0 5 T 0 0
(28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  19.0 FT  19.0 FT  19.0 FT  19.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) STRUCTURAL EVALUATION: (98) TOTAL PROJECT COST: (98) \$163,000.00 (99) TOTAL PROJECT COST: (92) \$245,000.00	5 N 8 8 0 5 T 0 0
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT (49) TOTAL BRIDGE LENGTH: 38.1 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 23 FT (52) BRIDGE OUT TO OUT WIDTH: 24 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.9 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 7 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98)	5 N 8 8 8 0 5 T 0 0 0
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (19.0 FT  19.0 FT  19.0 FT  19.0 FT  19.0 FT  19.0 FT  19.0 FT  10.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TYPE OF WORK:  **RECOMMENDED IMPROVEMENTS** (75) TYPE OF WORK:  **BRIDGE REHABILITATION** (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  **PECTION DATES** (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS):  **PROVEMENT COST STIMATES** (94) BRIDGE IMPROVEMENT COST ESTIMATE: (95) ROADWAY IMPROVEMENT COST ESTIMATE: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) DATE OF LAST REGULAR INSPECTION: (99) DATE OF LAST REGULAR INSPECTION: (99) REGULAR INSPECTION FREQUENCY (MONTHS):	5 N 8 8 8 0 5 5 T 0 0 0 22 3
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (NOT A PPLICABLE (55a) HORZ UNDERCLR: (NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  NAME OF MATERIAL STRUCK OF MOTOR OF MOTOR OF MATERIAL STRUCK OF MOTOR OF MOTOR OF MATERIAL STRUCK OF MOTOR OF MATERIAL STRUCK OF MOTOR	5 N 8 8 8 0 5 T 0 0 0 22 3 4
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (19.0 FT  19.0 FT  19.0 FT  19.0 FT  19.0 FT  19.0 FT  19.0 FT  10.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (92b) UNDERWATER INSP FREQUENCY (MONTHS): (900)	5 N 8 8 0 5 T 0 0 0 22 3 4 A 0
GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR: (NOT A PPLICABLE (55a) HORZ UNDERCLR: (NOT A PPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR):  NAME OF MATERIAL STRUCK OF MOTOR OF MOTOR OF MATERIAL STRUCK OF MOTOR OF MOTOR OF MATERIAL STRUCK OF MOTOR OF MATERIAL STRUCK OF MOTOR	5 N 8 8 0 5 T 0 0 0 22 3 4 A 0 A

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A9460001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A946 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCMURRY RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF DAVIS CREEK LOG MILE: 0.32 SUFFICIENCY RATING: 93.0 LOCATION: 3.8 MI SW JCT SR54&SR367 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.93347 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.99837 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: INTEGRAL CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2010 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 59.5 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 69.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1110 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **60 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A9460007



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A946 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCMURRY RD. COUNTY SEQUENCE: 1 LOG MILE: 2.12 CROSSING: DAVIS CREEK SUFFICIENCY RATING: 99.0 LOCATION: 5.3 MI SW JCT SR54&SR367 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.93181 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.02992 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2009 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 59.1 FT (71) WATERWAY ADEQUACY: 6 63.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1110 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 21.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A9460009

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A946

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCMURRY RD. COUNTY SEQUENCE: 1 LOG MILE: 2.24 CROSSING: REAGAN CREEK SUFFICIENCY RATING: 85.0 LOCATION: 5.4 MI SW JCT SR54&SR367 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.93056 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.03130 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2009 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 59.1 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 63.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 8 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 270A9490001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A949 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LOOP RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH OF BUCK CREEK LOG MILE: 0.72 SUFFICIENCY RATING: 89.5 LOCATION: 5.5 MI SW JCT SR54&SR367 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.94764 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.04278 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/8/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A9500001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A950 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WALTER CRESAP RD. COUNTY SEQUENCE: 1 CROSSING: BUCK CREEK LOG MILE: 0.31 SUFFICIENCY RATING: 97.0 LOCATION: 4.4 MI SW JCT SR54&SR367 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.95747 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.01967 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 27.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A9560003

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A956 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHARLIE BUTLER RD. COUNTY SEQUENCE: 1 CROSSING: BR MID FORK FORKED DEER LOG MILE: 4.48 SUFFICIENCY RATING: 42.5 LOCATION: 4.4 MI NW JCT SR54&CROCK. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.90880 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.09850 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: LOCAL RURAL ROAD (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: ONE LANE BRIDGE FOR 2-WAY TRAFFIC **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE 6 TONS WEIGHT POSTING (2 AXLE VEHICLES): (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **11.2 TONS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2014 (70) BRIDGE POSTING CODE: 3 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 32.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 17.1 FT RECOMMENDED IMPROVEMENTS 18.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 18.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 32.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$140,000.00 (34) BRIDGE SKEW: 13 DEGREES ROADWAY IMPROVEMENT COST: \$15,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$211.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 17.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409

**PUBLICATION DATE** 11-Mar-24

and its production pursuant to a public document records request does not waive the provisions of §409



6

6

6

6

5

5

6

8

5

8/3/2023

24

N/A

N00

N/A

N00

BRIDGE ID NUMBER: 270A9750001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A975 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TYREE LOOP COUNTY SEQUENCE: 1 CROSSING: BRANCH OF BUCK CREEK LOG MILE: 1.78 SUFFICIENCY RATING: 72.5 LOCATION: 3.8 MI SE JCT SR104&SR188 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.95586 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.07125 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: (49) TOTAL BRIDGE LENGTH: 38.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 21 FT RECOMMENDED IMPROVEMENTS 22 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 18.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 60 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$321,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$33,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$482,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

N/A

N/A

N/A

**NOT A HIGHWAY OR RAILROAD** 

**NO NAVIGATION CONTROL** 

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

(90) DATE OF LAST REGULAR INSPECTION:

(91) REGULAR INSPECTION FREQUENCY (MONTHS):

(93b) DATE OF LAST UNDERWATER INSP (MO/YR):

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270A9780001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0A978

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GUMWOODS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.35 SUFFICIENCY RATING: 22.7 LOCATION: 2.4 MI NE JCT SR43&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00039 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.05253 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **TEMPORARY BRIDGE IN-PLACE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 2 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 4 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN, TEMP STRUCTURE **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 24.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 24.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS 23 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 46.3 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$291,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$30,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$437.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/31/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 270A9820001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A982 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GUMWOODS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.89 SUFFICIENCY RATING: 54.7 LOCATION: 2.4 MI NE JCT SR43&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.01033 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.10181 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 13 TONS (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): 23 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 50.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$319,000.00 (34) BRIDGE SKEW: 35 DEGREES ROADWAY IMPROVEMENT COST: \$32,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$479,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 270A9820003 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A982 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GUMWOODS RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.42 SUFFICIENCY RATING: 48.0 LOCATION: 2.4 MI NE JCT SR43&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.01069 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.11133 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 10 TONS (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): 18 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: 2015 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 20.3 FT RECOMMENDED IMPROVEMENTS 21.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 60 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$362,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$37,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$544.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N/A

N00

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

NAVIGATION DATA

**NO NAVIGATION CONTROL** 

N/A

N/A

N/A



BRIDGE ID NUMBER: 270A9940001 COUNTY: GIBSON
BRIDGE OWNER: GIBSON COUNTY ROUTE: 0A994
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: BLUFF RD. COUNTY SEQUENCE: 1
CROSSING: BRANCH LOG MILE: 1.56
LOCATION: {.0 MI SW JCT SR104&SR188} SUFFICIENCY RATING: 83.5

IDENTIFICATION CLASSIFICATION
16a,b) LATITUDE: N 35.98572 DEGREES (112) MEETS NBIS BRIDGE LENGTH:

IDENTIFICATION	
(16a,b) LATITUDE: N 35.98572 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 89.15297 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: LOCAL RURAL ROAD
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
	(103) TEMPORARY BRIDGE: NOT APPLICABLE
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(43a) MAIN SPAN MATERIAL: CONCRETE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 2	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: 7
(107) TYPE OF DECK: CONCRETE PRECAST PANELS	(59) SUPERSTRUCTURE: 6
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 7
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): N
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(27) YEAR THE BRIDGE WAS BUILT: 1998 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
	(70) BRIDGE POSTING CODE: 5
(42a) SERVICE ON BRIDGE: HIGHWAY (42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: WEIGHT POSTED
(420) UNDER BRIDGE. WAIERWAY	
	APPRAISAL ————
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL  (67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	
(28a) NUMBER OF LANES CARRIED BY BRIDGE:  (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 19.0 FT	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: 37.1 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH:  2 0 19.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 20 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 22 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 5
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  20  19.0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 12 DEGREES	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) BRIDGE IMPROVEMENT: (78) N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  100	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT: (78) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (98) ROADWAY IMPROVEMENT COST: (99) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (10) TO ATA  NO MEDIAN (147) MIN HORIZONTAL CLEARANCE ON ROADWAY: (150) TO ATA  150  160  170  180  190  190  190  190  190  190  19	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: INSPECTION DATES
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION:  8/9/2023
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 12 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.0 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 8/9/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD (55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (59) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270B0090001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0B009 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HICKS ST. EXT. COUNTY SEQUENCE: 1 CROSSING: BR RUTHERFORD FK OBION R LOG MILE: 0.93 SUFFICIENCY RATING: 94.9 LOCATION: 1.3 MI SE JCT SR5&SR89 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.18406 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.99981 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: NONE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2021 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1NNN (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270B0100001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0B010 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD RUTHERFORD-KENTON RD. COUNTY SEQUENCE: 1 CROSSING: EDMONDSON CREEK LOG MILE: 0.88 SUFFICIENCY RATING: 100.0 LOCATION: 2.9 MI NW JCT SR5&SR105 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.15967 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.01175 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2022 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 75.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 75.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 28.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270B0060001



COUNTY: GIBSON

BRIDGE OWNER: GIBSON COUNTY ROUTE: 0B010 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD RUTHERFORD-KENTON RD. COUNTY SEQUENCE: 1 CROSSING: BR RUTHERFORD FORK OBION LOG MILE: 2.59 SUFFICIENCY RATING: 70.0 LOCATION: 1.4 MI S JCT SR5&SR89 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.18250 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.01256 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 28.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 25.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$144,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$15,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$217.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/2/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270B0110001

BRIDGE OWNER: GIBSON COUNTY



COUNTY: GIBSON

ROUTE: 0B011

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NORTHERNS CHAPEL RD. COUNTY SEQUENCE: 1 CROSSING: EDMUNDSON CREEK BRANCH LOG MILE: 1.66 SUFFICIENCY RATING: 73.4 LOCATION: 1.4 MI S JCT SR5&SR89 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.14914 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.02131 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: NONE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2023 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Frror (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 65.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 65.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 38.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$163,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$17,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$245,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27SR0050003 COUNTY: GIBSON BRIDGE OWNER: CITY OF HUMBOLDT ROUTE: 0B079 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: BARR ST. COUNTY SEQUENCE: 1 CROSSING: LITTLE SUGAR CREEK LOG MILE: 0.11 SUFFICIENCY RATING: 78.4 LOCATION: .2 MILE SOUTH OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.80781 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89397 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: BRIDGE TYPE AND MATERIAL =

a) MAIN SPAN MATERIAL:	CONCRETE
(a) (b) / (	00.10.12.2

(43 (44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

C) TYPE PROTECTION:

(46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE

### AGE AND SERVICE (27) YEAR THE BRIDGE WAS BUILT: 1925 (106) YEAR THE BRIDGE WAS REHABILITATED: 1957 (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: O

GEOMETRIC DATA	
OLOMETRIO DATA	
(48) MAXIMUM SPAN LENGTH:	54.1 FT
(49) TOTAL BRIDGE LENGTH:	54.1 FT
(50a) LEFT SIDEWALK WIDTH:	0.0 FT
(50b) RIGHT SIDEWALK WIDTH:	0.0 FT
(51) BRIDGE CURB TO CURB WIDTH:	27.9 FT
(52) BRIDGE OUT TO OUT WIDTH:	35.1 FT
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:	28.9 FT
(33) BRIDGE MEDIAN:	NO MEDIAN

(34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

### NAVIGATION DATA

**NO NAVIGATION CONTROL** (38) NAV CONTROL: (39) NAVIGATION VERTICAL CLEARANCE: N/A (116) LIFT BRIDGE VERT CLEARANCE: N/A (40) NAVIGATION HORZ CLEARANCE: N/A

# NONE

1

YES **NOT A NHS ROUTE LOCAL CITY STREET** NO PARALLEL BRIDGE 2-WAY TRAFFIC **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **NOT BEEN DETERMINED** 

(58) DECK:	6
(59) SUPERSTRUCTURE:	5
(60) SUBSTRUCTURE:	6
(61) STREAM CHANNEL AND CHANNEL PROTECTION:	6
(62) CULVERT CONDITION (IF APPLICABLE):	N
DECION LOAD AND WEIGHT POSTING -	

**CONDITION RATINGS** •

DEGIGIT EGAD AND WEIGHT I GOTING	
HS-20-44	(31) DESIGN LOADING:
ALL LEGAL LOADS	WEIGHT POSTING (2 AXLE VEHICLES):
ALL LEGAL LOADS	WEIGHT POSTING (3 OR MORE AXLES):
5	(70) BRIDGE POSTING CODE:

11) WT POSTING STATUS:	OPEN

AFFINAISAL	
(67) STRUCTURAL EVALUATION:	5
(68) DECK GEOMETRY:	7
(69) UNDERCLEARANCE RATING:	N
(71) WATERWAY ADEQUACY:	6
(72) APPROACH ROADWAY ALIGNMENT:	8
(36) TRAFFIC SAFETY FEATURES:	0000
(113) SCOUR CONDITION RATING:	3

	RECOMMENDED IMPROVEMENTS	
	5) TYPE OF WORK: BRIDGE REHABILITATION	(75)
54.1 FT	6) LENGTH OF BRIDGE IMPROVEMENT:	(76)
\$299,000.00	BRIDGE IMPROVEMENT COST:	(94)
\$30,000.00	S) ROADWAY IMPROVEMENT COST:	(95)
\$449,000.00	6) TOTAL PROJECT COST:	(96)
2022	Y) YEAR OF IMPROVEMENT COST ESTIMATE:	(97)
	INSPECTION DATES	
8/1/2023	N DATE OF LAST REGULAR INSPECTION:	(90)

(90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N00



BRIDGE ID NUMBER: 270A3520001 COUNTY: GIBSON BRIDGE OWNER: GIBSON COUNTY ROUTE: 0B090 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CASON RD. COUNTY SEQUENCE: 1 CROSSING: BEAR CREEK LOG MILE: 1.13 SUFFICIENCY RATING: 41.5 LOCATION: 3.4 MI S JCT SR43&SR54 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.02725 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81553 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **WOOD OR TIMBER** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 4 TONS (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **6.8 TONS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 3 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 3 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 20.0 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 47.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 23 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 70.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$369,000.00 (34) BRIDGE SKEW: 6 DEGREES ROADWAY IMPROVEMENT COST: \$37,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$554.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2021 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/8/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 270B1000001 BRIDGE OWNER: GIBSON COUNTY ROUTE: 0B100 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ERBY KNOTT RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.35 SUFFICIENCY RATING: 60.5 LOCATION: 3.4 MI SE JCT SR43&SR54 IDENTIFICATION CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.03367 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.79836 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: WOOD OR TIMBER (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: WOOD OR TIMBER (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): 9 TONS (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): 16.9 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 3 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 4 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 29.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 16.1 FT RECOMMENDED IMPROVEMENTS 17.1 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 29.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$86,000.00 (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: \$9,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$130,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 16.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/19/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015850001



COUNTY: GIBSON

BRIDGE OWNER: CITY OF MILAN ROUTE: 0B112 FIPS CODE: 48660 SPECIAL CASE: 0 ROAD NAME: BAIRD ST. COUNTY SEQUENCE: 1 CROSSING: ROE CREEK LOG MILE: 0.68 SUFFICIENCY RATING: 50.5 LOCATION: IN CITY OF MILAN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.92942 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.75081 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 29.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 67.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 88.3 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$550,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$56,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$826,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 9/14/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27030060001

BRIDGE OWNER: CITY OF HUMBOLDT



COUNTY: GIBSON

ROUTE: 0B128

SPECIAL CASE: 0 FIPS CODE: 36460 ROAD NAME: MCLIN ST. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.33 SUFFICIENCY RATING: 96.7 LOCATION: IN HUMBOLT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.82836 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91622 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1980 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 17.4 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 38.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 4.9 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 55 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/24/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27029990001 COUNTY: GIBSON BRIDGE OWNER: CITY OF HUMBOLDT ROUTE: 0B132 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: 6TH AVE. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.06 SUFFICIENCY RATING: 86.6 LOCATION: .4 M SW JCT SR5&SR76 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.82103 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92317 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: OTHER (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 27.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 68.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 30.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 8/1/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 270B4000001



COUNTY: GIBSON

BRIDGE OWNER: CITY OF HUMBOLDT ROUTE: 0B401 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: NOT AVAILABLE COUNTY SEQUENCE: 1 CROSSING: BRANCH OF DUFFY CREEK LOG MILE: 0.13 SUFFICIENCY RATING: 99.8 LOCATION: 1.1 KM NW OF US45W/US79BP - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.84619 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92098 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2021 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27SR0050001 BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: SUGAR CREEK LOG MILE: 0.87 SUFFICIENCY RATING: 73.9 LOCATION: .8 MILE SOUTH OF HUMBOLDT - IDENTIFICATION - CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.80458 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.88983 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 38.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 114.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) 114.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$1,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$1,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$2,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27SR0050002 BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: SUGAR CREEK LOG MILE: 0.87 SUFFICIENCY RATING: 73.9 LOCATION: .8 MILE SOUTH OF HUMBOLDT - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.80447 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89003 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 38.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 114.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) 114.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$1,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$1,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$2,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050041



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: MAIN ST. COUNTY SEQUENCE: 1 CROSSING: LITTLE SUGAR CREEK LOG MILE: 1.32 SUFFICIENCY RATING: 77.5 LOCATION: IN HUMBOLDT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.80925 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89297 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 49.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 47.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 48.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$425,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$43,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$638,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 73.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27CULV01059 COUNTY: GIBSON **BRIDGE OWNER:** ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NOT AVAILABLE COUNTY SEQUENCE: 1 CROSSING: branch LOG MILE: 3.20 LOCATION: SUFFICIENCY RATING: IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: NO Ν 35.82263 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91592 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE — CONDITION RATINGS — (45) NUMBER OF MAIN SPANS: (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Error (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 0 (67) STRUCTURAL EVALUATION: 0 (28b) NUMBER OF LANES UNDER THE BRIDGE: (68) DECK GEOMETRY: GEOMETRIC DATA = (69) UNDERCLEARANCE RATING: (48) MAXIMUM SPAN LENGTH: 10.3 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 12.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: #Error RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 39.4 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 11 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: #Error (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 #Frror (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): #Frror N/A (56) MIN HORZ UNDERCLR ON LEFT: #Error (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA

NO NAVIGATION CONTROL

#Error

#Error

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

PRODUCED PURSUANT TO PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

NOO

(92c) SPECIAL INSP FREQUENCY (MONTHS):

BRIDGE ID NUMBER: 27SR0050005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: N. CENTRAL AVE. COUNTY SEQUENCE: 1 CROSSING: LICK CREEK LOG MILE: 3.68 SUFFICIENCY RATING: 59.4 LOCATION: IN HUMBOLDT CITY LIMITS IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.82925 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91533 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1923 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 46.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 64 FT RECOMMENDED IMPROVEMENTS 88.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 64.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 25.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$240,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$25,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$361,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 64.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050007

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR005

FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: N. CENTRAL AVE. COUNTY SEQUENCE: 1 CROSSING: DUFFY BRANCH LOG MILE: 5.01 SUFFICIENCY RATING: 67.9 LOCATION: .5 MI.NORTH OF HUMBOLDT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.84833 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91569 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 32.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 60.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 32.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$341,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$35,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$512,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 87.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050009



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TRENTON HWY. COUNTY SEQUENCE: 1 CROSSING: BARNETT BRANCH LOG MILE: 6.29 SUFFICIENCY RATING: 67.9 LOCATION: 1.6 MI.NORTH OF HUMBOLDT - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.86615 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92215 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 26.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 26.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$256,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$26,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$385,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050051



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TRENTON HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 8.64 SUFFICIENCY RATING: 67.9 LOCATION: 3.0 MI. NORTH OF HUMBOLT IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.89819 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.93200 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 37.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 36.1 FT (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: \$372,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$38,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$559,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050011



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TRENTON HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 9.51 SUFFICIENCY RATING: 67.9 LOCATION: 2.8 MI.S.OF TRENTON IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.91002 DEGREES 88.93704 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 39 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$363,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$37,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$545,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050013



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TRENTON HWY. COUNTY SEQUENCE: 1 CROSSING: CAIN CREEK LOG MILE: 9.89 SUFFICIENCY RATING: 67.9 LOCATION: 2.5 MI.S.OF TRENTON IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.91522 DEGREES 88.93833 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 71.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 60.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 70.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$754,000.00 (34) BRIDGE SKEW: **60 DEGREES** ROADWAY IMPROVEMENT COST: \$76,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.132.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 87.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050015



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TRENTON HWY. COUNTY SEQUENCE: 1 CROSSING: DRAINAGE DITCH LOG MILE: 9.95 SUFFICIENCY RATING: 67.9 LOCATION: 2.3MI SO. OF TRENTON IDENTIFICATION - CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.91633 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.93853 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** 63.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 23.3 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$353,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$36,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$530,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 87.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050043



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HUMBOLDT HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 11.46 SUFFICIENCY RATING: 66.9 LOCATION: 2 MI S JCT SR54 & SR367 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.93798 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94077 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 20.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 62.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 23 FT **OPEN MEDIAN** (33) BRIDGE MEDIAN: BRIDGE IMPROVEMENT COST: \$281,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$29,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$422,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 86.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050017



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: N. HWY. 45 BYPASS COUNTY SEQUENCE: 1 CROSSING: N. FK. FORKED DEER RIVER LOG MILE: 14.64 SUFFICIENCY RATING: 75.8 LOCATION: NORTH TRENTON CITY LIMITS - IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.98183 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.93017 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 9 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1963 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1996 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 45.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 405.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 33.1 FT RECOMMENDED IMPROVEMENTS 35.1 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 404.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$917,000.00 (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: \$92,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1,376,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050039



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: N. HWY. 45 BYPASS COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 14.85 SUFFICIENCY RATING: 85.3 LOCATION: .25 MI N OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98500 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.93008 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050071



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 17.29 SUFFICIENCY RATING: 69.7 LOCATION: 1.5 MI N OF SR 104 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00594 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 88.95131 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 42.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 0.0 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 60.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 42.7 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$476,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$48,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$715.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050061



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 18.22 SUFFICIENCY RATING: 69.5 LOCATION: 2 MI N OF SR104 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.01297 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96458 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 28.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 27.9 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$279,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$28,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$419.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050073



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: ROGER BRANCH LOG MILE: 18.70 SUFFICIENCY RATING: 69.5 LOCATION: 2 MI N OF SR104 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.01817 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.97061 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 26.3 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 76.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 26.2 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$265,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$27,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$398,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050059

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR005

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 19.78 SUFFICIENCY RATING: 70.6 LOCATION: 5 MI N OF SR 104 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03253 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.97567 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 27.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 27.9 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$280,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$29,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$421,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050053



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 20.74 SUFFICIENCY RATING: 70.6 LOCATION: 6 MI N OF SR 104 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.04419 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.98472 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 29.3 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 84.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 29.2 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$289,000.00 (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: \$29,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$434.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR0050048 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: WEST TN RAILROAD LOG MILE: 20.76 SUFFICIENCY RATING: 94.3 LOCATION: 6.5 MI N OF SR 104 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.04417 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 88.98500 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 59.5 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 169.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 41 FT RECOMMENDED IMPROVEMENTS 43 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 26 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 24.41 FT (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 26.57 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27SR0050047 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: WEST TN RAILROAD LOG MILE: 20.76 SUFFICIENCY RATING: 89.6 LOCATION: 6.5 MI N OF SR 104 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.04439 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 88.98489 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 59.5 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 169.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 41 FT RECOMMENDED IMPROVEMENTS 43 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 26 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 43.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 23.59 FT (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 26.57 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050063



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 20.94 SUFFICIENCY RATING: 71.4 LOCATION: 6.5 MI N OF SR 104 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.04628 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.98711 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 29.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 29.5 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$295,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$30,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$443,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050065



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 21.97 SUFFICIENCY RATING: 71.4 LOCATION: 7.5 MI N OF SR 104 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.05711 DEGREES YES 88.99950 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 13.5 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 27.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 26.9 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$271,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$28,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$407.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050067



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 22180 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: SAND CREEK LOG MILE: 23.16 SUFFICIENCY RATING: 71.4 LOCATION: IN DYER CITY LIMITS IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07283 DEGREES YES 89.00669 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 27.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT 26.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$270,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$28,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$406.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050069



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 22180 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 23.19 SUFFICIENCY RATING: 70.6 LOCATION: IN DYER CITY LIMITS IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07283 DEGREES YES 89.00810 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 27.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 16.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: **OPEN MEDIAN** (33) BRIDGE MEDIAN: BRIDGE IMPROVEMENT COST: \$270,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$28,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$406.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27SR0050046 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 22180 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: SR 5 / SR 77 LOG MILE: 23.23 SUFFICIENCY RATING: 94.3 LOCATION: IN DYER CITY LIMITS IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07378 DEGREES YES 89.00661 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 102.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 102.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 41 FT RECOMMENDED IMPROVEMENTS 43 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT INSPECTION DATES **HIGHWAY BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 17.32 FT (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 19.36 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR0050045 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 22180 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: SR 5 / SR 77 LOG MILE: 23.23 SUFFICIENCY RATING: 94.0 LOCATION: IN DYER CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07378 DEGREES YES 89.00639 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 102.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 102.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 41 FT RECOMMENDED IMPROVEMENTS 43 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 38.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT INSPECTION DATES **HIGHWAY BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 16.93 FT (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 19.36 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050055



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 25.91 SUFFICIENCY RATING: 72.3 LOCATION: 2.5 MI N OF SR 077 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.10783 DEGREES YES 89.00175 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 20.3 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 21 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$222,000.00 (34) BRIDGE SKEW: 44 DEGREES ROADWAY IMPROVEMENT COST: \$23,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$334.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 43.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR0050049 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 65760 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: SR105 LOG MILE: 26.88 SUFFICIENCY RATING: 94.7 LOCATION: IN RUTHERFORD CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.12564 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.00625 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 89.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 183.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 41.3 FT RECOMMENDED IMPROVEMENTS 43.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 18.01 FT (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 30.84 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR0050050 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 65760 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: SR105 LOG MILE: 26.88 SUFFICIENCY RATING: 94.7 LOCATION: IN RUTHERFORD CITY LIMITS IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.12567 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.00653 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2000 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 89.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 183.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 41.3 FT RECOMMENDED IMPROVEMENTS 43.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 18.5 FT (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 30.84 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050057



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-5 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 28.10 SUFFICIENCY RATING: 76.0 LOCATION: 1.5MI N OF SR 105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.14208 DEGREES 88.99981 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 25.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$253,000.00 (34) BRIDGE SKEW: 28 DEGREES ROADWAY IMPROVEMENT COST: \$26,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$380,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 56.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27SR0050035 BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: KENTON HWY. COUNTY SEQUENCE: 1 CROSSING: EDMONDSON CREEK LOG MILE: 29.99 SUFFICIENCY RATING: 49.0 LOCATION: 1.6 MI.N.OF RUTHERFORD - IDENTIFICATION - CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.16789 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.00167 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1927 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1962 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 30.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 62.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 34.1 FT **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 62 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$158,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$16,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$238,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 27SR0050037



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR005 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RUTHERFORD HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 31.10 SUFFICIENCY RATING: 60.8 LOCATION: .7 MI.S.OF KENTON IDENTIFICATION - CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.18303 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 89.01308 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1927 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1962 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 29.5 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 29.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 28.9 FT RECOMMENDED IMPROVEMENTS 35.1 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 28.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$80,000.00 (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: \$9,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$121,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27SR0430029 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HWY. 45E COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.73 SUFFICIENCY RATING: 73.9 LOCATION: .5 MI N JCT SR43&SR152 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.81314 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.77508 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1990 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 13.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 27.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 76.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 26.9 FT **NO MEDIAN** (33) BRIDGE MEDIAN: BRIDGE IMPROVEMENT COST: \$261,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$27,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$392,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0430003



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MEDINA HWY. COUNTY SEQUENCE: 1 CROSSING: I.C.G. RAILROAD LOG MILE: 4.79 SUFFICIENCY RATING: 83.0 LOCATION: 2.8 MI S OF MILAN IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.85067 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.75094 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL EXPRESSWAY (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 8 (48) MAXIMUM SPAN LENGTH: 83.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 240.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 38.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 50 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 23 FT (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 **RAILROAD BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 23.95 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0430004

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR043

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MEDINA HWY. COUNTY SEQUENCE: 1 CROSSING: I.C.G. RAILROAD LOG MILE: 4.81 SUFFICIENCY RATING: 79.7 LOCATION: 2.8 MI.S.OF MILAN IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.85100 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 88.75103 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 73.5 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 215.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS 49.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 38.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 214.9 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$1,522,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$153,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$2,284,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 22.83 FT (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 18.04 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409

**PUBLICATION DATE** 11-Mar-24

and its production pursuant to a public document records request does not waive the provisions of §409

BRIDGE ID NUMBER: 27SR0430005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. FIRST ST. COUNTY SEQUENCE: 1 CROSSING: CLEAR CREEK LOG MILE: 7.39 SUFFICIENCY RATING: 57.0 LOCATION: .6 MI.S.OF MILAN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.88733 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.74764 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 80.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 22 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$241,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$25,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$362,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 67.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0430007



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: FLIPPEN CREEK LOG MILE: 11.64 SUFFICIENCY RATING: 83.8 LOCATION: .5 MI.N.OF MILAN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.94525 DEGREES 88.76814 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 101.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 101.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: 1001 4.9 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 81 FT RECOMMENDED IMPROVEMENTS 92.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 80.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 81.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0430009

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR043

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: MAYS CREEK LOG MILE: 13.67 SUFFICIENCY RATING: 82.8 LOCATION: 2.5 MI.N.OF MILAN IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97250 DEGREES YES 88.78194 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 100.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 100.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: 1000 4.9 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 81 FT RECOMMENDED IMPROVEMENTS 92.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 80.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 81.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0430012

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR043

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 15.05 SUFFICIENCY RATING: 98.4 LOCATION: 3.4 MI N OF MILAN IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.99131 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.79067 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 8 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 57.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 430.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0430011

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR043

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 15.05 SUFFICIENCY RATING: 97.4 LOCATION: 3.4 MI.N.OF MILAN IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.99125 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.79036 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL EXPRESSWAY (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 8 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 57.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 430.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 41.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0430014



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORK FK OBION RIVE LOG MILE: 15.23 SUFFICIENCY RATING: 98.4 LOCATION: 4 MI N OF MILAN - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.99406 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.79175 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 70.0 FT (71) WATERWAY ADEQUACY: 6 182.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0430013



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FK.OBION RIVE LOG MILE: 15.23 SUFFICIENCY RATING: 98.4 LOCATION: 4 MILES N.OF MILAN - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.99372 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.79158 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 71.0 FT (71) WATERWAY ADEQUACY: 6 182.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR0430031 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MILAN HWY. COUNTY SEQUENCE: 1 CROSSING: NORFOLK SOUTHERN RR LOG MILE: 17.69 SUFFICIENCY RATING: 94.4 LOCATION: 3.1 MI S JCT SR43 & SR54 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.02658 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.80892 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 97.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 279.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 38.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **57 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 23.16 FT (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 24.93 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0430032



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MILAN HWY. COUNTY SEQUENCE: 1 CROSSING: NORFOLK SOUTHERN RR LOG MILE: 17.69 SUFFICIENCY RATING: 94.4 LOCATION: 3.1 MI S JCT SR 43 & SR54 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.02611 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.80900 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 97.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 279.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 38.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **57 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 24.25 FT (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 24.93 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0430033



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MILAN HWY. COUNTY SEQUENCE: 1 CROSSING: BEAR CREEK LOG MILE: 18.12 SUFFICIENCY RATING: 66.8 LOCATION: IN IDLEWILD CITY LIMITS - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03219 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81217 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 21.2 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 68.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 76.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 67.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$614,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$62,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$922,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0430019



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GREENFIELD HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 23.65 SUFFICIENCY RATING: 69.4 LOCATION: .2 MI.N.OF BRADFORD IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.10753 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.81119 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1995 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 28.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 76.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 25.9 FT **OPEN MEDIAN** (33) BRIDGE MEDIAN: BRIDGE IMPROVEMENT COST: \$253,000.00 (34) BRIDGE SKEW: 50 DEGREES ROADWAY IMPROVEMENT COST: \$26,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$380,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0430021



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GREENFIELD HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 24.02 SUFFICIENCY RATING: 82.1 LOCATION: .3 MI.S.OF WEAKLEY CO. IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.11303 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.81108 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 57.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 285.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 87.9 FT RECOMMENDED IMPROVEMENTS 89.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 80.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 88.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0430023



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR043 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GREENFIELD HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 24.19 SUFFICIENCY RATING: 87.8 LOCATION: AT WEAKLEY CO. LINE IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.11544 DEGREES (17a,b) LONGITUDE: 88.81083 **DEGREES** (104) NATIONAL HIGHWAY SYSTEM: w **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 57.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 285.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 87.9 FT RECOMMENDED IMPROVEMENTS 89.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 80.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 88.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0540001



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ALAMO HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 0.24 SUFFICIENCY RATING: 79.9 LOCATION: .3 MI.N.OF CROCKETT CO. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.85339 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.06222 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 54.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 160.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 160.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$842,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$85,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1,264,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0540003



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ALAMO HWY. COUNTY SEQUENCE: 1 CROSSING: REAGAN CREEK LOG MILE: 2.73 SUFFICIENCY RATING: 85.8 LOCATION: 7.5 MI.S.W.OF TRENTON - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.88347 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.03703 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1929 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 32.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 21.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0540005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ALAMO HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 3.07 SUFFICIENCY RATING: 85.8 LOCATION: 7.2 MI.SW.OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.88739 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.03350 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1929 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.2 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 30.8 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0540007

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR054

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ALAMO HWY. COUNTY SEQUENCE: 1 CROSSING: DAVIS CREEK LOG MILE: 5.51 SUFFICIENCY RATING: 64.8 LOCATION: 4.8 MI.SW.OF TRENTON IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.91611 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 89.00803 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 34.3 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 102.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT NEEDED) 102.4 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$207,000.00 (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: \$21,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$311,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 27SR0540009



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ALAMO HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 6.44 SUFFICIENCY RATING: 89.0 LOCATION: 3.8 MI.SW.OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.92700 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.99833 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 20.7 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 67.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 40 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0540011



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ALAMO HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 7.25 SUFFICIENCY RATING: 88.9 LOCATION: 3 MI.SW.OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.93667 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 88.98961 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1929 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.2 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 26.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0540013

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR054

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. HIGH ST. EXT. COUNTY SEQUENCE: 1 CROSSING: CAIN CREEK LOG MILE: 10.18 SUFFICIENCY RATING: 65.8 LOCATION: IN TRENTON CITY LIMITS - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.96544 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.95444 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 62.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 172.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 42 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 171.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$1,053,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$106,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.580.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27SR0540015 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: S. HIGH ST. EXT. COUNTY SEQUENCE: 1 CROSSING: W TENN RAILROAD LOG MILE: 10.35 SUFFICIENCY RATING: 74.2 LOCATION: IN TRENTON CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96543 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.95165 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1968 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 56.7 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 169.4 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 168 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$1,073,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$108,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.610.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 23.82 FT (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 22.97 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0540017

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR054 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 14.71 SUFFICIENCY RATING: 70.0 LOCATION: 4 MILES NE.OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03616 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89511 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 11.8 FT (71) WATERWAY ADEQUACY: 8 25.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$166,000.00 (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: \$17,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$250,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 11-Mar-24

BRIDGE ID NUMBER: 27SR0540019



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FK.OBION RIVE LOG MILE: 16.17 SUFFICIENCY RATING: 57.7 LOCATION: 5.6 MI.NE.OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.05250 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.87858 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 67.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 264.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 35.1 FT RECOMMENDED IMPROVEMENTS 37.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 265.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$1,600,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$161,000.00 (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: \$2,401,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27SR0540021 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 16.34 SUFFICIENCY RATING: 80.9 LOCATION: 3.4 MI.SW.OF BRADFORD - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.05417 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.87664 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 51.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 204.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 4 (51) BRIDGE CURB TO CURB WIDTH: 35.1 FT RECOMMENDED IMPROVEMENTS 37.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

**NOT APPLICABLE** 

N/A

N/A

N/A

**NO NAVIGATION CONTROL** 

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N00

N/A

N00

(92b) UNDERWATER INSP FREQUENCY (MONTHS):

(93c) DATE OF SPECIAL INSPECTION (MO/YR):

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(38) NAV CONTROL:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

NAVIGATION DATA

BRIDGE ID NUMBER: 27SR0540023



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR054 FIPS CODE: 7860 SPECIAL CASE: 0 ROAD NAME: W. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 20.22 SUFFICIENCY RATING: 68.2 LOCATION: IN BRADFORD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07683 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81411 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 11.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 25.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 40.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$182,000.00 (34) BRIDGE SKEW: 32 DEGREES ROADWAY IMPROVEMENT COST: \$19,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$274,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 45.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0760001



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HUMBOLDT HWY. COUNTY SEQUENCE: 1 CROSSING: HOG CREEK LOG MILE: 5.77 SUFFICIENCY RATING: 63.4 LOCATION: .5 MI.SW.OF GIBSON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.86568 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.85569 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 25.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 35.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT 24.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$166,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$17,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$250,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0760003



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MILAN HWY. COUNTY SEQUENCE: 1 CROSSING: N. FK. FORKED DEER RIVER LOG MILE: 8.89 SUFFICIENCY RATING: 48.7 LOCATION: 1.6 MI.E.OF GIBSON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.89089 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81072 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 7 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1972 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 38.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 211.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS 49.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 211 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$1,374,000.00 (34) BRIDGE SKEW: 35 DEGREES ROADWAY IMPROVEMENT COST: \$138,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$2.062.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/21/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27SR0760005 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GIBSON HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 9.20 SUFFICIENCY RATING: 47.7 LOCATION: 1.9 MI.EAST OF GIBSON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.89306 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.80572 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1972 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 29.0 FT (71) WATERWAY ADEQUACY: 6 85.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS 49.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 85 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$578,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$58,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$868,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 48.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0760007



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GIBSON HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 9.62 SUFFICIENCY RATING: 67.0 LOCATION: 2.4 MI.E.OF GIBSON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.89606 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.79922 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 44.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.9 FT RECOMMENDED IMPROVEMENTS 33.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 44 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$272,000.00 (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: \$28,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$409.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/22/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409 and its production pursuant to a public

**PUBLICATION DATE** 11-Mar-24

document records request does not waive the provisions of §409

BRIDGE ID NUMBER: 27SR0760009

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR076

FIPS CODE: 48660 SPECIAL CASE: 0 ROAD NAME: W. VAN HOOK ST. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 11.25 SUFFICIENCY RATING: 71.6 LOCATION: AT MILAN CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.90614 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77297 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 6 28.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 2 FT RECOMMENDED IMPROVEMENTS 41 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 27.9 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$182,000.00 (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: \$19,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$274,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0760011



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 48660 SPECIAL CASE: 0 ROAD NAME: W. VAN HOOK ST. COUNTY SEQUENCE: 1 CROSSING: WEST TENNESSEE RR LOG MILE: 11.97 SUFFICIENCY RATING: 60.4 LOCATION: ON MILAN ARSENAL PROPERTY - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.91042 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.76164 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 6 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1930 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1977 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 4 (48) MAXIMUM SPAN LENGTH: 31.8 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 196.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 110N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 45.9 FT RECOMMENDED IMPROVEMENTS 47.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 199.1 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$1,318,000.00 (34) BRIDGE SKEW: **40 DEGREES** (95) ROADWAY IMPROVEMENT COST: \$132,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.978.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 46.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 24.51 FT (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 9.84 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0760013

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR076 FIPS CODE: 48660 SPECIAL CASE: 0 ROAD NAME: E. VAN HOOK ST. COUNTY SEQUENCE: 1 CROSSING: WOLF CREEK LOG MILE: 13.40 SUFFICIENCY RATING: 84.9 LOCATION: IN MILAN CITY LIMITS IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.92415 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.74283 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2013 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Frror (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.7 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 180.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: 1111 4.9 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 84 FT RECOMMENDED IMPROVEMENTS 96.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 84.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 84.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

**PUBLICATION DATE** 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0760017

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR076 FIPS CODE: 48660 SPECIAL CASE: 0 ROAD NAME: E. VAN HOOK ST. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 13.93 SUFFICIENCY RATING: 66.8 LOCATION: IN MILAN CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.92937 DEGREES (112) MEETS NBIS BRIDGE LENGTH: YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.73603 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2013 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 5 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 27.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 60.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 49.5 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$666,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$67,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1,000,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 84.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 11-Mar-24

BRIDGE ID NUMBER: 27SR0760021



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 48660 SPECIAL CASE: 0 ROAD NAME: ATWOOD HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 15.46 SUFFICIENCY RATING: 84.8 LOCATION: IN MILAN CITY LIMITS IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.94463 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.71580 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 56.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 47.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 327.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0760019



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ATWOOD HWY. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FK.OBION RIVE LOG MILE: 15.61 SUFFICIENCY RATING: 84.9 LOCATION: 1.9 MI.E.OF MILAN - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.94644 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.71389 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 6 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2013 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Frror (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 80.5 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 480.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 42.7 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0760020



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR076 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ATWOOD HWY. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FK.OBION RIVE LOG MILE: 15.61 SUFFICIENCY RATING: 84.9 LOCATION: 1.9 MI.E.OF MILAN - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.94623 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.71422 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 6 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2013 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Frror (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 80.5 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 480.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 42.7 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0770001



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 FIPS CODE: 82360 SPECIAL CASE: 0 ROAD NAME: NEWBERN HWY. COUNTY SEQUENCE: 1 CROSSING: DRAINAGE DITCH LOG MILE: 1.92 SUFFICIENCY RATING: 70.9 LOCATION: IN YORKVILLE CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.10128 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.12520 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1954 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 4 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: OTHER STRUCTURAL WORK 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0770003



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 FIPS CODE: 82360 SPECIAL CASE: 0 ROAD NAME: DYER HWY. COUNTY SEQUENCE: 1 CROSSING: BETHEL CREEK LOG MILE: 3.26 SUFFICIENCY RATING: 86.2 LOCATION: IN YORKVILLE CITY LIMITS - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.09225 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.10478 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1954 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0770005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYER HWY. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 6.16 SUFFICIENCY RATING: 73.2 LOCATION: 3.1 MILES WEST OF DYER IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07683 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.05728 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1954 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 40 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$220,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$23,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$331,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR0770007

BRIDGE OWNER: STATE OF TENNESSEE

FIPS CODE: 00000

ROAD NAME: DYER HWY.

CROSSING: MUD CREEK

LOCATION: 3 MILES WEST OF DYER

DENTIFICATION

16a,b) LATITUDE:

N 36.07658 DEGREES

(112) MEETS NBIS BRIDGE LENGTH:

17a,b) LONGITUDE:

W 89.05472 DEGREES

(104) NATIONAL HIGHWAY SYSTEM:

NOT

IDENTIFICATION —		
(16a,b) LATITUDE: N 36.07658 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: W 89.05472 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR	
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
PRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
BRIDGE TYPE AND MATERIAL	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK	
(43a) MAIN SPAN MATERIAL: <b>CONCRETE</b> (44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(AEV NILIMBED OF MAIN CRANC.	———— CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS:  (46) NUMBER OF APPROACH SPANS:  0	(58) DECK: <b>6</b>	
• •	(59) SUPERSTRUCTURE: 6	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE (108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: 6	
A) TYPE OF SURFACE:  ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6	
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE):	
C) TYPE PROTECTION: NONE	— DESIGN LOAD AND WEIGHT POSTING —	
AGE AND SERVICE	(31) DESIGN LOADING: H-20-44	
	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS	
(27) YEAR THE BRIDGE WAS BUILT: 1954	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A (42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL ————	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6	
GEOMETRIC DATA	(68) DECK GEOMETRY: 4	
(48) MAXIMUM SPAN LENGTH: 28.0 FT	(69) UNDERCLEARANCE RATING: N	
(49) TOTAL BRIDGE LENGTH: 84.0 FT	(71) WATERWAY ADEQUACY: 8	
(50a) LEFT SIDEWALK WIDTH: 0.0 FT	(72) APPROACH ROADWAY ALIGNMENT: 8	
(50b) RIGHT SIDEWALK WIDTH: 0.0 FT	(36) TRAFFIC SAFETY FEATURES: 0101	
(51) BRIDGE CURB TO CURB WIDTH: 25.9 FT	(113) SCOUR CONDITION RATING: 3	
(52) BRIDGE OUT TO OUT WIDTH: 32.2 FT	RECOMMENDED IMPROVEMENTS	
(32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT	(75) TYPE OF WORK: BRIDGE REHABILITATION	
(33) BRIDGE MEDIAN: NO MEDIAN	(76) LENGTH OF BRIDGE IMPROVEMENT: 82 FT	
(34) BRIDGE SKEW: 0 DEGREES	(94) BRIDGE IMPROVEMENT COST: \$430,000.00	
(35) BRIDGE FLARE: NO FLARE	(95) ROADWAY IMPROVEMENT COST: \$44,000.00	
(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT	(96) TOTAL PROJECT COST: \$646,000.00	
(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.0 FT	(97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022	
(54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD	INSPECTION DATES	
(54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(90) DATE OF LAST REGULAR INSPECTION: 6/27/2023	
(55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(91) REGULAR INSPECTION FREQUENCY (MONTHS): 24	
(55b) MIN HORZ UNDERCLR ON RIGHT: NOT APPLICABLE	(93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A	
(56) MIN HORZ UNDERCLR ON LEFT: NOT APPLICABLE	(92b) UNDERWATER INSP FREQUENCY (MONTHS): N00	
NAVIGATION DATA	(93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A	
(38) NAV CONTROL: NO NAVIGATION CONTROL	(92c) SPECIAL INSP FREQUENCY (MONTHS): N00	
(39) NAVIGATION VERTICAL CLEARANCE: N/A	PRODUCED PURSUANT TO	

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: GIBSON BRIDGE ID NUMBER: 27SR0770009 BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYER HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 6.37 SUFFICIENCY RATING: 69.2 LOCATION: 3 MILES WEST OF DYER IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.07681 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 89.05336 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1954 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.5 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 85.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 32.2 FT **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 82 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$155,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$16,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$233,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0770011



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: MILAN HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 9.05 SUFFICIENCY RATING: 83.9 LOCATION: IN TRENTON CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98031 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92953 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 8 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 37.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 296.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 44.9 FT RECOMMENDED IMPROVEMENTS 46.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 45.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0770013

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR077 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MILAN HWY. COUNTY SEQUENCE: 1 CROSSING: N. FK. FORKED DEER RIVER LOG MILE: 9.19 SUFFICIENCY RATING: 83.9 LOCATION: 1.1 MI.E.OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98025 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92683 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 67.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 316.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 29.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 55 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 11-Mar-24

BRIDGE ID NUMBER: 27SR0770015



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MILAN HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 9.42 SUFFICIENCY RATING: 85.9 LOCATION: .37 MI.EAST OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96694 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92281 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 21.2 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 68.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 45.3 FT RECOMMENDED IMPROVEMENTS 46.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 45.4 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0770017



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MILAN HWY. COUNTY SEQUENCE: 1 CROSSING: THOMPSON LEVEE CREEK LOG MILE: 10.81 SUFFICIENCY RATING: 83.6 LOCATION: 1.6 MILE EAST OF TRENTON - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97692 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89869 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 3.0 FT (71) WATERWAY ADEQUACY: 8 96.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 44.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR0770021 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MILAN HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 14.21 SUFFICIENCY RATING: 94.8 LOCATION: 4.5 M SE JCT SR 5&SR 104 IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.94375 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.85783 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0770019



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR077 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TRENTON HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 15.55 SUFFICIENCY RATING: 89.9 LOCATION: 0.40 MI.E. JCT. FAS 8177 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.94192 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.83397 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 17.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 55.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27\$R1040001 COUNTY: GIBSON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R104
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1
CROSSING: N. FK. FORKED DEER RIVER LOG MILE: 0.11
LOCATION: .1 MILE EAST OF TRENTON SUFFICIENCY RATING: 75.8

IDENTIFICATION CLASSIFICATION

162 b) LATITUDE: N. 36 02244 DEGREES (112) MEETS NBIS BRIDGE LENGTH:

IDENTIFICATION ————		
(16a,b) LATITUDE: N 36.02244 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES	
(17a,b) LONGITUDE: <b>W 89.17178 DEGREES</b>	(104) NATIONAL HIGHWAY SYSTEM: NHS ROUTE	
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL EXPRESSWAY	
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE	
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC	
PRINCE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE	
BRIDGE I TPE AND MATERIAL (110) NATIONAL TRUCK ROUTE NOT ON		
(43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE CONTINUOUS	(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS NOT BEEN DETERMINED	
(44a) APPR SPAN MATERIAL: <b>NOT APPLICABLE</b>	CONDITION RATINGS	
(45) NUMBER OF MAIN SPANS:	(58) DECK: 6	
(46) NUMBER OF APPROACH SPANS: 0	(59) SUPERSTRUCTURE: 6	
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(60) SUBSTRUCTURE: 6	
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6	
A) TYPE OF SURFACE: ASPHALT	(62) CULVERT CONDITION (IF APPLICABLE):	
B) TYPE MEMBRANE: NONE		
C) TYPE PROTECTION: NONE	DESIGN LOAD AND WEIGHT POSTING	
AGE AND SERVICE —	(31) DESIGN LOADING: HS-20-44	
(27) YEAR THE BRIDGE WAS BUILT: 1967	WEIGHT POSTING (2 AXLE VEHICLES):  ALL LEGAL LOADS	
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES):  ALL LEGAL LOADS	
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5	
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL	
(28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: 6	
GEOMETRIC DATA	(68) DECK GEOMETRY: 5	
(48) MAXIMUM SPAN LENGTH: 40.0 FT	(69) UNDERCLEARANCE RATING: N	
(48) MAXIMUM SPAN LENGTH: 40.0 FT (49) TOTAL BRIDGE LENGTH: 316.0 FT	(71) WATERWAY ADEQUACY: 6	
	(71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8	
(49) TOTAL BRIDGE LENGTH: 316.0 FT	(71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000	
(49) TOTAL BRIDGE LENGTH: 316.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3	
(49) TOTAL BRIDGE LENGTH:316.0 FT(50a) LEFT SIDEWALK WIDTH:0.0 FT(50b) RIGHT SIDEWALK WIDTH:0.0 FT	(71) WATERWAY ADEQUACY: 6 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000	
(49) TOTAL BRIDGE LENGTH:316.0 FT(50a) LEFT SIDEWALK WIDTH:0.0 FT(50b) RIGHT SIDEWALK WIDTH:0.0 FT(51) BRIDGE CURB TO CURB WIDTH:35.1 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 3	
(49) TOTAL BRIDGE LENGTH:316.0 FT(50a) LEFT SIDEWALK WIDTH:0.0 FT(50b) RIGHT SIDEWALK WIDTH:0.0 FT(51) BRIDGE CURB TO CURB WIDTH:35.1 FT(52) BRIDGE OUT TO OUT WIDTH:37.1 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: 315 FT	
(49) TOTAL BRIDGE LENGTH:       316.0 FT         (50a) LEFT SIDEWALK WIDTH:       0.0 FT         (50b) RIGHT SIDEWALK WIDTH:       0.0 FT         (51) BRIDGE CURB TO CURB WIDTH:       35.1 FT         (52) BRIDGE OUT TO OUT WIDTH:       37.1 FT         (32) APPROACH ROADWAY (W/ SHLDS) WIDTH:       24.0 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: \$1,536,000.00	
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  316.0 FT  0.0 FT  35.1 FT  24.0 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: \$1,536,000.00	
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW:  316.0 FT  0.0 FT  152 153 154 165 165 165 165 165 165 165 165 165 165	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: \$1,536,000.00 (97)	
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: 3 RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022	
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  316.0 FT  316.0 FT  NO MEDIAN  0.0 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1000 (113) SCOUR CONDITION RATING: 3  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: \$1,536,000.00 (97)	
(49) TOTAL BRIDGE LENGTH:316.0 FT(50a) LEFT SIDEWALK WIDTH:0.0 FT(50b) RIGHT SIDEWALK WIDTH:0.0 FT(51) BRIDGE CURB TO CURB WIDTH:35.1 FT(52) BRIDGE OUT TO OUT WIDTH:37.1 FT(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:24.0 FT(33) BRIDGE MEDIAN:NO MEDIAN(34) BRIDGE SKEW:0 DEGREES(35) BRIDGE FLARE:NO FLARE(520) MIN VERTICAL CLEARANCE OVER RD:100 FT(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:30.8 FT	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: 3 RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022	
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (50a) 16.0 FT (50b) TOTAL SIDEWALK WIDTH: (50b) MIN VERTICAL CLEARANCE ON ROADWAY: (54c) TOTAL STANCE ON ROADWAY: (54d) VERT UNDERCLR: (54d) NOT A HIGHWAY OR RAILROAD	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: RECOMMENDED IMPROVEMENTS (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (98) INSPECTION DATES	
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT APPLICABLE	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (97) DATE OF LAST REGULAR INSPECTION: (97) PROVINCE STREET STATES STATE	
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE SKEW: (520) MIN VERTICAL CLEARANCE OVER RD: (520) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (NOT A HIGHWAY OR RAILROAD)	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (92)	
(49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (33) BRIDGE MEDIAN: NO MEDIAN (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: NO FLARE (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (1000) (113) SCOUR CONDITION RATING: (75) TYPE OF WORK: BRIDGE REHABILITATION (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE: (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (97) NATIONAL PROJECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (97) NATIONAL PROJECTION FREQUENCY (MONTHS): (98) DATE OF LAST UNDERWATER INSP (MO/YR): (99) DATE OF LAST UNDERWATER INSP (MO/YR): (90) DATE OF LAST UNDERWATER INSP (MO/YR): (90) DATE OF LAST UNDERWATER INSP (MO/YR): (91) REGULAR INSPECTION FREQUENCY (MONTHS): (91) REGULAR INSPECTION FREQUENCY (MO/YR): (92) NATIONAL PROJECTION FREQUENCY (MO/YR): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): (94) NATIONAL PROJECTION FREQUENCY (MO/YR): (95) ROADWAY IMPROVEMENT COST ESTIMATE: (96) DATE OF LAST UNDERWATER INSP (MO/YR): (97) REGULAR INSPECTION FREQUENCY (MO/YR): (98) DATE OF LAST UNDERWATER INSP (MO/YR): (99) DATE OF LAST UNDERWATER INSP (MO/YR): (99) DATE OF LAST UNDERWATER INSP (MO/YR): (90) DATE OF LAST UNDERWATER INSP (MO/YR): (91) REGULAR INSPECTION FREQUENCY (MO/YR):	

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR1040003 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.97 SUFFICIENCY RATING: 47.0 LOCATION: 1.97 MI.E. DYER CO. LINE IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.00633 DEGREES 89.14594 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 4 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **13 TONS** (27) YEAR THE BRIDGE WAS BUILT: 1978 WEIGHT POSTING (3 OR MORE AXLES): 18.7 TONS (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: 0 **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 29.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 58.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 58.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$317,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$32,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$476,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040027



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.67 SUFFICIENCY RATING: 55.0 LOCATION: 1.1 M NW JCT SR104&SR188 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.00169 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.13511 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1946 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 28.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: U (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 33.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 28.5 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$171,000.00 (34) BRIDGE SKEW: **60 DEGREES** ROADWAY IMPROVEMENT COST: \$18,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$257.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR1040041



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 4.11 SUFFICIENCY RATING: 89.5 LOCATION: SR104 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99433 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.11081 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 27.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040043

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR104

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 5.07 SUFFICIENCY RATING: 77.0 LOCATION: SR104 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.03616 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89506 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 27.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 80.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 27.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$179,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$18,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$269,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 41.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR1040005 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 5.92 SUFFICIENCY RATING: 88.5 LOCATION: 2.1 MI.E. JCT. FAS 8029 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99336 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.07911 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 35.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040045



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 6.38 SUFFICIENCY RATING: 82.3 LOCATION: SR104 IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99213 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.07087 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: OTHER (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 29.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 18 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040007



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 7.23 SUFFICIENCY RATING: 89.5 LOCATION: 3.42 MI.E. JCT. FAS 8029 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99167 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.05589 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 35.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 26.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040009



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 7.84 SUFFICIENCY RATING: 89.5 LOCATION: 5.3 MILES WEST OF TRENTON IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.99086 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.04492 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 31.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 327.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/26/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040031



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 9.12 SUFFICIENCY RATING: 69.4 LOCATION: 5.3 MILES WEST OF TRENTON IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.99433 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.02292 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 50.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 49.9 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$497,000.00 (34) BRIDGE SKEW: 18 DEGREES ROADWAY IMPROVEMENT COST: \$50,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$746,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040033



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 10.22 SUFFICIENCY RATING: 70.4 LOCATION: 5.3 MILES WEST OF TRENTON IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.99425 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.00317 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 19.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 61 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: \$602,000.00 (34) BRIDGE SKEW: 19 DEGREES ROADWAY IMPROVEMENT COST: \$61,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$904.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 39.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR1040015



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 12.54 SUFFICIENCY RATING: 90.8 LOCATION: 1 MILE WEST OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.98139 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96917 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1939 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2010 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 20.5 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 61.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 33.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040017



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: DYERSBURG HWY. COUNTY SEQUENCE: 1 CROSSING: CANE CREEK LOG MILE: 13.59 SUFFICIENCY RATING: 47.1 LOCATION: IN TRENTON CITY LIMITS IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.98094 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.95044 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1939 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 94.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: 0000 4.9 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 94.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$232,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$24,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$349,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR1040019

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR104

FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: W. EATON ST. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 13.70 SUFFICIENCY RATING: 55.0 LOCATION: IN TRENTON CITY LIMITS IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.98086 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94850 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1939 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 56.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 4.9 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 48.9 FT **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 56.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$166,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$17,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$250,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR1040021



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR104 FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: W. EATON ST. COUNTY SEQUENCE: 1 CROSSING: DRAINAGE DITCH LOG MILE: 13.79 SUFFICIENCY RATING: 68.3 LOCATION: IN TRENTON CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.98072 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94681 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1939 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 44.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 4.9 FT (36) TRAFFIC SAFETY FEATURES: 0000 4.9 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 53.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 44 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$323,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$33,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$485,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040023

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR104

FIPS CODE: 48660 SPECIAL CASE: 0 ROAD NAME: ELLINGTON DR. COUNTY SEQUENCE: 1 CROSSING: WOLF CREEK LOG MILE: 15.17 SUFFICIENCY RATING: 72.6 LOCATION: IN MILAN CITY LIMITS IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.91297 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.74528 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 50.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 130.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 129.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$832,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$84,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1,249,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27CULV07001



COUNTY: GIBSON

**BRIDGE OWNER:** ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NOT AVAILABLE COUNTY SEQUENCE: 1 CROSSING: Town Branch LOG MILE: 10.00 LOCATION: SUFFICIENCY RATING: IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: NO Ν 36.12500 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.98750 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: (44a) APPR SPAN MATERIAL: NOT APPLICABLE — CONDITION RATINGS = (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: DESIGN LOAD AND WEIGHT POSTING = C) TYPE PROTECTION: (31) DESIGN LOADING: AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: #Error (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA = (69) UNDERCLEARANCE RATING: 18.0 FT (48) MAXIMUM SPAN LENGTH: (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 18.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 24.9 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: YES. FLARED TOTAL PROJECT COST: (96)(520) MIN VERTICAL CLEARANCE OVER RD: #Error (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: FT — INSPECTION DATES • (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 6/27/2023 #Frror (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): #Frror N/A (56) MIN HORZ UNDERCLR ON LEFT: #Error (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NAVIGATION CONTROLLED WATERWAY** (92c) SPECIAL INSP FREQUENCY (MONTHS): NOO (39) NAVIGATION VERTICAL CLEARANCE: #Error PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

#Error

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR1050001 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 65760 SPECIAL CASE: 0 ROAD NAME: E. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: TOWN BRANCH LOG MILE: 10.52 SUFFICIENCY RATING: 95.8 LOCATION: .5MI.W.RUT.FRK.OBION RV. - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.12767 DEGREES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.98169 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

2

NONE

BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

C) TYPE PROTECTION:

(46) NUMBER OF APPROACH SPANS: 0 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: A) TYPE OF SURFACE: **ASPHALT** B) TYPE MEMBRANE: NONE

AGE AND SERVICE (27) YEAR THE BRIDGE WAS BUILT: 1987 (106) YEAR THE BRIDGE WAS REHABILITATED: N/A **HIGHWAY** (42a) SERVICE ON BRIDGE: **WATERWAY** (42b) UNDER BRIDGE: (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0

GEOMETRIC DATA -(48) MAXIMUM SPAN LENGTH: 15.0 FT 33.0 FT (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT 44 FT (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT

(33) BRIDGE MEDIAN: **NO MEDIAN** (34) BRIDGE SKEW: 0 DEGREES (35) BRIDGE FLARE: **NO FLARE** 

(520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** 

(56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** 

NAVIGATION DATA

**NO NAVIGATION CONTROL** (38) NAV CONTROL: (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 11-Mar-24

YES **NOT A NHS ROUTE RURAL MAJOR COLLECTOR** NO PARALLEL BRIDGE (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK

(37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS

**NOT BEEN DETERMINED** 

#### CONDITION RATINGS

(58) DECK: Ν (59) SUPERSTRUCTURE: Ν (60) SUBSTRUCTURE: Ν (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 (62) CULVERT CONDITION (IF APPLICABLE): 7

#### DESIGN LOAD AND WEIGHT POSTING

(31) DESIGN LOADING: HS-20-44 WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: OPFN

#### **APPRAISAL**

(67) STRUCTURAL EVALUATION: 7 (68) DECK GEOMETRY: 6 (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 7 (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: 1011 (113) SCOUR CONDITION RATING: 8

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

BRIDGE ID NUMBER: 27SR1050003



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 10.77 SUFFICIENCY RATING: 97.3 LOCATION: 8.14 MI.E. JCT. FAS 8029 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.12850 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.97764 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 36.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 142.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1050005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 10.88 SUFFICIENCY RATING: 94.8 LOCATION: 8.24 MI.E. JCT. FAS 8029 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.12919 DEGREES YES 88.97569 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 42 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1050007



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: RUTHERFORD FK.OBION RIVE LOG MILE: 10.94 SUFFICIENCY RATING: 95.0 LOCATION: 8.32 MI.E. JCT. FAS 8029 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.12958 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.97456 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 57.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 170.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1050009

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR105

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 11.13 SUFFICIENCY RATING: 97.3 LOCATION: .52 MI.E.OF RUTHERFORD - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.13081 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.97161 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 36.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 107.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1050011



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 11.18 SUFFICIENCY RATING: 93.8 LOCATION: 8.55 MI.E. JCT. FAS 8029 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.13103 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.97081 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 48.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 42 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR1050013 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 11.82 SUFFICIENCY RATING: 95.4 LOCATION: 1.5 MI.E.OF RUTHERFORD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.12936 DEGREES YES 88.96036 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 10.4 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 34.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 42 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** 

15 DEGREES

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT APPLICABLE** 

**NOT A HIGHWAY OR RAILROAD** 

**NOT A HIGHWAY OR RAILROAD** 

**NO NAVIGATION CONTROL** 

**NO FLARE** 

100 FT

36.0 FT

N/A

N/A

N/A

#### BRIDGE IMPROVEMENT COST:

(95) ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### INSPECTION DATES

(90) DATE OF LAST REGULAR INSPECTION:	7/7/2023
(91) REGULAR INSPECTION FREQUENCY (MONTHS):	24
(93b) DATE OF LAST UNDERWATER INSP (MO/YR):	N/A
(92b) UNDERWATER INSP FREQUENCY (MONTHS):	N00
(93c) DATE OF SPECIAL INSPECTION (MO/YR):	N/A
(92c) SPECIAL INSP FREQUENCY (MONTHS):	N00

PUBLIC RECORDS REQUEST This document is covered by 23 USC §409 and its production pursuant to a public document records request does not waive the provisions of §409

PRODUCED PURSUANT TO

(34) BRIDGE SKEW:

(35) BRIDGE FLARE:

(54a) VERT UNDERCLR:

(55a) HORZ UNDERCLR:

(38) NAV CONTROL:

(520) MIN VERTICAL CLEARANCE OVER RD:

(54b) MIN VERTICAL UNDERCLEARANCE:

(55b) MIN HORZ UNDERCLR ON RIGHT:

(56) MIN HORZ UNDERCLR ON LEFT:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(39) NAVIGATION VERTICAL CLEARANCE:

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY:

NAVIGATION DATA

BRIDGE ID NUMBER: 27SR1050015



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 12.46 SUFFICIENCY RATING: 94.4 LOCATION: 2 MILES E.OF RUTHERFORD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.12747 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94958 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 13.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 30.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27\$R1050017 COUNTY: GIBSON
BRIDGE OWNER: STATE OF TENNESSEE ROUTE: \$R105
FIPS CODE: 00000 SPECIAL CASE: 0
ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1
CROSSING: BRANCH LOG MILE: 15.92
LOCATION: 5.6 MI.E.OF RUTHERFORD SUFFICIENCY RATING: 95.0

IDENTIFICATION CLASSIFICATION
(16a,b) LATITUDE: N 36.11744 DEGREES (112) MEETS NBIS BRIDGE LENGTH: (17a,b) LONGITUDE: W 88.89017 DEGREES (104) NATIONAL HIGHWAY SYSTEM: NOT (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL MAJOR

IDENTIFICATION —	CLASSIFICATION —
(16a,b) LATITUDE: N 36.11744 DEGREES	(112) MEETS NBIS BRIDGE LENGTH: YES
(17a,b) LONGITUDE: W 88.89017 DEGREES	(104) NATIONAL HIGHWAY SYSTEM: NOT A NHS ROUTE
(98a) BORDER BRIDGE STATE CODE: N/A	(26) FUNCTIONAL CLASS: RURAL MAJOR COLLECTOR
(98b) PERCENT SHARE: 00	(101) PARALLEL BRIDGE: NO PARALLEL BRIDGE
(99) BORDER BRIDGE NUMBER: NOT APPLICABLE	(102) TRAFFIC DIR: 2-WAY TRAFFIC
BRIDGE TYPE AND MATERIAL	(103) TEMPORARY BRIDGE: NOT APPLICABLE
(43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS	(110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK
(44a) APPR SPAN MATERIAL: NOT APPLICABLE	(37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE NATIONAL REGISTER
(45) NUMBER OF MAIN SPANS: 3	CONDITION RATINGS
(46) NUMBER OF APPROACH SPANS: 0	(58) DECK: N
(107) TYPE OF DECK: CONCRETE CAST-IN-PLACE	(59) SUPERSTRUCTURE: N
(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:	(60) SUBSTRUCTURE: N
A) TYPE OF SURFACE: ASPHALT	(61) STREAM CHANNEL AND CHANNEL PROTECTION: 6
B) TYPE MEMBRANE: NONE	(62) CULVERT CONDITION (IF APPLICABLE): 6
C) TYPE PROTECTION: NONE	—— DESIGN LOAD AND WEIGHT POSTING ———
AGE AND SERVICE	(31) DESIGN LOADING: HS-20-44
(27) YEAR THE BRIDGE WAS BUILT: 1987	WEIGHT POSTING (2 AXLE VEHICLES): ALL LEGAL LOADS
(106) YEAR THE BRIDGE WAS REHABILITATED: N/A	WEIGHT POSTING (3 OR MORE AXLES): ALL LEGAL LOADS
(42a) SERVICE ON BRIDGE: HIGHWAY	(70) BRIDGE POSTING CODE: 5
(42b) UNDER BRIDGE: WATERWAY	(41) WT POSTING STATUS: <b>OPEN</b>
(+25) ONDER DRIDGE.	
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	APPRAISAL
	(67) STRUCTURAL EVALUATION: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2	(67) STRUCTURAL EVALUATION: 6 (68) DECK GEOMETRY: 7
(28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING:  N
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: 6
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH:  12.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: N (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.0 FT (49) TOTAL BRIDGE LENGTH: 39.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: 0000
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: 12.0 FT (49) TOTAL BRIDGE LENGTH: 39.0 FT (50a) LEFT SIDEWALK WIDTH: 0.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) APPROACH ROADWAY ALIGNMENT: (38) TRAFFIC SAFETY FEATURES: (39) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (31) TRAFFIC SAFETY FEATURES: (32) TRAFFIC SAFETY FEATURES: (33) TRAFFIC SAFETY FEATURES: (34) TRAFFIC SAFETY FEATURES: (35) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (37) TRAFFIC SAFETY FEATURES: (38) TRAFFIC SAFETY FEATURES: (39) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES: (30) TRAFFIC SAFETY FEATURES:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (50b) RIGHT SIDEWALK WIDTH:	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING: 8 RECOMMENDED IMPROVEMENTS
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: 40 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: 8 (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN:  NO MEDIAN	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: 0  12.0 FT  12.0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  (75) TYPE OF WORK: (76) LENGTH OF BRIDGE IMPROVEMENT: (77) BRIDGE IMPROVEMENT: (78) BRIDGE IMPROVEMENT: (79) BRIDGE IMPROVEMENT: (70) N/A
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE:  NO FLARE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD:  100 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR:  NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  **NOT APPLICABLE** (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  **INSPECTION DATES**
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: (54b) MIN VERTICAL UNDERCLEARANCE: (57b) MIN VERTICAL UNDERCLEARANCE: (54c) MIN VERTICAL UNDERCLEARANCE: (54d) MIN VERTICAL UNDERCLEARANCE: (54d	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: (54a) VERT UNDERCLR: NOT A HIGHWAY OR RAILROAD (54b) MIN VERTICAL UNDERCLEARANCE: NOT A PPLICABLE (55a) HORZ UNDERCLR: NOT A HIGHWAY OR RAILROAD	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (66) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (75) TYPE OF WORK:  (75) TYPE OF WORK:  (76) LENGTH OF BRIDGE IMPROVEMENT: (77) ROADWAY IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (75) 775/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (12.0 FT (12.0	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (36) TROUBLE CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023
(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0  GEOMETRIC DATA  (48) MAXIMUM SPAN LENGTH: (49) TOTAL BRIDGE LENGTH: (50a) LEFT SIDEWALK WIDTH: (50b) RIGHT SIDEWALK WIDTH: (51) BRIDGE CURB TO CURB WIDTH: (52) BRIDGE OUT TO OUT WIDTH: (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (33) BRIDGE MEDIAN: (34) BRIDGE SKEW: (35) BRIDGE FLARE: (520) MIN VERTICAL CLEARANCE OVER RD: (54a) VERT UNDERCLR: (54a) VERT UNDERCLR: (55a) HORZ UNDERCLR: (55a) HORZ UNDERCLR: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55b) MIN HORZ UNDERCLR ON RIGHT: (55d) NOT APPLICABLE	(67) STRUCTURAL EVALUATION: (68) DECK GEOMETRY: (69) UNDERCLEARANCE RATING: (71) WATERWAY ADEQUACY: (72) APPROACH ROADWAY ALIGNMENT: (36) TRAFFIC SAFETY FEATURES: (36) TRAFFIC SAFETY FEATURES: (113) SCOUR CONDITION RATING:  RECOMMENDED IMPROVEMENTS  (75) TYPE OF WORK: NOT APPLICABLE (76) LENGTH OF BRIDGE IMPROVEMENT: (94) BRIDGE IMPROVEMENT COST: (95) ROADWAY IMPROVEMENT COST: (96) TOTAL PROJECT COST: (97) YEAR OF IMPROVEMENT COST ESTIMATE:  INSPECTION DATES  (90) DATE OF LAST REGULAR INSPECTION: (91) REGULAR INSPECTION FREQUENCY (MONTHS): (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1050019



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 16.27 SUFFICIENCY RATING: 94.4 LOCATION: 5.7 MI.E.OF BRADFORD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.11611 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.88414 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.4 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 40 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1050021



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BRADFORD HWY. COUNTY SEQUENCE: 1 CROSSING: LICK CREEK LOG MILE: 16.37 SUFFICIENCY RATING: 93.4 LOCATION: 5.9 MI.E.OF RUTHERFORD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.11575 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.88264 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.4 FT (71) WATERWAY ADEQUACY: 6 40.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 40 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1050023



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RUTHERFORD HWY. COUNTY SEQUENCE: 1 CROSSING: LOCUST GROVE CREEK LOG MILE: 18.99 SUFFICIENCY RATING: 96.2 LOCATION: 2.3 MI.NW.OF BRADFORD - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.10444 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.83767 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 48.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 40 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR1050025 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 7860 SPECIAL CASE: 0 ROAD NAME: E. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: BRADFORD CREEK LOG MILE: 21.86 SUFFICIENCY RATING: 92.5 LOCATION: IN BRADFORD CITY LIMITS - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07628 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81233 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.6 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 50.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 5.6 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 44.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1050027



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TREZEVANT HWY. COUNTY SEQUENCE: 1 CROSSING: BEAR CREEK LOG MILE: 24.33 SUFFICIENCY RATING: 82.8 LOCATION: 1.7 MI.E.OF BRADFORD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08197 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.77014 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 36.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 128.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1050029



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR105 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TREZEVANT HWY. COUNTY SEQUENCE: 1 CROSSING: DOLAN CREEK LOG MILE: 26.11 SUFFICIENCY RATING: 76.3 LOCATION: 3.5 MI.E.OF BRADFORD - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07389 DEGREES YES 88.74305 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 127.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 127 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$663,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$67,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$995.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27CULV08001 COUNTY: GIBSON **BRIDGE OWNER:** ROUTE: SR152

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: NOT AVAILABLE COUNTY SEQUENCE: 1

CROSSING: Branch LOG MILE: 3.01 LOCATION: SUFFICIENCY RATING:

#### IDENTIFICATION CLASSIFICATION

(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: NO Ν 35.82371 DEGREES (17a,b) LONGITUDE: 88.91950 DEGREES

2

0

24.0 FT

#Error

(98a) BORDER BRIDGE STATE CODE: N/A (98b) PERCENT SHARE: იი

(99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** 

#### BRIDGE TYPE AND MATERIAL

(43a) MAIN SPAN MATERIAL:

(44a) APPR SPAN MATERIAL: NOT APPLICABLE

(45) NUMBER OF MAIN SPANS:

(46) NUMBER OF APPROACH SPANS:

(107) TYPE OF DECK:

(108) TYPE OF WEARING SURFACE AND DECK PROTECTION:

A) TYPE OF SURFACE: B) TYPE MEMBRANE:

C) TYPE PROTECTION:

#### AGE AND SERVICE

(27) YEAR THE BRIDGE WAS BUILT:

(106) YEAR THE BRIDGE WAS REHABILITATED: #Error (42a) SERVICE ON BRIDGE: **HIGHWAY WATERWAY** (42b) UNDER BRIDGE:

(28a) NUMBER OF LANES CARRIED BY BRIDGE: (28b) NUMBER OF LANES UNDER THE BRIDGE:

#### GEOMETRIC DATA =

(48) MAXIMUM SPAN LENGTH: 16.0 FT (49) TOTAL BRIDGE LENGTH: 16.0 FT (50a) LEFT SIDEWALK WIDTH: 4.9 FT

(50b) RIGHT SIDEWALK WIDTH: 4.9 FT 26.9 FT (51) BRIDGE CURB TO CURB WIDTH:

(52) BRIDGE OUT TO OUT WIDTH: 48.9 FT

(32) APPROACH ROADWAY (W/ SHLDS) WIDTH:

(33) BRIDGE MEDIAN:

(34) BRIDGE SKEW: 15 DEGREES (35) BRIDGE FLARE: YES. FLARED

(520) MIN VERTICAL CLEARANCE OVER RD: #Error

(47) MIN HORIZONTAL CLEARANCE ON ROADWAY: FT

(54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

(54b) MIN VERTICAL UNDERCLEARANCE: #Frror

(55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 

#Frror

(55b) MIN HORZ UNDERCLR ON RIGHT: (56) MIN HORZ UNDERCLR ON LEFT: #Error

#### NAVIGATION DATA

(38) NAV CONTROL: **NAVIGATION CONTROLLED WATERWAY** 

(39) NAVIGATION VERTICAL CLEARANCE: #Error

(116) LIFT BRIDGE VERT CLEARANCE: N/A

(40) NAVIGATION HORZ CLEARANCE:

#### **PUBLICATION DATE** 11-Mar-24

(104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** 

(26) FUNCTIONAL CLASS:

(101) PARALLEL BRIDGE:

(102) TRAFFIC DIR:

(103) TEMPORARY BRIDGE: **NOT APPLICABLE** 

(110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK

(37) HISTORICAL CLASS:

#### CONDITION RATINGS

(58) DECK:

(59) SUPERSTRUCTURE:

(60) SUBSTRUCTURE:

(61) STREAM CHANNEL AND CHANNEL PROTECTION:

(62) CULVERT CONDITION (IF APPLICABLE):

#### DESIGN LOAD AND WEIGHT POSTING =

(31) DESIGN LOADING:

WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** 

(70) BRIDGE POSTING CODE:

(41) WT POSTING STATUS: OPEN

#### **APPRAISAL**

(67) STRUCTURAL EVALUATION:

(68) DECK GEOMETRY:

(69) UNDERCLEARANCE RATING:

(71) WATERWAY ADEQUACY:

(72) APPROACH ROADWAY ALIGNMENT:

(36) TRAFFIC SAFETY FEATURES:

(113) SCOUR CONDITION RATING:

#### RECOMMENDED IMPROVEMENTS

(75) TYPE OF WORK: **NOT APPLICABLE** 

(76) LENGTH OF BRIDGE IMPROVEMENT: N/A

7

(94) BRIDGE IMPROVEMENT COST:

ROADWAY IMPROVEMENT COST:

(96) TOTAL PROJECT COST:

(97) YEAR OF IMPROVEMENT COST ESTIMATE:

#### — INSPECTION DATES •

(90) DATE OF LAST REGULAR INSPECTION: 6/30/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A (92c) SPECIAL INSP FREQUENCY (MONTHS): NOO

BRIDGE ID NUMBER: 27SR1520001



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-152 COUNTY SEQUENCE: 2 CROSSING: DRAINAGE DITCH LOG MILE: 0.39 SUFFICIENCY RATING: 92.7 LOCATION: 2.5 MI.W.OF HUMBOLDT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.83217 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.98117 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 27.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N01 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCLIN ST. EXT. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MEDINA HWY. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: N. MAIN ST. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MEDINA HUMBOLDT HWY. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: N. 9TH AVE. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: W. CHURCH AVE. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SPRING CREEK HWY. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MITCHELL ST. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. FOSTER AVE. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MCLIN ST. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. MITCHELL ST. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: S. MAIN ST. COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-152 COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.00 SUFFICIENCY RATING: 84.6 LOCATION: 1.7 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83203 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96750 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 84.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520007



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-152 COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.15 SUFFICIENCY RATING: 90.8 LOCATION: 1.6 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83186 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96478 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 112.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520009



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-152 COUNTY SEQUENCE: 3 CROSSING: M. FK. FORKED DEER RIVER LOG MILE: 0.39 SUFFICIENCY RATING: 90.8 LOCATION: 1.3 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83175 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.96036 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 62.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 182.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 36 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520011



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-152 COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.61 SUFFICIENCY RATING: 89.1 LOCATION: 1 MILE W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83169 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.95650 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 49.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 30.8 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/16/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520013



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-152 COUNTY SEQUENCE: 3 CROSSING: OVERFLOW LOG MILE: 0.66 SUFFICIENCY RATING: 89.8 LOCATION: .8 MI.W.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83164 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.95550 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 49.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.2 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/30/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520015



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: E. MITCHELL ST. COUNTY SEQUENCE: 3 CROSSING: LITTLE SUGAR CREEK LOG MILE: 4.81 SUFFICIENCY RATING: 87.7 LOCATION: IN THE CITY OF HUMBOLT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81997 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89711 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 82.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 40 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/30/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520017



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MEDINA HWY. COUNTY SEQUENCE: 3 CROSSING: SUGAR CREEK LOG MILE: 5.39 SUFFICIENCY RATING: 87.7 LOCATION: 1.71 MI.E. JCT. SH 76 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81719 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.88091 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 40.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 115.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/20/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520019



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MEDINA HUMBOLDT HWY. COUNTY SEQUENCE: 3 CROSSING: SUGAR CREEK LOG MILE: 7.66 SUFFICIENCY RATING: 93.0 LOCATION: 2.7 MI.E.OF HUMBOLDT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.80919 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.84492 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 16.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 49.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520021



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MEDINA HUMBOLDT HWY. COUNTY SEQUENCE: 3 CROSSING: SUGAR CREEK LOG MILE: 8.87 SUFFICIENCY RATING: 93.1 LOCATION: 4 MI.EAST OF HUMBOLDT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81369 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.82517 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 18 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520023



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MEDINA HUMBOLDT HWY. COUNTY SEQUENCE: 3 CROSSING: TURKEY CREEK LOG MILE: 10.31 SUFFICIENCY RATING: 86.7 LOCATION: 1.4 MILES W.OF MEDINA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.80758 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.80206 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 46.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 135.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 37.1 FT RECOMMENDED IMPROVEMENTS 39 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1520025



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR152 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SPRING CREEK HWY. COUNTY SEQUENCE: 3 CROSSING: DRY BRANCH LOG MILE: 15.22 SUFFICIENCY RATING: 71.1 LOCATION: 2.6 MI.EAST OF MEDINA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.79442 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.72719 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 45.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 112.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 32.2 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 141.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$1,121,000.00 (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: \$113,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.682.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0050029



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR185 FIPS CODE: 22180 SPECIAL CASE: 0 ROAD NAME: N. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: SAND CREEK LOG MILE: 0.50 SUFFICIENCY RATING: 80.3 LOCATION: IN DYER CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07269 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 88.99794 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1929 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 49.9 FT RECOMMENDED IMPROVEMENTS 51.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0050027



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR185 FIPS CODE: 22180 SPECIAL CASE: 0 ROAD NAME: S. MAIN ST. COUNTY SEQUENCE: 1 CROSSING: W TENN RAILROAD LOG MILE: 1.36 SUFFICIENCY RATING: 71.4 LOCATION: IN DYER CITY LIMITS IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.06183 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 88.99036 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1958 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPFN (42b) UNDER BRIDGE: **RAILROAD APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 5 (48) MAXIMUM SPAN LENGTH: 42.8 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 157.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 5.9 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 5.9 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 40 FT **BRIDGE WIDENING WITH DECK REPAIR** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT OR REPLACEMENT (76) LENGTH OF BRIDGE IMPROVEMENT: 157.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$481,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$49,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$722,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES **RAILROAD BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 22.57 FT (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 12.47 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27\$81690001



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR185 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: SR-185 COUNTY SEQUENCE: 1 CROSSING: CAMP CREEK LOG MILE: 5.92 SUFFICIENCY RATING: 69.3 LOCATION: 1 MI.E.OF BARRONS CORNERS IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.05069 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91453 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 29.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 85.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 85 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$112,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$12,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$169,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 270A1020001 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR186 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-186 S. COUNTY SEQUENCE: 1 CROSSING: SUGAR CREEK LOG MILE: 1.16 SUFFICIENCY RATING: 98.5 LOCATION: 1.1 M N MADISON CO LINE - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.81114 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.82853 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1969 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 50.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80320001

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR186

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-186 N. COUNTY SEQUENCE: 1 CROSSING: HOG CREEK LOG MILE: 6.47 SUFFICIENCY RATING: 96.6 LOCATION: .1 MI.N.OF GIBSON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.87956 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.84778 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 48.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 140.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 50 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27S80320003



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR186 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-186 N. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 9.62 SUFFICIENCY RATING: 97.9 LOCATION: NEAR NEW ENTERPRISE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.91633 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.86414 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 60.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27\$80320005 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR186 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-186 N. COUNTY SEQUENCE: 1 CROSSING: WALL SMITH BRANCH LOG MILE: 10.11 SUFFICIENCY RATING: 99.5 LOCATION: 5 MI.SOUTH OF TRENTON - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.92086 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.87069 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2004 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 69.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 69.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27S80320007



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR186 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GIBSON HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 10.92 SUFFICIENCY RATING: 86.9 LOCATION: 3.8 MI.SOUTH OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.92422 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.88461 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 67.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 67.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/28/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27S80320009



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR186 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GIBSON HWY. COUNTY SEQUENCE: 1 CROSSING: PARKER BRANCH LOG MILE: 11.87 SUFFICIENCY RATING: 99.2 LOCATION: 3.1 MI.SOUTH OF TRENTON - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.93308 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89644 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 90.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 90.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80320011



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR186 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GIBSON HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 12.01 SUFFICIENCY RATING: 99.2 LOCATION: SOUTH OF NEW HOPE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.93486 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89764 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 54.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 54.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80320013

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR186 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GIBSON HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 12.77 SUFFICIENCY RATING: 99.2 LOCATION: NEAR NEW HOPE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.94458 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.90419 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 71.5 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 71.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

**PUBLICATION DATE** 11-Mar-24

BRIDGE ID NUMBER: 27\$80320015



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR186 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GIBSON HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 13.76 SUFFICIENCY RATING: 99.2 LOCATION: NEAR NEW HOPE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.95603 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91458 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 94.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 94.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 41.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015840007



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR187 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-187 COUNTY SEQUENCE: 1 CROSSING: OLIVER BRANCH LOG MILE: 3.53 SUFFICIENCY RATING: 96.0 LOCATION: 3.5 M E JCT SR187&SR43 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.85706 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.81033 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 48.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015840005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR187 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-187 COUNTY SEQUENCE: 1 CROSSING: BR OF OLIVER BRANCH LOG MILE: 4.83 SUFFICIENCY RATING: 85.5 LOCATION: 2.9 M SW JCT SR187&SR43 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.86025 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.78853 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 48.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015840003



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR187 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-187 COUNTY SEQUENCE: 1 CROSSING: N FORK OF FRKD DEER RIVE LOG MILE: 5.60 SUFFICIENCY RATING: 97.5 LOCATION: 2.1 M SW JCT SR187&SR43 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.86830 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.77600 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 45.5 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 131.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 35.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27015840001



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR187 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GRABALL DR. COUNTY SEQUENCE: 1 CROSSING: CLEAR CREEK LOG MILE: 7.65 SUFFICIENCY RATING: 95.3 LOCATION: 0.3 M W JCT SR187&SR43 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.88022 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.74933 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 46.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 38.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80290001



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR188 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-188 COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 0.07 SUFFICIENCY RATING: 92.7 LOCATION: 11 MI W OF TRENTON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96367 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 89.13600 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 35.0 FT (71) WATERWAY ADEQUACY: 6 70.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27S80290003

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR188

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-188 COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 0.10 SUFFICIENCY RATING: 97.6 LOCATION: BELOW EATON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96372 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.13550 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 41.3 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 123.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27\$80290005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR188 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-188 COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 0.25 SUFFICIENCY RATING: 97.6 LOCATION: NEAR EATON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96614 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.13311 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 8 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2014 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 8 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 41.3 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 123.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27S80290007



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR188 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-188 COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 0.31 SUFFICIENCY RATING: 80.4 LOCATION: NEAR EATON IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96617 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.13283 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 45.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 180.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27S80290009



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR188 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RIVERSIDE YORKVILLE RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 4.92 SUFFICIENCY RATING: 97.4 LOCATION: 2.4 MI N JCT SR104&SR188 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.02778 DEGREES YES 89.11086 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 40.0 FT (71) WATERWAY ADEQUACY: 6 40.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80290011



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR188 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RIVERSIDE YORKVILLE RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 4.98 SUFFICIENCY RATING: 97.4 LOCATION: 2.4 MI N JCT SR104&SR188 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.02847 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.11033 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 40.0 FT (71) WATERWAY ADEQUACY: 6 80.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/5/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80290013



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR188 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RIVERSIDE YORKVILLE RD. COUNTY SEQUENCE: 1 CROSSING: N. FK. FRKED DEER RV LOG MILE: 5.06 SUFFICIENCY RATING: 86.3 LOCATION: 2.5 MI N JCT SR104&SR188 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.02953 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.10942 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 70.0 FT (71) WATERWAY ADEQUACY: 8 280.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80290015

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR188

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RIVERSIDE YORKVILLE RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 5.17 SUFFICIENCY RATING: 97.4 LOCATION: 2.6 MI N JCT SR104&SR188 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03075 DEGREES YES 89.10858 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 70.3 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 210.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27\$80290017

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR188

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RIVERSIDE YORKVILLE RD. COUNTY SEQUENCE: 1 CROSSING: SQUIRT CREEK LOG MILE: 5.42 SUFFICIENCY RATING: 97.4 LOCATION: 2.9 MI N JCT SR104&SR188 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03439 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.10656 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 70.3 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 210.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27\$80290019 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR188 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RIVERSIDE YORKVILLE RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 5.59 SUFFICIENCY RATING: 97.4 LOCATION: 3.1 MI N JCT SR104&SR188 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.03656 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 89.10647 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **OTHER** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 50.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 100.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 29.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 28.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A

**NO NAVIGATION CONTROL** 

N/A

N/A

N/A

PRODUCED PURSUANT TO
PUBLIC RECORDS REQUEST
This document is covered by 23 USC §409
and its production pursuant to a public
document records request does not
waive the provisions of §409

N00

(92c) SPECIAL INSP FREQUENCY (MONTHS):

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:

BRIDGE ID NUMBER: 27\$80290021



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR188 FIPS CODE: 82360 SPECIAL CASE: 0 ROAD NAME: NEBO YORKVILLE RD. COUNTY SEQUENCE: 1 CROSSING: BETHEL BRANCH LOG MILE: 9.39 SUFFICIENCY RATING: 96.8 LOCATION: CITY OF YORKVILLE IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08881 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 89.11822 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 23.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 34.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27FA0350001



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR366 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: HWY. 45 BYPASS COUNTY SEQUENCE: 1 CROSSING: LITTLE SUGAR CREEK LOG MILE: 0.51 SUFFICIENCY RATING: 94.4 LOCATION: IN HUMBOLDT - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.81625 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89100 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1972 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 39.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 112.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS 49.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27FA0350002

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR366

FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: HWY. 45 BYPASS COUNTY SEQUENCE: 1 CROSSING: LITTLE SUGAR CREEK LOG MILE: 0.51 SUFFICIENCY RATING: 68.6 LOCATION: .3 MI S JCT SR152&SR366 - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.81594 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.89131 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1972 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 39.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 110.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 110.9 FT (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: \$701,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$71,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.052.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 27FA0350003 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR366 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: HWY. 45 BYPASS COUNTY SEQUENCE: 1 CROSSING: CSX RAILROAD / A905&B117 LOG MILE: 2.73 SUFFICIENCY RATING: 90.4 LOCATION: IN HUMBOLDT - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.83683 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.90256 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1968 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY-RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 4 (48) MAXIMUM SPAN LENGTH: 66.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 306.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 94.2 FT RECOMMENDED IMPROVEMENTS 96.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 50.2 FT INSPECTION DATES = (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 21.33 FT (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 4.59 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR3660005 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR366 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: HWY. 70 / 79 BYPASS COUNTY SEQUENCE: 1 CROSSING: SR 366 / W TENN RAILROAD LOG MILE: 4.04 SUFFICIENCY RATING: 97.0 LOCATION: IN HUMBOLT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.83667 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92561 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 50.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 146.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS 49.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT INSPECTION DATES = **RAILROAD BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 23.16 FT (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 22.97 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00

N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR3660007



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR366 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: HWY. 70 / 79 BYPASS COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 4.87 SUFFICIENCY RATING: 96.3 LOCATION: IN HUMBOLT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 35.82914 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.93581 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 31.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR3660009



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR366 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: HWY. 70 / 79 BYPASS COUNTY SEQUENCE: 1 CROSSING: LICK CREEK LOG MILE: 5.65 SUFFICIENCY RATING: 91.7 LOCATION: IN HUMBOLT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.81794 DEGREES 88.93464 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 90.0 FT (71) WATERWAY ADEQUACY: 8 90.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS 49.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 12 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR3660011



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR366 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: HWY. 70 / 79 BYPASS COUNTY SEQUENCE: 1 CROSSING: SR 366 RAMP / CSX RR LOG MILE: 5.82 SUFFICIENCY RATING: 92.9 LOCATION: IN HUMBOLT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.81540 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.93310 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 1 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 8 (48) MAXIMUM SPAN LENGTH: 86.5 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 295.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 16.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 52 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.2 FT INSPECTION DATES = **RAILROAD BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 23.33 FT (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 20.01 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR0760023



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR366 FIPS CODE: 36460 SPECIAL CASE: 0 ROAD NAME: HWY. 70 / 79 BYPASS COUNTY SEQUENCE: 1 CROSSING: SR 366 / SR 76 & CSX RR LOG MILE: 5.83 SUFFICIENCY RATING: 96.8 LOCATION: IN HUMBOLT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81603 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.93269 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1983 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY-RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 9 GEOMETRIC DATA = (69) UNDERCLEARANCE RATING: 8 (48) MAXIMUM SPAN LENGTH: 86.6 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 500.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 47.9 FT RECOMMENDED IMPROVEMENTS 49.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 12 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 84.6 FT INSPECTION DATES **HIGHWAY BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 16.83 FT (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 29.86 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0055001



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR367 FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: N. COLLEGE ST. COUNTY SEQUENCE: 1 CROSSING: N. FK. FORKED DEER RIVER LOG MILE: 3.37 SUFFICIENCY RATING: 97.8 LOCATION: 0.75 MI.N. JCT. FAS 8032 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98894 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94014 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 50.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 150.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 40 FT RECOMMENDED IMPROVEMENTS 42 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 16 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 40.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0055003



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR367 FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: N. COLLEGE ST. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 3.57 SUFFICIENCY RATING: 87.8 LOCATION: IN TRENTON CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99161 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.93875 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: UNKNOWN DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: UNKNOWN (31) DESIGN LOADING: H-15-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1926 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 48.9 FT RECOMMENDED IMPROVEMENTS 69.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 44.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 49.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR0055005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR367 FIPS CODE: 75000 SPECIAL CASE: 0 ROAD NAME: N. COLLEGE ST. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 3.99 SUFFICIENCY RATING: 94.4 LOCATION: IN TRENTON CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99728 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.94078 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1927 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1960 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 49.9 FT RECOMMENDED IMPROVEMENTS 51.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 46.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 6/29/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27L30130001



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR425 FIPS CODE: 48660 SPECIAL CASE: 0 ROAD NAME: MIDDLE RD. COUNTY SEQUENCE: 1 CROSSING: WOLF CREEK LOG MILE: 1.76 SUFFICIENCY RATING: 99.9 LOCATION: IN MILAN CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.93656 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.73572 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: INTEGRAL CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2005 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 57.3 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 36.1 FT RECOMMENDED IMPROVEMENTS 43 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.1 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27F00070001 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR445 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WALNUT GROVE RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 1.45 SUFFICIENCY RATING: 99.0 LOCATION: 2.1 MI NE JCT SR5&SR105 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.15236 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96720 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 26.5 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A

**NO NAVIGATION CONTROL** 

N/A

N/A

N/A

This document is covered by 23 USC §409 and its production pursuant to a public

(92c) SPECIAL INSP FREQUENCY (MONTHS):

document records request does not waive the provisions of §409

PRODUCED PURSUANT TO

PUBLIC RECORDS REQUEST

N00

(39) NAVIGATION VERTICAL CLEARANCE:

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

(38) NAV CONTROL:



BRIDGE ID NUMBER: 27SR4450001 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR445 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WALNUT GROVE RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.57 SUFFICIENCY RATING: 85.2 LOCATION: WALNUT GROVE ROAD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.16822 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96431 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: UNKNOWN DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: UNKNOWN (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE \* WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 28.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A

N/A

**PUBLICATION DATE** 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80080001

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: GIBSON

ROUTE: SR445

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOOLE PATE LEVEE RD. COUNTY SEQUENCE: 1 CROSSING: DRAINAGE DITCH LOG MILE: 5.62 SUFFICIENCY RATING: 77.6 LOCATION: 5.2 MI NE JCT SR5&SR105 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.18286 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92336 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: ALUMINUM, WROUGHT OR CAST (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS IRON **NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **OTHER** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2006 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 20.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 20.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 21 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$149,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$15,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$224,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

BRIDGE ID NUMBER: 27\$80080003



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR445 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOOLE PATE LEVEE RD. COUNTY SEQUENCE: 1 CROSSING: OVERFLOW LOG MILE: 5.79 SUFFICIENCY RATING: 99.5 LOCATION: 5.3 MI NE JCT SR5&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.18325 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.92143 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **OTHER** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 42.7 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 37.4 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80080005



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR445 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOOLE PATE LEVEE RD. COUNTY SEQUENCE: 1 CROSSING: DRAINAGE DITCH LOG MILE: 5.92 SUFFICIENCY RATING: 81.6 LOCATION: 5.5 MI NE JCT SR5&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.18403 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91861 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 75.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 75.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27S80080007



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR445 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOOLE PATE LEVEE RD. COUNTY SEQUENCE: 1 CROSSING: SOUTH FORK OBION RIVER LOG MILE: 6.01 SUFFICIENCY RATING: 61.9 LOCATION: 5.6 MI NE JCT SR5&SR105 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.18358 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91683 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: CONCRETE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 31.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 169.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 3 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 169 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$709,000.00 (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: \$71,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.064.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27S80080009



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR445 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOOLE PATE LEVEE RD. COUNTY SEQUENCE: 1 LOG MILE: 6.22 CROSSING: OVERFLOW SUFFICIENCY RATING: 99.5 LOCATION: 5.8 MI NE JCT SR5&SR105 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.18336 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91367 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 8 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 44.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 131.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1101 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27\$80080011



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR445 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: TOOLE PATE LEVEE RD. COUNTY SEQUENCE: 1 CROSSING: SOUTH FORK OBION RIVER LOG MILE: 6.34 SUFFICIENCY RATING: 97.5 LOCATION: 6.0 MI NE JCT SR5&SR105 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.18678 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.91192 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 7 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 65.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 193.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 32.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040040



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR457 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WEST BYPASS COUNTY SEQUENCE: 1 CROSSING: WEST TN RR LOG MILE: 0.56 SUFFICIENCY RATING: 99.4 LOCATION: 1.7MI W OF JCT SR367/SR5 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.93808 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.95106 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 79.2 FT (71) WATERWAY ADEQUACY: Ν 235.3 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: N (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 41.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 25 FT (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 **RAILROAD BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 24.93 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 27SR1040039



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR457 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WEST BYPASS COUNTY SEQUENCE: 1 CROSSING: WEST TN RR LOG MILE: 0.56 SUFFICIENCY RATING: 99.4 LOCATION: 1.7 MI W OF JCT SR367/SR5 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.93781 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.95094 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 8 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 79.2 FT (71) WATERWAY ADEQUACY: Ν 235.3 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: N (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 41.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.1 FT INSPECTION DATES (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 25 FT (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 **RAILROAD BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 25.92 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040038



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR457 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WEST BYPASS COUNTY SEQUENCE: 1 CROSSING: CAIN CREEK LOG MILE: 0.79 SUFFICIENCY RATING: 99.4 LOCATION: 1MI W OF JCT SR367/SR5 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.93942 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.95453 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 61.5 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 183.3 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 41.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 27SR1040037



COUNTY: GIBSON

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR457 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: WEST BYPASS COUNTY SEQUENCE: 1 CROSSING: CAIN CREEK LOG MILE: 0.79 SUFFICIENCY RATING: 99.4 LOCATION: 1MI W OF JCT SR367/SR5 - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.93919 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.95456 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE**  BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 61.5 FT (71) WATERWAY ADEQUACY: 7 183.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 41.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **OPEN MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/7/2023 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 27SR1040035 COUNTY: GIBSON BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR457 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SR-457 COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 2.72 SUFFICIENCY RATING: 72.9 LOCATION: 2 MILES WEST OF TRENTON - IDENTIFICATION - CLASSIFICATION -(112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.96464 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 88.96258 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER**  CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE**  DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 26.4 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL**  RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** 38.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 26.2 FT (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** (94) BRIDGE IMPROVEMENT COST: \$370,000.00 (34) BRIDGE SKEW: **8 DEGREES** ROADWAY IMPROVEMENT COST: \$38,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$556,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 7/6/2023 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A