BRIDGE ID NUMBER: 93\$43660001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 01140 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: COUNTY HOUSE RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 7.72 LOCATION: 8MI EAST OF SR1 SUFFICIENCY RATING: 91.9 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.86740 DEGREES YFS (17a.b) LONGITUDE: 85.47278 DEGREES (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: **NOT APPLICABLE** (102) TRAFFIC DIR: 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: O (59) SUPERSTRUCTURE: 7 **CONCRETE CAST-IN-PLACE** (107) TYPE OF DECK: (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE -WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1973 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY** (41) WT POSTING STATUS: OPEN (42b) UNDER BRIDGE: **WATERWAY APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA (69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 65.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 319.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 32.5 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 36.1 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 40 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 32.5 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: (90) DATE OF LAST REGULAR INSPECTION: 3/14/2022 NOT APPLICABLE (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): **NOT APPLICABLE** N/A (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): **NOT APPLICABLE** N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA = (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93\$42510001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 01159 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HICKORY VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK RIVER LOG MILE: 0.87 SUFFICIENCY RATING: 91.8 LOCATION: 1 MI N OF VAN BUREN CO LI - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: 35.82447 DEGREES (112) MEETS NBIS BRIDGE LENGTH: Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.41834 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1970 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 159.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 426.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 3/14/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 05/2019 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: WHITE BRIDGE ID NUMBER: 93S42510003 BRIDGE OWNER: WHITE COUNTY **ROUTE: 01159** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HICKORY VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: HICKORY VALLEY BRANCH LOG MILE: 1.68 SUFFICIENCY RATING: 73.4 LOCATION: 5MI EAST OF SR111 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.83233 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42675 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 70.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 0.0 FT (50b) RIGHT SIDEWALK WIDTH: (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.6 FT **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 70.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$112,000.00 (34) BRIDGE SKEW: **40 DEGREES** ROADWAY IMPROVEMENT COST: \$12,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$169,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/14/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93\$42510005
BRIDGE OWNER: WHITE COUNTY



COUNTY: WHITE

ROUTE: 01159

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HICKORY VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: HICKORY VALLEY BRANCH LOG MILE: 2.49 SUFFICIENCY RATING: 67.9 LOCATION: 5MI NORTH OF VAN BUREN CO IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.84272 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42503 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.2 FT **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 90.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$142,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$15,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$214,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/9/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A



COUNTY: WHITE BRIDGE ID NUMBER: 93S42510007 BRIDGE OWNER: WHITE COUNTY **ROUTE: 01159** FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HICKORY VALLEY RD. COUNTY SEQUENCE: 1 CROSSING: HICKORY VALLEY BRANCH LOG MILE: 3.07 SUFFICIENCY RATING: 46.8 LOCATION: 5MI NORTH OF VAN BUREN CO IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.85068 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42267 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: N (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 50.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 26.6 FT **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 24.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 50.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$87,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$9,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$131,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/26/2024 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93\$42450001

BRIDGE OWNER: WHITE COUNTY



COUNTY: WHITE

ROUTE: 01163

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHERRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: CHERRY CREEK LOG MILE: 0.68 SUFFICIENCY RATING: 90.9 LOCATION: .68MI FROM SR84 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00057 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42865 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1991 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 46.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 132.9 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 30.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93\$42450003



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 01163 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHERRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: CHERRY CREEK LOG MILE: 2.29 SUFFICIENCY RATING: 91.5 LOCATION: 5MI SOUTH OF PUTNAM CO IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.01680 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.44557 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 49.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 30.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93\$42450005



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 01163 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHERRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: POST OAK CREEK LOG MILE: 6.06 SUFFICIENCY RATING: 97.8 LOCATION: 1MI FROM PUTNAM CO LINE - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06600 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.46652 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1956 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: Ν (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 000N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93S42450007



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 01163 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHERRY CREEK RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 6.20 SUFFICIENCY RATING: 81.9 LOCATION: .5MI FROM PUTNAM CO LINE IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.06788 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.46692 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1952 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 33.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 28.2 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 33.1 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$53,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$6,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$80,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/1/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93021860001

BRIDGE OWNER: WHITE COUNTY



COUNTY: WHITE

ROUTE: 02186

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FREMONT RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK RIVER LOG MILE: 0.00 SUFFICIENCY RATING: 86.7 LOCATION: 1MI FROM US70S - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81478 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.51760 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1976 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 232.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 471.1 FT (72) APPROACH ROADWAY ALIGNMENT: 3 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 3/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 05/2019 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93021860001

BRIDGE OWNER: WHITE COUNTY



COUNTY: WHITE

ROUTE: 02186

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RENO RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK RIVER LOG MILE: 0.00 SUFFICIENCY RATING: 86.7 LOCATION: 1MI FROM US70S IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.81478 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.51760 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1976 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 232.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 471.1 FT (72) APPROACH ROADWAY ALIGNMENT: 3 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 3/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 05/2019 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93021900001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02190 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BIG BOTTOM RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK RIVER LOG MILE: 1.41 SUFFICIENCY RATING: 90.8 LOCATION: DODSON COMMUNITY IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.82418 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.39442 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 176.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 176.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.6 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/7/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93021900005



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02190 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BIG BOTTOM RD. COUNTY SEQUENCE: 1 CROSSING: DRY CREEK LOG MILE: 4.00 SUFFICIENCY RATING: 92.9 LOCATION: 4 M E INT WITH NFA 1159 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83702 DEGREES NO (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.36083 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **GRAVEL** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 20.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 000N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 18 FT RECOMMENDED IMPROVEMENTS 19.7 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 14.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 5 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 18.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/10/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93021900003



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02190 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BIG BOTTOM RD. COUNTY SEQUENCE: 1 CROSSING: LOST CREEK LOG MILE: 5.62 SUFFICIENCY RATING: 90.5 LOCATION: 7MI NORTH OF VAN BUREN CO IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.85905 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.36232 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 41.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 100.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: (51) BRIDGE CURB TO CURB WIDTH: 24.3 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.2 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/10/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A2380001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02202 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: EASTLAND RD. COUNTY SEQUENCE: 1 CROSSING: CLIFTY CREEK LOG MILE: 8.04 SUFFICIENCY RATING: 85.9 LOCATION: 2MI SOUTH OF CUMBERLANDCO - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.88583 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.25110 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 38.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 000N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 36.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93022060005

BRIDGE OWNER: WHITE COUNTY



COUNTY: WHITE

ROUTE: 02206

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BLUE SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: WILDCAT CREEK LOG MILE: 1.35 SUFFICIENCY RATING: 78.7 LOCATION: 1.5 MI EAST OF SR 84 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.94388 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.42833 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 3 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 45.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 000N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS 25.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 26.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 45.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$224,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$23,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$337.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93022060003



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02206 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BLUE SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: BLUE SPRING CREEK LOG MILE: 3.25 SUFFICIENCY RATING: 97.7 LOCATION: 5MI NORTH OF US 70 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96388 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.41195 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1981 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 32.2 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 000N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 47.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 47.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93022060001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02206 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FRANK SIMS RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 6.09 SUFFICIENCY RATING: 83.9 LOCATION: 2 MI SOUTH OF SR 84 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98993 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.39388 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1989 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 61.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 210.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/28/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93022080001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02208 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: CHARLIE HICKEY RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 1.21 SUFFICIENCY RATING: 84.4 LOCATION: 5MI EAST OF SR 111 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97147 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.41658 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 71.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 206.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/28/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93SR1110005



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 02212 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DUCK POND RD. COUNTY SEQUENCE: 1 CROSSING: DUCK POND RD / SR 111 LOG MILE: 0.16 SUFFICIENCY RATING: 86.8 LOCATION: NORTH OF SPARTA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98528 DEGREES YES (17a,b) LONGITUDE: w **DEGREES** (104) NATIONAL HIGHWAY SYSTEM: **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 118.1 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 231.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 44.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 87.8 FT INSPECTION DATES **HIGHWAY BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 16.83 FT (90) DATE OF LAST REGULAR INSPECTION: 1/11/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 32.48 FT (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 24.93 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93022140001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02214 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FANCHER MILL RD. COUNTY SEQUENCE: 1 CROSSING: ZION BRANCH LOG MILE: 0.91 SUFFICIENCY RATING: 84.3 LOCATION: 1MI NORTH OF US 70 - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.97987 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.57492 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 46.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93022140003



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02214 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FANCHER MILL RD. COUNTY SEQUENCE: 1 CROSSING: TAYLOR CREEK LOG MILE: 2.54 SUFFICIENCY RATING: 85.4 LOCATION: 2.5 MI NORTH OF US 70 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99387 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.59643 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1998 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 49.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS 27.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 5 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93022140005



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 02214 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FANCHER MILL RD. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 3.24 SUFFICIENCY RATING: 90.9 LOCATION: NW OF SR-1 & SR-136 JCT IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99760 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.60607 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1999 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.5 FT (71) WATERWAY ADEQUACY: 7 29.9 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N01 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 23.6 FT RECOMMENDED IMPROVEMENTS 29.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



COUNTY: WHITE BRIDGE ID NUMBER: 93022160001 BRIDGE OWNER: WHITE COUNTY ROUTE: 02216 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BUNKER HILL RD. COUNTY SEQUENCE: 1 CROSSING: FALLING WATER RIVER LOG MILE: 5.09 SUFFICIENCY RATING: 63.2 LOCATION: 5MI SOUTH OF PUTNAM CO - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 36.05365 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.54202 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MINOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 7 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1963 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 51.8 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 219.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 24.6 FT RECOMMENDED IMPROVEMENTS 28.5 FT (52) BRIDGE OUT TO OUT WIDTH: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 219.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$404,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$41,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$607,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/7/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93SR1110007



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 02218 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OVERPASS RD. COUNTY SEQUENCE: 1 CROSSING: SR 111 LOG MILE: 0.24 SUFFICIENCY RATING: 96.7 LOCATION: 6 MI. NORTH OF SPARTA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.01727 DEGREES Ν YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50843 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 8 (48) MAXIMUM SPAN LENGTH: 125.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 241.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 16 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT INSPECTION DATES **HIGHWAY BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 16.57 FT (90) DATE OF LAST REGULAR INSPECTION: 1/10/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 29.86 FT (56) MIN HORZ UNDERCLR ON LEFT: 24.28 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 930A0070001

BRIDGE OWNER: WHITE COUNTY



COUNTY: WHITE

ROUTE: 0A007 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BOBS LN. COUNTY SEQUENCE: 1 CROSSING: CHERRY CREEK LOG MILE: 0.05 SUFFICIENCY RATING: 75.9 LOCATION: 5 M NORTH OF SR 1 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.01212 DEGREES YES 85.43988 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 68.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 88.9 FT (72) APPROACH ROADWAY ALIGNMENT: 3 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: OTHER STRUCTURAL WORK 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/6/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93SR1110015



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: 0A017 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: N. COOKEVILLE LN. COUNTY SEQUENCE: 1 CROSSING: SR 111 LOG MILE: 0.01 SUFFICIENCY RATING: 86.9 LOCATION: 0.5 MI. FROM PUTMAN CO LN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07355 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50663 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1986 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 122.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 244.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 35.8 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 32.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT INSPECTION DATES = **HIGHWAY BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 16.77 FT (90) DATE OF LAST REGULAR INSPECTION: 1/8/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 27.89 FT (56) MIN HORZ UNDERCLR ON LEFT: 28.22 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A0290001

BRIDGE OWNER: WHITE COUNTY



COUNTY: WHITE

ROUTE: 0A029

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: RANDOLPH MILL RD. COUNTY SEQUENCE: 1 CROSSING: FALLING WATER RIVER LOG MILE: 2.16 SUFFICIENCY RATING: 82.8 LOCATION: 3.2 MI FROM SR111 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.07698 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.52168 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1992 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 71.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 75.1 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 20.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/16/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A0430001

BRIDGE OWNER: WHITE COUNTY



COUNTY: WHITE

ROUTE: 0A043

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: N. ALLEN RD. COUNTY SEQUENCE: 1 CROSSING: TOWN CREEK LOG MILE: 0.03 SUFFICIENCY RATING: 97.0 LOCATION: .23 MILES FROM PUTNAM CO IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06588 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.56507 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1973 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1983 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 25.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 30.8 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 20.7 FT RECOMMENDED IMPROVEMENTS 24.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 20.7 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/6/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 930A0710001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A071 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FANCHERS MILL RD. COUNTY SEQUENCE: 1 CROSSING: TAYLOR CREEK LOG MILE: 0.20 SUFFICIENCY RATING: 93.6 LOCATION: 3MI NORTH OF US70 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.99785 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.61682 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2010 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 80.1 FT (71) WATERWAY ADEQUACY: 6 200.1 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1110 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 25.9 FT RECOMMENDED IMPROVEMENTS 27.2 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 32 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 25.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 930A0820001

BRIDGE OWNER: WHITE COUNTY



COUNTY: WHITE

ROUTE: 0A082

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LIBERTY RD. COUNTY SEQUENCE: 1 CROSSING: TAYLOR CREEK LOG MILE: 0.09 SUFFICIENCY RATING: 80.9 LOCATION: 3MI NORTH OF US 70 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.99515 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.60597 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1989 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 37.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 60.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 5 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/6/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 930A1360001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A136 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: POST OAK BRIDGE RD. COUNTY SEQUENCE: 1 CROSSING: POST OAK CREEK LOG MILE: 0.67 SUFFICIENCY RATING: 97.0 LOCATION: .67MI SOUTH OF PUTNAM CO - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06408 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.48988 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 49.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 18.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/14/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A

N/A

N/A

PUBLICATION DATE 11-Mar-24

(116) LIFT BRIDGE VERT CLEARANCE:

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A1640001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A164 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MONTGOMERY RD. COUNTY SEQUENCE: 1 CROSSING: CHERRY CREEK LOG MILE: 0.04 SUFFICIENCY RATING: 86.1 LOCATION: 5MI SOUTH OF PUTNAM CO IN - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00458 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.43300 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22.6 FT RECOMMENDED IMPROVEMENTS 25.6 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 27.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.6 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A1740001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A174 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ENGLAND COVE RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 0.02 SUFFICIENCY RATING: 76.8 LOCATION: .02 MI FROM PUTNAM CO IN - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.03185 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.33598 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 55.9 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 167.0 FT (72) APPROACH ROADWAY ALIGNMENT: 3 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 167 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$658,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$66,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$988,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/7/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 930A1780001 COUNTY: WHITE BRIDGE OWNER: WHITE COUNTY ROUTE: 0A178 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MACK FLOYD RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 0.16 SUFFICIENCY RATING: 86.1 LOCATION: .1MI SOUTH OF SR84 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.01263 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.35932 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-10-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1985 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 4 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 46.9 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 143.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 23.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/7/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A1790001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A179 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MACK FLOYD RD. COUNTY SEQUENCE: 1 CROSSING: SIMMS BRANCH LOG MILE: 2.47 SUFFICIENCY RATING: 88.8 LOCATION: 5MI WORTH OF US 70 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98640 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.38003 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1960 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 2002 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 28.9 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 28.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93022020001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A238 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD RAILROAD GRADE RD. COUNTY SEQUENCE: 1 CROSSING: CLIFTY CREEK LOG MILE: 3.72 SUFFICIENCY RATING: 98.1 LOCATION: 4 MI SE OF SR1 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.91362 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.27278 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2008 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 93.0 FT (71) WATERWAY ADEQUACY: 6 93.0 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/6/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A2790001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A279 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: GUYS RD. COUNTY SEQUENCE: 1 CROSSING: FOX HOLLOW CREEK LOG MILE: 3.11 SUFFICIENCY RATING: 90.8 LOCATION: 4MI EAST OF SR111 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.83598 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.40358 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): 7 B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 5 (49) TOTAL BRIDGE LENGTH: 40.0 FT (72) APPROACH ROADWAY ALIGNMENT: 6 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS 26.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/9/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A2850001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A285 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: LOST CREEK RD. COUNTY SEQUENCE: 1 CROSSING: LOST CREEK LOG MILE: 0.94 SUFFICIENCY RATING: 83.7 LOCATION: 2 MI W OF BOTTOM RD IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.87218 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.34775 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1994 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 44.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 89.9 FT (72) APPROACH ROADWAY ALIGNMENT: 3 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 16.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/10/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A3110001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A311 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. COLE RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK RIVER LOG MILE: 0.04 SUFFICIENCY RATING: 95.9 LOCATION: 6MI WEST OF SR111 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.79702 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.54025 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1974 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 266.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 538.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 31.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 25.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 3/15/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 05/2019 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 930A4150001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A415 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: POWER HOUSE RD. COUNTY SEQUENCE: 1 CROSSING: CANEY FORK & WESTERN RR LOG MILE: 0.19 SUFFICIENCY RATING: 88.0 LOCATION: .3 MI FROM VAN BUREN CO - IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.80583 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.60695 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1987 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1998 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **RAILROAD** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 41.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 43.0 FT (72) APPROACH ROADWAY ALIGNMENT: 3 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 24.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 25.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **RAILROAD BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 29.3 FT (90) DATE OF LAST REGULAR INSPECTION: 2/8/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: RAILROAD BENEATH BRIDGE 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 19.03 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A4390001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A439 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: DARKEY SPRINGS RD. COUNTY SEQUENCE: 1 CROSSING: GLEASON CREEK LOG MILE: 0.31 SUFFICIENCY RATING: 72.4 LOCATION: 4 MI SOUTH OF CASSVILLE IDENTIFICATION CLASSIFICATION (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.90393 DEGREES NO (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.59670 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1950 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 14.1 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 20 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 22.6 FT (75) TYPE OF WORK: **BRIDGE WIDENING (NO DECK REPAIRS** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 20.0 FT NEEDED) (76) LENGTH OF BRIDGE IMPROVEMENT: 21 FT (33) BRIDGE MEDIAN: **NO MEDIAN** (94) BRIDGE IMPROVEMENT COST: \$56,000.00 (34) BRIDGE SKEW: 20 DEGREES ROADWAY IMPROVEMENT COST: \$6,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$85,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/16/2022 (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): N/A NAVIGATION DATA (38) NAV CONTROL: NO NAVIGATION CONTROL (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO (116) LIFT BRIDGE VERT CLEARANCE: N/A PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



COUNTY: WHITE BRIDGE ID NUMBER: 930A4690001 BRIDGE OWNER: WHITE COUNTY ROUTE: 0A469 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: FARLEY RD. COUNTY SEQUENCE: 1 CROSSING: POST OAK CREEK LOG MILE: 0.45 SUFFICIENCY RATING: 89.5 LOCATION: 1 MI N HAMPTON CROSSROADS - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06583 DEGREES NO (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50077 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1965 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 18.0 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 21.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: 21.7 FT RECOMMENDED IMPROVEMENTS 23.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 21.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 13 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 21.3 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/5/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 930A4730001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A473 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: PARKER RD. COUNTY SEQUENCE: 1 CROSSING: SMALL BRANCH LOG MILE: 0.68 SUFFICIENCY RATING: 96.0 LOCATION: 2MI WEST OF US 70S IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.91138 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.51077 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: OTHER OR UNKNOWN AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2001 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 7 24.9 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 3 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N10 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 26.9 FT RECOMMENDED IMPROVEMENTS 27.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 22.6 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 23.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/5/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 930A7100001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A710 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SWINDELL MILL RD. COUNTY SEQUENCE: 1 CROSSING: CLIFF CREEK LOG MILE: 1.09 SUFFICIENCY RATING: 94.7 LOCATION: 1MI FROM CENTER POINT TN. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.86983 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.61102 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL RURAL ROAD** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1984 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 33.1 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0N00 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 22 FT RECOMMENDED IMPROVEMENTS 25.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 22.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 22.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/5/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0420001



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A966 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROBERTS-MATTHEWS HWY. COUNTY SEQUENCE: 1 CROSSING: POST OAK CREEK LOG MILE: 5.30 SUFFICIENCY RATING: 26.5 LOCATION: 1 FM PUTNAM WHITE CO LI - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.06657 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50682 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: UNKNOWN (31) DESIGN LOADING: H-15-44 AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1942 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 171.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 24 FT RECOMMENDED IMPROVEMENTS 26.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 205.7 FT (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: \$1,585,000.00 (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: \$159,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$2.378,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 24.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/22/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0420003



COUNTY: WHITE

BRIDGE OWNER: WHITE COUNTY ROUTE: 0A966 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: ROBERTS-MATTHEWS HWY. COUNTY SEQUENCE: 1 CROSSING: FALLING WATER RIVER LOG MILE: 6.34 SUFFICIENCY RATING: 83.8 LOCATION: AT PUTNAM COUNTY LINE - IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.08155 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50583 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **LOCAL CITY STREET** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 8 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: NONE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2020 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 100.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 220.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 30.2 FT RECOMMENDED IMPROVEMENTS 32.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 29.5 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 253.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$2,223,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$223,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$3.335.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 2/1/2022 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0010010



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR001 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MEMORIAL HWY. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RV & DEMPS RD LOG MILE: 7.03 SUFFICIENCY RATING: 98.7 LOCATION: 5 MI E OF SR285 JCT IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.86798 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.47465 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY-WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 8 GEOMETRIC DATA = (69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 136.2 FT (71) WATERWAY ADEQUACY: 9 (49) TOTAL BRIDGE LENGTH: 592.8 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 100N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 25 FT (90) DATE OF LAST REGULAR INSPECTION: 1/30/2024 **HIGHWAY BENEATH BRIDGE** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 32.81 FT (56) MIN HORZ UNDERCLR ON LEFT: 14.44 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0010009

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: WHITE

ROUTE: SR001

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MEMORIAL HWY. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RV & DEMPS RD LOG MILE: 7.03 SUFFICIENCY RATING: 98.7 LOCATION: 5 MI E. OF SR285 JCT. IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.86790 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.47428 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE **CONTINUOUS NATIONAL REGISTER** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 5 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY-WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 136.2 FT (71) WATERWAY ADEQUACY: 9 590.9 FT (49) TOTAL BRIDGE LENGTH: (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 100N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 29.66 FT (90) DATE OF LAST REGULAR INSPECTION: 1/30/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 13.45 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NO NAVIGATION CONTROL** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0010003



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR001 FIPS CODE: **70180** SPECIAL CASE: 0 ROAD NAME: MAYBERRY ST. COUNTY SEQUENCE: 1 CROSSING: TOWN CREEK LOG MILE: 8.22 SUFFICIENCY RATING: 44.9 LOCATION: IN SPARTA CITY LIMITS - IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.92505 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.47978 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: UNKNOWN DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1923 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1962 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 2 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 33.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 65.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 27.9 FT RECOMMENDED IMPROVEMENTS 33.5 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: 90.6 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$785,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$79,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.178.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 27.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/2/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409

PUBLICATION DATE 11-Mar-24

and its production pursuant to a public document records request does not waive the provisions of §409

BRIDGE ID NUMBER: 93SR0010007

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: WHITE

ROUTE: SR001 FIPS CODE: **70180** SPECIAL CASE: 0 ROAD NAME: W. BOCKMAN WAY COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 9.35 SUFFICIENCY RATING: 81.7 LOCATION: IN SPARTA CITY LIMITS IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.92695 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.46750 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 6 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: PREFORMED FABRIC DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1949 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1996 (70) BRIDGE POSTING CODE: (42a) SERVICE ON BRIDGE: **HIGHWAY-PEDESTRIAN** (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 7 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 43.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 229.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 6.9 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 6.9 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 64 FT RECOMMENDED IMPROVEMENTS 80.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 64.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 64.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/31/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0260001



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR026 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SMITHVILLE HWY. COUNTY SEQUENCE: 1 CROSSING: BRANCH LOG MILE: 5.06 SUFFICIENCY RATING: 59.7 LOCATION: 0.2 MI. W. OF SR-136 JCT. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.95478 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.57420 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1951 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 9.8 FT (71) WATERWAY ADEQUACY: 6 (49) TOTAL BRIDGE LENGTH: 39.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: ONON (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REPLACEMENT** 32.2 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 61 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$520,000.00 (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: \$53,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$781.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 31.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/8/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93SR0260003



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR026 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: W. BOCKMAN WAY COUNTY SEQUENCE: 1 CROSSING: TOWN CREEK LOG MILE: 9.49 SUFFICIENCY RATING: 75.4 LOCATION: 0.7 MI. W. OF SR-111 JCT. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.93983 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.49757 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: H-15-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1951 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 12.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 42.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: ONON (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 37.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 42 FT **NO MEDIAN** (33) BRIDGE MEDIAN: BRIDGE IMPROVEMENT COST: \$281,000.00 (34) BRIDGE SKEW: 15 DEGREES ROADWAY IMPROVEMENT COST: \$29,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$422,000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 36.7 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/23/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0260005



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR026 FIPS CODE: **70180** SPECIAL CASE: 0 ROAD NAME: W. BOCKMAN WAY COUNTY SEQUENCE: 1 CROSSING: SR 111 LOG MILE: 10.19 SUFFICIENCY RATING: 98.4 LOCATION: IN SPARTA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.93682 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.48553 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: **BUILT-UP** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE * WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 128.9 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 257.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 1.6 FT (36) TRAFFIC SAFETY FEATURES: 100N (50b) RIGHT SIDEWALK WIDTH: 1.6 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 88.6 FT RECOMMENDED IMPROVEMENTS 91.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 76.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **CLOSED MEDIAN - NO BARRIER** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 19 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 88.3 FT INSPECTION DATES = (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.17 FT (90) DATE OF LAST REGULAR INSPECTION: 1/8/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 27.56 FT (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 30.51 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0840001

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: WHITE

ROUTE: SR084

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MONTEREY HWY. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 1.58 SUFFICIENCY RATING: 93.9 LOCATION: 2 MI.N.OF SR001 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.94377 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.44998 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: **BUILT-UP** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1976 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 111.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 224.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 38.4 FT RECOMMENDED IMPROVEMENTS 42 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 37.1 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 38.4 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/2/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0840003



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR084 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MONTEREY HWY. COUNTY SEQUENCE: 1 CROSSING: CHERRY CREEK LOG MILE: 5.75 SUFFICIENCY RATING: 96.1 LOCATION: 6 MI.EAST OF SR001 IDENTIFICATION CLASSIFICATION = (112) MEETS NBIS BRIDGE LENGTH: (16a,b) LATITUDE: Ν 35.99378 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.41930 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 4 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1963 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 15.1 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 47.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N1N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 21.7 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 33.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/23/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0840005



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR084 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MONTEREY HWY. COUNTY SEQUENCE: 1 CROSSING: PLUM CREEK LOG MILE: 7.09 SUFFICIENCY RATING: 94.1 LOCATION: 7 MI.S.OF PUTNAM CO. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00025 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.39818 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1966 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 24.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 35.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/2/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:



BRIDGE ID NUMBER: 93SR0840007 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR084 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: MONTEREY HWY. COUNTY SEQUENCE: 1 CROSSING: FLATT BRANCH LOG MILE: 8.67 SUFFICIENCY RATING: 98.4 LOCATION: 3 MI.S.OF PUTNAM CO. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.00727 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.37258 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1966 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 10.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 23.0 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1N11 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 26.6 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 37.7 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/2/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0010011



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SPENCER HWY. COUNTY SEQUENCE: 1 CROSSING: SR 1 LOG MILE: 3.54 SUFFICIENCY RATING: 81.5 LOCATION: 5 MI S OF SR 26 JCT IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.87187 DEGREES YES 85.47090 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: BRIDGE IS NOT ELIGIBLE FOR THE (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NATIONAL REGISTER** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1996 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 3 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 146.0 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 496.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 71.9 FT RECOMMENDED IMPROVEMENTS (52) BRIDGE OUT TO OUT WIDTH: 75.8 FT (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 45.9 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **CLOSED MEDIAN - WITH BARRIER** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **57 DEGREES** (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 18.34 FT (90) DATE OF LAST REGULAR INSPECTION: 1/10/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 25.59 FT (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 21.33 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93SR1110001



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: SPENCER HWY. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 6.37 SUFFICIENCY RATING: 88.6 LOCATION: 6 MI.N.OF VAN BUREN CO. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.91123 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.47557 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: PREFORMED FABRIC DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1971 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1995 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 134.8 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 490.2 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 86 FT RECOMMENDED IMPROVEMENTS 87.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 86.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **CLOSED MEDIAN - WITH BARRIER** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 15 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 86.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/22/2024 **NOT A HIGHWAY OR RAILROAD** (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR0010001

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: WHITE

ROUTE: SR111

FIPS CODE: 70180 SPECIAL CASE: 0 ROAD NAME: SPENCER HWY. COUNTY SEQUENCE: 1 CROSSING: SR 1 (US 70S) & NFA 2727 LOG MILE: 6.95 SUFFICIENCY RATING: 72.0 LOCATION: IN SPARTA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.91752 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.48240 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 5 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 4 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1971 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: 1995 (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 6 (68) DECK GEOMETRY: 9 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 94.2 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 188.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 100N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 84 FT RECOMMENDED IMPROVEMENTS 87.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 84.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **CLOSED MEDIAN - WITH BARRIER** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 9 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.24 FT (90) DATE OF LAST REGULAR INSPECTION: 1/10/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: 14.76 FT (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 4.92 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93SR1110019



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 70180 SPECIAL CASE: 0 ROAD NAME: SPENCER HWY. COUNTY SEQUENCE: 1 CROSSING: TOWN CREEK LOG MILE: 8.26 SUFFICIENCY RATING: 81.3 LOCATION: 0.1 MI. S. OF SR-26 JCT. IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 35.93520 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.48605 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN PRINCIPAL ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 1 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 5 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 4 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 22.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 22.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 87.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/5/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR1110010

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: WHITE

ROUTE: SR111

FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: STATE HWY. 111 COUNTY SEQUENCE: 1 CROSSING: SR 111 / NFA A119 LOG MILE: 15.23 SUFFICIENCY RATING: 77.0 LOCATION: 3.5 MI S OF PUTMAN CO LN - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.03132 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50836 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL EXPRESSWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 74.1 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 191.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 100N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 24.3 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 191.9 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$1,219,000.00 (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: \$122,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$1.829.000.00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 50.3 FT INSPECTION DATES (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 20.67 FT (90) DATE OF LAST REGULAR INSPECTION: 1/4/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 13.78 FT (56) MIN HORZ UNDERCLR ON LEFT: 13.45 FT (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93SR1110009



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 SPECIAL CASE: 0 FIPS CODE: 00000 ROAD NAME: STATE HWY. 111 COUNTY SEQUENCE: 1 CROSSING: SR 111 / NFA A119 LOG MILE: 15.23 SUFFICIENCY RATING: 87.2 LOCATION: 3.5 MI S OF PUTMAN CO LN - IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: 36.03137 DEGREES YES Ν (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50792 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: RURAL EXPRESSWAY (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **RIGHT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 2 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 74.1 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 191.9 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 100N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: **45 DEGREES** ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 17.39 FT (90) DATE OF LAST REGULAR INSPECTION: 1/4/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 13.45 FT (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR1110013



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 **ROAD NAME: STATE HWY. 111** COUNTY SEQUENCE: 1 CROSSING: POST OAK CREEK LOG MILE: 17.67 SUFFICIENCY RATING: 98.3 LOCATION: 1 MI S OF PUTNAM CO LN IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.06673 DEGREES **NHS ROUTE** (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50726 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN FREEWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 6 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 62.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 183.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 100N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/23/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR1110014



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 **ROAD NAME: STATE HWY. 111** COUNTY SEQUENCE: 1 CROSSING: POST OAK CREEK LOG MILE: 17.67 SUFFICIENCY RATING: 87.2 LOCATION: 1 MI S OF PUTNAM CO LN IDENTIFICATION CLASSIFICATION (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.08160 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50673 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN FREEWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 62.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 183.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 100N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: NO MEDIAN BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 25 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/23/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR1110017

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: WHITE

ROUTE: SR111 FIPS CODE: 00000 SPECIAL CASE: 0 **ROAD NAME: STATE HWY. 111** COUNTY SEQUENCE: 1 CROSSING: FALLING WATER RIVER LOG MILE: 18.70 SUFFICIENCY RATING: 98.3 LOCATION: AT PUTNAM CO LN IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.08152 DEGREES **NHS ROUTE** (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: w 85.50627 DEGREES (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN FREEWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: RIGHT LANE BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 6 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **EPOXY OVERLAY** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 76.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 225.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 100N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 7 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/3/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93SR1110018

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: WHITE

ROUTE: SR111

FIPS CODE: 00000 SPECIAL CASE: 0 **ROAD NAME: STATE HWY. 111** COUNTY SEQUENCE: 1 CROSSING: FALLING WATER RIVER LOG MILE: 18.70 SUFFICIENCY RATING: 98.3 LOCATION: AT PUTNAM CO LN IDENTIFICATION - CLASSIFICATION -(16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: YES Ν 36.08165 DEGREES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: W 85.50669 DEGREES **NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN FREEWAY** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: **LEFT LANE BRIDGE** (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 1-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 7 (107) TYPE OF DECK: **CONCRETE PRECAST PANELS** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 7 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 76.1 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 225.1 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 42 FT RECOMMENDED IMPROVEMENTS 44 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 42.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 7 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 42.0 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/10/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93SR1110021



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR135 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: BURGESS FALLS RD. COUNTY SEQUENCE: 1 CROSSING: SR 135 / SR 111 LOG MILE: 2.23 SUFFICIENCY RATING: 88.0 LOCATION: NORTH OF SPARTA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.99058 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50052 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: PRESTRESSED CONCRETE (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS **CONTINUOUS NOT BEEN DETERMINED** (44a) APPR SPAN MATERIAL: NOT APPLICABLE CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 5 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HL-93 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 2012 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 8 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 9 (48) MAXIMUM SPAN LENGTH: 113.9 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 227.8 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1111 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 44 FT RECOMMENDED IMPROVEMENTS 45.9 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 35.8 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: NO FLARE (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 44.0 FT INSPECTION DATES = (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.57 FT (90) DATE OF LAST REGULAR INSPECTION: 1/8/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 27.56 FT (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 17.06 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93SR1360003

BRIDGE OWNER: STATE OF TENNESSEE



COUNTY: WHITE

ROUTE: SR136 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: OLD KENTUCKY RD. COUNTY SEQUENCE: 1 CROSSING: RUM CREEK LOG MILE: 13.81 SUFFICIENCY RATING: 82.4 LOCATION: 2 MI N OF SR 26 IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.98563 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.55558 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: 00 (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL = (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: Ν (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: Ν (107) TYPE OF DECK: **NOT APPLICABLE** (60) SUBSTRUCTURE: Ν (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 6 A) TYPE OF SURFACE: **NOT APPLICABLE** (62) CULVERT CONDITION (IF APPLICABLE): B) TYPE MEMBRANE: **NOT APPLICABLE** DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **NOT APPLICABLE** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1975 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: Ν GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 7.9 FT (71) WATERWAY ADEQUACY: 7 (49) TOTAL BRIDGE LENGTH: 20.3 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 000N (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 5 (51) BRIDGE CURB TO CURB WIDTH: **UNDER FILL** RECOMMENDED IMPROVEMENTS **UNDER FILL** (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** 21.0 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 10 DEGREES ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 30.8 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/23/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24



BRIDGE ID NUMBER: 93SR1110011 COUNTY: WHITE BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR136 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: HAMPTONS CROSSROADS COUNTY SEQUENCE: 1 CROSSING: SR 136 / SR 111 LOG MILE: 19.85 SUFFICIENCY RATING: 70.5 LOCATION: 2 MI S OF PUTNAM CO LN IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 36.05560 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.50803 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 7 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 7 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: MONOLITHIC CONCRETE (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPEN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 5 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 135.8 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 255.9 FT (72) APPROACH ROADWAY ALIGNMENT: (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1011 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 34.1 FT RECOMMENDED IMPROVEMENTS 36.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 34.1 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 16 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 81.1 FT INSPECTION DATES **HIGHWAY BENEATH BRIDGE** (54a) VERT UNDERCLR: (54b) MIN VERTICAL UNDERCLEARANCE: 16.57 FT (90) DATE OF LAST REGULAR INSPECTION: 1/29/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 28.54 FT (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 27.89 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE:

N/A

PUBLICATION DATE 11-Mar-24

(40) NAVIGATION HORZ CLEARANCE:

BRIDGE ID NUMBER: 93E00090001



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR285 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: E. GOOSENECK RD. COUNTY SEQUENCE: 1 CROSSING: CALFKILLER RIVER LOG MILE: 1.46 SUFFICIENCY RATING: 50.1 LOCATION: 2 MI E OF US RT 70S IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.84175 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.48167 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **RURAL MAJOR COLLECTOR** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: STEEL CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 3 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: 7 A) TYPE OF SURFACE: **ASPHALT** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: NONE (31) DESIGN LOADING: HS-20-44 +MOD AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1971 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: WEIGHT POSTED **WATERWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: (28b) NUMBER OF LANES UNDER THE BRIDGE: 0 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: N (48) MAXIMUM SPAN LENGTH: 106.0 FT (71) WATERWAY ADEQUACY: 8 (49) TOTAL BRIDGE LENGTH: 284.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 0000 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: 8 (51) BRIDGE CURB TO CURB WIDTH: 29.9 FT RECOMMENDED IMPROVEMENTS 34.1 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **BRIDGE REHABILITATION** 27.9 FT (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: (76) LENGTH OF BRIDGE IMPROVEMENT: 323.2 FT (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: \$1,835,000.00 (34) BRIDGE SKEW: 0 DEGREES ROADWAY IMPROVEMENT COST: \$184,000.00 (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: \$2,753,000,00 (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: 2022 (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 29.9 FT INSPECTION DATES (54a) VERT UNDERCLR: **NOT A HIGHWAY OR RAILROAD** (54b) MIN VERTICAL UNDERCLEARANCE: **NOT APPLICABLE** (90) DATE OF LAST REGULAR INSPECTION: 1/29/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **NOT A HIGHWAY OR RAILROAD** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: **NOT APPLICABLE** (93b) DATE OF LAST UNDERWATER INSP (MO/YR): 05/2019 (56) MIN HORZ UNDERCLR ON LEFT: **NOT APPLICABLE** (92b) UNDERWATER INSP FREQUENCY (MONTHS): Y60 (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A **NO NAVIGATION CONTROL** (38) NAV CONTROL: (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: PUBLIC RECORDS REQUEST (40) NAVIGATION HORZ CLEARANCE: N/A This document is covered by 23 USC §409

PUBLICATION DATE 11-Mar-24

BRIDGE ID NUMBER: 93SR1110003



COUNTY: WHITE

BRIDGE OWNER: STATE OF TENNESSEE ROUTE: SR289 FIPS CODE: 00000 SPECIAL CASE: 0 ROAD NAME: N. SPRING ST. COUNTY SEQUENCE: 1 CROSSING: SR 289 / SR 111 LOG MILE: 2.61 SUFFICIENCY RATING: 86.5 LOCATION: EAST OF SPARTA IDENTIFICATION CLASSIFICATION = (16a,b) LATITUDE: (112) MEETS NBIS BRIDGE LENGTH: Ν 35.96562 DEGREES YES (17a,b) LONGITUDE: (104) NATIONAL HIGHWAY SYSTEM: 85.48595 DEGREES **NOT A NHS ROUTE** (98a) BORDER BRIDGE STATE CODE: N/A (26) FUNCTIONAL CLASS: **URBAN MINOR ARTERIAL** (98b) PERCENT SHARE: იი (101) PARALLEL BRIDGE: NO PARALLEL BRIDGE (99) BORDER BRIDGE NUMBER: (102) TRAFFIC DIR: **NOT APPLICABLE** 2-WAY TRAFFIC (103) TEMPORARY BRIDGE: **NOT APPLICABLE** BRIDGE TYPE AND MATERIAL (110) NATIONAL TRUCK ROUTE: NOT ON TRUCK NETWORK (43a) MAIN SPAN MATERIAL: CONCRETE CONTINUOUS (37) HISTORICAL CLASS: HISTORICAL SIGNIFICANCE HAS (44a) APPR SPAN MATERIAL: NOT APPLICABLE **NOT BEEN DETERMINED** CONDITION RATINGS (45) NUMBER OF MAIN SPANS: 2 (58) DECK: 6 (46) NUMBER OF APPROACH SPANS: 0 (59) SUPERSTRUCTURE: 5 (107) TYPE OF DECK: **CONCRETE CAST-IN-PLACE** (60) SUBSTRUCTURE: 6 (108) TYPE OF WEARING SURFACE AND DECK PROTECTION: (61) STREAM CHANNEL AND CHANNEL PROTECTION: Ν A) TYPE OF SURFACE: **MONOLITHIC CONCRETE** (62) CULVERT CONDITION (IF APPLICABLE): Ν B) TYPE MEMBRANE: NONE DESIGN LOAD AND WEIGHT POSTING C) TYPE PROTECTION: **EPOXY COATED REINFORCING** (31) DESIGN LOADING: HS-20-44 AGE AND SERVICE WEIGHT POSTING (2 AXLE VEHICLES): **ALL LEGAL LOADS** (27) YEAR THE BRIDGE WAS BUILT: 1988 WEIGHT POSTING (3 OR MORE AXLES): **ALL LEGAL LOADS** (106) YEAR THE BRIDGE WAS REHABILITATED: N/A (70) BRIDGE POSTING CODE: **HIGHWAY** (42a) SERVICE ON BRIDGE: (41) WT POSTING STATUS: OPFN **HIGHWAY** (42b) UNDER BRIDGE: **APPRAISAL** (28a) NUMBER OF LANES CARRIED BY BRIDGE: 2 (67) STRUCTURAL EVALUATION: 5 (28b) NUMBER OF LANES UNDER THE BRIDGE: 4 (68) DECK GEOMETRY: 6 GEOMETRIC DATA -(69) UNDERCLEARANCE RATING: 7 (48) MAXIMUM SPAN LENGTH: 99.7 FT (71) WATERWAY ADEQUACY: Ν (49) TOTAL BRIDGE LENGTH: 244.0 FT (72) APPROACH ROADWAY ALIGNMENT: 8 (50a) LEFT SIDEWALK WIDTH: 0.0 FT (36) TRAFFIC SAFETY FEATURES: 1001 (50b) RIGHT SIDEWALK WIDTH: 0.0 FT (113) SCOUR CONDITION RATING: Ν (51) BRIDGE CURB TO CURB WIDTH: 44.3 FT RECOMMENDED IMPROVEMENTS 46.3 FT (52) BRIDGE OUT TO OUT WIDTH: (75) TYPE OF WORK: **NOT APPLICABLE** (32) APPROACH ROADWAY (W/ SHLDS) WIDTH: 40.0 FT (76) LENGTH OF BRIDGE IMPROVEMENT: N/A (33) BRIDGE MEDIAN: **NO MEDIAN** BRIDGE IMPROVEMENT COST: (34) BRIDGE SKEW: 30 DEGREES (95) ROADWAY IMPROVEMENT COST: (35) BRIDGE FLARE: **NO FLARE** (96) TOTAL PROJECT COST: (520) MIN VERTICAL CLEARANCE OVER RD: 100 FT (97) YEAR OF IMPROVEMENT COST ESTIMATE: (47) MIN HORIZONTAL CLEARANCE ON ROADWAY: 83.1 FT INSPECTION DATES = (54a) VERT UNDERCLR: **HIGHWAY BENEATH BRIDGE** (54b) MIN VERTICAL UNDERCLEARANCE: 16.44 FT (90) DATE OF LAST REGULAR INSPECTION: 1/4/2024 (91) REGULAR INSPECTION FREQUENCY (MONTHS): (55a) HORZ UNDERCLR: **HIGHWAY BENEATH BRIDGE** 24 (55b) MIN HORZ UNDERCLR ON RIGHT: (93b) DATE OF LAST UNDERWATER INSP (MO/YR): N/A 29.86 FT (56) MIN HORZ UNDERCLR ON LEFT: (92b) UNDERWATER INSP FREQUENCY (MONTHS): N00 29.86 FT (93c) DATE OF SPECIAL INSPECTION (MO/YR): NAVIGATION DATA N/A (38) NAV CONTROL: **NOT APPLICABLE** (92c) SPECIAL INSP FREQUENCY (MONTHS): N00 (39) NAVIGATION VERTICAL CLEARANCE: N/A PRODUCED PURSUANT TO N/A (116) LIFT BRIDGE VERT CLEARANCE: (40) NAVIGATION HORZ CLEARANCE: N/A

PUBLICATION DATE 11-Mar-24