TriAD
ENVIRONMENTAL CONSULTANTS

207 Donelson Pike
Suite 200
Nashville, TN 37214
615-889-6888
fax 615-889-4004

February 26, 2008

Ashley Holt, P.G., Manager
State Remediation Program
Division of Solid Waste Management
Tennessee Department of Environment and Conservation
5th Floor, L&C Tower
401 Church Street
Nashville, Tennessee 37243-1535

Re: Seep Monitoring Results – January 28, 2008, Event
Egyptian Lacquer Manufacturing Company
Franklin, Tennessee
TriAD Project No. 07-ELM01-01

Dear Ms. Holt:

As required in the *Revised Plan for Collection and Analysis of Water Samples Related to Selected Seeps into Liberty Creek and the Harpeth River* (Plan), submitted to you on May 25, 2007, TriAD Environmental Consultants, Inc. (TriAD), on behalf of Egyptian Lacquer Manufacturing Company (ELMCO) and through its attorneys Stites and Harbison, PLLC, is submitting the analytical results of the eleventh seep monitoring event. This report includes a table summarizing the analytical results and the laboratory reports of the analyses.

As called for in the Plan, samples were collected from three of the four seep monitoring points (LC-PC, LC-MS, and HR-2) on January 28, 2008. The sampling event was somewhat delayed due to weather and property access problems. Mr. Driskill, the owner of the land on which the LC-PC, LC-MS, and Watergate sampling locations are located, denied access to his property on January 21, 2008, the day that a TriAD crew was in the field to collect the samples. Permission for access was not granted again until January 28, and has again been revoked as of February 15. During the January 28 sampling event, no sample was collected from location HR-3 because this location was below the water level of the river. In addition, one sample was collected from Liberty Creek at a point upstream from LC-MS. Sample "Watergate" was collected from the downstream side of the watergate that prevents people from walking into the seep area from the upstream portions of the Driskill property. The Watergate sample was collected to allow further evaluation of the analytical results obtained from samples collected from this location during the November and December

sampling events. The sample collected in November reportedly contained toluene at 11 mg/L and Tetrachloroethene (PCE) at 0.053 mg/L. The sample collected in December reportedly contained toluene at 4.2 mg/L, with no other volatile organic compounds (VOCs) detected. The goal of the January sampling at this location was to continue to assess the presence of VOCs in creek water upstream of the main seep. (A sample collected upstream of the Watergate [at Driskill Crossing] on November 9 showed no detectable concentrations of VOCs.)

All samples were transferred under chain-of-custody procedures to Environmental Science Corporation (ESC) in Mount Juliet, Tennessee, where they were analyzed for VOCs by US EPA SW846 Method 8260B. The laboratory analytical results are summarized in the attached Table 1. A copy of the laboratory report is also attached. The results for each of the collected samples are discussed in the following paragraphs. No constituents were reported in the trip blank during the sampling event.

The toluene concentration in sample LC-PC was 5 mg/L, which is the lowest concentration detected at this location since June 2007. Acetone was detected in this sample at a concentration of 1.4 mg/L, the lowest measured concentration at this location. No other VOCs were reported in this sample. As always, analytical results from samples collected at this location are influenced by the volume of flow in the creek; higher flow during this event may have contributed to the lower detected concentrations.

Toluene was detected in sample LC-MS at 74 mg/L, with acetone at a concentration of 19 mg/L. The sample collected at LC-MS contained no other detectable concentrations of VOCs, although the detection limits were higher than in the December event, being equal to those for the November event. The concentrations of toluene and acetone detected at LC-MS in the January event represent an increase over the previous two months, but are still significantly below those detected during the spring and summer of 2007. The increase in concentrations may be the result of a loss of creek dilution at this stream-bank sampling point. Flooding in early January resulted in a change in the stream channel, directing flow from the east bank to the west bank, away from the seeps. Thus, unlike recent events, there was effectively no stream flow at the LC-MC monitoring point.

The results of the January sampling event confirmed the continued lower concentrations of acetone and toluene detected in the recent samples from HR-2. Acetone was reported at a concentration of 330 mg/L, and toluene at a concentration of 84 mg/L. This is the fifth month in a row of acetone concentrations significantly lower than those detected during the May through August events, with the latest sample exhibiting the lowest reported concentration from this monitoring point. Likewise, the toluene concentration is

the lowest yet detected in a sample from this location. No other VOCs were reported in this sample.

The Watergate sample contained acetone at 0.52 mg/L and toluene at 2.6 mg/L. The reporting of acetone in the January sample when it had not been reported in the November and December samples is likely due to lower detection limits for the January sample. The reported toluene concentration is a further reduction over the concentrations reported in November and December. No other VOC was detected at this location in the January sample.

The January sampling event is the eleventh seep sampling event, representing nine months of data. While fluctuations in constituent concentrations occur, and may be expected to continue, the overall trend is down. This trend is particularly noticeable in samples collected at HR-2, a sampling location that is likely the most representative of groundwater conditions of all the seep sampling locations. HR-2 reliably produces water, doing so even during the drought. Samples from this location are the least likely to be influenced by river stages, as it is not sampled unless the seep is above river level. Further, the concentrations in samples from this location began declining during the dry season, and have continued to decline through the wetter winter months. While it is possible that increases will be observed in the future, the trend to date has been down and increases appear unlikely.

Given the decline in concentrations in samples from HR-2, and the fact that free-product solvent has never been observed or collected on booms at any of the seeps along the Harpeth River, ELMCO is requesting from TDEC permission to remove the booms that have been in place since last February at seeps HR-1, HR-2, HR-3, and HR-4. The booms were placed to intercept free product if it appeared (indeed, they function only to recover free product – dissolved constituents are not collected by booms). For the last seven months, data from HR-2, historically the most impacted of the seeps, have shown toluene concentrations well below the water solubility for toluene (approximately 515 to 530 mg/L), indicating that free product is not likely to appear. The booms therefore serve no useful purpose and should be removed. If subsequent sampling data indicate a return to concentrations approaching the water solubility of toluene, the booms will be replaced as a precaution against an uncontrolled discharge of free-product solvent to the river. This request in no way affects the status of booms and, as necessary, absorbent pads on Liberty Creek, which will continue to be maintained (assuming property access is obtained) until such time as sufficient data become available to allow a similar request for that location.

Please contact us if you require additional information.

Sincerely,

TriAD Environmental Consultants, Inc.

Chris Scott, P.G.
Senior Hydrogeologist

Attachments (Table 1, lab report)

cc: Bill Penny, Stites and Harbison
Kerry Mattox, ELMCO



Table 1: Summary of Analytical Results Liberty Creek and Harpeth River Seeps Results in mg/L								
Sampling Location	**LC-PC**		**LC-MS [a]**		**HR-2**		**HR-3**	
Compound	**Acetone**	**Toluene**	**Acetone**	**Toluene**	**Acetone**	**Toluene**	**Acetone**	**Toluene**
05/18/07	**5.1**	**18**	<12	**54 [E]**	**1,700 [E]**	**360 [E]**	**150**	**82 [E]**
05/24/07	**18**	**12 [E]**	<12	**140**	**1,800**	**400**	**20**	**24**
6/1/2007 [b]	**5.1**	**0.72 [E]**	**51**	**760 [E]**	**3,700**	**450 [E]**	<0.050 [R]	<0.0050 [R]
06/08/07	**20**	**35 [J]**	<50	**330**	**1,900**	**470**	**92**	**55**
07/09/07	**18 [E]**	**35 [E]**	< 250	**340**	**1,500**	**180 [V]**	NS	NS
8/8/2007 [c]	NS	NS	< 25	**640**	**1,600**	**150**	NS	NS
09/19/07	**24**	**33**	<10	**32**	**780**	**130**	NS	NS
10/15/2007 [d]	NS	NS	<120	**260**	**890**	**250**	NS	NS
11/09/2007 [e]	<12	**24**	<12	**16**	**400**	**180**	NS	NS
12/10/07	**3.0**	**7.8**	<1.2	**4.1**	**620 [J6]**	**160 [J6]**	NS	NS
01/28/08	**1.4**	**5**	**19**	**74 [E]**	**330 [E]**	**84**	NS	NS

Bold text indicates a detected parameter

Notes:

[a] LC-MS samples on 5/18 and 5/24/07 were collected from downstream end of boom area; later samples from point of seep

[b] LC-PC sample collected 6/1/07 also contained 0.032 mg/L MEK

[c] LC-MS sample collected 8/8/07 also contained 0.57 mg/L benzene

[d] LC-MS sample collected 10/15/07 also contained 3.2 mg/L n-propylbenzne, 17 mg/L 1,2,4-trimethylbenzene, 3.1 mg/L 1,2,3-trimethylbenzene, and 2.9 mg/L 1,3,5-trimethylbenzene

[e] LC-MS sample collected 11/9/07 also contained 0.27 mg/L cis-1,2-dichloroethene

NS - Location not sampled, dry or below river level

Laboratory qualifiers:

[E] Estimated result. Sample concentration exceeds the calibration range.

[J] Matrix interference, spike value is high

[R] Results rejected by Laboratory -- not valid

[V] The sample concentration is too high to evaluate accurate spike recoveries.

[J6] Martix Interference, spike value too low

ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200

Nashville, TN 37214

Report Summary

Friday February 01, 2008

Report Number: L329458
Samples Received: 01/29/08
Client Project: 07-ELM01-01

Description: ELMOCO

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By: Terrie Fudge

Terrie Fudge, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 09227, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375,DW21704, ND - R-140
NJ - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910

This report may not be reproduced, except in full, without written approval from Environmental Science Corp.

ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200
Nashville, TN 37214

February 01, 2008

ESC Sample # : L329458-01

Site ID :

Project # : 07-ELM01-01

Date Received : January 29, 2008
Description : ELMCO

Sample ID : LC-PC

Collected By : Shane Parnell
Collection Date : 01/28/08 15:10

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	1.4	1.2	mg/l	8260B	01/31/08	25
Acrolein	BDL	1.2	mg/l	8260B	01/31/08	25
Acrylonitrile	BDL	0.25	mg/l	8260B	01/31/08	25
Benzene	BDL	0.025	mg/l	8260B	01/31/08	25
Bromobenzene	BDL	0.025	mg/l	8260B	01/31/08	25
Bromodichloromethane	BDL	0.025	mg/l	8260B	01/31/08	25
Bromoform	BDL	0.025	mg/l	8260B	01/31/08	25
Bromomethane	BDL	0.12	mg/l	8260B	01/31/08	25
n-Butylbenzene	BDL	0.025	mg/l	8260B	01/31/08	25
sec-Butylbenzene	BDL	0.025	mg/l	8260B	01/31/08	25
tert-Butylbenzene	BDL	0.025	mg/l	8260B	01/31/08	25
Carbon tetrachloride	BDL	0.025	mg/l	8260B	01/31/08	25
Chlorobenzene	BDL	0.025	mg/l	8260B	01/31/08	25
Chlorodibromomethane	BDL	0.025	mg/l	8260B	01/31/08	25
Chloroethane	BDL	0.12	mg/l	8260B	01/31/08	25
2-Chloroethyl vinyl ether	BDL	1.2	mg/l	8260B	01/31/08	25
Chloroform	BDL	0.12	mg/l	8260B	01/31/08	25
Chloromethane	BDL	0.062	mg/l	8260B	01/31/08	25
2-Chlorotoluene	BDL	0.025	mg/l	8260B	01/31/08	25
4-Chlorotoluene	BDL	0.025	mg/l	8260B	01/31/08	25
1,2-Dibromo-3-Chloropropane	BDL	0.12	mg/l	8260B	01/31/08	25
1,2-Dibromoethane	BDL	0.025	mg/l	8260B	01/31/08	25
Dibromomethane	BDL	0.025	mg/l	8260B	01/31/08	25
1,2-Dichlorobenzene	BDL	0.025	mg/l	8260B	01/31/08	25
1,3-Dichlorobenzene	BDL	0.025	mg/l	8260B	01/31/08	25
1,4-Dichlorobenzene	BDL	0.025	mg/l	8260B	01/31/08	25
Dichlorodifluoromethane	BDL	0.12	mg/l	8260B	01/31/08	25
1,1-Dichloroethane	BDL	0.025	mg/l	8260B	01/31/08	25
1,2-Dichloroethane	BDL	0.025	mg/l	8260B	01/31/08	25
1,1-Dichloroethene	BDL	0.025	mg/l	8260B	01/31/08	25
cis-1,2-Dichloroethene	BDL	0.025	mg/l	8260B	01/31/08	25
trans-1,2-Dichloroethene	BDL	0.025	mg/l	8260B	01/31/08	25
1,2-Dichloropropane	BDL	0.025	mg/l	8260B	01/31/08	25
1,1-Dichloropropene	BDL	0.025	mg/l	8260B	01/31/08	25
1,3-Dichloropropane	BDL	0.025	mg/l	8260B	01/31/08	25
cis-1,3-Dichloropropene	BDL	0.025	mg/l	8260B	01/31/08	25
trans-1,3-Dichloropropene	BDL	0.025	mg/l	8260B	01/31/08	25
2,2-Dichloropropane	BDL	0.025	mg/l	8260B	01/31/08	25
Di-isopropyl ether	BDL	0.025	mg/l	8260B	01/31/08	25
Ethylbenzene	BDL	0.025	mg/l	8260B	01/31/08	25
Hexachlorobutadiene	BDL	0.025	mg/l	8260B	01/31/08	25
Isopropylbenzene	BDL	0.025	mg/l	8260B	01/31/08	25
p-Isopropyltoluene	BDL	0.025	mg/l	8260B	01/31/08	25

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)

ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200
Nashville, TN 37214

February 01, 2008

ESC Sample # : L329458-01

Site ID :

Project # : 07-ELM01-01

Date Received : January 29, 2008
Description : ELMCO

Sample ID : LC-PC

Collected By : Shane Parnell
Collection Date : 01/28/08 15:10

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.25	mg/l	8260B	01/31/08	25
Methylene Chloride	BDL	0.12	mg/l	8260B	01/31/08	25
4-Methyl-2-pentanone (MIBK)	BDL	0.25	mg/l	8260B	01/31/08	25
Methyl tert-butyl ether	BDL	0.025	mg/l	8260B	01/31/08	25
Naphthalene	BDL	0.12	mg/l	8260B	01/31/08	25
n-Propylbenzene	BDL	0.025	mg/l	8260B	01/31/08	25
Styrene	BDL	0.025	mg/l	8260B	01/31/08	25
1,1,1,2-Tetrachloroethane	BDL	0.025	mg/l	8260B	01/31/08	25
1,1,2,2-Tetrachloroethane	BDL	0.025	mg/l	8260B	01/31/08	25
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.025	mg/l	8260B	01/31/08	25
Tetrachloroethene	BDL	0.025	mg/l	8260B	01/31/08	25
Toluene	5.0	0.12	mg/l	8260B	01/31/08	25
1,2,3-Trichlorobenzene	BDL	0.025	mg/l	8260B	01/31/08	25
1,2,4-Trichlorobenzene	BDL	0.025	mg/l	8260B	01/31/08	25
1,1,1-Trichloroethane	BDL	0.025	mg/l	8260B	01/31/08	25
1,1,2-Trichloroethane	BDL	0.025	mg/l	8260B	01/31/08	25
Trichloroethene	BDL	0.025	mg/l	8260B	01/31/08	25
Trichlorofluoromethane	BDL	0.12	mg/l	8260B	01/31/08	25
1,2,3-Trichloropropane	BDL	0.025	mg/l	8260B	01/31/08	25
1,2,4-Trimethylbenzene	BDL	0.025	mg/l	8260B	01/31/08	25
1,2,3-Trimethylbenzene	BDL	0.025	mg/l	8260B	01/31/08	25
1,3,5-Trimethylbenzene	BDL	0.025	mg/l	8260B	01/31/08	25
Vinyl chloride	BDL	0.025	mg/l	8260B	01/31/08	25
Xylenes, Total	BDL	0.075	mg/l	8260B	01/31/08	25
Surrogate Recovery						
Toluene-d8	92.6		% Rec.	8260B	01/31/08	25
Dibromofluoromethane	93.5		% Rec.	8260B	01/31/08	25
4-Bromofluorobenzene	114.		% Rec.	8260B	01/31/08	25

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)
Note:
The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.
.
Reported: 02/01/08 13:34 Printed: 02/01/08 13:35

ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200
Nashville, TN 37214

February 01, 2008

ESC Sample # : L329458-02

Site ID :

Project # : 07-ELM01-01

Date Received : January 29, 2008
Description : ELMCO

Sample ID : LC-MS

Collected By : Shane Parnell
Collection Date : 01/28/08 14:15

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	19.	12.	mg/l	8260B	01/31/08	250
Acrolein	BDL	12.	mg/l	8260B	01/31/08	250
Acrylonitrile	BDL	2.5	mg/l	8260B	01/31/08	250
Benzene	BDL	0.25	mg/l	8260B	01/31/08	250
Bromobenzene	BDL	0.25	mg/l	8260B	01/31/08	250
Bromodichloromethane	BDL	0.25	mg/l	8260B	01/31/08	250
Bromoform	BDL	0.25	mg/l	8260B	01/31/08	250
Bromomethane	BDL	1.2	mg/l	8260B	01/31/08	250
n-Butylbenzene	BDL	0.25	mg/l	8260B	01/31/08	250
sec-Butylbenzene	BDL	0.25	mg/l	8260B	01/31/08	250
tert-Butylbenzene	BDL	0.25	mg/l	8260B	01/31/08	250
Carbon tetrachloride	BDL	0.25	mg/l	8260B	01/31/08	250
Chlorobenzene	BDL	0.25	mg/l	8260B	01/31/08	250
Chlorodibromomethane	BDL	0.25	mg/l	8260B	01/31/08	250
Chloroethane	BDL	1.2	mg/l	8260B	01/31/08	250
2-Chloroethyl vinyl ether	BDL	12.	mg/l	8260B	01/31/08	250
Chloroform	BDL	1.2	mg/l	8260B	01/31/08	250
Chloromethane	BDL	0.62	mg/l	8260B	01/31/08	250
2-Chlorotoluene	BDL	0.25	mg/l	8260B	01/31/08	250
4-Chlorotoluene	BDL	0.25	mg/l	8260B	01/31/08	250
1,2-Dibromo-3-Chloropropane	BDL	1.2	mg/l	8260B	01/31/08	250
1,2-Dibromoethane	BDL	0.25	mg/l	8260B	01/31/08	250
Dibromomethane	BDL	0.25	mg/l	8260B	01/31/08	250
1,2-Dichlorobenzene	BDL	0.25	mg/l	8260B	01/31/08	250
1,3-Dichlorobenzene	BDL	0.25	mg/l	8260B	01/31/08	250
1,4-Dichlorobenzene	BDL	0.25	mg/l	8260B	01/31/08	250
Dichlorodifluoromethane	BDL	1.2	mg/l	8260B	01/31/08	250
1,1-Dichloroethane	BDL	0.25	mg/l	8260B	01/31/08	250
1,2-Dichloroethane	BDL	0.25	mg/l	8260B	01/31/08	250
1,1-Dichloroethene	BDL	0.25	mg/l	8260B	01/31/08	250
cis-1,2-Dichloroethene	BDL	0.25	mg/l	8260B	01/31/08	250
trans-1,2-Dichloroethene	BDL	0.25	mg/l	8260B	01/31/08	250
1,2-Dichloropropane	BDL	0.25	mg/l	8260B	01/31/08	250
1,1-Dichloropropene	BDL	0.25	mg/l	8260B	01/31/08	250
1,3-Dichloropropane	BDL	0.25	mg/l	8260B	01/31/08	250
cis-1,3-Dichloropropene	BDL	0.25	mg/l	8260B	01/31/08	250
trans-1,3-Dichloropropene	BDL	0.25	mg/l	8260B	01/31/08	250
2,2-Dichloropropane	BDL	0.25	mg/l	8260B	01/31/08	250
Di-isopropyl ether	BDL	0.25	mg/l	8260B	01/31/08	250
Ethylbenzene	BDL	0.25	mg/l	8260B	01/31/08	250
Hexachlorobutadiene	BDL	0.25	mg/l	8260B	01/31/08	250
Isopropylbenzene	BDL	0.25	mg/l	8260B	01/31/08	250
p-Isopropyltoluene	BDL	0.25	mg/l	8260B	01/31/08	250

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)

ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200
Nashville, TN 37214

February 01, 2008

ESC Sample # : L329458-02

Site ID :

Project # : 07-ELM01-01

Date Received : January 29, 2008
Description : ELMCO

Sample ID : LC-MS

Collected By : Shane Parnell
Collection Date : 01/28/08 14:15

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	2.5	mg/l	8260B	01/31/08	250
Methylene Chloride	BDL	1.2	mg/l	8260B	01/31/08	250
4-Methyl-2-pentanone (MIBK)	BDL	2.5	mg/l	8260B	01/31/08	250
Methyl tert-butyl ether	BDL	0.25	mg/l	8260B	01/31/08	250
Naphthalene	BDL	1.2	mg/l	8260B	01/31/08	250
n-Propylbenzene	BDL	0.25	mg/l	8260B	01/31/08	250
Styrene	BDL	0.25	mg/l	8260B	01/31/08	250
1,1,1,2-Tetrachloroethane	BDL	0.25	mg/l	8260B	01/31/08	250
1,1,2,2-Tetrachloroethane	BDL	0.25	mg/l	8260B	01/31/08	250
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.25	mg/l	8260B	01/31/08	250
Tetrachloroethene	BDL	0.25	mg/l	8260B	01/31/08	250
Toluene	74.	1.2	mg/l	8260B	01/31/08	250
1,2,3-Trichlorobenzene	BDL	0.25	mg/l	8260B	01/31/08	250
1,2,4-Trichlorobenzene	BDL	0.25	mg/l	8260B	01/31/08	250
1,1,1-Trichloroethane	BDL	0.25	mg/l	8260B	01/31/08	250
1,1,2-Trichloroethane	BDL	0.25	mg/l	8260B	01/31/08	250
Trichloroethene	BDL	0.25	mg/l	8260B	01/31/08	250
Trichlorofluoromethane	BDL	1.2	mg/l	8260B	01/31/08	250
1,2,3-Trichloropropane	BDL	0.25	mg/l	8260B	01/31/08	250
1,2,4-Trimethylbenzene	BDL	0.25	mg/l	8260B	01/31/08	250
1,2,3-Trimethylbenzene	BDL	0.25	mg/l	8260B	01/31/08	250
1,3,5-Trimethylbenzene	BDL	0.25	mg/l	8260B	01/31/08	250
Vinyl chloride	BDL	0.25	mg/l	8260B	01/31/08	250
Xylenes, Total	BDL	0.75	mg/l	8260B	01/31/08	250
Surrogate Recovery						
Toluene-d8	89.6		% Rec.	8260B	01/31/08	250
Dibromofluoromethane	92.6		% Rec.	8260B	01/31/08	250
4-Bromofluorobenzene	110.		% Rec.	8260B	01/31/08	250

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)
Note:
The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.
.
Reported: 02/01/08 13:34 Printed: 02/01/08 13:35

ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200
Nashville, TN 37214

February 01, 2008

ESC Sample # : L329458-03

Site ID :

Project # : 07-ELM01-01

Date Received : January 29, 2008
Description : ELMCO

Sample ID : TRIP BLANK

Collected By : Shane Parnell
Collection Date : 01/28/08 00:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	01/31/08	1
Acrolein	BDL	0.050	mg/l	8260B	01/31/08	1
Acrylonitrile	BDL	0.010	mg/l	8260B	01/31/08	1
Benzene	BDL	0.0010	mg/l	8260B	01/31/08	1
Bromobenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	01/31/08	1
Bromoform	BDL	0.0010	mg/l	8260B	01/31/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	01/31/08	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	01/31/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	01/31/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	01/31/08	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	01/31/08	1
Chloroform	BDL	0.0050	mg/l	8260B	01/31/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	01/31/08	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	01/31/08	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	01/31/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	01/31/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	01/31/08	1
Dibromomethane	BDL	0.0010	mg/l	8260B	01/31/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	01/31/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	01/31/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	01/31/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	01/31/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	01/31/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	01/31/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	01/31/08	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	01/31/08	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	01/31/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	01/31/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	01/31/08	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	01/31/08	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	01/31/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
Hexachlorobutadiene	BDL	0.0010	mg/l	8260B	01/31/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	01/31/08	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)

ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200
Nashville, TN 37214

February 01, 2008

ESC Sample # : L329458-03

Site ID :

Project # : 07-ELM01-01

Date Received : January 29, 2008
Description : ELMCO

Sample ID : TRIP BLANK

Collected By : Shane Parnell
Collection Date : 01/28/08 00:00

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	01/31/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	01/31/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	01/31/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	01/31/08	1
Naphthalene	BDL	0.0050	mg/l	8260B	01/31/08	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
Styrene	BDL	0.0010	mg/l	8260B	01/31/08	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	01/31/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	01/31/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	01/31/08	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	01/31/08	1
Toluene	BDL	0.0050	mg/l	8260B	01/31/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	01/31/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	01/31/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	01/31/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	01/31/08	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	01/31/08	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	01/31/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	01/31/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	01/31/08	1
Surrogate Recovery						
Toluene-d8	95.5		% Rec.	8260B	01/31/08	1
Dibromofluoromethane	93.8		% Rec.	8260B	01/31/08	1
4-Bromofluorobenzene	117.		% Rec.	8260B	01/31/08	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)
Note:
The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.
.
Reported: 02/01/08 13:34 Printed: 02/01/08 13:35

ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200
Nashville, TN 37214

February 01, 2008

ESC Sample # : L329458-04

Date Received : January 29, 2008
Description : ELMCO

Site ID :

Sample ID : HR-2

Project # : 07-ELM01-01

Collected By : Shane Parnell
Collection Date : 01/28/08 14:50

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	330	25.	mg/l	8260B	01/31/08	500
Acrolein	BDL	25.	mg/l	8260B	01/31/08	500
Acrylonitrile	BDL	5.0	mg/l	8260B	01/31/08	500
Benzene	BDL	0.50	mg/l	8260B	01/31/08	500
Bromobenzene	BDL	0.50	mg/l	8260B	01/31/08	500
Bromodichloromethane	BDL	0.50	mg/l	8260B	01/31/08	500
Bromoform	BDL	0.50	mg/l	8260B	01/31/08	500
Bromomethane	BDL	2.5	mg/l	8260B	01/31/08	500
n-Butylbenzene	BDL	0.50	mg/l	8260B	01/31/08	500
sec-Butylbenzene	BDL	0.50	mg/l	8260B	01/31/08	500
tert-Butylbenzene	BDL	0.50	mg/l	8260B	01/31/08	500
Carbon tetrachloride	BDL	0.50	mg/l	8260B	01/31/08	500
Chlorobenzene	BDL	0.50	mg/l	8260B	01/31/08	500
Chlorodibromomethane	BDL	0.50	mg/l	8260B	01/31/08	500
Chloroethane	BDL	2.5	mg/l	8260B	01/31/08	500
2-Chloroethyl vinyl ether	BDL	25.	mg/l	8260B	01/31/08	500
Chloroform	BDL	2.5	mg/l	8260B	01/31/08	500
Chloromethane	BDL	1.2	mg/l	8260B	01/31/08	500
2-Chlorotoluene	BDL	0.50	mg/l	8260B	01/31/08	500
4-Chlorotoluene	BDL	0.50	mg/l	8260B	01/31/08	500
1,2-Dibromo-3-Chloropropane	BDL	2.5	mg/l	8260B	01/31/08	500
1,2-Dibromoethane	BDL	0.50	mg/l	8260B	01/31/08	500
Dibromomethane	BDL	0.50	mg/l	8260B	01/31/08	500
1,2-Dichlorobenzene	BDL	0.50	mg/l	8260B	01/31/08	500
1,3-Dichlorobenzene	BDL	0.50	mg/l	8260B	01/31/08	500
1,4-Dichlorobenzene	BDL	0.50	mg/l	8260B	01/31/08	500
Dichlorodifluoromethane	BDL	2.5	mg/l	8260B	01/31/08	500
1,1-Dichloroethane	BDL	0.50	mg/l	8260B	01/31/08	500
1,2-Dichloroethane	BDL	0.50	mg/l	8260B	01/31/08	500
1,1-Dichloroethene	BDL	0.50	mg/l	8260B	01/31/08	500
cis-1,2-Dichloroethene	BDL	0.50	mg/l	8260B	01/31/08	500
trans-1,2-Dichloroethene	BDL	0.50	mg/l	8260B	01/31/08	500
1,2-Dichloropropane	BDL	0.50	mg/l	8260B	01/31/08	500
1,1-Dichloropropene	BDL	0.50	mg/l	8260B	01/31/08	500
1,3-Dichloropropane	BDL	0.50	mg/l	8260B	01/31/08	500
cis-1,3-Dichloropropene	BDL	0.50	mg/l	8260B	01/31/08	500
trans-1,3-Dichloropropene	BDL	0.50	mg/l	8260B	01/31/08	500
2,2-Dichloropropane	BDL	0.50	mg/l	8260B	01/31/08	500
Di-isopropyl ether	BDL	0.50	mg/l	8260B	01/31/08	500
Ethylbenzene	BDL	0.50	mg/l	8260B	01/31/08	500
Hexachlorobutadiene	BDL	0.50	mg/l	8260B	01/31/08	500
Isopropylbenzene	BDL	0.50	mg/l	8260B	01/31/08	500
p-Isopropyltoluene	BDL	0.50	mg/l	8260B	01/31/08	500

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)

ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200
Nashville, TN 37214

February 01, 2008

ESC Sample # : L329458-04

Date Received : January 29, 2008
Description : ELMCO

Site ID :

Sample ID : HR-2

Project # : 07-ELM01-01

Collected By : Shane Parnell
Collection Date : 01/28/08 14:50

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	5.0	mg/l	8260B	01/31/08	500
Methylene Chloride	BDL	2.5	mg/l	8260B	01/31/08	500
4-Methyl-2-pentanone (MIBK)	BDL	5.0	mg/l	8260B	01/31/08	500
Methyl tert-butyl ether	BDL	0.50	mg/l	8260B	01/31/08	500
Naphthalene	BDL	2.5	mg/l	8260B	01/31/08	500
n-Propylbenzene	BDL	0.50	mg/l	8260B	01/31/08	500
Styrene	BDL	0.50	mg/l	8260B	01/31/08	500
1,1,1,2-Tetrachloroethane	BDL	0.50	mg/l	8260B	01/31/08	500
1,1,2,2-Tetrachloroethane	BDL	0.50	mg/l	8260B	01/31/08	500
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.50	mg/l	8260B	01/31/08	500
Tetrachloroethene	BDL	0.50	mg/l	8260B	01/31/08	500
Toluene	84.	2.5	mg/l	8260B	01/31/08	500
1,2,3-Trichlorobenzene	BDL	0.50	mg/l	8260B	01/31/08	500
1,2,4-Trichlorobenzene	BDL	0.50	mg/l	8260B	01/31/08	500
1,1,1-Trichloroethane	BDL	0.50	mg/l	8260B	01/31/08	500
1,1,2-Trichloroethane	BDL	0.50	mg/l	8260B	01/31/08	500
Trichloroethene	BDL	0.50	mg/l	8260B	01/31/08	500
Trichlorofluoromethane	BDL	2.5	mg/l	8260B	01/31/08	500
1,2,3-Trichloropropane	BDL	0.50	mg/l	8260B	01/31/08	500
1,2,4-Trimethylbenzene	BDL	0.50	mg/l	8260B	01/31/08	500
1,2,3-Trimethylbenzene	BDL	0.50	mg/l	8260B	01/31/08	500
1,3,5-Trimethylbenzene	BDL	0.50	mg/l	8260B	01/31/08	500
Vinyl chloride	BDL	0.50	mg/l	8260B	01/31/08	500
Xylenes, Total	BDL	1.5	mg/l	8260B	01/31/08	500
Surrogate Recovery						
Toluene-d8	92.5		% Rec.	8260B	01/31/08	500
Dibromofluoromethane	93.2		% Rec.	8260B	01/31/08	500
4-Bromofluorobenzene	113.		% Rec.	8260B	01/31/08	500

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)
Note:
The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.
.
Reported: 02/01/08 13:34 Printed: 02/01/08 13:35

ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200
Nashville, TN 37214

February 01, 2008

ESC Sample # : L329458-05

Site ID :

Project # : 07-ELM01-01

Date Received : January 29, 2008
Description : ELMCO

Sample ID : WATERGATE

Collected By : Shane Parnell
Collection Date : 01/28/08 13:55

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	0.52	0.50	mg/l	8260B	01/31/08	10
Acrolein	BDL	0.50	mg/l	8260B	01/31/08	10
Acrylonitrile	BDL	0.10	mg/l	8260B	01/31/08	10
Benzene	BDL	0.010	mg/l	8260B	01/31/08	10
Bromobenzene	BDL	0.010	mg/l	8260B	01/31/08	10
Bromodichloromethane	BDL	0.010	mg/l	8260B	01/31/08	10
Bromoform	BDL	0.010	mg/l	8260B	01/31/08	10
Bromomethane	BDL	0.050	mg/l	8260B	01/31/08	10
n-Butylbenzene	BDL	0.010	mg/l	8260B	01/31/08	10
sec-Butylbenzene	BDL	0.010	mg/l	8260B	01/31/08	10
tert-Butylbenzene	BDL	0.010	mg/l	8260B	01/31/08	10
Carbon tetrachloride	BDL	0.010	mg/l	8260B	01/31/08	10
Chlorobenzene	BDL	0.010	mg/l	8260B	01/31/08	10
Chlorodibromomethane	BDL	0.010	mg/l	8260B	01/31/08	10
Chloroethane	BDL	0.050	mg/l	8260B	01/31/08	10
2-Chloroethyl vinyl ether	BDL	0.50	mg/l	8260B	01/31/08	10
Chloroform	BDL	0.050	mg/l	8260B	01/31/08	10
Chloromethane	BDL	0.025	mg/l	8260B	01/31/08	10
2-Chlorotoluene	BDL	0.010	mg/l	8260B	01/31/08	10
4-Chlorotoluene	BDL	0.010	mg/l	8260B	01/31/08	10
1,2-Dibromo-3-Chloropropane	BDL	0.050	mg/l	8260B	01/31/08	10
1,2-Dibromoethane	BDL	0.010	mg/l	8260B	01/31/08	10
Dibromomethane	BDL	0.010	mg/l	8260B	01/31/08	10
1,2-Dichlorobenzene	BDL	0.010	mg/l	8260B	01/31/08	10
1,3-Dichlorobenzene	BDL	0.010	mg/l	8260B	01/31/08	10
1,4-Dichlorobenzene	BDL	0.010	mg/l	8260B	01/31/08	10
Dichlorodifluoromethane	BDL	0.050	mg/l	8260B	01/31/08	10
1,1-Dichloroethane	BDL	0.010	mg/l	8260B	01/31/08	10
1,2-Dichloroethane	BDL	0.010	mg/l	8260B	01/31/08	10
1,1-Dichloroethene	BDL	0.010	mg/l	8260B	01/31/08	10
cis-1,2-Dichloroethene	BDL	0.010	mg/l	8260B	01/31/08	10
trans-1,2-Dichloroethene	BDL	0.010	mg/l	8260B	01/31/08	10
1,2-Dichloropropane	BDL	0.010	mg/l	8260B	01/31/08	10
1,1-Dichloropropene	BDL	0.010	mg/l	8260B	01/31/08	10
1,3-Dichloropropane	BDL	0.010	mg/l	8260B	01/31/08	10
cis-1,3-Dichloropropene	BDL	0.010	mg/l	8260B	01/31/08	10
trans-1,3-Dichloropropene	BDL	0.010	mg/l	8260B	01/31/08	10
2,2-Dichloropropane	BDL	0.010	mg/l	8260B	01/31/08	10
Di-isopropyl ether	BDL	0.010	mg/l	8260B	01/31/08	10
Ethylbenzene	BDL	0.010	mg/l	8260B	01/31/08	10
Hexachlorobutadiene	BDL	0.010	mg/l	8260B	01/31/08	10
Isopropylbenzene	BDL	0.010	mg/l	8260B	01/31/08	10
p-Isopropyltoluene	BDL	0.010	mg/l	8260B	01/31/08	10

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)

ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Chris Scott
TriAD Environmental Consultants
207 Donelson Pike Suite 200
Nashville, TN 37214

February 01, 2008

ESC Sample # : L329458-05

Site ID :

Project # : 07-ELM01-01

Date Received : January 29, 2008
Description : ELMCO

Sample ID : WATERGATE

Collected By : Shane Parnell
Collection Date : 01/28/08 13:55

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.10	mg/l	8260B	01/31/08	10
Methylene Chloride	BDL	0.050	mg/l	8260B	01/31/08	10
4-Methyl-2-pentanone (MIBK)	BDL	0.10	mg/l	8260B	01/31/08	10
Methyl tert-butyl ether	BDL	0.010	mg/l	8260B	01/31/08	10
Naphthalene	BDL	0.050	mg/l	8260B	01/31/08	10
n-Propylbenzene	BDL	0.010	mg/l	8260B	01/31/08	10
Styrene	BDL	0.010	mg/l	8260B	01/31/08	10
1,1,1,2-Tetrachloroethane	BDL	0.010	mg/l	8260B	01/31/08	10
1,1,2,2-Tetrachloroethane	BDL	0.010	mg/l	8260B	01/31/08	10
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.010	mg/l	8260B	01/31/08	10
Tetrachloroethene	BDL	0.010	mg/l	8260B	01/31/08	10
Toluene	2.6	0.050	mg/l	8260B	01/31/08	10
1,2,3-Trichlorobenzene	BDL	0.010	mg/l	8260B	01/31/08	10
1,2,4-Trichlorobenzene	BDL	0.010	mg/l	8260B	01/31/08	10
1,1,1-Trichloroethane	BDL	0.010	mg/l	8260B	01/31/08	10
1,1,2-Trichloroethane	BDL	0.010	mg/l	8260B	01/31/08	10
Trichloroethene	BDL	0.010	mg/l	8260B	01/31/08	10
Trichlorofluoromethane	BDL	0.050	mg/l	8260B	01/31/08	10
1,2,3-Trichloropropane	BDL	0.010	mg/l	8260B	01/31/08	10
1,2,4-Trimethylbenzene	BDL	0.010	mg/l	8260B	01/31/08	10
1,2,3-Trimethylbenzene	BDL	0.010	mg/l	8260B	01/31/08	10
1,3,5-Trimethylbenzene	BDL	0.010	mg/l	8260B	01/31/08	10
Vinyl chloride	BDL	0.010	mg/l	8260B	01/31/08	10
Xylenes, Total	BDL	0.030	mg/l	8260B	01/31/08	10
Surrogate Recovery						
Toluene-d8	91.1		% Rec.	8260B	01/31/08	10
Dibromofluoromethane	91.7		% Rec.	8260B	01/31/08	10
4-Bromofluorobenzene	112.		% Rec.	8260B	01/31/08	10

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit(PQL)
Note:
The reported analytical results relate only to the sample submitted.
This report shall not be reproduced, except in full, without the written approval from ESC.
.
Reported: 02/01/08 13:34 Printed: 02/01/08 13:35

Attachment A
List of Analytes with QC Qualifiers

Sample #	Analyte	Qualifier
L329458-01	Bromomethane	J3
	Chloroethane	J3
L329458-02	Bromomethane	J3
	Chloroethane	J3
	Toluene	E
L329458-03	Bromomethane	J3
	Chloroethane	J3
L329458-04	Acetone	E
	Bromomethane	J3
	Chloroethane	J3
L329458-05	Bromomethane	J3
	Chloroethane	J3
	Toluene	E

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
E	GTL (EPA) - Greater than upper calibration limit: Actual value is known to be greater than the upper calibration range.
J3	The associated batch QC was outside the established quality control range for precision.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods,it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable unless qualified as 'R' (Rejected).

Definitions

Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.

Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Differrence.

Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromotography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.

TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

TriAD Environmental Consultants

207 Donelson Pike Suite 200
Nashville, TN 37214

Alternate billing information:

Analysis/Container/Preservative

Chain of Custody
Page 1 of 1

Prepared by:
ENVIRONMENTAL SCIENCE CORP.
12065 Lebanon Road
Mt. Juliet, TN 37122
Phone (800) 767-5859
FAX (615) 758-5859

Report to: Mr. Chris Scott
Email: cscott@triadenv.com
Project Description: ELMOCO
City/State Collected: Franklin TN
Phone: (615) 889-6888
FAX: (615) 889-4004
Client Project #: 07-ELM~~02-01~~ 01-01
Lab Project #: TRIADENV-07ELM0101
Collected by (print): Shane Parnell
Site/Facility ID#:
P.O.#:
Collected by (signature):
Immediately Packed on Ice N ___ Y ✓

Rush? (Lab MUST Be Notified)
___ Same Day 200%
___ Next Day.....100%
___ Two Day.....50%
___ Three Day.....25%

Date Results Needed
Email? ___No ___Yes
FAX? ___No ___Yes

Acctnum: TRIADENV (lab use only)
Template/Prelogin: T42839/ P231847
Cooler #: 1/4/08 RC
Shipped Via: Courier

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	V8260 40mlAmb-HCl	V8260 40mlAmb-HCl-Blk	Remarks/Contaminant	Sample # (lab only)
LC-PC		GW		11/28/08	1510	2	X			L32945801
LC-MS		GW		11/28/08	1415	2	X			-02
TRIP BLANK		GW		—	—	1		X		-03
HR-2		GW		11/28/08	1450	2	X			-04
~~HR-3~~		GW		—	—	~~2~~	~~X~~			
WATERGATE		GW		11/28/08	1355	2	X			-05

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other_____

pH _____ Temp _____

Remarks:

Flow _____ Other _____

Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Samples returned via: ☐ UPS ☐ FedEx ☐ Courier ☐	Condition: (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: 3.4 Bottles Received: 8 VHTB	COC Seal Intact: ___Y ___N ___NA
Relinquished by: (Signature) Wayne Shull	11/29/08	1100	Received for lab by: (Signature)	Date: 11-29-08 Time: 11:00	pH Checked: NCF: