

TENNESSEE

2012 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5587	4,053,980	3443	55.9	53.9-57.9	2144	44.1	42.1-46.1
Male	1960	1,923,165	1154	51.8	48.9-54.7	806	48.2	45.3-51.1
Female	3627	2,130,816	2289	59.7	57.3-62.1	1338	40.3	37.9-42.7
White/Non-Hisp	4609	3,092,869	2861	57.0	55.0-59.0	1748	43.0	41.0-45.0
Black or Afr. Am./Non-Hisp	758	654,584	467	57.0	51.9-62.1	291	43.0	37.9-48.1
Oth. Race/Non-Hisp.	78	111,617	34	39.2	24.7-53.7	44	60.8	46.3-75.3
MultiRacial/Non-Hisp.	52	67,337	35	56.9	37.3-76.5	17	43.1	23.5-62.7
Hispanic	54	101,853	23	37.0	21.3-52.7	31	63.0	47.3-78.7
18-24	263	560,452	98	32.8	26.3-39.3	165	67.2	60.7-73.7
25-34	553	696,731	268	46.5	41.6-51.4	285	53.5	48.6-58.4
35-44	706	718,798	396	56.0	51.5-60.5	310	44.0	39.5-48.5
45-54	1038	747,027	652	62.6	58.9-66.3	386	37.4	33.7-41.1
55-64	1240	621,448	853	67.3	63.8-70.8	387	32.7	29.2-36.2
65+	1737	675,279	1141	66.2	63.1-69.3	596	33.8	30.7-36.9
Less Than H.S.	678	644,003	362	45.9	40.4-51.4	316	54.1	48.6-59.6
H.S. or G.E.D.	1854	1,364,681	1082	54.3	51.2-57.4	772	45.7	42.6-48.8
Some Post-H.S.	1525	1,177,509	986	59.6	56.1-63.1	539	40.4	36.9-43.9
College Graduate	1513	858,589	1002	60.7	57.2-64.2	511	39.3	35.8-42.8
Less than \$15,000	655	425,065	341	42.3	36.8-47.8	314	57.7	52.2-63.2
\$15,000- 24,999	988	696,055	599	52.3	47.6-57.0	389	47.7	43.0-52.4
\$25,000- 34,999	559	398,835	359	60.9	55.0-66.8	200	39.1	33.2-45.0
\$35,000- 49,999	617	494,407	390	59.4	54.1-64.7	227	40.6	35.3-45.9
\$50,000- 74,999	567	439,435	369	61.8	56.7-66.9	198	38.2	33.1-43.3
\$75,000+	828	676,227	544	61.0	56.3-65.7	284	39.0	34.3-43.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1960	1,923,165	1154	51.8	48.9-54.7	806	48.2	45.3-51.1
White/Non-Hisp	1628	1,465,142	978	53.8	50.5-57.1	650	46.2	42.9-49.5
Black or Afr. Am./Non-Hisp	244	289,559	129	47.1	38.7-55.5	115	52.9	44.5-61.3
18-24	110	288,140	29	25.6	16.4-34.8	81	74.4	65.2-83.6
25-34	218	344,175	82	38.1	30.5-45.7	136	61.9	54.3-69.5
35-44	253	356,047	137	54.1	46.8-61.4	116	45.9	38.6-53.2
45-54	405	360,401	250	61.5	55.4-67.6	155	38.5	32.4-44.6
55-64	451	287,947	313	66.0	60.1-71.9	138	34.0	28.1-39.9
65+	514	276,520	335	63.9	58.2-69.6	179	36.1	30.4-41.8
Less Than H.S.	213	304,106	111	39.1	30.3-47.9	102	60.9	52.1-69.7
H.S. or G.E.D.	669	668,279	357	48.7	43.6-53.8	312	51.3	46.2-56.4
Some Post-H.S.	532	547,466	326	56.5	50.8-62.2	206	43.5	37.8-49.2
College Graduate	540	398,168	355	59.5	53.8-65.2	185	40.5	34.8-46.2
Less than \$15,000	188	183,944	78	27.8	20.0-35.6	110	72.2	64.4-80.0
\$15,000- 24,999	306	311,673	173	43.7	36.1-51.3	133	56.3	48.7-63.9
\$25,000- 34,999	200	183,603	126	58.0	48.0-68.0	74	42.0	32.0-52.0
\$35,000- 49,999	255	255,080	150	56.8	48.8-64.8	105	43.2	35.2-51.2
\$50,000- 74,999	234	214,206	156	62.3	54.5-70.1	78	37.7	29.9-45.5
\$75,000+	350	360,348	232	62.4	55.5-69.3	118	37.6	30.7-44.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3627	2,130,816	2289	59.7	57.3-62.1	1338	40.3	37.9-42.7
White/Non-Hisp	2981	1,627,727	1883	59.8	57.3-62.3	1098	40.2	37.7-42.7
Black or Afr. Am./Non-Hisp	514	365,025	338	64.9	59.0-70.8	176	35.1	29.2-41.0
Oth. Race/Non-Hisp.	50	60,974	21	34.3	17.2-51.4	29	65.7	48.6-82.8
18-24	153	272,312	69	40.3	31.3-49.3	84	59.7	50.7-68.7
25-34	335	352,556	186	54.6	48.3-60.9	149	45.4	39.1-51.7
35-44	453	362,750	259	58.0	52.3-63.7	194	42.0	36.3-47.7
45-54	633	386,626	402	63.7	59.0-68.4	231	36.3	31.6-41.0
55-64	789	333,501	540	68.3	64.2-72.4	249	31.7	27.6-35.8
65+	1223	398,758	806	67.8	64.3-71.3	417	32.2	28.7-35.7
Less Than H.S.	465	339,897	251	52.0	45.3-58.7	214	48.0	41.3-54.7
H.S. or G.E.D.	1185	696,402	725	59.6	55.5-63.7	460	40.4	36.3-44.5
Some Post-H.S.	993	630,043	660	62.4	58.1-66.7	333	37.6	33.3-41.9
College Graduate	973	460,421	647	61.8	57.7-65.9	326	38.2	34.1-42.3
Less than \$15,000	467	241,120	263	53.4	46.9-59.9	204	46.6	40.1-53.1
\$15,000- 24,999	682	384,381	426	59.3	54.0-64.6	256	40.7	35.4-46.0
\$25,000- 34,999	359	215,232	233	63.4	56.5-70.3	126	36.6	29.7-43.5
\$35,000- 49,999	362	239,327	240	62.1	55.2-69.0	122	37.9	31.0-44.8
\$50,000- 74,999	333	225,229	213	61.3	54.4-68.2	120	38.7	31.8-45.6
\$75,000+	478	315,879	312	59.4	52.9-65.9	166	40.6	34.1-47.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5777	4,173,157	638	9.2	08.2-10.2	76	1.2	00.8-01.6	5063	89.6	88.6-90.6
Male	2023	1,972,897	200	7.7	06.3-09.1				1823	92.3	90.9-93.7
Female	3754	2,200,259	438	10.6	09.2-12.0	76	2.3	01.7-02.9	3240	87.1	85.7-88.5
White/Non-Hisp	4781	3,204,523	523	9.4	08.4-10.4	69	1.4	01.0-01.8	4189	89.3	88.1-90.5
Black or Afr. Am./Non-Hisp	774	660,399	91	9.0	06.6-11.4	7	0.9	00.1-01.7	676	90.1	87.6-92.6
Oth. Race/Non-Hisp.	78	111,617	10	7.3	02.0-12.6				68	92.7	87.4-98.0
MultiRacial/Non-Hisp.	54	69,045	6	9.9	00.1-19.7				48	90.1	80.3-99.9
Hispanic	54	101,853	6	9.7	01.3-18.1				48	90.3	81.9-98.7
18-24	271	571,053	14	4.3	01.8-06.8	2	0.8	00.0-02.0	255	94.8	92.1-97.5
25-34	575	728,137	35	4.4	02.6-06.2	15	2.0	00.8-03.2	525	93.6	91.4-95.8
35-44	718	722,598	61	7.7	05.3-10.1	22	1.9	00.9-02.9	635	90.4	87.9-92.9
45-54	1070	771,852	119	10.1	07.9-12.3	14	1.0	00.2-01.8	937	89.0	86.6-91.4
55-64	1279	639,348	175	15.2	12.5-17.9	9	0.7	00.1-01.3	1095	84.1	81.4-86.8
65+	1813	705,507	227	13.0	10.8-15.2	14	0.6	00.2-01.0	1572	86.4	84.2-88.6
Less Than H.S.	703	661,788	97	11.5	08.4-14.6	5	0.4	00.0-00.8	601	88.1	85.0-91.2
H.S. or G.E.D.	1911	1,401,960	240	9.8	08.2-11.4	21	1.1	00.5-01.7	1650	89.1	87.3-90.9
Some Post-H.S.	1573	1,205,662	152	8.6	06.8-10.4	28	1.6	00.8-02.4	1393	89.9	87.9-91.9
College Graduate	1572	894,352	147	7.4	05.8-09.0	22	1.5	00.7-02.3	1403	91.2	89.6-92.8
Less than \$15,000	673	434,150	85	10.6	07.5-13.7	11	1.1	00.3-01.9	577	88.4	85.1-91.7
\$15,000- 24,999	1024	725,422	135	10.3	07.9-12.7	12	0.8	00.0-01.6	877	88.8	86.3-91.3
\$25,000- 34,999	574	408,701	76	12.5	09.2-15.8	7	1.8	00.0-03.6	491	85.7	82.0-89.4
\$35,000- 49,999	633	500,753	59	7.7	05.3-10.1	5	0.8	00.0-02.0	569	91.6	88.9-94.3
\$50,000- 74,999	589	454,325	47	7.9	05.0-10.8	13	2.1	00.7-03.5	529	90.0	86.9-93.1
\$75,000+	850	689,816	77	7.3	05.3-09.3	11	1.1	00.3-01.9	762	91.6	89.4-93.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2023	1,972,897	200	7.7	06.3-09.1	1823	92.3	90.9-93.7
White/Non-Hisp	1687	1,516,476	169	8.0	06.4-09.6	1518	92.0	90.4-93.6
Black or Afr. Am./Non-Hisp	247	286,851	23	5.7	02.8-08.6	224	94.3	91.4-97.2
18-24	113	292,064	4	3.1	00.0-06.4	109	96.9	93.6-0100
25-34	227	359,286	9	3.2	00.8-05.6	218	96.8	94.4-99.2
35-44	255	351,132	15	5.0	02.1-07.9	240	95.0	92.1-97.9
45-54	420	375,416	38	7.7	04.6-10.8	382	92.3	89.2-95.4
55-64	462	294,969	64	15.5	11.2-19.8	398	84.5	80.2-88.8
65+	537	290,097	69	12.4	08.9-15.9	468	87.6	84.1-91.1
Less Than H.S.	219	312,521	21	8.0	03.7-12.3	198	92.0	87.7-96.3
H.S. or G.E.D.	682	680,592	70	7.3	04.9-09.7	612	92.7	90.3-95.1
Some Post-H.S.	554	561,560	53	8.1	05.6-10.6	501	91.9	89.4-94.4
College Graduate	562	413,080	55	7.3	04.9-09.7	507	92.7	90.3-95.1
Less than \$15,000	192	186,820	21	8.4	03.5-13.3	171	91.6	86.7-96.5
\$15,000- 24,999	327	335,881	33	6.9	03.4-10.4	294	93.1	89.6-96.6
\$25,000- 34,999	205	186,575	29	11.6	06.5-16.7	176	88.4	83.3-93.5
\$35,000- 49,999	257	255,258	25	6.9	03.4-10.4	232	93.1	89.6-96.6
\$50,000- 74,999	242	218,948	18	9.6	04.7-14.5	224	90.4	85.5-95.3
\$75,000+	355	361,499	31	6.7	03.8-09.6	324	93.3	90.4-96.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3754	2,200,259	438	10.6	09.2-12.0	76	2.3	01.7-02.9	3240	87.1	85.7-88.5
White/Non-Hisp	3094	1,688,047	354	10.6	09.2-12.0	69	2.6	01.8-03.4	2671	86.8	85.2-88.4
Black or Afr. Am./Non-Hisp	527	373,548	68	11.6	08.1-15.1	7	1.6	00.0-03.2	452	86.8	83.1-90.5
Oth. Race/Non-Hisp.	50	60,974	7	6.9	00.4-13.4				43	93.1	86.6-99.6
18-24	158	278,989	10	5.6	01.9-09.3	2	1.7	00.0-04.1	146	92.7	88.4-97.0
25-34	348	368,851	26	5.5	03.1-07.9	15	4.0	01.6-06.4	307	90.5	87.2-93.8
35-44	463	371,466	46	10.4	06.9-13.9	22	3.7	01.9-05.5	395	85.9	82.0-89.8
45-54	650	396,436	81	12.3	09.2-15.4	14	1.9	00.5-03.3	555	85.8	82.5-89.1
55-64	817	344,378	111	14.9	11.4-18.4	9	1.3	00.1-02.5	697	83.8	80.3-87.3
65+	1276	415,411	158	13.4	10.9-15.9	14	1.1	00.5-01.7	1104	85.6	83.1-88.1
Less Than H.S.	484	349,268	76	14.7	10.4-19.0	5	0.7	00.1-01.3	403	84.6	80.3-88.9
H.S. or G.E.D.	1229	721,368	170	12.2	10.0-14.4	21	2.1	00.9-03.3	1038	85.7	83.2-88.2
Some Post-H.S.	1019	644,102	99	9.0	06.6-11.4	28	2.9	01.3-04.5	892	88.1	85.4-90.8
College Graduate	1010	481,272	92	7.4	05.6-09.2	22	2.7	01.3-04.1	896	89.8	87.6-92.0
Less than \$15,000	481	247,330	64	12.2	08.1-16.3	11	1.9	00.5-03.3	406	85.9	81.6-90.2
\$15,000- 24,999	697	389,541	102	13.3	10.0-16.6	12	1.6	00.2-03.0	583	85.1	81.6-88.6
\$25,000- 34,999	369	222,126	47	13.2	08.5-17.9	7	3.4	00.3-06.5	315	83.4	77.9-88.9
\$35,000- 49,999	376	245,494	34	8.5	05.2-11.8	5	1.6	00.0-04.0	337	89.9	85.8-94.0
\$50,000- 74,999	347	235,377	29	6.2	03.3-09.1	13	4.1	01.6-06.6	305	89.7	86.0-93.4
\$75,000+	495	328,317	46	8.0	05.3-10.7	11	2.3	00.7-03.9	438	89.7	86.6-92.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28 MALES AND FEMALES	38
29 MALES ONLY	39
30 FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1040	556,414	20	1.8	00.8-02.8	89	10.5	07.8-13.2	230	25.7	21.8-29.6	447	42.0	37.7-46.3	254	19.9	17.0-22.8
Male	400	270,187	8	2.2	00.4-04.0	20	4.6	02.2-07.0	85	25.9	19.8-32.0	196	46.9	40.2-53.6	91	20.5	15.8-25.2
Female	640	286,227	12	1.5	00.3-02.7	69	16.2	11.7-20.7	145	25.5	20.6-30.4	251	37.4	32.1-42.7	163	19.4	15.7-23.1
White/Non-Hisp	838	433,854	17	1.6	00.6-02.6	64	9.6	06.7-12.5	172	23.8	19.9-27.7	368	42.2	37.9-46.5	217	22.7	19.2-26.2
Black or Afr. Am./Non-Hisp	166	91,551	1	1.5	00.0-04.4	21	16.2	07.6-24.8	51	33.4	21.8-45.0	63	39.4	25.9-52.9	30	9.5	04.8-14.2
35-44	58	47,643	4	3.6	00.0-07.5	17	22.4	10.6-34.2	37	74.0	61.7-86.3						
45-54	174	121,856	5	2.4	00.0-05.1	27	11.6	06.5-16.7	79	48.8	37.8-59.8	63	37.3	25.7-48.9			
55-64	275	145,286	6	1.7	00.1-03.3	11	3.2	00.8-05.6	59	18.0	12.5-23.5	183	72.0	65.3-78.7	16	5.2	02.1-08.3
65+	505	210,828	2	0.2	00.0-00.4	14	1.8	00.6-03.0	52	9.5	05.8-13.2	199	39.5	34.0-45.0	238	49.0	43.1-54.9
Less Than H.S.	189	131,335				14	11.6	04.3-18.9	46	27.5	18.1-36.9	68	43.5	31.9-55.1	61	17.3	11.2-23.4
H.S. or G.E.D.	361	185,884	6	1.1	00.1-02.1	35	11.6	06.9-16.3	80	27.3	20.6-34.0	168	44.1	37.4-50.8	72	15.8	11.5-20.1
Some Post-H.S.	299	156,081	5	2.4	00.0-04.8	24	9.4	05.1-13.7	64	22.2	16.1-28.3	131	41.5	34.1-48.9	75	24.5	18.2-30.8
College Graduate	186	80,476	9	5.2	00.7-09.7	16	8.8	03.5-14.1	37	24.2	15.0-33.4	78	36.2	27.2-45.2	46	25.6	17.6-33.6
Less than \$15,000	177	83,265	5	5.0	00.1-09.9	25	19.7	09.7-29.7	51	32.2	21.4-43.0	65	32.0	22.6-41.4	31	11.1	06.2-16.0
\$15,000- 24,999	250	150,054	4	0.7	00.0-01.5	24	15.2	08.7-21.7	61	28.3	20.3-36.3	109	41.4	31.8-51.0	52	14.4	09.3-19.5
\$25,000- 34,999	92	49,303	2	0.8	00.0-01.8	4	2.8	00.0-05.7	13	16.5	04.9-28.1	48	55.7	42.4-69.0	25	24.2	13.8-34.6
\$35,000- 49,999	102	60,864	2	1.1	00.0-02.9	5	5.4	00.1-10.7	20	19.7	09.7-29.7	48	47.1	34.0-60.2	27	26.7	15.9-37.5
\$50,000- 74,999	87	60,683				2	2.7	00.0-06.8	24	28.0	16.4-39.6	40	47.2	34.1-60.3	21	22.1	11.7-32.5
\$75,000+	86	57,319	3	2.1	00.0-04.6	9	7.3	02.0-12.6	20	32.8	19.7-45.9	42	42.9	29.8-56.0	12	14.9	06.3-23.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	400	270,187	8	2.2	00.4-04.0	20	4.6	02.2-07.0	85	25.9	20.0-31.8	196	46.9	40.0-53.8	91	20.5	15.8-25.2
White/Non-Hisp	335	213,271	7	2.0	00.4-03.6	15	4.1	01.7-06.5	68	23.3	17.4-29.2	168	47.4	40.5-54.3	77	23.1	17.6-28.6
45-54	63	60,189	2	3.4	00.0-08.7	7	6.0	00.7-11.3	29	47.8	29.8-65.8	25	42.8	23.6-62.0			
55-64	123	75,656	4	2.7	00.0-05.6	6	3.5	00.0-07.2	19	13.3	06.4-20.2	90	76.3	67.3-85.3	4	4.3	00.0-09.0
65+	189	105,594				2	0.9	00.0-02.3	20	9.1	04.0-14.2	80	40.7	32.3-49.1	87	49.3	40.5-58.1
H.S. or G.E.D.	132	87,605	3	1.6	00.0-03.6	7	4.8	00.9-08.7	32	33.4	22.0-44.8	69	47.3	36.5-58.1	21	12.9	06.8-19.0
Some Post-H.S.	119	78,791	3	2.9	00.0-06.4	7	7.2	01.5-12.9	21	17.0	08.6-25.4	58	43.8	32.8-54.8	30	29.1	19.1-39.1
College Graduate	99	53,141	2	4.2	00.0-10.3	4	1.4	00.0-03.2	16	23.7	11.4-36.0	47	39.6	27.4-51.8	30	31.2	20.0-42.4
\$15,000- 24,999	86	72,200	1	0.2	00.0-00.6	7	8.3	01.6-15.0	18	23.9	12.3-35.5	47	56.2	41.5-70.9	13	11.4	03.8-19.0
\$35,000- 49,999	50	30,544	1	1.6	00.0-04.7	2	4.0	00.0-10.5	9	23.2	07.7-38.7	24	40.9	25.0-56.8	14	30.3	14.8-45.8
\$50,000- 74,999	55	44,239				2	3.7	00.0-09.2	12	22.6	09.1-36.1	28	50.0	33.3-66.7	13	23.8	10.1-37.5
\$75,000+	52	37,630				2	2.5	00.0-06.0	15	40.7	22.5-58.9	25	36.3	19.1-53.5	10	20.6	08.1-33.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	640	286,227	12	1.5	00.3-02.7	69	16.2	11.7-20.7	145	25.5	20.6-30.4	251	37.4	32.3-42.5	163	19.4	15.7-23.1
White/Non-Hisp	503	220,584	10	1.2	00.4-02.0	49	15.0	10.1-19.9	104	24.3	19.0-29.6	200	37.1	31.6-42.6	140	22.4	18.1-26.7
Black or Afr. Am./Non-Hisp	117	51,262	1	2.7	00.0-07.8	17	24.3	11.8-36.8	37	32.4	19.5-45.3	41	30.1	18.9-41.3	21	10.5	04.6-16.4
45-54	111	61,667	3	1.3	00.0-02.9	20	17.0	08.8-25.2	50	49.8	37.6-62.0	38	31.9	21.1-42.7			
55-64	152	69,630	2	0.6	00.0-01.6	5	2.9	00.0-06.0	40	23.0	14.4-31.6	93	67.3	57.5-77.1	12	6.2	02.3-10.1
65+	316	105,234	2	0.3	00.0-00.7	12	2.7	00.7-04.7	32	9.9	04.6-15.2	119	38.3	30.9-45.7	151	48.8	41.2-56.4
Less Than H.S.	141	82,624				12	16.4	05.8-27.0	31	27.4	15.8-39.0	47	33.9	22.1-45.7	51	22.2	14.0-30.4
H.S. or G.E.D.	229	98,279	3	0.7	00.0-01.5	28	17.7	10.3-25.1	48	21.9	14.8-29.0	99	41.3	33.5-49.1	51	18.3	12.4-24.2
Some Post-H.S.	180	77,290	2	1.9	00.0-05.4	17	11.8	05.5-18.1	43	27.4	18.8-36.0	73	39.2	29.6-48.8	45	19.7	12.8-26.6
College Graduate	87	27,335	7	7.3	01.2-13.4	12	23.0	09.7-36.3	21	25.1	12.4-37.8	31	29.8	17.6-42.0	16	14.8	06.4-23.2
Less than \$15,000	142	57,515	1	0.2	00.0-00.6	24	27.6	14.7-40.5	39	28.2	18.0-38.4	49	29.0	19.4-38.6	29	15.1	08.4-21.8
\$15,000- 24,999	164	77,855	3	1.2	00.0-02.6	17	21.6	11.4-31.8	43	32.4	21.6-43.2	62	27.7	19.5-35.9	39	17.1	10.6-23.6
\$35,000- 49,999	52	30,320	1	0.5	00.0-01.5	3	6.8	00.0-15.2	11	16.2	03.9-28.5	24	53.4	33.8-73.0	13	23.0	08.5-37.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1108	584,344	375	33.9	29.8-38.0	733	66.1	62.0-70.2
Male	420	283,097	150	39.1	32.4-45.8	270	60.9	54.2-67.6
Female	688	301,247	225	29.0	24.3-33.7	463	71.0	66.3-75.7
White/Non-Hisp	889	456,954	296	32.5	28.4-36.6	593	67.5	63.4-71.6
Black or Afr. Am./Non-Hisp	180	95,716	62	39.6	26.3-52.9	118	60.4	47.1-73.7
35-44	59	48,373	23	32.9	19.2-46.6	36	67.1	53.4-80.8
45-54	176	123,559	65	41.2	29.8-52.6	111	58.8	47.4-70.2
55-64	298	157,573	114	37.1	29.5-44.7	184	62.9	55.3-70.5
65+	542	223,257	163	28.5	23.2-33.8	379	71.5	66.2-76.8
Less Than H.S.	213	144,818	75	36.4	25.6-47.2	138	63.6	52.8-74.4
H.S. or G.E.D.	382	194,333	129	33.3	27.2-39.4	253	66.7	60.6-72.8
Some Post-H.S.	312	159,111	96	30.8	23.9-37.7	216	69.2	62.3-76.1
College Graduate	194	83,081	72	37.4	28.2-46.6	122	62.6	53.4-71.8
Less than \$15,000	197	93,776	63	31.6	22.0-41.2	134	68.4	58.8-78.0
\$15,000- 24,999	255	151,561	95	37.1	27.5-46.7	160	62.9	53.3-72.5
\$25,000- 34,999	98	52,545	33	32.4	19.7-45.1	65	67.6	54.9-80.3
\$35,000- 49,999	107	63,275	35	29.7	18.9-40.5	72	70.3	59.5-81.1
\$50,000- 74,999	90	61,311	27	29.3	17.3-41.3	63	70.7	58.7-82.7
\$75,000+	86	57,319	30	38.1	25.0-51.2	56	61.9	48.8-75.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	420	283,097	150	39.1	32.4-45.8	270	60.9	54.2-67.6
White/Non-Hisp	350	223,619	126	37.2	30.7-43.7	224	62.8	56.3-69.3
Black or Afr. Am./Non-Hisp	52	42,280	16	48.1	24.6-71.6	36	51.9	28.4-75.4
45-54	64	61,704	28	54.2	36.6-71.8	36	45.8	28.2-63.4
55-64	133	83,159	50	42.2	30.8-53.6	83	57.8	46.4-69.2
65+	198	109,486	60	27.4	19.8-35.0	138	72.6	65.0-80.2
Less Than H.S.	51	53,765	25	55.6	35.6-75.6	26	44.4	24.4-64.4
H.S. or G.E.D.	140	91,670	50	38.2	27.8-48.6	90	61.8	51.4-72.2
Some Post-H.S.	124	80,605	42	32.9	22.5-43.3	82	67.1	56.7-77.5
College Graduate	102	54,849	33	35.1	22.9-47.3	69	64.9	52.7-77.1
\$15,000- 24,999	86	72,200	41	51.3	35.8-66.8	45	48.7	33.2-64.2
\$25,000- 34,999	51	27,625	15	22.1	09.2-35.0	36	77.9	65.0-90.8
\$35,000- 49,999	51	30,812	19	42.4	25.7-59.1	32	57.6	40.9-74.3
\$50,000- 74,999	56	44,701	17	29.6	15.1-44.1	39	70.4	55.9-84.9
\$75,000+	52	37,630	19	41.8	24.7-58.9	33	58.2	41.1-75.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	688	301,247	225	29.0	24.3-33.7	463	71.0	66.3-75.7
White/Non-Hisp	539	233,335	170	28.0	22.9-33.1	369	72.0	66.9-77.1
Black or Afr. Am./Non-Hisp	128	53,436	46	32.9	21.1-44.7	82	67.1	55.3-78.9
45-54	112	61,855	37	28.2	17.6-38.8	75	71.8	61.2-82.4
55-64	165	74,414	64	31.4	22.2-40.6	101	68.6	59.4-77.8
65+	344	113,771	103	29.5	22.4-36.6	241	70.5	63.4-77.6
Less Than H.S.	162	91,053	50	25.1	15.7-34.5	112	74.9	65.5-84.3
H.S. or G.E.D.	242	102,663	79	28.9	21.8-36.0	163	71.1	64.0-78.2
Some Post-H.S.	188	78,505	54	28.6	19.6-37.6	134	71.4	62.4-80.4
College Graduate	92	28,233	39	41.9	28.8-55.0	53	58.1	45.0-71.2
Less than \$15,000	157	61,891	47	24.2	15.8-32.6	110	75.8	67.4-84.2
\$15,000- 24,999	169	79,361	54	24.2	15.8-32.6	115	75.8	67.4-84.2
\$35,000- 49,999	56	32,463	16	17.5	06.7-28.3	40	82.5	71.7-93.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1084	571,182	81	8.2	05.8-10.6	241	24.8	21.1-28.5	749	66.3	62.4-70.2	13	0.7	00.3-01.1
Male	413	277,406	34	8.0	04.9-11.1	109	28.3	22.4-34.2	266	63.2	56.9-69.5	4	0.4	00.0-00.8
Female	671	293,777	47	8.4	04.9-11.9	132	21.4	17.1-25.7	483	69.1	64.2-74.0	9	1.0	00.2-01.8
White/Non-Hisp	869	444,872	74	9.7	07.0-12.4	197	25.9	22.0-29.8	586	63.5	59.2-67.8	12	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	178	95,480	7	4.2	00.0-09.1	40	20.2	11.6-28.8	131	75.6	66.0-85.2			
35-44	56	46,754	7	10.2	02.0-18.4	14	34.2	17.3-51.1	34	54.6	38.1-71.1	1	1.0	00.0-03.0
45-54	172	121,543	13	5.9	02.0-09.8	36	22.9	14.1-31.7	122	71.0	61.6-80.4	1	0.1	00.0-00.3
55-64	291	149,783	18	5.7	02.8-08.6	69	24.7	18.0-31.4	199	68.8	61.7-75.9	5	0.8	00.0-01.6
65+	533	221,760	37	8.3	05.0-11.6	115	24.3	19.4-29.2	375	66.4	60.9-71.9	6	1.0	00.0-02.0
Less Than H.S.	209	139,098	19	11.0	04.7-17.3	32	14.2	07.3-21.1	156	74.1	65.3-82.9	2	0.6	00.0-01.4
H.S. or G.E.D.	373	189,941	20	5.9	02.8-09.0	92	29.8	23.1-36.5	256	63.6	56.9-70.3	5	0.7	00.0-01.5
Some Post-H.S.	306	157,732	27	9.6	05.1-14.1	65	24.0	17.7-30.3	212	65.8	58.7-72.9	2	0.6	00.0-01.6
College Graduate	189	81,411	15	6.5	02.2-10.8	51	33.4	24.0-42.8	119	59.0	49.4-68.6	4	1.2	00.0-02.6
Less than \$15,000	196	90,582	18	17.3	07.9-26.7	34	18.6	09.8-27.4	143	63.6	52.8-74.4	1	0.4	00.0-01.4
\$15,000- 24,999	250	149,225	12	4.2	01.3-07.1	60	27.1	19.1-35.1	176	68.4	60.2-76.6	2	0.4	00.0-01.0
\$25,000- 34,999	95	51,460	9	9.5	03.0-16.0	21	28.1	15.6-40.6	63	59.9	46.8-73.0	2	2.5	00.0-06.0
\$35,000- 49,999	102	58,783	13	14.2	05.2-23.2	24	18.0	09.2-26.8	62	66.9	55.3-78.5	3	0.9	00.0-02.1
\$50,000- 74,999	89	61,227	5	4.2	00.0-09.1	30	41.3	28.2-54.4	54	54.5	41.8-67.2			
\$75,000+	86	57,319	4	2.5	00.0-05.2	17	20.1	09.7-30.5	63	76.3	65.5-87.1	2	1.1	00.0-02.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	413	277,406	34	8.0	04.9-11.1	109	28.3	22.4-34.2	266	63.2	56.9-69.5	4	0.4	00.0-00.8
White/Non-Hisp	344	218,471	32	9.5	05.6-13.4	90	28.5	22.2-34.8	218	61.4	54.7-68.1	4	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	52	42,280	2	3.5	00.0-09.0	15	21.7	06.6-36.8	35	74.8	58.5-91.1			
45-54	61	60,100	5	5.9	00.0-12.0	16	27.4	12.1-42.7	40	66.7	50.4-83.0			
55-64	130	79,156	8	4.3	01.0-07.6	32	25.5	15.5-35.5	89	70.0	59.8-80.2	1	0.2	00.0-00.6
65+	197	109,402	19	11.8	05.7-17.9	54	28.8	21.0-36.6	121	58.4	49.8-67.0	3	1.0	00.0-02.2
Less Than H.S.	50	50,572	3	3.6	00.0-08.1	9	18.0	03.9-32.1	37	77.3	62.4-92.2	1	1.0	00.0-03.2
H.S. or G.E.D.	137	90,177	10	7.9	02.8-13.0	39	32.3	21.5-43.1	86	59.3	48.3-70.3	2	0.5	00.0-01.3
Some Post-H.S.	124	80,605	13	12.0	04.6-19.4	29	25.8	15.4-36.2	82	62.2	50.8-73.6			
College Graduate	99	53,843	8	6.8	00.9-12.7	32	36.3	23.8-48.8	58	56.5	43.8-69.2	1	0.4	00.0-01.2
\$15,000- 24,999	85	71,825	4	4.3	00.0-08.8	17	22.3	10.3-34.3	63	73.0	60.5-85.5	1	0.4	00.0-01.2
\$25,000- 34,999	50	26,942	3	7.5	00.0-15.9	14	36.6	19.0-54.2	32	53.9	36.5-71.3	1	1.9	00.0-05.6
\$50,000- 74,999	55	44,617	3	4.6	00.0-11.1	20	42.8	26.1-59.5	32	52.6	37.1-68.1			
\$75,000+	52	37,630	3	2.2	00.0-05.1	12	24.0	11.1-36.9	36	73.4	60.1-86.7	1	0.4	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	671	293,777	47	8.4	04.9-11.9	132	21.4	17.1-25.7	483	69.1	64.2-74.0	9	1.0	00.2-01.8
White/Non-Hisp	525	226,400	42	9.8	05.7-13.9	107	23.3	18.4-28.2	368	65.6	59.9-71.3	8	1.3	00.3-02.3
Black or Afr. Am./Non-Hisp	126	53,200	5	4.8	00.0-12.6	25	19.1	09.5-28.7	96	76.1	64.7-87.5			
45-54	111	61,443	8	6.0	00.9-11.1	20	18.6	08.8-28.4	82	75.2	64.6-85.8	1	0.2	00.0-00.6
55-64	161	70,627	10	7.2	01.9-12.5	37	23.8	15.0-32.6	110	67.5	57.9-77.1	4	1.5	00.0-03.3
65+	336	112,358	18	4.8	01.5-08.1	61	19.9	14.4-25.4	254	74.2	67.9-80.5	3	1.1	00.0-02.5
Less Than H.S.	159	88,526	16	15.3	06.1-24.5	23	12.1	04.8-19.4	119	72.3	61.5-83.1	1	0.3	00.0-00.9
H.S. or G.E.D.	236	99,764	10	4.2	00.3-08.1	53	27.5	19.9-35.1	170	67.4	59.4-75.4	3	0.9	00.0-02.1
Some Post-H.S.	182	77,126	14	7.1	02.0-12.2	36	22.0	14.6-29.4	130	69.6	61.4-77.8	2	1.2	00.0-03.2
College Graduate	90	27,568	7	5.8	00.5-11.1	19	27.7	13.8-41.6	61	63.7	49.8-77.6	3	2.8	00.0-06.5
Less than \$15,000	157	61,891	14	21.2	08.7-33.7	27	16.3	09.2-23.4	115	61.9	49.9-73.9	1	0.7	00.0-02.1
\$15,000- 24,999	165	77,400	8	4.1	00.6-07.6	43	31.6	21.2-42.0	113	64.1	53.5-74.7	1	0.3	00.0-00.9
\$35,000- 49,999	53	28,950	5	8.0	00.0-17.8	9	12.9	02.7-23.1	37	77.9	63.8-92.0	2	1.2	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1082	571,147	827	74.2	70.5-77.9	102	9.8	07.3-12.3	25	2.7	01.3-04.1	11	1.1	00.3-01.9	111	11.4	08.7-14.1	6	0.8	00.0-01.6
Male	411	276,317	292	70.7	65.0-76.4	40	10.3	06.6-14.0	13	3.5	01.5-05.5	6	1.0	00.0-02.0	58	14.2	09.9-18.5	2	0.4	00.0-01.2
Female	671	294,830	535	77.6	72.9-82.3	62	9.4	06.3-12.5	12	2.0	00.2-03.8	5	1.1	00.0-02.3	53	8.8	05.5-12.1	4	1.2	00.0-02.8
White/Non-Hisp	865	444,013	650	73.0	68.9-77.1	87	10.7	07.8-13.6	22	3.1	01.5-04.7	9	1.2	00.2-02.2	92	11.4	08.5-14.3	5	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	178	95,461	147	80.5	71.5-89.5	14	8.2	02.5-13.9	2	0.8	00.0-02.0	2	0.9	00.0-02.5	12	7.3	01.4-13.2	1	2.3	00.0-06.8
35-44	56	46,194	42	75.6	62.5-88.7	8	12.2	03.0-21.4	2	3.1	00.0-07.4				3	7.1	00.0-15.7	1	2.1	00.0-06.2
45-54	172	120,937	131	71.3	61.7-80.9	19	13.3	06.0-20.6	3	1.1	00.0-02.5	2	1.8	00.0-04.3	16	12.2	05.3-19.1	1	0.4	00.0-01.2
55-64	294	153,858	227	78.8	72.5-85.1	27	7.5	03.8-11.2	6	3.4	00.0-06.9	3	1.0	00.0-02.4	30	9.2	04.9-13.5	1	0.1	00.0-00.3
65+	527	218,576	405	74.5	69.6-79.4	45	8.9	05.6-12.2	14	3.3	01.3-05.3	6	1.1	00.1-02.1	55	11.7	08.2-15.2	2	0.4	00.0-01.2
Less Than H.S.	209	138,610	168	79.5	71.3-87.7	15	6.8	01.9-11.7	5	2.8	00.0-06.3	1	0.9	00.0-02.7	18	7.7	02.4-13.0	2	2.3	00.0-05.6
H.S. or G.E.D.	373	191,049	279	71.7	65.4-78.0	34	9.3	05.4-13.2	7	2.7	00.5-04.9	3	0.5	00.0-01.3	47	15.2	10.1-20.3	3	0.5	00.0-01.3
Some Post-H.S.	305	156,442	238	78.6	72.3-84.9	28	10.1	05.2-15.0	10	2.6	00.8-04.4	5	1.4	00.0-03.0	23	7.0	03.3-10.7	1	0.3	00.0-00.9
College Graduate	188	82,046	136	62.2	52.6-71.8	24	15.8	08.7-22.9	3	2.7	00.0-05.6	2	1.8	00.0-04.3	23	17.6	09.2-26.0			
Less than \$15,000	193	88,181	150	70.2	60.0-80.4	16	6.2	02.3-10.1	2	1.6	00.0-03.8	1	1.4	00.0-04.1	22	17.9	08.9-26.9	2	2.6	00.0-07.3
\$15,000- 24,999	251	149,408	202	81.1	74.6-87.6	24	9.5	04.8-14.2	3	1.3	00.0-02.9	2	0.7	00.0-01.7	17	6.3	02.0-10.6	3	1.2	00.0-02.8
\$25,000- 34,999	97	52,171	63	54.1	40.8-67.4	8	14.3	02.3-26.3	5	4.6	00.1-09.1	1	0.3	00.0-00.9	20	26.6	14.8-38.4			
\$35,000- 49,999	106	63,171	88	82.0	71.6-92.4	8	4.4	00.9-07.9	2	4.4	00.0-11.3	2	2.4	00.0-05.7	5	6.0	00.0-13.3	1	0.7	00.0-02.1
\$50,000- 74,999	86	60,231	57	62.5	49.2-75.8	14	18.7	06.9-30.5	5	6.1	00.6-11.6	1	1.4	00.0-04.1	9	11.2	02.4-20.0			
\$75,000+	84	56,666	59	73.0	61.8-84.2	14	16.6	07.4-25.8	1	0.2	00.0-00.6	1	0.3	00.0-00.9	9	9.9	02.6-17.2			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	411	276,317	292	70.7	64.8-76.6	40	10.3	06.4-14.2	13	3.5	01.5-05.5	6	1.0	00.0-02.0	58	14.2	09.9-18.5	2	0.4	00.0-01.2
White/Non-Hisp	341	216,839	239	69.2	62.9-75.5	37	11.9	07.4-16.4	11	3.8	01.4-06.2	4	0.9	00.0-01.9	48	13.6	09.1-18.1	2	0.5	00.0-01.5
Black or Afr. Am./Non-Hisp	52	42,280	41	80.7	65.8-95.6	3	6.0	00.0-14.6	1	1.4	00.0-04.1	2	2.0	00.0-05.3	5	9.9	00.0-21.3			
45-54	62	59,338	42	66.3	50.0-82.6	9	15.3	03.5-27.1	2	1.9	00.0-04.6				9	16.4	03.9-28.9			
55-64	129	79,444	97	77.7	68.9-86.5	7	4.7	00.8-08.6	3	3.3	00.0-07.2	2	1.1	00.0-02.9	19	13.0	05.7-20.3	1	0.1	00.0-00.3
65+	195	108,787	135	66.5	58.5-74.5	20	11.2	05.5-16.9	7	4.7	01.2-08.2	4	1.8	00.0-03.8	29	15.9	09.8-22.0			
H.S. or G.E.D.	138	91,049	94	64.9	54.7-75.1	10	8.3	02.2-14.4	5	4.5	00.4-08.6	2	0.9	00.0-02.5	26	21.2	12.4-30.0	1	0.1	00.0-00.3
Some Post-H.S.	122	80,196	94	76.9	67.1-86.7	12	12.6	04.0-21.2	4	2.8	00.1-05.5	3	1.6	00.0-03.8	9	6.1	01.2-11.0			
College Graduate	99	54,500	61	54.8	42.3-67.3	15	16.4	07.6-25.2	3	4.0	00.0-08.5	1	1.2	00.0-03.6	19	23.6	11.8-35.4			
\$15,000- 24,999	86	72,200	67	79.7	69.1-90.3	5	5.3	00.2-10.4	2	2.3	00.0-05.6	2	1.4	00.0-03.6	9	10.0	01.8-18.2	1	1.3	00.0-03.8
\$25,000- 34,999	51	27,625	29	43.7	27.4-60.0	5	9.0	00.0-20.2	3	7.1	00.0-14.9				14	40.3	22.9-57.7			
\$35,000- 49,999	51	30,812	42	78.3	63.0-93.6	4	5.2	00.0-11.1				2	5.0	00.0-11.9	3	11.5	00.0-25.6			
\$50,000- 74,999	53	44,371	31	57.5	40.8-74.2	10	21.9	06.6-37.2	4	6.6	00.0-13.3				8	14.0	02.8-25.2			
\$75,000+	51	37,455	36	75.9	62.0-89.8	12	21.5	08.0-35.0				1	0.4	00.0-01.2	2	2.2	00.0-05.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	671	294,830	535	77.6	72.9-82.3	62	9.4	06.3-12.5	12	2.0	00.2-03.8	5	1.1	00.0-02.3	53	8.8	05.5-12.1	4	1.2	00.0-02.8
White/Non-Hisp	524	227,173	411	76.6	71.3-81.9	50	9.6	05.9-13.3	11	2.5	00.3-04.7	5	1.4	00.0-02.8	44	9.3	05.4-13.2	3	0.6	00.0-01.4
Black or Afr. Am./Non-Hisp	126	53,181	106	80.4	69.2-91.6	11	10.0	02.4-17.6	1	0.3	00.0-00.9				7	5.2	00.0-10.9	1	4.1	00.0-11.9
45-54	110	61,599	89	76.1	65.3-86.9	10	11.4	02.6-20.2	1	0.3	00.0-00.9	2	3.4	00.0-08.1	7	8.0	01.5-14.5	1	0.7	00.0-02.1
55-64	165	74,414	130	80.0	71.4-88.6	20	10.4	04.1-16.7	3	3.5	00.0-09.2	1	0.9	00.0-02.7	11	5.2	01.7-08.7			
65+	332	109,789	270	82.5	77.2-87.8	25	6.7	03.4-10.0	7	2.0	00.2-03.8	2	0.4	00.0-01.0	26	7.6	04.1-11.1	2	0.8	00.0-02.2
Less Than H.S.	160	90,246	128	75.1	64.1-86.1	12	8.4	01.5-15.3	4	3.3	00.0-08.2	1	1.4	00.0-04.1	14	9.3	01.9-16.7	1	2.4	00.0-07.1
H.S. or G.E.D.	235	100,000	185	78.0	70.9-85.1	24	10.1	05.0-15.2	2	1.0	00.0-02.6	1	0.2	00.0-00.6	21	9.8	04.5-15.1	2	0.9	00.0-02.5
Some Post-H.S.	183	76,246	144	80.4	73.0-87.8	16	7.5	03.2-11.8	6	2.4	00.0-04.8	2	1.3	00.0-03.3	14	7.9	02.2-13.6	1	0.6	00.0-01.8
College Graduate	89	27,545	75	76.7	63.4-90.0	9	14.4	02.4-26.4				1	3.1	00.0-09.2	4	5.7	00.0-11.8			
Less than \$15,000	155	61,698	124	68.1	55.9-80.3	15	7.8	02.7-12.9	1	1.2	00.0-03.6	1	2.0	00.0-05.9	13	17.3	06.1-28.5	1	3.5	00.0-10.4
\$15,000- 24,999	165	77,208	135	82.4	74.6-90.2	19	13.4	06.1-20.7	1	0.4	00.0-01.2				8	2.8	00.3-05.3	2	1.1	00.0-03.1
\$35,000- 49,999	55	32,360	46	85.6	72.1-99.1	4	3.7	00.0-07.8	2	8.5	00.0-21.4				2	0.8	00.0-02.0	1	1.3	00.0-04.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1072	569,037	117	11.3	08.0-14.6	259	27.0	23.1-30.9	179	16.3	13.2-19.4	309	25.5	22.2-28.8	107	10.1	07.6-12.6	101	9.9	07.5-12.3			
Male	405	277,081	46	12.1	06.2-18.0	98	28.0	21.9-34.1	68	17.2	12.3-22.1	126	25.6	20.3-30.9	31	8.9	05.2-12.6	36	8.1	05.0-11.2			
Female	667	291,956	71	10.4	07.1-13.7	161	26.0	21.1-30.9	111	15.3	11.6-19.0	183	25.5	21.2-29.8	76	11.2	07.9-14.5	65	11.6	07.9-15.3			
White/Non-Hisp	865	445,576	90	9.3	06.9-11.7	213	27.2	23.1-31.3	150	17.0	13.7-20.3	252	27.3	23.4-31.2	75	8.9	06.4-11.4	85	10.3	07.6-13.0			
Black or Afr. Am./Non-Hisp	171	93,574	23	20.6	05.7-35.5	38	20.9	12.1-29.7	25	14.0	06.0-22.0	49	18.8	11.4-26.2	25	16.4	08.2-24.6	11	9.4	02.9-15.9			
35-44	58	47,643	8	10.3	01.9-18.7	11	23.9	08.0-39.8	7	11.4	02.6-20.2	17	28.2	14.3-42.1	9	16.4	04.6-28.2	6	9.9	01.7-18.1			
45-54	176	123,559	18	15.1	03.3-26.9	45	27.7	18.5-36.9	30	17.1	09.3-24.9	39	21.0	13.4-28.6	24	10.9	05.6-16.2	20	8.2	04.1-12.3			
55-64	285	152,473	29	8.3	04.6-12.0	55	25.9	17.9-33.9	58	19.4	13.1-25.7	94	25.6	19.3-31.9	26	11.3	05.8-16.8	23	9.4	04.9-13.9			
65+	522	216,219	60	12.6	08.3-16.9	139	27.6	22.5-32.7	83	16.2	11.9-20.5	155	29.0	23.7-34.3	43	6.6	04.1-09.1	42	8.0	05.1-10.9			
Less Than H.S.	204	141,710	21	12.6	02.0-23.2	47	29.6	19.8-39.4	33	13.7	06.8-20.6	58	22.6	15.2-30.0	25	10.4	04.7-16.1	20	11.0	04.7-17.3			
H.S. or G.E.D.	372	189,445	43	9.3	06.0-12.6	85	23.1	17.0-29.2	70	20.9	15.4-26.4	100	23.6	18.3-28.9	41	12.8	08.3-17.3	33	10.3	06.2-14.4			
Some Post-H.S.	301	153,271	35	12.4	07.1-17.7	73	28.7	21.6-35.8	47	11.1	07.0-15.2	92	30.1	23.2-37.0	24	8.7	04.0-13.4	30	9.0	05.1-12.9			
College Graduate	190	82,294	18	11.6	05.5-17.7	52	27.0	18.6-35.4	28	19.3	10.7-27.9	59	27.2	19.0-35.4	16	6.0	02.3-09.7	17	8.9	04.2-13.6			
Less than \$15,000	188	90,388	20	7.2	02.7-11.7	33	18.5	09.1-27.9	27	13.1	05.3-20.9	54	28.1	19.3-36.9	28	10.6	04.7-16.5	26	22.5	12.7-32.3			
\$15,000- 24,999	251	148,025	28	15.4	05.4-25.4	57	24.2	16.8-31.6	46	17.1	10.4-23.8	70	24.0	16.9-31.1	27	11.9	06.4-17.4	23	7.4	03.7-11.1			
\$25,000- 34,999	95	51,286	5	6.5	00.0-15.1	31	31.9	19.4-44.4	15	17.9	07.7-28.1	31	28.1	17.1-39.1	4	3.9	00.0-08.8	9	11.7	02.7-20.7			
\$35,000- 49,999	103	62,293	11	12.1	03.9-20.3	33	38.1	24.6-51.6	17	16.3	07.3-25.3	23	20.3	11.1-29.5	5	3.9	00.0-08.2	14	9.2	03.5-14.9			
\$50,000- 74,999	87	60,145	10	10.0	02.9-17.1	27	34.6	21.7-47.5	13	11.0	03.9-18.1	22	24.2	13.2-35.2	10	15.1	05.1-25.1	5	5.2	00.0-11.1			
\$75,000+	86	57,319	12	12.5	04.9-20.1	17	23.6	11.1-36.1	16	21.6	10.6-32.6	31	30.0	18.6-41.4	6	9.3	01.3-17.3	4	3.1	00.0-06.4			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	405	277,081	46	12.1	06.2-18.0	98	28.0	21.9-34.1	68	17.2	12.3-22.1	126	25.6	20.3-30.9	31	8.9	05.2-12.6	36	8.1	05.0-11.2
White/Non-Hisp	340	219,757	40	10.4	06.7-14.1	84	28.8	22.5-35.1	57	17.1	11.8-22.4	104	26.2	20.5-31.9	27	9.6	05.3-13.9	28	8.0	04.5-11.5
45-54	64	61,704	7	18.0	00.0-39.2	19	29.7	14.6-44.8	11	18.9	06.2-31.6	15	20.8	08.6-33.0	5	7.0	00.1-13.9	7	5.6	00.5-10.7
55-64	127	80,965	14	8.7	03.6-13.8	20	23.2	12.4-34.0	27	20.9	11.1-30.7	42	23.3	14.9-31.7	12	13.4	04.6-22.2	12	10.5	03.4-17.6
65+	189	105,664	24	13.4	07.1-19.7	52	28.5	20.7-36.3	28	16.3	09.6-23.0	59	28.4	20.4-36.4	12	6.1	01.8-10.4	14	7.4	02.9-11.9
Less Than H.S.	50	53,458	3	16.4	00.0-40.7	14	31.6	14.2-49.0	9	15.2	02.1-28.3	14	19.4	07.2-31.6	6	11.9	00.7-23.1	4	5.5	00.0-11.4
H.S. or G.E.D.	135	90,238	14	8.1	03.2-13.0	32	27.0	16.6-37.4	22	19.8	11.0-28.6	41	23.5	15.3-31.7	14	12.5	05.2-19.8	12	9.0	02.7-15.3
Some Post-H.S.	118	76,968	15	12.0	04.6-19.4	28	28.8	17.8-39.8	18	11.4	05.1-17.7	41	32.0	21.4-42.6	5	7.0	00.1-13.9	11	8.8	02.5-15.1
College Graduate	100	54,477	14	15.1	06.5-23.7	23	23.5	13.1-33.9	18	22.8	11.0-34.6	30	26.9	15.9-37.9	6	2.9	00.0-06.0	9	8.8	02.7-14.9
\$15,000- 24,999	86	72,200	8	17.4	00.0-35.6	19	24.8	12.6-37.0	13	17.7	07.1-28.3	26	21.3	10.9-31.7	10	10.5	02.9-18.1	10	8.3	02.2-14.4
\$50,000- 74,999	53	43,534	8	11.2	02.8-19.6	16	37.5	22.0-53.0	8	9.9	01.5-18.3	14	25.3	12.0-38.6	3	9.6	00.0-20.4	4	6.5	00.0-14.3
\$75,000+	52	37,630	10	13.9	04.5-23.3	10	22.8	05.7-39.9	8	19.7	05.0-34.4	19	32.8	17.5-48.1	3	8.2	00.0-18.4	2	2.7	00.0-06.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	667	291,956	71	10.4	07.1-13.7	161	26.0	21.1-30.9	111	15.3	11.6-19.0	183	25.5	21.2-29.8	76	11.2	07.9-14.5	65	11.6	07.9-15.3
White/Non-Hisp	525	225,820	50	8.2	05.5-10.9	129	25.7	20.4-31.0	93	16.9	12.6-21.2	148	28.3	23.2-33.4	48	8.3	05.2-11.4	57	12.6	08.5-16.7
Black or Afr. Am./Non-Hisp	122	52,078	19	18.4	06.6-30.2	26	20.3	10.1-30.5	16	10.1	02.8-17.4	33	18.3	10.3-26.3	22	22.6	11.4-33.8	6	10.1	00.7-19.5
45-54	112	61,855	11	12.2	03.4-21.0	26	25.8	14.6-37.0	19	15.3	06.3-24.3	24	21.2	11.8-30.6	19	14.8	07.2-22.4	13	10.8	04.5-17.1
55-64	158	71,507	15	7.9	02.8-13.0	35	29.1	17.1-41.1	31	17.8	10.2-25.4	52	28.2	19.2-37.2	14	8.8	02.9-14.7	11	8.2	02.7-13.7
65+	333	110,555	36	11.9	06.0-17.8	87	26.7	20.4-33.0	55	16.1	10.4-21.8	96	29.6	22.9-36.3	31	7.0	03.9-10.1	28	8.7	04.8-12.6
Less Than H.S.	154	88,253	18	10.2	02.9-17.5	33	28.4	16.8-40.0	24	12.9	05.3-20.5	44	24.6	15.6-33.6	19	9.5	03.4-15.6	16	14.4	05.4-23.4
H.S. or G.E.D.	237	99,207	29	10.4	05.9-14.9	53	19.6	13.1-26.1	48	21.8	15.1-28.5	59	23.7	16.8-30.6	27	13.0	07.3-18.7	21	11.5	05.8-17.2
Some Post-H.S.	183	76,303	20	12.8	05.4-20.2	45	28.6	20.0-37.2	29	10.8	05.3-16.3	51	28.3	19.7-36.9	19	10.4	04.3-16.5	19	9.2	04.1-14.3
College Graduate	90	27,818	4	4.7	00.0-10.2	29	33.8	20.1-47.5	10	12.4	03.0-21.8	29	27.8	16.2-39.4	10	12.0	03.2-20.8	8	9.2	01.9-16.5
Less than \$15,000	151	59,677	18	8.3	03.4-13.2	26	13.7	07.2-20.2	21	11.2	05.1-17.3	39	27.2	17.4-37.0	26	12.4	06.3-18.5	21	27.3	14.8-39.8
\$15,000- 24,999	165	75,825	20	13.5	05.9-21.1	38	23.6	14.4-32.8	33	16.6	08.2-25.0	44	26.5	17.1-35.9	17	13.2	05.4-21.0	13	6.5	02.4-10.6
\$35,000- 49,999	54	32,184	4	8.5	00.0-18.1	21	46.5	26.3-66.7	9	14.3	02.9-25.7	12	21.9	07.8-36.0	1	0.6	00.0-01.8	7	8.1	01.2-15.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1027	543,406	429	43.6	39.3-47.9	473	43.1	38.8-47.4	27	2.2	0.1-0.3.4	20	2.0	0.8-0.3.2	68	8.1	0.5-10.8	10	1.1	0.1-0.2.1
Male	392	264,189	182	46.1	39.4-52.8	175	44.6	37.7-51.5	4	0.6	0.0-0.1.6	8	1.8	0.2-0.3.4	20	6.2	0.9-0.9.5	3	0.7	0.0-0.1.9
Female	635	279,217	247	41.3	35.8-46.8	298	41.6	36.3-46.9	23	3.6	0.1-0.5.6	12	2.1	0.3-0.3.9	48	9.9	0.5-14.0	7	1.4	0.0-0.2.8
White/Non-Hisp	830	430,035	353	44.8	40.3-49.3	388	43.2	38.7-47.7	19	2.0	0.8-0.3.2	11	1.5	0.3-0.2.7	52	7.2	0.4-0.9.7	7	1.2	0.0-0.2.4
Black or Afr. Am./Non-Hisp	165	89,774	66	40.3	28.1-52.5	70	43.1	29.4-56.8	6	2.3	0.0-0.4.8	8	4.4	0.3-0.8.5	13	9.7	0.3-16.2	2	0.2	0.0-0.0.6
35-44	54	40,933	23	38.2	23.5-52.9	21	44.0	28.3-59.7	3	5.3	0.0-11.2	1	0.5	0.0-0.1.5	6	12.1	0.1-22.5			
45-54	169	117,478	65	41.9	30.9-52.9	73	42.2	30.6-53.8	7	2.7	0.0-0.5.4	3	2.3	0.0-0.5.2	20	10.4	0.4-15.9	1	0.6	0.0-0.1.8
55-64	278	147,462	101	38.8	30.8-46.8	147	48.6	40.4-56.8	5	1.4	0.0-0.3.4	3	1.0	0.0-0.2.4	19	8.8	0.2-14.9	3	1.4	0.0-0.3.4
65+	497	208,116	223	47.9	42.0-53.8	227	43.2	37.3-49.1	11	1.7	0.5-0.2.9	12	2.0	0.6-0.3.4	18	3.6	0.1-2.0.6.0	6	1.6	0.0-0.3.4
Less Than H.S.	191	134,682	75	42.6	31.8-53.4	90	42.5	31.3-53.7	4	0.9	0.0-0.1.9	5	1.4	0.0-0.2.8	15	10.2	0.2-17.6	2	2.4	0.0-0.5.7
H.S. or G.E.D.	355	179,024	146	41.8	35.1-48.5	159	42.2	35.5-48.9	10	2.9	0.7-0.5.1	9	3.3	0.6-0.6.0	28	9.4	0.4-13.9	3	0.4	0.0-0.1.0
Some Post-H.S.	291	148,095	125	46.3	38.7-53.9	135	43.4	35.8-51.0	6	1.9	0.0-0.4.3	5	0.9	0.1-0.1.7	18	7.0	0.3-1.0.9	2	0.4	0.0-0.1.0
College Graduate	186	79,354	81	43.6	34.2-53.0	87	45.7	36.1-55.3	7	3.2	0.3-0.6.1	1	1.9	0.0-0.5.6	7	3.6	0.7-0.6.5	3	1.9	0.0-0.4.3
Less than \$15,000	178	82,227	59	26.2	17.4-35.0	85	47.1	36.3-57.9	6	1.6	0.0-0.3.4	6	5.3	0.6-10.0	19	18.9	0.9-28.5	3	0.9	0.0-0.2.1
\$15,000- 24,999	239	141,524	100	45.3	35.7-54.9	111	43.5	33.5-53.5	9	3.2	0.7-0.5.7	5	2.3	0.0-0.5.2	13	5.4	0.1-5.0.9.3	1	0.3	0.0-0.0.9
\$25,000- 34,999	91	48,694	45	54.8	41.3-68.3	34	33.1	20.9-45.3				3	1.3	0.0-0.2.9	8	9.8	0.1-18.6	1	0.9	0.0-0.2.7
\$35,000- 49,999	103	62,218	51	52.0	39.3-64.7	44	36.3	24.7-47.9	1	0.3	0.0-0.0.9	1	1.3	0.0-0.3.8	6	10.0	0.0-21.8			
\$50,000- 74,999	84	57,443	45	52.7	39.2-66.2	33	36.5	23.8-49.2	3	4.8	0.0-10.7				3	6.1	0.0-13.7			
\$75,000+	86	57,319	36	41.3	28.2-54.4	45	53.7	40.4-67.0	2	1.7	0.0-0.4.6				3	3.2	0.0-0.7.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 17: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	392	264,189	182	46.1	39.4-52.8	175	44.6	37.7-51.5	4	0.6	00.0-01.6	8	1.8	00.2-03.4	20	6.2	02.9-09.5	3	0.7	00.0-01.9
White/Non-Hisp	332	215,545	163	50.8	43.9-57.7	147	41.8	34.9-48.7	3	0.7	00.0-01.9	4	0.9	00.0-01.9	14	5.2	01.9-08.5	1	0.6	00.0-01.8
45-54	61	57,868	27	40.0	22.8-57.2	25	47.3	28.1-66.5	1	2.3	00.0-06.8	1	2.6	00.0-07.7	7	7.8	00.0-15.6			
55-64	125	79,416	51	44.2	32.4-56.0	65	48.2	36.4-60.0	1	0.1	00.0-00.3	2	1.5	00.0-03.9	4	4.1	00.0-09.4	2	1.9	00.0-05.4
65+	183	103,005	93	51.6	42.4-60.8	76	41.1	32.1-50.1	2	0.2	00.0-00.4	5	1.9	00.0-03.9	6	4.7	00.4-09.0	1	0.4	00.0-01.2
H.S. or G.E.D.	127	81,915	59	47.9	36.9-58.9	52	37.7	27.5-47.9	2	1.7	00.0-04.8	4	2.7	00.0-05.8	9	9.9	02.1-17.7	1	0.1	00.0-00.3
Some Post-H.S.	115	75,801	55	50.3	38.5-62.1	52	41.3	29.7-52.9	1	0.1	00.0-00.3	1	0.5	00.0-01.5	6	7.8	01.3-14.3			
College Graduate	99	52,125	46	43.7	31.4-56.0	46	48.9	36.2-61.6	1	0.2	00.0-00.6	1	2.9	00.0-08.6	4	3.4	00.0-07.1	1	0.9	00.0-02.7
\$15,000- 24,999	83	69,248	35	41.7	26.6-56.8	39	47.2	30.9-63.5	1	1.9	00.0-05.6	2	1.0	00.0-02.4	6	8.3	00.7-15.9			
\$35,000- 49,999	50	30,544	28	61.9	46.2-77.6	18	31.4	16.9-45.9				1	2.7	00.0-08.0	3	3.9	00.0-09.6			
\$50,000- 74,999	51	41,062	29	56.0	39.5-72.5	19	35.5	19.8-51.2							3	8.5	00.0-19.1			
\$75,000+	52	37,630	26	45.5	27.7-63.3	24	53.2	35.4-71.0	1	0.3	00.0-00.9				1	1.0	00.0-03.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	635	279,217	247	41.3	35.8-46.8	298	41.6	36.3-46.9	23	3.6	01.6-05.6	12	2.1	00.3-03.9	48	9.9	05.8-14.0	7	1.4	00.0-02.8
White/Non-Hisp	498	214,490	190	38.8	32.7-44.9	241	44.7	38.8-50.6	16	3.4	01.2-05.6	7	2.1	00.0-04.3	38	9.2	05.3-13.1	6	1.8	00.0-03.6
Black or Afr. Am./Non-Hisp	119	51,091	51	52.0	38.7-65.3	50	34.1	21.6-46.6	5	3.8	00.0-08.1	5	2.8	00.1-05.5	7	7.1	00.6-13.6	1	0.2	00.0-00.6
45-54	108	59,610	38	43.6	30.9-56.3	48	37.2	25.8-48.6	6	3.1	00.0-06.4	2	1.9	00.0-04.6	13	12.9	05.6-20.2	1	1.2	00.0-03.6
55-64	153	68,046	50	32.5	21.9-43.1	82	49.0	37.6-60.4	4	2.9	00.0-07.2	1	0.5	00.0-01.5	15	14.3	03.1-25.5	1	0.7	00.0-02.1
65+	314	105,111	130	44.2	36.6-51.8	151	45.3	37.7-52.9	9	3.1	00.6-05.6	7	2.1	00.1-04.1	12	2.6	00.6-04.6	5	2.6	00.0-06.1
Less Than H.S.	142	82,274	54	45.0	32.5-57.5	66	33.7	23.1-44.3	4	1.5	00.0-03.3	3	1.6	00.0-03.6	14	16.0	04.4-27.6	1	2.2	00.0-06.3
H.S. or G.E.D.	228	97,109	87	36.7	28.9-44.5	107	46.0	37.8-54.2	8	3.8	00.7-06.9	5	3.8	00.0-08.3	19	9.1	04.0-14.2	2	0.6	00.0-01.6
Some Post-H.S.	176	72,294	70	42.2	32.2-52.2	83	45.6	35.6-55.6	5	3.8	00.0-08.3	4	1.3	00.0-02.7	12	6.3	02.2-10.4	2	0.8	00.0-02.2
College Graduate	87	27,229	35	43.6	29.5-57.7	41	39.6	26.3-52.9	6	9.1	00.9-17.3				3	3.9	00.0-08.8	2	3.9	00.0-09.6
Less than \$15,000	144	56,985	49	27.2	17.4-37.0	67	41.8	30.6-53.0	5	2.1	00.0-04.5	4	3.4	00.0-06.9	16	24.2	11.9-36.5	3	1.3	00.0-03.1
\$15,000- 24,999	156	72,276	65	48.8	37.4-60.2	72	40.0	29.2-50.8	8	4.3	00.8-07.8	3	3.6	00.0-09.1	7	2.6	00.4-04.8	1	0.6	00.0-01.8
\$35,000- 49,999	53	31,674	23	42.5	24.3-60.7	26	40.9	22.5-59.3	1	0.6	00.0-02.0				3	15.9	00.0-37.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1062	561,903	174	17.1	14.0-20.2	230	23.4	19.9-26.9	126	11.4	08.7-14.1	205	18.7	15.2-22.2	63	5.5	03.5-07.5	264	23.8	20.3-27.3
Male	402	273,478	74	16.3	11.8-20.8	93	25.0	19.1-30.9	43	11.9	07.6-16.2	82	20.8	14.5-27.1	20	5.5	02.4-08.6	90	20.5	15.4-25.6
Female	660	288,425	100	17.9	13.4-22.4	137	22.0	17.5-26.5	83	11.0	07.7-14.3	123	16.7	13.0-20.4	43	5.4	03.2-07.6	174	26.9	22.0-31.8
White/Non-Hisp	855	441,262	151	18.0	14.7-21.3	179	21.5	17.8-25.2	96	11.2	08.3-14.1	169	18.7	15.4-22.0	41	5.0	02.8-07.2	219	25.6	21.5-29.7
Black or Afr. Am./Non-Hisp	171	89,602	18	10.0	04.3-15.7	41	29.1	18.1-40.1	26	13.3	06.0-20.6	32	22.5	07.6-37.4	18	6.7	02.4-11.0	36	18.3	09.9-26.7
35-44	57	46,671	12	26.6	12.9-40.3	11	19.1	03.8-34.4	7	10.0	02.0-18.0	8	17.8	04.9-30.7	3	3.1	00.0-08.0	16	23.4	10.9-35.9
45-54	172	118,966	23	10.7	04.6-16.8	46	30.5	20.9-40.1	23	13.2	05.9-20.5	29	23.8	11.8-35.8	12	6.4	01.9-10.9	39	15.4	09.7-21.1
55-64	282	150,544	58	21.6	14.5-28.7	48	17.6	11.5-23.7	37	13.0	07.1-18.9	53	15.9	10.8-21.0	15	5.9	01.6-10.2	71	26.0	18.9-33.1
65+	520	217,385	76	15.6	11.3-19.9	120	25.4	20.3-30.5	56	10.5	07.0-14.0	113	19.9	15.6-24.2	30	4.8	02.4-07.2	125	23.7	18.6-28.8
Less Than H.S.	200	134,471	25	13.0	05.7-20.3	39	20.3	12.1-28.5	24	10.7	04.0-17.4	40	21.3	10.5-32.1	10	3.3	00.0-06.6	62	31.3	21.7-40.9
H.S. or G.E.D.	369	189,331	64	17.3	12.4-22.2	64	19.7	13.8-25.6	46	12.9	08.4-17.4	73	19.2	14.1-24.3	26	7.0	03.7-10.3	96	24.0	18.3-29.7
Some Post-H.S.	301	153,904	53	21.9	15.2-28.6	75	26.7	20.2-33.2	33	8.8	04.9-12.7	53	15.6	10.7-20.5	18	5.5	01.6-09.4	69	21.5	15.4-27.6
College Graduate	187	81,528	31	13.4	07.9-18.9	51	31.0	21.8-40.2	22	14.5	07.1-21.9	39	20.1	12.3-27.9	9	5.8	00.9-10.7	35	15.2	09.5-20.9
Less than \$15,000	186	86,585	15	5.6	02.3-08.9	34	17.2	08.2-26.2	25	14.3	06.1-22.5	38	23.3	14.7-31.9	14	7.5	01.4-13.6	60	32.1	22.1-42.1
\$15,000- 24,999	247	146,019	47	19.1	12.6-25.6	42	17.2	10.7-23.7	28	10.8	05.1-16.5	48	21.5	11.5-31.5	17	5.1	01.8-08.4	65	26.3	18.5-34.1
\$25,000- 34,999	95	51,052	16	16.3	05.9-26.7	22	26.3	14.1-38.5	10	10.1	02.5-17.7	18	14.0	05.8-22.2	4	4.5	00.0-09.4	25	28.8	16.6-41.0
\$35,000- 49,999	103	62,008	13	16.1	03.8-28.4	35	32.4	20.8-44.0	13	14.6	05.4-23.8	18	16.9	08.5-25.3	2	1.7	00.0-04.4	22	18.2	08.6-27.8
\$50,000- 74,999	89	61,246	17	21.8	10.0-33.6	24	25.9	14.7-37.1	12	11.8	04.2-19.4	15	14.8	06.0-23.6	5	7.7	00.0-15.9	16	17.9	08.3-27.5
\$75,000+	85	56,775	15	15.2	07.0-23.4	32	42.2	28.9-55.5	8	11.3	03.1-19.5	12	11.3	04.2-18.4	3	5.3	00.0-12.2	15	14.8	06.8-22.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	402	273,478	74	16.3	11.8-20.8	93	25.0	19.1-30.9	43	11.9	07.6-16.2	82	20.8	14.5-27.1	20	5.5	02.4-08.6	90	20.5	15.4-25.6
White/Non-Hisp	338	217,376	67	18.8	13.5-24.1	73	22.2	16.5-27.9	35	11.6	06.9-16.3	70	18.9	14.0-23.8	16	5.7	02.2-09.2	77	22.7	16.8-28.6
45-54	63	59,495	9	11.9	01.5-22.3	17	25.9	11.8-40.0	9	14.1	02.7-25.5	13	31.7	11.1-52.3	5	7.8	00.0-15.8	10	8.5	02.0-15.0
55-64	126	80,026	30	21.3	12.7-29.9	21	19.2	09.6-28.8	14	12.9	03.9-21.9	23	13.3	06.8-19.8	5	6.6	00.0-13.9	33	26.7	16.3-37.1
65+	190	107,242	30	13.0	07.5-18.5	49	27.0	19.0-35.0	19	11.9	06.2-17.6	40	19.2	12.7-25.7	10	4.9	01.0-08.8	42	24.1	16.3-31.9
H.S. or G.E.D.	135	90,127	26	15.4	08.3-22.5	26	23.6	13.2-34.0	15	14.2	06.4-22.0	28	19.7	11.7-27.7	7	5.4	00.5-10.3	33	21.7	13.3-30.1
Some Post-H.S.	119	78,614	20	20.6	10.6-30.6	31	27.2	17.2-37.2	11	7.8	02.7-12.9	22	14.6	07.7-21.5	7	6.4	00.0-12.9	28	23.4	13.4-33.4
College Graduate	100	54,086	17	12.0	05.1-18.9	26	30.4	18.4-42.4	12	14.3	04.5-24.1	20	21.1	10.5-31.7	4	5.3	00.0-12.0	21	16.9	09.1-24.7
\$15,000- 24,999	84	69,950	20	21.9	10.9-32.9	13	14.0	05.4-22.6	9	12.6	03.0-22.2	15	25.3	06.9-43.7	5	4.0	00.0-08.5	22	22.1	10.5-33.7
\$35,000- 49,999	50	30,544	6	9.6	00.0-19.2	16	33.4	17.5-49.3	4	13.6	00.0-27.3	10	19.3	07.3-31.3	2	3.4	00.0-08.9	12	20.6	07.5-33.7
\$50,000- 74,999	56	44,701	13	24.5	09.6-39.4	15	25.9	11.8-40.0	7	9.2	01.4-17.0	9	15.8	04.8-26.8	1	4.7	00.0-13.5	11	19.9	07.4-32.4
\$75,000+	52	37,630	9	14.4	04.4-24.4	20	44.3	27.6-61.0	4	8.8	00.2-17.4	8	12.9	03.5-22.3	3	8.0	00.0-18.2	8	11.6	02.6-20.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	660	288,425	100	17.9	13.6-22.2	137	22.0	17.5-26.5	83	11.0	07.7-14.3	123	16.7	13.0-20.4	43	5.4	03.2-07.6	174	26.9	22.0-31.8
White/Non-Hisp	517	223,886	84	17.2	12.9-21.5	106	20.7	16.0-25.4	61	10.8	07.1-14.5	99	18.5	14.2-22.8	25	4.3	01.9-06.7	142	28.5	22.8-34.2
Black or Afr. Am./Non-Hisp	123	50,127	13	12.9	04.5-21.3	26	26.7	14.4-39.0	19	13.1	04.9-21.3	23	12.7	05.6-19.8	16	10.2	03.5-16.9	26	24.4	12.2-36.6
45-54	109	59,471	14	9.6	03.5-15.7	29	35.1	22.6-47.6	14	12.3	03.1-21.5	16	15.8	07.2-24.4	7	5.0	00.7-09.3	29	22.2	13.4-31.0
55-64	156	70,519	28	21.9	10.9-32.9	27	15.7	08.4-23.0	23	13.1	06.0-20.2	30	18.9	11.1-26.7	10	5.1	00.6-09.6	38	25.2	15.6-34.8
65+	330	110,143	46	18.1	11.6-24.6	71	23.8	17.3-30.3	37	9.2	05.3-13.1	73	20.7	14.8-26.6	20	4.7	02.0-07.4	83	23.4	17.1-29.7
Less Than H.S.	154	85,761	15	12.6	03.0-22.2	30	22.0	12.0-32.0	19	10.0	03.1-16.9	28	14.3	07.4-21.2	8	2.4	00.4-04.4	54	38.7	27.1-50.3
H.S. or G.E.D.	234	99,204	38	18.9	12.4-25.4	38	16.1	10.4-21.8	31	11.7	06.6-16.8	45	18.7	12.4-25.0	19	8.4	03.5-13.3	63	26.1	18.7-33.5
Some Post-H.S.	182	75,290	33	23.4	14.6-32.2	44	26.2	17.6-34.8	22	9.8	04.1-15.5	31	16.6	09.5-23.7	11	4.6	00.5-08.7	41	19.4	12.5-26.3
College Graduate	87	27,441	14	16.0	06.6-25.4	25	32.1	18.2-46.0	10	14.9	04.5-25.3	19	18.2	08.4-28.0	5	6.9	00.0-14.0	14	11.9	04.3-19.5
Less than \$15,000	152	58,451	13	7.6	02.9-12.3	30	16.8	09.4-24.2	20	11.7	05.4-18.0	27	20.1	11.1-29.1	10	4.6	01.1-08.1	52	39.3	27.7-50.9
\$15,000- 24,999	163	76,069	27	16.6	08.8-24.4	29	20.1	10.9-29.3	19	9.1	02.2-16.0	33	17.9	10.5-25.3	12	6.1	01.6-10.6	43	30.2	19.8-40.6
\$35,000- 49,999	53	31,464	7	22.5	01.1-43.9	19	31.5	14.8-48.2	9	15.6	03.4-27.8	8	14.5	02.9-26.1				10	15.9	02.0-29.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1085	573,954	324	29.8	25.9-33.7	468	41.5	37.4-45.6	127	10.4	08.0-12.8	145	14.5	11.6-17.4	21	3.7	01.5-05.9
Male	413	277,569	127	32.3	25.6-39.0	180	40.2	33.9-46.5	37	8.9	05.4-12.4	62	15.3	10.6-20.0	7	3.4	00.3-06.5
Female	672	296,385	197	27.6	23.1-32.1	288	42.7	37.4-48.0	90	11.9	08.6-15.2	83	13.7	10.0-17.4	14	4.1	01.2-07.0
White/Non-Hisp	869	447,118	255	28.4	24.5-32.3	370	41.5	37.2-45.8	104	10.9	08.2-13.6	123	15.1	12.0-18.2	17	4.1	01.6-06.6
Black or Afr. Am./Non-Hisp	179	95,644	54	34.1	20.6-47.6	87	42.7	30.9-54.5	19	9.9	03.4-16.4	16	10.6	03.9-17.3	3	2.6	00.0-06.7
35-44	58	48,302	10	18.9	06.4-31.4	22	33.7	19.4-48.0	9	14.5	04.7-24.3	12	23.6	08.1-39.1	5	9.3	00.7-17.9
45-54	173	119,780	52	35.8	24.0-47.6	75	43.7	33.1-54.3	18	6.9	03.0-10.8	23	10.2	05.3-15.1	5	3.4	00.0-07.1
55-64	291	154,529	85	27.7	21.0-34.4	120	38.8	31.2-46.4	30	11.1	06.0-16.2	49	17.1	11.2-23.0	7	5.4	00.0-11.1
65+	533	220,540	171	32.6	27.5-37.7	242	45.3	39.6-51.0	65	10.7	07.4-14.0	53	11.0	07.3-14.7	2	0.4	00.0-01.0
Less Than H.S.	208	140,722	56	28.8	18.0-39.6	73	30.6	21.4-39.8	30	12.6	06.1-19.1	42	17.8	10.9-24.7	7	10.1	02.5-17.7
H.S. or G.E.D.	373	191,141	101	24.5	19.0-30.0	166	45.1	38.4-51.8	40	9.9	06.2-13.6	56	17.8	11.9-23.7	10	2.7	00.3-05.1
Some Post-H.S.	307	157,283	104	33.8	26.9-40.7	133	43.8	36.4-51.2	36	10.0	06.1-13.9	30	11.1	06.4-15.8	4	1.4	00.0-03.0
College Graduate	192	82,289	62	35.9	26.5-45.3	93	47.0	37.4-56.6	20	9.1	04.4-13.8	17	8.0	03.3-12.7			
Less than \$15,000	192	89,023	45	20.7	13.1-28.3	66	26.4	18.4-34.4	29	10.5	05.4-15.6	46	32.4	21.6-43.2	6	10.0	00.6-19.4
\$15,000- 24,999	254	151,081	71	30.7	20.9-40.5	116	41.8	33.0-50.6	27	10.9	05.8-16.0	34	11.4	06.7-16.1	6	5.2	00.5-09.9
\$25,000- 34,999	96	51,677	30	29.3	17.3-41.3	42	40.6	27.7-53.5	8	10.6	01.8-19.4	16	19.6	09.0-30.2			
\$35,000- 49,999	104	62,261	30	30.8	19.4-42.2	57	53.3	40.6-66.0	8	5.5	01.4-09.6	8	6.8	01.3-12.3	1	3.6	00.0-10.5
\$50,000- 74,999	87	59,670	33	33.3	21.5-45.1	45	55.2	42.1-68.3	4	4.2	00.1-08.3	5	7.3	00.0-14.6			
\$75,000+	85	56,775	34	34.9	23.1-46.7	33	40.0	27.1-52.9	11	15.0	04.2-25.8	6	9.3	01.7-16.9	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	413	277,569	127	32.3	25.6-39.0	180	40.2	33.9-46.5	37	8.9	05.4-12.4	62	15.3	10.6-20.0	7	3.4	00.3-06.5
White/Non-Hisp	343	218,092	101	27.2	21.5-32.9	147	42.2	35.5-48.9	33	10.6	06.3-14.9	57	16.7	11.8-21.6	5	3.4	00.0-07.1
Black or Afr. Am./Non-Hisp	52	42,280	18	52.1	29.6-74.6	27	38.1	18.3-57.9	4	3.4	00.0-07.5	1	1.6	00.0-04.7	2	4.9	00.0-13.7
45-54	62	58,340	20	40.2	20.0-60.4	28	44.8	26.6-63.0	3	4.3	00.0-09.6	7	4.6	00.5-08.7	4	6.1	00.0-13.5
55-64	130	81,594	35	25.8	15.8-35.8	50	32.3	22.3-42.3	17	13.9	05.5-22.3	25	20.8	11.8-29.8	3	7.2	00.0-16.4
65+	196	108,887	66	34.1	26.3-41.9	91	44.2	35.8-52.6	16	9.2	04.1-14.3	23	12.6	06.7-18.5			
H.S. or G.E.D.	138	91,149	39	23.9	15.3-32.5	59	44.9	34.1-55.7	10	7.9	02.4-13.4	28	21.1	11.5-30.7	2	2.3	00.0-06.4
Some Post-H.S.	122	79,229	46	38.0	27.4-48.6	54	44.6	33.2-56.0	8	4.1	01.0-07.2	12	12.5	04.7-20.3	2	0.8	00.0-01.8
College Graduate	101	54,471	29	36.4	23.5-49.3	49	45.5	33.0-58.0	11	9.6	03.1-16.1	12	8.5	02.6-14.4			
\$15,000- 24,999	86	72,200	27	38.6	21.7-55.5	37	36.3	22.8-49.8	7	9.2	01.9-16.5	13	9.8	03.5-16.1	2	6.2	00.0-14.6
\$25,000- 34,999	50	27,352	16	33.0	17.5-48.5	21	31.2	15.9-46.5	4	8.4	00.0-19.4	9	27.5	10.6-44.4			
\$50,000- 74,999	54	43,300	19	33.1	18.2-48.0	27	54.4	38.9-69.9	4	5.7	00.0-11.4	4	6.7	00.0-13.4			
\$75,000+	52	37,630	20	31.8	17.9-45.7	21	41.7	25.6-57.8	6	14.7	00.0-29.4	5	11.7	01.3-22.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	672	296,385	197	27.6	23.1-32.1	288	42.7	37.4-48.0	90	11.9	08.6-15.2	83	13.7	10.2-17.2	14	4.1	01.2-07.0
White/Non-Hisp	526	229,027	154	29.6	24.3-34.9	223	40.8	35.1-46.5	71	11.2	07.9-14.5	66	13.5	09.6-17.4	12	4.8	01.1-08.5
Black or Afr. Am./Non-Hisp	127	53,365	36	19.9	11.3-28.5	60	46.3	33.4-59.2	15	15.1	04.7-25.5	15	17.8	07.2-28.4	1	0.9	00.0-02.7
45-54	111	61,440	32	31.7	19.7-43.7	47	42.6	30.6-54.6	15	9.4	03.9-14.9	16	15.5	07.3-23.7	1	0.8	00.0-02.4
55-64	161	72,935	50	29.7	20.7-38.7	70	46.0	35.0-57.0	13	8.0	02.7-13.3	24	12.9	06.2-19.6	4	3.4	00.0-09.3
65+	337	111,653	105	31.2	24.5-37.9	151	46.4	39.0-53.8	49	12.1	07.6-16.6	30	9.5	05.2-13.8	2	0.9	00.0-02.1
Less Than H.S.	159	90,210	44	26.6	16.6-36.6	57	37.2	25.8-48.6	22	9.9	03.4-16.4	32	18.0	10.2-25.8	4	8.3	00.0-16.9
H.S. or G.E.D.	235	99,992	62	25.1	18.2-32.0	107	45.4	37.2-53.6	30	11.7	06.6-16.8	28	14.8	08.1-21.5	8	3.1	00.7-05.5
Some Post-H.S.	185	78,054	58	29.4	21.0-37.8	79	42.9	33.1-52.7	28	15.9	08.8-23.0	18	9.8	04.3-15.3	2	2.0	00.0-04.9
College Graduate	91	27,818	33	34.8	22.1-47.5	44	50.0	36.3-63.7	9	8.0	01.7-14.3	5	7.2	00.0-15.4			
Less than \$15,000	154	60,392	38	23.0	14.4-31.6	49	23.9	15.7-32.1	26	12.7	06.2-19.2	37	32.6	21.2-44.0	4	7.9	00.0-17.9
\$15,000- 24,999	168	78,881	44	23.5	14.3-32.7	79	46.8	35.8-57.8	20	12.4	05.3-19.5	21	13.0	06.3-19.7	4	4.3	00.0-09.2
\$35,000- 49,999	55	32,049	15	28.6	12.1-45.1	34	55.7	36.5-74.9	3	2.3	00.0-05.2	2	6.4	00.0-15.0	1	6.9	00.0-19.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1089	578,405	235	22.8	18.9-26.7	854	77.2	73.3-81.1
Male	415	282,070	95	26.8	20.3-33.3	320	73.2	66.7-79.7
Female	674	296,335	140	19.1	14.8-23.4	534	80.9	76.6-85.2
White/Non-Hisp	874	452,042	182	20.7	17.2-24.2	692	79.3	75.8-82.8
Black or Afr. Am./Non-Hisp	177	94,755	42	28.8	14.9-42.7	135	71.2	57.3-85.1
35-44	58	48,302	11	17.7	06.5-28.9	47	82.3	71.1-93.5
45-54	174	122,240	46	32.2	20.4-44.0	128	67.8	56.0-79.6
55-64	292	155,362	70	26.6	19.0-34.2	222	73.4	65.8-81.0
65+	534	221,210	104	18.1	13.8-22.4	430	81.9	77.6-86.2
Less Than H.S.	206	142,384	55	32.1	20.7-43.5	151	67.9	56.5-79.3
H.S. or G.E.D.	378	193,674	91	24.2	18.7-29.7	287	75.8	70.3-81.3
Some Post-H.S.	307	157,095	54	16.3	11.2-21.4	253	83.7	78.6-88.8
College Graduate	192	82,316	33	16.5	09.2-23.8	159	83.5	76.2-90.8
Less than \$15,000	192	92,960	45	20.7	12.3-29.1	147	79.3	70.9-87.7
\$15,000- 24,999	251	150,169	64	32.4	22.4-42.4	187	67.6	57.6-77.6
\$25,000- 34,999	94	50,704	15	15.1	05.9-24.3	79	84.9	75.7-94.1
\$35,000- 49,999	107	63,275	23	27.1	14.2-40.0	84	72.9	60.0-85.8
\$50,000- 74,999	90	61,311	22	22.1	11.9-32.3	68	77.9	67.7-88.1
\$75,000+	86	57,319	10	11.5	03.7-19.3	76	88.5	80.7-96.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	415	282,070	95	26.8	20.3-33.3	320	73.2	66.7-79.7
White/Non-Hisp	346	222,815	77	24.6	18.7-30.5	269	75.4	69.5-81.3
Black or Afr. Am./Non-Hisp	51	42,058	12	34.9	08.6-61.2	39	65.1	38.8-91.4
45-54	64	61,704	19	35.4	15.6-55.2	45	64.6	44.8-84.4
55-64	132	83,046	36	32.2	21.2-43.2	96	67.8	56.8-78.8
65+	195	108,794	35	19.0	12.1-25.9	160	81.0	74.1-87.9
Less Than H.S.	50	53,240	18	45.9	24.5-67.3	32	54.1	32.7-75.5
H.S. or G.E.D.	138	91,335	37	27.6	18.2-37.0	101	72.4	63.0-81.8
Some Post-H.S.	123	80,536	23	20.6	11.8-29.4	100	79.4	70.6-88.2
College Graduate	101	54,751	16	16.4	06.6-26.2	85	83.6	73.8-93.4
\$15,000- 24,999	86	72,200	25	38.4	21.3-55.5	61	61.6	44.5-78.7
\$35,000- 49,999	51	30,812	13	30.6	14.3-46.9	38	69.4	53.1-85.7
\$50,000- 74,999	56	44,701	16	26.6	13.3-39.9	40	73.4	60.1-86.7
\$75,000+	52	37,630	6	12.6	02.0-23.2	46	87.4	76.8-98.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	674	296,335	140	19.1	14.8-23.4	534	80.9	76.6-85.2
White/Non-Hisp	528	229,227	105	17.0	12.7-21.3	423	83.0	78.7-87.3
Black or Afr. Am./Non-Hisp	126	52,697	30	24.0	12.8-35.2	96	76.0	64.8-87.2
45-54	110	60,536	27	29.0	17.0-41.0	83	71.0	59.0-83.0
55-64	160	72,316	34	20.1	9.5-30.7	126	79.9	69.3-90.5
65+	339	112,416	69	17.3	12.0-22.6	270	82.7	77.4-88.0
Less Than H.S.	156	89,144	37	23.8	12.6-35.0	119	76.2	65.0-87.4
H.S. or G.E.D.	240	102,338	54	21.0	14.5-27.5	186	79.0	72.5-85.5
Some Post-H.S.	184	76,559	31	11.9	06.8-17.0	153	88.1	83.0-93.2
College Graduate	91	27,565	17	16.8	06.6-27.0	74	83.2	73.0-93.4
Less than \$15,000	153	61,187	35	17.4	10.1-24.7	118	82.6	75.3-89.9
\$15,000- 24,999	165	77,969	39	26.8	16.8-36.8	126	73.2	63.2-83.2
\$35,000- 49,999	56	32,463	10	23.8	03.2-44.4	46	76.2	55.6-96.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1103	583,787	559	50.7	46.6-54.8	544	49.3	45.2-53.4
Male	419	282,823	221	53.2	46.7-59.7	198	46.8	40.3-53.3
Female	684	300,964	338	48.3	43.0-53.6	346	51.7	46.4-57.0
White/Non-Hisp	886	456,533	442	48.8	44.3-53.3	444	51.2	46.7-55.7
Black or Afr. Am./Non-Hisp	179	95,644	98	56.6	44.6-68.6	81	43.4	31.4-55.4
35-44	58	48,302	30	48.6	32.9-64.3	28	51.4	35.7-67.1
45-54	176	123,559	97	58.5	48.3-68.7	79	41.5	31.3-51.7
55-64	298	157,573	154	50.5	42.5-58.5	144	49.5	41.5-57.5
65+	539	222,840	267	49.8	44.1-55.5	272	50.2	44.5-55.9
Less Than H.S.	211	144,668	69	38.4	27.4-49.4	142	61.6	50.6-72.6
H.S. or G.E.D.	382	194,333	189	50.4	43.7-57.1	193	49.6	42.9-56.3
Some Post-H.S.	310	158,768	172	56.4	49.1-63.7	138	43.6	36.3-50.9
College Graduate	194	83,081	128	61.6	52.2-71.0	66	38.4	29.0-47.8
Less than \$15,000	196	93,697	78	40.1	29.9-50.3	118	59.9	49.7-70.1
\$15,000- 24,999	254	151,286	124	45.0	35.6-54.4	130	55.0	45.6-64.4
\$25,000- 34,999	98	52,545	48	50.3	37.2-63.4	50	49.7	36.6-62.8
\$35,000- 49,999	107	63,275	65	60.5	48.2-72.8	42	39.5	27.2-51.8
\$50,000- 74,999	90	61,311	56	56.4	43.7-69.1	34	43.6	30.9-56.3
\$75,000+	86	57,319	63	71.1	58.9-83.3	23	28.9	16.7-41.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	419	282,823	221	53.2	46.7-59.7	198	46.8	40.3-53.3
White/Non-Hisp	349	223,345	174	48.4	41.7-55.1	175	51.6	44.9-58.3
Black or Afr. Am./Non-Hisp	52	42,280	35	76.3	61.4-91.2	17	23.7	08.8-38.6
45-54	64	61,704	37	64.0	48.1-79.9	27	36.0	20.1-51.9
55-64	133	83,159	67	51.3	39.7-62.9	66	48.7	37.1-60.3
65+	197	109,212	105	51.1	42.3-59.9	92	48.9	40.1-57.7
Less Than H.S.	51	53,765	19	44.8	23.2-66.4	32	55.2	33.6-76.8
H.S. or G.E.D.	140	91,670	78	56.6	46.0-67.2	62	43.4	32.8-54.0
Some Post-H.S.	123	80,331	67	54.3	43.3-65.3	56	45.7	34.7-56.7
College Graduate	102	54,849	56	53.9	41.4-66.4	46	46.1	33.6-58.6
\$15,000- 24,999	85	71,925	46	52.1	36.8-67.4	39	47.9	32.6-63.2
\$25,000- 34,999	51	27,625	20	41.3	23.9-58.7	31	58.7	41.3-76.1
\$35,000- 49,999	51	30,812	30	60.6	44.1-77.1	21	39.4	22.9-55.9
\$50,000- 74,999	56	44,701	33	54.5	39.2-69.8	23	45.5	30.2-60.8
\$75,000+	52	37,630	37	71.3	55.6-87.0	15	28.7	13.0-44.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	684	300,964	338	48.3	43.0-53.6	346	51.7	46.4-57.0
White/Non-Hisp	537	233,188	268	49.1	43.2-55.0	269	50.9	45.0-56.8
Black or Afr. Am./Non-Hisp	127	53,365	63	40.9	28.7-53.1	64	59.1	46.9-71.3
45-54	112	61,855	60	53.1	41.1-65.1	52	46.9	34.9-58.9
55-64	165	74,414	87	49.5	38.5-60.5	78	50.5	39.5-61.5
65+	342	113,629	162	48.5	41.1-55.9	180	51.5	44.1-58.9
Less Than H.S.	160	90,903	50	34.7	23.3-46.1	110	65.3	53.9-76.7
H.S. or G.E.D.	242	102,663	111	44.9	36.9-52.9	131	55.1	47.1-63.1
Some Post-H.S.	187	78,437	105	58.7	49.3-68.1	82	41.3	31.9-50.7
College Graduate	92	28,233	72	76.8	64.1-89.5	20	23.2	10.5-35.9
Less than \$15,000	156	61,813	63	38.8	28.0-49.6	93	61.2	50.4-72.0
\$15,000- 24,999	169	79,361	78	38.6	28.4-48.8	91	61.4	51.2-71.6
\$35,000- 49,999	56	32,463	35	60.4	42.2-78.6	21	39.6	21.4-57.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR1)	
1	MALES AND FEMALES	42
2	MALES ONLY	43
3	FEMALES ONLY	44
	DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY JUICE COCKTAIL, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUT1)	
4	MALES AND FEMALES	45
5	MALES ONLY	46
6	FEMALES ONLY	47
	THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)	
7	MALES AND FEMALES	48
8	MALES ONLY	49
9	FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

**TABLE 1: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6257	4,360,596	2602	35.3	33.7-36.9	1366	26.1	24.5-27.7	56	1.0	0.6-01.4	15	0.2	0.0-0.0-0.4	684	11.7	10.5-12.9	1534	25.7	24.1-27.3
Male	2223	2,062,594	836	32.4	29.9-34.9	547	28.8	26.1-31.5	28	1.3	0.7-01.9	8	0.1	0.0-0.0-0.3	257	12.4	10.4-14.4	547	25.0	22.6-27.4
Female	4034	2,298,003	1766	38.0	36.0-40.0	819	23.7	21.7-25.7	28	0.8	0.2-01.4	7	0.2	0.0-0.0-0.4	427	11.1	09.7-12.5	987	26.3	24.3-28.3
White/Non-Hisp	5218	3,403,771	2300	37.7	35.9-39.5	1122	26.2	24.4-28.0	46	0.9	0.5-01.3	13	0.2	0.0-0.0-0.4	501	10.5	09.3-11.7	1236	24.5	22.9-26.1
Black or Afr. Am./Non-Hisp	817	656,999	217	24.1	20.0-28.2	198	27.7	23.0-32.4	9	2.1	0.1-04.1				161	17.4	14.1-20.7	232	28.8	24.5-33.1
Oth. Race/Non-Hisp.	80	110,003	32	38.0	23.7-52.3	20	24.8	12.8-36.8	1	0.1	0.0-0.0-0.3	1	0.5	0.0-0.0-0.4	5	9.2	0.2-18.2	21	27.4	14.1-40.7
MultiRacial/Non-Hisp.	54	70,193	20	26.3	11.8-40.8	11	23.7	08.4-39.0				1	0.9	0.0-0.0-0.4	7	24.4	05.2-43.6	15	24.7	10.4-39.0
Hispanic	56	96,183	19	31.8	16.7-46.9	9	18.6	03.7-33.5							7	11.0	02.0-20.0	21	38.6	22.7-54.5
18-24	254	517,002	51	19.9	14.0-25.8	95	36.1	29.2-43.0	1	1.1	0.0-0.0-0.3				47	19.0	13.1-24.9	60	23.9	17.6-30.2
25-34	558	687,274	130	24.0	19.7-28.3	186	33.4	28.9-37.9	10	2.1	0.7-03.5	3	0.4	0.0-0.0-0.4	67	11.0	07.9-14.1	162	29.1	24.6-33.6
35-44	734	733,187	230	30.5	26.4-34.6	224	32.3	28.0-36.6	10	1.2	0.0-0.0-0.4	3	0.2	0.0-0.0-0.4	74	9.6	07.1-12.1	193	26.1	22.2-30.0
45-54	1151	828,790	422	36.4	32.9-39.9	284	24.9	21.6-28.2	13	0.6	0.2-0.0-0.4	5	0.3	0.0-0.0-0.4	133	12.1	09.7-14.5	294	25.6	22.3-28.9
55-64	1450	739,149	654	43.0	39.7-46.3	290	20.9	18.0-23.8	11	0.8	0.2-0.0-0.4	1	0.0	0.0-0.0-0.4	141	10.0	08.0-12.0	353	25.3	22.4-28.2
65+	2075	833,665	1096	50.0	47.1-52.9	283	14.7	12.5-16.9	11	0.4	0.0-0.0-0.4	3	0.1	0.0-0.0-0.4	219	11.0	09.2-12.8	463	23.8	21.3-26.3
Less Than H.S.	799	711,347	319	32.0	27.5-36.5	219	31.3	26.4-36.2	9	2.2	0.0-0.0-0.4	2	0.1	0.0-0.0-0.4	94	12.7	09.2-16.2	156	21.6	17.1-26.1
H.S. or G.E.D.	2062	1,436,323	804	32.4	29.7-35.1	537	31.3	28.4-34.2	20	1.0	0.4-0.0-0.4	7	0.3	0.1-0.0-0.4	245	12.3	10.3-14.3	449	22.7	20.2-25.2
Some Post-H.S.	1743	1,278,226	700	36.0	32.9-39.1	364	23.5	20.8-26.2	12	0.7	0.1-0.0-0.4	4	0.1	0.1-0.0-0.4	198	12.2	09.8-14.6	465	27.6	24.9-30.3
College Graduate	1646	928,168	776	41.6	38.5-44.7	245	17.7	15.0-20.4	15	0.5	0.1-0.0-0.4	2	0.1	0.0-0.0-0.4	146	9.6	07.6-11.6	462	30.5	27.6-33.4
Less than \$15,000	782	467,545	290	32.5	27.6-37.4	219	31.7	27.0-36.4	8	0.5	0.1-0.0-0.4	5	0.6	0.0-0.0-0.4	103	13.2	09.7-16.7	157	21.6	17.3-25.9
\$15,000- 24,999	1177	800,719	475	33.8	30.1-37.5	295	31.3	27.2-35.4	9	0.7	0.1-0.0-0.4	4	0.2	0.0-0.0-0.4	126	9.9	07.5-12.3	268	24.1	20.2-28.0
\$25,000- 34,999	617	427,927	233	32.1	27.2-37.0	147	27.9	22.8-33.0	7	1.3	0.1-0.0-0.4	1	0.0	0.0-0.0-0.4	70	12.6	08.9-16.3	159	26.2	21.5-30.9
\$35,000- 49,999	696	533,785	262	34.8	30.1-39.5	157	26.0	21.3-30.7	12	2.5	0.5-0.0-0.4	1	0.1	0.0-0.0-0.4	73	9.4	06.7-12.1	191	27.2	22.9-31.5
\$50,000- 74,999	650	497,108	274	37.3	32.6-42.0	109	20.5	16.2-24.8	5	0.3	0.0-0.0-0.4	1	0.1	0.0-0.0-0.4	74	12.9	09.4-16.4	187	28.9	24.6-33.2
\$75,000+	896	714,268	427	42.8	38.5-47.1	141	19.5	15.8-23.2	2	0.2	0.0-0.0-0.4	1	0.1	0.0-0.0-0.4	81	9.6	07.1-12.1	244	27.9	24.0-31.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 2: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2223	2,062,594	836	32.4	29.9-34.9	547	28.8	26.1-31.5	28	1.3	0.7-01.9	8	0.1	0.0-00.3	257	12.4	10.4-14.4	547	25.0	22.6-27.4
White/Non-Hisp	1871	1,610,624	724	33.4	30.7-36.1	464	29.6	26.7-32.5	21	1.1	0.5-01.7	7	0.2	0.0-00.4	203	11.3	09.3-13.3	452	24.4	21.9-26.9
Black or Afr. Am./Non-Hisp	255	284,945	71	25.7	18.8-32.6	66	30.1	21.9-38.3	7	2.7	0.2-05.2				42	15.2	09.5-20.9	69	26.4	19.5-33.3
18-24	106	263,700	19	14.5	07.2-21.8	43	40.0	29.4-50.6							18	20.4	11.2-29.6	26	25.1	15.7-34.5
25-34	214	323,170	49	24.0	17.3-30.7	76	35.6	28.2-43.0	8	3.2	0.7-05.7	1	0.1	0.0-00.3	20	10.5	05.6-15.4	60	26.7	19.8-33.6
35-44	255	358,457	76	31.2	24.3-38.1	89	34.1	27.2-41.0	4	2.1	0.0-04.5	2	0.2	0.0-00.6	23	9.6	05.5-13.7	61	22.8	16.7-28.9
45-54	442	403,234	149	31.9	26.4-37.4	116	26.8	21.1-32.5	5	0.8	0.0-01.6	2	0.2	0.0-00.4	50	12.5	08.6-16.4	120	27.9	22.6-33.2
55-64	546	347,821	222	39.8	34.5-45.1	131	25.0	20.3-29.7	7	1.1	0.0-02.3	1	0.1	0.0-00.3	55	10.7	07.4-14.0	130	23.3	19.0-27.6
65+	655	360,090	319	47.5	42.4-52.6	91	15.3	11.4-19.2	4	0.3	0.0-00.7	2	0.2	0.0-00.4	91	13.0	09.9-16.1	148	23.7	19.4-28.0
Less Than H.S.	239	324,517	82	27.4	20.3-34.5	70	34.2	25.6-42.8	5	2.3	0.0-05.2	1	0.1	0.0-00.3	31	12.4	06.9-17.9	50	23.6	15.6-31.6
H.S. or G.E.D.	734	684,612	250	28.7	24.6-32.8	226	34.3	29.8-38.8	12	1.7	0.5-02.9	2	0.1	0.0-00.3	87	13.4	09.9-16.9	157	21.9	18.0-25.8
Some Post-H.S.	626	605,442	223	33.0	28.1-37.9	142	24.6	20.1-29.1	6	0.7	0.0-01.5	3	0.2	0.0-00.4	78	13.6	09.7-17.5	174	27.9	23.4-32.4
College Graduate	619	441,773	279	41.4	36.3-46.5	108	22.1	17.2-27.0	5	0.6	0.0-01.2	2	0.2	0.0-00.4	61	9.5	06.6-12.4	164	26.2	21.7-30.7
Less than \$15,000	203	191,912	64	31.5	22.5-40.5	61	29.3	21.1-37.5	5	0.8	0.0-01.6	3	0.5	0.0-01.1	29	12.3	05.6-19.0	41	25.6	17.4-33.8
\$15,000- 24,999	379	370,373	143	31.8	25.5-38.1	110	33.6	26.7-40.5	6	1.3	0.0-02.7	2	0.2	0.0-00.4	40	9.1	05.6-12.6	78	23.9	17.2-30.6
\$25,000- 34,999	236	197,068	87	28.5	21.4-35.6	65	35.3	26.5-44.1	4	2.1	0.0-04.6				23	9.9	04.4-15.4	57	24.2	16.8-31.6
\$35,000- 49,999	285	268,972	104	33.3	26.2-40.4	66	26.1	19.0-33.2	6	3.8	0.5-07.1	1	0.1	0.0-00.3	30	9.9	05.8-14.0	78	26.8	19.9-33.7
\$50,000- 74,999	286	253,468	118	36.0	29.3-42.7	57	24.2	17.7-30.7	3	0.5	0.0-01.1	1	0.1	0.0-00.3	27	12.5	07.2-17.8	80	26.6	20.5-32.7
\$75,000+	391	380,935	160	39.0	32.9-45.1	75	23.1	17.2-29.0	1	0.1	0.0-00.3	1	0.1	0.0-00.3	44	11.2	07.3-15.1	110	26.5	21.2-31.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 3: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK REGULAR SODA OR POP THAT CONTAINS SUGAR? DO NOT INCLUDE DIET SODA OR DIET POP. (SSBSUGR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4034	2,298,003	1766	38.0	36.0-40.0	819	23.7	21.7-25.7	28	0.8	0.2-01.4	7	0.2	0.0-0.4	427	11.1	09.7-12.5	987	26.3	24.3-28.3
White/Non-Hisp	3347	1,793,146	1576	41.6	39.2-44.0	658	23.1	21.1-25.1	25	0.6	0.2-01.0	6	0.2	0.0-0.4	298	9.8	08.2-11.4	784	24.6	22.6-26.6
Black or Afr. Am./Non-Hisp	562	372,055	146	22.9	18.2-27.6	132	25.8	20.7-30.9	2	1.6	0.0-04.5				119	19.0	14.9-23.1	163	30.7	25.4-36.0
18-24	148	253,302	32	25.4	16.6-34.2	52	32.1	23.7-40.5	1	2.2	0.0-06.5				29	17.6	10.2-25.0	34	22.7	14.7-30.7
25-34	344	364,104	81	24.1	18.6-29.6	110	31.4	25.7-37.1	2	1.1	0.0-02.7	2	0.7	0.0-01.7	47	11.5	07.8-15.2	102	31.3	25.6-37.0
35-44	479	374,729	154	29.9	24.8-35.0	135	30.5	25.2-35.8	6	0.4	0.0-00.8	1	0.2	0.0-00.6	51	9.7	06.6-12.8	132	29.3	24.2-34.4
45-54	709	425,555	273	40.7	36.0-45.4	168	23.2	19.3-27.1	8	0.5	0.1-00.9	3	0.4	0.0-01.0	83	11.8	08.9-14.7	174	23.4	19.5-27.3
55-64	904	391,328	432	45.9	41.6-50.2	159	17.3	13.8-20.8	4	0.4	0.0-00.8				86	9.4	06.9-11.9	223	27.0	23.3-30.7
65+	1420	473,575	777	52.0	48.5-55.5	192	14.3	11.8-16.8	7	0.5	0.1-00.9	1	0.0	0.0-00.0	128	9.4	07.2-11.6	315	23.8	20.7-26.9
Less Than H.S.	560	386,830	237	35.9	30.4-41.4	149	28.9	23.4-34.4	4	2.2	0.0-05.1	1	0.2	0.0-00.6	63	13.0	08.3-17.7	106	19.9	15.2-24.6
H.S. or G.E.D.	1328	751,711	554	35.9	32.4-39.4	311	28.6	25.1-32.1	8	0.3	0.1-00.5	5	0.6	0.0-01.2	158	11.2	09.0-13.4	292	23.5	20.2-26.8
Some Post-H.S.	1117	672,785	477	38.7	34.8-42.6	222	22.4	19.1-25.7	6	0.8	0.0-01.6	1	0.0	0.0-00.0	120	10.9	08.4-13.4	291	27.2	23.7-30.7
College Graduate	1027	486,395	497	41.8	37.9-45.7	137	13.8	11.1-16.5	10	0.4	0.0-00.8				85	9.7	07.2-12.2	298	34.3	30.4-38.2
Less than \$15,000	579	275,633	226	33.1	27.8-38.4	158	33.3	27.6-39.0	3	0.3	0.0-00.7	2	0.6	0.0-01.4	74	13.8	09.9-17.7	116	18.8	14.5-23.1
\$15,000- 24,999	798	430,346	332	35.5	31.0-40.0	185	29.3	24.6-34.0	3	0.3	0.0-00.7	2	0.2	0.0-00.6	86	10.5	07.2-13.8	190	24.2	19.9-28.5
\$25,000- 34,999	381	230,859	146	35.1	28.4-41.8	82	21.5	16.0-27.0	3	0.6	0.0-01.4	1	0.0	0.0-00.0	47	14.9	09.8-20.0	102	27.8	21.7-33.9
\$35,000- 49,999	411	264,813	158	36.4	30.3-42.5	91	26.0	19.9-32.1	6	1.3	0.0-03.1				43	8.9	05.6-12.2	113	27.5	22.0-33.0
\$50,000- 74,999	364	243,640	156	38.7	32.2-45.2	52	16.7	11.2-22.2	2	0.1	0.0-00.3				47	13.4	08.9-17.9	107	31.2	24.9-37.5
\$75,000+	505	333,333	267	47.2	41.1-53.3	66	15.3	11.2-19.4	1	0.2	0.0-00.6				37	7.9	04.8-11.0	134	29.4	23.7-35.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 4: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY JUICE COCKTAIL, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6232	4,342,204	3826	54.7	52.9-56.5	684	13.9	12.5-15.3	23	0.5	00.3-00.7	12	0.2	00.0-00.4	594	11.0	09.8-12.2	1093	19.6	18.2-21.0
Male	2208	2,042,702	1301	52.7	50.0-55.4	268	15.6	13.4-17.8	14	0.6	00.2-01.0	8	0.3	00.1-00.5	224	11.3	09.5-13.1	393	19.4	17.0-21.8
Female	4024	2,299,502	2525	56.5	54.3-58.7	416	12.5	10.9-14.1	9	0.4	00.0-00.8	4	0.1	00.0-00.3	370	10.7	09.3-12.1	700	19.8	18.0-21.6
White/Non-Hisp	5199	3,396,016	3377	59.7	57.7-61.7	489	11.5	10.1-12.9	12	0.3	00.1-00.5	9	0.2	00.0-00.4	439	9.8	08.6-11.0	873	18.5	16.9-20.1
Black or Afr. Am./Non-Hisp	808	644,521	319	30.1	25.8-34.4	163	26.2	21.5-30.9	8	1.7	00.1-03.3	3	0.5	00.0-01.1	135	16.8	13.5-20.1	180	24.7	20.6-28.8
Oth. Race/Non-Hisp.	82	110,462	47	42.9	29.0-56.8	12	14.8	05.4-24.2	1	0.3	00.0-00.9				8	19.1	05.4-32.8	14	22.8	09.7-35.9
MultiRacial/Non-Hisp.	55	70,596	34	55.2	37.2-73.2	10	24.4	08.5-40.3							4	6.5	00.0-14.1	7	14.0	02.2-25.8
Hispanic	57	97,345	32	55.3	38.8-71.8	6	10.5	01.5-19.5	1	1.0	00.0-03.0				5	7.4	00.0-15.0	13	25.8	10.3-41.3
18-24	257	524,025	87	33.0	26.1-39.9	74	28.9	22.4-35.4	2	0.4	00.0-01.0				46	16.4	11.3-21.5	48	21.2	14.9-27.5
25-34	560	683,863	231	44.1	39.2-49.0	82	14.3	11.0-17.6	4	0.8	00.0-01.8	4	0.6	00.0-01.2	88	14.8	11.5-18.1	151	25.4	21.3-29.5
35-44	721	718,709	371	50.0	45.5-54.5	83	13.8	10.5-17.1	6	1.2	00.0-02.4	1	0.3	00.0-00.9	78	10.0	07.3-12.7	182	24.7	20.8-28.6
45-54	1144	826,217	673	56.8	53.1-60.5	136	12.1	09.4-14.8	2	0.2	00.0-00.6	4	0.3	00.0-00.7	105	10.1	07.7-12.5	224	20.5	17.4-23.6
55-64	1443	733,794	964	64.7	61.4-68.0	142	11.6	09.1-14.1	6	0.3	00.0-00.7	2	0.1	00.0-00.3	108	7.9	06.1-09.7	221	15.4	13.0-17.8
65+	2072	834,019	1475	69.9	67.2-72.6	164	8.5	06.7-10.3	3	0.3	00.0-00.7	1	0.0	00.0-00.0	168	9.1	07.3-10.9	261	12.1	10.1-14.1
Less Than H.S.	799	709,657	505	56.7	51.4-62.0	105	17.6	13.3-21.9	6	1.0	00.0-02.0				78	10.2	07.5-12.9	105	14.5	10.6-18.4
H.S. or G.E.D.	2045	1,428,051	1238	53.0	50.1-55.9	283	17.4	15.0-19.8	6	0.5	00.0-01.1	5	0.2	00.0-00.4	206	11.8	09.8-13.8	307	17.0	14.6-19.4
Some Post-H.S.	1738	1,272,487	1037	52.7	49.4-56.0	172	12.4	10.0-14.8	8	0.5	00.1-00.9	3	0.3	00.0-00.7	173	11.5	09.3-13.7	345	22.5	19.8-25.2
College Graduate	1642	925,185	1039	58.4	55.1-61.7	124	7.9	06.1-09.7	3	0.2	00.0-00.4	4	0.3	00.0-00.7	137	9.8	07.6-12.0	335	23.5	20.6-26.4
Less than \$15,000	779	462,706	475	55.1	50.0-60.2	104	15.2	11.3-19.1	4	0.6	00.0-01.4	2	0.3	00.0-00.7	87	11.9	08.8-15.0	107	16.8	12.9-20.7
\$15,000- 24,999	1170	796,098	689	52.9	48.6-57.2	152	16.7	13.2-20.2	6	0.4	00.0-00.8	3	0.3	00.0-00.7	125	12.4	09.7-15.1	195	17.4	14.1-20.7
\$25,000- 34,999	622	426,251	382	55.8	50.3-61.3	64	15.5	11.4-19.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3	62	10.9	07.6-14.2	112	17.7	13.4-22.0
\$35,000- 49,999	695	534,334	415	56.5	51.4-61.6	74	11.6	08.1-15.1	3	0.8	00.0-01.6				65	9.0	06.3-11.7	138	22.1	17.8-26.4
\$50,000- 74,999	640	487,642	393	56.1	51.2-61.0	60	12.0	08.5-15.5	3	1.2	00.0-02.8	2	0.4	00.0-01.0	64	11.9	08.6-15.2	118	18.4	14.7-22.1
\$75,000+	886	704,146	547	54.8	50.3-59.3	68	8.8	06.3-11.3	2	0.3	00.0-00.7	2	0.2	00.0-00.6	63	9.3	06.6-12.0	204	26.6	22.5-30.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 5: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY JUICE COCKTAIL, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2208	2,042,702	1301	52.7	50.0-55.4	268	15.6	13.4-17.8	14	0.6	00.2-01.0	8	0.3	00.1-00.5	224	11.3	09.5-13.1	393	19.4	17.0-21.8
White/Non-Hisp	1867	1,602,968	1157	56.8	53.7-59.9	199	13.3	11.1-15.5	9	0.5	00.1-00.9	7	0.3	00.0-00.7	170	10.1	08.3-11.9	325	18.9	16.4-21.4
Black or Afr. Am./Non-Hisp	247	274,316	90	27.0	20.3-33.7	57	32.2	23.8-40.6	4	1.6	00.0-03.8	1	0.5	00.0-01.5	44	17.1	11.4-22.8	51	21.6	14.9-28.3
18-24	103	259,336	33	30.4	20.4-40.4	34	32.3	22.3-42.3							21	18.6	10.4-26.8	15	18.7	09.1-28.3
25-34	215	319,286	89	47.3	39.7-54.9	34	15.0	09.5-20.5	3	1.3	00.0-03.3	2	0.6	00.0-01.6	33	13.0	08.1-17.9	54	22.8	16.5-29.1
35-44	249	352,469	128	50.8	43.5-58.1	37	15.9	10.4-21.4	4	1.3	00.0-02.7	1	0.6	00.0-01.8	23	8.2	04.5-11.9	56	23.2	16.9-29.5
45-54	440	400,362	247	52.3	46.2-58.4	49	12.2	07.5-16.9				3	0.6	00.0-01.4	48	11.9	08.0-15.8	93	23.0	18.1-27.9
55-64	539	343,879	338	60.3	55.0-65.6	63	13.8	09.7-17.9	5	0.7	00.0-01.5	2	0.2	00.0-00.4	43	9.4	06.1-12.7	88	15.6	11.9-19.3
65+	657	361,250	463	68.7	64.0-73.4	51	9.7	06.6-12.8	2	0.5	00.0-01.5				56	8.7	06.0-11.4	85	12.4	09.3-15.5
Less Than H.S.	241	321,031	145	55.5	46.7-64.3	33	20.4	12.6-28.2	4	1.8	00.0-04.0				25	8.5	04.4-12.6	34	13.8	07.5-20.1
H.S. or G.E.D.	724	676,392	417	50.9	46.2-55.6	108	18.1	14.2-22.0	2	0.2	00.0-00.6	3	0.3	00.0-00.7	83	13.3	10.0-16.6	111	17.2	13.5-20.9
Some Post-H.S.	623	599,538	361	49.9	44.6-55.2	71	15.0	11.1-18.9	5	0.6	00.0-01.4	3	0.6	00.0-01.4	60	11.2	07.7-14.7	123	22.6	18.1-27.1
College Graduate	615	439,492	374	57.0	51.7-62.3	56	9.4	06.7-12.1	3	0.4	00.0-01.0	2	0.2	00.0-00.6	56	10.6	07.3-13.9	124	22.4	17.5-27.3
Less than \$15,000	203	187,824	116	56.9	47.7-66.1	29	16.7	09.4-24.0	1	0.2	00.0-00.6	1	0.2	00.0-00.6	31	12.7	07.2-18.2	25	13.3	07.4-19.2
\$15,000- 24,999	379	366,735	215	50.5	43.2-57.8	46	16.5	10.6-22.4	4	0.7	00.0-01.5	3	0.6	00.0-01.4	44	12.8	08.3-17.3	67	19.0	13.1-24.9
\$25,000- 34,999	234	193,252	137	52.8	44.0-61.6	29	17.8	11.1-24.5	1	0.1	00.0-00.3	1	0.2	00.0-00.6	23	10.7	05.8-15.6	43	18.5	11.2-25.8
\$35,000- 49,999	286	269,906	165	55.7	48.1-63.3	33	11.0	06.1-15.9	2	0.9	00.0-02.3				26	8.7	04.8-12.6	60	23.6	16.7-30.5
\$50,000- 74,999	278	244,698	178	60.3	53.0-67.6	29	13.4	07.9-18.9	2	0.8	00.0-02.4	2	0.8	00.0-02.0	25	10.1	05.6-14.6	42	14.6	09.7-19.5
\$75,000+	386	376,747	218	50.0	43.7-56.3	41	11.0	07.1-14.9	2	0.6	00.0-01.6				33	11.2	06.9-15.5	92	27.2	21.1-33.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 6: DURING THE PAST 30 DAYS, HOW OFTEN DID YOU DRINK SWEETENED FRUIT DRINKS, SUCH AS KOOL-AID, CRANBERRY JUICE COCKTAIL, AND LEMONADE? INCLUDE FRUIT DRINKS YOU MADE AT HOME AND ADDED SUGAR TO. (SSBFRUT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never			1-3 Times per Day			4-6 Times per Day			7+ Times per Day			Times per Week			Times per Year		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	4024	2,299,502	2525	56.5	54.3-58.7	416	12.5	10.9-14.1	9	0.4	00.0-00.8	4	0.1	00.0-00.3	370	10.7	09.3-12.1	700	19.8	18.0-21.6	
White/Non-Hisp	3332	1,793,048	2220	62.4	60.0-64.8	290	9.8	08.2-11.4	3	0.1	00.0-00.3	2	0.1	00.0-00.3	269	9.6	08.2-11.0	548	18.1	16.1-20.1	
Black or Afr. Am./Non-Hisp	561	370,205	229	32.4	26.9-37.9	106	21.8	16.9-26.7	4	1.8	00.0-04.0	2	0.4	00.0-01.2	91	16.6	12.5-20.7	129	27.0	21.9-32.1	
Oth. Race/Non-Hisp.	50	55,041	29	41.0	23.2-58.8	8	18.1	04.4-31.8	1	0.6	00.0-01.8				2	5.9	00.0-15.9	10	34.3	13.7-54.9	
18-24	154	264,689	54	35.6	26.4-44.8	40	25.5	17.5-33.5	2	0.9	00.0-02.1				25	14.3	08.2-20.4	33	23.7	15.5-31.9	
25-34	345	364,578	142	41.4	35.3-47.5	48	13.8	09.5-18.1	1	0.3	00.0-00.9	2	0.7	00.0-01.7	55	16.3	11.6-21.0	97	27.7	22.2-33.2	
35-44	472	366,239	243	49.3	43.6-55.0	46	11.7	08.0-15.4	2	1.1	00.0-03.1				55	11.8	08.1-15.5	126	26.1	21.2-31.0	
45-54	704	425,855	426	61.0	56.5-65.5	87	12.0	09.1-14.9	2	0.4	00.0-01.2	1	0.0	00.0-00.0	57	8.4	05.9-10.9	131	18.2	14.7-21.7	
55-64	904	389,915	626	68.5	64.4-72.6	79	9.6	06.7-12.5	1	0.0	00.0-00.0				65	6.6	04.6-08.6	133	15.2	12.3-18.1	
65+	1415	472,769	1012	70.9	67.8-74.0	113	7.6	05.8-09.4	1	0.1	00.0-00.3	1	0.1	00.0-00.3	112	9.4	07.0-11.8	176	11.9	09.7-14.1	
Less Than H.S.	558	388,626	360	57.7	51.6-63.8	72	15.4	10.7-20.1	2	0.3	00.0-00.7				53	11.7	07.8-15.6	71	15.0	09.9-20.1	
H.S. or G.E.D.	1321	751,658	821	55.0	51.3-58.7	175	16.8	13.7-19.9	4	0.7	00.0-01.7	2	0.2	00.0-00.4	123	10.4	08.0-12.8	196	16.9	14.0-19.8	
Some Post-H.S.	1115	672,949	676	55.2	51.1-59.3	101	10.1	07.6-12.6	3	0.5	00.0-01.1				113	11.7	09.0-14.4	222	22.4	19.1-25.7	
College Graduate	1027	485,693	665	59.6	55.5-63.7	68	6.6	04.6-08.6				2	0.3	00.0-00.9	81	9.0	06.5-11.5	211	24.4	20.7-28.1	
Less than \$15,000	576	274,883	359	53.8	47.9-59.7	75	14.2	10.1-18.3	3	0.9	00.0-02.1	1	0.4	00.0-01.2	56	11.4	07.7-15.1	82	19.2	14.1-24.3	
\$15,000- 24,999	791	429,363	474	54.9	50.0-59.8	106	16.8	12.5-21.1	2	0.1	00.0-00.3				81	12.2	08.9-15.5	128	16.0	12.5-19.5	
\$25,000- 34,999	388	232,999	245	58.3	51.6-65.0	35	13.6	08.3-18.9							39	11.0	06.7-15.3	69	17.1	12.4-21.8	
\$35,000- 49,999	409	264,429	250	57.3	50.8-63.8	41	12.3	07.6-17.0	1	0.6	00.0-01.8				39	9.3	05.6-13.0	78	20.6	15.3-25.9	
\$50,000- 74,999	362	242,944	215	51.9	45.2-58.6	31	10.6	06.1-15.1	1	1.5	00.0-04.4				39	13.7	08.8-18.6	76	22.3	16.8-27.8	
\$75,000+	500	327,399	329	60.2	54.1-66.3	27	6.2	03.5-08.9				2	0.5	00.0-01.3	30	7.2	03.9-10.5	112	25.8	20.3-31.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING

TABLE 7: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always most of time			About half Sometimes			Never			Never noticed never look for info			Usually cannot find Info			Dont eat at fast food or chain restaurants		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6271	4,377,666	1465	23.0	21.6-24.4	1659	28.3	26.4-29.9	2382	37.5	35.7-39.3	438	7.3	06.3-08.3	16	0.2	00.0-00.4	311	3.7	03.1-04.3
Male	2233	2,068,690	374	16.5	14.5-18.5	511	24.9	22.4-27.4	1061	46.3	43.6-49.0	174	8.2	06.6-09.8	5	0.1	00.0-00.3	108	3.9	02.9-04.9
Female	4038	2,308,977	1091	28.8	26.8-30.8	1148	31.4	29.4-33.4	1321	29.6	27.6-31.6	264	6.5	05.5-07.5	11	0.3	00.1-00.5	203	3.5	02.7-04.3
White/Non-Hisp	5217	3,408,358	1206	22.9	21.3-24.5	1367	28.2	26.4-30.0	2024	38.2	36.4-40.0	360	6.8	05.8-07.8	13	0.3	00.1-00.5	247	3.6	02.8-04.4
Black or Afr. Am./Non-Hisp	826	661,827	203	23.7	19.6-27.8	227	27.1	23.0-31.2	284	36.2	31.5-40.9	59	9.2	05.9-12.5	3	0.1	00.0-00.3	50	3.6	02.0-05.2
Oth. Race/Non-Hisp.	82	111,184	17	21.7	09.0-34.4	20	31.0	16.7-45.3	29	32.4	19.5-45.3	8	6.1	01.0-11.2				8	8.9	01.1-16.7
MultiRacial/Non-Hisp.	56	72,075	11	15.1	04.5-25.7	20	39.4	20.8-58.0	19	37.3	20.1-54.5	3	3.4	00.0-07.5				3	4.8	00.0-11.1
Hispanic	58	99,627	19	27.3	14.2-40.4	22	32.7	18.2-47.2	11	26.2	10.7-41.7	4	12.9	00.2-25.6				2	0.9	00.0-02.3
18-24	256	519,020	55	21.3	15.4-27.2	85	32.3	25.4-39.2	89	35.6	28.5-42.7	22	8.4	04.7-12.1				5	2.3	00.0-04.8
25-34	562	692,305	136	25.2	20.9-29.5	197	34.6	29.9-39.3	184	32.7	28.2-37.2	44	7.3	04.8-09.8				1	0.2	00.0-00.6
35-44	730	731,333	188	24.8	20.9-28.7	238	30.4	26.3-34.5	244	36.7	32.2-41.2	41	5.2	03.2-07.2	4	0.6	00.0-01.2	15	2.3	00.9-03.7
45-54	1156	834,119	300	24.4	21.3-27.5	330	28.5	25.2-31.8	412	36.1	32.6-39.6	59	6.5	04.0-09.0	2	0.4	00.0-01.0	53	4.1	02.5-05.7
55-64	1453	741,217	364	23.1	20.6-25.6	367	25.4	22.5-28.3	565	39.6	36.3-42.9	94	7.8	05.8-09.8	2	0.0	00.0-00.0	61	4.1	02.7-05.5
65+	2078	837,588	414	19.5	17.1-21.9	433	21.2	18.8-23.6	875	42.8	39.9-45.7	175	8.7	07.1-10.3	8	0.3	00.0-00.7	173	7.5	05.7-09.3
Less Than H.S.	798	706,739	115	14.2	10.9-17.5	180	24.2	19.9-28.5	340	43.2	38.1-48.3	65	9.6	06.1-13.1	2	0.1	00.0-00.3	96	8.7	06.0-11.4
H.S. or G.E.D.	2063	1,446,886	420	20.8	18.3-23.3	504	27.3	24.6-30.0	841	40.3	37.4-43.2	163	7.4	05.8-09.0	7	0.2	00.0-00.4	128	4.0	03.0-05.0
Some Post-H.S.	1744	1,280,340	423	24.6	21.9-27.3	467	30.4	27.3-33.5	659	35.1	32.0-38.2	128	7.2	05.6-08.8	2	0.3	00.0-00.7	65	2.4	01.4-03.4
College Graduate	1658	936,878	506	31.1	28.2-34.0	505	29.9	27.0-32.8	538	32.1	29.0-35.2	82	5.5	04.1-06.9	5	0.3	00.1-00.5	22	1.1	00.5-01.7
Less than \$15,000	783	465,279	138	16.1	12.6-19.6	193	25.9	21.4-30.4	305	40.8	35.7-45.9	62	9.3	06.0-12.6	1	0.2	00.0-00.6	84	7.7	05.3-10.1
\$15,000- 24,999	1182	804,378	265	21.7	18.4-25.0	285	27.4	23.7-31.1	455	36.1	32.0-40.2	91	9.0	06.1-11.9	6	0.2	00.0-00.4	80	5.5	03.7-07.3
\$25,000- 34,999	622	430,743	152	25.5	20.6-30.4	149	25.6	20.9-30.3	252	39.6	34.3-44.9	46	6.5	04.0-09.0				23	2.9	01.3-04.5
\$35,000- 49,999	704	543,316	168	21.7	17.8-25.6	194	30.1	25.4-34.8	274	39.2	34.3-44.1	50	7.1	04.7-09.5	3	0.4	00.0-01.0	15	1.4	00.4-02.4
\$50,000- 74,999	649	498,370	172	27.7	23.2-32.2	209	30.6	26.1-35.1	226	34.0	29.3-38.7	33	6.8	04.1-09.5	2	0.2	00.0-00.4	7	0.8	00.0-01.6
\$75,000+	899	716,287	276	31.2	27.1-35.3	279	31.5	27.4-35.6	285	31.5	27.4-35.6	42	4.2	02.6-05.8	2	0.3	00.0-00.7	15	1.4	00.4-02.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 8: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always most of time			About half Sometimes			Never			Never noticed never look for info			Usually cannot find Info			Dont eat at fast food or chain restaurants		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2233	2,068,690	374	16.5	14.5-18.5	511	24.9	22.4-27.4	1061	46.3	43.6-49.0	174	8.2	06.6-09.8	5	0.1	00.0-00.3	108	3.9	02.9-04.9
White/Non-Hisp	1876	1,612,375	298	15.8	13.6-18.0	420	24.5	21.8-27.2	914	47.9	45.0-50.8	151	7.9	06.3-09.5	4	0.2	00.0-00.4	89	3.8	02.8-04.8
Black or Afr. Am./Non-Hisp	258	284,401	60	21.9	15.4-28.4	64	23.6	16.9-30.3	105	42.0	34.0-50.0	14	8.7	02.4-15.0	1	0.0	00.0-00.0	14	3.8	01.1-06.5
18-24	105	259,588	14	14.2	06.8-21.6	34	32.9	22.5-43.3	43	42.1	31.3-52.9	11	8.5	02.8-14.2				3	2.2	00.0-04.7
25-34	218	326,410	35	17.9	12.0-23.8	71	32.3	25.0-39.6	91	40.9	33.5-48.3	21	8.9	04.6-13.2						
35-44	256	361,675	49	17.7	12.4-23.0	65	25.0	18.7-31.3	115	47.5	40.2-54.8	22	7.2	03.7-10.7	1	0.5	00.0-01.5	4	2.0	00.0-04.0
45-54	448	406,784	78	17.0	12.7-21.3	120	25.2	20.5-29.9	206	46.0	40.1-51.9	23	7.5	02.8-12.2				21	4.3	01.8-06.8
55-64	541	345,962	93	17.0	13.3-20.7	103	18.5	14.4-22.6	276	49.7	44.4-55.0	37	8.9	05.4-12.4	2	0.1	00.0-00.3	30	5.8	03.3-08.3
65+	659	361,928	104	15.1	11.6-18.6	117	18.3	14.6-22.0	327	50.0	44.9-55.1	60	8.5	06.0-11.0	2	0.2	00.0-00.6	49	7.8	04.5-11.1
Less Than H.S.	238	318,825	32	9.7	05.2-14.2	44	18.7	11.8-25.6	116	51.1	42.3-59.9	21	11.9	05.0-18.8	1	0.1	00.0-00.3	24	8.4	04.1-12.7
H.S. or G.E.D.	739	692,126	101	13.1	09.8-16.4	163	24.6	20.5-28.7	365	49.6	44.9-54.3	61	7.8	05.3-10.3	3	0.1	00.0-00.3	46	4.6	02.8-06.4
Some Post-H.S.	628	605,417	104	18.3	14.4-22.2	139	27.2	22.1-32.3	309	43.7	38.6-48.8	50	8.2	05.5-10.9	1	0.3	00.0-00.9	25	2.3	00.9-03.7
College Graduate	623	446,072	137	24.6	20.1-29.1	162	26.2	21.7-30.7	269	41.4	36.3-46.5	42	6.1	03.9-08.3				13	1.7	00.3-03.1
Less than \$15,000	204	186,972	36	15.1	08.8-21.4	38	20.9	13.3-28.5	86	42.6	33.2-52.0	21	14.1	06.8-21.4				23	7.3	03.0-11.6
\$15,000- 24,999	384	375,405	53	13.2	09.1-17.3	87	26.2	20.1-32.3	184	43.4	36.3-50.5	32	10.6	05.1-16.1	2	0.1	00.0-00.3	26	6.5	03.2-09.8
\$25,000- 34,999	234	195,215	40	17.3	10.0-24.6	47	23.1	15.7-30.5	120	50.6	41.8-59.4	17	5.7	02.6-08.8				10	3.2	00.7-05.7
\$35,000- 49,999	290	275,370	43	13.9	08.8-19.0	67	26.4	19.3-33.5	149	50.8	43.2-58.4	26	7.0	03.9-10.1	1	0.7	00.0-02.1	4	1.3	00.0-02.9
\$50,000- 74,999	283	252,214	54	20.9	14.8-27.0	74	24.8	18.7-30.9	131	45.1	37.8-52.4	18	7.6	03.7-11.5				6	1.5	00.0-03.1
\$75,000+	392	381,199	92	25.2	19.7-30.7	105	27.4	21.9-32.9	165	40.9	34.6-47.2	21	4.7	02.3-07.1	1	0.2	00.0-00.6	8	1.6	00.2-03.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 5: SUGAR SWEETENED BEVERAGES AND MENU LABELING**

TABLE 9: THE NEXT QUESTION IS ABOUT EATING OUT AT FAST FOOD AND CHAIN RESTAURANTS. WHEN CALORIE INFORMATION IS AVAILABLE IN THE RESTAURANT, HOW OFTEN DOES THIS INFORMATION HELP YOU DECIDE WHAT TO ORDER? (SSBCALRI)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always most of time			About half Sometimes			Never			Never noticed never look for info			Usually cannot find Info			Dont eat at fast food or chain restaurants		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	4038	2,308,977	1091	28.8	26.8-30.8	1148	31.4	29.4-33.4	1321	29.6	27.6-31.6	264	6.5	05.5-07.5	11	0.3	00.1-00.5	203	3.5	02.7-04.3
White/Non-Hisp	3341	1,795,984	908	29.3	27.1-31.5	947	31.6	29.4-33.8	1110	29.5	27.5-31.5	209	5.9	04.7-07.1	9	0.4	00.0-00.8	158	3.4	02.4-04.4
Black or Afr. Am./Non-Hisp	568	377,426	143	25.1	20.0-30.2	163	29.7	24.6-34.8	179	31.9	26.4-37.4	45	9.6	06.1-13.1	2	0.2	00.0-00.6	36	3.4	01.8-05.0
18-24	151	259,432	41	28.5	19.9-37.1	51	31.8	23.0-40.6	46	29.1	20.7-37.5	11	8.2	03.1-13.3				2	2.4	00.0-06.9
25-34	344	365,895	101	31.7	25.8-37.6	126	36.6	30.5-42.7	93	25.4	20.1-30.7	23	5.8	03.1-08.5				1	0.4	00.0-01.2
35-44	474	369,658	139	31.8	26.3-37.3	173	35.6	30.3-40.9	129	26.1	21.2-31.0	19	3.3	01.5-05.1	3	0.6	00.0-01.4	11	2.6	00.8-04.4
45-54	708	427,335	222	31.4	27.1-35.7	210	31.7	27.2-36.2	206	26.7	22.8-30.6	36	5.5	03.1-07.9	2	0.8	00.0-02.0	32	3.9	02.1-05.7
55-64	912	395,255	271	28.4	24.7-32.1	264	31.4	27.3-35.5	289	30.6	26.7-34.5	57	6.8	04.4-09.2				31	2.7	01.3-04.1
65+	1419	475,660	310	22.8	19.9-25.7	316	23.4	20.5-26.3	548	37.4	34.1-40.7	115	8.8	06.8-10.8	6	0.4	00.0-00.8	124	7.2	05.6-08.8
Less Than H.S.	560	387,914	83	17.9	13.2-22.6	136	28.6	22.9-34.3	224	36.6	30.9-42.3	44	7.7	04.8-10.6	1	0.2	00.0-00.6	72	8.9	05.2-12.6
H.S. or G.E.D.	1324	754,760	319	27.8	24.1-31.5	341	29.8	26.3-33.3	476	31.7	28.4-35.0	102	7.1	05.1-09.1	4	0.3	00.0-00.7	82	3.4	02.4-04.4
Some Post-H.S.	1116	674,923	319	30.2	26.5-33.9	328	33.3	29.2-37.4	350	27.3	23.8-30.8	78	6.3	04.3-08.3	1	0.4	00.0-01.2	40	2.5	01.3-03.7
College Graduate	1035	490,806	369	37.1	33.2-41.0	343	33.2	29.5-36.9	269	23.7	20.2-27.2	40	4.9	03.1-06.7	5	0.5	00.0-01.1	9	0.6	00.2-01.0
Less than \$15,000	579	278,308	102	16.8	12.5-21.1	155	29.3	23.8-34.8	219	39.7	34.0-45.4	41	6.0	03.6-08.4	1	0.3	00.0-00.9	61	8.0	05.5-10.5
\$15,000- 24,999	798	428,973	212	29.1	24.4-33.8	198	28.4	23.9-32.9	271	29.7	25.2-34.2	59	7.7	05.2-10.2	4	0.4	00.0-00.8	54	4.6	02.8-06.4
\$25,000- 34,999	388	235,528	112	32.4	25.7-39.1	102	27.6	21.5-33.7	132	30.4	24.3-36.5	29	7.1	03.4-10.8				13	2.6	00.8-04.4
\$35,000- 49,999	414	267,946	125	29.6	23.7-35.5	127	34.0	27.7-40.3	125	27.4	21.9-32.9	24	7.3	03.8-10.8	2	0.2	00.0-00.4	11	1.5	00.3-02.7
\$50,000- 74,999	366	246,156	118	34.6	28.1-41.1	135	36.5	30.2-42.8	95	22.5	17.2-27.8	15	5.9	02.2-09.6	2	0.3	00.0-00.9	1	0.1	00.0-00.3
\$75,000+	507	335,088	184	38.0	32.1-43.9	174	36.2	30.3-42.1	120	20.7	16.0-25.4	21	3.6	02.0-05.2	1	0.3	00.0-00.9	7	1.1	00.0-02.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 8: FRUITS AND VEGETABLES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE

PAGE

	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)
1	MALES AND FEMALES
2	MALES ONLY
3	FEMALES ONLY
	DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
4	MALES AND FEMALES
5	MALES ONLY
6	FEMALES ONLY
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)
7	MALES AND FEMALES
8	MALES ONLY
9	FEMALES ONLY
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)
10	MALES AND FEMALES
11	MALES ONLY
12	FEMALES ONLY
	DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)
13	MALES AND FEMALES
14	MALES ONLY
15	FEMALES ONLY
	NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES? EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH AS BAKED OR MASHED POTATOES. (VEGETAB1)
16	MALES AND FEMALES
17	MALES ONLY
18	FEMALES ONLY

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 1: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6049	4,206,522	1021	15.5	14.3-16.7	752	13.1	11.9-14.3	1659	31.1	29.3-32.9	96	1.6	01.2-02.0	2521	38.7	36.9-40.5
Male	2144	1,983,382	378	16.5	14.3-18.7	272	12.5	10.7-14.3	653	33.8	31.1-36.5	33	1.7	00.9-02.5	808	35.5	32.8-38.2
Female	3905	2,223,140	643	14.6	13.0-16.2	480	13.7	12.1-15.3	1006	28.7	26.5-30.9	63	1.6	01.0-02.2	1713	41.5	39.3-43.7
White/Non-Hisp	5049	3,295,887	813	14.7	13.3-16.1	602	12.6	11.2-14.0	1353	30.2	28.4-32.0	80	1.7	01.3-02.1	2201	40.9	38.9-42.9
Black or Afr. Am./Non-Hisp	786	625,402	171	18.7	15.2-22.2	126	18.3	14.4-22.2	235	32.8	28.1-37.5	12	1.5	00.3-02.7	242	28.7	24.2-33.2
Oth. Race/Non-Hisp.	78	106,173	13	19.1	07.7-30.5	9	7.9	02.0-13.8	29	43.9	28.6-59.2	1	0.6	00.0-01.8	26	28.4	15.5-41.3
MultiRacial/Non-Hisp.	53	67,780	9	17.8	02.9-32.7	5	3.7	00.0-07.4	14	26.1	10.2-42.0	1	3.5	00.0-10.2	24	48.9	30.1-67.7
Hispanic	52	86,921	8	14.1	02.9-25.3	7	12.2	02.0-22.4	18	38.5	21.1-55.9	2	1.6	00.0-04.3	17	33.5	17.0-50.0
18-24	240	489,455	43	18.0	12.3-23.7	50	18.8	13.3-24.3	76	34.0	26.6-41.4	8	2.6	00.6-04.6	63	26.6	20.1-33.1
25-34	541	666,315	84	14.8	11.3-18.3	93	15.4	12.1-18.7	182	36.4	31.5-41.3	10	1.6	00.4-02.8	172	31.8	27.1-36.5
35-44	713	712,223	95	13.3	10.4-16.2	100	13.7	10.6-16.8	229	33.2	28.7-37.7	15	1.9	00.7-03.1	274	38.0	33.5-42.5
45-54	1126	809,716	145	11.2	09.0-13.4	122	11.9	09.4-14.4	343	32.8	29.3-36.3	19	1.6	00.8-02.4	497	42.6	38.9-46.3
55-64	1404	713,327	210	15.8	13.1-18.5	151	10.1	08.1-12.1	406	30.6	27.5-33.7	17	1.0	00.4-01.6	620	42.5	39.2-45.8
65+	1994	795,865	435	19.9	17.5-22.3	234	11.3	09.5-13.1	419	22.1	19.6-24.6	27	1.6	00.8-02.4	879	45.1	42.2-48.0
Less Than H.S.	754	671,582	124	14.7	11.0-18.4	73	10.6	07.1-14.1	170	28.1	23.0-33.2	8	1.3	00.1-02.5	379	45.3	40.0-50.6
H.S. or G.E.D.	1994	1,389,192	316	16.1	13.7-18.5	253	13.5	11.3-15.7	494	27.2	24.5-29.9	35	1.6	01.0-02.2	896	41.7	38.8-44.6
Some Post-H.S.	1682	1,235,409	274	14.1	11.9-16.3	224	13.4	11.2-15.6	515	36.1	32.8-39.4	25	1.5	00.7-02.3	644	34.9	31.8-38.0
College Graduate	1611	903,515	306	17.0	14.6-19.4	202	14.0	11.6-16.4	477	32.5	29.4-35.6	28	2.2	01.2-03.2	598	34.3	31.2-37.4
Less than \$15,000	746	432,143	120	14.6	11.1-18.1	94	12.8	09.3-16.3	191	31.9	26.8-37.0	12	2.2	00.6-03.8	329	38.6	33.7-43.5
\$15,000- 24,999	1139	773,842	210	16.2	13.3-19.1	135	11.8	09.1-14.5	290	28.6	24.5-32.7	18	1.6	00.6-02.6	486	41.7	37.4-46.0
\$25,000- 34,999	602	416,293	103	16.9	12.6-21.2	75	13.3	09.8-16.8	152	27.3	22.2-32.4	9	0.8	00.2-01.4	263	41.7	36.2-47.2
\$35,000- 49,999	687	527,457	109	14.1	10.6-17.6	82	13.0	09.3-16.7	211	32.8	28.1-37.5	8	0.5	00.1-00.9	277	39.5	34.6-44.4
\$50,000- 74,999	632	486,679	95	13.2	09.9-16.5	92	16.2	12.3-20.1	190	31.5	26.8-36.2	12	2.6	01.0-04.2	243	36.5	31.8-41.2
\$75,000+	873	688,862	137	14.4	11.5-17.3	103	12.2	09.5-14.9	278	36.9	32.4-41.4	19	2.0	00.8-03.2	336	34.4	30.3-38.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 8: FRUITS AND VEGETABLES**

TABLE 2: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2144	1,983,382	378	16.5	14.3-18.7	272	12.5	10.7-14.3	653	33.8	31.1-36.5	33	1.7	00.9-02.5	808	35.5	32.8-38.2
White/Non-Hisp	1812	1,559,253	302	15.9	13.5-18.3	227	12.4	10.4-14.4	540	32.9	30.0-35.8	28	1.8	01.0-02.6	715	37.1	34.2-40.0
Black or Afr. Am./Non-Hisp	241	266,165	58	18.4	12.7-24.1	36	17.6	10.7-24.5	80	35.5	27.5-43.5	4	1.8	00.0-03.8	63	26.7	18.7-34.7
18-24	98	247,062	20	20.8	11.8-29.8	15	12.9	06.0-19.8	30	34.7	23.5-45.9	6	4.5	00.8-08.2	27	27.2	17.4-37.0
25-34	211	315,604	35	16.6	10.7-22.5	31	12.0	07.3-16.7	80	40.6	33.0-48.2	4	1.7	00.0-03.5	61	29.2	22.1-36.3
35-44	252	353,786	38	15.1	10.2-20.0	37	14.2	09.1-19.3	86	35.0	27.9-42.1	5	2.0	00.2-03.8	86	33.7	26.8-40.6
45-54	433	394,078	55	10.4	07.1-13.7	58	13.9	10.0-17.8	141	35.9	30.0-41.8	4	0.6	00.0-01.2	175	39.2	33.1-45.3
55-64	520	329,099	83	17.4	12.9-21.9	55	10.6	07.3-13.9	161	31.0	25.9-36.1	7	0.9	00.1-01.7	214	40.1	34.8-45.4
65+	626	339,391	145	20.2	16.3-24.1	76	11.0	08.1-13.9	153	25.8	21.3-30.3	7	1.7	00.0-03.5	245	41.3	36.2-46.4
Less Than H.S.	224	300,626	32	12.6	06.9-18.3	24	9.1	04.2-14.0	64	33.8	24.8-42.8	2	1.2	00.0-03.0	102	43.3	34.3-52.3
H.S. or G.E.D.	709	663,989	113	17.8	13.9-21.7	89	12.7	09.6-15.8	189	28.2	23.9-32.5	12	1.4	00.4-02.4	306	39.8	35.1-44.5
Some Post-H.S.	603	581,345	105	15.7	12.0-19.4	81	13.2	09.7-16.7	207	39.4	34.1-44.7	9	1.9	00.5-03.3	201	30.0	25.1-34.9
College Graduate	603	431,171	128	18.4	14.5-22.3	78	13.6	10.3-16.9	191	34.8	29.7-39.9	10	2.4	00.6-04.2	196	30.8	26.1-35.5
Less than \$15,000	185	164,901	24	11.9	05.4-18.4	27	14.0	07.1-20.9	55	38.2	28.4-48.0	7	4.6	00.5-08.7	72	31.4	22.8-40.0
\$15,000- 24,999	372	360,833	58	13.7	09.2-18.2	44	11.9	07.6-16.2	101	29.9	23.0-36.8	7	1.8	00.2-03.4	162	42.6	35.3-49.9
\$25,000- 34,999	225	189,565	43	20.4	13.0-27.8	29	11.0	06.3-15.7	60	29.3	20.9-37.7	1	0.1	00.0-00.3	92	39.2	30.6-47.8
\$35,000- 49,999	280	263,956	47	15.6	10.1-21.1	36	13.4	07.7-19.1	94	37.0	29.6-44.4	4	0.6	00.0-01.4	99	33.4	26.3-40.5
\$50,000- 74,999	274	246,312	41	11.6	07.3-15.9	36	13.9	08.8-19.0	89	34.6	27.5-41.7	6	2.7	00.2-05.2	102	37.3	30.0-44.6
\$75,000+	381	366,094	72	16.4	11.9-20.9	48	12.4	08.5-16.3	130	39.2	32.7-45.7	4	1.2	00.0-02.6	127	30.7	25.0-36.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 8: FRUITS AND VEGETABLES**

TABLE 3: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK OR MONTH DID YOU DRINK 100% PURE FRUIT JUICES? DO NOT INCLUDE FRUIT-FLAVORED DRINKS WITH ADDED SUGAR OR FRUIT JUICE YOU MADE AT HOME AND ADDED SUGAR TO. ONLY INCLUDE 100% JUICE. (FRUITJU1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3905	2,223,140	643	14.6	13.0-16.2	480	13.7	12.1-15.3	1006	28.7	26.5-30.9	63	1.6	01.0-02.2	1713	41.5	39.3-43.7
White/Non-Hisp	3237	1,736,634	511	13.6	12.0-15.2	375	12.7	10.9-14.5	813	27.7	25.5-29.9	52	1.6	01.0-02.2	1486	44.4	42.0-46.8
Black or Afr. Am./Non-Hisp	545	359,237	113	18.9	14.4-23.4	90	18.8	13.9-23.7	155	30.8	25.3-36.3	8	1.3	00.1-02.5	179	30.2	24.9-35.5
18-24	142	242,393	23	15.2	08.3-22.1	35	24.8	16.4-33.2	46	33.3	23.7-42.9	2	0.6	00.0-01.8	36	26.0	17.6-34.4
25-34	330	350,711	49	13.3	09.4-17.2	62	18.4	13.7-23.1	102	32.6	26.5-38.7	6	1.6	00.0-03.2	111	34.2	28.1-40.3
35-44	461	358,437	57	11.4	07.9-14.9	63	13.1	09.2-17.0	143	31.5	26.2-36.8	10	1.7	00.5-02.9	188	42.3	36.6-48.0
45-54	693	415,638	90	11.9	09.0-14.8	64	10.0	07.1-12.9	202	29.8	25.5-34.1	15	2.5	01.1-03.9	322	45.8	41.1-50.5
55-64	884	384,229	127	14.4	11.1-17.7	96	9.6	07.2-12.0	245	30.3	26.2-34.4	10	1.1	00.1-02.1	406	44.5	40.2-48.8
65+	1368	456,474	290	19.6	16.9-22.3	158	11.6	09.4-13.8	266	19.3	16.6-22.0	20	1.5	00.7-02.3	634	47.9	44.4-51.4
Less Than H.S.	530	370,955	92	16.4	11.7-21.1	49	11.8	07.1-16.5	106	23.4	17.9-28.9	6	1.5	00.0-03.1	277	46.9	40.8-53.0
H.S. or G.E.D.	1285	725,203	203	14.5	12.0-17.0	164	14.2	11.5-16.9	305	26.2	22.9-29.5	23	1.7	00.9-02.5	590	43.4	39.7-47.1
Some Post-H.S.	1079	654,064	169	12.7	10.2-15.2	143	13.6	10.9-16.3	308	33.2	29.1-37.3	16	1.1	00.3-01.9	443	39.3	35.4-43.2
College Graduate	1008	472,344	178	15.8	13.1-18.5	124	14.4	11.3-17.5	286	30.4	26.5-34.3	18	2.0	00.8-03.2	402	37.4	33.5-41.3
Less than \$15,000	561	267,242	96	16.3	12.0-20.6	67	12.0	08.1-15.9	136	27.9	22.4-33.4	5	0.7	00.1-01.3	257	43.0	37.3-48.7
\$15,000- 24,999	767	413,009	152	18.3	14.4-22.2	91	11.7	08.4-15.0	189	27.5	23.0-32.0	11	1.4	00.4-02.4	324	41.0	36.1-45.9
\$25,000- 34,999	377	226,728	60	14.0	09.1-18.9	46	15.2	10.1-20.3	92	25.6	19.7-31.5	8	1.4	00.2-02.6	171	43.9	37.0-50.8
\$35,000- 49,999	407	263,501	62	12.7	08.4-17.0	46	12.7	08.0-17.4	117	28.6	22.9-34.3	4	0.5	00.1-00.9	178	45.7	39.2-52.2
\$50,000- 74,999	358	240,366	54	14.9	10.0-19.8	56	18.6	12.9-24.3	101	28.3	22.2-34.4	6	2.5	00.3-04.7	141	35.8	29.5-42.1
\$75,000+	492	322,768	65	12.2	08.9-15.5	55	11.9	08.0-15.8	148	34.3	27.8-40.8	15	3.0	01.2-04.8	209	38.6	32.7-44.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 4: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6039	4,218,056	2344	36.7	34.9-38.5	1421	22.7	21.1-24.3	1950	34.9	33.1-36.7	23	0.7	00.3-01.1	301	5.0	04.2-05.8
Male	2148	1,998,977	727	32.4	29.7-35.1	512	23.9	21.5-26.3	759	36.4	33.7-39.1	13	0.9	00.3-01.5	137	6.4	05.0-07.8
Female	3891	2,219,078	1617	40.5	38.3-42.7	909	21.7	19.9-23.5	1191	33.6	31.4-35.8	10	0.5	00.1-00.9	164	3.8	03.0-04.6
White/Non-Hisp	5030	3,290,439	1953	36.5	34.7-38.3	1181	22.6	21.0-24.2	1621	34.8	32.8-36.8	16	0.6	00.2-01.0	259	5.4	04.4-06.4
Black or Afr. Am./Non-Hisp	789	631,935	283	32.2	27.7-36.7	199	25.2	21.1-29.3	267	38.1	33.2-43.0	5	0.5	00.0-01.1	35	4.0	02.0-06.0
Oth. Race/Non-Hisp.	79	108,278	43	54.9	40.2-69.6	16	16.4	06.4-26.4	17	25.0	11.5-38.5	2	3.6	00.0-09.5	1	0.1	00.0-00.3
MultiRacial/Non-Hisp.	53	65,550	26	37.2	20.1-54.3	10	27.0	07.4-46.6	13	25.3	09.2-41.4				4	10.5	00.0-21.5
Hispanic	57	97,494	25	46.3	29.6-63.0	11	17.0	05.0-29.0	20	34.4	19.7-49.1				1	2.4	00.0-06.9
18-24	245	499,241	94	35.8	28.7-42.9	57	23.3	17.0-29.6	78	34.4	27.3-41.5	2	1.0	00.0-02.4	14	5.5	02.2-08.8
25-34	542	668,021	206	37.7	33.0-42.4	121	20.8	16.9-24.7	189	35.6	30.9-40.3	4	0.9	00.0-01.9	22	5.0	02.6-07.4
35-44	715	716,671	253	34.3	30.0-38.6	176	23.0	19.1-26.9	255	38.7	34.0-43.4				31	4.0	02.2-05.8
45-54	1119	805,862	384	32.7	29.2-36.2	267	22.3	19.4-25.2	391	38.3	34.4-42.2	6	1.1	00.1-02.1	71	5.7	03.9-07.5
55-64	1401	711,794	500	34.8	31.7-37.9	317	23.7	20.8-26.6	501	35.3	32.0-38.6	5	0.5	00.0-01.1	78	5.7	03.9-07.5
65+	1984	794,741	886	43.0	40.1-45.9	477	23.8	21.3-26.3	531	28.1	25.4-30.8	6	0.6	00.0-01.4	84	4.5	03.1-05.9
Less Than H.S.	744	672,443	247	28.2	23.7-32.7	191	22.0	17.9-26.1	235	41.1	35.6-46.6	4	1.3	00.0-02.7	67	7.4	04.9-09.9
H.S. or G.E.D.	1982	1,387,477	718	34.6	31.7-37.5	470	23.5	21.0-26.0	664	34.6	31.7-37.5	12	0.7	00.3-01.1	118	6.6	05.0-08.2
Some Post-H.S.	1679	1,234,022	633	37.1	34.0-40.2	407	23.3	20.4-26.2	564	35.3	32.2-38.4	5	0.7	00.1-01.3	70	3.6	02.4-04.8
College Graduate	1626	917,291	743	45.3	42.0-48.6	351	21.5	19.0-24.0	484	30.3	27.4-33.2	2	0.1	00.0-00.3	46	2.9	01.9-03.9
Less than \$15,000	741	440,091	241	28.4	23.9-32.9	186	25.2	20.7-29.7	253	37.3	32.0-42.6	7	2.0	00.0-04.0	54	7.2	04.7-09.7
\$15,000- 24,999	1138	772,600	457	37.2	33.1-41.3	276	23.5	20.0-27.0	333	32.9	28.6-37.2	3	0.5	00.0-01.1	69	5.9	03.9-07.9
\$25,000- 34,999	598	409,499	230	36.4	31.1-41.7	144	21.9	17.4-26.4	187	33.1	27.8-38.4	4	1.4	00.0-03.2	33	7.2	03.7-10.7
\$35,000- 49,999	691	529,783	267	35.0	30.3-39.7	162	23.6	19.3-27.9	235	37.0	32.1-41.9	1	0.0	00.0-00.0	26	4.4	02.4-06.4
\$50,000- 74,999	636	489,509	263	40.4	35.5-45.3	139	21.0	17.1-24.9	217	36.4	31.5-41.3	2	0.4	00.0-01.0	15	1.8	00.6-03.0
\$75,000+	883	699,910	357	40.4	36.1-44.7	209	22.7	19.0-26.4	287	32.8	28.7-36.9	3	0.4	00.0-00.8	27	3.6	01.8-05.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 5: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2148	1,998,977	727	32.4	29.7-35.1	512	23.9	21.5-26.3	759	36.4	33.7-39.1	13	0.9	00.3-01.5	137	6.4	05.0-07.8
White/Non-Hisp	1808	1,562,830	607	31.7	29.0-34.4	429	23.8	21.3-26.3	648	37.0	34.1-39.9	8	0.7	00.1-01.3	116	6.7	05.1-08.3
Black or Afr. Am./Non-Hisp	246	271,447	75	25.9	19.0-32.8	66	27.1	20.2-34.0	82	39.2	30.8-47.6	4	1.1	00.0-02.7	19	6.8	02.5-11.1
18-24	100	254,077	36	37.3	26.5-48.1	22	20.8	11.8-29.8	33	32.5	22.1-42.9	1	1.3	00.0-03.8	8	8.1	02.2-14.0
25-34	212	316,594	63	30.4	23.1-37.7	55	25.0	18.3-31.7	78	36.5	29.1-43.9	1	0.3	00.0-00.9	15	7.8	03.7-11.9
35-44	253	357,678	84	29.5	23.2-35.8	54	22.9	16.8-29.0	100	43.0	35.7-50.3				15	4.7	01.8-07.6
45-54	430	391,391	122	27.0	21.7-32.3	102	23.4	18.5-28.3	170	41.2	35.1-47.3	5	2.1	00.0-04.3	31	6.4	03.5-09.3
55-64	518	328,800	171	32.2	27.1-37.3	119	26.1	21.2-31.0	189	33.5	28.2-38.8	3	0.6	00.0-01.4	36	7.6	04.5-10.7
65+	629	344,094	248	39.1	34.0-44.2	158	25.0	20.7-29.3	188	30.2	25.5-34.9	3	0.9	00.0-02.5	32	4.8	02.3-07.3
Less Than H.S.	222	305,617	66	26.6	18.8-34.4	50	19.3	12.8-25.8	79	43.3	34.1-52.5	3	2.1	00.0-04.8	24	8.7	04.2-13.2
H.S. or G.E.D.	703	663,209	197	27.1	22.8-31.4	175	26.0	21.7-30.3	262	36.7	32.0-41.4	7	1.0	00.2-01.8	62	9.2	06.3-12.1
Some Post-H.S.	606	585,890	203	33.2	28.1-38.3	147	24.8	20.1-29.5	222	36.8	31.7-41.9	2	0.7	00.0-01.9	32	4.7	02.5-06.9
College Graduate	612	438,012	258	43.0	37.7-48.3	140	23.2	19.1-27.3	194	30.6	25.9-35.3	1	0.0	00.0-00.0	19	3.2	01.4-05.0
Less than \$15,000	184	174,754	44	23.1	15.1-31.1	47	26.1	17.5-34.7	73	39.9	30.1-49.7	5	4.5	00.0-09.4	15	6.4	02.1-10.7
\$15,000- 24,999	370	361,196	127	32.1	25.4-38.8	84	23.2	17.5-28.9	115	34.0	26.6-41.4	2	0.7	00.0-01.9	42	10.0	06.1-13.9
\$25,000- 34,999	222	184,841	73	29.0	21.0-37.0	55	23.5	16.6-30.4	72	33.0	24.4-41.6	2	1.8	00.0-05.3	20	12.7	05.4-20.0
\$35,000- 49,999	286	271,151	89	26.8	20.3-33.3	79	29.4	22.3-36.5	104	38.5	31.1-45.9				14	5.3	02.0-08.6
\$50,000- 74,999	278	248,487	92	31.9	25.2-38.6	60	22.3	16.2-28.4	117	43.9	36.6-51.2	1	0.3	00.0-00.9	8	1.6	00.2-03.0
\$75,000+	385	372,767	146	38.3	32.0-44.6	90	22.0	16.9-27.1	133	34.2	28.3-40.1	1	0.4	00.0-01.2	15	5.2	02.1-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 6: DURING THE PAST MONTH, NOT COUNTING JUICE, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT FRUIT? COUNT FRESH, FROZEN, OR CANNED FRUIT. (FRUIT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3891	2,219,078	1617	40.5	38.3-42.7	909	21.7	19.9-23.5	1191	33.6	31.4-35.8	10	0.5	00.1-00.9	164	3.8	03.0-04.6
White/Non-Hisp	3222	1,727,608	1346	40.9	38.5-43.3	752	21.6	19.6-23.6	973	32.8	30.4-35.2	8	0.6	00.2-01.0	143	4.2	03.2-05.2
Black or Afr. Am./Non-Hisp	543	360,488	208	37.0	31.3-42.7	133	23.7	18.8-28.6	185	37.4	31.5-43.3	1	0.0	00.0-00.0	16	1.9	00.5-03.3
18-24	145	245,164	58	34.2	25.4-43.0	35	25.9	16.9-34.9	45	36.5	26.7-46.3	1	0.6	00.0-01.8	6	2.8	00.3-05.3
25-34	330	351,427	143	44.3	38.0-50.6	66	17.0	12.5-21.5	111	34.8	28.7-40.9	3	1.4	00.0-03.2	7	2.5	00.5-04.5
35-44	462	358,993	169	39.1	33.4-44.8	122	23.1	18.4-27.8	155	34.4	28.9-39.9				16	3.4	01.4-05.4
45-54	689	414,471	262	38.1	33.6-42.6	165	21.2	17.7-24.7	221	35.6	30.9-40.3	1	0.2	00.0-00.6	40	4.9	02.9-06.9
55-64	883	382,995	329	37.0	32.9-41.1	198	21.7	18.0-25.4	312	36.8	32.7-40.9	2	0.4	00.0-01.2	42	4.1	02.5-05.7
65+	1355	450,647	638	46.0	42.5-49.5	319	22.8	19.9-25.7	343	26.5	23.2-29.8	3	0.4	00.0-01.0	52	4.3	02.7-05.9
Less Than H.S.	522	366,826	181	29.6	24.3-34.9	141	24.2	19.1-29.3	156	39.3	32.8-45.8	1	0.7	00.0-02.1	43	6.3	03.8-08.8
H.S. or G.E.D.	1279	724,267	521	41.5	37.8-45.2	295	21.3	18.2-24.4	402	32.6	29.1-36.1	5	0.4	00.0-00.8	56	4.3	02.7-05.9
Some Post-H.S.	1073	648,132	430	40.7	36.6-44.8	260	21.9	18.4-25.4	342	34.0	30.1-37.9	3	0.7	00.0-01.5	38	2.6	01.6-03.6
College Graduate	1014	479,279	485	47.3	43.2-51.4	211	19.9	16.6-23.2	290	30.0	26.1-33.9	1	0.1	00.0-00.3	27	2.7	01.5-03.9
Less than \$15,000	557	265,337	197	31.8	26.5-37.1	139	24.7	19.6-29.8	180	35.6	29.7-41.5	2	0.3	00.0-00.7	39	7.6	04.3-10.9
\$15,000- 24,999	768	411,404	330	41.6	36.7-46.5	192	23.7	19.4-28.0	218	32.0	27.1-36.9	1	0.4	00.0-01.2	27	2.3	01.1-03.5
\$25,000- 34,999	376	224,658	157	42.5	35.6-49.4	89	20.6	14.7-26.5	115	33.1	26.4-39.8	2	1.1	00.0-02.7	13	2.6	00.8-04.4
\$35,000- 49,999	405	258,632	178	43.6	37.1-50.1	83	17.6	12.7-22.5	131	35.4	29.1-41.7	1	0.1	00.0-00.3	12	3.4	01.2-05.6
\$50,000- 74,999	358	241,022	171	49.1	42.4-55.8	79	19.6	14.5-24.7	100	28.6	22.7-34.5	1	0.6	00.0-01.8	7	2.0	00.2-03.8
\$75,000+	498	327,144	211	42.9	37.0-48.8	119	23.4	17.7-29.1	154	31.3	25.6-37.0	2	0.5	00.0-01.1	12	1.9	00.7-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 7: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6010	4,206,930	438	6.7	05.7-07.7	2057	32.0	30.4-33.6	2662	45.4	43.6-47.2	43	0.8	00.4-01.2	810	15.1	13.7-16.5
Male	2133	1,990,030	145	5.9	04.5-07.3	737	32.3	29.8-34.8	954	45.4	42.5-48.3	14	0.7	00.1-01.3	283	15.7	13.5-17.9
Female	3877	2,216,900	293	7.3	06.1-08.5	1320	31.8	29.8-33.8	1708	45.3	43.1-47.5	29	0.9	00.3-01.5	527	14.7	13.1-16.3
White/Non-Hisp	5012	3,291,961	373	6.9	05.9-07.9	1734	33.1	31.3-34.9	2273	46.2	44.2-48.2	31	0.6	00.2-01.0	601	13.2	11.8-14.6
Black or Afr. Am./Non-Hisp	781	620,767	47	5.9	03.0-08.8	262	30.2	25.9-34.5	292	38.5	33.8-43.2	8	0.7	00.1-01.3	172	24.7	20.2-29.2
Oth. Race/Non-Hisp.	79	106,875	6	4.2	00.1-08.3	23	26.3	14.1-38.5	36	52.2	37.5-66.9	1	0.4	00.0-01.4	13	16.9	05.9-27.9
MultiRacial/Non-Hisp.	51	66,876	3	4.0	00.0-10.9	18	28.8	13.3-44.3	18	36.0	16.8-55.2	1	5.8	00.0-16.8	11	25.4	09.3-41.5
Hispanic	57	97,494	6	9.4	01.2-17.6	12	18.9	06.0-31.8	28	54.5	38.2-70.8	2	4.9	00.0-12.0	9	12.3	02.1-22.5
18-24	248	503,491	23	7.2	03.7-10.7	67	23.2	17.5-28.9	96	42.7	35.3-50.1	1	0.7	00.0-02.1	61	26.3	20.0-32.6
25-34	537	660,861	29	5.2	03.0-07.4	156	28.0	23.5-32.5	240	45.1	40.2-50.0	7	1.0	00.0-02.0	105	20.7	16.6-24.8
35-44	713	708,912	51	6.1	04.1-08.1	223	29.9	25.8-34.0	330	48.0	43.3-52.7	9	1.1	00.1-02.1	100	14.9	11.6-18.2
45-54	1120	808,560	80	7.6	05.1-10.1	380	34.1	30.6-37.6	516	46.9	43.2-50.6	5	0.4	00.0-00.8	139	11.0	08.8-13.2
55-64	1401	718,030	104	7.3	05.5-09.1	483	34.5	31.2-37.8	623	44.8	41.5-48.1	12	1.5	00.3-02.7	179	12.1	09.9-14.3
65+	1959	785,862	147	6.6	05.2-08.0	736	38.4	35.5-41.3	845	43.8	40.9-46.7	9	0.5	00.1-00.9	222	10.7	08.7-12.7
Less Than H.S.	751	680,425	57	7.2	04.3-10.1	273	32.3	27.6-37.0	290	42.5	37.2-47.8	4	1.1	00.0-02.5	127	16.9	12.8-21.0
H.S. or G.E.D.	1974	1,391,940	151	7.2	05.6-08.8	670	31.9	29.2-34.6	854	43.6	40.7-46.5	16	0.5	00.1-00.9	283	16.7	14.2-19.2
Some Post-H.S.	1681	1,233,597	114	5.9	04.5-07.3	566	30.2	27.3-33.1	774	47.7	44.4-51.0	14	1.1	00.3-01.9	213	15.0	12.5-17.5
College Graduate	1596	894,144	115	6.3	04.7-07.9	546	34.7	31.6-37.8	739	46.8	43.5-50.1	9	0.6	00.0-01.2	187	11.6	09.6-13.6
Less than \$15,000	745	445,773	50	5.7	03.5-07.9	255	30.9	26.2-35.6	309	44.1	38.8-49.4	10	1.6	00.0-03.2	121	17.8	13.7-21.9
\$15,000- 24,999	1134	770,583	90	8.3	05.6-11.0	386	32.8	28.9-36.7	472	41.7	37.4-46.0	10	0.9	00.1-01.7	176	16.2	13.1-19.3
\$25,000- 34,999	600	414,695	47	7.1	04.2-10.0	201	32.6	27.5-37.7	251	38.9	33.6-44.2	8	1.1	00.1-02.1	93	20.3	15.2-25.4
\$35,000- 49,999	684	525,686	50	5.9	03.9-07.9	245	32.4	27.9-36.9	313	48.1	43.0-53.2	3	0.9	00.0-02.3	73	12.8	09.3-16.3
\$50,000- 74,999	632	486,086	31	5.0	02.8-07.2	222	32.2	27.7-36.7	301	49.0	44.1-53.9	5	1.6	00.2-03.0	73	12.3	09.0-15.6
\$75,000+	872	688,949	67	7.3	05.1-09.5	296	34.3	30.2-38.4	425	48.0	43.5-52.5	6	0.5	00.1-00.9	78	9.9	07.4-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 8: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2133	1,990,030	145	5.9	04.5-07.3	737	32.3	29.8-34.8	954	45.4	42.5-48.3	14	0.7	00.1-01.3	283	15.7	13.5-17.9
White/Non-Hisp	1800	1,559,357	128	6.0	04.6-07.4	628	33.7	30.8-36.6	826	45.7	42.6-48.8	9	0.5	00.1-00.9	209	14.0	11.6-16.4
Black or Afr. Am./Non-Hisp	241	268,036	11	7.2	01.1-13.3	82	29.7	22.4-37.0	83	37.1	29.1-45.1	2	0.4	00.0-01.0	63	25.6	18.3-32.9
18-24	100	253,693	7	5.6	00.9-10.3	22	18.7	10.7-26.7	40	44.3	33.1-55.5	1	1.3	00.0-03.8	30	30.0	20.2-39.8
25-34	207	309,715	9	4.0	01.1-06.9	63	29.5	22.4-36.6	90	44.5	36.7-52.3	3	1.0	00.0-02.4	42	21.0	14.5-27.5
35-44	250	352,736	11	3.9	01.2-06.6	81	31.7	25.0-38.4	117	49.0	41.6-56.4	3	1.0	00.0-02.2	38	14.4	09.1-19.7
45-54	428	392,262	30	7.8	03.5-12.1	139	33.1	27.4-38.8	204	48.1	42.0-54.2				55	11.0	07.7-14.3
55-64	519	333,702	36	6.8	04.3-09.3	188	37.5	32.2-42.8	230	43.2	37.7-48.7	5	1.0	00.0-02.0	60	11.5	08.0-15.0
65+	624	341,801	51	7.0	04.6-09.4	243	39.6	34.5-44.7	270	41.8	36.7-46.9	2	0.4	00.0-01.0	58	11.1	07.6-14.6
Less Than H.S.	228	310,638	14	6.6	01.3-11.9	81	32.5	24.5-40.5	99	46.4	37.4-55.4	2	0.4	00.0-01.0	32	14.0	07.9-20.1
H.S. or G.E.D.	700	665,936	60	7.4	04.9-09.9	234	31.2	26.9-35.5	302	41.8	37.1-46.5	3	0.3	00.0-00.7	101	19.3	15.2-23.4
Some Post-H.S.	603	581,722	32	4.2	02.4-06.0	209	30.5	25.8-35.2	279	48.2	42.9-53.5	5	1.4	00.0-02.8	78	15.7	11.6-19.8
College Graduate	597	425,484	38	5.3	02.9-07.7	212	36.8	31.7-41.9	271	45.9	40.6-51.2	4	0.7	00.0-01.7	72	11.3	08.2-14.4
Less than \$15,000	190	179,478	6	2.6	00.0-05.3	67	29.2	20.8-37.6	87	49.9	40.1-59.7	4	3.0	00.0-06.9	26	15.3	08.2-22.4
\$15,000- 24,999	366	357,952	27	7.8	02.9-12.7	117	30.3	23.8-36.8	156	43.5	36.2-50.8	2	0.5	00.0-01.1	64	17.9	12.8-23.0
\$25,000- 34,999	221	184,551	18	7.1	02.0-12.2	79	34.3	25.9-42.7	82	33.9	25.5-42.3	2	1.0	00.0-02.6	40	23.7	15.3-32.1
\$35,000- 49,999	281	268,071	19	5.0	02.3-07.7	102	32.7	25.8-39.6	129	48.1	40.5-55.7	1	0.2	00.0-00.6	30	13.9	08.2-19.6
\$50,000- 74,999	274	246,867	11	4.1	01.2-07.0	93	32.4	25.7-39.1	133	48.2	40.9-55.5	2	1.6	00.0-03.8	35	13.8	08.7-18.9
\$75,000+	381	369,044	23	5.8	02.9-08.7	129	35.9	29.8-42.0	192	47.2	40.9-53.5	2	0.3	00.0-00.7	35	10.9	06.8-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 9: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT COOKED OR CANNED BEANS, SUCH AS REFRIED, BAKED, BLACK, GARBANZO BEANS, BEANS IN SOUP, SOYBEANS, EDAMAME, TOFU OR LENTILS. DO NOT INCLUDE LONG GREEN BEANS. (FVBEANS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3877	2,216,900	293	7.3	06.1-08.5	1320	31.8	29.8-33.8	1708	45.3	43.1-47.5	29	0.9	00.3-01.5	527	14.7	13.1-16.3
White/Non-Hisp	3212	1,732,604	245	7.6	06.4-08.8	1106	32.5	30.3-34.7	1447	46.6	44.2-49.0	22	0.7	00.3-01.1	392	12.5	10.9-14.1
Black or Afr. Am./Non-Hisp	540	352,731	36	5.0	02.8-07.2	180	30.6	25.3-35.9	209	39.6	33.9-45.3	6	0.9	00.0-01.9	109	24.0	18.5-29.5
18-24	148	249,797	16	8.7	03.4-14.0	45	27.8	19.6-36.0	56	40.9	31.1-50.7				31	22.5	14.7-30.3
25-34	330	351,146	20	6.2	03.3-09.1	93	26.7	21.2-32.2	150	45.7	39.4-52.0	4	1.0	00.0-02.2	63	20.5	15.2-25.8
35-44	463	356,176	40	8.3	05.4-11.2	142	28.0	23.1-32.9	213	47.0	41.3-52.7	6	1.2	00.0-02.6	62	15.5	11.2-19.8
45-54	692	416,298	50	7.4	05.0-09.8	241	35.1	30.6-39.6	312	45.7	41.0-50.4	5	0.7	00.0-01.5	84	11.1	08.2-14.0
55-64	882	384,328	68	7.7	05.5-09.9	295	31.8	27.9-35.7	393	46.1	41.8-50.4	7	1.8	00.0-04.0	119	12.5	09.6-15.4
65+	1335	444,061	96	6.2	04.6-07.8	493	37.5	34.0-41.0	575	45.4	41.9-48.9	7	0.5	00.0-01.1	164	10.4	08.4-12.4
Less Than H.S.	523	369,787	43	7.6	04.3-10.9	192	32.0	26.5-37.5	191	39.3	33.2-45.4	2	1.7	00.0-04.1	95	19.4	14.1-24.7
H.S. or G.E.D.	1274	726,004	91	7.1	05.1-09.1	436	32.5	29.0-36.0	552	45.3	41.4-49.2	13	0.8	00.2-01.4	182	14.3	11.6-17.0
Some Post-H.S.	1078	651,875	82	7.5	05.3-09.7	357	30.0	26.3-33.7	495	47.2	43.1-51.3	9	0.9	00.1-01.7	135	14.4	11.5-17.3
College Graduate	999	468,660	77	7.3	05.3-09.3	334	32.8	29.1-36.5	468	47.6	43.5-51.7	5	0.5	00.0-01.1	115	11.8	09.1-14.5
Less than \$15,000	555	266,295	44	7.7	04.6-10.8	188	32.0	26.5-37.5	222	40.1	34.4-45.8	6	0.6	00.0-01.2	95	19.5	14.6-24.4
\$15,000- 24,999	768	412,632	63	8.8	05.7-11.9	269	35.0	30.3-39.7	316	40.2	35.3-45.1	8	1.3	00.0-02.7	112	14.8	11.3-18.3
\$25,000- 34,999	379	230,144	29	7.1	04.0-10.2	122	31.2	24.9-37.5	169	43.0	36.3-49.7	6	1.1	00.0-02.3	53	17.6	11.3-23.9
\$35,000- 49,999	403	257,615	31	6.8	04.1-09.5	143	32.0	26.1-37.9	184	48.1	41.6-54.6	2	1.6	00.0-04.5	43	11.5	07.2-15.8
\$50,000- 74,999	358	239,219	20	6.0	02.7-09.3	129	32.0	25.9-38.1	168	49.8	42.9-56.7	3	1.6	00.0-03.4	38	10.7	06.6-14.8
\$75,000+	491	319,905	44	9.1	05.8-12.4	167	32.6	27.3-37.9	233	48.9	42.8-55.0	4	0.8	00.0-01.6	43	8.7	05.8-11.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 10: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6015	4,213,978	940	14.5	13.3-15.7	2130	34.2	32.4-36.0	2334	40.2	38.4-42.0	32	0.6	00.4-00.8	579	10.5	09.3-11.7
Male	2126	1,983,586	296	12.8	11.0-14.6	717	33.6	30.9-36.3	851	40.2	37.3-43.1	19	0.9	00.5-01.3	243	12.5	10.5-14.5
Female	3889	2,230,392	644	16.0	14.4-17.6	1413	34.7	32.5-36.9	1483	40.2	38.0-42.4	13	0.4	00.2-00.6	336	8.7	07.5-09.9
White/Non-Hisp	5012	3,294,752	769	14.4	13.0-15.8	1764	34.4	32.6-36.2	1936	39.2	37.2-41.2	30	0.8	00.4-01.2	513	11.2	10.0-12.4
Black or Afr. Am./Non-Hisp	786	625,133	114	12.0	09.1-14.9	304	35.4	30.7-40.1	316	44.5	39.6-49.4	2	0.2	00.0-00.4	50	8.0	04.7-11.3
Oth. Race/Non-Hisp.	78	106,729	21	22.5	11.3-33.7	21	33.3	18.4-48.2	31	37.2	22.9-51.5				5	7.0	00.1-13.9
MultiRacial/Non-Hisp.	52	67,729	17	29.7	13.8-45.6	14	20.3	06.6-34.0	17	40.7	21.3-60.1				4	9.3	00.0-19.5
Hispanic	56	95,275	10	13.4	03.4-23.4	19	32.8	17.3-48.3	22	45.9	29.2-62.6				5	8.0	00.0-17.0
18-24	245	501,660	42	16.3	11.2-21.4	81	31.6	24.7-38.5	89	39.2	31.8-46.6				33	12.9	08.2-17.6
25-34	543	667,707	81	14.5	11.2-17.8	179	34.3	29.6-39.0	231	42.2	37.3-47.1	3	0.6	00.0-01.4	49	8.6	06.1-11.1
35-44	715	709,758	106	14.0	10.9-17.1	238	30.8	26.7-34.9	306	45.0	40.3-49.7	3	0.3	00.0-00.7	62	9.9	07.0-12.8
45-54	1120	808,230	162	13.1	10.7-15.5	380	35.2	31.5-38.9	439	38.8	35.1-42.5	7	0.5	00.1-00.9	132	12.4	09.5-15.3
55-64	1402	716,063	214	12.9	10.7-15.1	482	35.4	32.1-38.7	574	41.1	37.8-44.4	13	1.5	00.5-02.5	119	9.2	07.0-11.4
65+	1957	788,855	321	16.0	13.8-18.2	760	36.7	33.8-39.6	686	36.0	33.1-38.9	6	0.7	00.0-01.5	184	10.7	08.5-12.9
Less Than H.S.	747	680,108	92	10.2	07.5-12.9	274	35.0	29.9-40.1	239	35.3	30.2-40.4	3	0.9	00.0-01.9	139	18.6	14.5-22.7
H.S. or G.E.D.	1973	1,390,965	252	12.1	10.1-14.1	692	33.9	31.0-36.8	757	39.9	37.0-42.8	16	0.7	00.3-01.1	256	13.4	11.2-15.6
Some Post-H.S.	1684	1,234,410	260	15.1	12.7-17.5	607	34.6	31.5-37.7	697	42.7	39.4-46.0	7	0.4	00.0-00.8	113	7.1	05.5-08.7
College Graduate	1603	901,671	335	20.6	18.1-23.1	554	33.6	30.5-36.7	637	40.8	37.5-44.1	6	0.5	00.1-00.9	71	4.6	03.2-06.0
Less than \$15,000	744	440,936	111	12.1	09.2-15.0	230	30.9	26.0-35.8	278	40.5	35.2-45.8	9	1.9	00.3-03.5	116	14.6	11.1-18.1
\$15,000- 24,999	1134	776,432	172	13.4	10.7-16.1	398	36.4	32.3-40.5	419	36.0	31.9-40.1	5	0.5	00.1-00.9	140	13.7	10.6-16.8
\$25,000- 34,999	597	411,176	90	14.8	10.7-18.9	220	35.6	30.3-40.9	230	39.8	34.3-45.3	3	0.6	00.0-01.4	54	9.2	06.1-12.3
\$35,000- 49,999	688	526,284	101	13.7	10.4-17.0	254	33.4	28.7-38.1	272	41.2	36.3-46.1	3	0.1	00.0-00.3	58	11.6	08.3-14.9
\$50,000- 74,999	637	489,890	100	16.4	12.7-20.1	235	36.6	31.9-41.3	264	41.0	36.1-45.9	5	1.0	00.0-02.0	33	5.1	03.1-07.1
\$75,000+	876	691,871	164	18.1	15.0-21.2	308	34.7	30.6-38.8	358	41.5	37.0-46.0	4	0.4	00.0-00.8	42	5.3	03.5-07.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 11: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2126	1,983,586	296	12.8	11.0-14.6	717	33.6	30.9-36.3	851	40.2	37.3-43.1	19	0.9	00.5-01.3	243	12.5	10.5-14.5
White/Non-Hisp	1793	1,555,870	247	13.0	11.0-15.0	606	34.1	31.2-37.0	711	38.5	35.6-41.4	17	1.0	00.4-01.6	212	13.3	11.1-15.5
Black or Afr. Am./Non-Hisp	241	265,447	30	9.6	05.3-13.9	83	30.8	23.5-38.1	101	47.5	39.1-55.9	2	0.4	00.0-01.0	25	11.8	04.9-18.7
18-24	100	253,693	18	15.9	08.5-23.3	30	29.5	19.1-39.9	39	40.9	29.9-51.9				13	13.7	06.3-21.1
25-34	208	311,226	26	12.1	07.0-17.2	72	37.4	29.8-45.0	87	41.2	33.6-48.8	1	0.3	00.0-00.9	22	9.1	05.0-13.2
35-44	249	349,745	31	11.4	06.9-15.9	77	29.1	22.4-35.8	113	47.0	39.6-54.4	1	0.3	00.0-00.9	27	12.2	07.3-17.1
45-54	430	391,571	55	11.3	08.0-14.6	143	34.4	28.5-40.3	165	38.5	32.6-44.4	4	0.6	00.0-01.4	63	15.3	10.2-20.4
55-64	520	332,629	64	10.5	07.6-13.4	173	36.2	30.9-41.5	224	40.2	34.7-45.7	9	2.5	00.7-04.3	50	10.6	07.1-14.1
65+	614	338,601	101	16.6	12.9-20.3	220	34.1	29.2-39.0	221	33.8	29.1-38.5	4	1.3	00.0-03.1	68	14.2	10.1-18.3
Less Than H.S.	224	309,110	24	8.5	04.0-13.0	73	33.9	25.3-42.5	76	34.8	26.2-43.4	2	1.1	00.0-02.9	49	21.6	14.2-29.0
H.S. or G.E.D.	693	657,270	77	10.5	07.6-13.4	221	31.8	27.3-36.3	269	38.7	34.0-43.4	10	1.2	00.4-02.0	116	17.9	14.0-21.8
Some Post-H.S.	603	582,080	81	13.4	09.7-17.1	212	33.8	28.9-38.7	260	44.6	39.3-49.9	3	0.5	00.0-01.1	47	7.7	05.2-10.2
College Graduate	601	428,876	113	18.7	14.8-22.6	210	36.4	31.3-41.5	243	39.8	34.5-45.1	4	0.6	00.0-01.2	31	4.5	02.5-06.5
Less than \$15,000	184	172,508	20	7.9	03.4-12.4	51	27.0	18.4-35.6	71	45.7	35.7-55.7	8	4.8	00.9-08.7	34	14.6	08.5-20.7
\$15,000- 24,999	367	362,502	48	11.5	07.2-15.8	119	36.7	29.6-43.8	132	32.0	25.5-38.5	3	0.8	00.0-01.8	65	19.0	12.9-25.1
\$25,000- 34,999	219	182,621	26	13.9	06.8-21.0	74	31.9	23.7-40.1	92	40.7	31.7-49.7	1	0.6	00.0-01.8	26	12.9	07.0-18.8
\$35,000- 49,999	283	265,740	33	10.4	06.1-14.7	101	33.4	26.3-40.5	115	42.0	34.4-49.6	1	0.1	00.0-00.3	33	14.1	08.8-19.4
\$50,000- 74,999	276	247,860	35	14.0	08.9-19.1	106	38.3	31.0-45.6	118	41.8	34.5-49.1	3	1.1	00.0-02.5	14	4.9	02.0-07.8
\$75,000+	383	370,163	70	17.1	12.6-21.6	125	33.4	27.5-39.3	161	42.4	35.9-48.9	3	0.5	00.0-01.1	24	6.6	03.7-09.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 12: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT DARK GREEN VEGETABLES FOR EXAMPLE BROCCOLI OR DARK LEAFY GREENS INCLUDING ROMAINE, CHARD, COLLARD GREENS OR SPINACH? (FVGREEN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3889	2,230,392	644	16.0	14.4-17.6	1413	34.7	32.5-36.9	1483	40.2	38.0-42.4	13	0.4	00.2-00.6	336	8.7	07.5-09.9
White/Non-Hisp	3219	1,738,882	522	15.6	13.8-17.4	1158	34.7	32.3-37.1	1225	39.7	37.3-42.1	13	0.5	00.1-00.9	301	9.4	08.0-10.8
Black or Afr. Am./Non-Hisp	545	359,686	84	13.7	09.8-17.6	221	38.9	33.0-44.8	215	42.2	36.5-47.9				25	5.2	02.5-07.9
18-24	145	247,966	24	16.7	09.8-23.6	51	33.8	24.8-42.8	50	37.4	27.6-47.2				20	12.1	06.4-17.8
25-34	335	356,481	55	16.5	11.8-21.2	107	31.5	25.6-37.4	144	43.0	36.7-49.3	2	0.8	00.0-02.2	27	8.1	04.8-11.4
35-44	466	360,013	75	16.5	12.2-20.8	161	32.4	27.1-37.7	193	43.1	37.4-48.8	2	0.3	00.0-00.7	35	7.7	04.6-10.8
45-54	690	416,658	107	14.9	11.8-18.0	237	36.0	31.5-40.5	274	39.1	34.4-43.8	3	0.3	00.0-00.7	69	9.7	07.0-12.4
55-64	882	383,434	150	14.9	12.2-17.6	309	34.7	30.6-38.8	350	41.8	37.5-46.1	4	0.6	00.0-01.4	69	8.0	05.6-10.4
65+	1343	450,254	220	15.5	13.0-18.0	540	38.6	35.1-42.1	465	37.6	34.1-41.1	2	0.2	00.0-00.6	116	8.0	06.0-10.0
Less Than H.S.	523	370,998	68	11.6	08.1-15.1	201	36.0	29.9-42.1	163	35.6	29.5-41.7	1	0.6	00.0-01.8	90	16.2	11.7-20.7
H.S. or G.E.D.	1280	733,695	175	13.5	10.8-16.2	471	35.8	32.1-39.5	488	40.9	37.2-44.6	6	0.3	00.1-00.5	140	9.4	07.4-11.4
Some Post-H.S.	1081	652,329	179	16.6	13.5-19.7	395	35.3	31.4-39.2	437	41.0	36.9-45.1	4	0.4	00.0-01.0	66	6.6	04.4-08.8
College Graduate	1002	472,794	222	22.3	19.0-25.6	344	31.1	27.4-34.8	394	41.7	37.6-45.8	2	0.3	00.0-00.7	40	4.6	02.6-06.6
Less than \$15,000	560	268,428	91	14.8	10.9-18.7	179	33.5	27.8-39.2	207	37.1	31.4-42.8	1	0.1	00.0-00.3	82	14.5	10.2-18.8
\$15,000- 24,999	767	413,930	124	15.1	11.6-18.6	279	36.1	31.2-41.0	287	39.6	34.7-44.5	2	0.2	00.0-00.4	75	9.0	06.3-11.7
\$25,000- 34,999	378	228,555	64	15.5	10.6-20.4	146	38.7	31.8-45.6	138	39.1	32.2-46.0	2	0.6	00.0-01.4	28	6.2	03.3-09.1
\$35,000- 49,999	405	260,544	68	17.0	11.9-22.1	153	33.3	27.2-39.4	157	40.5	34.2-46.8	2	0.2	00.0-00.4	25	9.0	04.7-13.3
\$50,000- 74,999	361	242,029	65	18.8	13.3-24.3	129	34.9	28.6-41.2	146	40.2	33.5-46.9	2	0.9	00.0-02.3	19	5.2	02.5-07.9
\$75,000+	493	321,708	94	19.3	14.8-23.8	183	36.1	30.4-41.8	197	40.5	34.2-46.8	1	0.2	00.0-00.6	18	3.9	01.7-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 13: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5953	4,179,267	490	7.5	06.5-08.5	1923	28.8	27.2-30.4	2644	46.0	44.2-47.8	47	1.0	00.6-01.4	849	16.6	15.2-18.0
Male	2115	1,970,250	170	7.2	05.8-08.6	616	27.6	25.1-30.1	959	45.8	42.9-48.7	22	1.4	00.6-02.2	348	18.0	15.6-20.4
Female	3838	2,209,017	320	7.9	06.7-09.1	1307	30.0	28.0-32.0	1685	46.2	44.0-48.4	25	0.7	00.3-01.1	501	15.2	13.4-17.0
White/Non-Hisp	4957	3,261,802	399	7.1	06.1-08.1	1635	30.0	28.2-31.8	2206	46.0	44.0-48.0	33	0.8	00.4-01.2	684	16.1	14.5-17.7
Black or Afr. Am./Non-Hisp	778	625,195	62	7.1	04.7-09.5	221	24.9	20.8-29.0	349	47.0	42.1-51.9	11	1.8	00.4-03.2	135	19.1	14.8-23.4
Oth. Race/Non-Hisp.	77	102,447	8	11.9	02.5-21.3	23	28.4	14.1-42.7	38	47.9	33.0-62.8				8	11.9	02.5-21.3
MultiRacial/Non-Hisp.	54	68,080	13	22.8	07.7-37.9	20	30.9	14.8-47.0	10	16.2	04.0-28.4				11	30.1	10.9-49.3
Hispanic	56	97,383	6	9.3	00.5-18.1	15	18.0	06.0-30.0	26	53.9	37.6-70.2	3	6.7	00.0-14.7	6	12.0	01.2-22.8
18-24	244	498,639	22	8.6	04.9-12.3	60	22.2	16.1-28.3	91	39.6	32.2-47.0	7	3.0	00.6-05.4	64	26.7	20.0-33.4
25-34	538	660,327	38	6.4	04.0-08.8	140	26.3	22.0-30.6	248	46.3	41.4-51.2	9	1.5	00.3-02.7	103	19.5	15.6-23.4
35-44	720	717,482	51	7.1	04.7-09.5	191	24.4	20.7-28.1	355	51.9	47.2-56.6	7	0.9	00.1-01.7	116	15.8	12.5-19.1
45-54	1108	799,159	73	6.5	04.7-08.3	320	28.1	24.8-31.4	513	47.6	43.7-51.5	5	0.4	00.0-00.8	197	17.5	14.4-20.6
55-64	1380	701,323	104	6.8	05.0-08.6	436	31.2	28.1-34.3	661	47.9	44.4-51.4	9	0.8	00.2-01.4	170	13.3	10.9-15.7
65+	1930	780,631	196	9.7	07.9-11.5	759	37.4	34.5-40.3	767	41.5	38.6-44.4	10	0.5	00.1-00.9	198	10.9	08.9-12.9
Less Than H.S.	730	668,500	58	7.5	04.8-10.2	229	27.2	22.5-31.9	288	44.3	38.8-49.8	6	0.9	00.0-01.9	149	20.1	15.8-24.4
H.S. or G.E.D.	1947	1,379,005	132	6.4	04.8-08.0	620	28.3	25.6-31.0	837	44.0	40.9-47.1	16	0.9	00.3-01.5	342	20.5	17.8-23.2
Some Post-H.S.	1672	1,228,873	130	7.4	05.6-09.2	515	27.4	24.5-30.3	794	49.0	45.7-52.3	12	0.9	00.1-01.7	221	15.3	12.8-17.8
College Graduate	1596	896,066	170	9.7	07.7-11.7	556	33.1	30.0-36.2	721	46.1	42.8-49.4	13	1.5	00.5-02.5	136	9.6	07.6-11.6
Less than \$15,000	735	437,265	55	7.2	04.7-09.7	218	26.8	22.1-31.5	306	42.1	36.8-47.4	13	2.5	00.5-04.5	143	21.5	17.2-25.8
\$15,000- 24,999	1121	757,660	101	8.2	05.8-10.6	350	27.0	23.3-30.7	464	43.3	39.0-47.6	8	1.0	00.2-01.8	198	20.5	16.8-24.2
\$25,000- 34,999	596	413,008	44	9.2	05.9-12.5	198	30.4	25.3-35.5	250	40.6	35.1-46.1	3	0.3	00.0-00.7	101	19.5	14.6-24.4
\$35,000- 49,999	682	527,178	50	7.1	04.4-09.8	217	27.1	22.8-31.4	326	48.3	43.2-53.4	5	0.6	00.0-01.2	84	16.9	12.8-21.0
\$50,000- 74,999	634	487,053	50	8.8	05.7-11.9	208	31.1	26.6-35.6	311	50.4	45.5-55.3	6	1.1	00.0-02.3	59	8.6	05.7-11.5
\$75,000+	869	686,703	73	6.5	04.7-08.3	292	31.5	27.6-35.4	421	50.7	46.2-55.2	5	0.6	00.0-01.4	78	10.7	08.0-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 14: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2115	1,970,250	170	7.2	05.8-08.6	616	27.6	25.1-30.1	959	45.8	42.9-48.7	22	1.4	00.6-02.2	348	18.0	15.6-20.4
White/Non-Hisp	1782	1,543,357	136	6.8	05.4-08.2	526	28.3	25.6-31.0	813	46.3	43.2-49.4	16	1.0	00.4-01.6	291	17.5	15.1-19.9
Black or Afr. Am./Non-Hisp	240	265,829	24	8.0	04.1-11.9	63	24.8	18.1-31.5	107	46.0	37.6-54.4	4	2.2	00.0-04.6	42	18.9	11.3-26.5
18-24	97	248,733	9	7.0	02.3-11.7	23	22.4	13.0-31.8	35	37.6	26.4-48.8	6	5.6	01.1-10.1	24	27.5	17.3-37.7
25-34	209	311,678	14	6.6	02.9-10.3	52	26.8	19.7-33.9	99	47.2	39.4-55.0	4	1.6	00.0-03.4	40	17.9	12.0-23.8
35-44	252	354,341	18	5.9	02.8-09.0	63	21.9	16.0-27.8	119	52.3	45.0-59.6	2	0.8	00.0-02.0	50	19.1	13.4-24.8
45-54	424	386,608	30	7.3	04.4-10.2	107	24.8	19.7-29.9	210	49.8	43.7-55.9	1	0.2	00.0-00.6	76	18.0	12.7-23.3
55-64	510	324,868	31	5.3	02.9-07.7	153	33.5	28.2-38.8	236	43.4	37.9-48.9	7	1.1	00.1-02.1	83	16.7	12.6-20.8
65+	618	337,901	67	10.7	07.6-13.8	215	34.8	29.9-39.7	259	42.3	37.2-47.4	2	0.3	00.0-00.7	75	11.9	08.4-15.4
Less Than H.S.	223	300,410	15	5.1	01.8-08.4	67	27.7	19.9-35.5	93	46.1	36.9-55.3				48	21.1	13.5-28.7
H.S. or G.E.D.	689	658,389	48	5.9	03.7-08.1	191	26.7	22.6-30.8	296	43.0	38.1-47.9	6	1.0	00.0-02.0	148	23.4	18.9-27.9
Some Post-H.S.	600	577,520	46	8.0	05.3-10.7	169	26.4	21.7-31.1	288	48.3	43.0-53.6	8	1.6	00.2-03.0	89	15.8	11.7-19.9
College Graduate	598	427,680	61	9.8	06.9-12.7	187	30.4	25.7-35.1	280	46.6	41.3-51.9	8	2.6	00.6-04.6	62	10.6	07.5-13.7
Less than \$15,000	184	172,780	12	3.6	00.7-06.5	47	29.7	20.5-38.9	77	42.6	32.8-52.4	8	4.6	00.3-08.9	40	19.5	12.1-26.9
\$15,000- 24,999	362	349,440	29	6.9	03.8-10.0	103	26.0	19.9-32.1	141	41.1	33.8-48.4	4	1.7	00.0-03.5	85	24.3	17.8-30.8
\$25,000- 34,999	218	183,930	13	9.2	03.5-14.9	65	28.4	20.4-36.4	95	38.8	30.2-47.4				45	23.6	15.2-32.0
\$35,000- 49,999	278	264,710	24	7.2	03.7-10.7	77	23.5	17.2-29.8	134	50.3	42.7-57.9	1	0.4	00.0-01.2	42	18.7	12.6-24.8
\$50,000- 74,999	277	248,028	17	7.0	03.1-10.9	81	28.4	21.9-34.9	145	54.4	47.1-61.7	3	1.1	00.0-02.7	31	9.1	04.8-13.4
\$75,000+	378	366,737	31	7.3	04.4-10.2	115	28.6	22.9-34.3	185	49.6	43.1-56.1	3	0.9	00.0-02.1	44	13.7	09.2-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

TABLE 15: DURING THE PAST MONTH, HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT ORANGE-COLORED VEGETABLES SUCH AS SWEET POTATOES, PUMPKIN, WINTER SQUASH, OR CARROTS? (FVORANG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3838	2,209,017	320	7.9	06.7-09.1	1307	30.0	28.0-32.0	1685	46.2	44.0-48.4	25	0.7	00.3-01.1	501	15.2	13.4-17.0
White/Non-Hisp	3175	1,718,445	263	7.5	06.3-08.7	1109	31.5	29.3-33.7	1393	45.7	43.3-48.1	17	0.6	00.2-01.0	393	14.7	12.9-16.5
Black or Afr. Am./Non-Hisp	538	359,366	38	6.5	03.6-09.4	158	25.0	19.9-30.1	242	47.7	41.8-53.6	7	1.5	00.1-02.9	93	19.3	14.6-24.0
18-24	147	249,906	13	10.1	04.2-16.0	37	22.0	14.4-29.6	56	41.7	31.9-51.5	1	0.4	00.0-01.2	40	25.9	17.7-34.1
25-34	329	348,649	24	6.3	03.6-09.0	88	25.9	20.4-31.4	149	45.5	39.2-51.8	5	1.5	00.0-03.1	63	20.9	15.6-26.2
35-44	468	363,141	33	8.2	04.7-11.7	128	26.9	22.0-31.8	236	51.5	45.8-57.2	5	0.9	00.0-02.1	66	12.6	09.1-16.1
45-54	684	412,550	43	5.8	03.8-07.8	213	31.1	26.8-35.4	303	45.5	40.8-50.2	4	0.6	00.0-01.2	121	17.0	13.5-20.5
55-64	870	376,455	73	8.1	05.4-10.8	283	29.3	25.6-33.0	425	51.9	47.6-56.2	2	0.5	00.0-01.3	87	10.3	07.6-13.0
65+	1312	442,730	129	8.9	06.9-10.9	544	39.4	35.9-42.9	508	40.9	37.4-44.4	8	0.7	00.1-01.3	123	10.1	07.7-12.5
Less Than H.S.	507	368,089	43	9.4	05.3-13.5	162	26.8	21.3-32.3	195	42.8	36.5-49.1	6	1.7	00.0-03.5	101	19.3	14.4-24.2
H.S. or G.E.D.	1258	720,615	84	6.8	04.6-09.0	429	29.6	26.3-32.9	541	45.0	41.1-48.9	10	0.7	00.1-01.3	194	17.8	14.7-20.9
Some Post-H.S.	1072	651,352	84	6.8	04.8-08.8	346	28.2	24.7-31.7	506	49.7	45.6-53.8	4	0.3	00.0-00.7	132	14.9	11.8-18.0
College Graduate	998	468,386	109	9.7	07.3-12.1	369	35.5	31.6-39.4	441	45.7	41.6-49.8	5	0.6	00.0-01.2	74	8.6	06.2-11.0
Less than \$15,000	551	264,485	43	9.5	06.0-13.0	171	24.9	20.2-29.6	229	41.7	35.8-47.6	5	1.1	00.0-02.7	103	22.8	17.5-28.1
\$15,000- 24,999	759	408,220	72	9.4	06.1-12.7	247	27.8	23.5-32.1	323	45.2	40.1-50.3	4	0.4	00.0-00.8	113	17.3	13.2-21.4
\$25,000- 34,999	378	229,078	31	9.2	05.3-13.1	133	31.9	25.6-38.2	155	42.1	35.2-49.0	3	0.6	00.0-01.4	56	16.2	10.5-21.9
\$35,000- 49,999	404	262,469	26	7.1	03.0-11.2	140	30.7	25.0-36.4	192	46.2	39.7-52.7	4	0.9	00.0-01.9	42	15.1	09.8-20.4
\$50,000- 74,999	357	239,024	33	10.6	05.9-15.3	127	33.9	27.6-40.2	166	46.2	39.5-52.9	3	1.2	00.0-02.8	28	8.1	04.2-12.0
\$75,000+	491	319,966	42	5.7	03.5-07.9	177	34.8	29.1-40.5	236	51.9	45.8-58.0	2	0.4	00.0-01.0	34	7.2	04.5-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 16: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5928	4,155,443	2280	36.6	34.8-38.4	1704	28.7	27.1-30.3	1818	32.2	30.4-34.0	13	0.2	00.0-00.4	113	2.3	01.7-02.9
Male	2095	1,954,675	752	33.8	31.1-36.5	607	30.3	27.8-32.8	685	33.3	30.6-36.0	6	0.2	00.0-00.4	45	2.5	01.5-03.5
Female	3833	2,200,768	1528	39.0	36.8-41.2	1097	27.3	25.3-29.3	1133	31.2	29.0-33.4	7	0.3	00.0-00.7	68	2.2	01.4-03.0
White/Non-Hisp	4940	3,248,399	1949	37.8	35.8-39.8	1410	29.2	27.4-31.0	1480	30.8	29.0-32.6	10	0.2	00.0-00.4	91	2.1	01.5-02.7
Black or Afr. Am./Non-Hisp	775	618,075	242	31.4	26.7-36.1	241	26.5	22.4-30.6	271	38.3	33.4-43.2	2	0.2	00.0-00.4	19	3.6	01.6-05.6
Oth. Race/Non-Hisp.	77	104,684	35	41.4	26.7-56.1	20	29.6	16.1-43.1	21	28.9	15.2-42.6				1	0.2	00.0-00.6
MultiRacial/Non-Hisp.	54	68,080	22	34.1	17.2-51.0	10	17.5	03.2-31.8	20	38.0	20.8-55.2				2	10.5	00.0-27.7
Hispanic	54	93,640	18	25.7	12.4-39.0	18	34.9	18.8-51.0	17	36.7	19.8-53.6	1	2.7	00.0-08.0			
18-24	241	493,645	81	31.6	24.7-38.5	76	30.1	23.4-36.8	75	32.7	25.4-40.0				9	5.5	01.6-09.4
25-34	537	662,846	193	36.6	31.7-41.5	160	28.3	23.8-32.8	170	32.5	27.8-37.2	3	0.5	00.0-01.3	11	2.0	00.8-03.2
35-44	711	706,940	248	33.4	29.1-37.7	200	27.2	23.1-31.3	249	36.4	31.9-40.9	2	0.5	00.0-01.3	12	2.5	00.7-04.3
45-54	1103	796,066	383	34.3	30.6-38.0	320	28.6	25.3-31.9	371	34.8	31.1-38.5	1	0.1	00.0-00.3	28	2.1	01.1-03.1
55-64	1380	698,718	548	39.1	35.8-42.4	369	28.3	25.0-31.6	432	30.8	27.7-33.9	5	0.2	00.0-00.4	26	1.7	00.9-02.5
65+	1923	776,621	810	42.0	39.1-44.9	572	30.1	27.4-32.8	512	26.4	23.7-29.1	2	0.2	00.0-00.4	27	1.3	00.7-01.9
Less Than H.S.	729	663,170	275	35.6	30.5-40.7	238	31.4	26.5-36.3	198	30.1	25.0-35.2	3	0.9	00.0-01.9	15	2.1	00.7-03.5
H.S. or G.E.D.	1934	1,365,463	702	35.4	32.5-38.3	569	29.1	26.4-31.8	608	31.9	29.0-34.8	5	0.1	00.0-00.3	50	3.5	02.1-04.9
Some Post-H.S.	1666	1,226,072	670	38.2	34.9-41.5	450	26.6	23.7-29.5	517	33.1	30.0-36.2	2	0.1	00.0-00.3	27	2.0	00.8-03.2
College Graduate	1592	895,537	631	37.0	33.9-40.1	444	28.8	25.9-31.7	493	32.7	29.6-35.8	3	0.2	00.0-00.4	21	1.3	00.5-02.1
Less than \$15,000	732	430,979	266	32.3	27.4-37.2	221	31.4	26.5-36.3	214	32.3	27.2-37.4	4	0.4	00.0-00.8	27	3.6	01.8-05.4
\$15,000- 24,999	1118	763,326	456	38.7	34.4-43.0	316	28.3	24.6-32.0	324	30.1	26.0-34.2	3	0.6	00.0-01.4	19	2.3	00.7-03.9
\$25,000- 34,999	589	407,410	218	33.7	28.6-38.8	176	30.0	24.9-35.1	186	34.1	28.6-39.6				9	2.2	00.0-04.4
\$35,000- 49,999	684	525,437	255	36.4	31.7-41.1	195	26.2	21.9-30.5	222	35.2	30.3-40.1	3	0.1	00.0-00.3	9	2.1	00.5-03.7
\$50,000- 74,999	630	483,155	252	38.6	33.7-43.5	178	29.8	25.3-34.3	193	30.6	26.1-35.1				7	1.0	00.0-02.0
\$75,000+	868	687,934	329	37.6	33.3-41.9	242	26.5	22.8-30.2	289	34.6	30.1-39.1				8	1.3	00.1-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 8: FRUITS AND VEGETABLES**

**TABLE 17: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
 EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
 AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2095	1,954,675	752	33.8	31.1-36.5	607	30.3	27.8-32.8	685	33.3	30.6-36.0	6	0.2	00.0-00.4	45	2.5	01.5-03.5
White/Non-Hisp	1769	1,536,669	652	35.5	32.6-38.4	507	30.1	27.2-33.0	565	31.8	28.9-34.7	4	0.2	00.0-00.4	41	2.4	01.4-03.4
Black or Afr. Am./Non-Hisp	235	258,111	73	29.9	21.9-37.9	71	29.0	21.7-36.3	86	38.9	30.5-47.3	2	0.4	00.0-01.0	3	1.8	00.0-03.8
18-24	99	252,182	29	27.9	17.9-37.9	34	30.8	21.0-40.6	31	34.4	23.4-45.4				5	6.9	00.4-13.4
25-34	206	308,623	73	35.2	27.6-42.8	59	29.0	21.9-36.1	69	33.8	26.4-41.2	2	0.3	00.0-00.9	3	1.8	00.0-03.8
35-44	246	345,358	81	31.0	24.1-37.9	68	28.7	21.8-35.6	93	38.4	31.3-45.5	1	0.4	00.0-01.2	3	1.5	00.0-03.3
45-54	419	385,054	145	34.4	28.3-40.5	119	29.1	23.6-34.6	145	34.7	29.0-40.4	1	0.2	00.0-00.6	9	1.6	00.2-03.0
55-64	509	322,032	168	32.5	27.4-37.6	147	33.6	28.1-39.1	178	31.0	26.1-35.9	1	0.1	00.0-00.3	15	2.8	01.0-04.6
65+	610	335,084	253	39.7	34.6-44.8	179	31.4	26.5-36.3	167	27.1	22.6-31.6	1	0.3	00.0-00.9	10	1.5	00.3-02.7
Less Than H.S.	218	298,913	73	33.3	24.7-41.9	78	33.9	25.5-42.3	63	31.5	22.7-40.3	1	0.3	00.0-00.9	3	0.9	00.0-02.1
H.S. or G.E.D.	682	648,944	234	32.6	28.1-37.1	194	30.5	26.0-35.0	227	32.5	28.0-37.0	2	0.2	00.0-00.4	25	4.2	02.0-06.4
Some Post-H.S.	595	575,507	214	33.7	28.6-38.8	167	29.3	24.6-34.0	203	34.6	29.5-39.7	1	0.1	00.0-00.3	10	2.3	00.0-04.7
College Graduate	596	426,684	230	36.3	31.4-41.2	167	28.8	24.1-33.5	190	33.5	28.2-38.8	2	0.3	00.0-00.9	7	1.1	00.0-02.3
Less than \$15,000	181	168,703	49	25.7	16.9-34.5	68	37.9	28.3-47.5	53	32.8	23.2-42.4	4	1.0	00.0-02.2	7	2.5	00.1-04.9
\$15,000- 24,999	357	351,178	143	37.2	29.9-44.5	96	29.3	22.8-35.8	106	30.2	23.3-37.1	2	0.6	00.0-01.6	10	2.6	00.6-04.6
\$25,000- 34,999	214	178,188	69	29.6	21.6-37.6	63	30.9	22.5-39.3	80	36.9	27.9-45.9				2	2.6	00.0-07.3
\$35,000- 49,999	279	264,136	94	32.4	25.3-39.5	87	29.8	22.7-36.9	92	34.7	27.3-42.1				6	3.1	00.2-06.0
\$50,000- 74,999	275	244,830	106	36.2	29.1-43.3	77	30.7	23.8-37.6	87	31.8	25.1-38.5				5	1.3	00.0-03.1
\$75,000+	379	368,483	140	38.0	31.7-44.3	96	23.8	18.7-28.9	140	37.4	31.1-43.7				3	0.7	00.0-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 8: FRUITS AND VEGETABLES**

**TABLE 18: NOT COUNTING WHAT YOU JUST TOLD ME ABOUT, DURING THE PAST MONTH, ABOUT HOW MANY TIMES PER DAY, WEEK, OR MONTH DID YOU EAT OTHER VEGETABLES?
EXAMPLES OF OTHER VEGETABLES INCLUDE TOMATOES, TOMATO JUICE OR V-8 JUICE, CORN, EGGPLANT, PEAS, LETTUCE, CABBAGE, AND WHITE POTATOES THAT ARE NOT FRIED SUCH
AS BAKED OR MASHED POTATOES. (VEGETAB1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			LT 1 per Month			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3833	2,200,768	1528	39.0	36.8-41.2	1097	27.3	25.3-29.3	1133	31.2	29.0-33.4	7	0.3	00.0-00.7	68	2.2	01.4-03.0
White/Non-Hisp	3171	1,711,730	1297	39.8	37.4-42.2	903	28.3	26.1-30.5	915	29.9	27.5-32.3	6	0.2	00.0-00.4	50	1.8	01.0-02.6
Black or Afr. Am./Non-Hisp	540	359,964	169	32.5	26.8-38.2	170	24.8	20.1-29.5	185	37.9	32.2-43.6				16	4.9	02.0-07.8
18-24	142	241,463	52	35.5	26.3-44.7	42	29.5	20.7-38.3	44	30.9	21.5-40.3				4	4.1	00.0-08.4
25-34	331	354,223	120	37.9	31.8-44.0	101	27.8	22.1-33.5	101	31.4	25.5-37.3	1	0.7	00.0-02.1	8	2.2	00.6-03.8
35-44	465	361,583	167	35.6	30.1-41.1	132	25.8	21.1-30.5	156	34.4	28.9-39.9	1	0.7	00.0-02.1	9	3.4	00.7-06.1
45-54	684	411,012	238	34.2	29.7-38.7	201	28.2	24.1-32.3	226	34.9	30.2-39.6				19	2.6	01.2-04.0
55-64	871	376,687	380	44.7	40.4-49.0	222	23.7	20.0-27.4	254	30.6	26.5-34.7	4	0.2	00.0-00.4	11	0.7	00.1-01.3
65+	1313	441,537	557	43.8	40.1-47.5	393	29.0	25.7-32.3	345	26.0	22.9-29.1	1	0.1	00.0-00.3	17	1.1	00.3-01.9
Less Than H.S.	511	364,257	202	37.4	31.3-43.5	160	29.3	23.4-35.2	135	28.9	23.2-34.6	2	1.4	00.0-03.2	12	3.0	00.5-05.5
H.S. or G.E.D.	1252	716,519	468	37.9	34.2-41.6	375	27.9	24.6-31.2	381	31.4	27.9-34.9	3	0.1	00.0-00.3	25	2.8	01.0-04.6
Some Post-H.S.	1071	650,565	456	42.2	38.1-46.3	283	24.3	21.0-27.6	314	31.8	27.7-35.9	1	0.0	00.0-00.0	17	1.7	00.7-02.7
College Graduate	996	468,853	401	37.6	33.7-41.5	277	28.9	25.2-32.6	303	32.0	28.1-35.9	1	0.1	00.0-00.3	14	1.4	00.4-02.4
Less than \$15,000	551	262,276	217	36.6	30.9-42.3	153	27.1	21.8-32.4	161	31.9	26.4-37.4				20	4.4	02.0-06.8
\$15,000- 24,999	761	412,147	313	40.0	35.1-44.9	220	27.4	22.9-31.9	218	30.0	25.5-34.5	1	0.6	00.0-01.8	9	2.0	00.0-04.2
\$25,000- 34,999	375	229,223	149	36.9	30.2-43.6	113	29.3	22.8-35.8	106	32.0	25.5-38.5				7	1.8	00.2-03.4
\$35,000- 49,999	405	261,301	161	40.4	34.1-46.7	108	22.6	17.3-27.9	130	35.7	29.4-42.0	3	0.3	00.0-00.7	3	1.0	00.0-02.2
\$50,000- 74,999	355	238,325	146	41.0	34.1-47.9	101	28.9	22.8-35.0	106	29.3	23.4-35.2				2	0.7	00.0-01.7
\$75,000+	489	319,451	189	37.2	31.5-42.9	146	29.6	24.3-34.9	149	31.4	25.1-37.7				5	1.9	00.0-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 9 : ADULT ASTHMA HISTORY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)	
1	MALES AND FEMALES	72
2	MALES ONLY	73
3	FEMALES ONLY	74
	DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)	
4	MALES AND FEMALES	75
5	MALES ONLY	76
6	FEMALES ONLY	77
	DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)	
7	MALES AND FEMALES	78
8	MALES ONLY	79
9	FEMALES ONLY	80
	[IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM OR URGENT CARE CENTER VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)	
10	MALES AND FEMALES	81
11	MALES ONLY	82
12	FEMALES ONLY	83
	DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA? (ASRCHKUP)	
13	MALES AND FEMALES	84
14	MALES ONLY	85
15	FEMALES ONLY	86

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 9 : ADULT ASTHMA HISTORY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)	
16 MALES AND FEMALES	87
17 MALES ONLY	88
18 FEMALES ONLY	89
SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)	
19 MALES AND FEMALES	90
20 MALES ONLY	91
21 FEMALES ONLY	92
DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY- (ASNOSLEP)	
22 MALES AND FEMALES	93
23 MALES ONLY	94
24 FEMALES ONLY	95
DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)	
25 MALES AND FEMALES	96
26 MALES ONLY	97
27 FEMALES ONLY	98
DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)	
28 MALES AND FEMALES	99
29 MALES ONLY	100
30 FEMALES ONLY	101

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 1: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	547	416,665	157	39.4	32.3-46.5	67	12.6	08.9-16.3	196	32.6	26.9-38.3	58	7.1	04.7-09.5	39	4.0	02.4-05.6	30	4.4	02.2-06.6
Male	166	184,922	62	48.1	36.7-59.5	21	13.9	07.0-20.8	46	22.9	14.3-31.5	18	6.7	02.6-10.8	10	3.4	00.9-05.9	9	5.1	01.0-09.2
Female	381	231,743	95	32.5	24.1-40.9	46	11.6	07.3-15.9	150	40.3	32.9-47.7	40	7.4	04.9-09.9	29	4.4	02.2-06.6	21	3.8	02.0-05.6
White/Non-Hisp	459	313,615	119	32.5	25.2-39.8	52	11.9	07.8-16.0	173	37.8	31.3-44.3	51	7.7	05.2-10.2	36	4.7	02.7-06.7	28	5.4	02.7-08.1
Black or Afr. Am./Non-Hisp	63	52,430	23	49.3	30.9-67.7	13	21.7	08.2-35.2	16	16.8	06.6-27.0	6	6.4	00.7-12.1	3	3.4	00.0-08.7	2	2.3	00.0-05.6
35-44	75	59,839	21	24.7	13.5-35.9	17	23.3	11.9-34.7	37	51.9	38.8-65.0									
45-54	122	88,098	41	35.6	23.3-47.9	16	12.7	03.7-21.7	49	42.0	29.8-54.2	15	9.1	03.8-14.4				1	0.6	00.0-01.8
55-64	130	67,224	27	20.9	12.1-29.7	5	2.6	00.1-05.1	58	49.2	37.0-61.4	26	19.9	11.5-28.3	14	7.4	02.1-12.7			
65+	141	61,965	23	15.6	07.0-24.2	11	5.2	01.5-08.9	37	20.8	13.0-28.6	16	11.2	03.2-19.2	25	18.7	10.3-27.1	29	28.6	17.2-40.0
Less Than H.S.	89	98,500	25	39.2	22.1-56.3	7	4.0	00.0-08.3	36	39.8	24.3-55.3	7	6.9	01.4-12.4	8	4.1	00.4-07.8	6	6.1	00.0-12.8
H.S. or G.E.D.	180	135,116	44	34.2	23.6-44.8	21	11.7	05.6-17.8	63	32.9	24.1-41.7	25	9.9	05.2-14.6	14	5.8	02.1-09.5	13	5.5	02.0-09.0
Some Post-H.S.	167	117,726	56	45.4	32.5-58.3	23	17.6	08.8-26.4	49	25.4	16.2-34.6	22	7.2	03.3-11.1	10	1.7	00.3-03.1	7	2.6	00.4-04.8
College Graduate	111	65,323	32	39.5	23.0-56.0	16	18.5	07.7-29.3	48	34.0	21.5-46.5	4	1.1	00.0-02.3	7	4.2	00.7-07.7	4	2.7	00.0-05.4
Less than \$15,000	124	71,538	32	28.6	17.8-39.4	19	17.1	08.3-25.9	51	35.0	23.6-46.4	12	10.2	04.1-16.3	7	2.6	00.2-05.0	3	6.6	00.0-15.0
\$15,000- 24,999	117	89,932	30	37.0	20.9-53.1	14	8.2	02.5-13.9	40	37.6	23.5-51.7	13	7.0	01.5-12.5	8	4.3	00.4-08.2	12	6.0	02.3-09.7
\$35,000- 49,999	54	40,021	15	27.2	12.3-42.1	5	15.1	00.0-32.0	20	44.0	25.2-62.8	9	9.5	01.7-17.3	4	3.2	00.0-06.9	1	0.9	00.0-02.7
\$75,000+	55	53,690	23	61.8	41.4-82.2	9	14.9	02.0-27.8	17	18.6	06.3-30.9	3	1.5	00.0-03.5	1	0.3	00.0-00.9	2	2.9	00.0-07.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 2: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that had never been told they had asthma**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	166	184,922	62	48.1	36.9-59.3	21	13.9	07.2-20.6	46	22.9	14.5-31.3	18	6.7	02.6-10.8	10	3.4	00.9-05.9	9	5.1	01.2-09.0
White/Non-Hisp	139	136,632	43	37.2	25.2-49.2	16	14.0	06.6-21.4	45	30.7	19.9-41.5	17	7.6	02.9-12.3	9	3.6	00.9-06.3	9	6.9	01.6-12.2
H.S. or G.E.D.	60	56,173	19	39.3	23.0-55.6	9	17.3	05.1-29.5	15	21.9	09.6-34.2	9	10.9	02.3-19.5	5	5.9	00.0-11.8	3	4.7	00.0-10.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 3: PREVIOUSLY YOU SAID YOU WERE TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA. HOW OLD WERE YOU WHEN YOU WERE FIRST TOLD BY A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMAGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<= 10 years old			11-17 years old			18-44 years old			45-54 years old			55-64 years old			65-96+ years old		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	381	231,743	95	32.5	24.1-40.9	46	11.6	07.3-15.9	150	40.3	33.0-47.6	40	7.4	04.9-09.9	29	4.4	02.2-06.6	21	3.8	02.0-05.6
White/Non-Hisp	320	176,984	76	28.9	20.3-37.5	36	10.3	06.0-14.6	128	43.2	35.4-51.0	34	7.7	04.8-10.6	27	5.6	02.9-08.3	19	4.3	02.1-06.5
35-44	51	35,148	12	18.3	06.1-30.5	12	23.9	09.6-38.2	27	57.8	42.1-73.5									
45-54	89	55,241	24	25.3	13.7-36.9	12	10.2	02.8-17.6	40	51.7	38.4-65.0	12	11.9	04.6-19.2				1	0.9	00.0-02.7
55-64	94	44,825	19	21.7	10.7-32.7	4	2.4	00.0-05.1	42	52.2	37.9-66.5	18	17.1	08.9-25.3	11	6.5	01.8-11.2			
65+	100	32,623	16	14.4	02.6-26.2	8	4.7	00.8-08.6	29	27.7	16.3-39.1	9	5.2	01.3-09.1	18	22.6	10.8-34.4	20	25.5	14.1-36.9
Less Than H.S.	63	52,590	17	34.4	15.0-53.8	7	7.4	00.0-15.2	26	46.7	27.9-65.5	4	5.5	01.6-09.4	6	4.5	00.4-08.6	3	1.5	00.0-03.7
H.S. or G.E.D.	120	78,943	25	30.6	16.9-44.3	12	7.7	02.2-13.2	48	40.7	29.1-52.3	16	9.2	03.9-14.5	9	5.7	01.0-10.4	10	6.0	01.9-10.1
Some Post-H.S.	119	67,199	32	34.6	17.2-52.0	18	19.8	09.2-30.4	38	30.3	18.1-42.5	17	9.5	03.6-15.4	9	2.7	00.5-04.9	5	3.1	00.0-06.2
College Graduate	79	33,011	21	29.4	16.7-42.1	9	10.8	01.6-20.0	38	49.6	35.9-63.3	3	1.5	00.0-03.3	5	5.0	00.3-09.7	3	3.7	00.0-08.0
Less than \$15,000	94	45,439	21	24.5	12.3-36.7	15	17.9	07.1-28.7	42	43.5	30.0-57.0	8	9.4	03.9-14.9	7	4.1	00.4-07.8	1	0.7	00.0-02.1
\$15,000- 24,999	89	49,746	21	25.6	12.3-38.9	11	10.6	02.4-18.8	34	46.3	32.4-60.2	8	5.2	00.7-09.7	6	4.4	00.3-08.5	9	7.9	02.4-13.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	474	329,703	222	45.5	38.8-52.2	252	54.5	47.8-61.2
Male	128	130,557	51	37.8	25.6-50.0	77	62.2	50.0-74.4
Female	346	199,146	171	50.5	43.2-57.8	175	49.5	42.2-56.8
White/Non-Hisp	400	258,117	194	48.1	40.8-55.4	206	51.9	44.6-59.2
Black or Afr. Am./Non-Hisp	58	47,283	20	38.2	19.6-56.8	38	61.8	43.2-80.4
35-44	56	45,564	29	59.6	43.7-75.5	27	40.4	24.5-56.3
45-54	108	70,978	65	55.7	43.0-68.4	43	44.3	31.6-57.0
55-64	121	59,697	58	55.4	43.8-67.0	63	44.6	33.0-56.2
65+	132	63,968	43	28.3	17.7-38.9	89	71.7	61.1-82.3
Less Than H.S.	95	91,040	44	37.3	23.0-51.6	51	62.7	48.4-77.0
H.S. or G.E.D.	157	109,082	68	46.7	36.3-57.1	89	53.3	42.9-63.7
Some Post-H.S.	136	80,743	67	53.9	42.3-65.5	69	46.1	34.5-57.7
College Graduate	86	48,838	43	43.9	26.8-61.0	43	56.1	39.0-73.2
Less than \$15,000	123	71,485	64	51.7	39.4-64.0	59	48.3	36.0-60.6
\$15,000- 24,999	108	83,475	47	39.9	25.8-54.0	61	60.1	46.0-74.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	128	130,557	51	37.8	25.8-49.8	77	62.2	50.2-74.2
White/Non-Hisp	109	101,829	41	36.0	23.3-48.7	68	64.0	51.3-76.7
H.S. or G.E.D.	52	47,453	22	49.0	30.6-67.4	30	51.0	32.6-69.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK? (ASATTACK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	346	199,146	171	50.5	43.2-57.8	175	49.5	42.2-56.8
White/Non-Hisp	291	156,288	153	56.0	48.6-63.4	138	44.0	36.6-51.4
45-54	85	51,278	55	60.9	46.8-75.0	30	39.1	25.0-53.2
55-64	87	38,206	39	54.1	40.6-67.6	48	45.9	32.4-59.4
65+	96	37,261	36	36.4	22.9-49.9	60	63.6	50.1-77.1
Less Than H.S.	69	52,567	36	47.0	29.2-64.8	33	53.0	35.2-70.8
H.S. or G.E.D.	105	61,630	46	45.0	34.2-55.8	59	55.0	44.2-65.8
Some Post-H.S.	107	53,441	55	57.9	45.7-70.1	52	42.1	29.9-54.3
College Graduate	65	31,508	34	54.5	39.4-69.6	31	45.5	30.4-60.6
Less than \$15,000	95	48,030	51	56.1	42.6-69.6	44	43.9	30.4-57.4
\$15,000- 24,999	83	49,663	39	50.3	35.8-64.8	44	49.7	35.2-64.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 7: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	216	145,064	49	25.3	17.1-33.5	167	74.7	66.5-82.9
Female	167	98,289	38	23.8	15.8-31.8	129	76.2	68.2-84.2
White/Non-Hisp	188	119,273	40	21.3	13.7-28.9	148	78.7	71.1-86.3
45-54	65	39,540	15	24.7	12.4-37.0	50	75.3	63.0-87.6
55-64	56	32,124	10	18.7	04.2-33.2	46	81.3	66.8-95.8
H.S. or G.E.D.	66	49,885	13	28.0	11.5-44.5	53	72.0	55.5-88.5
Some Post-H.S.	66	43,067	19	25.6	12.3-38.9	47	74.4	61.1-87.7
Less than \$15,000	60	33,727	13	24.9	10.4-39.4	47	75.1	60.6-89.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY

TABLE 8: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 9: DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU VISIT AN EMERGENCY ROOM OR URGENT CARE CENTER BECAUSE OF YOUR ASTHMA? (ASERVIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	167	98,289	38	23.8	15.8-31.8	129	76.2	68.2-84.2
White/Non-Hisp	149	85,259	32	21.0	12.8-29.2	117	79.0	70.8-87.2
45-54	55	31,223	12	23.2	10.9-35.5	43	76.8	64.5-89.1
Some Post-H.S.	54	30,446	16	29.7	14.0-45.4	38	70.3	54.6-86.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 10: [IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM OR URGENT CARE CENTER VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	216	143,470	110	47.4	38.6-56.2	106	52.6	43.8-61.4
Male	50	46,744	24	49.7	31.1-68.3	26	50.3	31.7-68.9
Female	166	96,727	86	46.3	37.1-55.5	80	53.7	44.5-62.9
White/Non-Hisp	188	117,679	93	47.1	37.7-56.5	95	52.9	43.5-62.3
45-54	63	38,435	36	53.3	37.8-68.8	27	46.7	31.2-62.2
55-64	57	32,465	34	61.2	44.3-78.1	23	38.8	21.9-55.7
H.S. or G.E.D.	65	49,054	31	45.2	29.7-60.7	34	54.8	39.3-70.3
Some Post-H.S.	65	40,465	32	44.1	28.6-59.6	33	55.9	40.4-71.4
Less than \$15,000	63	36,301	35	63.3	47.2-79.4	28	36.7	20.6-52.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 11: [IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM OR URGENT CARE CENTER VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	50	46,744	24	49.7	31.1-68.3	26	50.3	31.7-68.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 12: [IF ONE OR MORE VISITS TO Q3, FILL IN "BESIDES THOSE EMERGENCY ROOM OR URGENT CARE CENTER VISITS,"] DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL FOR URGENT TREATMENT OF WORSENING ASTHMA SYMPTOMS? (ASDRVIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	166	96,727	86	46.3	37.3-55.3	80	53.7	44.7-62.7
White/Non-Hisp	148	83,697	72	42.2	32.4-52.0	76	57.8	48.0-67.6
45-54	53	30,119	32	57.1	41.0-73.2	21	42.9	26.8-59.0
Some Post-H.S.	54	30,513	26	38.6	23.1-54.1	28	61.4	45.9-76.9
Less than \$15,000	50	26,340	27	54.3	34.9-73.7	23	45.7	26.3-65.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

**TABLE 13. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA?
(ASRCHKUP)**

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			14-26 times in last 12 months			27-39 times in last 12 months			53-87 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	478	341,101	288	61.7	55.2-68.2	2	0.1	00.0-00.3	1	0.3	00.0-00.9	1	0.3	00.0-00.9	186	37.4	30.9-43.9
Male	129	137,086	74	60.5	47.8-73.2										55	39.5	26.8-52.2
Female	349	204,015	214	62.6	55.7-69.5	2	0.2	00.0-00.6	1	0.6	00.0-01.8	1	0.6	00.0-01.8	131	36.1	29.4-42.8
White/Non-Hisp	401	266,044	245	62.7	56.0-69.4	1	0.1	00.0-00.3	1	0.4	00.0-01.2	1	0.4	00.0-01.2	153	36.4	29.7-43.1
Black or Afr. Am./Non-Hisp	59	46,473	31	58.6	40.2-77.0	1	0.4	00.0-01.2							27	41.0	22.6-59.4
35-44	59	47,924	32	55.5	40.6-70.4	1	0.4	00.0-01.2				1	2.5	00.0-07.4	25	41.7	26.8-56.6
45-54	108	69,791	72	66.9	55.1-78.7	1	0.4	00.0-01.2							35	32.7	20.9-44.5
55-64	118	58,064	71	64.2	53.2-75.2										47	35.8	24.8-46.8
65+	131	64,378	73	54.4	42.2-66.6										58	45.6	33.4-57.8
Less Than H.S.	93	93,826	56	68.3	55.0-81.6										37	31.7	18.4-45.0
H.S. or G.E.D.	159	116,283	98	63.3	53.5-73.1				1	1.0	00.0-03.0				60	35.7	25.9-45.5
Some Post-H.S.	134	78,320	78	58.8	47.2-70.4	1	0.2	00.0-00.6				1	1.5	00.0-04.4	54	39.5	28.1-50.9
College Graduate	91	52,577	55	51.0	33.6-68.4	1	0.5	00.0-01.5							35	48.4	31.0-65.8
Less than \$15,000	120	70,904	74	60.3	48.5-72.1	1	0.3	00.0-00.9							45	39.4	27.6-51.2
\$15,000- 24,999	106	87,361	64	65.3	51.6-79.0										42	34.7	21.0-48.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

**TABLE 14. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA?
(ASRCHKUP)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that had never been told they had asthma
Denominator excludes: Respondents that do not still have asthma**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	129	137,086	74	60.5	47.6-73.4	55	39.5	26.6-52.4
White/Non-Hisp	109	104,671	63	63.3	50.8-75.8	46	36.7	24.2-49.2
H.S. or G.E.D.	54	51,868	29	57.5	40.4-74.6	25	42.5	25.4-59.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

**TABLE 15. DURING THE PAST 12 MONTHS, HOW MANY TIMES DID YOU SEE A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR A ROUTINE CHECKUP FOR YOUR ASTHMA?
(ASRCHKUP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times in last 12 months			14-26 times in last 12 months			27-39 times in last 12 months			53-87 times in last 12 months			No times in last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	349	204,015	214	62.6	55.9-69.3	2	0.2	00.0-00.6	1	0.6	00.0-01.8	1	0.6	00.0-01.8	131	36.1	29.4-42.8
White/Non-Hisp	292	161,372	182	62.3	55.0-69.6	1	0.2	00.0-00.6	1	0.7	00.0-02.1	1	0.7	00.0-02.1	107	36.1	29.0-43.2
45-54	85	50,091	58	66.3	52.8-79.8	1	0.6	00.0-01.8							26	33.2	19.7-46.7
55-64	85	36,796	50	57.9	44.4-71.4										35	42.1	28.6-55.6
65+	95	37,670	52	51.8	37.9-65.7										43	48.2	34.3-62.1
Less Than H.S.	67	51,889	41	65.5	49.4-81.6										26	34.5	18.4-50.6
H.S. or G.E.D.	105	64,415	69	68.0	57.2-78.8				1	1.7	00.0-05.0				35	30.3	19.9-40.7
Some Post-H.S.	106	52,369	61	57.9	45.7-70.1	1	0.4	00.0-01.2				1	2.3	00.0-06.6	43	39.5	27.5-51.5
College Graduate	70	35,247	42	55.3	40.8-69.8	1	0.8	00.0-02.4							27	43.9	29.2-58.6
Less than \$15,000	93	47,672	59	60.8	47.1-74.5	1	0.4	00.0-01.2							33	38.8	25.3-52.3
\$15,000- 24,999	80	49,005	47	60.9	46.4-75.4										33	39.1	24.6-53.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 16. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			31-60 Days			61-100 Days			101-366 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	447	317,542	98	25.7	19.6-31.8	27	4.7	02.5-06.9	5	2.1	00.1-04.1	3	0.5	00.0-01.3	7	0.6	00.0-01.2	307	66.4	59.9-72.9
Male	123	125,652	20	23.0	11.0-35.0	9	6.4	01.7-11.1	3	3.2	00.0-06.9	1	0.4	00.0-01.2	1	0.1	00.0-00.3	89	66.9	54.6-79.2
Female	324	191,890	78	27.6	20.9-34.3	18	3.5	01.3-05.7	2	1.4	00.0-03.4	2	0.6	00.0-01.8	6	0.9	00.1-01.7	218	66.0	59.1-72.9
White/Non-Hisp	375	248,027	82	26.4	19.5-33.3	24	5.2	02.5-07.9	3	1.6	00.0-03.4	3	0.7	00.0-01.7	7	0.7	00.1-01.3	256	65.4	58.3-72.5
Black or Afr. Am./Non-Hisp	58	46,962	14	31.8	13.6-50.0	3	4.0	00.0-09.5										41	64.2	45.6-82.8
35-44	57	46,268	13	25.4	11.9-38.9	2	2.1	00.0-05.6	3	8.1	00.0-17.1	1	0.1	00.0-00.3				38	64.2	49.5-78.9
45-54	96	63,551	28	29.6	17.4-41.8	7	6.5	00.8-12.2	1	2.5	00.0-07.2				4	0.9	00.1-01.7	56	60.6	47.7-73.5
55-64	114	56,112	29	27.1	16.5-37.7	9	9.7	01.9-17.5	1	2.6	00.0-07.5	1	0.9	00.0-02.7	2	1.2	00.0-03.0	72	58.5	46.5-70.5
65+	124	61,085	10	9.4	02.3-16.5	8	5.1	01.0-09.2							1	1.0	00.0-03.0	105	84.6	76.4-92.8
Less Than H.S.	79	82,567	21	28.8	13.5-44.1	9	7.6	01.3-13.9	1	1.8	00.0-05.3							48	61.9	45.8-78.0
H.S. or G.E.D.	150	106,299	32	29.3	18.5-40.1	10	5.1	01.4-08.8	1	1.5	00.0-04.4	1	0.5	00.0-01.5	5	1.1	00.0-02.3	101	62.6	51.8-73.4
Some Post-H.S.	131	78,355	27	23.1	13.3-32.9	8	4.0	00.3-07.7	1	1.2	00.0-03.6	1	1.5	00.0-04.4				94	70.2	59.8-80.6
College Graduate	86	50,225	17	17.3	07.3-27.3				2	5.6	00.0-13.2	1	0.1	00.0-00.3	2	1.3	00.0-03.3	64	75.7	63.2-88.2
Less than \$15,000	106	61,896	21	17.5	08.1-26.9	13	12.1	04.3-19.9	1	2.5	00.0-07.4	1	1.9	00.0-05.6	5	1.7	00.0-03.5	65	64.3	52.1-76.5
\$15,000- 24,999	103	80,685	26	33.2	18.1-48.3	7	3.9	00.0-07.8	2	3.7	00.0-08.8							68	59.1	43.6-74.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 17. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			31-60 Days			61-100 Days			101-366 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	123	125,652	20	23.0	10.8-35.2	9	6.4	01.7-11.1	3	3.2	00.0-06.7	1	0.4	00.0-01.2	1	0.1	00.0-00.3	89	66.9	54.6-79.2
White/Non-Hisp	105	98,244	18	25.0	11.5-38.5	9	8.2	02.1-14.3	2	2.5	00.0-05.6	1	0.5	00.0-01.5	1	0.1	00.0-00.3	74	63.6	50.1-77.1
H.S. or G.E.D.	50	45,939	9	29.8	10.6-49.0	2	3.0	00.0-07.5	1	3.4	00.0-10.1	1	1.1	00.0-03.3	1	0.2	00.0-00.6	36	62.5	43.3-81.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 18. DURING THE PAST 12 MONTHS, HOW MANY DAYS WERE YOU UNABLE TO WORK OR CARRY OUT YOUR USUAL ACTIVITIES BECAUSE OF YOUR ASTHMA? (ASACTLIM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01-10 Days			11-30 Days			31-60 Days			61-100 Days			101-366 Days			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	324	191,890	78	27.6	20.9-34.3	18	3.5	01.3-05.7	2	1.4	00.0-03.4	2	0.6	00.0-01.8	6	0.9	00.1-01.7	218	66.0	59.1-72.9
White/Non-Hisp	270	149,783	64	27.3	19.9-34.7	15	3.3	01.3-05.3	1	1.0	00.0-03.0	2	0.8	00.0-02.4	6	1.2	00.0-02.4	182	66.5	59.1-73.9
45-54	75	45,336	25	39.2	24.3-54.1	5	5.3	00.0-10.8							3	1.0	00.0-02.2	42	54.5	39.8-69.2
55-64	82	36,386	23	27.7	16.1-39.3	6	4.1	00.2-08.0	1	4.0	00.0-11.6				2	1.9	00.0-04.6	50	62.3	49.0-75.6
65+	89	36,033	8	10.0	01.8-18.2	5	4.1	00.2-08.0							1	1.6	00.0-04.7	75	84.3	74.9-93.7
Less Than H.S.	55	47,322	15	27.0	11.1-42.9	4	3.3	00.0-06.8	1	3.1	00.0-09.0							35	66.7	49.8-83.6
H.S. or G.E.D.	100	60,361	23	28.8	17.0-40.6	8	6.7	01.0-12.4							4	1.8	00.0-04.0	65	62.7	50.7-74.7
Some Post-H.S.	103	51,217	24	29.0	17.0-41.0	6	2.4	00.2-04.6				1	2.3	00.0-06.6				72	66.4	54.1-78.7
College Graduate	65	32,895	15	23.6	10.9-36.3				1	3.8	00.0-11.1	1	0.2	00.0-00.6	2	2.0	00.0-05.1	46	70.4	56.5-84.3
Less than \$15,000	83	43,347	18	17.9	08.1-27.7	9	9.9	02.1-17.7				1	2.7	00.0-07.8	4	2.1	00.0-04.6	51	67.4	54.7-80.1
\$15,000- 24,999	78	46,873	22	36.7	22.0-51.4	5	3.3	00.0-06.6	1	3.1	00.0-09.2							50	56.9	42.0-71.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 19. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	440	306,627	79	19.1	13.2-25.0	74	17.9	13.0-22.8	55	14.2	08.3-20.1	78	17.5	12.4-22.6	38	8.4	05.1-11.7	116	22.9	16.8-29.0
Male	117	121,836	23	15.0	05.6-24.4	21	19.2	09.4-29.0	14	15.1	02.6-27.6	22	21.0	10.8-31.2	11	9.0	03.3-14.7	26	20.7	08.5-32.9
Female	323	184,791	56	21.8	14.5-29.1	53	17.1	11.8-22.4	41	13.7	08.6-18.8	56	15.2	10.1-20.3	27	8.0	04.3-11.7	90	24.3	18.4-30.2
White/Non-Hisp	371	237,301	69	19.3	13.2-25.4	64	18.1	13.0-23.2	47	16.0	08.9-23.1	69	18.9	13.0-24.8	34	9.1	05.4-12.8	88	18.6	13.7-23.5
Black or Afr. Am./Non-Hisp	54	45,452	9	24.7	03.5-45.9	9	24.4	06.0-42.8	6	10.9	00.0-22.5	6	8.8	01.0-16.6	3	6.5	00.0-14.9	21	24.6	10.9-38.3
35-44	53	42,909	5	13.9	00.2-27.6	9	20.6	07.3-33.9	6	12.2	02.0-22.4	10	19.0	06.7-31.3	6	12.9	01.9-23.9	17	21.3	10.3-32.3
45-54	102	64,580	21	21.6	11.6-31.6	14	11.4	04.1-18.7	12	18.4	06.1-30.7	17	15.3	06.7-23.9	10	7.3	01.2-13.4	28	25.9	14.7-37.1
55-64	114	56,991	28	18.9	10.7-27.1	21	21.9	12.1-31.7	18	12.1	04.7-19.5	20	23.4	11.4-35.4	8	10.9	02.1-19.7	19	12.9	06.8-19.0
65+	119	60,250	14	11.8	04.7-18.9	17	11.2	04.3-18.1	12	11.1	03.1-19.1	24	24.2	12.0-36.4	9	6.1	01.4-10.8	43	35.6	23.4-47.8
Less Than H.S.	88	83,911	15	23.6	07.3-39.9	12	9.9	02.5-17.3	13	19.9	03.2-36.6	19	20.9	08.9-32.9	9	8.0	01.5-14.5	20	17.7	07.1-28.3
H.S. or G.E.D.	140	98,918	22	16.3	08.5-24.1	31	27.8	17.2-38.4	15	9.1	03.8-14.4	29	20.5	11.1-29.9	9	5.0	01.1-08.9	34	21.3	12.7-29.9
Some Post-H.S.	128	74,183	26	19.8	11.2-28.4	20	17.1	08.1-26.1	18	18.6	07.6-29.6	19	13.8	06.4-21.2	13	13.6	05.4-21.8	32	17.0	09.4-24.6
College Graduate	84	49,615	16	15.7	06.3-25.1	11	12.9	03.3-22.5	9	8.2	01.5-14.9	11	11.2	02.4-20.0	7	8.1	01.0-15.2	30	43.8	24.6-63.0
Less than \$15,000	115	66,648	21	16.6	08.0-25.2	15	14.4	05.6-23.2	18	18.8	09.2-28.4	31	30.1	17.6-42.6	10	6.0	00.3-11.7	20	14.1	05.7-22.5
\$15,000- 24,999	101	76,628	18	18.8	05.5-32.1	20	16.1	06.9-25.3	10	17.3	00.0-34.7	18	18.9	07.7-30.1	13	13.1	04.7-21.5	22	15.7	05.7-25.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 20. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	117	121,836	23	15.0	05.6-24.4	21	19.2	09.6-28.8	14	15.1	02.6-27.6	22	21.0	10.6-31.4	11	9.0	03.7-14.3	26	20.7	08.4-33.0
White/Non-Hisp	100	93,589	20	15.6	04.4-26.8	19	18.2	08.8-27.6	13	19.4	03.7-35.1	19	23.2	11.4-35.0	10	10.5	04.2-16.8	19	13.2	05.6-20.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 21. SYMPTOMS OF ASTHMA INCLUDE COUGH, WHEEZING, SHORTNESS OF BREATH, CHEST TIGHTNESS AND PHLEGM PRODUCTION WHEN YOU DON'T HAVE A COLD OR RESPIRATORY INFECTION. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU HAVE ANY SYMPTOMS OF ASTHMA? (ASYMPTOM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< Once Week			Once or Twice a Week			More Than 2 Times per Week, Not Everyday			Every Day, But Not All the Time			Every Day All the Time			Not at Any Time		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	323	184,791	56	21.8	14.7-28.9	53	17.1	11.8-22.4	41	13.7	08.6-18.8	56	15.2	10.1-20.3	27	8.0	04.3-11.7	90	24.3	18.4-30.2
White/Non-Hisp	271	143,712	49	21.8	15.5-28.1	45	17.9	12.0-23.8	34	13.9	08.4-19.4	50	16.1	10.0-22.2	24	8.2	04.1-12.3	69	22.2	16.3-28.1
45-54	79	44,880	14	20.3	08.7-31.9	13	15.8	05.8-25.8	10	18.0	06.0-30.0	11	10.6	03.5-17.7	10	10.6	02.2-19.0	21	24.8	12.8-36.8
55-64	83	36,922	20	24.4	12.8-36.0	14	16.9	07.1-26.7	13	12.7	03.5-21.9	17	27.4	12.5-42.3	3	1.2	00.0-02.6	16	17.5	08.9-26.1
65+	86	34,663	10	12.4	03.8-21.0	12	14.2	03.8-24.6	8	10.8	01.0-20.6	16	16.4	04.6-28.2	6	5.7	00.2-11.2	34	40.5	26.6-54.4
Less Than H.S.	62	45,438	10	24.7	03.5-45.9	8	9.3	01.3-17.3	10	16.1	03.0-29.2	14	23.7	08.0-39.4	5	5.5	00.0-12.0	15	20.7	07.2-34.2
H.S. or G.E.D.	94	54,161	12	16.8	08.6-25.0	19	21.4	11.2-31.6	12	14.1	05.7-22.5	17	11.8	04.9-18.7	8	8.5	01.6-15.4	26	27.3	16.5-38.1
Some Post-H.S.	104	52,907	21	25.5	14.7-36.3	18	19.5	08.9-30.1	13	13.2	04.2-22.2	15	13.0	05.2-20.8	9	10.4	01.8-19.0	28	18.4	10.6-26.2
College Graduate	63	32,285	13	19.6	07.8-31.4	8	17.0	04.3-29.7	6	10.2	01.2-19.2	10	12.4	02.8-22.0	5	6.6	00.0-13.3	21	34.2	20.1-48.3
Less than \$15,000	90	44,754	12	14.5	04.5-24.5	13	14.2	05.0-23.4	15	23.2	10.9-35.5	26	31.7	17.2-46.2	8	2.9	00.7-05.1	16	13.5	04.1-22.9
\$15,000- 24,999	77	44,732	15	19.6	08.6-30.6	15	19.4	07.4-31.4	6	9.0	00.0-19.2	13	16.5	06.7-26.3	9	16.0	04.6-27.4	19	19.6	08.2-31.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 22. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY— (ASNOSLEP)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days			More Than 10 days			No days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	325	240,059	61	18.4	12.7-24.1	31	9.1	05.2-13.0	16	7.5	02.2-12.8	22	5.1	02.2-08.0	50	13.6	08.7-18.5	145	46.3	38.3-54.3
Male	89	96,041	17	16.8	07.6-26.0	6	8.3	00.7-15.9	8	15.4	03.1-27.7	5	3.6	00.0-07.3	14	14.4	05.0-23.8	39	41.5	26.4-56.6
Female	236	144,019	44	19.5	12.6-26.4	25	9.5	05.2-13.8	8	2.3	00.3-04.3	17	6.1	01.8-10.4	36	13.1	08.0-18.2	106	49.5	40.7-58.3
White/Non-Hisp	283	195,496	53	18.9	12.6-25.2	27	9.5	05.0-14.0	15	9.0	02.5-15.5	19	5.3	02.0-08.6	40	11.7	06.8-16.6	129	45.6	37.0-54.2
45-54	72	49,311	14	17.6	06.2-29.0	8	8.8	01.4-16.2	4	3.4	00.0-06.9	3	3.8	00.0-08.5	22	37.9	22.2-53.6	21	28.6	14.7-42.5
55-64	93	47,682	19	22.9	10.9-34.9	9	10.5	02.7-18.3	2	2.6	00.0-07.1	10	13.3	01.7-24.9	13	10.7	03.6-17.8	40	40.0	27.8-52.2
65+	78	39,333	11	13.7	03.9-23.5	7	15.7	00.6-30.8	3	3.4	00.0-08.5	5	3.1	00.0-06.2	7	8.8	01.9-15.7	45	55.3	39.4-71.2
Less Than H.S.	65	67,522	9	8.9	00.3-17.5	8	12.8	01.8-23.8	6	14.0	00.0-29.3	9	9.6	00.6-18.6	10	9.5	02.2-16.8	23	45.3	24.9-65.7
H.S. or G.E.D.	109	83,325	24	24.0	13.8-34.2	12	8.8	03.1-14.5	4	7.8	00.0-15.8	6	3.2	00.3-06.1	16	12.4	05.3-19.5	47	43.8	31.5-56.1
Some Post-H.S.	98	61,368	19	21.5	10.1-32.9	7	5.8	00.5-11.1	5	3.3	00.0-07.0	5	2.1	00.0-04.3	15	17.9	05.9-29.9	47	49.5	36.4-62.6
College Graduate	53	27,844	9	17.8	05.5-30.1	4	8.0	00.0-17.2	1	0.5	00.0-01.5	2	6.5	00.0-15.7	9	17.8	04.5-31.1	28	49.4	32.7-66.1
Less than \$15,000	91	54,252	12	10.2	03.1-17.3	13	18.7	06.5-30.9	2	5.8	00.0-14.0	6	7.0	00.0-16.4	25	28.6	16.8-40.4	33	29.7	17.9-41.5
\$15,000- 24,999	79	66,229	17	21.9	09.4-34.4	9	10.2	02.8-17.6	7	16.9	00.6-33.2	7	4.0	00.7-07.3	9	7.9	01.8-14.0	30	39.1	20.5-57.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 23. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY— (ASNOSLEP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days			More Than 10 days			No days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	89	96,041	17	16.8	07.8-25.8	6	8.3	00.7-15.9	8	15.4	02.9-27.9	5	3.6	00.0-07.3	14	14.4	05.0-23.8	39	41.5	26.2-56.8
White/Non-Hisp	78	80,402	14	16.8	06.8-26.8	6	10.0	00.8-19.2	8	18.4	03.7-33.1	5	4.3	00.0-08.8	11	13.1	03.1-23.1	34	37.4	20.7-54.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 24. DURING THE PAST 30 DAYS, HOW MANY DAYS DID SYMPTOMS OF ASTHMA MAKE IT DIFFICULT FOR YOU TO STAY ASLEEP? WOULD YOU SAY— (ASNOSLEP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Denominator excludes: Respondents not reporting symptoms of asthma in the past 30 days

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 or 2 days			3 to 4 days			5 days			6 to 10 days			More Than 10 days			No days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	236	144,019	44	19.5	12.8-26.2	25	9.5	05.2-13.8	8	2.3	00.3-04.3	17	6.1	01.8-10.4	36	13.1	08.0-18.2	106	49.5	40.9-58.1
White/Non-Hisp	205	115,095	39	20.3	13.0-27.6	21	9.2	04.7-13.7	7	2.5	00.1-04.9	14	6.1	01.2-11.0	29	10.6	06.1-15.1	95	51.3	42.7-59.9
45-54	57	35,489	11	20.1	06.6-33.6	7	11.2	01.4-21.0	3	2.9	00.0-06.2	2	2.4	00.0-05.7	16	28.6	14.3-42.9	18	35.0	18.3-51.7
55-64	67	30,103	12	17.3	04.8-29.8	7	10.3	01.9-18.7	1	0.5	00.0-01.5	9	16.4	00.5-32.3	10	10.3	02.9-17.7	28	45.2	30.3-60.1
65+	54	21,032	9	15.6	03.3-27.9	5	8.3	00.0-18.1	2	5.1	00.0-14.1	2	0.9	00.0-02.3	5	11.1	00.9-21.3	31	58.9	40.7-77.1
H.S. or G.E.D.	71	43,746	14	22.4	10.2-34.6	11	15.6	06.0-25.2	1	2.1	00.0-06.2	2	1.4	00.0-03.4	12	15.1	05.3-24.9	31	43.4	30.9-55.9
Some Post-H.S.	77	42,656	17	25.4	12.3-38.5	6	5.2	00.3-10.1	4	2.3	00.0-05.0	5	3.0	00.0-06.1	9	9.4	02.5-16.3	36	54.7	40.6-68.8
Less than \$15,000	72	37,402	10	9.4	02.1-16.7	9	13.0	03.8-22.2	1	2.7	00.0-07.8	5	9.2	00.0-22.3	19	28.1	15.0-41.2	28	37.6	23.1-52.1
\$15,000- 24,999	58	37,634	16	36.7	20.0-53.4	7	10.6	02.8-18.4	2	0.8	00.0-02.0	5	5.2	00.3-10.1	6	10.3	01.1-19.5	22	36.4	21.1-51.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 25. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01 to 14 Days			15-24 Days			25-30 Days			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	444	312,907	92	21.9	15.8-28.0	16	2.3	00.9-03.7	181	38.0	31.5-44.5	155	37.8	30.7-44.9
Male	117	122,862	17	17.2	05.2-29.2	5	1.9	00.0-04.1	53	41.7	28.8-54.6	42	39.2	25.3-53.1
Female	327	190,045	75	24.9	18.6-31.2	11	2.6	00.6-04.6	128	35.7	28.8-42.6	113	36.9	29.5-44.3
White/Non-Hisp	373	242,661	78	22.9	16.0-29.8	15	2.6	00.8-04.4	153	38.6	31.5-45.7	127	36.0	28.7-43.3
Black or Afr. Am./Non-Hisp	55	46,303	12	21.3	07.0-35.6	1	2.2	00.0-06.5	20	37.3	18.5-56.1	22	39.2	18.6-59.8
35-44	54	43,699	10	15.3	04.7-25.9	1	2.3	00.0-06.8	21	41.5	25.0-58.0	22	40.9	24.0-57.8
45-54	98	65,489	19	22.2	11.0-33.4	3	1.5	00.0-03.5	49	54.8	41.7-67.9	27	21.5	11.7-31.3
55-64	115	58,213	17	15.2	07.4-23.0	7	5.6	00.1-11.1	53	48.4	36.4-60.4	38	30.7	19.9-41.5
65+	123	60,506	28	22.7	12.3-33.1	5	3.2	00.0-06.5	46	33.7	22.1-45.3	44	40.3	27.6-53.0
Less Than H.S.	85	84,191	18	24.2	07.5-40.9	2	0.2	00.0-00.6	34	34.9	20.6-49.2	31	40.8	23.7-57.9
H.S. or G.E.D.	146	103,605	34	22.3	14.1-30.5	8	3.5	00.4-06.6	50	36.1	25.3-46.9	54	38.1	27.5-48.7
Some Post-H.S.	129	75,203	23	21.0	11.6-30.4	3	2.2	00.0-04.7	63	48.9	37.1-60.7	40	27.9	17.9-37.9
College Graduate	84	49,908	17	18.5	07.7-29.3	3	3.6	00.0-08.3	34	30.9	17.2-44.6	30	47.0	28.4-65.6
Less than \$15,000	117	69,623	21	18.1	09.5-26.7	3	0.4	00.0-00.8	56	46.7	34.2-59.2	37	34.8	22.5-47.1
\$15,000- 24,999	103	78,873	26	37.3	20.6-54.0	3	0.7	00.0-01.7	35	26.6	15.4-37.8	39	35.4	20.1-50.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 26. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01 to 14 Days			15-24 Days			25-30 Days			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	117	122,862	17	17.2	05.0-29.4	5	1.9	00.0-04.1	53	41.7	29.0-54.4	42	39.2	24.9-53.5
White/Non-Hisp	99	94,302	16	20.2	05.5-34.9	5	2.5	00.0-05.2	45	41.8	28.7-54.9	33	35.5	21.0-50.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 27. DURING THE PAST 30 DAYS, HOW MANY DAYS DID YOU TAKE A PRESCRIPTION ASTHMA MEDICATION TO PREVENT AN ASTHMA ATTACK FROM OCCURRING? (ASTHMED3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		01 to 14 Days			15-24 Days			25-30 Days			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	327	190,045	75	24.9	18.6-31.2	11	2.6	00.6-04.6	128	35.7	29.0-42.4	113	36.9	29.6-44.2
White/Non-Hisp	274	148,360	62	24.6	17.9-31.3	10	2.6	00.4-04.8	108	36.6	29.2-44.0	94	36.3	29.0-43.6
45-54	76	46,036	19	31.5	17.0-46.0	3	2.1	00.0-05.0	35	46.8	32.1-61.5	19	19.6	09.0-30.2
55-64	84	37,230	15	18.2	08.2-28.2	4	5.2	00.0-11.9	38	44.1	30.0-58.2	27	32.5	19.4-45.6
65+	89	34,560	18	18.2	07.4-29.0	3	2.7	00.0-06.8	33	35.5	21.6-49.4	35	43.6	29.7-57.5
Less Than H.S.	59	45,719	14	20.8	06.3-35.3	2	0.4	00.0-01.0	23	43.7	24.5-62.9	20	35.1	14.3-55.9
H.S. or G.E.D.	101	58,929	27	27.9	17.5-38.3	5	3.5	00.0-07.6	31	29.7	18.7-40.7	38	38.9	27.9-49.9
Some Post-H.S.	103	52,655	20	25.4	13.8-37.0	3	3.1	00.0-06.8	48	38.2	26.4-50.0	32	33.3	21.3-45.3
College Graduate	64	32,742	14	24.3	11.0-37.6	1	3.1	00.0-09.2	26	31.1	18.0-44.2	23	41.5	26.4-56.6
Less than \$15,000	92	46,852	20	24.6	13.0-36.2	3	0.6	00.0-01.2	41	42.9	28.6-57.2	28	31.9	18.8-45.0
\$15,000- 24,999	79	46,977	20	35.0	20.3-49.7	3	1.1	00.0-02.5	26	31.9	18.6-45.2	30	32.0	19.1-44.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

**TABLE 28. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-14 times			15-29 times			30-59 times			60-99 times			100+ times			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	438	307,804	171	43.3	36.0-50.6	39	7.7	04.4-11.0	40	7.5	04.6-10.4	8	1.5	00.0-03.1	5	0.5	00.0-01.1	175	39.3	32.2-46.4
Male	117	122,219	50	44.8	30.9-58.7	5	2.0	00.0-04.2	15	11.5	04.8-18.2	2	2.4	00.0-05.9				45	39.2	25.3-53.1
Female	321	185,585	121	42.4	34.8-50.0	34	11.5	06.4-16.6	25	4.9	02.5-07.3	6	0.9	00.1-01.7	5	0.9	00.1-01.7	130	39.4	32.1-46.7
White/Non-Hisp	367	237,428	142	41.7	34.1-49.3	36	9.5	05.4-13.6	35	9.0	05.3-12.7	7	1.1	00.1-02.1	5	0.7	00.1-01.3	142	38.0	30.7-45.3
Black or Afr. Am./Non-Hisp	55	46,434	22	58.1	39.7-76.5	3	2.9	00.0-06.8	4	2.9	00.0-06.2							26	36.1	18.7-53.5
35-44	54	42,683	21	44.3	27.4-61.2	2	1.5	00.0-03.9	5	8.1	00.7-15.5	1	2.2	00.0-06.5				25	43.9	27.0-60.8
45-54	100	66,421	39	42.8	29.3-56.3	9	11.3	02.5-20.1	10	6.5	01.2-11.8	3	3.7	00.0-09.6	5	2.4	00.0-04.9	34	33.2	21.2-45.2
55-64	114	57,698	47	44.5	32.5-56.5	14	15.9	05.3-26.5	10	12.8	04.2-21.4	2	1.2	00.0-02.8				41	25.5	16.3-34.7
65+	117	58,022	39	34.2	21.5-46.9	11	8.9	01.3-16.5	13	9.8	03.3-16.3	2	1.1	00.0-02.7				52	46.1	33.4-58.8
Less Than H.S.	84	84,398	34	47.5	30.3-64.7	8	12.0	02.0-22.0	11	7.3	01.4-13.2	2	0.6	00.0-01.6	1	0.6	00.0-01.8	28	32.0	16.7-47.3
H.S. or G.E.D.	143	99,770	54	38.6	27.8-49.4	12	6.7	02.4-11.0	10	6.1	01.4-10.8	3	0.8	00.0-01.6	3	0.8	00.0-02.0	61	47.0	36.0-58.0
Some Post-H.S.	129	74,822	50	49.6	37.8-61.4	16	8.6	03.5-13.7	13	12.0	04.2-19.8	2	4.0	00.0-09.7				48	25.8	16.8-34.8
College Graduate	82	48,814	33	36.3	20.8-51.8	3	1.2	00.0-03.0	6	3.8	00.3-07.3	1	0.8	00.0-02.4	1	0.6	00.0-01.8	38	57.3	40.6-74.0
Less than \$15,000	115	68,897	40	32.5	20.5-44.5	16	17.2	06.8-27.6	15	11.7	04.3-19.1	1	0.4	00.0-01.2	3	1.2	00.0-02.8	40	37.0	24.8-49.2
\$15,000- 24,999	100	76,029	45	55.3	39.2-71.4	8	4.7	00.6-08.8	10	6.8	01.7-11.9				1	0.7	00.0-02.1	36	32.4	16.9-47.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

TABLE 29. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-14 times			15-29 times			30-59 times			60-99 times			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	117	122,219	50	44.8	30.7-58.9	5	2.0	00.0-04.2	15	11.5	05.0-18.0	2	2.4	00.0-05.7	45	39.2	24.9-53.5
White/Non-Hisp	99	93,659	43	45.9	30.6-61.2	4	2.3	00.0-05.0	15	15.0	06.6-23.4	1	1.0	00.8-01.2	36	35.9	21.6-50.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 9 : ADULT ASTHMA HISTORY**

**TABLE 30. DURING THE PAST 30 DAYS, HOW OFTEN DID YOU USE A PRESCRIPTION ASTHMA INHALER DURING AN ASTHMA ATTACK TO STOP IT? (ASINHALR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-14 times			15-29 times			30-59 times			60-99 times			100+ times			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	321	185,585	121	42.4	34.8-50.0	34	11.5	06.4-16.6	25	4.9	02.5-07.3	6	0.9	00.1-01.7	5	0.9	00.1-01.7	130	39.4	32.3-46.5
White/Non-Hisp	268	143,769	99	39.0	31.4-46.6	32	14.1	07.8-20.4	20	5.1	02.4-07.8	6	1.2	00.2-02.2	5	1.1	00.0-02.3	106	39.4	32.0-46.8
45-54	79	47,528	30	40.8	26.3-55.3	9	15.8	03.8-27.8	7	4.5	00.4-08.6	2	0.9	00.5-01.3	5	3.4	00.1-06.7	26	34.5	21.0-48.0
55-64	83	36,715	33	41.3	27.2-55.4	12	21.9	07.2-36.6	4	2.8	00.0-05.7	2	1.8	00.0-04.3				32	32.2	19.9-44.5
65+	83	32,401	24	27.1	14.2-40.0	9	12.8	00.5-25.1	9	9.2	02.1-16.3	2	1.9	00.0-04.6				39	49.0	34.9-63.1
Less Than H.S.	58	45,925	23	45.7	25.5-65.9	6	18.2	01.9-34.5	7	4.5	00.2-08.8	2	1.1	00.0-02.7	1	1.1	00.0-03.3	19	29.3	13.6-45.0
H.S. or G.E.D.	98	55,737	34	34.6	23.4-45.8	11	11.5	04.4-18.6	5	3.9	00.0-07.8	3	1.5	00.1-02.9	3	1.5	00.0-03.5	42	47.0	35.4-58.6
Some Post-H.S.	103	52,274	40	49.4	36.9-61.9	15	11.6	04.7-18.5	8	6.8	01.3-12.3							40	32.2	21.0-43.4
College Graduate	62	31,649	24	39.7	24.8-54.6	2	1.5	00.0-04.0	5	3.9	00.2-07.6	1	1.2	00.0-03.6	1	0.9	00.0-02.7	29	52.8	37.5-68.1
Less than \$15,000	90	46,442	31	32.0	19.1-44.9	14	22.5	08.8-36.2	10	7.6	01.9-13.3	1	0.6	00.0-01.8	3	1.8	00.0-04.2	31	35.6	21.9-49.3
\$15,000- 24,999	76	44,134	35	59.3	45.4-73.2	7	6.4	02.1-10.7	6	6.6	00.1-13.1				1	1.2	00.0-03.6	27	26.5	14.2-38.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 18: SOCIAL CONTEXT CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)	
1	MALES AND FEMALES	104
2	MALES ONLY	105
3	FEMALES ONLY	106
	HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)	
4	MALES AND FEMALES	107
5	MALES ONLY	108
6	FEMALES ONLY	109
	AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)	
7	MALES AND FEMALES	110
8	MALES ONLY	111
9	FEMALES ONLY	112
	ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)	
10	MALES AND FEMALES	113
11	MALES ONLY	114
12	FEMALES ONLY	115
	THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)	
13	MALES AND FEMALES	116
14	MALES ONLY	117
15	FEMALES ONLY	118

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012

MODULE 18: SOCIAL CONTEXT CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)	
16	MALES AND FEMALES	119
17	MALES ONLY	120
18	FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 1: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely		Never		N.A.				
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5648	3,899,779	753	14.1	12.9-15.3	185	4.3	03.5-05.1	754	15.3	13.9-16.7	567	12.1	10.7-13.5	3053	49.4	47.6-51.2	336	4.8	04.0-05.6
Male	1993	1,820,319	231	12.8	10.8-14.8	56	3.7	02.3-05.1	221	13.6	11.4-15.8	190	11.7	09.5-13.9	1197	53.8	50.9-56.7	98	4.4	03.0-05.8
Female	3655	2,079,460	522	15.3	13.7-16.9	129	4.7	03.7-05.7	533	16.8	15.0-18.6	377	12.4	10.8-14.0	1856	45.6	43.4-47.8	238	5.1	04.1-06.1
White/Non-Hisp	4738	3,072,079	590	13.4	12.0-14.8	151	4.1	03.3-04.9	564	13.5	12.1-14.9	465	11.8	10.4-13.2	2675	52.2	50.2-54.2	293	5.0	04.2-05.8
Black or Afr. Am./Non-Hisp	718	580,526	140	19.7	15.8-23.6	25	4.2	01.8-06.6	152	20.7	16.6-24.8	80	12.8	09.1-16.5	292	39.2	34.3-44.1	29	3.5	00.8-06.2
Oth. Race/Non-Hisp.	69	82,520	9	11.0	02.6-19.4	7	14.1	02.9-25.3	11	27.6	12.9-42.3	7	13.2	02.8-23.6	28	27.6	16.0-39.2	7	6.5	00.0-13.4
18-24	171	350,279	27	12.5	07.2-17.8	16	8.9	04.4-13.4	36	19.1	12.4-25.8	23	15.4	08.5-22.3	63	41.2	32.2-50.2	6	2.9	00.0-06.0
25-34	479	601,444	73	14.5	11.0-18.0	24	6.0	03.1-08.9	101	21.1	16.8-25.4	85	17.0	13.1-20.9	190	40.1	35.0-45.2	6	1.4	00.0-02.8
35-44	670	680,459	125	16.5	13.0-20.0	29	4.5	02.3-06.7	119	18.8	15.1-22.5	104	16.0	12.3-19.7	274	41.2	36.5-45.9	19	3.1	01.3-04.9
45-54	1051	773,600	219	20.2	17.1-23.3	46	4.5	03.1-05.9	170	15.7	13.0-18.4	118	12.4	09.9-14.9	469	43.7	39.8-47.6	29	3.6	01.4-05.8
55-64	1338	695,186	187	14.6	12.1-17.1	43	3.0	01.8-04.2	171	12.6	10.2-15.0	129	10.0	07.8-12.2	741	54.8	51.3-58.3	67	4.9	03.5-06.3
65+	1911	781,435	121	6.5	04.9-08.1	26	1.5	00.7-02.3	155	8.3	06.5-10.1	105	5.0	03.8-06.2	1296	67.9	65.0-70.8	208	10.8	08.8-12.8
Less Than H.S.	699	631,231	169	24.7	20.2-29.2	16	3.9	01.2-06.6	125	18.3	14.0-22.6	34	8.6	04.7-12.5	310	37.7	32.6-42.8	45	6.7	03.6-09.8
H.S. or G.E.D.	1832	1,269,592	291	15.2	13.0-17.4	69	5.0	03.4-06.6	266	16.5	14.1-18.9	175	11.9	09.7-14.1	918	46.0	42.9-49.1	113	5.4	04.0-06.8
Some Post-H.S.	1565	1,130,090	193	12.8	10.6-15.0	65	4.9	03.3-06.5	228	16.6	14.1-19.1	183	13.4	11.0-15.8	802	48.6	45.1-52.1	94	3.7	02.7-04.7
College Graduate	1548	865,454	100	6.7	04.9-08.5	35	2.6	01.4-03.8	133	9.6	07.6-11.6	175	13.2	10.8-15.6	1022	64.0	60.7-67.3	83	3.9	02.7-05.1
Less than \$15,000	644	372,887	209	36.4	30.9-41.9	20	3.4	01.4-05.4	120	18.6	14.3-22.9	25	5.6	02.5-08.7	229	29.5	24.6-34.4	41	6.5	03.4-09.6
\$15,000- 24,999	1075	732,086	238	24.7	21.0-28.4	56	7.0	04.6-09.4	191	20.0	16.5-23.5	97	10.2	06.9-13.5	424	32.3	28.4-36.2	69	5.7	03.2-08.2
\$25,000- 34,999	569	388,083	59	12.7	08.6-16.8	19	5.2	02.3-08.1	84	18.5	13.8-23.2	55	11.1	07.4-14.8	315	48.2	42.5-53.9	37	4.3	02.5-06.1
\$35,000- 49,999	669	517,759	55	9.0	06.3-11.7	22	4.4	01.9-06.9	100	17.5	13.6-21.4	85	14.4	10.9-17.9	374	51.6	46.5-56.7	33	3.1	01.7-04.5
\$50,000- 74,999	622	482,074	25	3.9	01.9-05.9	17	3.4	01.4-05.4	76	14.8	10.9-18.7	87	14.8	11.3-18.3	390	59.8	54.9-64.7	27	3.3	01.7-04.9
\$75,000+	849	659,286	27	3.1	01.5-04.7	17	2.5	00.9-04.1	54	6.5	04.3-08.7	125	17.4	13.9-20.9	606	69.0	64.9-73.1	20	1.4	00.6-02.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 2: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never		N.A.		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	%	C.I. (95%)	
Male	1993	1,820,319	231	12.8	10.8-14.8	56	3.7	02.3-05.1	221	13.6	11.4-15.8	190	11.7	09.5-13.9	1197	53.8	50.9-56.7	98	4.4	03.0-05.8
White/Non-Hisp	1694	1,436,713	187	12.3	10.1-14.5	45	3.4	02.0-04.8	178	12.3	10.1-14.5	155	11.4	09.2-13.6	1041	56.0	52.9-59.1	88	4.5	03.3-05.7
Black or Afr. Am./Non-Hisp	218	248,033	34	16.1	09.8-22.4	7	4.9	00.2-09.6	29	14.1	08.4-19.8	28	15.3	08.6-22.0	115	46.0	37.4-54.6	5	3.6	00.0-09.5
18-24	63	161,895	9	10.0	03.1-16.9	3	4.7	00.0-10.2	13	18.2	08.4-28.0	11	21.8	09.3-34.3	26	42.7	28.6-56.8	1	2.7	00.0-08.0
25-34	181	278,613	27	12.1	07.2-17.0	11	8.1	02.6-13.6	33	19.8	12.9-26.7	25	13.2	07.7-18.7	84	46.6	38.2-55.0	1	0.2	00.0-00.6
35-44	239	339,792	38	14.9	09.6-20.2	6	3.9	00.4-07.4	39	17.7	12.0-23.4	40	15.6	10.1-21.1	110	44.6	37.2-52.0	6	3.4	00.5-06.3
45-54	402	375,602	59	17.6	12.7-22.5	15	3.3	01.3-05.3	58	12.9	08.8-17.0	43	11.0	07.5-14.5	213	50.3	44.0-56.6	14	4.9	00.6-09.2
55-64	495	324,674	70	15.3	11.0-19.6	15	2.4	00.8-04.0	49	11.3	07.6-15.0	45	9.7	06.4-13.0	297	56.8	51.1-62.5	19	4.4	02.0-06.8
65+	610	337,352	28	5.0	02.3-07.7	6	1.1	00.0-02.3	29	5.3	02.9-07.7	26	4.7	02.3-07.1	464	74.9	70.2-79.6	57	9.0	06.3-11.7
Less Than H.S.	206	283,974	43	22.3	14.9-29.7	8	5.7	00.6-10.8	27	14.8	08.1-21.5	13	10.9	03.6-18.2	101	38.5	29.9-47.1	14	7.8	01.9-13.7
H.S. or G.E.D.	644	596,283	103	15.0	11.5-18.5	27	3.9	01.9-05.9	78	14.4	10.9-17.9	65	12.9	09.4-16.4	337	48.9	43.8-54.0	34	4.9	02.5-07.3
Some Post-H.S.	558	522,378	55	10.2	07.1-13.3	12	3.0	00.8-05.2	80	17.3	13.2-21.4	57	10.8	07.5-14.1	333	56.2	50.7-61.7	21	2.5	01.1-03.9
College Graduate	583	414,779	30	6.6	03.7-09.5	9	2.9	00.7-05.1	35	6.8	03.9-09.7	55	11.9	08.2-15.6	425	68.1	63.0-73.2	29	3.7	02.1-05.3
Less than \$15,000	158	146,769	58	36.6	26.4-46.8	4	1.8	00.0-04.2	25	15.2	07.8-22.6	5	5.8	00.0-12.1	60	31.9	22.3-41.5	6	8.7	01.4-16.0
\$15,000- 24,999	343	338,128	74	23.4	17.3-29.5	23	7.2	03.3-11.1	57	20.6	14.3-26.9	26	11.5	05.4-17.6	142	30.7	24.4-37.0	21	6.5	01.6-11.4
\$25,000- 34,999	214	175,123	18	10.1	04.0-16.2	7	6.7	01.0-12.4	21	13.1	06.2-20.0	18	12.1	05.4-18.8	137	54.0	44.6-63.4	13	3.9	01.4-06.4
\$35,000- 49,999	269	259,436	17	7.6	03.7-11.5	4	2.5	00.0-06.2	34	14.2	08.9-19.5	31	12.0	07.3-16.7	171	61.4	54.0-68.8	12	2.4	00.8-04.0
\$50,000- 74,999	272	245,321	10	3.1	00.6-05.6	5	3.5	00.4-06.6	29	14.3	08.6-20.0	30	12.8	07.9-17.7	190	64.0	56.7-71.3	8	2.3	00.3-04.3
\$75,000+	370	353,747	11	3.1	00.7-05.5	6	2.8	00.1-05.5	22	7.2	03.7-10.7	48	14.0	09.5-18.5	278	72.1	66.2-78.0	5	0.8	00.0-01.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 3: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO PAY YOUR RENT/MORTGAGE? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMONY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always		Usually			Sometimes			Rarely		Never		N.A.	
	TOTAL	WEIGHTED	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)	N	% C.I. (95%)
Female	3655	2,079,460	522	15.3 13.7-16.9	129	4.7 03.7-05.7	533	16.8 15.0-18.6	377	12.4 10.8-14.0	1856	45.6 43.4-47.8	238	5.1 04.1-06.1		
White/Non-Hisp	3044	1,635,366	403	14.2 12.4-16.0	106	4.8 03.6-06.0	386	14.5 12.7-16.3	310	12.2 10.4-14.0	1634	48.8 46.4-51.2	205	5.4 04.4-06.4		
Black or Afr. Am./Non-Hisp	500	332,494	106	22.3 17.4-27.2	18	3.6 01.6-05.6	123	25.6 19.9-31.3	52	11.0 07.1-14.9	177	34.2 28.5-39.9	24	3.3 01.7-04.9		
18-24	108	188,384	18	14.7 07.1-22.3	13	12.5 05.4-19.6	23	19.9 11.1-28.7	12	9.9 03.6-16.2	37	39.9 28.3-51.5	5	3.1 00.0-06.8		
25-34	298	322,831	46	16.5 11.4-21.6	13	4.3 01.6-07.0	68	22.2 16.7-27.7	60	20.3 14.8-25.8	106	34.4 28.1-40.7	5	2.3 00.0-04.7		
35-44	431	340,667	87	18.0 13.7-22.3	23	5.0 02.8-07.2	80	19.9 15.0-24.8	64	16.4 11.7-21.1	164	37.8 32.1-43.5	13	2.8 01.0-04.6		
45-54	649	397,998	160	22.6 18.5-26.7	31	5.5 03.3-07.7	112	18.3 14.4-22.2	75	13.8 10.1-17.5	256	37.5 33.0-42.0	15	2.3 01.1-03.5		
55-64	843	370,512	117	14.1 11.2-17.0	28	3.6 01.8-05.4	122	13.8 10.9-16.7	84	10.3 07.8-12.8	444	53.0 48.7-57.3	48	5.3 03.5-07.1		
65+	1301	444,084	93	7.6 05.6-09.6	20	1.8 00.6-03.0	126	10.6 08.2-13.0	79	5.2 03.8-06.6	832	62.6 59.1-66.1	151	12.2 09.7-14.7		
Less Than H.S.	493	347,257	126	26.8 21.1-32.5	8	2.5 00.1-04.9	98	21.3 15.8-26.8	21	6.8 03.3-10.3	209	37.0 30.7-43.3	31	5.7 03.2-08.2		
H.S. or G.E.D.	1188	673,308	188	15.4 12.7-18.1	42	6.0 03.8-08.2	188	18.4 15.3-21.5	110	11.0 08.3-13.7	581	43.3 39.4-47.2	79	5.9 04.1-07.7		
Some Post-H.S.	1007	607,712	138	15.0 12.1-17.9	53	6.5 04.5-08.5	148	16.0 12.9-19.1	126	15.6 12.3-18.9	469	42.1 37.8-46.4	73	4.8 03.4-06.2		
College Graduate	965	450,675	70	6.8 04.8-08.8	26	2.3 01.3-03.3	98	12.1 09.2-15.0	120	14.5 11.4-17.6	597	60.3 56.2-64.4	54	4.0 02.4-05.6		
Less than \$15,000	486	226,118	151	36.3 30.2-42.4	16	4.5 01.8-07.2	95	20.8 15.7-25.9	20	5.4 02.3-08.5	169	27.9 22.6-33.2	35	5.0 02.8-07.2		
\$15,000- 24,999	732	393,958	164	25.8 21.1-30.5	33	6.8 03.9-09.7	134	19.5 15.6-23.4	71	9.2 06.3-12.1	282	33.7 28.8-38.6	48	5.1 03.1-07.1		
\$25,000- 34,999	355	212,960	41	14.8 09.3-20.3	12	4.1 01.2-07.0	63	22.9 16.6-29.2	37	10.2 06.1-14.3	178	43.4 36.3-50.5	24	4.6 02.2-07.0		
\$35,000- 49,999	400	258,322	38	10.4 06.5-14.3	18	6.3 02.8-09.8	66	20.8 15.1-26.5	54	16.9 11.6-22.2	203	41.8 35.5-48.1	21	3.8 01.6-06.0		
\$50,000- 74,999	350	236,754	15	4.7 02.0-07.4	12	3.3 01.1-05.5	47	15.3 10.0-20.6	57	16.9 11.8-22.0	200	55.5 48.6-62.4	19	4.3 01.9-06.7		
\$75,000+	479	305,538	16	3.2 01.4-05.0	11	2.2 00.6-03.8	32	5.8 03.4-08.2	77	21.3 16.0-26.6	328	65.3 59.4-71.2	15	2.1 00.7-03.5		

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 4: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never		N.A.		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	%	C.I. (95%)	
TOTAL	6051	4,229,148	594	9.2	08.2-10.2	208	3.7	02.9-04.5	870	16.2	14.8-17.6	591	11.5	10.3-12.7	3742	58.7	56.9-60.5	46	0.8	00.4-01.2
Male	2150	2,002,865	144	7.0	05.6-08.4	64	3.3	02.3-04.3	241	14.8	12.4-17.2	196	10.9	08.9-12.9	1486	63.0	60.1-65.9	19	1.0	00.2-01.8
Female	3901	2,226,282	450	11.2	09.8-12.6	144	4.0	03.0-05.0	629	17.4	15.6-19.2	395	12.1	10.5-13.7	2256	54.8	52.6-57.0	27	0.5	00.3-00.7
White/Non-Hisp	5054	3,318,486	473	8.6	07.6-09.6	169	3.5	02.7-04.3	674	15.4	13.8-17.0	476	10.9	09.7-12.1	3227	61.0	59.0-63.0	35	0.6	00.4-00.8
Black or Afr. Am./Non-Hisp	782	630,733	86	10.2	07.3-13.1	29	4.2	02.0-06.4	166	19.0	15.5-22.5	87	13.9	10.4-17.4	404	51.1	46.2-56.0	10	1.7	00.0-04.1
Oth. Race/Non-Hisp.	76	94,669	14	12.7	04.5-20.9	6	9.2	00.2-18.2	12	18.2	04.3-32.1	8	17.4	05.6-29.2	36	42.5	28.0-57.0			
MultiRacial/Non-Hisp.	53	66,496	11	21.0	05.9-36.1	2	3.1	00.0-08.8	7	24.8	04.8-44.8	8	9.2	00.4-18.0	25	42.0	24.2-59.8			
Hispanic	55	94,404	6	9.6	01.2-18.0	2	1.2	00.0-03.2	10	20.2	07.1-33.3	6	13.4	02.8-24.0	31	55.5	39.0-72.0			
18-24	246	503,944	17	5.5	02.6-08.4	14	6.3	02.8-09.8	53	21.5	15.2-27.8	34	13.4	08.5-18.3	127	52.7	45.3-60.1	1	0.5	00.0-01.5
25-34	540	664,473	44	7.9	05.4-10.4	22	3.9	01.9-05.9	103	17.7	14.0-21.4	91	17.2	13.3-21.1	279	53.1	48.2-58.0	1	0.2	00.0-00.6
35-44	714	714,574	107	12.0	09.1-14.9	28	3.2	01.8-04.6	140	21.2	17.5-24.9	88	13.0	09.7-16.3	348	50.3	45.6-55.0	3	0.4	00.0-00.8
45-54	1113	803,908	167	12.7	10.2-15.2	51	3.5	02.3-04.7	179	16.9	14.0-19.8	113	10.8	08.4-13.2	598	54.9	51.0-58.8	5	1.1	00.0-03.1
55-64	1402	716,892	151	10.3	08.1-12.5	56	4.0	02.6-05.4	188	13.1	10.6-15.6	132	10.4	08.2-12.6	865	61.6	58.3-64.9	10	0.7	00.1-01.3
65+	2003	805,013	106	5.6	04.0-07.2	33	1.7	00.9-02.5	204	9.5	07.7-11.3	130	6.2	04.8-07.6	1505	75.8	73.3-78.3	25	1.3	00.7-01.9
Less Than H.S.	770	693,160	153	19.8	15.9-23.7	37	4.8	02.6-07.0	145	20.3	16.0-24.6	52	8.6	05.3-11.9	379	45.2	39.9-50.5	4	1.4	00.0-03.6
H.S. or G.E.D.	1992	1,396,808	232	9.4	07.8-11.0	72	4.0	02.8-05.2	331	17.9	15.5-20.3	204	13.1	10.9-15.3	1137	54.9	52.0-57.8	16	0.6	00.2-01.0
Some Post-H.S.	1676	1,229,195	140	7.0	05.4-08.6	69	4.0	02.8-05.2	248	16.9	14.2-19.6	192	12.0	09.8-14.2	1016	59.5	56.2-62.8	11	0.6	00.0-01.2
College Graduate	1605	903,162	68	3.7	02.5-04.9	30	1.9	00.9-02.9	144	9.3	07.5-11.1	142	10.5	08.3-12.7	1206	73.9	71.0-76.8	15	0.7	00.3-01.1
Less than \$15,000	748	441,654	207	27.1	22.6-31.6	53	6.2	04.0-08.4	179	26.1	21.4-30.8	50	6.2	04.0-08.4	256	34.2	29.1-39.3	3	0.2	00.0-00.4
\$15,000- 24,999	1143	778,256	188	16.5	13.6-19.4	63	6.8	04.4-09.2	258	22.1	18.8-25.4	123	14.7	11.4-18.0	503	38.6	34.5-42.7	8	1.3	00.0-03.3
\$25,000- 34,999	598	414,005	40	7.0	04.3-09.7	18	3.9	01.4-06.4	92	19.6	14.9-24.3	53	11.1	07.4-14.8	392	58.0	52.5-63.5	3	0.4	00.0-01.0
\$35,000- 49,999	694	537,087	36	4.6	02.2-07.0	24	4.8	02.6-07.0	85	14.6	10.9-18.3	87	14.1	10.8-17.4	458	61.5	56.6-66.4	4	0.4	00.0-00.8
\$50,000- 74,999	631	486,972	12	1.9	00.5-03.3	6	1.0	00.2-01.8	67	12.7	09.2-16.2	71	12.3	09.0-15.6	468	71.2	66.5-75.9	7	0.8	00.0-01.6
\$75,000+	871	689,942	14	1.9	00.7-03.1	2	0.1	00.0-00.3	42	5.7	03.0-08.4	64	8.6	06.1-11.1	744	83.3	79.6-87.0	5	0.4	00.0-01.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 5: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never		N	N.A.	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	2150	2,002,865	144	7.0	05.6-08.4	64	3.3	02.3-04.3	241	14.8	12.4-17.2	196	10.9	08.9-12.9	1486	63.0	60.1-65.9	19	1.0	00.2-01.8
White/Non-Hisp	1820	1,577,439	120	6.4	05.0-07.8	49	2.9	01.7-04.1	197	14.5	12.1-16.9	161	10.2	08.2-12.2	1278	65.2	62.3-68.1	15	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	241	272,024	14	7.2	02.3-12.1	12	5.6	01.5-09.7	34	14.1	08.8-19.4	27	16.0	09.7-22.3	150	53.6	45.2-62.0	4	3.4	00.0-08.9
18-24	103	264,052	4	3.9	00.0-07.8	5	5.2	00.5-09.9	22	25.3	15.1-35.5	15	13.3	06.2-20.4	56	51.4	40.4-62.4	1	0.9	00.0-02.7
25-34	207	308,128	12	5.0	01.7-08.3	10	4.2	01.1-07.3	37	18.9	12.6-25.2	30	16.3	10.2-22.4	118	55.6	47.8-63.4			
35-44	251	353,602	25	9.6	05.1-14.1	6	2.4	00.4-04.4	44	18.5	12.8-24.2	28	12.2	07.1-17.3	147	56.8	49.5-64.1	1	0.4	00.0-01.2
45-54	427	390,263	42	9.2	05.9-12.5	17	2.4	01.0-03.8	58	15.1	10.8-19.4	36	9.0	05.7-12.3	272	62.2	56.1-68.3	2	2.1	00.0-05.8
55-64	521	334,685	41	8.5	05.4-11.6	16	4.0	01.6-06.4	50	9.3	05.8-12.8	56	11.3	07.8-14.8	352	65.9	60.6-71.2	6	1.0	00.0-02.0
65+	636	347,377	20	4.5	01.8-07.2	9	1.7	00.1-03.3	30	4.7	02.3-07.1	31	4.5	02.5-06.5	537	83.1	79.0-87.2	9	1.5	00.3-02.7
Less Than H.S.	231	319,455	38	17.5	11.2-23.8	10	5.3	01.4-09.2	29	16.8	09.5-24.1	19	9.6	03.7-15.5	133	48.0	39.0-57.0	2	2.7	00.0-07.4
H.S. or G.E.D.	711	669,225	68	8.1	05.7-10.5	27	3.9	01.9-05.9	104	17.4	13.5-21.3	68	12.1	08.8-15.4	439	57.9	53.0-62.8	5	0.6	00.0-01.2
Some Post-H.S.	601	575,825	27	3.5	01.7-05.3	23	3.3	01.5-05.1	75	16.9	12.2-21.6	65	11.6	08.3-14.9	408	63.8	58.5-69.1	3	0.7	00.0-01.7
College Graduate	602	432,111	11	2.1	00.5-03.7	4	0.8	00.0-01.8	32	6.5	04.0-09.0	43	8.6	05.7-11.5	503	81.1	77.0-85.2	9	1.0	00.2-01.8
Less than \$15,000	187	176,864	46	22.4	14.6-30.2	19	7.8	03.5-12.1	44	27.0	18.2-35.8	10	4.0	00.7-07.3	68	38.7	28.9-48.5			
\$15,000- 24,999	369	361,592	53	14.5	09.8-19.2	18	6.8	02.9-10.7	72	19.9	14.4-25.4	50	17.0	11.3-22.7	172	39.2	32.3-46.1	4	2.7	00.0-06.8
\$25,000- 34,999	226	185,385	8	4.1	00.8-07.4	5	4.3	00.0-09.0	24	15.1	08.0-22.2	18	9.8	04.3-15.3	171	66.7	57.9-75.5			
\$35,000- 49,999	283	271,868	4	2.8	00.0-06.5	10	3.3	00.9-05.7	28	12.8	07.9-17.7	30	11.6	06.9-16.3	208	68.8	61.7-75.9	3	0.8	00.0-01.8
\$50,000- 74,999	276	248,117	4	1.7	00.0-03.7				23	13.1	07.2-19.0	22	9.3	05.0-13.6	222	74.7	67.8-81.6	5	1.2	00.0-02.4
\$75,000+	382	375,453	5	1.6	00.0-03.4	1	0.1	00.0-00.3	11	5.5	01.0-10.0	24	7.0	03.9-10.1	338	85.2	79.7-90.7	3	0.6	00.0-01.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 6: HOW OFTEN IN THE PAST 12 MONTHS WOULD YOU SAY YOU WERE WORRIED OR STRESSED ABOUT HAVING ENOUGH MONEY TO BUY NUTRITIOUS MEALS? WOULD YOU SAY YOU WERE WORRIED OR STRESSED--- (SCNTMEAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never		N.A.		
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)	%	C.I. (95%)	
Female	3901	2,226,282	450	11.2	09.8-12.6	144	4.0	03.0-05.0	629	17.4	15.6-19.2	395	12.1	10.5-13.7	2256	54.8	52.6-57.0	27	0.5	00.3-00.7
White/Non-Hisp	3234	1,741,047	353	10.6	09.2-12.0	120	4.0	03.0-05.0	477	16.2	14.4-18.0	315	11.5	09.9-13.1	1949	57.2	54.8-59.6	20	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	541	358,709	72	12.4	08.9-15.9	17	3.1	01.1-05.1	132	22.7	18.2-27.2	60	12.2	08.1-16.3	254	49.1	43.2-55.0	6	0.4	00.0-01.0
18-24	143	239,891	13	7.4	02.9-11.9	9	7.6	02.5-12.7	31	17.4	10.9-23.9	19	13.5	07.0-20.0	71	54.1	44.5-63.7			
25-34	333	356,345	32	10.4	06.7-14.1	12	3.7	01.2-06.2	66	16.6	12.1-21.1	61	18.0	13.1-22.9	161	50.9	44.6-57.2	1	0.3	00.0-00.9
35-44	463	360,972	82	14.2	10.5-17.9	22	3.9	02.1-05.7	96	23.8	18.7-28.9	60	13.7	09.4-18.0	201	43.9	38.2-49.6	2	0.4	00.0-01.0
45-54	686	413,645	125	16.0	12.5-19.5	34	4.6	02.8-06.4	121	18.6	14.9-22.3	77	12.5	09.2-15.8	326	48.1	43.4-52.8	3	0.2	00.0-00.4
55-64	881	382,208	110	11.8	09.1-14.5	40	3.9	02.3-05.5	138	16.4	12.9-19.9	76	9.6	06.9-12.3	513	57.8	53.5-62.1	4	0.4	00.0-01.0
65+	1367	457,636	86	6.4	04.6-08.2	24	1.7	00.7-02.7	174	13.2	10.7-15.7	99	7.4	05.6-09.2	968	70.3	67.0-73.6	16	1.0	00.2-01.8
Less Than H.S.	539	373,705	115	21.8	16.7-26.9	27	4.3	01.9-06.7	116	23.2	17.9-28.5	33	7.8	04.1-11.5	246	42.7	36.4-49.0	2	0.2	00.0-00.6
H.S. or G.E.D.	1281	727,583	164	10.6	08.6-12.6	45	4.1	02.5-05.7	227	18.5	15.6-21.4	136	14.0	11.1-16.9	698	52.2	48.5-55.9	11	0.7	00.1-01.3
Some Post-H.S.	1075	653,370	113	10.0	07.6-12.4	46	4.5	02.7-06.3	173	16.9	14.0-19.8	127	12.4	09.7-15.1	608	55.7	51.6-59.8	8	0.5	00.1-00.9
College Graduate	1003	471,051	57	5.2	03.4-07.0	26	2.9	01.3-04.5	112	11.9	09.4-14.4	99	12.3	09.2-15.4	703	67.3	63.4-71.2	6	0.5	00.0-01.1
Less than \$15,000	561	264,790	161	30.2	24.7-35.7	34	5.1	02.7-07.5	135	25.6	20.3-30.9	40	7.7	04.8-10.6	188	31.2	25.9-36.5	3	0.3	00.0-00.7
\$15,000- 24,999	774	416,664	135	18.3	14.6-22.0	45	6.8	04.1-09.5	186	23.9	19.8-28.0	73	12.8	09.1-16.5	331	38.1	33.2-43.0	4	0.2	00.0-00.4
\$25,000- 34,999	372	228,620	32	9.3	05.4-13.2	13	3.6	01.2-06.0	68	23.3	17.0-29.6	35	12.2	07.1-17.3	221	50.9	43.8-58.0	3	0.7	00.0-01.7
\$35,000- 49,999	411	265,219	32	6.5	03.6-09.4	14	6.3	02.8-09.8	57	16.5	11.2-21.8	57	16.6	11.7-21.5	250	53.9	47.4-60.4	1	0.1	00.0-00.3
\$50,000- 74,999	355	238,855	8	2.2	00.2-04.2	6	2.0	00.2-03.8	44	12.2	08.1-16.3	49	15.4	10.1-20.7	246	67.7	61.2-74.2	2	0.5	00.0-01.3
\$75,000+	489	314,488	9	2.2	00.4-04.0	1	0.1	00.0-00.3	31	6.0	03.5-08.5	40	10.5	06.4-14.6	406	80.9	76.0-85.8	2	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

**TABLE 7: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2602	2,292,563	956	33.6	31.2-36.0	1266	51.6	49.1-54.1	224	9.0	07.6-10.4	156	5.9	04.7-07.1
Male	1079	1,207,170	417	34.5	31.0-38.0	450	46.7	42.8-50.6	133	11.7	09.3-14.1	79	7.1	04.9-09.3
Female	1523	1,085,393	539	32.5	29.4-35.6	816	57.0	53.7-60.3	91	5.9	04.3-07.5	77	4.5	03.1-05.9
White/Non-Hisp	2113	1,753,492	820	36.4	33.7-39.1	968	48.3	45.6-51.0	188	8.8	07.2-10.4	137	6.4	04.8-08.0
Black or Afr. Am./Non-Hisp	377	368,822	102	22.6	17.7-27.5	240	64.4	58.3-70.5	26	9.9	05.8-14.0	9	3.1	00.7-05.5
18-24	131	272,710	19	12.8	06.3-19.3	99	74.7	65.7-83.7	8	5.8	01.3-10.3	5	6.7	00.2-13.2
25-34	402	517,913	136	33.2	27.9-38.5	230	57.2	51.5-62.9	17	5.3	02.8-07.8	19	4.4	02.2-06.6
35-44	505	535,548	203	38.1	32.8-43.4	235	47.1	41.6-52.6	41	9.2	06.1-12.3	26	5.6	03.1-08.1
45-54	710	531,558	275	37.6	33.1-42.1	326	46.1	41.4-50.8	73	11.8	08.5-15.1	36	4.5	02.7-06.3
55-64	613	321,699	250	39.4	34.5-44.3	266	42.6	37.7-47.5	58	11.3	08.2-14.4	39	6.6	04.1-09.1
65+	230	102,691	71	30.0	22.4-37.6	103	40.3	32.1-48.5	26	13.0	07.1-18.9	30	16.7	09.4-24.0
Less Than H.S.	147	222,593	20	14.5	06.5-22.5	92	58.6	47.6-69.6	20	14.6	06.8-22.4	15	12.3	04.1-20.5
H.S. or G.E.D.	753	723,144	161	22.0	18.3-25.7	476	63.0	58.7-67.3	70	9.0	06.6-11.4	46	6.0	03.8-08.2
Some Post-H.S.	747	715,746	220	29.6	25.5-33.7	427	57.1	52.6-61.6	62	8.7	06.2-11.2	38	4.6	02.8-06.4
College Graduate	952	628,479	555	58.2	54.3-62.1	269	29.5	25.8-33.2	72	7.3	05.3-09.3	56	5.0	03.4-06.6
Less than \$15,000	127	109,718	10	9.6	02.7-16.5	86	71.2	61.0-81.4	19	9.3	04.0-14.6	12	9.9	03.0-16.8
\$15,000- 24,999	367	341,004	42	9.4	05.9-12.9	256	68.6	61.7-75.5	40	13.2	08.1-18.3	29	8.8	03.7-13.9
\$25,000- 34,999	271	244,489	63	22.5	15.8-29.2	171	61.6	54.0-69.2	23	10.6	05.9-15.3	14	5.3	01.8-08.8
\$35,000- 49,999	395	357,517	136	31.5	25.6-37.4	213	55.2	48.7-61.7	31	9.5	05.6-13.4	15	3.8	01.6-06.0
\$50,000- 74,999	393	340,648	184	43.2	37.1-49.3	166	44.8	38.5-51.1	24	6.1	03.4-08.8	19	5.9	02.6-09.2
\$75,000+	640	539,828	373	57.0	52.1-61.9	170	30.2	25.3-35.1	55	7.4	05.2-09.6	42	5.4	03.4-07.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

**TABLE 8: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1079	1,207,170	417	34.5	31.0-38.0	450	46.7	42.8-50.6	133	11.7	09.3-14.1	79	7.1	04.9-09.3
White/Non-Hisp	900	936,176	368	37.4	33.5-41.3	355	43.5	39.4-47.6	108	11.0	08.5-13.5	69	8.1	05.6-10.6
Black or Afr. Am./Non-Hisp	125	169,813	32	21.6	13.8-29.4	70	59.8	49.6-70.0	17	14.6	07.3-21.9	6	4.1	00.6-07.6
18-24	61	146,109	8	8.2	02.3-14.1	46	76.5	63.8-89.2	4	6.0	00.0-12.5	3	9.3	00.0-20.3
25-34	174	272,795	59	33.8	25.8-41.8	91	52.5	44.1-60.9	14	8.7	04.0-13.4	10	5.0	01.7-08.3
35-44	198	287,850	86	41.8	33.8-49.8	81	41.7	33.5-49.9	18	9.5	04.6-14.4	13	7.0	02.7-11.3
45-54	303	287,786	119	37.9	31.2-44.6	119	40.9	34.2-47.6	45	16.0	10.7-21.3	20	5.1	02.6-07.6
55-64	246	155,762	101	39.2	31.8-46.6	92	37.0	29.4-44.6	37	16.8	11.1-22.5	16	7.0	03.3-10.7
65+	95	53,257	44	40.8	28.6-53.0	20	21.1	11.1-31.1	15	17.9	07.7-28.1	16	20.3	09.1-31.5
Less Than H.S.	65	128,085	7	11.9	02.1-21.7	34	52.0	36.5-67.5	16	20.5	08.3-32.7	8	15.6	02.5-28.7
H.S. or G.E.D.	342	408,842	80	23.2	17.7-28.7	192	58.1	51.8-64.4	46	12.2	08.5-15.9	24	6.5	03.4-09.6
Some Post-H.S.	299	360,178	93	30.3	24.0-36.6	150	52.5	45.4-59.6	34	10.6	06.5-14.7	22	6.6	03.5-09.7
College Graduate	371	307,756	237	64.0	58.1-69.9	73	22.1	16.8-27.4	37	8.9	05.6-12.2	24	5.0	02.6-07.4
\$15,000- 24,999	127	178,400	15	9.4	03.9-14.9	70	56.7	45.3-68.1	25	20.9	11.9-29.9	17	13.0	03.8-22.2
\$25,000- 34,999	101	117,147	16	18.1	07.7-28.5	67	64.5	52.3-76.7	12	11.8	04.5-19.1	6	5.6	00.0-11.5
\$35,000- 49,999	169	195,594	53	33.4	24.4-42.4	84	47.5	38.1-56.9	23	14.0	07.5-20.5	9	5.1	01.4-08.8
\$50,000- 74,999	177	186,367	76	39.6	31.0-48.2	74	45.5	36.5-54.5	16	8.3	03.8-12.8	11	6.6	02.1-11.1
\$75,000+	304	303,877	191	61.0	54.3-67.7	66	26.0	19.7-32.3	27	7.3	04.2-10.4	20	5.7	03.0-08.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

**TABLE 9: AT YOUR MAIN JOB OR BUSINESS, HOW ARE YOU GENERALLY PAID FOR THE WORK YOU DO. ARE YOU: (SCNTPAID)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1523	1,085,393	539	32.5	29.4-35.6	816	57.0	53.7-60.3	91	5.9	04.3-07.5	77	4.5	03.1-05.9
White/Non-Hisp	1213	817,316	452	35.3	31.8-38.8	613	53.9	50.2-57.6	80	6.3	04.7-07.9	68	4.5	03.1-05.9
Black or Afr. Am./Non-Hisp	252	199,009	70	23.4	17.1-29.7	170	68.3	60.9-75.7	9	5.9	01.4-10.4	3	2.4	00.0-05.5
18-24	70	126,601	11	18.2	06.4-30.0	53	72.6	59.5-85.7	4	5.5	00.0-11.4	2	3.8	00.0-09.1
25-34	228	245,118	77	32.5	25.6-39.4	139	62.4	55.1-69.7	3	1.5	00.0-03.5	9	3.6	01.1-06.1
35-44	307	247,698	117	33.8	27.3-40.3	154	53.4	46.3-60.5	23	9.0	05.1-12.9	13	3.9	01.4-06.4
45-54	407	243,773	156	37.2	31.5-42.9	207	52.2	46.1-58.3	28	6.8	03.9-09.7	16	3.8	01.6-06.0
55-64	367	165,937	149	39.7	33.4-46.0	174	47.9	41.4-54.4	21	6.2	03.3-09.1	23	6.3	03.2-09.4
65+	135	49,434	27	18.4	10.4-26.4	83	61.1	49.9-72.3	11	7.7	02.2-13.2	14	12.9	04.1-21.7
Less Than H.S.	82	94,508	13	18.0	04.7-31.3	58	67.6	52.9-82.3	4	6.5	00.0-14.1	7	7.9	01.2-14.6
H.S. or G.E.D.	411	314,302	81	20.5	15.6-25.4	284	69.3	63.6-75.0	24	4.8	02.4-07.2	22	5.3	02.4-08.2
Some Post-H.S.	448	355,569	127	28.9	23.6-34.2	277	61.8	56.1-67.5	28	6.8	03.9-09.7	16	2.5	00.9-04.1
College Graduate	581	320,723	318	52.6	47.3-57.9	196	36.5	31.4-41.6	35	5.8	03.6-08.0	32	5.1	02.9-07.3
Less than \$15,000	86	57,695	2	0.6	00.0-01.4	66	80.3	69.3-91.3	10	10.4	02.6-18.2	8	8.7	00.1-17.3
\$15,000- 24,999	240	162,604	27	9.3	05.0-13.6	186	81.7	75.8-87.6	15	4.8	01.5-08.1	12	4.2	01.3-07.1
\$25,000- 34,999	170	127,342	47	26.5	18.1-34.9	104	58.9	49.3-68.5	11	9.6	03.5-15.7	8	4.9	01.0-08.8
\$35,000- 49,999	226	161,923	83	29.2	21.9-36.5	129	64.5	56.9-72.1	8	4.0	00.7-07.3	6	2.2	00.0-04.4
\$50,000- 74,999	216	154,281	108	47.6	39.0-56.2	92	43.9	35.3-52.5	8	3.5	00.8-06.2	8	5.0	00.3-09.7
\$75,000+	336	235,950	182	51.8	44.5-59.1	104	35.5	28.1-42.9	28	7.6	04.5-10.7	22	5.1	02.6-07.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 10. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2588	2,286,735	272	9.9	08.3-11.5	1460	53.9	51.4-56.4	744	31.0	28.6-33.4	97	4.7	03.5-05.9	4	0.2	00.0-00.4	11	0.4	00.0-00.8
Male	1078	1,204,381	89	8.5	06.1-10.9	485	44.5	40.8-48.2	433	39.8	36.1-43.5	64	6.8	04.8-08.8	3	0.3	00.0-00.7	4	0.1	00.1-00.1
Female	1510	1,082,354	183	11.4	09.2-13.6	975	64.4	61.3-67.5	311	21.1	18.4-23.8	33	2.2	01.2-03.2	1	0.1	00.0-00.3	7	0.7	00.0-01.5
White/Non-Hisp	2095	1,738,339	204	9.1	07.3-10.9	1162	53.2	50.5-55.9	637	32.4	29.9-34.9	81	4.9	03.5-06.3	4	0.2	00.0-00.4	7	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	380	374,765	49	12.0	07.9-16.1	245	59.2	52.5-65.9	71	24.5	18.4-30.6	12	3.0	00.6-05.4				3	1.2	00.0-03.0
18-24	128	264,778	15	13.6	06.2-21.0	80	59.8	49.8-69.8	27	21.6	13.6-29.6	4	3.1	00.0-06.6	1	0.7	00.0-02.1	1	1.2	00.0-03.6
25-34	404	523,157	45	11.8	08.1-15.5	227	51.0	45.3-56.7	112	31.8	26.3-37.3	17	4.8	02.3-07.3				3	0.7	00.0-01.5
35-44	501	532,794	29	5.1	02.7-07.5	291	54.3	48.8-59.8	156	34.0	28.7-39.3	22	6.1	03.2-09.0	2	0.4	00.0-01.0	1	0.1	00.0-00.3
45-54	711	535,302	56	7.6	05.1-10.1	370	49.1	44.4-53.8	245	37.3	32.8-41.8	36	5.9	03.5-08.3	1	0.1	00.0-00.3	3	0.1	00.0-00.3
55-64	611	319,354	65	11.4	08.1-14.7	356	59.0	54.1-63.9	171	26.7	22.4-31.0	17	2.8	01.2-04.4				2	0.2	00.0-00.6
65+	221	97,657	59	20.7	14.0-27.4	130	61.9	53.7-70.1	30	16.5	10.0-23.0	1	0.9	00.0-02.7				1	0.1	00.0-00.3
Less Than H.S.	142	216,321	19	11.9	04.1-19.7	90	60.8	49.8-71.8	26	20.9	12.1-29.7	5	5.5	00.2-10.8				2	0.9	00.0-02.3
H.S. or G.E.D.	750	728,291	87	11.1	08.2-14.0	444	54.3	49.8-58.8	181	28.9	24.6-33.2	33	5.0	03.0-07.0				5	0.6	00.0-01.4
Some Post-H.S.	745	713,905	73	9.5	06.8-12.2	430	53.6	48.9-58.3	214	32.0	27.7-36.3	23	4.1	01.9-06.3	3	0.6	00.0-01.2	2	0.3	00.0-00.7
College Graduate	948	625,617	91	8.0	05.8-10.2	495	51.3	47.2-55.4	323	35.9	32.0-39.8	36	4.6	02.8-06.4	1	0.1	00.0-00.3	2	0.0	00.0-00.0
Less than \$15,000	123	110,202	31	27.0	16.4-37.6	80	62.5	51.1-73.9	8	8.4	02.1-14.7	1	0.2	00.0-00.6				3	1.9	00.0-04.4
\$15,000- 24,999	363	337,053	58	14.8	08.9-20.7	248	64.5	57.4-71.6	47	17.2	11.7-22.7	6	2.6	00.1-05.1				4	0.9	00.0-02.1
\$25,000- 34,999	271	247,866	28	8.9	04.8-13.0	172	59.0	51.2-66.8	62	27.1	19.7-34.5	8	3.9	00.6-07.2				1	1.3	00.0-03.7
\$35,000- 49,999	393	355,644	21	5.6	02.5-08.7	224	51.0	44.5-57.5	125	35.8	29.3-42.3	22	7.4	03.9-10.9	1	0.3	00.0-00.9			
\$50,000- 74,999	393	341,086	25	6.1	03.0-09.2	204	46.7	40.4-53.0	146	41.7	35.4-48.0	17	5.5	02.4-08.6				1	0.0	00.0-00.0
\$75,000+	632	533,980	46	6.5	04.3-08.7	310	47.7	42.6-52.8	247	40.4	35.5-45.3	27	5.1	02.7-07.5	2	0.3	00.0-00.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 11. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1078	1,204,381	89	8.5	06.1-10.9	485	44.5	40.8-48.2	433	39.8	36.1-43.5	64	6.8	04.8-08.8	3	0.3	00.0-00.7	4	0.1	00.1-00.1
White/Non-Hisp	896	930,647	66	7.5	05.0-10.0	399	43.7	39.6-47.8	375	41.5	37.4-45.6	51	6.8	04.6-09.0	3	0.4	00.0-00.8	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	127	172,156	14	12.6	05.7-19.5	68	50.3	39.7-60.9	34	30.4	20.4-40.4	10	6.4	01.5-11.3				1	0.3	00.0-00.9
18-24	59	139,517	7	14.9	03.1-26.7	33	55.5	41.0-70.0	15	24.3	12.3-36.3	3	4.0	00.0-09.5	1	1.4	00.0-04.1			
25-34	172	270,860	15	9.5	04.4-14.6	78	41.3	33.1-49.5	67	42.4	34.0-50.8	12	6.8	02.7-10.9						
35-44	198	288,247	5	2.8	00.0-05.7	86	43.4	35.4-51.4	92	44.2	36.2-52.2	14	9.3	04.0-14.6	1	0.3	00.0-00.9			
45-54	304	290,295	17	6.8	03.1-10.5	118	37.9	31.2-44.6	141	46.5	39.6-53.4	25	8.6	04.7-12.5	1	0.1	00.0-00.3	2	0.1	00.0-00.3
55-64	250	159,090	22	9.6	04.7-14.5	124	51.9	44.3-59.5	94	34.5	27.2-41.8	9	3.7	01.2-06.2				1	0.3	00.0-00.9
65+	92	49,684	22	19.2	10.0-28.4	44	50.8	38.1-63.5	24	28.1	16.5-39.7	1	1.7	00.0-05.0				1	0.2	00.0-00.6
Less Than H.S.	62	123,456	7	12.5	00.2-24.8	32	51.6	35.7-67.5	19	26.9	13.4-40.4	4	9.1	00.1-18.1						
H.S. or G.E.D.	345	413,579	28	9.8	05.7-13.9	167	44.8	38.3-51.3	127	38.7	32.4-45.0	21	6.7	03.6-09.8				2	0.0	00.0-00.0
Some Post-H.S.	300	358,218	23	7.2	03.5-10.9	129	42.6	35.5-49.7	131	43.4	36.5-50.3	14	5.8	02.1-09.5	2	0.8	00.0-02.0	1	0.2	00.0-00.6
College Graduate	369	306,818	30	6.6	03.7-09.5	156	43.1	36.8-49.4	156	42.8	36.5-49.1	25	7.3	04.2-10.4	1	0.1	00.0-00.3	1	0.0	00.0-00.0
\$15,000- 24,999	127	177,814	22	18.4	08.6-28.2	74	54.9	43.5-66.3	24	21.8	12.8-30.8	5	4.6	00.0-09.3				2	0.4	00.0-01.0
\$25,000- 34,999	101	118,220	7	6.2	01.3-11.1	58	50.6	38.1-63.1	31	37.9	25.4-50.4	5	5.2	00.0-11.1						
\$35,000- 49,999	168	190,202	4	1.9	00.0-04.3	72	40.0	30.8-49.2	76	47.9	38.3-57.5	15	9.7	04.0-15.4	1	0.5	00.0-01.5			
\$50,000- 74,999	176	187,070	11	5.9	01.2-10.6	71	38.3	29.7-46.9	83	48.4	39.4-57.4	10	7.4	02.1-12.7				1	0.1	00.0-00.3
\$75,000+	302	301,914	15	3.8	01.6-06.0	115	37.3	30.8-43.8	153	51.6	44.7-58.5	18	7.1	03.2-11.0	1	0.1	00.0-00.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 12. ABOUT HOW MANY HOURS DO YOU WORK PER WEEK ON ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTWRK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1510	1,082,354	183	11.4	09.2-13.6	975	64.4	61.1-67.7	311	21.1	18.4-23.8	33	2.2	01.2-03.2	1	0.1	00.0-00.3	7	0.7	00.0-01.5
White/Non-Hisp	1199	807,692	138	10.9	08.5-13.3	763	64.0	60.5-67.5	262	21.8	18.9-24.7	30	2.6	01.4-03.8	1	0.1	00.0-00.3	5	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	253	202,609	35	11.5	06.6-16.4	177	66.8	58.8-74.8	37	19.5	12.6-26.4	2	0.2	00.0-00.6				2	1.9	00.0-05.0
18-24	69	125,261	8	12.2	03.4-21.0	47	64.7	51.6-77.8	12	18.5	08.3-28.7	1	2.0	00.0-05.9				1	2.5	00.0-07.4
25-34	232	252,296	30	14.2	08.7-19.7	149	61.4	54.0-68.8	45	20.3	14.2-26.4	5	2.6	00.2-05.0				3	1.4	00.0-03.2
35-44	303	244,548	24	7.8	04.3-11.3	205	67.0	60.3-73.7	64	22.1	16.2-28.0	8	2.3	00.5-04.1	1	0.4	00.0-01.2	1	0.3	00.0-00.9
45-54	407	245,006	39	8.4	04.9-11.9	252	62.4	56.5-68.3	104	26.3	21.0-31.6	11	2.7	00.9-04.5				1	0.2	00.0-00.6
55-64	361	160,264	43	13.1	08.4-17.8	232	66.1	60.0-72.2	77	18.9	14.2-23.6	8	1.8	00.4-03.2				1	0.1	00.0-00.3
65+	129	47,973	37	22.2	12.8-31.6	86	73.3	63.3-83.3	6	4.5	00.4-08.6									
Less Than H.S.	80	92,865	12	11.2	03.6-18.8	58	73.0	60.8-85.2	7	12.9	03.3-22.5	1	0.7	00.0-02.1				2	2.2	00.0-05.3
H.S. or G.E.D.	405	314,712	59	12.9	08.6-17.2	277	66.9	60.8-73.0	54	16.1	11.2-21.0	12	2.8	00.8-04.8				3	1.4	00.0-03.4
Some Post-H.S.	445	355,687	50	11.8	07.7-15.9	301	64.6	58.7-70.5	83	20.4	15.7-25.1	9	2.4	00.4-04.4	1	0.3	00.0-00.9	1	0.4	00.0-01.2
College Graduate	579	318,798	61	9.5	06.6-12.4	339	59.3	54.2-64.4	167	29.3	24.4-34.2	11	1.9	00.5-03.3				1	0.0	00.0-00.0
Less than \$15,000	84	60,417	19	25.4	13.1-37.7	58	66.7	53.6-79.8	3	4.0	00.0-09.1	1	0.3	00.0-00.9				3	3.5	00.0-08.2
\$15,000- 24,999	236	159,238	36	10.9	06.2-15.6	174	75.2	67.9-82.5	23	12.2	06.5-17.9	1	0.3	00.0-00.9				2	1.5	00.0-03.7
\$25,000- 34,999	170	129,646	21	11.2	04.9-17.5	114	66.6	57.2-76.0	31	17.1	10.2-24.0	3	2.6	00.0-05.9				1	2.4	00.0-07.1
\$35,000- 49,999	225	165,442	17	9.8	03.7-15.9	152	63.6	55.2-72.0	49	21.8	14.7-28.9	7	4.8	00.7-08.9						
\$50,000- 74,999	217	154,016	14	6.3	02.0-10.6	133	56.9	48.3-65.5	63	33.6	25.2-42.0	7	3.3	00.4-06.2						
\$75,000+	330	232,066	31	10.0	05.7-14.3	195	61.1	54.2-68.0	94	25.9	20.0-31.8	9	2.5	00.7-04.3	1	0.5	00.0-01.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 13. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	314	257,550	71	18.4	13.1-23.7	220	74.0	67.7-80.3	14	4.0	01.5-06.5	9	3.5	00.2-06.8
Male	123	128,747	26	20.4	11.4-29.4	87	71.2	60.6-81.8	6	3.9	00.4-07.4	4	4.5	00.0-10.4
Female	191	128,802	45	16.5	10.6-22.4	133	76.8	69.7-83.9	8	4.1	00.6-07.6	5	2.6	00.0-05.3
White/Non-Hisp	226	167,253	54	21.7	14.6-28.8	154	72.3	64.9-79.7	11	3.8	01.3-06.3	7	2.3	00.5-04.1
Black or Afr. Am./Non-Hisp	82	83,506	14	11.0	03.2-18.8	63	77.9	65.6-90.2	3	4.8	00.0-10.3	2	6.3	00.0-15.5
35-44	72	69,979	17	18.8	08.2-29.4	51	71.4	57.7-85.1	1	2.2	00.0-06.5	3	7.6	00.0-18.0
45-54	71	51,844	19	25.5	11.2-39.8	45	64.6	48.3-80.9	3	4.2	00.0-09.1	4	5.7	00.0-12.4
55-64	82	37,096	23	27.7	15.5-39.9	53	65.7	52.8-78.6	4	4.2	00.0-08.7	2	2.3	00.0-06.0
H.S. or G.E.D.	120	94,274	21	13.6	06.0-21.2	90	78.9	69.7-88.1	5	5.5	00.4-10.6	4	2.0	00.0-04.2
Some Post-H.S.	109	89,611	23	24.1	13.5-34.7	80	67.2	55.2-79.2	2	1.7	00.0-04.2	4	7.0	00.0-15.6
College Graduate	51	27,061	26	47.5	30.8-64.2	18	35.8	20.3-51.3	6	13.2	01.6-24.8	1	3.5	00.0-10.2
Less than \$15,000	82	63,470	16	10.4	03.3-17.5	61	83.1	73.9-92.3	4	5.6	00.0-11.7	1	0.9	00.0-02.9
\$15,000- 24,999	85	75,071	16	18.4	08.0-28.8	64	77.2	65.8-88.6	3	2.7	00.0-06.8	2	1.7	00.0-04.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 14. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	123	128,747	26	20.4	11.6-29.2	87	71.2	60.6-81.8	6	3.9	00.4-07.4	4	4.5	00.0-10.4
White/Non-Hisp	94	87,018	22	23.5	12.3-34.7	64	70.2	58.4-82.0	5	4.0	00.1-07.9	3	2.3	00.0-05.0
H.S. or G.E.D.	53	50,507	6	10.3	00.0-21.1	42	82.3	69.4-95.2	3	5.4	00.0-12.3	2	2.1	00.0-05.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 15. THINKING ABOUT THE LAST TIME YOU WORKED, AT YOUR MAIN JOB OR BUSINESS, HOW WERE YOU GENERALLY PAID FOR THE WORK YOU DO? WERE YOU: (SCNTLPAD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Paid by salary			Paid by hour			Paid by job, task i.e. commission, piecework			Paid some other way		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	191	128,802	45	16.5	10.6-22.4	133	76.8	69.5-84.1	8	4.1	00.6-07.6	5	2.6	00.0-05.3
White/Non-Hisp	132	80,235	32	19.6	11.4-27.8	90	74.5	65.3-83.7	6	3.5	00.0-07.0	4	2.3	00.0-04.8
Black or Afr. Am./Non-Hisp	57	47,823	12	11.0	02.8-19.2	42	80.8	68.8-92.8	2	5.1	00.0-12.4	1	3.1	00.0-09.2
H.S. or G.E.D.	67	43,767	15	17.5	07.1-27.9	48	75.0	62.3-87.7	2	5.6	00.0-13.4	2	1.9	00.0-04.8
Some Post-H.S.	74	48,836	14	17.3	06.9-27.7	55	74.4	62.2-86.6	2	3.1	00.0-07.8	3	5.2	00.0-11.9
Less than \$15,000	55	35,679	14	14.8	04.2-25.4	37	75.7	61.6-89.8	3	7.8	00.0-17.6	1	1.7	00.0-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 16. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3282	1,854,977	313	10.6	09.0-12.2	1835	55.3	52.8-57.8	706	20.2	18.2-22.2	113	3.5	02.7-04.3	7	0.2	00.0-00.4	308	10.3	08.7-11.9
Male	1024	758,326	78	8.4	05.9-10.9	487	51.8	47.3-56.3	320	26.3	22.8-29.8	65	6.0	04.0-08.0	4	0.3	00.0-00.7	70	7.1	04.9-09.3
Female	2258	1,096,651	235	12.1	09.9-14.3	1348	57.7	54.8-60.6	386	15.9	13.7-18.1	48	1.8	01.2-02.4	3	0.1	00.1-00.1	238	12.5	10.1-14.9
White/Non-Hisp	2798	1,494,330	259	9.8	08.2-11.4	1554	54.3	51.8-56.8	626	22.0	19.8-24.2	90	3.3	02.3-04.3	7	0.2	00.0-00.4	262	10.3	08.5-12.1
Black or Afr. Am./Non-Hisp	385	246,981	43	14.1	08.8-19.4	240	65.3	58.4-72.2	54	10.6	06.9-14.3	14	2.4	00.8-04.0				34	7.6	03.9-11.3
18-24	113	223,098	29	23.1	14.7-31.5	49	46.4	35.2-57.6	11	10.7	03.8-17.6	2	0.8	00.0-02.4				22	19.0	10.4-27.6
25-34	135	146,350	16	13.5	06.4-20.6	80	61.0	51.2-70.8	16	10.2	04.3-16.1	3	1.3	00.0-03.1				20	14.1	07.0-21.2
35-44	197	164,090	21	10.9	05.4-16.4	106	58.0	49.6-66.4	46	19.6	13.3-25.9	8	4.8	01.3-08.3				16	6.7	02.8-10.6
45-54	385	266,660	32	6.8	03.9-09.7	206	57.0	50.3-63.7	94	24.9	19.2-30.6	20	5.2	02.3-08.1				33	6.2	03.7-08.7
55-64	761	380,306	57	7.8	04.9-10.7	396	52.5	47.6-57.4	207	25.5	21.4-29.6	33	4.8	02.4-07.2	4	0.3	00.0-00.7	64	9.0	05.9-12.1
65+	1675	666,750	156	8.8	07.0-10.6	990	57.4	54.1-60.7	328	20.6	18.1-23.1	46	3.1	01.7-04.5	3	0.2	00.0-00.6	152	9.9	07.7-12.1
Less Than H.S.	576	434,754	47	7.1	04.2-10.0	337	58.0	52.1-63.9	95	17.6	13.1-22.1	16	2.9	00.7-05.1	1	0.1	00.0-00.3	80	14.4	10.3-18.5
H.S. or G.E.D.	1185	655,890	99	9.5	07.0-12.0	698	56.6	52.5-60.7	223	19.2	16.1-22.3	35	3.1	01.7-04.5	3	0.3	00.0-00.7	127	11.2	08.3-14.1
Some Post-H.S.	900	499,188	94	13.1	09.4-16.8	503	54.3	49.6-59.0	206	20.6	17.3-23.9	34	4.1	02.3-05.9	1	0.0	00.0-00.0	62	7.9	05.2-10.6
College Graduate	619	263,307	72	13.5	09.8-17.2	297	50.2	44.5-55.9	181	26.2	21.7-30.7	28	4.1	02.1-06.1	2	0.3	00.0-00.9	39	5.8	03.6-08.0
Less than \$15,000	579	311,846	58	12.6	08.3-16.9	331	54.4	48.3-60.5	95	14.6	10.7-18.5	16	4.0	01.5-06.5	2	0.3	00.0-00.7	77	14.0	09.5-18.5
\$15,000- 24,999	759	423,830	59	6.8	04.4-09.2	459	60.3	55.0-65.6	155	19.8	15.7-23.9	23	3.0	01.0-05.0	1	0.1	00.0-00.3	62	10.0	06.5-13.5
\$25,000- 34,999	312	161,844	20	6.7	02.4-11.0	178	59.6	52.2-67.0	81	23.2	17.1-29.3	12	3.4	01.0-05.8	1	0.8	00.0-02.4	20	6.3	02.4-10.2
\$35,000- 49,999	285	171,244	29	16.0	08.7-23.3	159	50.0	42.2-57.8	71	24.7	17.8-31.6	9	2.4	00.6-04.2				17	7.0	02.9-11.1
\$50,000- 74,999	232	144,321	25	10.9	05.6-16.2	125	52.8	44.8-60.8	59	24.5	17.6-31.4	15	6.6	02.9-10.3				8	5.2	00.7-09.7
\$75,000+	217	140,481	20	9.1	04.2-14.0	95	46.0	35.4-56.6	75	30.8	22.2-39.4	10	4.2	00.7-07.7				17	9.9	01.9-17.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 17. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1024	758,326	78	8.4	05.9-10.9	487	51.8	47.3-56.3	320	26.3	22.8-29.8	65	6.0	04.0-08.0	4	0.3	00.0-00.7	70	7.1	04.9-09.3
White/Non-Hisp	883	609,472	64	7.7	05.2-10.2	411	48.8	44.1-53.5	290	29.7	25.8-33.6	54	5.8	03.8-07.8	4	0.4	00.0-00.8	60	7.6	05.1-10.1
Black or Afr. Am./Non-Hisp	108	97,270	10	11.0	02.4-19.6	65	70.1	58.5-81.7	22	13.3	06.0-20.6	4	2.0	00.0-04.4				7	3.6	00.1-07.1
45-54	120	101,311	7	4.2	00.1-08.3	53	49.1	36.0-62.2	42	34.0	22.4-45.6	10	8.2	01.5-14.9				8	4.6	00.7-08.5
55-64	265	171,548	17	4.9	02.2-07.6	119	50.1	42.3-57.9	84	27.5	20.6-34.4	20	7.5	03.0-12.0	3	0.6	00.0-01.4	22	9.3	04.2-14.4
65+	513	278,938	36	6.9	04.0-09.8	249	47.3	41.6-53.0	168	32.1	27.0-37.2	28	5.7	02.8-08.6	1	0.4	00.0-01.2	31	7.6	04.1-11.1
Less Than H.S.	153	174,382	7	3.6	00.1-07.1	86	58.2	47.4-69.0	40	23.4	14.6-32.2	8	6.0	00.7-11.3	1	0.1	00.1-00.1	11	8.7	02.6-14.8
H.S. or G.E.D.	360	258,043	26	7.9	04.0-11.8	167	49.1	42.0-56.2	114	29.1	23.0-35.2	22	5.7	02.8-08.6	1	0.5	00.0-01.5	30	7.7	04.4-11.0
Some Post-H.S.	285	205,179	20	11.6	05.5-17.7	140	51.0	42.6-59.4	88	23.2	17.1-29.3	18	6.4	02.9-09.9				19	7.8	02.9-12.7
College Graduate	225	119,100	24	9.8	04.9-14.7	94	50.7	40.7-60.7	78	30.3	22.3-38.3	17	6.0	02.3-09.7	2	0.6	00.0-01.8	10	2.6	00.4-04.8
Less than \$15,000	140	120,218	13	14.0	06.0-22.0	73	48.0	36.4-59.6	31	16.2	08.6-23.8	6	5.6	00.1-11.1	2	0.8	00.0-02.0	15	15.5	06.7-24.3
\$15,000- 24,999	233	174,626	11	4.2	00.9-07.5	112	54.6	45.4-63.8	75	27.7	20.3-35.1	15	6.2	01.5-10.9				20	7.3	03.0-11.6
\$25,000- 34,999	122	69,858	6	2.5	00.3-04.7	67	60.1	48.7-71.5	39	29.1	18.7-39.5	7	5.3	00.4-10.2	1	1.8	00.0-05.3	2	1.2	00.0-03.0
\$35,000- 49,999	109	73,444	8	10.7	02.1-19.3	56	44.9	32.9-56.9	33	35.0	22.8-47.2	6	3.2	00.3-06.1				6	6.2	00.1-12.3
\$50,000- 74,999	96	58,443	8	8.4	02.3-14.5	43	48.0	36.0-60.0	35	33.5	22.1-44.9	9	8.9	02.0-15.8				1	1.2	00.0-03.6
\$75,000+	75	61,751	6	7.2	00.1-14.3	26	47.0	28.4-65.6	34	35.7	20.4-51.0	7	8.5	00.5-16.5				2	1.5	00.0-04.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 18: SOCIAL CONTEXT**

TABLE 18. THINKING ABOUT THE LAST TIME YOU WORKED, ABOUT HOW MANY HOURS DID YOU WORK PER WEEK AT ALL OF YOUR JOBS AND BUSINESSES COMBINED? (SCNTLWK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that had never been told they had asthma

Denominator excludes: Respondents that do not still have asthma

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 20 hrs.			21 - 40 hrs.			41 - 60 hrs.			61 - 85 hrs.			86 - 96+ hrs.			Zero (none)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2258	1,096,651	235	12.1	09.9-14.3	1348	57.7	54.8-60.6	386	15.9	13.7-18.1	48	1.8	01.2-02.4	3	0.1	00.1-00.1	238	12.5	10.1-14.9
White/Non-Hisp	1915	884,858	195	11.3	09.1-13.5	1143	58.1	55.0-61.2	336	16.8	14.4-19.2	36	1.7	00.9-02.5	3	0.1	00.1-00.1	202	12.2	09.8-14.6
Black or Afr. Am./Non-Hisp	277	149,710	33	16.1	09.4-22.8	175	62.1	53.9-70.3	32	8.9	04.8-13.0	10	2.7	00.5-04.9				27	10.2	04.5-15.9
18-24	72	113,990	19	27.7	15.9-39.5	30	33.7	21.7-45.7	6	10.8	01.2-20.4	1	0.1	00.0-00.3				16	27.7	14.2-41.2
25-34	101	108,400	11	12.8	04.8-20.8	60	59.9	48.5-71.3	10	8.8	02.3-15.3	2	0.6	00.0-01.6				18	17.9	08.9-26.9
35-44	148	105,157	18	11.3	05.2-17.4	80	56.3	46.5-66.1	32	19.8	12.2-27.4	3	2.4	00.0-05.5				15	10.2	04.1-16.3
45-54	265	165,348	25	8.4	04.5-12.3	153	61.9	54.6-69.2	52	19.4	13.5-25.3	10	3.3	00.9-05.7				25	7.1	03.6-10.6
55-64	496	208,759	40	10.2	05.5-14.9	277	54.4	48.3-60.5	123	23.9	19.2-28.6	13	2.7	00.9-04.5	1	0.1	00.0-00.3	42	8.7	05.0-12.4
65+	1162	387,812	120	10.1	07.7-12.5	741	64.7	61.0-68.4	160	12.4	10.0-14.8	18	1.2	00.6-01.8	2	0.1	00.0-00.3	121	11.5	08.8-14.2
Less Than H.S.	423	260,372	40	9.4	05.1-13.7	251	57.8	50.9-64.7	55	13.6	08.7-18.5	8	0.9	00.1-01.7				69	18.2	12.7-23.7
H.S. or G.E.D.	825	397,847	73	10.6	07.5-13.7	531	61.5	56.4-66.6	109	12.8	09.7-15.9	13	1.5	00.5-02.5	2	0.1	00.0-00.3	97	13.5	09.2-17.8
Some Post-H.S.	615	294,009	74	14.2	09.7-18.7	363	56.6	50.9-62.3	118	18.8	14.7-22.9	16	2.5	00.9-04.1	1	0.0	00.0-00.0	43	7.9	04.6-11.2
College Graduate	394	144,207	48	16.5	11.2-21.8	203	49.8	43.3-56.3	103	22.9	17.8-28.0	11	2.4	00.6-04.2				29	8.4	05.1-11.7
Less than \$15,000	439	191,627	45	11.7	07.0-16.4	258	58.5	52.0-65.0	64	13.7	09.4-18.0	10	3.0	00.8-05.2				62	13.1	08.4-17.8
\$15,000- 24,999	526	249,204	48	8.6	05.3-11.9	347	64.3	58.0-70.6	80	14.2	09.5-18.9	8	0.8	00.0-01.6	1	0.1	00.0-00.3	42	11.9	07.0-16.8
\$25,000- 34,999	190	91,986	14	9.9	02.6-17.2	111	59.2	49.2-69.2	42	18.8	11.7-25.9	5	1.9	00.0-03.9				18	10.2	03.5-16.9
\$35,000- 49,999	176	97,800	21	19.9	09.3-30.5	103	53.8	43.4-64.2	38	17.0	10.5-23.5	3	1.7	00.0-03.7				11	7.6	02.1-13.1
\$50,000- 74,999	136	85,878	17	12.7	05.1-20.3	82	56.1	45.3-66.9	24	18.4	10.4-26.4	6	5.0	00.7-09.3				7	7.9	00.6-15.2
\$75,000+	142	78,730	14	10.5	03.6-17.4	69	45.2	33.2-57.2	41	26.9	16.9-36.9	3	0.8	00.0-01.8				15	16.5	03.2-29.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 20: Veterans Health Status CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DID YOU EVER SERVE IN A COMBAT OR WAR ZONE? (VHCOMBAT)	
1	MALES AND FEMALES	123
2	MALES ONLY	124
3	FEMALES ONLY	125
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE DEPRESSION, ANXIETY, OR POST TRAUMATIC STRESS DISORDER (PTSD)? (VHDRPTSD)	
4	MALES AND FEMALES	126
5	MALES ONLY	127
6	FEMALES ONLY	128
	A TRAUMATIC BRAIN INJURY MAY RESULT FROM A VIOLENT BLOW TO THE HEAD OR WHEN AN OBJECT PIERCES THE SKULL AND ENTERS THE BRAIN TISSUE. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE SUFFERED A TRAUMATIC BRAIN INJURY (TBI)? (VHDRTBI)	
7	MALES AND FEMALES	129
8	MALES ONLY	130
9	FEMALES ONLY	131
	IN THE PAST 12 MONTHS, DID YOU RECEIVE ANY PSYCHOLOGICAL OR PSYCHIATRIC COUNSELING OR TREATMENT? (VHCOUNSL)	
10	MALES AND FEMALES	132
11	MALES ONLY	133
12	FEMALES ONLY	134
	THE NEXT FEW QUESTIONS ARE A SENSITIVE TOPIC AND SOME PEOPLE MAY FEEL UNCOMFORTABLE WITH THESE QUESTIONS. AT THE END OF THIS SECTION, I WILL GIVE YOU A PHONE NUMBER FOR AN ORGANIZATION THAT CAN PROVIDE INFORMATION AND REFERRAL FOR THESE ISSUES. PLEASE KEEP IN MIND THAT YOU CAN ASK ME TO SKIP ANY QUESTION YOU DO NOT WANT TO ANSWER. HAS THERE BEEN A TIME IN THE PAST 12 MONTHS WHEN YOU THOUGHT OF TAKING YOUR OWN LIFE? (VHTAKLIF)	
13	MALES AND FEMALES	135
14	MALES ONLY	136
15	FEMALES ONLY	137
	DURING THE PAST 12 MONTHS, DID YOU ATTEMPT TO COMMIT SUICIDE? WOULD YOU SAY--- (VHSUICID)	
16	MALES AND FEMALES	138
17	MALES ONLY	139
18	FEMALES ONLY	140

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 20: Veterans Health Status

**TABLE 1: DID YOU EVER SERVE IN A COMBAT OR WAR ZONE? (VHCOMBAT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	782	521,313	296	41.1	36.4-45.8	486	58.9	54.2-63.6
Male	693	471,334	283	43.3	38.4-48.2	410	56.7	51.8-61.6
Female	89	49,979	13	20.1	07.6-32.6	76	79.9	67.4-92.4
White/Non-Hisp	664	412,068	247	40.8	35.7-45.9	417	59.2	54.1-64.3
Black or Afr. Am./Non-Hisp	86	70,494	36	45.5	31.6-59.4	50	54.5	40.6-68.4
35-44	50	57,673	21	44.4	28.1-60.7	29	55.6	39.3-71.9
45-54	105	82,664	41	38.4	27.2-49.6	64	61.6	50.4-72.8
55-64	192	115,789	76	42.6	33.4-51.8	116	57.4	48.2-66.6
65+	395	201,254	139	36.3	30.2-42.4	256	63.7	57.6-69.8
H.S. or G.E.D.	227	165,315	72	31.3	23.5-39.1	155	68.7	60.9-76.5
Some Post-H.S.	254	170,153	108	49.0	40.8-57.2	146	51.0	42.8-59.2
College Graduate	251	137,580	101	45.5	37.5-53.5	150	54.5	46.5-62.5
Less than \$15,000	57	30,867	12	22.7	06.4-39.0	45	77.3	61.0-93.6
\$15,000- 24,999	135	79,962	43	32.6	21.6-43.6	92	67.4	56.4-78.4
\$25,000- 34,999	105	67,695	39	38.5	26.0-51.0	66	61.5	49.0-74.0
\$35,000- 49,999	100	69,046	41	46.7	33.4-60.0	59	53.3	40.0-66.6
\$50,000- 74,999	118	91,686	54	49.7	38.7-60.7	64	50.3	39.3-61.3
\$75,000+	125	95,393	59	47.8	36.8-58.8	66	52.2	41.2-63.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 2: DID YOU EVER SERVE IN A COMBAT OR WAR ZONE? (VHCOMBAT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	693	471,334	283	43.3	38.4-48.2	410	56.7	51.8-61.6
White/Non-Hisp	593	377,039	238	42.6	37.3-47.9	355	57.4	52.1-62.7
Black or Afr. Am./Non-Hisp	71	57,926	33	51.5	36.2-66.8	38	48.5	33.2-63.8
45-54	83	71,761	36	40.4	28.1-52.7	47	59.6	47.3-71.9
55-64	168	107,300	74	45.2	35.6-54.8	94	54.8	45.2-64.4
65+	377	193,984	138	37.6	31.3-43.9	239	62.4	56.1-68.7
H.S. or G.E.D.	207	153,550	71	32.4	24.4-40.4	136	67.6	59.6-75.6
Some Post-H.S.	226	152,687	102	51.8	43.2-60.4	124	48.2	39.6-56.8
College Graduate	212	119,425	95	49.3	40.7-57.9	117	50.7	42.1-59.3
\$15,000- 24,999	116	73,679	43	35.4	23.6-47.2	73	64.6	52.8-76.4
\$25,000- 34,999	99	64,615	39	40.3	27.2-53.4	60	59.7	46.6-72.8
\$35,000- 49,999	92	61,840	39	49.3	35.6-63.0	53	50.7	37.0-64.4
\$50,000- 74,999	104	81,804	51	52.0	40.2-63.8	53	48.0	36.2-59.8
\$75,000+	107	86,049	53	49.7	37.9-61.5	54	50.3	38.5-62.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 3: DID YOU EVER SERVE IN A COMBAT OR WAR ZONE? (VHCOMBAT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	89	49,979	13	20.1	07.2-33.0	76	79.9	67.0-92.8
White/Non-Hisp	71	35,028	9	22.0	06.5-37.5	62	78.0	62.5-93.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

**TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE DEPRESSION, ANXIETY, OR POST TRAUMATIC STRESS DISORDER (PTSD)? (VHDRPTSD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	775	520,218	119	17.3	13.6-21.0	656	82.7	79.0-86.4
Male	686	470,239	96	15.9	12.0-19.8	590	84.1	80.2-88.0
Female	89	49,979	23	30.4	17.1-43.7	66	69.6	56.3-82.9
White/Non-Hisp	656	408,356	100	16.8	12.9-20.7	556	83.2	79.3-87.1
Black or Afr. Am./Non-Hisp	86	70,850	12	17.0	06.2-27.8	74	83.0	72.2-93.8
45-54	104	82,729	19	19.1	09.7-28.5	85	80.9	71.5-90.3
55-64	190	114,796	43	27.8	19.0-36.6	147	72.2	63.4-81.0
65+	392	200,123	36	9.3	05.2-13.4	356	90.7	86.6-94.8
H.S. or G.E.D.	225	166,605	34	16.3	10.0-22.6	191	83.7	77.4-90.0
Some Post-H.S.	254	170,579	39	18.5	11.6-25.4	215	81.5	74.6-88.4
College Graduate	246	134,769	35	12.8	07.5-18.1	211	87.2	81.9-92.5
Less than \$15,000	55	29,832	13	36.8	18.2-55.4	42	63.2	44.6-81.8
\$15,000- 24,999	134	80,036	29	26.7	15.1-38.3	105	73.3	61.7-84.9
\$25,000- 34,999	105	67,695	14	17.2	07.4-27.0	91	82.8	73.0-92.6
\$35,000- 49,999	100	69,046	13	11.5	03.7-19.3	87	88.5	80.7-96.3
\$50,000- 74,999	115	90,402	17	15.9	07.5-24.3	98	84.1	75.7-92.5
\$75,000+	123	94,281	15	9.9	03.4-16.4	108	90.1	83.6-96.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE DEPRESSION, ANXIETY, OR POST TRAUMATIC STRESS DISORDER (PTSD)? (VHDRPTSD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	686	470,239	96	15.9	12.0-19.8	590	84.1	80.2-88.0
White/Non-Hisp	585	373,328	81	15.0	11.1-18.9	504	85.0	81.1-88.9
Black or Afr. Am./Non-Hisp	71	58,281	8	15.9	04.1-27.7	63	84.1	72.3-95.9
45-54	82	71,826	15	18.6	08.2-29.0	67	81.4	71.0-91.8
55-64	166	106,306	36	28.2	18.8-37.6	130	71.8	62.4-81.2
65+	374	192,853	32	9.1	04.8-13.4	342	90.9	86.6-95.2
H.S. or G.E.D.	205	154,840	28	14.7	08.4-21.0	177	85.3	79.0-91.6
Some Post-H.S.	226	153,112	31	15.5	08.8-22.2	195	84.5	77.8-91.2
College Graduate	207	116,614	26	12.2	06.3-18.1	181	87.8	81.9-93.7
\$15,000- 24,999	115	73,753	24	27.9	15.4-40.4	91	72.1	59.6-84.6
\$25,000- 34,999	99	64,615	11	14.5	05.1-23.9	88	85.5	76.1-94.9
\$35,000- 49,999	92	61,840	10	10.2	02.0-18.4	82	89.8	81.6-98.0
\$50,000- 74,999	101	80,520	13	11.5	04.1-18.9	88	88.5	81.1-95.9
\$75,000+	105	84,937	12	9.7	02.6-16.8	93	90.3	83.2-97.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE DEPRESSION, ANXIETY, OR POST TRAUMATIC STRESS DISORDER (PTSD)? (VHDRPTSD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	89	49,979	23	30.4	18.1-42.7	66	69.6	57.3-81.9
White/Non-Hisp	71	35,028	19	35.4	20.5-50.3	52	64.6	49.7-79.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 7: A TRAUMATIC BRAIN INJURY MAY RESULT FROM A VIOLENT BLOW TO THE HEAD OR WHEN AN OBJECT PIERCES THE SKULL AND ENTERS THE BRAIN TISSUE. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE SUFFERED A TRAUMATIC BRAIN INJURY (TBI)? (VHVRTBI)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	781	522,930	25	3.6	01.6-05.6	756	96.4	94.4-98.4
Male	692	472,951	22	3.3	01.3-05.3	670	96.7	94.7-98.7
Female	89	49,979	3	7.1	00.0-16.3	86	92.9	83.7-0100
White/Non-Hisp	661	410,515	22	3.3	01.3-05.3	639	96.7	94.7-98.7
Black or Afr. Am./Non-Hisp	87	71,402	3	7.7	00.0-16.1	84	92.3	83.9-0100
35-44	50	57,673				50	100.0	0100-0100
45-54	105	82,963	5	4.5	00.0-09.2	100	95.5	90.8-0100
55-64	192	115,789	8	5.6	00.3-10.9	184	94.4	89.1-99.7
65+	393	200,311	6	0.7	00.1-01.3	387	99.3	98.7-99.9
H.S. or G.E.D.	227	167,159	9	4.3	00.6-08.0	218	95.7	92.0-99.4
Some Post-H.S.	255	171,061	7	4.5	00.2-08.8	248	95.5	91.2-99.8
College Graduate	250	136,970	7	1.7	00.3-03.1	243	98.3	96.9-99.7
Less than \$15,000	57	30,867	1	1.6	00.0-04.7	56	98.4	95.3-0100
\$15,000- 24,999	136	80,870	4	4.9	00.0-11.2	132	95.1	88.8-0100
\$25,000- 34,999	103	66,752	4	1.9	00.0-04.4	99	98.1	95.6-0100
\$35,000- 49,999	100	69,046	4	3.9	00.0-08.6	96	96.1	91.4-0100
\$50,000- 74,999	117	91,077	2	2.3	00.0-06.2	115	97.7	93.8-0100
\$75,000+	125	95,393	5	3.0	00.0-06.3	120	97.0	93.7-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 8: A TRAUMATIC BRAIN INJURY MAY RESULT FROM A VIOLENT BLOW TO THE HEAD OR WHEN AN OBJECT PIERCES THE SKULL AND ENTERS THE BRAIN TISSUE. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE SUFFERED A TRAUMATIC BRAIN INJURY (TBI)? (VHDRTBI)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	692	472,951	22	3.3	01.3-05.3	670	96.7	94.7-98.7
White/Non-Hisp	590	375,487	19	2.7	00.9-04.5	571	97.3	95.5-99.1
Black or Afr. Am./Non-Hisp	72	58,834	3	9.3	00.0-19.5	69	90.7	80.5-0100
45-54	83	72,059	5	5.2	00.0-10.7	78	94.8	89.3-0100
55-64	168	107,300	7	5.6	00.0-11.3	161	94.4	88.7-0100
65+	375	193,041	6	0.7	00.1-01.3	369	99.3	98.7-99.9
H.S. or G.E.D.	207	155,394	8	4.1	00.4-07.8	199	95.9	92.2-99.6
Some Post-H.S.	227	153,595	6	3.6	00.0-07.5	221	96.4	92.5-0100
College Graduate	211	118,815	6	1.5	00.0-03.1	205	98.5	96.9-0100
\$15,000- 24,999	117	74,587	4	5.3	00.0-12.2	113	94.7	87.8-0100
\$25,000- 34,999	97	63,672	3	0.7	00.0-01.7	94	99.3	98.3-0100
\$35,000- 49,999	92	61,840	4	4.3	00.0-09.6	88	95.7	90.4-0100
\$50,000- 74,999	103	81,194	2	2.5	00.0-06.8	101	97.5	93.2-0100
\$75,000+	107	86,049	4	2.8	00.0-06.3	103	97.2	93.7-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 20: Veterans Health Status**

TABLE 9: A TRAUMATIC BRAIN INJURY MAY RESULT FROM A VIOLENT BLOW TO THE HEAD OR WHEN AN OBJECT PIERCES THE SKULL AND ENTERS THE BRAIN TISSUE. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAVE SUFFERED A TRAUMATIC BRAIN INJURY (TBI)? (VHDRTBI)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	89	49,979	3	7.1	00.0-16.3	86	92.9	83.7-0100
White/Non-Hisp	71	35,028	3	10.1	00.0-23.0	68	89.9	77.0-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 10: IN THE PAST 12 MONTHS, DID YOU RECEIVE ANY PSYCHOLOGICAL OR PSYCHIATRIC COUNSELING OR TREATMENT? (VHCOUNSL)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, from a VA facility			Yes, from a non-VA facility			Yes, from both VA and non-VA facilities			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	780	521,129	55	7.6	05.1-10.1	24	4.3	02.1-06.5	8	1.0	00.2-01.8	693	87.1	83.8-90.4
Male	691	471,150	46	7.1	04.4-09.8	17	3.2	01.2-05.2	7	1.1	00.1-02.1	621	88.7	85.4-92.0
Female	89	49,979	9	12.0	01.6-22.4	7	14.8	02.5-27.1	1	0.5	00.0-01.5	72	72.7	58.4-87.0
White/Non-Hisp	660	408,714	45	7.0	04.3-09.7	20	4.1	01.9-06.3	8	1.3	00.1-02.5	587	87.6	84.1-91.1
Black or Afr. Am./Non-Hisp	87	71,402	7	10.5	01.7-19.3	3	6.1	00.0-13.9				77	83.4	72.4-94.4
35-44	50	57,673				5	14.6	02.4-26.8	1	2.2	00.0-06.5	44	83.2	70.5-95.9
45-54	105	82,963	10	8.9	02.2-15.6	6	9.0	01.6-16.4				89	82.1	72.7-91.5
55-64	190	113,463	21	12.2	05.5-18.9	6	3.4	00.0-07.1	4	1.9	00.0-03.9	159	82.5	75.1-89.9
65+	394	200,837	15	2.7	00.9-04.5	7	1.3	00.0-02.7	3	0.9	00.0-02.5	369	95.0	92.5-97.5
H.S. or G.E.D.	226	165,585	15	7.1	02.6-11.6	7	3.5	00.4-06.6	2	1.2	00.0-03.2	202	88.2	82.7-93.7
Some Post-H.S.	255	171,061	22	9.7	04.4-15.0	8	4.2	00.5-07.9	1	0.4	00.0-01.2	224	85.7	79.2-92.2
College Graduate	250	136,970	13	3.7	01.2-06.2	7	4.6	00.3-08.9	5	1.9	00.0-04.1	225	89.8	84.5-95.1
Less than \$15,000	57	30,867	10	31.2	13.4-49.0	4	6.0	00.0-14.4				43	62.8	44.8-80.8
\$15,000- 24,999	136	80,870	17	12.9	04.5-21.3	4	3.5	00.0-07.6	2	0.9	00.0-02.3	113	82.6	73.4-91.8
\$25,000- 34,999	103	65,703	6	4.2	00.1-08.3	2	2.2	00.0-05.7				95	93.6	88.1-99.1
\$35,000- 49,999	100	69,046	5	4.0	00.0-08.9	5	7.9	00.1-15.7	1	0.4	00.0-01.2	89	87.8	79.0-96.6
\$50,000- 74,999	117	91,077	7	5.3	00.8-09.8	3	4.1	00.0-09.2	2	2.2	00.0-05.3	105	88.4	81.1-95.7
\$75,000+	125	95,393	2	0.5	00.0-01.3	4	5.2	00.0-11.1	1	0.7	00.0-02.1	118	93.6	87.5-99.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 11: IN THE PAST 12 MONTHS, DID YOU RECEIVE ANY PSYCHOLOGICAL OR PSYCHIATRIC COUNSELING OR TREATMENT? (VHCOUNSL)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, from a VA facility			Yes, from a non-VA facility			Yes, from both VA and non-VA facilities			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	691	471,150	46	7.1	04.4-09.8	17	3.2	01.2-05.2	7	1.1	00.1-02.1	621	88.7	85.4-92.0
White/Non-Hisp	589	373,686	36	6.0	03.5-08.5	15	3.6	01.2-06.0	7	1.3	00.1-02.5	531	89.0	85.5-92.5
Black or Afr. Am./Non-Hisp	72	58,834	7	12.7	02.1-23.3	1	0.3	00.0-00.9				64	87.0	76.4-97.6
45-54	83	72,059	7	9.1	01.5-16.7	4	8.6	00.4-16.8				72	82.3	71.9-92.7
55-64	166	104,973	18	12.7	05.6-19.8	4	3.2	00.0-07.1	4	2.0	00.0-04.2	140	82.0	74.0-90.0
65+	376	193,567	15	2.8	01.0-04.6	7	1.4	00.0-02.8	2	0.8	00.0-02.4	352	95.0	92.3-97.7
H.S. or G.E.D.	206	153,819	13	6.8	02.1-11.5	7	3.8	00.5-07.1	2	1.3	00.0-03.3	184	88.1	82.2-94.0
Some Post-H.S.	227	153,595	17	8.2	03.1-13.3	4	1.5	00.0-03.9	1	0.4	00.0-01.2	205	89.8	84.1-95.5
College Graduate	211	118,815	11	3.7	01.0-06.4	5	4.9	00.0-09.8	4	1.9	00.0-04.3	191	89.5	83.6-95.4
\$15,000- 24,999	117	74,587	15	13.7	04.5-22.9	3	3.6	00.0-08.1	2	1.0	00.0-02.6	97	81.6	71.6-91.6
\$25,000- 34,999	97	62,623	5	2.5	00.1-04.9	2	2.3	00.0-06.0				90	95.2	90.9-99.5
\$35,000- 49,999	92	61,840	4	3.9	00.0-09.2	3	3.6	00.0-08.5				85	92.4	85.3-99.5
\$50,000- 74,999	103	81,194	6	5.5	00.6-10.4	2	2.7	00.0-07.2	2	2.4	00.0-05.9	93	89.4	82.1-96.7
\$75,000+	107	86,049	1	0.2	00.0-00.6	4	5.7	00.0-12.4	1	0.8	00.0-02.4	101	93.3	86.6-0100

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 20: Veterans Health Status

TABLE 12: IN THE PAST 12 MONTHS, DID YOU RECEIVE ANY PSYCHOLOGICAL OR PSYCHIATRIC COUNSELING OR TREATMENT? (VHCOUNSL)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, from a VA facility			Yes, from a non-VA facility			Yes, from both VA and non-VA facilities			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	89	49,979	9	12.0	01.6-22.4	7	14.8	02.1-27.5	1	0.5	00.0-01.5	72	72.7	58.0-87.4
White/Non-Hisp	71	35,028	9	17.1	03.2-31.0	5	9.2	00.0-19.4	1	0.8	00.0-02.4	56	72.9	57.8-88.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 13: THE NEXT FEW QUESTIONS ARE A SENSITIVE TOPIC AND SOME PEOPLE MAY FEEL UNCOMFORTABLE WITH THESE QUESTIONS. AT THE END OF THIS SECTION, I WILL GIVE YOU A PHONE NUMBER FOR AN ORGANIZATION THAT CAN PROVIDE INFORMATION AND REFERRAL FOR THESE ISSUES. PLEASE KEEP IN MIND THAT YOU CAN ASK ME TO SKIP ANY QUESTION YOU DO NOT WANT TO ANSWER. HAS THERE BEEN A TIME IN THE PAST 12 MONTHS WHEN YOU THOUGHT OF TAKING YOUR OWN LIFE? (VHTAKLIF)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	772	516,041	41	6.2	03.7-08.7	731	93.8	91.3-96.3
Male	683	466,063	36	6.2	03.5-08.9	647	93.8	91.1-96.5
Female	89	49,979	5	6.4	00.0-12.9	84	93.6	87.1-0100
White/Non-Hisp	654	405,858	33	5.2	03.0-07.4	621	94.8	92.6-97.0
Black or Afr. Am./Non-Hisp	85	69,171	6	11.9	00.0-23.9	79	88.1	76.1-0100
35-44	50	57,673	1	0.6	00.0-01.8	49	99.4	98.2-0100
45-54	105	82,963	11	10.3	03.8-16.8	94	89.7	83.2-96.2
55-64	189	113,801	14	7.0	02.7-11.3	175	93.0	88.7-97.3
65+	388	197,034	10	2.2	00.2-04.2	378	97.8	95.8-99.8
H.S. or G.E.D.	225	165,923	10	8.0	01.9-14.1	215	92.0	85.9-98.1
Some Post-H.S.	250	167,867	21	8.4	04.1-12.7	229	91.6	87.3-95.9
College Graduate	249	136,362	5	2.0	00.0-04.2	244	98.0	95.8-0100
Less than \$15,000	57	30,867	11	24.6	08.7-40.5	46	75.4	59.5-91.3
\$15,000- 24,999	136	80,870	9	9.5	02.1-16.9	127	90.5	83.1-97.9
\$25,000- 34,999	102	66,063	3	8.6	00.0-20.6	99	91.4	79.4-0100
\$35,000- 49,999	97	66,187	2	2.1	00.0-05.4	95	97.9	94.6-0100
\$50,000- 74,999	115	89,327	5	3.9	00.2-07.6	110	96.1	92.4-99.8
\$75,000+	125	95,393	5	3.1	00.0-06.2	120	96.9	93.8-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 14: THE NEXT FEW QUESTIONS ARE A SENSITIVE TOPIC AND SOME PEOPLE MAY FEEL UNCOMFORTABLE WITH THESE QUESTIONS. AT THE END OF THIS SECTION, I WILL GIVE YOU A PHONE NUMBER FOR AN ORGANIZATION THAT CAN PROVIDE INFORMATION AND REFERRAL FOR THESE ISSUES. PLEASE KEEP IN MIND THAT YOU CAN ASK ME TO SKIP ANY QUESTION YOU DO NOT WANT TO ANSWER. HAS THERE BEEN A TIME IN THE PAST 12 MONTHS WHEN YOU THOUGHT OF TAKING YOUR OWN LIFE? (VHTAKLIF)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	683	466,063	36	6.2	03.5-08.9	647	93.8	91.1-96.5
White/Non-Hisp	583	370,830	28	4.8	02.6-07.0	555	95.2	93.0-97.4
Black or Afr. Am./Non-Hisp	70	56,603	6	14.6	00.3-28.9	64	85.4	71.1-99.7
45-54	83	72,059	8	9.1	02.2-16.0	75	90.9	84.0-97.8
55-64	165	105,312	13	7.5	02.8-12.2	152	92.5	87.8-97.2
65+	370	189,764	10	2.3	00.3-04.3	360	97.7	95.7-99.7
H.S. or G.E.D.	205	154,157	10	8.6	02.1-15.1	195	91.4	84.9-97.9
Some Post-H.S.	222	150,400	18	7.8	03.5-12.1	204	92.2	87.9-96.5
College Graduate	210	118,206	3	1.5	00.0-03.7	207	98.5	96.3-0100
\$15,000- 24,999	117	74,587	9	10.3	02.3-18.3	108	89.7	81.7-97.7
\$25,000- 34,999	96	62,983	3	9.1	00.0-21.6	93	90.9	78.4-0100
\$35,000- 49,999	89	58,981				89	100.0	0100-0100
\$50,000- 74,999	101	79,444	4	3.6	00.0-07.5	97	96.4	92.5-0100
\$75,000+	107	86,049	5	3.4	00.0-06.9	102	96.6	93.1-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

TABLE 15: THE NEXT FEW QUESTIONS ARE A SENSITIVE TOPIC AND SOME PEOPLE MAY FEEL UNCOMFORTABLE WITH THESE QUESTIONS. AT THE END OF THIS SECTION, I WILL GIVE YOU A PHONE NUMBER FOR AN ORGANIZATION THAT CAN PROVIDE INFORMATION AND REFERRAL FOR THESE ISSUES. PLEASE KEEP IN MIND THAT YOU CAN ASK ME TO SKIP ANY QUESTION YOU DO NOT WANT TO ANSWER. HAS THERE BEEN A TIME IN THE PAST 12 MONTHS WHEN YOU THOUGHT OF TAKING YOUR OWN LIFE? (VHTAKLIF)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	89	49,979	5	6.4	00.0-13.1	84	93.6	86.9-0100
White/Non-Hisp	71	35,028	5	9.2	00.0-18.4	66	90.8	81.6-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012

MODULE 20: Veterans Health Status

TABLE 16: DURING THE PAST 12 MONTHS, DID YOU ATTEMPT TO COMMIT SUICIDE? WOULD YOU SAY--- (VHSUICID)
Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

**TABLE 17: DURING THE PAST 12 MONTHS, DID YOU ATTEMPT TO COMMIT SUICIDE? WOULD YOU SAY--- (VHSUICID)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 20: Veterans Health Status**

**TABLE 18: DURING THE PAST 12 MONTHS, DID YOU ATTEMPT TO COMMIT SUICIDE? WOULD YOU SAY--- (VHSUICID)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD) CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDTEST)	
1	MALES AND FEMALES	142
2	MALES ONLY	143
3	FEMALES ONLY	144
	WOULD YOU SAY THAT SHORTNESS OF BREATH AFFECTS THE QUALITY OF YOUR LIFE? (COPDQOL)	
4	MALES AND FEMALES	145
5	MALES ONLY	146
6	FEMALES ONLY	147
	OTHER THAN A ROUTINE VISIT, HAVE YOU HAD TO SEE A DOCTOR IN THE PAST 12 MONTHS FOR SYMPTOMS RELATED TO SHORTNESS OF BREATH, BRONCHITIS, OR OTHER COPD, OR EMPHYSEMA FLARE? (COPDDOC)	
7	MALES AND FEMALES	148
8	MALES ONLY	149
9	FEMALES ONLY	150
	DID YOU HAVE TO VISIT AN EMERGENCY ROOM OR BE ADMITTED TO THE HOSPITAL IN THE PAST 12 MONTHS BECAUSE OF YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDHOSP)	
10	MALES AND FEMALES	151
11	MALES ONLY	152
12	FEMALES ONLY	153
	HOW MANY DIFFERENT MEDICATIONS DO YOU CURRENTLY TAKE EACH DAY TO HELP WITH YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDMEDS)	
13	MALES AND FEMALES	154
14	MALES ONLY	155
15	FEMALES ONLY	156

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 1: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDTEST)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	652	369,401	540	83.8	79.9-87.7	112	16.2	12.3-20.1
Male	188	162,831	157	85.2	78.5-91.9	31	14.8	08.1-21.5
Female	464	206,570	383	82.7	78.2-87.2	81	17.3	12.8-21.8
White/Non-Hisp	578	317,480	476	84.3	80.6-88.0	102	15.7	12.0-19.4
45-54	137	88,322	106	80.2	72.0-88.4	31	19.8	11.6-28.0
55-64	192	98,543	157	84.3	77.8-90.8	35	15.7	09.2-22.2
65+	259	106,958	227	89.2	84.1-94.3	32	10.8	05.7-15.9
Less Than H.S.	173	130,235	144	85.3	77.9-92.7	29	14.7	07.3-22.1
H.S. or G.E.D.	247	130,853	211	85.8	80.5-91.1	36	14.2	08.9-19.5
Some Post-H.S.	151	72,277	122	82.4	74.2-90.6	29	17.6	09.4-25.8
College Graduate	81	36,036	63	74.0	60.9-87.1	18	26.0	12.9-39.1
Less than \$15,000	175	93,451	149	87.0	80.5-93.5	26	13.0	06.5-19.5
\$15,000- 24,999	184	120,085	154	80.0	71.4-88.6	30	20.0	11.4-28.6
\$25,000- 34,999	64	34,073	53	89.5	82.2-96.8	11	10.5	03.2-17.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 2: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDTEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	188	162,831	157	85.2	78.7-91.7	31	14.8	08.3-21.3
White/Non-Hisp	169	137,061	142	87.5	81.6-93.4	27	12.5	06.6-18.4
55-64	57	41,691	46	85.8	75.2-96.4	11	14.2	03.6-24.8
65+	74	44,482	67	90.8	81.6-0100	7	9.2	00.0-18.4
Less Than H.S.	52	63,519	45	86.7	74.4-99.0	7	13.3	01.0-25.6
H.S. or G.E.D.	67	53,815	58	88.6	80.4-96.8	9	11.4	03.2-19.6
\$15,000- 24,999	55	60,484	48	83.5	70.2-96.8	7	16.5	03.2-29.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)

TABLE 3: HAVE YOU EVER BEEN GIVEN A BREATHING TEST TO DIAGNOSE YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDTEST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	464	206,570	383	82.7	78.2-87.2	81	17.3	12.8-21.8
White/Non-Hisp	409	180,419	334	81.9	77.0-86.8	75	18.1	13.2-23.0
45-54	102	51,487	78	75.2	63.8-86.6	24	24.8	13.4-36.2
55-64	135	56,852	111	83.3	75.3-91.3	24	16.7	08.7-24.7
65+	185	62,476	160	88.1	82.4-93.8	25	11.9	06.2-17.6
Less Than H.S.	121	66,717	99	84.0	75.4-92.6	22	16.0	07.4-24.6
H.S. or G.E.D.	180	77,038	153	83.8	76.9-90.7	27	16.2	09.3-23.1
Some Post-H.S.	106	39,768	84	79.8	69.4-90.2	22	20.2	09.8-30.6
College Graduate	57	23,046	47	80.2	66.7-93.7	10	19.8	06.3-33.3
Less than \$15,000	139	58,427	121	88.5	81.8-95.2	18	11.5	04.8-18.2
\$15,000- 24,999	129	59,602	106	76.4	65.8-87.0	23	23.6	13.0-34.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)
TABLE 4: WOULD YOU SAY THAT SHORTNESS OF BREATH AFFECTS THE QUALITY OF YOUR LIFE? (COPDQOL)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	651	371,489	465	72.2	67.3-77.1	186	27.8	22.9-32.7
Male	189	164,271	144	74.2	65.8-82.6	45	25.8	17.4-34.2
Female	462	207,219	321	70.6	64.9-76.3	141	29.4	23.7-35.1
White/Non-Hisp	579	318,901	409	71.3	66.2-76.4	170	28.7	23.6-33.8
45-54	138	89,271	110	83.4	76.0-90.8	28	16.6	09.2-24.0
55-64	193	98,784	144	75.3	67.1-83.5	49	24.7	16.5-32.9
65+	255	106,825	166	65.0	56.8-73.2	89	35.0	26.8-43.2
Less Than H.S.	173	130,780	136	77.2	68.0-86.4	37	22.8	13.6-32.0
H.S. or G.E.D.	247	133,860	192	78.9	72.2-85.6	55	21.1	14.4-27.8
Some Post-H.S.	151	72,454	96	61.2	49.8-72.6	55	38.8	27.4-50.2
College Graduate	79	32,772	41	52.8	38.9-66.7	38	47.2	33.3-61.1
Less than \$15,000	173	92,629	138	83.9	76.1-91.7	35	16.1	08.3-23.9
\$15,000- 24,999	182	120,430	134	72.3	62.5-82.1	48	27.7	17.9-37.5
\$25,000- 34,999	64	33,576	47	77.0	65.4-88.6	17	23.0	11.4-34.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)
 TABLE 5: WOULD YOU SAY THAT SHORTNESS OF BREATH AFFECTS THE QUALITY OF YOUR LIFE? (COPDQOL)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	189	164,271	144	74.2	65.8-82.6	45	25.8	17.4-34.2
White/Non-Hisp	168	135,977	128	74.5	65.5-83.5	40	25.5	16.5-34.5
55-64	57	41,691	42	72.7	57.2-88.2	15	27.3	11.8-42.8
65+	73	44,488	60	82.0	68.7-95.3	13	18.0	04.7-31.3
Less Than H.S.	52	63,813	46	80.9	65.8-96.0	6	19.1	04.0-34.2
H.S. or G.E.D.	68	55,184	57	83.1	72.5-93.7	11	16.9	06.3-27.5
\$15,000- 24,999	54	60,413	43	72.3	56.4-88.2	11	27.7	11.8-43.6

NOTE:
 '% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)
 TABLE 6: WOULD YOU SAY THAT SHORTNESS OF BREATH AFFECTS THE QUALITY OF YOUR LIFE? (COPDQOL)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	462	207,219	321	70.6	64.9-76.3	141	29.4	23.7-35.1
White/Non-Hisp	411	182,924	281	68.8	62.7-74.9	130	31.2	25.1-37.3
45-54	101	50,777	80	82.9	73.9-91.9	21	17.1	08.1-26.1
55-64	136	57,092	102	77.1	67.9-86.3	34	22.9	13.7-32.1
65+	182	62,338	106	52.9	43.1-62.7	76	47.1	37.3-56.9
Less Than H.S.	121	66,966	90	73.7	62.7-84.7	31	26.3	15.3-37.3
H.S. or G.E.D.	179	78,677	135	76.0	67.4-84.6	44	24.0	15.4-32.6
Some Post-H.S.	106	39,946	66	62.3	50.5-74.1	40	37.7	25.9-49.5
College Graduate	56	21,630	30	57.0	40.5-73.5	26	43.0	26.5-59.5
Less than \$15,000	138	58,067	109	84.1	75.9-92.3	29	15.9	07.7-24.1
\$15,000- 24,999	128	60,018	91	72.2	61.6-82.8	37	27.8	17.2-38.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)**

TABLE 7: OTHER THAN A ROUTINE VISIT, HAVE YOU HAD TO SEE A DOCTOR IN THE PAST 12 MONTHS FOR SYMPTOMS RELATED TO SHORTNESS OF BREATH, BRONCHITIS, OR OTHER COPD, OR EMPHYSEMA FLARE? (COPDDOC)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	655	373,724	299	45.9	40.4-51.4	356	54.1	48.6-59.6
Male	190	164,124	83	45.4	35.8-55.0	107	54.6	45.0-64.2
Female	465	209,600	216	46.2	39.9-52.5	249	53.8	47.5-60.1
White/Non-Hisp	580	319,390	268	45.7	39.8-51.6	312	54.3	48.4-60.2
45-54	138	89,905	72	55.0	43.6-66.4	66	45.0	33.6-56.4
55-64	194	99,143	93	47.3	37.5-57.1	101	52.7	42.9-62.5
65+	256	106,451	101	35.5	27.7-43.3	155	64.5	56.7-72.3
Less Than H.S.	173	130,966	84	47.6	36.8-58.4	89	52.4	41.6-63.2
H.S. or G.E.D.	250	134,372	119	47.6	39.4-55.8	131	52.4	44.2-60.6
Some Post-H.S.	150	72,335	63	47.0	35.2-58.8	87	53.0	41.2-64.8
College Graduate	81	34,428	33	32.5	20.0-45.0	48	67.5	55.0-80.0
Less than \$15,000	173	93,100	83	46.7	35.5-57.9	90	53.3	42.1-64.5
\$15,000- 24,999	184	120,550	89	49.9	39.3-60.5	95	50.1	39.5-60.7
\$25,000- 34,999	65	34,510	30	46.1	31.2-61.0	35	53.9	39.0-68.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)**

TABLE 8: OTHER THAN A ROUTINE VISIT, HAVE YOU HAD TO SEE A DOCTOR IN THE PAST 12 MONTHS FOR SYMPTOMS RELATED TO SHORTNESS OF BREATH, BRONCHITIS, OR OTHER COPD, OR EMPHYSEMA FLARE? (COPDDOC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	190	164,124	83	45.4	36.0-54.8	107	54.6	45.2-64.0
White/Non-Hisp	169	135,830	75	45.7	35.7-55.7	94	54.3	44.3-64.3
55-64	57	41,691	24	54.1	37.0-71.2	33	45.9	28.8-63.0
65+	74	44,341	32	40.5	26.2-54.8	42	59.5	45.2-73.8
Less Than H.S.	53	64,276	24	43.3	26.6-60.0	29	56.7	40.0-73.4
H.S. or G.E.D.	68	54,574	32	51.2	36.9-65.5	36	48.8	34.5-63.1
\$15,000- 24,999	55	60,484	24	47.0	29.9-64.1	31	53.0	35.9-70.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)**

TABLE 9: OTHER THAN A ROUTINE VISIT, HAVE YOU HAD TO SEE A DOCTOR IN THE PAST 12 MONTHS FOR SYMPTOMS RELATED TO SHORTNESS OF BREATH, BRONCHITIS, OR OTHER COPD, OR EMPHYSEMA FLARE? (COPDDOC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	465	209,600	216	46.2	40.1-52.3	249	53.8	47.7-59.9
White/Non-Hisp	411	183,560	193	45.8	39.3-52.3	218	54.2	47.7-60.7
45-54	101	51,412	53	56.6	44.3-68.9	48	43.4	31.1-55.7
55-64	137	57,452	69	42.4	31.4-53.4	68	57.6	46.6-68.6
65+	182	62,111	69	31.9	23.3-40.5	113	68.1	59.5-76.7
Less Than H.S.	120	66,691	60	51.7	39.2-64.2	60	48.3	35.8-60.8
H.S. or G.E.D.	182	79,798	87	45.1	35.5-54.7	95	54.9	45.3-64.5
Some Post-H.S.	105	39,826	43	48.7	36.7-60.7	62	51.3	39.3-63.3
College Graduate	58	23,286	26	30.0	16.5-43.5	32	70.0	56.5-83.5
Less than \$15,000	137	58,075	68	50.3	38.1-62.5	69	49.7	37.5-61.9
\$15,000- 24,999	129	60,066	65	52.8	41.2-64.4	64	47.2	35.6-58.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)**

**TABLE 10: DID YOU HAVE TO VISIT AN EMERGENCY ROOM OR BE ADMITTED TO THE HOSPITAL IN THE PAST 12 MONTHS BECAUSE OF YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA?
(COPDHOSP)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	654	373,767	105	14.7	11.0-18.4	549	85.3	81.6-89.0
Male	188	163,978	28	13.1	06.8-19.4	160	86.9	80.6-93.2
Female	466	209,789	77	16.0	11.7-20.3	389	84.0	79.7-88.3
White/Non-Hisp	579	319,379	87	12.9	09.4-16.4	492	87.1	83.6-90.6
45-54	138	89,905	26	17.3	09.7-24.9	112	82.7	75.1-90.3
55-64	193	98,686	37	16.6	09.5-23.7	156	83.4	76.3-90.5
65+	256	106,952	30	11.4	06.3-16.5	226	88.6	83.5-93.7
Less Than H.S.	173	130,966	25	11.7	05.2-18.2	148	88.3	81.8-94.8
H.S. or G.E.D.	250	134,977	52	19.7	13.2-26.2	198	80.3	73.8-86.8
Some Post-H.S.	150	71,977	20	12.1	05.8-18.4	130	87.9	81.6-94.2
College Graduate	80	34,225	8	12.7	03.5-21.9	72	87.3	78.1-96.5
Less than \$15,000	171	92,914	32	18.2	10.8-25.6	139	81.8	74.4-89.2
\$15,000- 24,999	186	120,815	34	15.1	07.8-22.4	152	84.9	77.6-92.2
\$25,000- 34,999	65	34,679	6	10.7	01.3-20.1	59	89.3	79.9-98.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)**

**TABLE 11: DID YOU HAVE TO VISIT AN EMERGENCY ROOM OR BE ADMITTED TO THE HOSPITAL IN THE PAST 12 MONTHS BECAUSE OF YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA?
(COPDHOSP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	188	163,978	28	13.1	06.8-19.4	160	86.9	80.6-93.2
White/Non-Hisp	167	135,685	24	11.4	05.5-17.3	143	88.6	82.7-94.5
55-64	56	41,179	11	16.6	03.7-29.5	45	83.4	70.5-96.3
65+	73	44,708	10	13.7	03.9-23.5	63	86.3	76.5-96.1
Less Than H.S.	53	64,276	7	10.4	00.0-21.2	46	89.6	78.8-0100
H.S. or G.E.D.	69	55,255	11	18.7	07.1-30.3	58	81.3	69.7-92.9
\$15,000- 24,999	55	60,484	10	16.5	04.0-29.0	45	83.5	71.0-96.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)**

**TABLE 12: DID YOU HAVE TO VISIT AN EMERGENCY ROOM OR BE ADMITTED TO THE HOSPITAL IN THE PAST 12 MONTHS BECAUSE OF YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA?
(COPDHOSP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	466	209,789	77	16.0	11.7-20.3	389	84.0	79.7-88.3
White/Non-Hisp	412	183,694	63	14.0	09.7-18.3	349	86.0	81.7-90.3
45-54	101	51,412	22	22.3	12.1-32.5	79	77.7	67.5-87.9
55-64	137	57,507	26	16.6	08.6-24.6	111	83.4	75.4-91.4
65+	183	62,244	20	9.7	04.4-15.0	163	90.3	85.0-95.6
Less Than H.S.	120	66,691	18	13.0	05.9-20.1	102	87.0	79.9-94.1
H.S. or G.E.D.	181	79,722	41	20.4	12.8-28.0	140	79.6	72.0-87.2
Some Post-H.S.	107	40,091	13	14.0	05.6-22.4	94	86.0	77.6-94.4
College Graduate	58	23,286	5	12.8	01.0-24.6	53	87.2	75.4-99.0
Less than \$15,000	136	57,999	28	23.6	14.2-33.0	108	76.4	67.0-85.8
\$15,000- 24,999	131	60,331	24	13.8	06.5-21.1	107	86.2	78.9-93.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)**

**TABLE 13: HOW MANY DIFFERENT MEDICATIONS DO YOU CURRENTLY TAKE EACH DAY TO HELP WITH YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDMEDS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13			14-26			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	658	382,014	437	63.1	57.6-68.6	2	0.2	00.0-00.6	219	36.7	31.2-42.2
Male	191	165,097	131	61.4	51.4-71.4				60	38.6	28.6-48.6
Female	467	216,917	306	64.3	58.2-70.4	2	0.4	00.0-01.0	159	35.3	29.2-41.4
White/Non-Hisp	582	329,061	386	63.9	58.0-69.8	2	0.3	00.0-00.7	194	35.8	29.9-41.7
45-54	136	90,232	95	70.1	59.9-80.3				41	29.9	19.7-40.1
55-64	192	97,523	124	71.3	63.1-79.5	1	0.8	00.0-02.4	67	28.0	20.0-36.0
65+	258	107,620	179	66.1	57.7-74.5	1	0.1	00.0-00.3	78	33.8	25.4-42.2
Less Than H.S.	174	132,002	124	60.8	49.4-72.2	1	0.6	00.0-01.8	49	38.6	27.2-50.0
H.S. or G.E.D.	249	139,774	168	66.7	58.9-74.5				81	33.3	25.5-41.1
Some Post-H.S.	152	73,555	101	65.6	54.8-76.4	1	0.1	00.0-00.3	50	34.2	23.4-45.0
College Graduate	83	36,683	44	52.4	38.5-66.3				39	47.6	33.7-61.5
Less than \$15,000	168	93,009	127	74.9	64.7-85.1	1	0.8	00.0-02.4	40	24.3	14.1-34.5
\$15,000- 24,999	188	124,199	123	50.1	39.5-60.7	1	0.1	00.0-00.3	64	49.8	39.2-60.4
\$25,000- 34,999	67	35,599	43	70.1	57.4-82.8				24	29.9	17.2-42.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
 MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)**

TABLE 14: HOW MANY DIFFERENT MEDICATIONS DO YOU CURRENTLY TAKE EACH DAY TO HELP WITH YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDMEDS)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			1-13			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	191	165,097	131	61.4	51.6-71.2	60	38.6	28.8-48.4	
White/Non-Hisp	171	138,426	121	65.6	55.4-75.8	50	34.4	24.2-44.6	
55-64	55	40,153	38	78.5	66.9-90.1	17	21.5	09.9-33.1	
65+	77	46,209	61	73.2	58.9-87.5	16	26.8	12.5-41.1	
Less Than H.S.	53	64,032	38	54.8	35.8-73.8	15	45.2	26.2-64.2	
H.S. or G.E.D.	69	55,767	49	65.5	51.8-79.2	20	34.5	20.8-48.2	
\$15,000- 24,999	57	62,180	35	41.5	24.8-58.2	22	58.5	41.8-75.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 21: CHRONIC OBSTRUCTIVE PULMONARY DISEASE (COPD)**

**TABLE 15: HOW MANY DIFFERENT MEDICATIONS DO YOU CURRENTLY TAKE EACH DAY TO HELP WITH YOUR COPD, CHRONIC BRONCHITIS, OR EMPHYSEMA? (COPDMEDS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13			14-26			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	467	216,917	306	64.3	58.4-70.2	2	0.4	00.0-01.0	159	35.3	29.4-41.2
White/Non-Hisp	411	190,635	265	62.7	56.2-69.2	2	0.4	00.0-01.2	144	36.9	30.4-43.4
45-54	99	51,319	71	71.4	60.0-82.8				28	28.6	17.2-40.0
55-64	137	57,369	86	66.2	55.8-76.6	1	1.3	00.0-03.8	50	32.5	22.3-42.7
65+	181	61,411	118	60.9	51.1-70.7	1	0.2	00.0-00.6	62	39.0	29.2-48.8
Less Than H.S.	121	67,969	86	66.5	54.2-78.8	1	1.1	00.0-03.3	34	32.4	20.1-44.7
H.S. or G.E.D.	180	84,007	119	67.5	58.3-76.7				61	32.5	23.3-41.7
Some Post-H.S.	107	41,247	71	65.7	54.1-77.3	1	0.2	00.0-00.6	35	34.1	22.5-45.7
College Graduate	59	23,693	30	44.7	28.6-60.8				29	55.3	39.2-71.4
Less than \$15,000	132	57,985	102	77.7	66.5-88.9	1	1.3	00.0-03.8	29	21.0	10.0-32.0
\$15,000- 24,999	131	62,018	88	58.7	47.1-70.3	1	0.2	00.0-00.6	42	41.2	29.6-52.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

MODULE 22: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)	
1	MALES AND FEMALES	159
2	MALES ONLY	160
3	FEMALES ONLY	161
	DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)	
4	MALES AND FEMALES	162
5	MALES ONLY	163
6	FEMALES ONLY	164
	DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)	
7	MALES AND FEMALES	165
8	MALES ONLY	166
9	FEMALES ONLY	167
	DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)	
10	MALES AND FEMALES	168
11	MALES ONLY	169
12	FEMALES ONLY	170
	WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)	
13	MALES AND FEMALES	171
14	MALES ONLY	172
15	FEMALES ONLY	173
	HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)	
16	MALES AND FEMALES	174
17	MALES ONLY	175
18	FEMALES ONLY	176
	BEFORE AGE 18, HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? DO NOT INCLUDE SPANKING. WOULD YOU SAY--- (ACEHURT)	
19	MALES AND FEMALES	177
20	MALES ONLY	178
21	FEMALES ONLY	179
	HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)	
22	MALES AND FEMALES	180
23	MALES ONLY	181
24	FEMALES ONLY	182
	HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)	
25	MALES AND FEMALES	183

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012

MODULE 22: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
26	MALES ONLY	184
27	FEMALES ONLY	185
	HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETHEM)	
28	MALES AND FEMALES	186
29	MALES ONLY	187
30	FEMALES ONLY	188
	HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)	
31	MALES AND FEMALES	189
32	MALES ONLY	190
33	FEMALES ONLY	191

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 1: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5681	3,982,021	935	18.3	16.9-19.7	4746	81.7	80.3-83.1
Male	2008	1,880,084	269	14.8	12.6-17.0	1739	85.2	83.0-87.4
Female	3673	2,101,937	666	21.4	19.4-23.4	3007	78.6	76.6-80.6
White/Non-Hisp	4743	3,111,898	815	19.0	17.4-20.6	3928	81.0	79.4-82.6
Black or Afr. Am./Non-Hisp	738	598,616	78	12.3	08.8-15.8	660	87.7	84.2-91.2
Oth. Race/Non-Hisp.	71	93,945	17	32.6	16.7-48.5	54	67.4	51.5-83.3
MultiRacial/Non-Hisp.	50	62,455	12	16.2	04.4-28.0	38	83.8	72.0-95.6
Hispanic	52	92,183	8	17.0	04.8-29.2	44	83.0	70.8-95.2
18-24	231	469,820	54	23.6	17.1-30.1	177	76.4	69.9-82.9
25-34	517	633,330	130	23.9	19.6-28.2	387	76.1	71.8-80.4
35-44	680	673,512	156	20.2	16.7-23.7	524	79.8	76.3-83.3
45-54	1072	778,637	218	19.4	16.3-22.5	854	80.6	77.5-83.7
55-64	1310	662,361	235	18.4	15.7-21.1	1075	81.6	78.9-84.3
65+	1842	745,935	138	7.2	05.4-09.0	1704	92.8	91.0-94.6
Less Than H.S.	693	630,392	91	17.0	12.7-21.3	602	83.0	78.7-87.3
H.S. or G.E.D.	1876	1,323,575	273	16.2	13.8-18.6	1603	83.8	81.4-86.2
Some Post-H.S.	1588	1,173,562	297	20.6	17.9-23.3	1291	79.4	76.7-82.1
College Graduate	1519	850,607	274	19.2	16.5-21.9	1245	80.8	78.1-83.5
Less than \$15,000	701	415,750	173	25.6	20.9-30.3	528	74.4	69.7-79.1
\$15,000- 24,999	1095	750,150	165	17.3	14.0-20.6	930	82.7	79.4-86.0
\$25,000- 34,999	563	396,590	79	19.1	14.2-24.0	484	80.9	76.0-85.8
\$35,000- 49,999	661	511,539	102	15.7	12.2-19.2	559	84.3	80.8-87.8
\$50,000- 74,999	594	447,350	109	18.2	14.3-22.1	485	81.8	77.9-85.7
\$75,000+	837	655,617	140	16.4	13.3-19.5	697	83.6	80.5-86.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 2: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2008	1,880,084	269	14.8	12.6-17.0	1739	85.2	83.0-87.4
White/Non-Hisp	1696	1,470,524	230	14.9	12.5-17.3	1466	85.1	82.7-87.5
Black or Afr. Am./Non-Hisp	227	257,929	20	9.3	04.4-14.2	207	90.7	85.8-95.6
18-24	98	247,059	20	20.6	11.4-29.8	78	79.4	70.2-88.6
25-34	196	291,761	44	21.0	14.5-27.5	152	79.0	72.5-85.5
35-44	239	335,071	42	12.3	08.2-16.4	197	87.7	83.6-91.8
45-54	408	376,596	69	16.6	11.9-21.3	339	83.4	78.7-88.1
55-64	481	306,258	62	13.7	09.8-17.6	419	86.3	82.4-90.2
65+	582	318,897	32	6.2	03.3-09.1	550	93.8	90.9-96.7
Less Than H.S.	204	287,874	27	14.1	07.8-20.4	177	85.9	79.6-92.2
H.S. or G.E.D.	671	634,290	77	12.6	09.3-15.9	594	87.4	84.1-90.7
Some Post-H.S.	568	553,022	85	16.9	12.4-21.4	483	83.1	78.6-87.6
College Graduate	563	401,588	80	15.8	11.9-19.7	483	84.2	80.3-88.1
Less than \$15,000	178	170,902	36	22.6	14.2-31.0	142	77.4	69.0-85.8
\$15,000- 24,999	359	353,291	53	15.5	10.6-20.4	306	84.5	79.6-89.4
\$25,000- 34,999	205	174,855	23	17.3	09.1-25.5	182	82.7	74.5-90.9
\$35,000- 49,999	271	263,961	31	10.7	06.2-15.2	240	89.3	84.8-93.8
\$50,000- 74,999	252	222,356	36	14.0	08.7-19.3	216	86.0	80.7-91.3
\$75,000+	363	347,677	46	13.2	08.9-17.5	317	86.8	82.5-91.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 3: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3673	2,101,937	666	21.4	19.4-23.4	3007	78.6	76.6-80.6
White/Non-Hisp	3047	1,641,374	585	22.7	20.5-24.9	2462	77.3	75.1-79.5
Black or Afr. Am./Non-Hisp	511	340,687	58	14.5	09.6-19.4	453	85.5	80.6-90.4
18-24	133	222,762	34	27.0	17.8-36.2	99	73.0	63.8-82.2
25-34	321	341,569	86	26.4	20.9-31.9	235	73.6	68.1-79.1
35-44	441	338,441	114	28.0	22.7-33.3	327	72.0	66.7-77.3
45-54	664	402,042	149	21.9	17.8-26.0	515	78.1	74.0-82.2
55-64	829	356,103	173	22.4	18.5-26.3	656	77.6	73.7-81.5
65+	1260	427,038	106	8.0	06.0-10.0	1154	92.0	90.0-94.0
Less Than H.S.	489	342,518	64	19.5	13.4-25.6	425	80.5	74.4-86.6
H.S. or G.E.D.	1205	689,286	196	19.6	16.5-22.7	1009	80.4	77.3-83.5
Some Post-H.S.	1020	620,540	212	23.8	20.1-27.5	808	76.2	72.5-79.9
College Graduate	956	449,019	194	22.2	18.7-25.7	762	77.8	74.3-81.3
Less than \$15,000	523	244,848	137	27.8	22.3-33.3	386	72.2	66.7-77.7
\$15,000- 24,999	736	396,858	112	18.9	14.4-23.4	624	81.1	76.6-85.6
\$25,000- 34,999	358	221,735	56	20.4	14.3-26.5	302	79.6	73.5-85.7
\$35,000- 49,999	390	247,577	71	21.1	15.6-26.6	319	78.9	73.4-84.4
\$50,000- 74,999	342	224,994	73	22.3	16.4-28.2	269	77.7	71.8-83.6
\$75,000+	474	307,940	94	20.2	15.5-24.9	380	79.8	75.1-84.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 4: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5698	3,993,686	1490	27.3	25.7-28.9	4208	72.7	71.1-74.3
Male	2013	1,883,003	461	24.9	22.4-27.4	1552	75.1	72.6-77.6
Female	3685	2,110,683	1029	29.5	27.3-31.7	2656	70.5	68.3-72.7
White/Non-Hisp	4754	3,118,668	1235	27.0	25.2-28.8	3519	73.0	71.2-74.8
Black or Afr. Am./Non-Hisp	742	603,332	190	27.7	23.2-32.2	552	72.3	67.8-76.8
Oth. Race/Non-Hisp.	71	93,945	19	23.6	11.3-35.9	52	76.4	64.1-88.7
MultiRacial/Non-Hisp.	50	62,455	18	35.5	17.3-53.7	32	64.5	46.3-82.7
Hispanic	53	92,294	19	31.8	16.7-46.9	34	68.2	53.1-83.3
18-24	233	472,538	71	30.9	24.0-37.8	162	69.1	62.2-76.0
25-34	516	634,268	153	30.5	25.8-35.2	363	69.5	64.8-74.2
35-44	683	678,311	201	28.5	24.2-32.8	482	71.5	67.2-75.8
45-54	1071	779,291	318	28.2	24.7-31.7	753	71.8	68.3-75.3
55-64	1314	663,661	366	28.2	25.1-31.3	948	71.8	68.7-74.9
65+	1853	747,255	377	20.0	17.5-22.5	1476	80.0	77.5-82.5
Less Than H.S.	702	638,026	229	34.6	29.3-39.9	473	65.4	60.1-70.7
H.S. or G.E.D.	1875	1,324,502	498	28.2	25.3-31.1	1377	71.8	68.9-74.7
Some Post-H.S.	1592	1,175,897	413	26.2	23.3-29.1	1179	73.8	70.9-76.7
College Graduate	1524	851,376	349	22.3	19.6-25.0	1175	77.7	75.0-80.4
Less than \$15,000	704	417,486	269	40.9	35.4-46.4	435	59.1	53.6-64.6
\$15,000- 24,999	1095	751,899	291	28.9	24.8-33.0	804	71.1	67.0-75.2
\$25,000- 34,999	566	397,337	142	27.2	21.9-32.5	424	72.8	67.5-78.1
\$35,000- 49,999	663	513,964	164	26.0	21.5-30.5	499	74.0	69.5-78.5
\$50,000- 74,999	596	448,437	141	22.4	18.3-26.5	455	77.6	73.5-81.7
\$75,000+	840	656,706	187	21.7	18.2-25.2	653	78.3	74.8-81.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 5: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2013	1,883,003	461	24.9	22.4-27.4	1552	75.1	72.6-77.6
White/Non-Hisp	1699	1,471,054	383	23.7	21.0-26.4	1316	76.3	73.6-79.0
Black or Afr. Am./Non-Hisp	229	260,317	56	30.1	22.3-37.9	173	69.9	62.1-77.7
18-24	98	247,059	34	32.8	22.6-43.0	64	67.2	57.0-77.4
25-34	196	291,982	50	27.2	19.8-34.6	146	72.8	65.4-80.2
35-44	239	335,071	71	28.6	21.7-35.5	168	71.4	64.5-78.3
45-54	406	376,709	83	21.2	16.1-26.3	323	78.8	73.7-83.9
55-64	484	307,804	119	24.9	20.0-29.8	365	75.1	70.2-80.0
65+	586	319,935	103	17.2	13.1-21.3	483	82.8	78.7-86.9
Less Than H.S.	208	290,689	61	33.2	24.4-42.0	147	66.8	58.0-75.6
H.S. or G.E.D.	669	632,527	161	26.8	22.3-31.3	508	73.2	68.7-77.7
Some Post-H.S.	571	554,814	132	24.5	19.8-29.2	439	75.5	70.8-80.2
College Graduate	563	401,661	107	16.6	12.9-20.3	456	83.4	79.7-87.1
Less than \$15,000	179	170,970	57	38.2	28.2-48.2	122	61.8	51.8-71.8
\$15,000- 24,999	358	353,100	95	28.7	22.0-35.4	263	71.3	64.6-78.0
\$25,000- 34,999	208	176,020	44	28.5	19.5-37.5	164	71.5	62.5-80.5
\$35,000- 49,999	272	264,147	64	25.8	18.9-32.7	208	74.2	67.3-81.1
\$50,000- 74,999	251	222,164	52	20.0	13.7-26.3	199	80.0	73.7-86.3
\$75,000+	364	348,531	70	15.8	11.5-20.1	294	84.2	79.9-88.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 6: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3685	2,110,683	1029	29.5	27.3-31.7	2656	70.5	68.3-72.7
White/Non-Hisp	3055	1,647,613	852	30.0	27.6-32.4	2203	70.0	67.6-72.4
Black or Afr. Am./Non-Hisp	513	343,015	134	25.9	20.6-31.2	379	74.1	68.8-79.4
18-24	135	225,480	37	28.9	19.7-38.1	98	71.1	61.9-80.3
25-34	320	342,286	103	33.4	27.3-39.5	217	66.6	60.5-72.7
35-44	444	343,240	130	28.4	23.3-33.5	314	71.6	66.5-76.7
45-54	665	402,582	235	34.7	30.2-39.2	430	65.3	60.8-69.8
55-64	830	355,857	247	31.1	27.0-35.2	583	68.9	64.8-73.0
65+	1267	427,320	274	22.1	19.0-25.2	993	77.9	74.8-81.0
Less Than H.S.	494	347,337	168	35.8	29.5-42.1	326	64.2	57.9-70.5
H.S. or G.E.D.	1206	691,975	337	29.5	26.0-33.0	869	70.5	67.0-74.0
Some Post-H.S.	1021	621,082	281	27.7	24.0-31.4	740	72.3	68.6-76.0
College Graduate	961	449,715	242	27.3	23.6-31.0	719	72.7	69.0-76.4
Less than \$15,000	525	246,516	212	42.8	36.7-48.9	313	57.2	51.1-63.3
\$15,000- 24,999	737	398,799	196	29.2	24.3-34.1	541	70.8	65.9-75.7
\$25,000- 34,999	358	221,317	98	26.2	19.9-32.5	260	73.8	67.5-80.1
\$35,000- 49,999	391	249,817	100	26.3	20.4-32.2	291	73.7	67.8-79.6
\$50,000- 74,999	345	226,273	89	24.8	19.1-30.5	256	75.2	69.5-80.9
\$75,000+	476	308,175	117	28.3	22.6-34.0	359	71.7	66.0-77.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 7: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5686	3,980,765	475	11.8	10.4-13.2	5211	88.2	86.8-89.6
Male	2008	1,877,185	176	12.1	09.9-14.3	1832	87.9	85.7-90.1
Female	3678	2,103,580	299	11.6	10.0-13.2	3379	88.4	86.8-90.0
White/Non-Hisp	4748	3,111,493	369	10.8	09.4-12.2	4379	89.2	87.8-90.6
Black or Afr. Am./Non-Hisp	738	599,991	81	16.4	12.5-20.3	657	83.6	79.7-87.5
Oth. Race/Non-Hisp.	70	91,651	11	14.4	03.8-25.0	59	85.6	75.0-96.2
MultiRacial/Non-Hisp.	50	62,455	6	11.7	01.5-21.9	44	88.3	78.1-98.5
Hispanic	52	92,183	4	9.2	00.0-18.4	48	90.8	81.6-0100
18-24	232	470,853	43	19.5	13.6-25.4	189	80.5	74.6-86.4
25-34	512	629,254	111	22.4	18.1-26.7	401	77.6	73.3-81.9
35-44	681	677,513	103	15.8	12.3-19.3	578	84.2	80.7-87.7
45-54	1066	773,090	108	10.2	07.7-12.7	958	89.8	87.3-92.3
55-64	1315	664,472	77	6.1	04.3-07.9	1238	93.9	92.1-95.7
65+	1852	747,222	32	1.4	00.8-02.0	1820	98.6	98.0-99.2
Less Than H.S.	701	636,723	59	14.1	09.8-18.4	642	85.9	81.6-90.2
H.S. or G.E.D.	1865	1,313,633	139	9.9	07.9-11.9	1726	90.1	88.1-92.1
Some Post-H.S.	1592	1,175,262	164	14.5	12.0-17.0	1428	85.5	83.0-88.0
College Graduate	1523	851,263	113	9.5	07.3-11.7	1410	90.5	88.3-92.7
Less than \$15,000	703	416,359	80	16.9	12.4-21.4	623	83.1	78.6-87.6
\$15,000- 24,999	1096	750,673	98	13.4	10.1-16.7	998	86.6	83.3-89.9
\$25,000- 34,999	566	397,269	41	11.9	07.8-16.0	525	88.1	84.0-92.2
\$35,000- 49,999	662	514,087	51	9.4	06.3-12.5	611	90.6	87.5-93.7
\$50,000- 74,999	597	448,625	45	9.2	05.9-12.5	552	90.8	87.5-94.1
\$75,000+	839	654,985	66	9.4	06.7-12.1	773	90.6	87.9-93.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 8: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2008	1,877,185	176	12.1	09.9-14.3	1832	87.9	85.7-90.1
White/Non-Hisp	1698	1,468,294	138	11.0	08.8-13.2	1560	89.0	86.8-91.2
Black or Afr. Am./Non-Hisp	225	257,260	29	19.7	12.4-27.0	196	80.3	73.0-87.6
18-24	97	245,373	20	20.3	11.7-28.9	77	79.7	71.1-88.3
25-34	194	289,160	40	20.7	14.2-27.2	154	79.3	72.8-85.8
35-44	239	335,071	41	16.6	10.9-22.3	198	83.4	77.7-89.1
45-54	405	376,152	43	10.6	06.7-14.5	362	89.4	85.5-93.3
55-64	486	308,624	25	6.4	03.5-09.3	461	93.6	90.7-96.5
65+	583	318,361	7	0.7	00.0-01.5	576	99.3	98.5-0100
Less Than H.S.	207	289,386	22	15.2	07.9-22.5	185	84.8	77.5-92.1
H.S. or G.E.D.	663	627,561	52	10.2	07.1-13.3	611	89.8	86.7-92.9
Some Post-H.S.	571	554,449	61	15.0	10.9-19.1	510	85.0	80.9-89.1
College Graduate	565	402,478	41	9.1	06.0-12.2	524	90.9	87.8-94.0
Less than \$15,000	179	170,970	24	19.9	11.5-28.3	155	80.1	71.7-88.5
\$15,000- 24,999	358	351,699	38	14.0	08.5-19.5	320	86.0	80.5-91.5
\$25,000- 34,999	208	176,020	14	10.5	04.6-16.4	194	89.5	83.6-95.4
\$35,000- 49,999	270	263,428	18	7.6	03.5-11.7	252	92.4	88.3-96.5
\$50,000- 74,999	252	222,352	16	9.0	03.9-14.1	236	91.0	85.9-96.1
\$75,000+	365	349,160	32	10.2	06.1-14.3	333	89.8	85.7-93.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 9: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3678	2,103,580	299	11.6	10.0-13.2	3379	88.4	86.8-90.0
White/Non-Hisp	3050	1,643,199	231	10.7	08.9-12.5	2819	89.3	87.5-91.1
Black or Afr. Am./Non-Hisp	513	342,731	52	13.9	09.6-18.2	461	86.1	81.8-90.4
18-24	135	225,480	23	18.6	10.8-26.4	112	81.4	73.6-89.2
25-34	318	340,094	71	23.8	18.1-29.5	247	76.2	70.5-81.9
35-44	442	342,442	62	14.9	10.8-19.0	380	85.1	81.0-89.2
45-54	661	396,938	65	9.8	06.7-12.9	596	90.2	87.1-93.3
55-64	829	355,848	52	5.8	03.8-07.8	777	94.2	92.2-96.2
65+	1269	428,861	25	1.9	00.9-02.9	1244	98.1	97.1-99.1
Less Than H.S.	494	347,337	37	13.2	08.1-18.3	457	86.8	81.7-91.9
H.S. or G.E.D.	1202	686,072	87	9.6	07.1-12.1	1115	90.4	87.9-92.9
Some Post-H.S.	1021	620,813	103	14.0	10.9-17.1	918	86.0	82.9-89.1
College Graduate	958	448,785	72	9.8	07.1-12.5	886	90.2	87.5-92.9
Less than \$15,000	524	245,389	56	14.8	10.1-19.5	468	85.2	80.5-89.9
\$15,000- 24,999	738	398,973	60	12.9	08.8-17.0	678	87.1	83.0-91.2
\$25,000- 34,999	358	221,249	27	12.9	07.2-18.6	331	87.1	81.4-92.8
\$35,000- 49,999	392	250,659	33	11.4	06.5-16.3	359	88.6	83.7-93.5
\$50,000- 74,999	345	226,273	29	9.5	05.4-13.6	316	90.5	86.4-94.6
\$75,000+	474	305,825	34	8.5	05.2-11.8	440	91.5	88.2-94.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 10: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5694	3,985,439	419	10.7	09.3-12.1	5275	89.3	87.9-90.7
Male	2010	1,876,864	162	11.3	09.1-13.5	1848	88.7	86.5-90.9
Female	3684	2,108,575	257	10.1	08.5-11.7	3427	89.9	88.3-91.5
White/Non-Hisp	4754	3,112,568	301	8.9	07.7-10.1	4453	91.1	89.9-92.3
Black or Afr. Am./Non-Hisp	741	603,749	104	21.3	16.4-26.2	637	78.7	73.8-83.6
Oth. Race/Non-Hisp.	69	91,493	2	0.6	00.0-01.6	67	99.4	98.4-0100
MultiRacial/Non-Hisp.	50	62,455	6	15.3	01.4-29.2	44	84.7	70.8-98.6
Hispanic	52	92,183	2	3.7	00.0-09.4	50	96.3	90.6-0100
18-24	232	470,853	51	20.2	14.3-26.1	181	79.8	73.9-85.7
25-34	515	632,240	79	15.3	11.6-19.0	436	84.7	81.0-88.4
35-44	682	678,082	82	13.5	10.0-17.0	600	86.5	83.0-90.0
45-54	1068	775,438	71	9.1	06.2-12.0	997	90.9	88.0-93.8
55-64	1316	665,801	82	6.9	04.9-08.9	1234	93.1	91.1-95.1
65+	1852	744,600	53	3.1	01.9-04.3	1799	96.9	95.7-98.1
Less Than H.S.	700	636,565	74	19.2	14.1-24.3	626	80.8	75.7-85.9
H.S. or G.E.D.	1871	1,317,876	140	9.1	07.3-10.9	1731	90.9	89.1-92.7
Some Post-H.S.	1593	1,175,273	133	11.0	08.8-13.2	1460	89.0	86.8-91.2
College Graduate	1525	851,841	71	6.0	04.2-07.8	1454	94.0	92.2-95.8
Less than \$15,000	704	417,953	85	18.6	13.9-23.3	619	81.4	76.7-86.1
\$15,000- 24,999	1094	749,554	106	14.8	11.1-18.5	988	85.2	81.5-88.9
\$25,000- 34,999	565	397,395	30	7.6	04.1-11.1	535	92.4	88.9-95.9
\$35,000- 49,999	664	515,094	48	10.4	06.9-13.9	616	89.6	86.1-93.1
\$50,000- 74,999	596	448,396	33	7.4	04.7-10.1	563	92.6	89.9-95.3
\$75,000+	840	655,307	38	5.4	03.4-07.4	802	94.6	92.6-96.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 11: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2010	1,876,864	162	11.3	09.1-13.5	1848	88.7	86.5-90.9
White/Non-Hisp	1697	1,464,989	114	8.8	06.8-10.8	1583	91.2	89.2-93.2
Black or Afr. Am./Non-Hisp	228	260,244	41	26.9	18.3-35.5	187	73.1	64.5-81.7
18-24	97	245,373	19	17.6	09.6-25.6	78	82.4	74.4-90.4
25-34	195	289,953	32	15.6	09.7-21.5	163	84.4	78.5-90.3
35-44	239	335,071	26	13.1	07.2-19.0	213	86.9	81.0-92.8
45-54	406	376,709	30	10.3	05.2-15.4	376	89.7	84.6-94.8
55-64	486	309,308	37	9.3	05.6-13.0	449	90.7	87.0-94.4
65+	583	316,007	18	3.8	01.6-06.0	565	96.2	94.0-98.4
Less Than H.S.	207	289,386	34	23.5	14.7-32.3	173	76.5	67.7-85.3
H.S. or G.E.D.	666	628,805	49	8.9	06.0-11.8	617	91.1	88.2-94.0
Some Post-H.S.	570	552,884	47	10.8	07.3-14.3	523	89.2	85.7-92.7
College Graduate	565	402,478	31	6.7	04.0-09.4	534	93.3	90.6-96.0
Less than \$15,000	179	170,970	30	24.9	15.5-34.3	149	75.1	65.7-84.5
\$15,000- 24,999	358	352,443	37	14.6	08.3-20.9	321	85.4	79.1-91.7
\$25,000- 34,999	208	176,020	10	5.5	00.4-10.6	198	94.5	89.4-99.6
\$35,000- 49,999	271	264,054	16	9.7	04.2-15.2	255	90.3	84.8-95.8
\$50,000- 74,999	252	222,352	18	9.6	04.9-14.3	234	90.4	85.7-95.1
\$75,000+	364	347,131	17	5.9	02.8-09.0	347	94.1	91.0-97.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 12: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3684	2,108,575	257	10.1	08.5-11.7	3427	89.9	88.3-91.5
White/Non-Hisp	3057	1,647,579	187	8.9	07.3-10.5	2870	91.1	89.5-92.7
Black or Afr. Am./Non-Hisp	513	343,504	63	17.0	11.9-22.1	450	83.0	77.9-88.1
18-24	135	225,480	32	23.1	14.5-31.7	103	76.9	68.3-85.5
25-34	320	342,286	47	15.1	10.6-19.6	273	84.9	80.4-89.4
35-44	443	343,011	56	13.9	10.0-17.8	387	86.1	82.2-90.0
45-54	662	398,729	41	7.9	04.8-11.0	621	92.1	89.0-95.2
55-64	830	356,493	45	4.8	02.8-06.8	785	95.2	93.2-97.2
65+	1269	428,593	35	2.5	01.3-03.7	1234	97.5	96.3-98.7
Less Than H.S.	493	347,179	40	15.5	09.6-21.4	453	84.5	78.6-90.4
H.S. or G.E.D.	1205	689,070	91	9.4	07.0-11.8	1114	90.6	88.2-93.0
Some Post-H.S.	1023	622,389	86	11.3	08.6-14.0	937	88.7	86.0-91.4
College Graduate	960	449,363	40	5.3	03.3-07.3	920	94.7	92.7-96.7
Less than \$15,000	525	246,983	55	14.3	09.8-18.8	470	85.7	81.2-90.2
\$15,000- 24,999	736	397,111	69	14.9	10.6-19.2	667	85.1	80.8-89.4
\$25,000- 34,999	357	221,376	20	9.3	04.6-14.0	337	90.7	86.0-95.4
\$35,000- 49,999	393	251,040	32	11.2	06.7-15.7	361	88.8	84.3-93.3
\$50,000- 74,999	344	226,044	15	5.2	02.1-08.3	329	94.8	91.7-97.9
\$75,000+	476	308,175	21	4.7	02.3-07.1	455	95.3	92.9-97.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE
TABLE 13: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5674	3,967,392	1390	30.5	28.7-32.3	4180	67.3	65.5-69.1	104	2.3	01.7-02.9
Male	2002	1,869,749	498	31.1	28.2-34.0	1472	66.8	63.9-69.7	32	2.1	01.3-02.9
Female	3672	2,097,643	892	29.8	27.6-32.0	2708	67.7	65.5-69.9	72	2.5	01.7-03.3
White/Non-Hisp	4746	3,106,363	1070	28.0	26.0-30.0	3640	71.0	69.0-73.0	36	1.0	00.6-01.4
Black or Afr. Am./Non-Hisp	730	593,054	267	44.2	39.1-49.3	401	46.6	41.5-51.7	62	9.2	06.3-12.1
Oth. Race/Non-Hisp.	70	91,651	22	27.0	13.7-40.3	46	72.3	59.0-85.6	2	0.7	00.0-01.7
Hispanic	52	92,183	15	33.4	17.5-49.3	36	65.6	49.7-81.5	1	1.1	00.0-03.3
18-24	233	472,538	112	46.1	38.7-53.5	110	49.9	42.3-57.5	11	4.0	01.5-06.5
25-34	512	628,909	219	42.1	37.0-47.2	270	53.7	48.6-58.8	23	4.1	02.1-06.1
35-44	678	669,232	255	39.5	34.8-44.2	409	58.7	54.0-63.4	14	1.7	00.5-02.9
45-54	1063	773,476	297	28.3	24.8-31.8	748	69.8	66.1-73.5	18	1.9	00.9-02.9
55-64	1310	661,119	284	21.2	18.3-24.1	1006	77.2	74.3-80.1	20	1.6	00.6-02.6
65+	1850	745,450	220	13.4	11.0-15.8	1612	85.4	83.0-87.8	18	1.2	00.4-02.0
Less Than H.S.	691	624,427	182	33.3	27.8-38.8	491	64.0	58.5-69.5	18	2.8	01.0-04.6
H.S. or G.E.D.	1867	1,318,673	486	33.5	30.4-36.6	1339	63.4	60.3-66.5	42	3.1	01.9-04.3
Some Post-H.S.	1589	1,171,670	435	31.9	28.6-35.2	1125	66.2	62.9-69.5	29	1.9	00.9-02.9
College Graduate	1521	848,456	286	21.6	18.9-24.3	1221	77.2	74.3-80.1	14	1.3	00.5-02.1
Less than \$15,000	703	414,963	226	38.4	32.9-43.9	450	57.2	51.7-62.7	27	4.4	02.0-06.8
\$15,000- 24,999	1090	747,069	298	35.0	30.7-39.3	767	62.4	58.1-66.7	25	2.5	01.1-03.9
\$25,000- 34,999	564	396,395	137	34.4	28.5-40.3	415	62.7	56.8-68.6	12	3.0	01.0-05.0
\$35,000- 49,999	661	512,223	167	29.6	24.7-34.5	487	69.0	64.1-73.9	7	1.5	00.1-02.9
\$50,000- 74,999	594	446,423	128	23.8	19.3-28.3	459	74.3	69.6-79.0	7	1.9	00.1-03.7
\$75,000+	839	654,214	175	24.9	20.8-29.0	655	73.3	69.2-77.4	9	1.7	00.5-02.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 14: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2002	1,869,749	498	31.1	28.2-34.0	1472	66.8	63.9-69.7	32	2.1	01.3-02.9
White/Non-Hisp	1694	1,464,405	389	28.1	25.2-31.0	1289	70.8	67.9-73.7	16	1.1	00.5-01.7
Black or Afr. Am./Non-Hisp	224	254,605	88	50.0	41.4-58.6	123	42.5	34.1-50.9	13	7.5	03.2-11.8
18-24	98	247,059	44	44.4	33.4-55.4	52	53.8	42.8-64.8	2	1.8	00.0-04.3
25-34	195	289,953	72	38.9	30.9-46.9	112	56.1	47.9-64.3	11	4.9	01.6-08.2
35-44	238	330,864	94	44.5	36.9-52.1	142	54.6	47.0-62.2	2	0.9	00.0-02.3
45-54	401	374,167	98	26.2	20.7-31.7	294	71.2	65.5-76.9	9	2.6	00.6-04.6
55-64	482	306,841	103	21.5	16.8-26.2	375	76.6	71.7-81.5	4	2.0	00.0-04.2
65+	585	318,180	86	15.2	11.3-19.1	495	84.2	80.3-88.1	4	0.6	00.0-01.4
Less Than H.S.	204	284,574	65	38.7	29.5-47.9	137	59.8	50.4-69.2	2	1.5	00.0-03.7
H.S. or G.E.D.	663	629,415	184	34.6	29.7-39.5	463	62.1	57.0-67.2	16	3.3	01.5-05.1
Some Post-H.S.	569	552,334	159	32.7	27.4-38.0	401	65.8	60.5-71.1	9	1.5	00.3-02.7
College Graduate	563	399,834	89	17.9	13.8-22.0	469	80.6	76.3-84.9	5	1.5	00.0-03.1
Less than \$15,000	177	167,822	57	37.8	27.6-48.0	115	59.1	48.9-69.3	5	3.1	00.0-06.2
\$15,000- 24,999	355	349,763	114	38.7	31.4-46.0	235	59.2	51.9-66.5	6	2.0	00.0-04.0
\$25,000- 34,999	208	176,020	58	35.4	26.0-44.8	144	60.8	51.2-70.4	6	3.8	00.5-07.1
\$35,000- 49,999	270	263,886	67	31.2	23.8-38.6	201	67.4	60.0-74.8	2	1.4	00.0-03.4
\$50,000- 74,999	250	221,435	54	25.6	18.5-32.7	193	73.4	66.3-80.5	3	1.0	00.0-02.6
\$75,000+	363	346,038	64	22.0	16.3-27.7	295	76.3	70.4-82.2	4	1.7	00.0-03.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 15: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Parents not married		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3672	2,097,643	892	29.8	27.6-32.0	2708	67.7	65.5-69.9	72	2.5	01.7-03.3
White/Non-Hisp	3052	1,641,958	681	28.0	25.6-30.4	2351	71.2	68.8-73.6	20	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	506	338,449	179	39.7	33.6-45.8	278	49.8	43.7-55.9	49	10.5	06.6-14.4
18-24	135	225,480	68	47.9	37.7-58.1	58	45.7	35.3-56.1	9	6.4	01.7-11.1
25-34	317	338,956	147	44.9	38.4-51.4	158	51.7	45.2-58.2	12	3.4	01.2-05.6
35-44	440	338,368	161	34.7	29.2-40.2	267	62.8	57.1-68.5	12	2.5	00.7-04.3
45-54	662	399,310	199	30.3	25.8-34.8	454	68.5	64.0-73.0	9	1.3	00.3-02.3
55-64	828	354,277	181	21.0	17.5-24.5	631	77.7	74.0-81.4	16	1.3	00.5-02.1
65+	1265	427,269	134	12.1	09.4-14.8	1117	86.2	83.3-89.1	14	1.7	00.5-02.9
Less Than H.S.	487	339,852	117	28.7	22.4-35.0	354	67.4	60.9-73.9	16	3.9	01.4-06.4
H.S. or G.E.D.	1204	689,257	302	32.5	28.6-36.4	876	64.7	60.8-68.6	26	2.8	01.4-04.2
Some Post-H.S.	1020	619,337	276	31.1	27.2-35.0	724	66.6	62.5-70.7	20	2.3	00.9-03.7
College Graduate	958	448,622	197	24.9	21.2-28.6	752	74.1	70.4-77.8	9	1.0	00.2-01.8
Less than \$15,000	526	247,141	169	38.9	32.8-45.0	335	55.9	49.8-62.0	22	5.2	02.1-08.3
\$15,000- 24,999	735	397,306	184	31.8	26.7-36.9	532	65.2	60.1-70.3	19	3.0	01.2-04.8
\$25,000- 34,999	356	220,375	79	33.6	26.5-40.7	271	64.1	56.8-71.4	6	2.3	00.0-04.7
\$35,000- 49,999	391	248,337	100	27.8	21.7-33.9	286	70.6	64.5-76.7	5	1.6	00.0-03.4
\$50,000- 74,999	344	224,988	74	22.1	16.4-27.8	266	75.1	69.0-81.2	4	2.8	00.0-05.9
\$75,000+	476	308,175	111	28.2	22.5-33.9	360	70.0	64.1-75.9	5	1.8	00.2-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 16: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5585	3,914,327	4596	81.5	80.1-82.9	220	4.1	03.3-04.9	769	14.4	13.0-15.8
Male	1973	1,846,027	1672	84.2	82.0-86.4	80	4.2	03.0-05.4	221	11.6	09.6-13.6
Female	3612	2,068,300	2924	79.1	77.1-81.1	140	3.9	03.1-04.7	548	17.0	15.2-18.8
White/Non-Hisp	4670	3,062,416	3885	82.3	80.7-83.9	171	3.5	02.7-04.3	614	14.2	12.8-15.6
Black or Afr. Am./Non-Hisp	719	588,410	565	78.9	74.8-83.0	36	5.2	03.0-07.4	118	15.9	12.2-19.6
Oth. Race/Non-Hisp.	69	91,357	55	81.5	69.7-93.3	4	4.6	00.0-10.1	10	13.9	03.3-24.5
Hispanic	52	92,183	39	84.7	73.7-95.7	4	6.4	00.0-14.6	9	8.8	01.4-16.2
18-24	229	464,075	176	80.0	74.1-85.9	14	4.4	02.0-06.8	39	15.6	10.1-21.1
25-34	506	621,338	398	79.2	75.1-83.3	18	2.7	01.3-04.1	90	18.1	14.2-22.0
35-44	677	672,034	528	79.8	76.1-83.5	33	4.5	02.5-06.5	116	15.7	12.4-19.0
45-54	1048	760,887	803	78.7	75.6-81.8	54	5.2	03.4-07.0	191	16.0	13.3-18.7
55-64	1286	649,671	1026	78.7	75.6-81.8	51	5.1	03.1-07.1	209	16.2	13.5-18.9
65+	1812	729,765	1641	91.2	89.4-93.0	48	2.4	01.2-03.6	123	6.4	05.0-07.8
Less Than H.S.	677	613,783	521	74.0	68.9-79.1	25	4.6	02.2-07.0	131	21.4	16.7-26.1
H.S. or G.E.D.	1830	1,292,560	1507	82.0	79.6-84.4	72	4.2	03.0-05.4	251	13.8	11.6-16.0
Some Post-H.S.	1567	1,158,675	1269	81.1	78.6-83.6	67	4.3	02.9-05.7	231	14.6	12.2-17.0
College Graduate	1505	845,142	1293	86.7	84.5-88.9	56	3.2	02.2-04.2	156	10.1	08.1-12.1
Less than \$15,000	684	406,971	491	70.5	65.6-75.4	29	5.2	02.7-07.7	164	24.3	19.8-28.8
\$15,000- 24,999	1072	736,249	844	74.6	70.5-78.7	59	5.1	03.3-06.9	169	20.4	16.5-24.3
\$25,000- 34,999	555	391,839	476	84.5	80.2-88.8	19	3.8	01.6-06.0	60	11.7	07.8-15.6
\$35,000- 49,999	654	506,613	534	81.9	78.0-85.8	31	5.2	02.8-07.6	89	12.8	09.7-15.9
\$50,000- 74,999	588	442,507	506	86.2	82.5-89.9	18	3.0	01.0-05.0	64	10.8	07.7-13.9
\$75,000+	832	651,303	712	86.4	83.5-89.3	27	3.0	01.4-04.6	93	10.6	08.1-13.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 17: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1973	1,846,027	1672	84.2	82.0-86.4	80	4.2	03.0-05.4	221	11.6	09.6-13.6
White/Non-Hisp	1665	1,442,929	1421	84.9	82.5-87.3	61	3.5	02.3-04.7	183	11.6	09.4-13.8
Black or Afr. Am./Non-Hisp	223	254,498	185	82.3	76.0-88.6	14	6.5	02.4-10.6	24	11.2	06.1-16.3
18-24	96	241,830	78	84.5	77.1-91.9	6	4.2	00.7-07.7	12	11.3	04.6-18.0
25-34	193	287,880	157	80.7	74.2-87.2	9	3.4	01.0-05.8	27	15.9	09.6-22.2
35-44	238	332,264	194	82.0	76.1-87.9	8	4.2	00.9-07.5	36	13.8	08.5-19.1
45-54	398	367,115	338	85.1	80.6-89.6	16	5.1	02.0-08.2	44	9.8	06.3-13.3
55-64	474	301,294	386	80.5	75.6-85.4	20	5.1	02.2-08.0	68	14.4	10.3-18.5
65+	570	311,201	515	91.9	89.0-94.8	21	3.2	00.8-05.6	34	4.9	02.9-06.9
Less Than H.S.	197	274,795	150	74.4	66.2-82.6	9	6.1	01.8-10.4	38	19.5	11.9-27.1
H.S. or G.E.D.	654	621,926	560	85.9	82.6-89.2	25	3.9	01.9-05.9	69	10.3	07.4-13.2
Some Post-H.S.	561	545,514	471	83.9	80.0-87.8	28	4.9	02.5-07.3	62	11.2	07.9-14.5
College Graduate	558	400,200	488	88.6	85.3-91.9	18	2.6	01.0-04.2	52	8.7	05.8-11.6
Less than \$15,000	174	165,566	132	76.8	68.6-85.0	12	6.3	01.6-11.0	30	16.9	09.6-24.2
\$15,000- 24,999	347	343,792	275	75.2	68.7-81.7	17	5.7	02.6-08.8	55	19.2	13.1-25.3
\$25,000- 34,999	202	172,885	170	83.7	76.4-91.0	9	3.3	00.6-06.0	23	13.0	05.9-20.1
\$35,000- 49,999	269	261,492	232	86.6	81.5-91.7	10	3.6	00.9-06.3	27	9.8	05.3-14.3
\$50,000- 74,999	247	218,526	219	87.6	82.1-93.1	8	4.1	00.4-07.8	20	8.2	03.7-12.7
\$75,000+	360	345,075	309	87.8	83.7-91.9	9	2.5	00.3-04.7	42	9.7	06.2-13.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 18: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3612	2,068,300	2924	79.1	77.1-81.1	140	3.9	03.1-04.7	548	17.0	15.2-18.8
White/Non-Hisp	3005	1,619,486	2464	80.0	78.0-82.0	110	3.6	02.8-04.4	431	16.5	14.5-18.5
Black or Afr. Am./Non-Hisp	496	333,911	380	76.3	71.0-81.6	22	4.3	02.3-06.3	94	19.5	14.4-24.6
18-24	133	222,245	98	75.2	66.4-84.0	8	4.5	01.4-07.6	27	20.3	11.9-28.7
25-34	313	333,457	241	77.8	72.5-83.1	9	2.2	00.4-04.0	63	20.0	14.9-25.1
35-44	439	339,769	334	77.6	72.9-82.3	25	4.8	02.6-07.0	80	17.6	13.3-21.9
45-54	650	393,772	465	72.8	68.5-77.1	38	5.4	03.4-07.4	147	21.9	18.0-25.8
55-64	812	348,377	640	77.3	73.2-81.4	31	5.1	02.4-07.8	141	17.6	14.1-21.1
65+	1242	418,565	1126	90.7	88.5-92.9	27	1.8	01.0-02.6	89	7.5	05.5-09.5
Less Than H.S.	480	338,989	371	73.7	67.4-80.0	16	3.4	00.7-06.1	93	22.9	17.0-28.8
H.S. or G.E.D.	1176	670,634	947	78.5	75.4-81.6	47	4.4	02.8-06.0	182	17.1	14.2-20.0
Some Post-H.S.	1006	613,161	798	78.6	75.1-82.1	39	3.8	02.2-05.4	169	17.7	14.6-20.8
College Graduate	947	444,942	805	85.0	82.1-87.9	38	3.7	02.3-05.1	104	11.3	08.6-14.0
Less than \$15,000	510	241,405	359	66.1	60.2-72.0	17	4.4	01.9-06.9	134	29.4	23.7-35.1
\$15,000- 24,999	725	392,456	569	74.0	69.1-78.9	42	4.6	02.8-06.4	114	21.4	16.5-26.3
\$25,000- 34,999	353	218,953	306	85.2	80.3-90.1	10	4.2	01.1-07.3	37	10.6	06.5-14.7
\$35,000- 49,999	385	245,121	302	77.0	71.3-82.7	21	6.9	03.0-10.8	62	16.1	11.4-20.8
\$50,000- 74,999	341	223,981	287	84.8	80.1-89.5	10	2.0	00.6-03.4	44	13.3	08.8-17.8
\$75,000+	472	306,227	403	84.8	80.5-89.1	18	3.5	01.5-05.5	51	11.6	07.7-15.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 19: BEFORE AGE 18, HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? DO NOT INCLUDE SPANKING. WOULD YOU SAY--- (ACEHURT)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5625	3,943,619	4906	85.8	84.4-87.2	136	2.7	02.1-03.3	583	11.5	10.3-12.7
Male	1984	1,856,283	1749	86.8	84.6-89.0	51	2.6	01.6-03.6	184	10.6	08.6-12.6
Female	3641	2,087,336	3157	84.8	83.0-86.6	85	2.8	02.0-03.6	399	12.4	10.8-14.0
White/Non-Hisp	4698	3,081,687	4088	85.4	84.0-86.8	108	2.5	01.9-03.1	502	12.1	10.7-13.5
Black or Afr. Am./Non-Hisp	730	593,449	653	87.4	83.7-91.1	24	3.4	01.4-05.4	53	9.3	06.0-12.6
Oth. Race/Non-Hisp.	69	91,357	57	83.4	71.8-95.0	1	0.4	00.0-01.2	11	16.2	04.6-27.8
Hispanic	52	92,183	47	87.4	76.0-98.8	2	7.5	00.0-17.5	3	5.1	00.0-11.4
18-24	230	468,189	188	83.4	77.9-88.9	8	3.1	00.6-05.6	34	13.5	08.6-18.4
25-34	510	627,525	426	81.9	77.8-86.0	18	4.1	01.7-06.5	66	14.0	10.3-17.7
35-44	679	673,336	562	83.3	79.8-86.8	24	3.4	01.6-05.2	93	13.4	10.1-16.7
45-54	1056	766,543	886	85.1	82.4-87.8	27	2.4	01.2-03.6	143	12.5	10.0-15.0
55-64	1300	656,154	1123	86.6	84.2-89.0	24	1.9	00.9-02.9	153	11.6	09.2-14.0
65+	1823	734,360	1697	92.8	91.2-94.4	35	1.8	01.0-02.6	91	5.4	04.0-06.8
Less Than H.S.	684	623,029	577	82.6	78.3-86.9	13	1.0	00.2-01.8	94	16.4	12.1-20.7
H.S. or G.E.D.	1852	1,308,516	1620	84.6	82.2-87.0	44	3.6	02.2-05.0	188	11.8	09.8-13.8
Some Post-H.S.	1572	1,162,479	1348	85.3	82.9-87.7	41	2.7	01.7-03.7	183	12.0	09.8-14.2
College Graduate	1512	845,710	1358	90.5	88.5-92.5	37	2.6	01.6-03.6	117	7.0	05.4-08.6
Less than \$15,000	696	413,697	549	77.5	73.0-82.0	22	2.5	01.1-03.9	125	20.0	15.7-24.3
\$15,000- 24,999	1076	738,380	934	83.4	79.9-86.9	28	3.1	01.7-04.5	114	13.4	10.1-16.7
\$25,000- 34,999	560	394,655	493	86.3	81.8-90.8	18	5.2	01.7-08.7	49	8.6	05.3-11.9
\$35,000- 49,999	660	512,491	581	86.3	82.8-89.8	12	2.3	00.5-04.1	67	11.4	08.1-14.7
\$50,000- 74,999	590	443,833	527	89.7	86.6-92.8	12	1.4	00.4-02.4	51	9.0	06.1-11.9
\$75,000+	835	651,889	744	89.3	86.8-91.8	18	2.7	01.3-04.1	73	8.0	05.6-10.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 20: BEFORE AGE 18, HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? DO NOT INCLUDE SPANKING. WOULD YOU SAY--- (ACEHURT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1984	1,856,283	1749	86.8	84.6-89.0	51	2.6	01.6-03.6	184	10.6	08.6-12.6
White/Non-Hisp	1675	1,449,001	1473	86.4	84.0-88.8	39	2.2	01.2-03.2	163	11.5	09.3-13.7
Black or Afr. Am./Non-Hisp	224	255,651	203	88.7	83.0-94.4	11	5.2	01.3-09.1	10	6.1	01.6-10.6
18-24	97	245,143	79	84.4	77.0-91.8	2	2.5	00.0-06.0	16	13.1	06.4-19.8
25-34	194	288,947	164	82.2	75.7-88.7	10	5.3	01.6-09.0	20	12.5	06.8-18.2
35-44	236	330,266	194	82.5	76.6-88.4	8	3.3	00.6-06.0	34	14.2	08.7-19.7
45-54	399	368,520	354	89.4	85.5-93.3	9	1.3	00.1-02.5	36	9.3	05.6-13.0
55-64	479	305,457	424	89.0	85.5-92.5	8	1.7	00.3-03.1	47	9.3	06.0-12.6
65+	575	313,508	531	92.2	89.5-94.9	14	1.9	00.5-03.3	30	6.0	03.6-08.4
Less Than H.S.	202	280,462	169	83.4	76.3-90.5				33	16.6	09.5-23.7
H.S. or G.E.D.	659	626,381	585	85.7	82.0-89.4	14	3.1	00.7-05.5	60	11.2	08.1-14.3
Some Post-H.S.	563	547,956	484	85.9	82.2-89.6	22	3.3	01.5-05.1	57	10.8	07.5-14.1
College Graduate	558	398,173	509	92.2	89.5-94.9	15	2.6	01.0-04.2	34	5.2	03.0-07.4
Less than \$15,000	178	168,164	148	81.2	73.2-89.2	6	3.0	00.1-05.9	24	15.8	08.0-23.6
\$15,000- 24,999	350	345,526	301	83.5	78.0-89.0	8	2.7	00.5-04.9	41	13.8	08.5-19.1
\$25,000- 34,999	204	173,642	178	83.8	75.6-92.0	8	6.5	00.4-12.6	18	9.7	03.4-16.0
\$35,000- 49,999	269	262,884	234	86.4	81.1-91.7	7	2.2	00.2-04.2	28	11.4	06.5-16.3
\$50,000- 74,999	249	220,439	226	90.6	85.9-95.3	5	1.7	00.0-03.5	18	7.7	03.4-12.0
\$75,000+	361	344,441	327	90.9	87.4-94.4	8	2.0	00.2-03.8	26	7.1	04.0-10.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 21: BEFORE AGE 18, HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? DO NOT INCLUDE SPANKING. WOULD YOU SAY--- (ACEHURT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3641	2,087,336	3157	84.8	83.0-86.6	85	2.8	02.0-03.6	399	12.4	10.8-14.0
White/Non-Hisp	3023	1,632,686	2615	84.5	82.7-86.3	69	2.9	01.9-03.9	339	12.6	10.8-14.4
Black or Afr. Am./Non-Hisp	506	337,798	450	86.4	81.7-91.1	13	2.0	00.6-03.4	43	11.7	07.2-16.2
18-24	133	223,046	109	82.4	74.4-90.4	6	3.7	00.2-07.2	18	13.9	06.5-21.3
25-34	316	338,578	262	81.6	76.3-86.9	8	3.1	00.4-05.8	46	15.4	10.7-20.1
35-44	443	343,070	368	84.0	79.9-88.1	16	3.4	01.4-05.4	59	12.6	08.9-16.3
45-54	657	398,023	532	81.2	77.5-84.9	18	3.3	01.5-05.1	107	15.5	12.2-18.8
55-64	821	350,698	699	84.5	81.2-87.8	16	2.0	00.6-03.4	106	13.5	10.4-16.6
65+	1248	420,852	1166	93.2	91.2-95.2	21	1.8	00.6-03.0	61	5.0	03.4-06.6
Less Than H.S.	482	342,567	408	81.9	76.4-87.4	13	1.9	00.3-03.5	61	16.2	10.9-21.5
H.S. or G.E.D.	1193	682,135	1035	83.7	80.6-86.8	30	3.9	01.9-05.9	128	12.4	09.9-14.9
Some Post-H.S.	1009	614,523	864	84.7	81.8-87.6	19	2.2	01.0-03.4	126	13.1	10.4-15.8
College Graduate	954	447,537	849	88.9	86.4-91.4	22	2.5	01.1-03.9	83	8.5	06.1-10.9
Less than \$15,000	518	245,533	401	74.9	69.8-80.0	16	2.2	00.8-03.6	101	22.9	17.8-28.0
\$15,000- 24,999	726	392,854	633	83.3	79.0-87.6	20	3.6	01.8-05.4	73	13.1	09.0-17.2
\$25,000- 34,999	356	221,014	315	88.2	83.3-93.1	10	4.2	00.3-08.1	31	7.6	04.3-10.9
\$35,000- 49,999	391	249,607	347	86.1	81.2-91.0	5	2.5	00.0-05.2	39	11.4	07.1-15.7
\$50,000- 74,999	341	223,393	301	88.7	84.4-93.0	7	1.1	00.1-02.1	33	10.2	05.9-14.5
\$75,000+	474	307,449	417	87.5	83.6-91.4	10	3.4	01.2-05.6	47	9.1	06.0-12.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 22: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5595	3,926,768	4075	69.2	67.4-71.0	274	6.3	05.3-07.3	1246	24.5	22.9-26.1
Male	1973	1,851,467	1436	70.4	67.7-73.1	118	6.6	05.0-08.2	419	22.9	20.4-25.4
Female	3622	2,075,301	2639	68.1	65.9-70.3	156	5.9	04.5-07.3	827	26.0	24.0-28.0
White/Non-Hisp	4669	3,062,400	3406	69.8	67.8-71.8	218	5.5	04.5-06.5	1045	24.7	22.9-26.5
Black or Afr. Am./Non-Hisp	728	595,341	548	69.6	64.9-74.3	37	6.8	04.1-09.5	143	23.5	19.2-27.8
Oth. Race/Non-Hisp.	69	91,357	36	53.5	37.6-69.4	6	10.8	01.2-20.4	27	35.6	21.1-50.1
Hispanic	52	92,183	38	69.5	54.0-85.0	7	19.0	05.5-32.5	7	11.5	01.5-21.5
18-24	229	463,816	136	59.1	51.7-66.5	29	13.2	07.9-18.5	64	27.7	20.8-34.6
25-34	506	622,979	314	60.6	55.5-65.7	38	8.2	05.3-11.1	154	31.1	26.2-36.0
35-44	677	672,758	442	66.1	61.6-70.6	32	5.0	02.8-07.2	203	28.8	24.7-32.9
45-54	1054	764,927	696	67.7	64.2-71.2	57	5.6	03.6-07.6	301	26.7	23.4-30.0
55-64	1292	652,389	918	71.5	68.2-74.8	56	4.5	03.1-05.9	318	24.0	20.9-27.1
65+	1808	731,472	1547	85.0	82.8-87.2	62	3.7	02.5-04.9	199	11.4	09.4-13.4
Less Than H.S.	682	623,098	509	67.9	62.4-73.4	21	4.2	01.8-06.6	152	27.9	22.6-33.2
H.S. or G.E.D.	1838	1,299,249	1369	70.9	68.0-73.8	89	6.1	04.3-07.9	380	23.0	20.3-25.7
Some Post-H.S.	1564	1,159,212	1101	67.0	63.7-70.3	85	7.6	05.4-09.8	378	25.4	22.5-28.3
College Graduate	1505	841,043	1091	70.5	67.4-73.6	79	6.2	04.4-08.0	335	23.3	20.4-26.2
Less than \$15,000	694	410,969	442	57.7	52.2-63.2	33	7.4	03.9-10.9	219	34.8	29.5-40.1
\$15,000- 24,999	1074	733,838	763	65.0	60.7-69.3	55	6.2	04.0-08.4	256	28.8	24.7-32.9
\$25,000- 34,999	553	391,910	413	69.6	63.9-75.3	33	8.9	05.2-12.6	107	21.6	16.7-26.5
\$35,000- 49,999	655	508,878	483	72.8	68.3-77.3	26	3.9	01.7-06.1	146	23.2	18.9-27.5
\$50,000- 74,999	589	443,347	439	73.9	69.2-78.6	23	4.8	02.3-07.3	127	21.3	17.0-25.6
\$75,000+	830	648,781	587	69.4	65.1-73.7	49	7.1	04.2-10.0	194	23.5	19.8-27.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 23: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1973	1,851,467	1436	70.4	67.7-73.1	118	6.6	05.0-08.2	419	22.9	20.4-25.4
White/Non-Hisp	1665	1,443,400	1223	71.8	68.9-74.7	88	4.7	03.5-05.9	354	23.5	20.8-26.2
Black or Afr. Am./Non-Hisp	223	256,258	161	68.5	60.5-76.5	20	10.9	05.4-16.4	42	20.6	13.7-27.5
18-24	97	245,143	58	60.4	49.6-71.2	13	13.0	05.9-20.1	26	26.6	16.8-36.4
25-34	192	288,276	120	63.2	55.2-71.2	19	8.5	04.4-12.6	53	28.4	20.8-36.0
35-44	239	332,913	155	67.8	60.9-74.7	9	4.3	00.8-07.8	75	27.9	21.4-34.4
45-54	397	367,709	272	69.3	63.6-75.0	30	6.8	03.5-10.1	95	23.9	18.8-29.0
55-64	475	302,352	351	75.6	70.7-80.5	19	4.0	01.8-06.2	105	20.3	15.8-24.8
65+	569	310,632	477	83.8	79.9-87.7	28	4.9	02.7-07.1	64	11.3	07.8-14.8
Less Than H.S.	199	278,612	145	67.9	58.7-77.1	9	4.9	01.0-08.8	45	27.2	18.4-36.0
H.S. or G.E.D.	654	623,039	480	69.8	65.1-74.5	38	6.8	04.1-09.5	136	23.5	19.2-27.8
Some Post-H.S.	564	550,113	402	70.8	65.9-75.7	39	8.0	04.9-11.1	123	21.2	16.9-25.5
College Graduate	553	396,111	406	72.4	67.5-77.3	32	5.8	03.3-08.3	115	21.7	17.2-26.2
Less than \$15,000	175	165,322	116	58.9	48.7-69.1	14	12.9	05.3-20.5	45	28.2	18.8-37.6
\$15,000- 24,999	350	345,795	232	62.6	55.3-69.9	26	8.0	04.3-11.7	92	29.5	22.6-36.4
\$25,000- 34,999	202	173,009	146	67.5	58.1-76.9	16	8.6	03.1-14.1	40	23.9	15.1-32.7
\$35,000- 49,999	267	262,424	199	76.8	70.5-83.1	13	4.2	01.1-07.3	55	19.1	13.2-25.0
\$50,000- 74,999	249	219,857	197	77.1	70.4-83.8	8	3.7	00.2-07.2	44	19.2	13.1-25.3
\$75,000+	361	344,817	254	71.2	65.3-77.1	20	5.5	02.6-08.4	87	23.4	17.9-28.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 24: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3622	2,075,301	2639	68.1	65.9-70.3	156	5.9	04.5-07.3	827	26.0	24.0-28.0
White/Non-Hisp	3004	1,619,000	2183	68.1	65.7-70.5	130	6.1	04.5-07.7	691	25.8	23.6-28.0
Black or Afr. Am./Non-Hisp	505	339,083	387	70.5	64.6-76.4	17	3.8	01.4-06.2	101	25.8	20.1-31.5
18-24	132	218,674	78	57.5	47.1-67.9	16	13.5	05.5-21.5	38	29.0	19.6-38.4
25-34	314	334,703	194	58.5	52.0-65.0	19	8.0	03.9-12.1	101	33.5	27.4-39.6
35-44	438	339,846	287	64.5	58.8-70.2	23	5.7	03.0-08.4	128	29.8	24.5-35.1
45-54	657	397,219	424	66.3	61.8-70.8	27	4.5	02.5-06.5	206	29.2	24.9-33.5
55-64	817	350,038	567	67.9	63.6-72.2	37	5.0	03.0-07.0	213	27.2	22.9-31.5
65+	1239	420,840	1070	85.8	83.3-88.3	34	2.8	01.6-04.0	135	11.4	09.0-13.8
Less Than H.S.	483	344,486	364	68.0	61.5-74.5	12	3.6	00.9-06.3	107	28.4	22.1-34.7
H.S. or G.E.D.	1184	676,210	889	71.9	68.4-75.4	51	5.5	03.5-07.5	244	22.6	19.3-25.9
Some Post-H.S.	1000	609,099	699	63.5	59.2-67.8	46	7.3	04.2-10.4	255	29.3	25.4-33.2
College Graduate	952	444,932	685	68.8	64.9-72.7	47	6.5	04.3-08.7	220	24.7	21.0-28.4
Less than \$15,000	519	245,647	326	56.9	50.8-63.0	19	3.8	01.6-06.0	174	39.3	33.2-45.4
\$15,000- 24,999	724	388,043	531	67.2	62.1-72.3	29	4.5	02.1-06.9	164	28.3	23.2-33.4
\$25,000- 34,999	351	218,901	267	71.2	64.5-77.9	17	9.1	03.8-14.4	67	19.8	14.3-25.3
\$35,000- 49,999	388	246,454	284	68.6	62.1-75.1	13	3.7	01.0-06.4	91	27.7	21.4-34.0
\$50,000- 74,999	340	223,490	242	70.7	64.2-77.2	15	5.9	02.4-09.4	83	23.4	17.5-29.3
\$75,000+	469	303,964	333	67.4	61.1-73.7	29	9.0	03.7-14.3	107	23.5	18.4-28.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 25: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5583	3,904,251	5004	89.9	88.7-91.1	186	3.4	02.8-04.0	393	6.7	05.7-07.7
Male	1972	1,843,329	1863	94.0	92.4-95.6	46	2.4	01.4-03.4	63	3.7	02.5-04.9
Female	3611	2,060,922	3141	86.3	84.7-87.9	140	4.3	03.5-05.1	330	9.4	08.0-10.8
White/Non-Hisp	4665	3,053,150	4192	90.5	89.3-91.7	148	3.4	02.6-04.2	325	6.2	05.4-07.0
Black or Afr. Am./Non-Hisp	724	587,464	648	89.3	86.2-92.4	30	3.3	01.7-04.9	46	7.3	04.4-10.2
Oth. Race/Non-Hisp.	69	91,289	61	92.7	86.0-99.4	2	0.9	00.0-02.7	6	6.4	00.0-12.9
Hispanic	51	88,728	42	79.5	65.6-93.4	3	7.5	00.0-16.9	6	13.0	01.6-24.4
18-24	224	456,567	205	91.4	87.1-95.7	6	2.3	00.1-04.5	13	6.3	02.4-10.2
25-34	504	618,196	458	91.2	88.3-94.1	15	2.7	01.1-04.3	31	6.2	03.7-08.7
35-44	676	666,683	565	85.1	81.8-88.4	34	5.8	03.3-08.3	77	9.1	06.7-11.5
45-54	1055	768,006	904	87.3	84.9-89.7	42	3.4	02.2-04.6	109	9.3	07.1-11.5
55-64	1286	644,430	1134	89.3	87.1-91.5	50	3.5	02.3-04.7	102	7.2	05.4-09.0
65+	1810	733,266	1711	95.8	94.6-97.0	38	2.1	01.1-03.1	61	2.1	01.5-02.7
Less Than H.S.	678	615,731	605	87.7	83.8-91.6	19	3.7	01.2-06.2	54	8.7	05.6-11.8
H.S. or G.E.D.	1830	1,289,303	1658	91.2	89.4-93.0	50	2.9	01.7-04.1	122	5.9	04.5-07.3
Some Post-H.S.	1564	1,152,223	1380	89.4	87.4-91.4	65	3.8	02.6-05.0	119	6.8	05.2-08.4
College Graduate	1505	842,828	1355	90.5	88.5-92.5	52	3.3	02.3-04.3	98	6.3	04.7-07.9
Less than \$15,000	687	409,045	566	81.1	76.6-85.6	35	6.8	03.7-09.9	86	12.1	08.4-15.8
\$15,000- 24,999	1065	726,655	939	88.7	86.0-91.4	38	3.8	01.8-05.8	88	7.6	05.4-09.8
\$25,000- 34,999	555	386,887	505	91.4	88.5-94.3	18	2.8	01.2-04.4	32	5.7	03.2-08.2
\$35,000- 49,999	657	510,000	604	92.4	89.9-94.9	22	3.1	01.5-04.7	31	4.5	02.3-06.7
\$50,000- 74,999	589	441,970	528	90.1	87.2-93.0	15	2.6	01.2-04.0	46	7.2	04.5-09.9
\$75,000+	833	652,138	753	91.5	89.3-93.7	24	2.3	01.3-03.3	56	6.2	04.2-08.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 26: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1972	1,843,329	1863	94.0	92.4-95.6	46	2.4	01.4-03.4	63	3.7	02.5-04.9
White/Non-Hisp	1670	1,445,979	1584	94.7	93.1-96.3	35	2.1	00.9-03.3	51	3.2	02.0-04.4
Black or Afr. Am./Non-Hisp	219	249,358	208	94.6	90.7-98.5	9	3.6	00.9-06.3	2	1.8	00.0-04.7
18-24	95	239,270	89	92.9	87.0-98.8	2	2.6	00.0-06.3	4	4.5	00.0-09.2
25-34	193	288,585	184	94.7	90.8-98.6	3	1.0	00.0-02.4	6	4.3	00.6-08.0
35-44	237	328,851	212	89.2	84.1-94.3	11	6.1	01.6-10.6	14	4.7	02.0-07.4
45-54	401	372,530	379	94.8	92.1-97.5	6	0.6	00.0-01.2	16	4.6	02.1-07.1
55-64	468	295,341	440	94.8	92.3-97.3	13	2.0	00.8-03.2	15	3.2	01.0-05.4
65+	574	314,309	556	98.0	96.6-99.4	10	1.3	00.1-02.5	8	0.7	00.1-01.3
Less Than H.S.	199	278,265	190	92.8	86.9-98.7	4	3.7	00.0-08.4	5	3.5	00.0-07.0
H.S. or G.E.D.	653	618,245	625	94.8	92.4-97.2	13	2.4	00.6-04.2	15	2.8	01.0-04.6
Some Post-H.S.	561	544,966	528	93.8	91.1-96.5	13	1.5	00.5-02.5	20	4.7	02.2-07.2
College Graduate	556	398,260	517	93.6	91.1-96.1	16	2.6	01.0-04.2	23	3.8	01.6-06.0
Less than \$15,000	177	167,839	162	85.7	77.3-94.1	6	6.0	00.1-11.9	9	8.3	01.4-15.2
\$15,000- 24,999	349	342,317	324	93.1	88.8-97.4	13	4.4	00.7-08.1	12	2.5	00.1-04.9
\$25,000- 34,999	200	166,506	188	94.6	90.3-98.9	6	1.2	00.0-02.6	6	4.1	00.0-08.2
\$35,000- 49,999	269	263,411	260	97.4	95.4-99.4	2	0.3	00.0-00.7	7	2.2	00.2-04.2
\$50,000- 74,999	248	218,809	233	93.6	89.7-97.5	6	2.0	00.2-03.8	9	4.4	00.9-07.9
\$75,000+	361	345,263	343	95.1	92.4-97.8	5	0.9	00.1-01.7	13	4.0	01.5-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 27: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3611	2,060,922	3141	86.3	84.7-87.9	140	4.3	03.5-05.1	330	9.4	08.0-10.8
White/Non-Hisp	2995	1,607,171	2608	86.6	85.0-88.2	113	4.5	03.5-05.5	274	8.9	07.5-10.3
Black or Afr. Am./Non-Hisp	505	338,107	440	85.5	80.8-90.2	21	3.1	01.5-04.7	44	11.4	06.9-15.9
18-24	129	217,297	116	89.8	83.3-96.3	4	2.0	00.0-04.2	9	8.2	01.9-14.5
25-34	311	329,611	274	88.1	84.0-92.2	12	4.1	01.6-06.6	25	7.7	04.4-11.0
35-44	439	337,831	353	81.0	76.5-85.5	23	5.6	02.9-08.3	63	13.4	09.7-17.1
45-54	654	395,476	525	80.2	76.5-83.9	36	6.1	03.9-08.3	93	13.8	10.5-17.1
55-64	818	349,089	694	84.8	81.7-87.9	37	4.7	02.9-06.5	87	10.5	07.8-13.2
65+	1236	418,958	1155	94.1	92.5-95.7	28	2.7	01.3-04.1	53	3.2	02.2-04.2
Less Than H.S.	479	337,466	415	83.4	78.3-88.5	15	3.7	01.5-05.9	49	12.9	08.0-17.8
H.S. or G.E.D.	1177	671,058	1033	87.8	85.3-90.3	37	3.5	02.1-04.9	107	8.8	06.6-11.0
Some Post-H.S.	1003	607,257	852	85.4	82.7-88.1	52	5.9	03.9-07.9	99	8.7	06.5-10.9
College Graduate	949	444,568	838	87.6	84.9-90.3	36	3.9	02.3-05.5	75	8.5	06.1-10.9
Less than \$15,000	510	241,207	404	77.9	72.8-83.0	29	7.4	03.9-10.9	77	14.7	10.6-18.8
\$15,000- 24,999	716	384,338	615	84.7	81.0-88.4	25	3.2	01.6-04.8	76	12.1	08.8-15.4
\$25,000- 34,999	355	220,381	317	89.0	84.9-93.1	12	4.0	01.5-06.5	26	6.9	03.6-10.2
\$35,000- 49,999	388	246,589	344	86.9	82.2-91.6	20	6.1	03.0-09.2	24	7.0	03.3-10.7
\$50,000- 74,999	341	223,161	295	86.7	82.2-91.2	9	3.3	00.9-05.7	37	10.0	05.9-14.1
\$75,000+	472	306,875	410	87.4	83.9-90.9	19	3.9	01.7-06.1	43	8.7	05.8-11.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 28: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETHEM)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5575	3,904,895	5157	92.1	91.1-93.1	147	3.0	02.4-03.6	271	4.9	04.1-05.7
Male	1971	1,846,578	1880	94.6	93.0-96.2	43	2.7	01.5-03.9	48	2.8	01.8-03.8
Female	3604	2,058,316	3277	90.0	88.6-91.4	104	3.3	02.5-04.1	223	6.8	05.6-08.0
White/Non-Hisp	4662	3,055,106	4327	92.8	91.8-93.8	114	2.9	02.1-03.7	221	4.3	03.5-05.1
Black or Afr. Am./Non-Hisp	719	582,979	662	91.5	88.6-94.4	26	3.2	01.6-04.8	31	5.3	02.6-08.0
Oth. Race/Non-Hisp.	69	91,289	64	94.6	88.3-0100				5	5.4	00.0-11.7
Hispanic	52	92,183	45	81.5	68.2-94.8	3	7.3	00.0-16.5	4	11.3	00.5-22.1
18-24	222	452,009	205	91.5	87.0-96.0	7	2.6	00.2-05.0	10	5.9	02.0-09.8
25-34	504	619,673	465	92.7	90.2-95.2	10	1.9	00.5-03.3	29	5.4	03.0-07.8
35-44	675	668,976	583	87.5	84.4-90.6	30	5.9	03.2-08.6	62	6.6	04.6-08.6
45-54	1052	767,195	944	90.3	87.9-92.7	36	3.7	02.1-05.3	72	6.1	04.3-07.9
55-64	1289	650,176	1183	93.1	91.5-94.7	36	2.0	01.2-02.8	70	4.9	03.3-06.5
65+	1806	731,521	1750	97.2	96.2-98.2	28	1.7	00.9-02.5	28	1.1	00.7-01.5
Less Than H.S.	680	620,459	623	90.1	86.4-93.8	19	4.3	01.6-07.0	38	5.6	02.9-08.3
H.S. or G.E.D.	1823	1,287,257	1704	93.0	91.4-94.6	44	2.9	01.7-04.1	75	4.1	02.9-05.3
Some Post-H.S.	1565	1,152,369	1430	91.5	89.7-93.3	52	3.1	02.1-04.1	83	5.4	03.8-07.0
College Graduate	1502	840,925	1396	93.1	91.5-94.7	31	2.1	01.3-02.9	75	4.9	03.5-06.3
Less than \$15,000	686	408,332	601	85.1	80.8-89.4	27	6.6	03.5-09.7	58	8.3	05.0-11.6
\$15,000- 24,999	1061	726,996	971	90.6	87.9-93.3	30	4.1	01.9-06.3	60	5.3	03.5-07.1
\$25,000- 34,999	557	387,909	515	93.2	90.7-95.7	19	2.3	00.9-03.7	23	4.4	02.0-06.8
\$35,000- 49,999	658	513,633	625	94.3	91.8-96.8	11	1.6	00.6-02.6	22	4.1	01.7-06.5
\$50,000- 74,999	590	444,485	546	92.6	89.9-95.3	17	2.4	01.0-03.8	27	5.0	02.6-07.4
\$75,000+	832	648,948	768	93.7	91.9-95.5	17	1.6	00.6-02.6	47	4.7	03.1-06.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 29: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETHEM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1971	1,846,578	1880	94.6	93.0-96.2	43	2.7	01.5-03.9	48	2.8	01.8-03.8
White/Non-Hisp	1672	1,448,435	1603	95.4	93.8-97.0	34	2.6	01.4-03.8	35	2.0	01.2-02.8
Black or Afr. Am./Non-Hisp	216	246,978	207	95.1	91.2-99.0	6	2.8	00.3-05.3	3	2.1	00.0-05.0
18-24	95	239,270	88	91.7	85.4-98.0	2	2.6	00.0-06.3	5	5.7	00.6-10.8
25-34	192	287,778	184	95.1	91.4-98.8	4	1.8	00.0-03.6	4	3.1	00.0-06.4
35-44	238	332,306	217	90.3	85.4-95.2	11	7.1	02.4-11.8	10	2.6	00.6-04.6
45-54	402	373,381	381	95.4	93.0-97.8	8	1.3	00.1-02.5	13	3.3	01.1-05.5
55-64	471	298,187	453	96.7	94.9-98.5	6	1.0	00.0-02.0	12	2.3	00.7-03.9
65+	570	312,971	554	97.7	96.1-99.3	12	1.9	00.3-03.5	4	0.4	00.0-00.8
Less Than H.S.	201	282,217	193	93.8	88.3-99.3	4	4.3	00.0-09.2	4	1.9	00.0-04.6
H.S. or G.E.D.	651	617,048	628	95.5	93.1-97.9	12	2.7	00.7-04.7	11	1.8	00.4-03.2
Some Post-H.S.	562	547,045	529	93.2	90.5-95.9	16	2.4	01.0-03.8	17	4.4	01.9-06.9
College Graduate	555	396,958	528	95.5	93.3-97.7	11	1.8	00.6-03.0	16	2.8	01.0-04.6
Less than \$15,000	175	166,957	161	85.1	76.5-93.7	7	7.9	01.4-14.4	7	7.0	00.5-13.5
\$15,000- 24,999	352	347,119	335	94.2	90.1-98.3	9	3.5	00.0-07.0	8	2.2	00.0-04.4
\$25,000- 34,999	201	167,038	189	96.0	92.7-99.3	7	1.5	00.1-02.9	5	2.5	00.0-05.6
\$35,000- 49,999	268	262,820	261	97.1	94.6-99.6	2	0.6	00.0-01.6	5	2.3	00.0-04.8
\$50,000- 74,999	249	220,627	237	94.7	91.2-98.2	5	2.2	00.0-04.4	7	3.1	00.2-06.0
\$75,000+	361	345,263	346	95.9	93.5-98.3	3	0.9	00.0-01.9	12	3.2	01.0-05.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 30: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETHEM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3604	2,058,316	3277	90.0	88.6-91.4	104	3.3	02.5-04.1	223	6.8	05.6-08.0
White/Non-Hisp	2990	1,606,671	2724	90.4	89.0-91.8	80	3.2	02.2-04.2	186	6.4	05.2-07.6
Black or Afr. Am./Non-Hisp	503	336,001	455	88.8	84.5-93.1	20	3.5	01.7-05.3	28	7.7	03.8-11.6
18-24	127	212,739	117	91.1	84.6-97.6	5	2.7	00.2-05.2	5	6.2	00.1-12.3
25-34	312	331,894	281	90.5	86.8-94.2	6	2.1	00.1-04.1	25	7.4	04.1-10.7
35-44	437	336,670	366	84.8	80.9-88.7	19	4.7	02.3-07.1	52	10.5	07.2-13.8
45-54	650	393,814	563	85.5	81.8-89.2	28	5.8	02.9-08.7	59	8.7	06.2-11.2
55-64	818	351,988	730	90.0	87.5-92.5	30	2.8	01.6-04.0	58	7.1	04.7-09.5
65+	1236	418,551	1196	96.9	95.7-98.1	16	1.5	00.5-02.5	24	1.6	00.8-02.4
Less Than H.S.	479	338,242	430	87.1	82.0-92.2	15	4.2	01.1-07.3	34	8.7	04.4-13.0
H.S. or G.E.D.	1172	670,208	1076	90.8	88.6-93.0	32	3.0	01.8-04.2	64	6.2	04.2-08.2
Some Post-H.S.	1003	605,324	901	89.9	87.5-92.3	36	3.8	02.2-05.4	66	6.3	04.3-08.3
College Graduate	947	443,968	868	90.9	88.5-93.3	20	2.3	01.1-03.5	59	6.7	04.5-08.9
Less than \$15,000	511	241,376	440	85.1	80.8-89.4	20	5.7	02.8-08.6	51	9.2	06.1-12.3
\$15,000- 24,999	709	379,877	636	87.4	83.9-90.9	21	4.6	02.1-07.1	52	8.0	05.5-10.5
\$25,000- 34,999	356	220,872	326	91.2	87.5-94.9	12	2.9	00.9-04.9	18	5.9	02.6-09.2
\$35,000- 49,999	390	250,813	364	91.3	87.2-95.4	9	2.7	00.7-04.7	17	6.0	02.3-09.7
\$50,000- 74,999	341	223,858	309	90.5	86.6-94.4	12	2.7	00.9-04.5	20	6.9	03.2-10.6
\$75,000+	471	303,685	422	91.3	88.4-94.2	14	2.3	00.7-03.9	35	6.4	03.9-08.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 31: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5570	3,901,738	5270	94.9	94.1-95.7	108	1.8	01.2-02.4	192	3.3	02.7-03.9
Male	1965	1,842,910	1913	97.4	96.4-98.4	20	0.9	00.3-01.5	32	1.7	00.9-02.5
Female	3605	2,058,828	3357	92.7	91.5-93.9	88	2.6	01.8-03.4	160	4.6	03.6-05.6
White/Non-Hisp	4657	3,054,089	4428	95.7	94.9-96.5	83	1.6	01.0-02.2	146	2.8	02.2-03.4
Black or Afr. Am./Non-Hisp	719	580,839	667	92.8	90.1-95.5	20	3.2	01.0-05.4	32	3.9	02.1-05.7
Oth. Race/Non-Hisp.	69	91,289	63	94.1	87.6-0100	3	1.4	00.0-03.6	3	4.5	00.0-10.6
Hispanic	52	92,183	48	88.7	77.9-99.5				4	11.3	00.5-22.1
18-24	221	450,583	211	94.8	91.1-98.5	6	3.4	00.1-06.7	4	1.8	00.0-03.6
25-34	503	619,814	476	94.4	92.0-96.8	10	1.6	00.4-02.8	17	4.0	01.8-06.2
35-44	674	667,201	619	94.1	92.1-96.1	19	2.1	00.9-03.3	36	3.7	02.1-05.3
45-54	1054	769,344	964	92.7	90.9-94.5	29	2.1	01.1-03.1	61	5.1	03.5-06.7
55-64	1287	648,511	1205	94.8	93.4-96.2	30	1.7	00.9-02.5	52	3.5	02.3-04.7
65+	1805	731,005	1770	98.7	98.1-99.3	14	0.5	00.1-00.9	21	0.8	00.4-01.2
Less Than H.S.	681	620,248	631	93.4	90.7-96.1	21	3.1	00.7-05.5	29	3.5	01.7-05.3
H.S. or G.E.D.	1823	1,287,477	1735	95.7	94.5-96.9	27	1.3	00.7-01.9	61	3.0	02.0-04.0
Some Post-H.S.	1562	1,150,959	1465	94.0	92.4-95.6	40	2.3	01.3-03.3	57	3.6	02.2-05.0
College Graduate	1499	839,168	1434	96.1	94.9-97.3	20	0.9	00.3-01.5	45	3.0	01.8-04.2
Less than \$15,000	689	408,725	609	89.3	86.0-92.6	29	5.1	02.4-07.8	51	5.6	03.4-07.8
\$15,000- 24,999	1064	729,688	992	93.5	91.5-95.5	24	1.8	00.8-02.8	48	4.7	02.9-06.5
\$25,000- 34,999	556	387,549	527	94.9	92.5-97.3	11	1.3	00.3-02.3	18	3.8	01.6-06.0
\$35,000- 49,999	658	513,227	639	97.2	95.4-99.0	8	1.1	00.1-02.1	11	1.7	00.3-03.1
\$50,000- 74,999	586	439,952	560	95.2	92.8-97.6	6	0.7	00.1-01.3	20	4.1	01.9-06.3
\$75,000+	829	647,633	795	96.5	95.1-97.9	9	0.7	00.1-01.3	25	2.7	01.3-04.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 32: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1965	1,842,910	1913	97.4	96.4-98.4	20	0.9	00.3-01.5	32	1.7	00.9-02.5
White/Non-Hisp	1666	1,445,101	1628	97.9	96.9-98.9	15	0.8	00.2-01.4	23	1.3	00.7-01.9
Black or Afr. Am./Non-Hisp	216	246,643	210	97.9	95.9-99.9	4	1.5	00.0-03.3	2	0.6	00.0-01.4
18-24	95	239,270	92	96.6	92.7-0100	2	2.6	00.0-06.3	1	0.8	00.0-02.4
25-34	192	287,778	187	96.2	92.7-99.7	1	0.3	00.0-00.9	4	3.5	00.0-07.0
35-44	236	330,104	228	98.2	96.6-99.8	5	1.3	00.0-02.7	3	0.5	00.0-01.1
45-54	402	373,381	385	96.4	94.2-98.6	5	0.5	00.0-01.1	12	3.1	00.9-05.3
55-64	469	297,370	458	97.6	95.8-99.4	2	0.5	00.0-01.3	9	1.9	00.3-03.5
65+	568	312,323	560	99.4	98.8-0100	5	0.3	00.0-00.7	3	0.3	00.0-00.7
Less Than H.S.	201	282,217	198	98.1	95.4-0100	2	1.5	00.0-04.2	1	0.3	00.0-00.9
H.S. or G.E.D.	647	614,723	632	98.1	96.9-99.3	5	0.5	00.0-01.3	10	1.5	00.5-02.5
Some Post-H.S.	560	545,792	542	96.0	93.6-98.4	9	1.2	00.2-02.2	9	2.7	00.5-04.9
College Graduate	555	396,868	539	97.8	96.2-99.4	4	0.5	00.0-01.1	12	1.7	00.3-03.1
Less than \$15,000	175	166,621	168	94.5	89.0-0100	3	3.8	00.0-09.1	4	1.7	00.0-03.9
\$15,000- 24,999	351	345,924	339	96.9	94.4-99.4	5	1.0	00.0-02.2	7	2.1	00.0-04.3
\$25,000- 34,999	201	167,038	191	95.8	92.1-99.5	6	1.4	00.0-02.8	4	2.9	00.0-06.4
\$35,000- 49,999	267	261,813	266	99.8	99.4-0100				1	0.2	00.0-00.6
\$50,000- 74,999	249	220,627	244	97.6	94.9-0100				5	2.4	00.0-05.1
\$75,000+	361	345,263	350	97.1	95.1-99.1	2	0.5	00.0-01.3	9	2.3	00.3-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 33: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Once			More than once		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3605	2,058,828	3357	92.7	91.5-93.9	88	2.6	01.8-03.4	160	4.6	03.6-05.6
White/Non-Hisp	2991	1,608,987	2800	93.6	92.4-94.8	68	2.3	01.5-03.1	123	4.1	03.1-05.1
Black or Afr. Am./Non-Hisp	503	334,196	457	89.1	84.8-93.4	16	4.5	01.0-08.0	30	6.4	03.7-09.1
18-24	126	211,312	119	92.7	86.4-99.0	4	4.4	00.0-09.9	3	2.9	00.0-06.4
25-34	311	332,035	289	92.9	89.6-96.2	9	2.7	00.7-04.7	13	4.5	01.8-07.2
35-44	438	337,098	391	90.2	86.9-93.5	14	2.9	00.9-04.9	33	6.9	04.2-09.6
45-54	652	395,964	579	89.3	86.4-92.2	24	3.7	01.9-05.5	49	7.1	04.7-09.5
55-64	818	351,141	747	92.4	90.2-94.6	28	2.8	01.6-04.0	43	4.8	02.8-06.8
65+	1237	418,682	1210	98.2	97.4-99.0	9	0.6	00.2-01.0	18	1.2	00.6-01.8
Less Than H.S.	480	338,032	433	89.4	84.9-93.9	19	4.4	00.9-07.9	28	6.2	03.3-09.1
H.S. or G.E.D.	1176	672,754	1103	93.6	91.6-95.6	22	2.1	00.9-03.3	51	4.3	02.7-05.9
Some Post-H.S.	1002	605,167	923	92.2	90.0-94.4	31	3.3	01.7-04.9	48	4.5	02.9-06.1
College Graduate	944	442,301	895	94.5	92.5-96.5	16	1.3	00.5-02.1	33	4.2	02.4-06.0
Less than \$15,000	514	242,104	441	85.8	81.7-89.9	26	6.0	03.3-08.7	47	8.2	05.1-11.3
\$15,000- 24,999	713	383,764	653	90.4	87.3-93.5	19	2.5	00.9-04.1	41	7.1	04.4-09.8
\$25,000- 34,999	355	220,511	336	94.3	91.4-97.2	5	1.2	00.0-02.4	14	4.5	01.8-07.2
\$35,000- 49,999	391	251,414	373	94.4	91.1-97.7	8	2.3	00.5-04.1	10	3.3	00.4-06.2
\$50,000- 74,999	337	219,325	316	92.8	89.1-96.5	6	1.3	00.0-02.7	15	5.9	02.4-09.4
\$75,000+	468	302,370	445	95.8	93.8-97.8	7	1.0	00.0-02.0	16	3.2	01.4-05.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2012**

End of Module Data Report