

TENNESSEE

2013 Calculated Variables Report

Behavioral Risk Factor Surveillance System

September 19, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5785	5,007,947	4202	76.9	75.3-78.5	1583	23.1	21.5-24.7
Male	2104	2,405,719	1564	77.8	75.4-80.2	540	22.2	19.8-24.6
Female	3681	2,602,228	2638	76.0	74.0-78.0	1043	24.0	22.0-26.0
White/Non-Hisp	4730	3,822,245	3442	76.6	75.0-78.2	1288	23.4	21.8-25.0
Black or Afr. Am./Non-Hisp	823	789,373	581	75.6	71.5-79.7	242	24.4	20.3-28.5
Oth. Race/Non-Hisp.	83	166,027	69	88.2	80.2-96.2	14	11.8	03.8-19.8
18-24	264	625,817	239	89.2	84.9-93.5	25	10.8	06.5-15.1
25-34	556	837,079	492	87.5	84.0-91.0	64	12.5	09.0-16.0
35-44	652	816,111	542	82.1	78.2-86.0	110	17.9	14.0-21.8
45-54	989	905,048	693	71.1	67.2-75.0	296	28.9	25.0-32.8
55-64	1323	824,683	912	70.1	66.8-73.4	411	29.9	26.6-33.2
65+	1943	962,940	1279	66.2	63.3-69.1	664	33.8	30.9-36.7
Less Than H.S.	705	815,755	310	49.9	44.4-55.4	395	50.1	44.6-55.6
H.S. or G.E.D.	1915	1,651,912	1295	75.9	73.2-78.6	620	24.1	21.4-26.8
Some Post-H.S.	1544	1,435,983	1184	83.3	80.9-85.7	360	16.7	14.3-19.1
College Graduate	1578	1,066,581	1391	90.6	88.8-92.4	187	9.4	07.6-11.2
Less than \$15,000	725	541,863	336	51.9	46.2-57.6	389	48.1	42.4-53.8
\$15,000- 24,999	953	818,831	617	71.1	67.0-75.2	336	28.9	24.8-33.0
\$25,000- 34,999	540	480,432	416	79.3	74.6-84.0	124	20.7	16.0-25.4
\$35,000- 49,999	592	555,420	479	82.7	78.4-87.0	113	17.3	13.0-21.6
\$50,000- 74,999	548	506,967	477	86.8	82.9-90.7	71	13.2	09.3-17.1
\$75,000+	728	703,669	673	93.4	91.2-95.6	55	6.6	04.4-08.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2104	2,405,719	1564	77.8	75.4-80.2	540	22.2	19.8-24.6
White/Non-Hisp	1770	1,842,711	1324	78.2	75.7-80.7	446	21.8	19.3-24.3
Black or Afr. Am./Non-Hisp	245	369,176	175	73.6	66.5-80.7	70	26.4	19.3-33.5
18-24	104	318,588	95	90.8	84.7-96.9	9	9.2	03.1-15.3
25-34	230	414,124	208	88.4	82.9-93.9	22	11.6	06.1-17.1
35-44	265	398,995	227	84.2	78.7-89.7	38	15.8	10.3-21.3
45-54	350	441,199	254	70.3	63.8-76.8	96	29.7	23.2-36.2
55-64	477	394,743	332	71.4	66.1-76.7	145	28.6	23.3-33.9
65+	658	420,317	433	65.6	60.7-70.5	225	34.4	29.5-39.3
Less Than H.S.	248	380,040	110	50.8	42.2-59.4	138	49.2	40.6-57.8
H.S. or G.E.D.	664	822,325	474	78.1	74.2-82.0	190	21.9	18.0-25.8
Some Post-H.S.	524	662,075	399	83.4	79.7-87.1	125	16.6	12.9-20.3
College Graduate	652	517,165	573	90.5	87.6-93.4	79	9.5	06.6-12.4
Less than \$15,000	202	220,454	100	53.0	42.8-63.2	102	47.0	36.8-57.2
\$15,000- 24,999	318	394,793	200	71.6	65.1-78.1	118	28.4	21.9-34.9
\$25,000- 34,999	205	233,919	156	79.2	72.1-86.3	49	20.8	13.7-27.9
\$35,000- 49,999	231	281,345	183	81.4	74.7-88.1	48	18.6	11.9-25.3
\$50,000- 74,999	245	260,199	205	83.0	76.5-89.5	40	17.0	10.5-23.5
\$75,000+	352	378,339	324	92.7	89.4-96.0	28	7.3	04.0-10.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3681	2,602,228	2638	76.0	74.0-78.0	1043	24.0	22.0-26.0
White/Non-Hisp	2960	1,979,534	2118	75.1	72.9-77.3	842	24.9	22.7-27.1
Black or Afr. Am./Non-Hisp	578	420,197	406	77.3	72.6-82.0	172	22.7	18.0-27.4
Oth. Race/Non-Hisp.	53	88,577	44	86.5	74.9-98.1	9	13.5	01.9-25.1
18-24	160	307,229	144	87.6	81.3-93.9	16	12.4	06.1-18.7
25-34	326	422,955	284	86.6	81.9-91.3	42	13.4	08.7-18.1
35-44	387	417,116	315	80.2	74.5-85.9	72	19.8	14.1-25.5
45-54	639	463,848	439	71.8	67.3-76.3	200	28.2	23.7-32.7
55-64	846	429,939	580	68.9	64.6-73.2	266	31.1	26.8-35.4
65+	1285	542,623	846	66.6	62.9-70.3	439	33.4	29.7-37.1
Less Than H.S.	457	435,715	200	49.1	42.2-56.0	257	50.9	44.0-57.8
H.S. or G.E.D.	1251	829,587	821	73.7	70.2-77.2	430	26.3	22.8-29.8
Some Post-H.S.	1020	773,909	785	83.1	80.0-86.2	235	16.9	13.8-20.0
College Graduate	926	549,416	818	90.6	88.4-92.8	108	9.4	07.2-11.6
Less than \$15,000	523	321,409	236	51.3	45.0-57.6	287	48.7	42.4-55.0
\$15,000- 24,999	635	424,038	417	70.6	65.5-75.7	218	29.4	24.3-34.5
\$25,000- 34,999	335	246,514	260	79.3	73.4-85.2	75	20.7	14.8-26.6
\$35,000- 49,999	361	274,075	296	83.9	78.2-89.6	65	16.1	10.4-21.8
\$50,000- 74,999	303	246,768	272	90.8	86.7-94.9	31	9.2	05.1-13.3
\$75,000+	376	325,330	349	94.3	91.8-96.8	27	5.7	03.2-08.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3788	4,005,851	3068	78.8	77.0-80.6	720	21.2	19.4-23.0
Male	1428	1,966,253	1127	76.0	72.9-79.1	301	24.0	20.9-27.1
Female	2360	2,039,598	1941	81.5	79.3-83.7	419	18.5	16.3-20.7
White/Non-Hisp	2995	2,978,363	2458	79.7	77.7-81.7	537	20.3	18.3-22.3
Black or Afr. Am./Non-Hisp	626	676,107	489	80.2	75.9-84.5	137	19.8	15.5-24.1
Oth. Race/Non-Hisp.	63	150,708	47	74.5	61.4-87.6	16	25.5	12.4-38.6
18-24	258	609,101	200	75.6	69.5-81.7	58	24.4	18.3-30.5
25-34	557	842,032	413	70.6	65.7-75.5	144	29.4	24.5-34.3
35-44	654	820,678	533	79.7	75.8-83.6	121	20.3	16.4-24.2
45-54	992	907,762	804	82.1	79.0-85.2	188	17.9	14.8-21.0
55-64	1327	826,278	1118	85.1	82.6-87.6	209	14.9	12.4-17.4
Less Than H.S.	347	579,370	226	63.4	56.5-70.3	121	36.6	29.7-43.5
H.S. or G.E.D.	1219	1,324,459	921	75.9	72.8-79.0	298	24.1	21.0-27.2
Some Post-H.S.	1056	1,179,070	868	80.1	76.6-83.6	188	19.9	16.4-23.4
College Graduate	1153	899,652	1042	91.1	89.1-93.1	111	8.9	06.9-10.9
Less than \$15,000	493	450,207	317	57.1	50.6-63.6	176	42.9	36.4-49.4
\$15,000- 24,999	595	663,063	391	63.7	58.2-69.2	204	36.3	30.8-41.8
\$25,000- 34,999	340	371,927	258	71.4	64.7-78.1	82	28.6	21.9-35.3
\$35,000- 49,999	406	452,520	360	84.6	79.5-89.7	46	15.4	10.3-20.5
\$50,000- 74,999	423	433,630	405	93.7	90.2-97.2	18	6.3	02.8-09.8
\$75,000+	616	628,692	599	96.9	95.1-98.7	17	3.1	01.3-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1428	1,966,253	1127	76.0	73.1-78.9	301	24.0	21.1-26.9
White/Non-Hisp	1179	1,480,669	949	77.7	74.4-81.0	230	22.3	19.0-25.6
Black or Afr. Am./Non-Hisp	184	315,928	133	74.3	66.5-82.1	51	25.7	17.9-33.5
18-24	100	308,143	73	73.0	63.4-82.6	27	27.0	17.4-36.6
25-34	230	416,901	156	63.4	55.6-71.2	74	36.6	28.8-44.4
35-44	267	403,562	212	75.9	69.4-82.4	55	24.1	17.6-30.6
45-54	353	443,147	283	81.1	76.0-86.2	70	18.9	13.8-24.0
55-64	478	394,500	403	86.3	82.6-90.0	75	13.7	10.0-17.4
Less Than H.S.	132	280,389	86	62.1	51.5-72.7	46	37.9	27.3-48.5
H.S. or G.E.D.	468	694,417	339	73.2	68.3-78.1	129	26.8	21.9-31.7
Some Post-H.S.	371	552,506	293	75.0	68.7-81.3	78	25.0	18.7-31.3
College Graduate	450	422,298	403	91.1	88.0-94.2	47	8.9	05.8-12.0
Less than \$15,000	149	188,600	87	51.3	39.5-63.1	62	48.7	36.9-60.5
\$15,000- 24,999	215	337,268	130	58.3	49.3-67.3	85	41.7	32.7-50.7
\$25,000- 34,999	121	177,206	87	65.5	53.9-77.1	34	34.5	22.9-46.1
\$35,000- 49,999	158	231,354	132	78.7	69.9-87.5	26	21.3	12.5-30.1
\$50,000- 74,999	172	214,722	164	95.1	91.4-98.8	8	4.9	01.2-08.6
\$75,000+	283	328,302	272	95.5	92.4-98.6	11	4.5	01.4-07.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2360	2,039,598	1941	81.5	79.3-83.7	419	18.5	16.3-20.7
White/Non-Hisp	1816	1,497,694	1509	81.7	79.3-84.1	307	18.3	15.9-20.7
Black or Afr. Am./Non-Hisp	442	360,179	356	85.4	81.5-89.3	86	14.6	10.7-18.5
18-24	158	300,958	127	78.3	70.5-86.1	31	21.7	13.9-29.5
25-34	327	425,131	257	77.6	72.3-82.9	70	22.4	17.1-27.7
35-44	387	417,116	321	83.3	78.6-88.0	66	16.7	12.0-21.4
45-54	639	464,615	521	83.1	79.6-86.6	118	16.9	13.4-20.4
55-64	849	431,778	715	84.0	80.7-87.3	134	16.0	12.7-19.3
Less Than H.S.	215	298,981	140	64.6	56.0-73.2	75	35.4	26.8-44.0
H.S. or G.E.D.	751	630,041	582	79.0	75.3-82.7	169	21.0	17.3-24.7
Some Post-H.S.	685	626,565	575	84.5	81.2-87.8	110	15.5	12.2-18.8
College Graduate	703	477,354	639	91.2	88.7-93.7	64	8.8	06.3-11.3
Less than \$15,000	344	261,607	230	61.3	54.0-68.6	114	38.7	31.4-46.0
\$15,000- 24,999	380	325,795	261	69.4	63.1-75.7	119	30.6	24.3-36.9
\$25,000- 34,999	219	194,721	171	76.8	69.7-83.9	48	23.2	16.1-30.3
\$35,000- 49,999	248	221,166	228	90.9	86.4-95.4	20	9.1	04.6-13.6
\$50,000- 74,999	251	218,907	241	92.4	86.3-98.5	10	7.6	01.5-13.7
\$75,000+	333	300,390	327	98.3	96.7-99.9	6	1.7	00.1-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 5: HYPERTENSION AWARENESS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5798	5,018,078	2994	61.2	59.4-63.0	2804	38.8	37.0-40.6
Male	2109	2,408,753	1094	60.4	57.7-63.1	1015	39.6	36.9-42.3
Female	3689	2,609,324	1900	61.9	59.7-64.1	1789	38.1	35.9-40.3
White/Non-Hisp	4742	3,831,458	2484	60.9	58.9-62.9	2258	39.1	37.1-41.1
Black or Afr. Am./Non-Hisp	823	789,220	348	55.0	50.1-59.9	475	45.0	40.1-49.9
Oth. Race/Non-Hisp.	85	168,940	62	85.7	77.5-93.9	23	14.3	06.1-22.5
18-24	262	621,880	251	96.1	93.4-98.8	11	3.9	01.2-06.6
25-34	557	842,032	468	82.0	78.1-85.9	89	18.0	14.1-21.9
35-44	653	818,772	473	72.2	67.5-76.9	180	27.8	23.1-32.5
45-54	989	906,589	543	55.9	51.6-60.2	446	44.1	39.8-48.4
55-64	1326	827,314	603	44.7	41.0-48.4	723	55.3	51.6-59.0
65+	1953	966,203	616	29.8	27.1-32.5	1337	70.2	67.5-72.9
Less Than H.S.	708	818,474	252	46.6	41.1-52.1	456	53.4	47.9-58.9
H.S. or G.E.D.	1922	1,657,901	907	59.7	56.6-62.8	1015	40.3	37.2-43.4
Some Post-H.S.	1547	1,439,739	850	65.7	62.6-68.8	697	34.3	31.2-37.4
College Graduate	1579	1,065,075	962	68.3	65.6-71.0	617	31.7	29.0-34.4
Less than \$15,000	730	545,964	291	52.3	46.8-57.8	439	47.7	42.2-53.2
\$15,000- 24,999	958	828,808	431	54.7	50.0-59.4	527	45.3	40.6-50.0
\$25,000- 34,999	542	480,507	276	62.8	57.3-68.3	266	37.2	31.7-42.7
\$35,000- 49,999	591	554,005	325	61.0	55.3-66.7	266	39.0	33.3-44.7
\$50,000- 74,999	548	506,967	321	64.4	59.1-69.7	227	35.6	30.3-40.9
\$75,000+	729	703,942	487	70.9	66.8-75.0	242	29.1	25.0-33.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2109	2,408,753	1094	60.4	57.7-63.1	1015	39.6	36.9-42.3
White/Non-Hisp	1776	1,846,112	937	61.0	58.1-63.9	839	39.0	36.1-41.9
Black or Afr. Am./Non-Hisp	244	367,957	99	52.9	44.7-61.1	145	47.1	38.9-55.3
18-24	103	316,111	98	96.9	93.6-100.0	5	3.1	0.0-06.4
25-34	230	416,901	187	80.3	74.0-86.6	43	19.7	13.4-26.0
35-44	266	401,656	191	71.0	63.7-78.3	75	29.0	21.7-36.3
45-54	350	441,490	186	50.9	44.0-57.8	164	49.1	42.2-56.0
55-64	478	395,760	213	41.3	35.4-47.2	265	58.7	52.8-64.6
65+	662	420,065	206	30.2	25.5-34.9	456	69.8	65.1-74.5
Less Than H.S.	248	380,040	93	44.2	35.4-53.0	155	55.8	47.0-64.6
H.S. or G.E.D.	668	826,625	333	62.2	57.3-67.1	335	37.8	32.9-42.7
Some Post-H.S.	527	664,430	298	65.1	60.0-70.2	229	34.9	29.8-40.0
College Graduate	652	515,442	361	62.9	58.4-67.4	291	37.1	32.6-41.6
Less than \$15,000	205	223,021	86	51.9	41.7-62.1	119	48.1	37.9-58.3
\$15,000- 24,999	323	403,689	155	55.8	48.0-63.6	168	44.2	36.4-52.0
\$25,000- 34,999	205	232,917	106	64.6	56.2-73.0	99	35.4	27.0-43.8
\$35,000- 49,999	230	279,930	125	58.7	49.7-67.7	105	41.3	32.3-50.3
\$50,000- 74,999	245	260,199	137	60.4	52.6-68.2	108	39.6	31.8-47.4
\$75,000+	353	378,612	211	64.7	58.6-70.8	142	35.3	29.2-41.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 5: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3689	2,609,324	1900	61.9	59.7-64.1	1789	38.1	35.9-40.3
White/Non-Hisp	2966	1,985,347	1547	60.9	58.5-63.3	1419	39.1	36.7-41.5
Black or Afr. Am./Non-Hisp	579	421,263	249	56.8	51.1-62.5	330	43.2	37.5-48.9
Oth. Race/Non-Hisp.	54	88,794	40	88.3	77.9-98.7	14	11.7	01.3-22.1
18-24	159	305,769	153	95.3	90.8-99.8	6	4.7	00.2-09.2
25-34	327	425,131	281	83.7	78.8-88.6	46	16.3	11.4-21.2
35-44	387	417,116	282	73.3	67.4-79.2	105	26.7	20.8-32.6
45-54	639	465,099	357	60.6	55.5-65.7	282	39.4	34.3-44.5
55-64	848	431,553	390	47.8	43.5-52.1	458	52.2	47.9-56.5
65+	1291	546,139	410	29.5	26.2-32.8	881	70.5	67.2-73.8
Less Than H.S.	460	438,434	159	48.6	41.7-55.5	301	51.4	44.5-58.3
H.S. or G.E.D.	1254	831,276	574	57.2	53.3-61.1	680	42.8	38.9-46.7
Some Post-H.S.	1020	775,309	552	66.2	62.5-69.9	468	33.8	30.1-37.5
College Graduate	927	549,633	601	73.3	69.8-76.8	326	26.7	23.2-30.2
Less than \$15,000	525	322,943	205	52.5	46.2-58.8	320	47.5	41.2-53.8
\$15,000- 24,999	635	425,119	276	53.6	48.1-59.1	359	46.4	40.9-51.9
\$25,000- 34,999	337	247,590	170	61.0	54.1-67.9	167	39.0	32.1-45.9
\$35,000- 49,999	361	274,075	200	63.3	56.2-70.4	161	36.7	29.6-43.8
\$50,000- 74,999	303	246,768	184	68.5	61.4-75.6	119	31.5	24.4-38.6
\$75,000+	376	325,330	276	78.1	72.8-83.4	100	21.9	16.6-27.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 6: CHOLESTEROL AWARENESS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5598	4,811,732	4897	81.1	79.5-82.7	123	2.8	02.2-03.4	578	16.2	14.6-17.8
Male	2048	2,320,536	1743	79.0	76.5-81.5	52	2.8	01.8-03.8	253	18.1	15.6-20.6
Female	3550	2,491,197	3154	82.9	80.9-84.9	71	2.8	01.8-03.8	325	14.3	12.3-16.3
White/Non-Hisp	4589	3,684,315	4048	82.2	80.4-84.0	108	2.9	02.3-03.5	433	14.9	13.3-16.5
Black or Afr. Am./Non-Hisp	793	758,906	678	81.3	77.2-85.4	11	2.3	00.3-04.3	104	16.4	12.7-20.1
Oth. Race/Non-Hisp.	81	158,303	71	81.5	68.6-94.4				10	18.5	05.6-31.4
18-24	239	559,559	126	54.6	47.2-62.0	6	3.1	00.0-06.2	107	42.3	35.0-49.6
25-34	521	789,828	345	64.6	59.5-69.7	21	3.6	01.8-05.4	155	31.8	26.7-36.9
35-44	630	788,632	499	75.9	71.4-80.4	25	4.7	02.5-06.9	106	19.4	15.1-23.7
45-54	975	897,096	870	89.3	86.8-91.8	25	2.6	01.2-04.0	80	8.1	05.9-10.3
55-64	1291	812,095	1201	92.9	90.9-94.9	32	2.8	01.4-04.2	58	4.3	02.9-05.7
65+	1886	930,008	1807	96.7	95.7-97.7	14	0.6	00.2-01.0	65	2.8	01.8-03.8
Less Than H.S.	665	765,537	578	81.3	76.6-86.0	11	2.6	00.8-04.4	76	16.1	11.6-20.6
H.S. or G.E.D.	1850	1,593,016	1557	76.4	73.5-79.3	46	2.9	01.7-04.1	247	20.7	17.8-23.6
Some Post-H.S.	1497	1,379,268	1311	80.9	77.8-84.0	37	2.9	01.7-04.1	149	16.3	13.4-19.2
College Graduate	1547	1,038,868	1417	88.2	85.8-90.6	29	2.8	01.4-04.2	101	9.1	07.1-11.1
Less than \$15,000	684	505,398	569	71.6	65.7-77.5	16	2.6	00.8-04.4	99	25.8	19.9-31.7
\$15,000- 24,999	931	804,888	778	77.7	73.6-81.8	26	2.7	01.3-04.1	127	19.6	15.7-23.5
\$25,000- 34,999	524	456,238	451	76.5	70.6-82.4	15	4.3	01.0-07.6	58	19.2	13.7-24.7
\$35,000- 49,999	583	542,290	517	83.2	78.7-87.7	10	1.6	00.4-02.8	56	15.2	10.7-19.7
\$50,000- 74,999	534	489,473	480	80.8	74.9-86.7	13	3.1	01.1-05.1	41	16.1	10.4-21.8
\$75,000+	716	690,159	669	90.0	86.7-93.3	17	3.7	01.5-05.9	30	6.3	03.6-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2048	2,320,536	1743	79.0	76.5-81.5	52	2.8	01.8-03.8	253	18.1	15.7-20.5
White/Non-Hisp	1728	1,782,231	1491	80.3	77.6-83.0	42	2.6	01.6-03.6	195	17.1	14.6-19.6
Black or Afr. Am./Non-Hisp	233	350,302	188	77.7	70.4-85.0	7	4.1	00.0-08.2	38	18.2	11.9-24.5
18-24	93	282,163	52	57.7	46.3-69.1	1	2.4	00.0-07.1	40	39.9	28.9-50.9
25-34	220	401,705	135	62.5	54.9-70.1	11	4.4	01.7-07.1	74	33.1	25.7-40.5
35-44	256	386,658	195	71.6	64.3-78.9	10	3.6	01.2-06.0	51	24.8	17.7-31.9
45-54	346	437,162	295	87.7	83.8-91.6	11	2.4	00.4-04.4	40	10.0	06.5-13.5
55-64	470	393,341	432	90.9	87.6-94.2	14	3.6	01.2-06.0	24	5.5	03.0-08.0
65+	643	402,737	616	96.1	94.1-98.1	5	0.8	00.0-01.6	22	3.2	01.2-05.2
Less Than H.S.	237	364,895	203	82.3	75.0-89.6	7	3.2	00.7-05.7	27	14.5	07.4-21.6
H.S. or G.E.D.	643	793,697	501	70.2	65.3-75.1	18	3.0	00.8-05.2	124	26.8	22.1-31.5
Some Post-H.S.	512	634,983	436	80.1	75.2-85.0	15	3.0	01.2-04.8	61	16.8	12.1-21.5
College Graduate	642	504,744	592	89.2	86.1-92.3	12	2.2	00.8-03.6	38	8.6	05.7-11.5
Less than \$15,000	194	207,243	145	60.8	49.8-71.8	7	4.1	00.2-08.0	42	35.1	23.9-46.3
\$15,000- 24,999	314	395,752	249	75.8	69.1-82.5	10	2.7	00.3-05.1	55	21.4	15.1-27.7
\$25,000- 34,999	199	221,064	166	69.9	59.9-79.9	9	6.7	00.2-13.2	24	23.4	14.2-32.6
\$35,000- 49,999	229	277,379	201	80.3	72.7-87.9	3	1.7	00.0-03.7	25	18.0	10.6-25.4
\$50,000- 74,999	237	248,412	208	81.4	74.1-88.7	5	2.1	00.1-04.1	24	16.5	09.4-23.6
\$75,000+	349	372,019	325	90.9	86.8-95.0	9	2.5	00.7-04.3	15	6.6	02.9-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 6: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3550	2,491,197	3154	82.9	80.9-84.9	71	2.8	01.8-03.8	325	14.3	12.3-16.3
White/Non-Hisp	2861	1,902,084	2557	84.0	81.8-86.2	66	3.2	02.2-04.2	238	12.9	10.9-14.9
Black or Afr. Am./Non-Hisp	560	408,605	490	84.4	80.1-88.7	4	0.8	00.0-01.8	66	14.8	10.5-19.1
Oth. Race/Non-Hisp.	50	78,157	43	71.0	49.4-92.6				7	29.0	07.4-50.6
18-24	146	277,396	74	51.5	41.9-61.1	5	3.8	00.0-07.7	67	44.7	35.1-54.3
25-34	301	388,124	210	66.8	59.9-73.7	10	2.9	00.9-04.9	81	30.4	23.5-37.3
35-44	374	401,974	304	79.9	74.4-85.4	15	5.8	02.1-09.5	55	14.3	09.8-18.8
45-54	629	459,935	575	90.9	87.8-94.0	14	2.8	01.0-04.6	40	6.4	03.9-08.9
55-64	821	418,754	769	94.8	93.0-96.6	18	2.1	00.9-03.3	34	3.1	01.7-04.5
65+	1243	527,271	1191	97.1	96.1-98.1	9	0.4	00.0-00.8	43	2.4	01.4-03.4
Less Than H.S.	428	400,642	375	80.4	74.1-86.7	4	2.0	00.0-04.5	49	17.6	11.5-23.7
H.S. or G.E.D.	1207	799,319	1056	82.5	79.2-85.8	28	2.9	01.5-04.3	123	14.6	11.5-17.7
Some Post-H.S.	985	744,284	875	81.5	77.4-85.6	22	2.7	01.3-04.1	88	15.8	11.9-19.7
College Graduate	905	534,124	825	87.2	83.7-90.7	17	3.3	00.9-05.7	63	9.5	06.8-12.2
Less than \$15,000	490	298,155	424	79.1	73.0-85.2	9	1.5	00.3-02.7	57	19.4	13.5-25.3
\$15,000- 24,999	617	409,135	529	79.5	74.6-84.4	16	2.7	01.1-04.3	72	17.7	13.0-22.4
\$25,000- 34,999	325	235,174	285	82.8	76.5-89.1	6	1.9	00.1-03.7	34	15.2	09.1-21.3
\$35,000- 49,999	354	264,911	316	86.3	81.4-91.2	7	1.4	00.2-02.6	31	12.3	07.6-17.0
\$50,000- 74,999	297	241,061	272	80.2	71.0-89.4	8	4.2	00.7-07.7	17	15.6	06.6-24.6
\$75,000+	367	318,140	344	89.0	83.5-94.5	8	5.0	00.9-09.1	15	6.0	02.1-09.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5012	4,042,505	2774	61.3	59.3-63.3	2238	38.7	36.7-40.7
Male	1791	1,905,536	987	61.8	58.9-64.7	804	38.2	35.3-41.1
Female	3221	2,136,969	1787	60.8	58.4-63.2	1434	39.2	36.8-41.6
White/Non-Hisp	4150	3,138,300	2269	58.9	56.7-61.1	1881	41.1	38.9-43.3
Black or Afr. Am./Non-Hisp	689	638,104	389	66.9	62.0-71.8	300	33.1	28.2-38.0
Oth. Race/Non-Hisp.	69	127,777	46	73.7	61.0-86.4	23	26.3	13.6-39.0
18-24	134	333,409	123	92.8	87.9-97.7	11	7.2	02.3-12.1
25-34	363	538,041	299	81.3	76.4-86.2	64	18.7	13.8-23.6
35-44	526	638,322	377	73.2	68.5-77.9	149	26.8	22.1-31.5
45-54	885	821,328	498	56.2	51.7-60.7	387	43.8	39.3-48.3
55-64	1230	775,798	587	47.7	43.8-51.6	643	52.3	48.4-56.2
65+	1825	904,588	858	45.2	42.1-48.3	967	54.8	51.7-57.9
Less Than H.S.	591	646,483	274	53.0	47.1-58.9	317	47.0	41.1-52.9
H.S. or G.E.D.	1601	1,267,229	817	60.9	57.6-64.2	784	39.1	35.8-42.4
Some Post-H.S.	1343	1,157,752	747	61.5	58.0-65.0	596	38.5	35.0-42.0
College Graduate	1443	941,153	917	67.0	63.9-70.1	526	33.0	29.9-36.1
Less than \$15,000	591	379,939	262	51.4	45.3-57.5	329	48.6	42.5-54.7
\$15,000- 24,999	799	648,515	414	59.3	54.2-64.4	385	40.7	35.6-45.8
\$25,000- 34,999	467	371,545	258	61.4	55.3-67.5	209	38.6	32.5-44.7
\$35,000- 49,999	521	455,717	287	58.3	52.0-64.6	234	41.7	35.4-48.0
\$50,000- 74,999	492	408,279	281	58.9	53.4-64.4	211	41.1	35.6-46.6
\$75,000+	684	646,604	439	67.6	63.3-71.9	245	32.4	28.1-36.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1791	1,905,536	987	61.8	58.9-64.7	804	38.2	35.3-41.1
White/Non-Hisp	1531	1,484,149	841	60.0	56.7-63.3	690	40.0	36.7-43.3
Black or Afr. Am./Non-Hisp	195	289,100	105	65.9	57.5-74.3	90	34.1	25.7-42.5
18-24	55	177,933	51	94.9	88.8-100.0	4	5.1	00.0-11.2
25-34	144	265,434	115	80.1	72.5-87.7	29	19.9	12.3-27.5
35-44	207	292,714	146	70.8	63.2-78.4	61	29.2	21.6-36.8
45-54	302	393,708	163	57.5	50.4-64.6	139	42.5	35.4-49.6
55-64	441	368,096	215	50.2	43.7-56.7	226	49.8	43.3-56.3
65+	624	392,394	287	42.7	37.6-47.8	337	57.3	52.2-62.4
Less Than H.S.	211	314,381	112	61.0	52.2-69.8	99	39.0	30.2-47.8
H.S. or G.E.D.	516	579,475	260	62.0	56.3-67.7	256	38.0	32.3-43.7
Some Post-H.S.	453	537,351	252	61.4	55.5-67.3	201	38.6	32.7-44.5
College Graduate	600	457,140	356	62.5	57.6-67.4	244	37.5	32.6-42.4
Less than \$15,000	153	139,607	69	58.6	47.6-69.6	84	41.4	30.4-52.4
\$15,000- 24,999	257	311,165	127	61.7	53.5-69.9	130	38.3	30.1-46.5
\$25,000- 34,999	175	173,037	96	58.3	47.9-68.7	79	41.7	31.3-52.1
\$35,000- 49,999	203	227,003	116	62.3	53.3-71.3	87	37.7	28.7-46.7
\$50,000- 74,999	213	205,244	114	53.0	44.8-61.2	99	47.0	38.8-55.2
\$75,000+	332	345,252	191	61.1	54.6-67.6	141	38.9	32.4-45.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 6: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3221	2,136,969	1787	60.8	58.4-63.2	1434	39.2	36.8-41.6
White/Non-Hisp	2619	1,654,151	1428	57.9	55.4-60.4	1191	42.1	39.6-44.6
Black or Afr. Am./Non-Hisp	494	349,004	284	67.7	62.0-73.4	210	32.3	26.6-38.0
18-24	79	155,476	72	90.5	82.5-98.5	7	9.5	01.5-17.5
25-34	219	272,607	184	82.4	76.1-88.7	35	17.6	11.3-23.9
35-44	319	345,608	231	75.2	69.3-81.1	88	24.8	18.9-30.7
45-54	583	427,620	335	54.9	49.4-60.4	248	45.1	39.6-50.6
55-64	789	407,702	372	45.5	41.0-50.0	417	54.5	50.0-59.0
65+	1201	512,194	571	47.1	43.2-51.0	630	52.9	49.0-56.8
Less Than H.S.	380	332,102	162	45.3	37.9-52.7	218	54.7	47.3-62.1
H.S. or G.E.D.	1085	687,754	557	60.0	55.9-64.1	528	40.0	35.9-44.1
Some Post-H.S.	890	620,401	495	61.7	57.4-66.0	395	38.3	34.0-42.6
College Graduate	843	484,013	561	71.3	67.4-75.2	282	28.7	24.8-32.6
Less than \$15,000	438	240,331	193	47.2	40.3-54.1	245	52.8	45.9-59.7
\$15,000- 24,999	542	337,350	287	57.1	51.0-63.2	255	42.9	36.8-49.0
\$25,000- 34,999	292	198,508	162	64.1	57.0-71.2	130	35.9	28.8-43.0
\$35,000- 49,999	318	228,714	171	54.3	45.9-62.7	147	45.7	37.3-54.1
\$50,000- 74,999	279	203,036	167	64.8	57.7-71.9	112	35.2	28.1-42.3
\$75,000+	352	301,352	248	75.0	69.5-80.5	104	25.0	19.5-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 7: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
COMPUTED ASTHMA STATUS (_ASTHMS1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5788	5,015,159	5091	88.7	87.5-89.9	697	11.3	10.1-12.5
Male	2114	2,414,290	1933	92.3	90.9-93.7	181	7.7	06.3-09.1
Female	3674	2,600,869	3158	85.3	83.5-87.1	516	14.7	12.9-16.5
White/Non-Hisp	4735	3,828,529	4164	88.5	87.3-89.7	571	11.5	10.3-12.7
Black or Afr. Am./Non-Hisp	823	790,370	726	88.6	85.7-91.5	97	11.4	08.5-14.3
Oth. Race/Non-Hisp.	85	168,940	75	92.3	85.8-98.8	10	7.7	01.2-14.2
18-24	264	625,817	241	91.6	87.9-95.3	23	8.4	04.7-12.1
25-34	556	841,210	478	85.9	82.6-89.2	78	14.1	10.8-17.4
35-44	652	816,560	592	90.6	87.9-93.3	60	9.4	06.7-12.1
45-54	989	906,227	846	86.7	84.0-89.4	143	13.3	10.6-16.0
55-64	1324	827,159	1160	89.1	86.9-91.3	164	10.9	08.7-13.1
65+	1948	963,374	1728	89.6	87.6-91.6	220	10.4	08.4-12.4
Less Than H.S.	707	817,706	588	83.9	80.2-87.6	119	16.1	12.4-19.8
H.S. or G.E.D.	1918	1,657,397	1694	89.4	87.4-91.4	224	10.6	08.6-12.6
Some Post-H.S.	1544	1,438,216	1350	88.7	86.5-90.9	194	11.3	09.1-13.5
College Graduate	1578	1,064,443	1425	90.9	89.1-92.7	153	9.1	07.3-10.9
Less than \$15,000	730	545,982	598	82.1	78.0-86.2	132	17.9	13.8-22.0
\$15,000- 24,999	956	825,935	824	86.9	84.2-89.6	132	13.1	10.4-15.8
\$25,000- 34,999	541	480,254	482	90.8	87.9-93.7	59	9.2	06.3-12.1
\$35,000- 49,999	589	552,071	527	91.2	88.1-94.3	62	8.8	05.7-11.9
\$50,000- 74,999	546	505,584	494	91.9	89.2-94.6	52	8.1	05.4-10.8
\$75,000+	729	703,942	667	91.9	89.4-94.4	62	8.1	05.6-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2114	2,414,290	1933	92.3	90.9-93.7	181	7.7	06.3-09.1
White/Non-Hisp	1781	1,850,315	1636	92.7	91.1-94.3	145	7.3	05.7-08.9
Black or Afr. Am./Non-Hisp	244	369,085	218	89.1	84.4-93.8	26	10.9	06.2-15.6
18-24	104	318,588	98	95.7	92.2-99.2	6	4.3	00.8-07.8
25-34	231	417,599	208	90.4	85.9-94.9	23	9.6	05.1-14.1
35-44	266	401,656	242	91.0	87.1-94.9	24	9.0	05.1-12.9
45-54	351	441,351	314	90.3	86.8-93.8	37	9.7	06.2-13.2
55-64	479	396,881	449	95.6	93.6-97.6	30	4.4	02.4-06.4
65+	663	421,446	605	92.3	89.4-95.2	58	7.7	04.8-10.6
Less Than H.S.	248	380,040	218	90.4	85.9-94.9	30	9.6	05.1-14.1
H.S. or G.E.D.	669	829,171	613	92.4	90.0-94.8	56	7.6	05.2-10.0
Some Post-H.S.	528	666,104	485	92.9	90.2-95.6	43	7.1	04.4-09.8
College Graduate	654	516,062	605	92.7	90.2-95.2	49	7.3	04.8-09.8
Less than \$15,000	205	223,021	177	88.5	82.6-94.4	28	11.5	05.6-17.4
\$15,000- 24,999	324	403,850	289	92.4	89.3-95.5	35	7.6	04.5-10.7
\$25,000- 34,999	205	233,644	192	93.9	90.0-97.8	13	6.1	02.2-10.0
\$35,000- 49,999	231	280,285	213	91.8	86.7-96.9	18	8.2	03.1-13.3
\$50,000- 74,999	245	260,199	231	94.8	91.7-97.9	14	5.2	02.1-08.3
\$75,000+	353	378,612	333	94.9	92.4-97.4	20	5.1	02.6-07.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3674	2,600,869	3158	85.3	83.5-87.1	516	14.7	12.9-16.5
White/Non-Hisp	2954	1,978,214	2528	84.6	82.6-86.6	426	15.4	13.4-17.4
Black or Afr. Am./Non-Hisp	579	421,285	508	88.0	84.1-91.9	71	12.0	08.1-15.9
Oth. Race/Non-Hisp.	54	88,794	45	87.4	76.0-98.8	9	12.6	01.2-24.0
18-24	160	307,229	143	87.3	80.8-93.8	17	12.7	06.2-19.2
25-34	325	423,611	270	81.5	76.6-86.4	55	18.5	13.6-23.4
35-44	386	414,904	350	90.2	86.5-93.9	36	9.8	06.1-13.5
45-54	638	464,876	532	83.2	79.3-87.1	106	16.8	12.9-20.7
55-64	845	430,278	711	83.1	79.6-86.6	134	16.9	13.4-20.4
65+	1285	541,928	1123	87.5	85.0-90.0	162	12.5	10.0-15.0
Less Than H.S.	459	437,666	370	78.3	72.8-83.8	89	21.7	16.2-27.2
H.S. or G.E.D.	1249	828,227	1081	86.4	83.5-89.3	168	13.6	10.7-16.5
Some Post-H.S.	1016	772,112	865	85.1	82.2-88.0	151	14.9	12.0-17.8
College Graduate	924	548,381	820	89.1	86.6-91.6	104	10.9	08.4-13.4
Less than \$15,000	525	322,960	421	77.8	72.3-83.3	104	22.2	16.7-27.7
\$15,000- 24,999	632	422,085	535	81.6	77.1-86.1	97	18.4	13.9-22.9
\$25,000- 34,999	336	246,610	290	87.9	83.6-92.2	46	12.1	07.8-16.4
\$35,000- 49,999	358	271,786	314	90.6	87.1-94.1	44	9.4	05.9-12.9
\$50,000- 74,999	301	245,385	263	88.8	84.3-93.3	38	11.2	06.7-15.7
\$75,000+	376	325,330	334	88.5	84.0-93.0	42	11.5	07.0-16.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5773	5,001,348	5300	92.9	92.1-93.7	473	7.1	06.3-07.9
Male	2107	2,404,130	2007	96.3	95.3-97.3	100	3.7	02.7-04.7
Female	3666	2,597,217	3293	89.7	88.3-91.1	373	10.3	08.9-11.7
White/Non-Hisp	4721	3,818,782	4330	92.7	91.7-93.7	391	7.3	06.3-08.3
Black or Afr. Am./Non-Hisp	823	790,370	764	93.8	91.6-96.0	59	6.2	04.0-08.4
Oth. Race/Non-Hisp.	85	168,940	75	92.3	85.8-98.8	10	7.7	01.2-14.2
18-24	263	623,340	252	96.6	94.2-99.0	11	3.4	01.0-05.8
25-34	555	839,896	512	92.6	90.2-95.0	43	7.4	05.0-09.8
35-44	651	815,590	618	94.9	92.7-97.1	33	5.1	02.9-07.3
45-54	984	903,933	877	89.6	87.1-92.1	107	10.4	07.9-12.9
55-64	1322	825,837	1198	92.1	90.3-93.9	124	7.9	06.1-09.7
65+	1943	957,938	1792	93.2	91.6-94.8	151	6.8	05.2-08.4
Less Than H.S.	706	813,640	610	87.7	84.6-90.8	96	12.3	09.2-15.4
H.S. or G.E.D.	1914	1,652,836	1767	93.6	92.2-95.0	147	6.4	05.0-07.8
Some Post-H.S.	1539	1,435,376	1412	93.7	92.3-95.1	127	6.3	04.9-07.7
College Graduate	1574	1,062,380	1476	94.6	93.2-96.0	98	5.4	04.0-06.8
Less than \$15,000	726	543,335	624	85.8	82.1-89.5	102	14.2	10.5-17.9
\$15,000- 24,999	953	821,908	855	91.2	89.0-93.4	98	8.8	06.6-11.0
\$25,000- 34,999	539	479,082	504	95.4	93.4-97.4	35	4.6	02.6-06.6
\$35,000- 49,999	587	551,323	551	95.9	94.1-97.7	36	4.1	02.3-05.9
\$50,000- 74,999	546	505,584	512	94.8	92.4-97.2	34	5.2	02.8-07.6
\$75,000+	729	703,942	696	96.2	94.4-98.0	33	3.8	02.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2107	2,404,130	2007	96.3	95.3-97.3	100	3.7	02.7-04.7
White/Non-Hisp	1775	1,844,221	1695	96.6	95.6-97.6	80	3.4	02.4-04.4
Black or Afr. Am./Non-Hisp	244	369,085	231	94.6	91.3-97.9	13	5.4	02.1-08.7
18-24	103	316,111	101	98.8	97.0-0100	2	1.2	00.0-03.0
25-34	231	417,599	224	97.7	95.9-99.5	7	2.3	00.5-04.1
35-44	265	400,686	255	96.5	94.0-99.0	10	3.5	01.0-06.0
45-54	349	440,253	326	93.4	90.3-96.5	23	6.6	03.5-09.7
55-64	478	396,187	458	96.8	95.0-98.6	20	3.2	01.4-05.0
65+	661	416,525	624	95.8	94.0-97.6	37	4.2	02.4-06.0
Less Than H.S.	247	375,974	224	93.7	90.4-97.0	23	6.3	03.0-09.6
H.S. or G.E.D.	667	825,724	633	95.9	94.3-97.5	34	4.1	02.5-05.7
Some Post-H.S.	525	663,738	507	97.9	96.7-99.1	18	2.1	00.9-03.3
College Graduate	654	516,062	631	96.8	95.0-98.6	23	3.2	01.4-05.0
Less than \$15,000	203	221,769	184	91.0	85.5-96.5	19	9.0	03.5-14.5
\$15,000- 24,999	321	399,823	296	94.8	92.4-97.2	25	5.2	02.8-07.6
\$25,000- 34,999	205	233,644	201	98.5	96.7-0100	4	1.5	00.0-03.3
\$35,000- 49,999	231	280,285	223	98.1	96.5-99.7	8	1.9	00.3-03.5
\$50,000- 74,999	245	260,199	238	97.4	95.0-99.8	7	2.6	00.2-05.0
\$75,000+	353	378,612	347	98.9	97.9-99.9	6	1.1	00.1-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3666	2,597,217	3293	89.7	88.3-91.1	373	10.3	08.9-11.7
White/Non-Hisp	2946	1,974,561	2635	89.1	87.5-90.7	311	10.9	09.3-12.5
Black or Afr. Am./Non-Hisp	579	421,285	533	93.0	90.3-95.7	46	7.0	04.3-09.7
Oth. Race/Non-Hisp.	54	88,794	45	87.4	76.0-98.8	9	12.6	01.2-24.0
18-24	160	307,229	151	94.3	90.0-98.6	9	5.7	01.4-10.0
25-34	324	422,297	288	87.7	83.6-91.8	36	12.3	08.2-16.4
35-44	386	414,904	363	93.4	90.3-96.5	23	6.6	03.5-09.7
45-54	635	463,680	551	86.0	82.3-89.7	84	14.0	10.3-17.7
55-64	844	429,651	740	87.8	84.9-90.7	104	12.2	09.3-15.1
65+	1282	541,413	1168	91.1	88.9-93.3	114	8.9	06.7-11.1
Less Than H.S.	459	437,666	386	82.5	77.6-87.4	73	17.5	12.6-22.4
H.S. or G.E.D.	1247	827,112	1134	91.3	88.9-93.7	113	8.7	06.3-11.1
Some Post-H.S.	1014	771,637	905	90.2	87.8-92.6	109	9.8	07.4-12.2
College Graduate	920	546,318	845	92.4	90.4-94.4	75	7.6	05.6-09.6
Less than \$15,000	523	321,566	440	82.2	77.3-87.1	83	17.8	12.9-22.7
\$15,000- 24,999	632	422,085	559	87.8	84.3-91.3	73	12.2	08.7-15.7
\$25,000- 34,999	334	245,438	303	92.5	89.2-95.8	31	7.5	04.2-10.8
\$35,000- 49,999	356	271,039	328	93.7	90.8-96.6	28	6.3	03.4-09.2
\$50,000- 74,999	301	245,385	274	91.9	88.0-95.8	27	8.1	04.2-12.0
\$75,000+	376	325,330	349	93.1	89.8-96.4	27	6.9	03.6-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5773	5,001,348	473	7.1	06.3-07.9	209	4.0	03.2-04.8	5091	88.9	87.7-90.1
Male	2107	2,404,130	100	3.7	02.7-04.7	74	3.6	02.6-04.6	1933	92.7	91.3-94.1
Female	3666	2,597,217	373	10.3	08.9-11.7	135	4.4	03.4-05.4	3158	85.4	83.6-87.2
White/Non-Hisp	4721	3,818,782	391	7.3	06.3-08.3	166	4.0	03.2-04.8	4164	88.7	87.5-89.9
Black or Afr. Am./Non-Hisp	823	790,370	59	6.2	04.0-08.4	38	5.2	02.8-07.6	726	88.6	85.7-91.5
Oth. Race/Non-Hisp.	85	168,940	10	7.7	01.2-14.2				75	92.3	85.8-98.8
18-24	263	623,340	11	3.4	01.0-05.8	11	4.6	01.7-07.5	241	92.0	88.3-95.7
25-34	555	839,896	43	7.4	05.0-09.8	34	6.6	04.1-09.1	478	86.1	82.8-89.4
35-44	651	815,590	33	5.1	02.9-07.3	26	4.2	02.4-06.0	592	90.7	88.0-93.4
45-54	984	903,933	107	10.4	07.9-12.9	31	2.7	01.5-03.9	846	86.9	84.2-89.6
55-64	1322	825,837	124	7.9	06.1-09.7	38	2.9	01.7-04.1	1160	89.2	87.0-91.4
65+	1943	957,938	151	6.8	05.2-08.4	64	3.0	02.0-04.0	1728	90.1	88.3-91.9
Less Than H.S.	706	813,640	96	12.3	09.2-15.4	22	3.3	01.3-05.3	588	84.4	80.7-88.1
H.S. or G.E.D.	1914	1,652,836	147	6.4	05.0-07.8	73	4.0	02.8-05.2	1694	89.6	87.6-91.6
Some Post-H.S.	1539	1,435,376	127	6.3	04.9-07.7	62	4.8	03.2-06.4	1350	88.9	86.7-91.1
College Graduate	1574	1,062,380	98	5.4	04.0-06.8	51	3.5	02.3-04.7	1425	91.0	89.2-92.8
Less than \$15,000	726	543,335	102	14.2	10.5-17.9	26	3.3	01.3-05.3	598	82.5	78.4-86.6
\$15,000- 24,999	953	821,908	98	8.8	06.6-11.0	31	3.9	02.1-05.7	824	87.3	84.6-90.0
\$25,000- 34,999	539	479,082	35	4.6	02.6-06.6	22	4.4	02.2-06.6	482	91.1	88.2-94.0
\$35,000- 49,999	587	551,323	36	4.1	02.3-05.9	24	4.6	01.9-07.3	527	91.3	88.2-94.4
\$50,000- 74,999	546	505,584	34	5.2	02.8-07.6	18	2.9	01.3-04.5	494	91.9	89.2-94.6
\$75,000+	729	703,942	33	3.8	02.0-05.6	29	4.3	02.3-06.3	667	91.9	89.4-94.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2107	2,404,130	100	3.7	02.7-04.7	74	3.6	02.6-04.6	1933	92.7	91.3-94.1
White/Non-Hisp	1775	1,844,221	80	3.4	02.4-04.4	59	3.6	02.4-04.8	1636	93.0	91.4-94.6
Black or Afr. Am./Non-Hisp	244	369,085	13	5.4	02.1-08.7	13	5.4	01.9-08.9	218	89.1	84.4-93.8
18-24	103	316,111	2	1.2	00.0-03.0	3	2.3	00.0-05.0	98	96.5	93.4-99.6
25-34	231	417,599	7	2.3	00.5-04.1	16	7.2	03.1-11.3	208	90.4	85.9-94.9
35-44	265	400,686	10	3.5	01.0-06.0	13	5.3	02.4-08.2	242	91.2	87.3-95.1
45-54	349	440,253	23	6.6	03.5-09.7	12	2.8	01.0-04.6	314	90.5	87.0-94.0
55-64	478	396,187	20	3.2	01.4-05.0	9	1.0	00.2-01.8	449	95.8	94.0-97.6
65+	661	416,525	37	4.2	02.4-06.0	19	2.5	01.1-03.9	605	93.4	91.0-95.8
Less Than H.S.	247	375,974	23	6.3	03.0-09.6	6	2.3	00.0-04.7	218	91.4	87.3-95.5
H.S. or G.E.D.	667	825,724	34	4.1	02.5-05.7	20	3.2	01.4-05.0	613	92.8	90.4-95.2
Some Post-H.S.	525	663,738	18	2.1	00.9-03.3	22	4.6	02.1-07.1	485	93.2	90.5-95.9
College Graduate	654	516,062	23	3.2	01.4-05.0	26	4.1	02.3-05.9	605	92.7	90.2-95.2
Less than \$15,000	203	221,769	19	9.0	03.5-14.5	7	2.1	00.1-04.1	177	89.0	83.1-94.9
\$15,000- 24,999	321	399,823	25	5.2	02.8-07.6	7	1.5	00.0-03.1	289	93.3	90.4-96.2
\$25,000- 34,999	205	233,644	4	1.5	00.0-03.3	9	4.6	01.3-07.9	192	93.9	90.0-97.8
\$35,000- 49,999	231	280,285	8	1.9	00.3-03.5	10	6.2	01.3-11.1	213	91.8	86.7-96.9
\$50,000- 74,999	245	260,199	7	2.6	00.2-05.0	7	2.6	00.6-04.6	231	94.8	91.7-97.9
\$75,000+	353	378,612	6	1.1	00.1-02.1	14	4.0	01.6-06.4	333	94.9	92.4-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS
 TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3666	2,597,217	373	10.3	08.9-11.7	135	4.4	03.4-05.4	3158	85.4	83.6-87.2
White/Non-Hisp	2946	1,974,561	311	10.9	09.3-12.5	107	4.4	03.2-05.6	2528	84.7	82.7-86.7
Black or Afr. Am./Non-Hisp	579	421,285	46	7.0	04.3-09.7	25	5.0	01.9-08.1	508	88.0	84.1-91.9
Oth. Race/Non-Hisp.	54	88,794	9	12.6	01.2-24.0				45	87.4	76.0-98.8
18-24	160	307,229	9	5.7	01.4-10.0	8	7.0	01.9-12.1	143	87.3	80.8-93.8
25-34	324	422,297	36	12.3	08.2-16.4	18	5.9	02.8-09.0	270	81.7	76.8-86.6
35-44	386	414,904	23	6.6	03.5-09.7	13	3.2	01.0-05.4	350	90.2	86.5-93.9
45-54	635	463,680	84	14.0	10.3-17.7	19	2.6	01.0-04.2	532	83.4	79.5-87.3
55-64	844	429,651	104	12.2	09.3-15.1	29	4.6	02.6-06.6	711	83.2	79.7-86.7
65+	1282	541,413	114	8.9	06.7-11.1	45	3.5	02.1-04.9	1123	87.6	85.1-90.1
Less Than H.S.	459	437,666	73	17.5	12.6-22.4	16	4.2	01.1-07.3	370	78.3	72.8-83.8
H.S. or G.E.D.	1247	827,112	113	8.7	06.3-11.1	53	4.9	03.1-06.7	1081	86.5	83.6-89.4
Some Post-H.S.	1014	771,637	109	9.8	07.4-12.2	40	5.0	03.0-07.0	865	85.1	82.2-88.0
College Graduate	920	546,318	75	7.6	05.6-09.6	25	2.9	01.3-04.5	820	89.5	87.0-92.0
Less than \$15,000	523	321,566	83	17.8	12.9-22.7	19	4.1	01.2-07.0	421	78.1	72.6-83.6
\$15,000- 24,999	632	422,085	73	12.2	08.7-15.7	24	6.2	03.1-09.3	535	81.6	77.1-86.1
\$25,000- 34,999	334	245,438	31	7.5	04.2-10.8	13	4.2	01.5-06.9	290	88.3	84.0-92.6
\$35,000- 49,999	356	271,039	28	6.3	03.4-09.2	14	2.9	00.9-04.9	314	90.8	87.3-94.3
\$50,000- 74,999	301	245,385	27	8.1	04.2-12.0	11	3.1	00.7-05.5	263	88.8	84.3-93.3
\$75,000+	376	325,330	27	6.9	03.6-10.2	15	4.6	01.5-07.7	334	88.5	84.0-93.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5783	5,013,826	1976	26.4	24.8-28.0	3807	73.6	72.0-75.2
Male	2110	2,408,842	591	21.6	19.4-23.8	1519	78.4	76.2-80.6
Female	3673	2,604,983	1385	30.9	28.7-33.1	2288	69.1	66.9-71.3
White/Non-Hisp	4731	3,828,295	1661	28.5	26.7-30.3	3070	71.5	69.7-73.3
Black or Afr. Am./Non-Hisp	821	787,675	261	20.3	16.8-23.8	560	79.7	76.2-83.2
Oth. Race/Non-Hisp.	85	168,940	25	19.4	09.6-29.2	60	80.6	70.8-90.4
18-24	264	625,817	9	3.3	00.9-05.7	255	96.7	94.3-99.1
25-34	558	842,730	51	9.5	06.6-12.4	507	90.5	87.6-93.4
35-44	652	817,864	108	17.1	13.4-20.8	544	82.9	79.2-86.6
45-54	988	904,937	303	31.0	26.9-35.1	685	69.0	64.9-73.1
55-64	1320	821,851	543	41.1	37.4-44.8	777	58.9	55.2-62.6
65+	1946	965,814	954	48.0	44.9-51.1	992	52.0	48.9-55.1
Less Than H.S.	705	815,309	355	41.0	35.9-46.1	350	59.0	53.9-64.1
H.S. or G.E.D.	1920	1,656,878	717	26.0	23.5-28.5	1203	74.0	71.5-76.5
Some Post-H.S.	1546	1,441,964	528	25.0	22.3-27.7	1018	75.0	72.3-77.7
College Graduate	1573	1,062,934	366	18.4	16.0-20.8	1207	81.6	79.2-84.0
Less than \$15,000	725	538,564	359	39.7	34.4-45.0	366	60.3	55.0-65.6
\$15,000- 24,999	958	828,744	399	33.1	28.8-37.4	559	66.9	62.6-71.2
\$25,000- 34,999	539	480,068	174	24.4	19.7-29.1	365	75.6	70.9-80.3
\$35,000- 49,999	590	554,576	177	23.2	18.5-27.9	413	76.8	72.1-81.5
\$50,000- 74,999	548	506,967	148	20.2	16.3-24.1	400	79.8	75.9-83.7
\$75,000+	729	703,942	130	15.1	12.2-18.0	599	84.9	82.0-87.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 11: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2110	2,408,842	591	21.6	19.4-23.8	1519	78.4	76.2-80.6
White/Non-Hisp	1778	1,846,864	510	23.5	21.0-26.0	1268	76.5	74.0-79.0
Black or Afr. Am./Non-Hisp	243	366,648	66	16.3	11.0-21.6	177	83.7	78.4-89.0
18-24	104	318,588	3	2.2	00.0-05.1	101	97.8	94.9-0100
25-34	231	417,599	15	7.4	03.1-11.7	216	92.6	88.3-96.9
35-44	265	400,748	33	9.8	06.1-13.5	232	90.2	86.5-93.9
45-54	350	440,306	101	29.2	22.9-35.5	249	70.8	64.5-77.1
55-64	476	392,775	166	35.0	28.9-41.1	310	65.0	58.9-71.1
65+	664	422,057	272	41.9	36.8-47.0	392	58.1	53.0-63.2
Less Than H.S.	247	377,448	101	31.6	24.0-39.2	146	68.4	60.8-76.0
H.S. or G.E.D.	668	826,284	198	20.5	17.0-24.0	470	79.5	76.0-83.0
Some Post-H.S.	528	667,096	159	21.3	17.2-25.4	369	78.7	74.6-82.8
College Graduate	653	515,154	132	17.4	13.7-21.1	521	82.6	78.9-86.3
Less than \$15,000	201	216,645	84	30.9	22.1-39.7	117	69.1	60.3-77.9
\$15,000- 24,999	324	403,850	126	30.2	23.5-36.9	198	69.8	63.1-76.5
\$25,000- 34,999	205	233,827	50	17.6	11.3-23.9	155	82.4	76.1-88.7
\$35,000- 49,999	231	280,895	60	16.9	11.4-22.4	171	83.1	77.6-88.6
\$50,000- 74,999	245	260,199	65	20.1	14.2-26.0	180	79.9	74.0-85.8
\$75,000+	353	378,612	64	15.8	11.5-20.1	289	84.2	79.9-88.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 7: CHRONIC HEALTH CONDITIONS**

TABLE 12: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3673	2,604,983	1385	30.9	28.9-32.9	2288	69.1	67.1-71.1
White/Non-Hisp	2953	1,981,431	1151	33.1	30.7-35.5	1802	66.9	64.5-69.3
Black or Afr. Am./Non-Hisp	578	421,026	195	23.8	19.1-28.5	383	76.2	71.5-80.9
Oth. Race/Non-Hisp.	54	88,794	19	24.5	09.6-39.4	35	75.5	60.6-90.4
18-24	160	307,229	6	4.3	00.4-08.2	154	95.7	91.8-99.6
25-34	327	425,131	36	11.6	07.5-15.7	291	88.4	84.3-92.5
35-44	387	417,116	75	24.0	18.1-29.9	312	76.0	70.1-81.9
45-54	638	464,632	202	32.7	27.4-38.0	436	67.3	62.0-72.6
55-64	844	429,076	377	46.7	42.2-51.2	467	53.3	48.8-57.8
65+	1282	543,757	682	52.8	48.9-56.7	600	47.2	43.3-51.1
Less Than H.S.	458	437,861	254	49.2	42.3-56.1	204	50.8	43.9-57.7
H.S. or G.E.D.	1252	830,594	519	31.5	28.0-35.0	733	68.5	65.0-72.0
Some Post-H.S.	1018	774,868	369	28.2	24.7-31.7	649	71.8	68.3-75.3
College Graduate	920	547,780	234	19.4	16.3-22.5	686	80.6	77.5-83.7
Less than \$15,000	524	321,919	275	45.6	39.3-51.9	249	54.4	48.1-60.7
\$15,000- 24,999	634	424,894	273	35.8	30.5-41.1	361	64.2	58.9-69.5
\$25,000- 34,999	334	246,240	124	31.0	24.5-37.5	210	69.0	62.5-75.5
\$35,000- 49,999	359	273,681	117	29.7	22.4-37.0	242	70.3	63.0-77.6
\$50,000- 74,999	303	246,768	83	20.3	15.0-25.6	220	79.7	74.4-85.0
\$75,000+	376	325,330	66	14.2	10.3-18.1	310	85.8	81.9-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	37
2 MALES ONLY	38
3 FEMALES ONLY	39
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	40
5 MALES ONLY	41
6 FEMALES ONLY	42
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	43
8 MALES ONLY	44
9 FEMALES ONLY	45
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	46
11 MALES ONLY	47
12 FEMALES ONLY	48
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	49
14 MALES ONLY	50
15 FEMALES ONLY	51
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	52
17 MALES ONLY	53
18 FEMALES ONLY	54

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19	MALES AND FEMALES	55
20	MALES ONLY	56
21	FEMALES ONLY	57
	REPORTED HEIGHT IN INCHES (HTIN4).	
22	MALES AND FEMALES	58
23	MALES ONLY	59
24	FEMALES ONLY	60
	REPORTED HEIGHT IN METERS (HTM4).	
25	MALES AND FEMALES	61
26	MALES ONLY	62
27	FEMALES ONLY	63
	REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28	MALES AND FEMALES	64
29	MALES ONLY	65
30	FEMALES ONLY	66
	BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31	MALES AND FEMALES	67
32	MALES ONLY	68
33	FEMALES ONLY	69
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34	MALES AND FEMALES	70
35	MALES ONLY	71
36	FEMALES ONLY	72
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37	MALES AND FEMALES	73
38	MALES ONLY	74
39	FEMALES ONLY	75

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	76
41	MALES ONLY	77
42	FEMALES ONLY	78
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	79
44	MALES ONLY	80
45	FEMALES ONLY	81
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	82
47	MALES ONLY	83
48	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5739	4,966,772	4789	78.6	76.8-80.4	838	16.6	15.0-18.2	27	1.0	00.4-01.6	32	1.7	00.9-02.5	8	0.3	00.1-00.5	45	1.9	01.3-02.5
Male	2094	2,397,950	1799	78.4	75.7-81.1	251	16.3	13.8-18.8	9	0.9	00.1-01.7	15	1.9	00.9-02.9	2	0.3	00.0-00.7	18	2.2	01.0-03.4
Female	3645	2,568,822	2990	78.9	76.9-80.9	587	16.8	15.0-18.6	18	1.0	00.4-01.6	17	1.4	00.4-02.4	6	0.3	00.1-00.5	27	1.5	00.7-02.3
18-24	262	619,101	180	67.8	60.9-74.7	66	24.8	18.5-31.1	3	1.6	00.0-03.6	5	2.6	00.2-05.0				8	3.3	00.9-05.7
25-34	550	830,863	418	73.5	68.8-78.2	109	19.2	15.3-23.1	2	0.5	00.0-01.3	11	4.2	01.3-07.1	2	0.4	00.0-01.0	8	2.3	00.5-04.1
35-44	640	801,406	512	74.2	69.1-79.3	111	18.9	14.6-23.2	2	0.6	00.0-01.4	2	0.8	00.0-02.0	2	0.8	00.0-02.0	11	4.7	01.8-07.6
45-54	984	902,073	804	80.2	76.5-83.9	162	15.6	12.5-18.7	4	1.8	00.0-04.0	9	2.0	00.4-03.6	2	0.3	00.0-00.7	3	0.2	00.0-00.4
55-64	1318	820,709	1110	84.5	81.6-87.4	193	13.3	10.8-15.8	4	0.8	00.0-01.8	2	0.5	00.0-01.3	1	0.2	00.0-00.6	8	0.7	00.1-01.3
65+	1941	961,557	1730	87.5	85.3-89.7	188	10.5	08.3-12.7	12	0.7	00.1-01.3	3	0.3	00.0-00.7	1	0.1	00.0-00.3	7	0.9	00.1-01.7
Less Than H.S.	704	804,316	582	81.8	77.3-86.3	113	15.1	11.0-19.2	5	1.5	00.0-03.1	1	0.1	00.0-00.3				3	1.6	00.0-03.4
H.S. or G.E.D.	1909	1,643,286	1569	74.8	71.5-78.1	310	20.8	17.7-23.9	6	1.2	00.0-02.4	7	0.9	00.1-01.7	3	0.3	00.0-00.7	14	2.0	00.6-03.4
Some Post-H.S.	1528	1,425,803	1269	79.6	76.5-82.7	229	15.4	12.9-17.9	7	0.6	00.0-01.2	8	2.4	00.4-04.4	1	0.3	00.0-00.9	14	1.7	00.7-02.7
College Graduate	1562	1,059,896	1341	81.7	78.8-84.6	182	12.9	10.5-15.3	9	0.7	00.1-01.3	14	2.6	01.2-04.0	4	0.5	00.1-00.9	12	1.6	00.4-02.8
Less than \$15,000	730	545,581	569	72.6	67.1-78.1	149	22.7	17.6-27.8	4	1.5	00.0-03.5	2	0.8	00.0-02.0	1	0.4	00.0-01.2	5	2.0	00.0-04.0
\$15,000- 24,999	950	812,056	749	74.0	69.7-78.3	182	20.4	16.7-24.1	6	1.0	00.0-02.2	8	2.8	00.4-05.2				5	1.8	00.0-03.6
\$25,000- 34,999	538	474,327	456	79.0	73.5-84.5	71	16.2	11.5-20.9	2	0.7	00.0-01.9	2	0.9	00.0-02.1	2	0.6	00.0-01.4	5	2.7	00.0-05.6
\$35,000- 49,999	588	550,859	506	82.0	76.5-87.5	71	14.4	09.3-19.5	2	0.4	00.0-01.0	2	0.6	00.0-01.6	1	0.2	00.0-00.6	6	2.4	00.0-04.8
\$50,000- 74,999	547	506,551	493	87.5	82.8-92.2	46	8.3	05.2-11.4	2	0.6	00.0-01.4	3	2.5	00.0-06.2	1	0.2	00.0-00.6	2	0.9	00.0-02.5
\$75,000+	725	698,262	651	85.7	82.0-89.4	57	10.2	07.1-13.3	3	0.7	00.0-01.5	3	0.9	00.0-02.1	3	1.0	00.0-02.2	8	1.6	00.0-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2094	2,397,950	1799	78.4	75.7-81.1	251	16.3	13.9-18.7	9	0.9	0.1-01.7	15	1.9	0.9-02.9	2	0.3	0.0-00.7	18	2.2	0.1-03.4
18-24	104	318,588	79	72.8	62.8-82.8	22	22.8	13.4-32.2				2	2.8	0.0-06.7				1	1.5	0.0-04.4
25-34	228	415,014	182	75.0	67.7-82.3	36	17.8	11.5-24.1	1	0.8	0.0-02.4	7	4.9	0.8-09.0				2	1.5	0.0-03.7
35-44	262	394,382	212	69.0	61.0-77.0	39	20.1	13.0-27.2	1	0.4	0.0-01.2	1	0.7	0.0-02.1	2	1.6	0.0-04.0	7	8.2	0.2-13.9
45-54	350	442,650	301	80.4	74.1-86.7	45	15.6	10.3-20.9	1	1.9	0.0-05.6	3	2.1	0.0-04.5						
55-64	474	392,947	415	84.2	79.3-89.1	51	12.3	08.0-16.6	3	1.7	0.0-03.7	2	1.1	0.0-02.7				3	0.8	0.0-01.8
65+	659	418,152	597	87.9	84.4-91.4	54	9.9	06.6-13.2	3	0.5	0.0-01.3							5	1.7	0.1-03.3
Less Than H.S.	247	375,667	215	83.0	75.7-90.3	30	14.6	07.9-21.3										2	2.4	0.0-05.5
H.S. or G.E.D.	666	823,617	548	71.8	66.3-77.3	105	22.7	17.6-27.8	3	1.4	0.0-03.6	4	1.5	0.0-03.1	1	0.3	0.0-00.9	5	2.3	0.1-04.5
Some Post-H.S.	521	662,888	448	81.7	77.0-86.4	62	13.1	09.4-16.8	2	0.7	0.0-01.7	3	2.2	0.0-04.7	1	0.6	0.0-01.8	5	1.6	0.0-03.2
College Graduate	647	514,962	579	82.4	77.9-86.9	54	12.2	08.3-16.1	4	1.0	0.0-02.0	6	2.5	0.3-04.7				4	1.8	0.0-03.8
Less than \$15,000	204	222,583	163	68.6	58.4-78.8	37	26.6	17.0-36.2				1	1.5	0.0-04.4	1	1.0	0.0-03.0	2	2.3	0.0-06.2
\$15,000- 24,999	320	394,592	264	77.2	70.3-84.1	48	15.8	10.3-21.3	1	0.8	0.0-02.4	5	5.0	0.3-09.7				2	1.2	0.0-03.2
\$25,000- 34,999	205	233,644	174	75.5	66.3-84.7	27	18.7	10.5-26.9				1	0.8	0.0-02.4				3	5.0	0.0-10.7
\$35,000- 49,999	231	281,451	203	77.3	67.7-86.9	23	18.0	08.8-27.2	2	0.7	0.0-01.9	1	0.8	0.0-02.4				2	3.3	0.0-07.8
\$50,000- 74,999	244	259,783	226	90.6	85.5-95.7	15	6.4	02.5-10.3	1	0.7	0.0-02.1	1	0.6	0.0-01.8				1	1.6	0.0-04.7
\$75,000+	351	375,852	320	84.9	79.2-90.6	26	11.2	06.3-16.1	1	0.4	0.0-01.2	1	1.0	0.0-03.0	1	1.1	0.0-03.3	2	1.5	0.0-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3645	2,568,822	2990	78.9	76.9-80.9	587	16.8	15.0-18.6	18	1.0	00.4-01.6	17	1.4	00.4-02.4	6	0.3	00.1-00.5	27	1.5	00.7-02.3
18-24	158	300,513	101	62.4	53.2-71.6	44	26.9	18.5-35.3	3	3.3	00.0-07.2	3	2.2	00.0-04.7				7	5.1	01.4-08.8
25-34	322	415,849	236	72.0	65.7-78.3	73	20.5	15.4-25.6	1	0.3	00.0-00.9	4	3.4	00.0-07.9	2	0.7	00.0-01.7	6	3.1	00.4-05.8
35-44	378	407,025	300	79.2	73.5-84.9	72	17.7	12.6-22.8	1	0.7	00.0-02.1	1	1.0	00.0-03.0				4	1.3	00.0-02.7
45-54	634	459,424	503	80.0	75.9-84.1	117	15.5	12.2-18.8	3	1.7	00.0-03.9	6	2.0	00.0-04.0	2	0.5	00.0-01.3	3	0.4	00.0-00.8
55-64	844	427,762	695	84.8	81.7-87.9	142	14.2	11.1-17.3	1	0.0	00.0-00.0				1	0.3	00.0-00.9	5	0.6	00.0-01.4
65+	1282	543,405	1133	87.2	84.3-90.1	134	11.0	08.3-13.7	9	0.9	00.1-01.7	3	0.6	00.0-01.4	1	0.2	00.0-00.6	2	0.2	00.0-00.6
Less Than H.S.	457	428,649	367	80.6	74.9-86.3	83	15.5	10.6-20.4	5	2.8	00.0-05.9	1	0.2	00.0-00.6				1	0.9	00.0-02.7
H.S. or G.E.D.	1243	819,669	1021	77.8	74.1-81.5	205	18.9	15.4-22.4	3	1.0	00.0-02.2	3	0.2	00.0-00.6	2	0.3	00.0-00.7	9	1.8	00.4-03.2
Some Post-H.S.	1007	762,915	821	77.7	73.8-81.6	167	17.4	14.1-20.7	5	0.5	00.0-01.1	5	2.5	00.0-05.2				9	1.8	00.4-03.2
College Graduate	915	544,934	762	81.0	77.5-84.5	128	13.5	10.8-16.2	5	0.5	00.0-01.1	8	2.7	00.7-04.7	4	0.9	00.0-01.9	8	1.3	00.1-02.5
Less than \$15,000	526	322,998	406	75.4	69.5-81.3	112	19.9	14.6-25.2	4	2.6	00.0-05.9	1	0.3	00.0-00.9				3	1.7	00.0-03.7
\$15,000- 24,999	630	417,464	485	71.0	65.7-76.3	134	24.7	19.8-29.6	5	1.1	00.0-02.7	3	0.8	00.0-01.8				3	2.4	00.0-05.1
\$25,000- 34,999	333	240,683	282	82.5	77.0-88.0	44	13.7	08.8-18.6	2	1.4	00.0-03.6	1	0.9	00.0-02.7	2	1.1	00.0-02.7	2	0.4	00.0-01.0
\$35,000- 49,999	357	269,407	303	86.9	82.6-91.2	48	10.6	06.7-14.5				1	0.5	00.0-01.5	1	0.5	00.0-01.5	4	1.5	00.0-03.3
\$50,000- 74,999	303	246,768	267	84.2	76.2-92.2	31	10.2	05.3-15.1	1	0.4	00.0-01.2	2	4.6	00.0-11.9	1	0.5	00.0-01.5	1	0.1	00.0-00.3
\$75,000+	374	322,410	331	86.6	82.1-91.1	31	9.1	05.2-13.0	2	1.0	00.0-02.6	2	0.7	00.0-01.7	2	0.8	00.0-02.0	6	1.8	00.0-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5739	4,966,772	4771	77.8	76.0-79.6	827	16.0	14.6-17.4	25	0.9	0.3-01.5	30	1.5	0.9-02.1	7	0.2	0.0-00.4	79	3.6	0.2-04.6
Male	2094	2,397,950	1790	77.6	74.9-80.3	246	15.6	13.2-18.0	8	0.8	0.0-01.6	14	1.7	0.7-02.7	1	0.1	0.0-00.3	35	4.3	0.2-06.1
Female	3645	2,568,822	2981	78.0	75.8-80.2	581	16.4	14.6-18.2	17	0.9	0.3-01.5	16	1.4	0.4-02.4	6	0.3	0.1-00.5	44	2.9	0.1-03.9
18-24	262	619,101	179	67.4	60.5-74.3	64	24.0	17.7-30.3	2	1.2	0.0-03.0	4	1.7	0.0-03.5				13	5.7	0.2-09.0
25-34	550	830,863	415	72.2	67.3-77.1	107	18.6	14.7-22.5	2	0.5	0.0-01.3	11	4.2	0.1-07.1	2	0.4	0.0-01.0	13	4.1	0.1-06.5
35-44	640	801,406	511	73.4	68.3-78.5	107	17.0	13.3-20.7	2	0.6	0.0-01.4	2	0.8	0.0-02.0	1	0.3	0.0-00.9	17	7.9	0.3-12.2
45-54	984	902,073	802	79.7	76.0-83.4	161	15.5	12.4-18.6	4	1.8	0.0-04.0	8	1.9	0.3-03.5	2	0.3	0.0-00.7	7	0.9	0.0-01.9
55-64	1318	820,709	1107	84.1	81.2-87.0	192	12.9	10.4-15.4	3	0.5	0.0-01.1	2	0.5	0.0-01.3	1	0.2	0.0-00.6	13	1.9	0.0-03.3
65+	1941	961,557	1722	86.2	83.7-88.7	187	10.4	08.2-12.6	12	0.7	0.1-01.3	3	0.3	0.0-00.7	1	0.1	0.0-00.3	16	2.2	0.0-03.6
Less Than H.S.	704	804,316	578	80.1	75.4-84.8	112	15.1	11.0-19.2	5	1.5	0.0-03.1	1	0.1	0.0-00.3				8	3.2	0.0-05.6
H.S. or G.E.D.	1909	1,643,286	1565	74.3	71.0-77.6	304	19.5	16.6-22.4	4	0.9	0.0-02.1	7	0.9	0.1-01.7	3	0.3	0.0-00.7	26	4.1	0.2-06.1
Some Post-H.S.	1528	1,425,803	1263	78.4	75.3-81.5	228	15.2	12.7-17.7	7	0.6	0.0-01.2	7	2.0	0.2-03.8				23	3.7	0.1-05.5
College Graduate	1562	1,059,896	1337	81.4	78.5-84.3	179	12.5	10.1-14.9	9	0.7	0.1-01.3	13	2.5	0.1-03.9	4	0.5	0.1-00.9	20	2.4	0.1-03.6
Less than \$15,000	730	545,581	565	70.4	64.7-76.1	148	22.2	17.1-27.3	3	1.1	0.0-02.9	2	0.8	0.0-02.0	1	0.4	0.0-01.2	11	5.1	0.2-08.2
\$15,000- 24,999	950	812,056	746	73.7	69.4-78.0	180	20.1	16.4-23.8	6	1.0	0.0-02.2	7	2.1	0.1-04.1				11	3.1	0.0-05.3
\$25,000- 34,999	538	474,327	454	78.9	73.4-84.4	68	14.9	10.2-19.6	2	0.7	0.0-01.9	2	0.9	0.0-02.1	2	0.6	0.0-01.4	10	4.1	0.0-07.4
\$35,000- 49,999	588	550,859	502	79.5	73.6-85.4	68	11.7	07.8-15.6	2	0.4	0.0-01.0	2	0.6	0.0-01.6	1	0.2	0.0-00.6	13	7.7	0.2-12.8
\$50,000- 74,999	547	506,551	490	86.3	81.2-91.4	46	8.3	05.2-11.4	2	0.6	0.0-01.4	3	2.5	0.0-06.2	1	0.2	0.0-00.6	5	2.1	0.0-04.6
\$75,000+	725	698,262	651	85.7	82.0-89.4	57	10.2	07.1-13.3	3	0.7	0.0-01.5	3	0.9	0.0-02.1	2	0.4	0.0-01.0	9	2.2	0.0-04.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2094	2,397,950	1790	77.6	74.9-80.3	246	15.6	13.2-18.0	8	0.8	00.0-01.6	14	1.7	00.7-02.7	1	0.1	00.0-00.3	35	4.3	02.5-06.1
18-24	104	318,588	79	72.8	62.8-82.8	21	22.1	12.7-31.5				1	1.1	00.0-03.3				3	3.9	00.0-08.4
25-34	228	415,014	181	73.8	66.5-81.1	35	17.4	11.3-23.5	1	0.8	00.0-02.4	7	4.9	00.8-09.0				4	3.2	00.0-06.5
35-44	262	394,382	212	69.0	61.0-77.0	37	16.7	11.2-22.2	1	0.4	00.0-01.2	1	0.7	00.0-02.1	1	0.6	00.0-01.8	10	12.7	05.1-20.3
45-54	350	442,650	300	80.1	73.8-86.4	44	15.5	10.2-20.8	1	1.9	00.0-05.6	3	2.1	00.0-04.5				2	0.4	00.0-01.0
55-64	474	392,947	414	83.7	78.8-88.6	51	12.3	08.0-16.6	2	0.9	00.0-02.1	2	1.1	00.0-02.7				5	2.0	00.0-04.0
65+	659	418,152	591	85.5	81.2-89.8	54	9.9	06.6-13.2	3	0.5	00.0-01.3							11	4.1	01.0-07.2
Less Than H.S.	247	375,667	214	81.9	74.5-89.3	30	14.6	07.9-21.3				4	1.5	00.0-03.1				3	3.4	00.0-07.1
H.S. or G.E.D.	666	823,617	546	71.1	65.6-76.6	101	20.8	16.1-25.5	2	1.1	00.0-03.1	4	1.5	00.0-03.1	1	0.3	00.0-00.9	12	5.2	01.7-08.7
Some Post-H.S.	521	662,888	445	80.7	75.8-85.6	61	12.7	09.0-16.4	2	0.7	00.0-01.7	2	1.4	00.0-03.6				11	4.4	01.5-07.3
College Graduate	647	514,962	576	82.0	77.5-86.5	54	12.2	08.3-16.1	4	1.0	00.0-02.0	6	2.5	00.3-04.7				7	2.3	00.3-04.3
Less than \$15,000	204	222,583	162	67.8	57.6-78.0	36	25.4	15.8-35.0				1	1.5	00.0-04.4	1	1.0	00.0-03.0	4	4.3	00.0-09.0
\$15,000- 24,999	320	394,592	262	76.9	70.0-83.8	46	15.2	09.7-20.7	1	0.8	00.0-02.4	4	3.6	00.0-07.5				7	3.5	00.0-07.0
\$25,000- 34,999	205	233,644	173	75.3	66.1-84.5	27	18.7	10.5-26.9				1	0.8	00.0-02.4				4	5.1	00.0-10.8
\$35,000- 49,999	231	281,451	202	75.7	65.9-85.5	22	14.1	07.2-21.0	2	0.7	00.0-01.9	1	0.8	00.0-02.4				4	8.8	00.0-17.6
\$50,000- 74,999	244	259,783	223	88.3	82.2-94.4	15	6.4	02.5-10.3	1	0.7	00.0-02.1	1	0.6	00.0-01.8				4	4.0	00.0-08.9
\$75,000+	351	375,852	320	84.9	79.2-90.6	26	11.2	06.3-16.1	1	0.4	00.0-01.2	1	1.0	00.0-03.0				3	2.5	00.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3645	2,568,822	2981	78.0	75.8-80.2	581	16.4	14.6-18.2	17	0.9	0.3-01.5	16	1.4	0.4-02.4	6	0.3	0.1-00.5	44	2.9	01.9-03.9
18-24	158	300,513	100	61.6	52.4-70.8	43	26.1	17.9-34.3	2	2.5	0.0-06.0	3	2.2	0.0-04.7				10	7.7	03.0-12.4
25-34	322	415,849	234	70.6	64.1-77.1	72	19.9	15.0-24.8	1	0.3	0.0-00.9	4	3.4	0.0-07.9	2	0.7	0.0-01.7	9	5.1	01.6-08.6
35-44	378	407,025	299	77.7	71.6-83.8	70	17.4	12.3-22.5	1	0.7	0.0-02.1	1	1.0	0.0-03.0				7	3.2	00.1-06.3
45-54	634	459,424	502	79.2	74.9-83.5	117	15.5	12.2-18.8	3	1.7	0.0-03.9	5	1.7	0.0-03.5	2	0.5	0.0-01.3	5	1.4	0.0-03.0
55-64	844	427,762	693	84.4	81.3-87.5	141	13.4	10.7-16.1	1	0.0	0.0-00.0				1	0.3	0.0-00.9	8	1.8	0.0-03.6
65+	1282	543,405	1131	86.8	83.9-89.7	133	10.8	08.1-13.5	9	0.9	0.1-01.7	3	0.6	0.0-01.4	1	0.2	0.0-00.6	5	0.8	0.0-01.6
Less Than H.S.	457	428,649	364	78.6	72.7-84.5	82	15.4	10.5-20.3	5	2.8	0.0-05.9	1	0.2	0.0-00.6				5	3.1	0.2-06.0
H.S. or G.E.D.	1243	819,669	1019	77.5	73.8-81.2	203	18.2	14.7-21.7	2	0.7	0.0-01.7	3	0.2	0.0-00.6	2	0.3	0.0-00.7	14	3.0	01.2-04.8
Some Post-H.S.	1007	762,915	818	76.4	72.3-80.5	167	17.4	14.1-20.7	5	0.5	0.0-01.1	5	2.5	0.0-05.2				12	3.2	01.0-05.4
College Graduate	915	544,934	761	80.9	77.4-84.4	125	12.7	10.0-15.4	5	0.5	0.0-01.1	7	2.5	0.5-04.5	4	0.9	0.0-01.9	13	2.5	00.9-04.1
Less than \$15,000	526	322,998	403	72.2	65.7-78.7	112	19.9	14.6-25.2	3	1.8	0.0-04.7	1	0.3	0.0-00.9				7	5.7	01.4-10.0
\$15,000- 24,999	630	417,464	484	70.8	65.5-76.1	134	24.7	19.8-29.6	5	1.1	0.0-02.7	3	0.8	0.0-01.8				4	2.6	0.0-05.3
\$25,000- 34,999	333	240,683	281	82.3	76.8-87.8	41	11.1	07.2-15.0	2	1.4	0.0-03.6	1	0.9	0.0-02.7	2	1.1	0.0-02.7	6	3.2	0.1-06.3
\$35,000- 49,999	357	269,407	300	83.4	77.5-89.3	46	9.1	05.8-12.4				1	0.5	0.0-01.5	1	0.5	0.0-01.5	9	6.5	01.2-11.8
\$50,000- 74,999	303	246,768	267	84.2	76.2-92.2	31	10.2	05.3-15.1	1	0.4	0.0-01.2	2	4.6	0.0-11.9	1	0.5	0.0-01.5	1	0.1	0.0-00.3
\$75,000+	374	322,410	331	86.6	82.1-91.1	31	9.1	05.2-13.0	2	1.0	0.0-02.6	2	0.7	0.0-01.7	2	0.8	0.0-02.0	6	1.8	0.0-03.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5742	4,991,859	4754	77.0	75.2-78.8	825	15.8	14.4-17.2	29	1.0	00.4-01.6	29	1.5	00.9-02.1	64	2.7	01.9-03.5	41	2.1	01.3-02.9
Male	2095	2,404,491	1785	77.1	74.2-80.0	245	15.4	13.0-17.8	8	0.8	00.0-01.6	14	1.7	00.7-02.7	27	2.9	01.5-04.3	16	2.1	00.9-03.3
Female	3647	2,587,368	2969	76.8	74.6-79.0	580	16.3	14.5-18.1	21	1.1	00.5-01.7	15	1.3	00.3-02.3	37	2.5	01.5-03.5	25	2.0	01.0-03.0
18-24	264	625,817	178	66.6	59.7-73.5	64	23.8	17.5-30.1	2	1.2	00.0-03.0	4	1.7	00.0-03.5	8	3.5	01.0-06.0	8	3.3	00.8-05.8
25-34	552	836,551	410	70.6	65.7-75.5	107	18.5	14.6-22.4	2	0.5	00.0-01.3	10	3.9	01.0-06.8	10	3.5	01.1-05.9	13	2.9	01.1-04.7
35-44	644	809,195	509	71.6	66.5-76.7	106	16.3	12.6-20.0	2	0.6	00.0-01.4	2	0.8	00.0-02.0	12	4.8	01.3-08.3	13	5.8	02.5-09.1
45-54	983	904,555	800	79.3	75.4-83.2	161	15.5	12.4-18.6	6	2.1	00.0-04.3	8	1.9	00.3-03.5	6	0.9	00.1-01.7	2	0.4	00.0-01.2
55-64	1317	823,153	1103	83.6	80.7-86.5	192	12.9	10.4-15.4	4	0.6	00.0-01.2	2	0.5	00.0-01.3	12	1.8	00.6-03.0	4	0.6	00.0-01.4
65+	1942	964,022	1722	86.0	83.5-88.5	187	10.4	08.2-12.6	13	0.8	00.2-01.4	3	0.3	00.0-00.7	16	2.2	00.8-03.6	1	0.3	00.0-00.9
Less Than H.S.	707	816,487	578	78.9	74.2-83.6	111	14.3	10.4-18.2	5	1.4	00.0-03.0	1	0.1	00.0-00.3	6	2.1	00.1-04.1	6	3.1	00.7-05.5
H.S. or G.E.D.	1910	1,647,154	1564	74.1	70.8-77.4	304	19.5	16.6-22.4	5	0.9	00.0-02.1	7	0.9	00.1-01.7	22	3.1	01.3-04.9	8	1.5	00.3-02.7
Some Post-H.S.	1530	1,434,147	1253	76.9	73.6-80.2	228	15.1	12.6-17.6	7	0.6	00.0-01.2	7	2.0	00.2-03.8	20	3.3	01.5-05.1	15	2.0	00.8-03.2
College Graduate	1561	1,059,566	1334	80.8	77.9-83.7	178	12.4	10.0-14.8	12	1.1	00.3-01.9	12	2.3	00.9-03.7	15	1.7	00.5-02.9	10	1.6	00.2-03.0
Less than \$15,000	729	543,251	564	70.6	64.9-76.3	147	21.5	16.6-26.4	3	1.1	00.0-02.9	2	0.8	00.0-02.0	9	3.8	01.1-06.5	4	2.2	00.0-04.6
\$15,000- 24,999	956	828,358	746	72.3	67.8-76.8	180	19.7	16.0-23.4	6	1.0	00.0-02.0	7	2.1	00.1-04.1	11	3.0	00.8-05.2	6	2.0	00.2-03.8
\$25,000- 34,999	540	479,697	451	76.8	71.1-82.5	68	14.7	10.2-19.2	3	0.9	00.0-02.1	1	0.4	00.0-01.2	8	2.1	00.3-03.9	9	5.1	01.4-08.8
\$35,000- 49,999	589	554,315	500	78.6	72.7-84.5	68	11.6	07.7-15.5	3	0.6	00.0-01.4	2	0.6	00.0-01.6	10	5.6	00.9-10.3	6	3.0	00.5-05.5
\$50,000- 74,999	547	506,551	488	85.4	80.3-90.5	46	8.3	05.2-11.4	2	0.6	00.0-01.4	3	2.5	00.0-06.2	5	2.1	00.0-04.6	3	1.1	00.0-02.5
\$75,000+	727	702,197	650	84.4	80.5-88.3	57	10.2	07.1-13.3	5	1.0	00.0-02.0	3	0.9	00.0-02.1	5	1.6	00.0-03.4	7	1.9	00.0-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2095	2,404,491	1785	77.1	74.4-79.8	245	15.4	13.0-17.8	8	0.8	00.0-01.6	14	1.7	00.7-02.7	27	2.9	01.5-04.3	16	2.1	00.9-03.3
18-24	104	318,588	78	72.7	62.7-82.7	21	22.1	12.7-31.5				1	1.1	00.0-03.3	2	2.4	00.0-05.9	2	1.7	00.0-04.6
25-34	227	413,799	179	73.0	65.6-80.4	35	17.4	11.1-23.7	1	0.8	00.0-02.4	7	5.0	00.9-09.1	3	2.6	00.0-05.7	2	1.2	00.0-02.8
35-44	264	399,168	212	68.1	60.1-76.1	36	15.4	10.1-20.7	1	0.4	00.0-01.2	1	0.7	00.0-02.1	5	6.6	00.3-12.9	9	8.8	03.1-14.5
45-54	349	441,806	299	80.1	73.8-86.4	44	15.5	10.2-20.8	1	1.9	00.0-05.6	3	2.1	00.0-04.5	2	0.4	00.0-01.0			
55-64	475	395,495	414	83.2	78.1-88.3	51	12.3	08.0-16.6	2	0.9	00.0-02.1	2	1.1	00.0-02.7	4	1.7	00.0-03.7	2	0.9	00.0-02.3
65+	660	420,617	591	85.0	80.7-89.3	54	9.9	06.6-13.2	3	0.5	00.0-01.3				11	4.1	01.0-07.2	1	0.6	00.0-01.8
Less Than H.S.	248	380,040	214	81.0	73.6-88.4	29	13.3	07.0-19.6							1	1.1	00.0-03.3	4	4.6	00.3-08.9
H.S. or G.E.D.	666	823,752	546	71.1	65.6-76.6	101	20.8	16.1-25.5	2	1.1	00.0-03.1	4	1.5	00.0-03.1	9	3.5	00.4-06.6	4	2.1	00.1-04.1
Some Post-H.S.	521	663,574	441	79.8	74.9-84.7	61	12.7	09.0-16.4	2	0.7	00.0-01.7	2	1.4	00.0-03.6	10	4.2	01.3-07.1	5	1.1	00.0-02.3
College Graduate	647	514,962	576	82.0	77.5-86.5	54	12.2	08.3-16.1	4	1.0	00.0-02.0	6	2.5	00.3-04.7	6	1.8	00.0-03.6	1	0.4	00.0-01.2
Less than \$15,000	203	220,253	161	68.3	58.1-78.5	35	23.7	14.5-32.9				1	1.5	00.0-04.4	3	2.3	00.0-05.2	3	4.2	00.0-09.7
\$15,000- 24,999	323	403,690	262	75.2	68.1-82.3	46	14.8	09.5-20.1	1	0.8	00.0-02.4	4	3.5	00.0-07.2	7	3.4	00.1-06.7	3	2.3	00.0-04.8
\$25,000- 34,999	205	233,644	173	75.3	66.1-84.5	27	18.7	10.5-26.9				1	0.8	00.0-02.4	2	1.0	00.0-02.8	2	4.1	00.0-09.6
\$35,000- 49,999	230	280,608	201	75.6	65.8-85.4	22	14.1	07.2-21.0	2	0.7	00.0-01.9	1	0.8	00.0-02.4	2	5.5	00.0-13.3	2	3.3	00.0-07.8
\$50,000- 74,999	244	259,783	222	87.2	80.7-93.7	15	6.4	02.5-10.3	1	0.7	00.0-02.1	1	0.6	00.0-01.8	4	4.0	00.0-08.9	1	1.1	00.0-03.3
\$75,000+	352	378,399	320	84.3	78.4-90.2	26	11.1	06.4-15.8	1	0.4	00.0-01.2	1	1.0	00.0-03.0	2	2.3	00.0-05.4	2	0.9	00.0-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3647	2,587,368	2969	76.8	74.6-79.0	580	16.3	14.5-18.1	21	1.1	0.5-01.7	15	1.3	0.3-02.3	37	2.5	01.5-03.5	25	2.0	01.0-03.0
18-24	160	307,229	100	60.2	51.0-69.4	43	25.5	17.3-33.7	2	2.4	0.0-05.9	3	2.2	0.0-04.7	6	4.6	0.9-08.3	6	5.1	01.0-09.2
25-34	325	422,752	231	68.3	61.8-74.8	72	19.6	14.7-24.5	1	0.3	0.0-00.9	3	2.8	0.0-07.1	7	4.4	01.1-07.7	11	4.7	01.8-07.6
35-44	380	410,027	297	75.0	68.7-81.3	70	17.3	12.2-22.4	1	0.7	0.0-02.1	1	1.0	0.0-03.0	7	3.1	0.0-06.2	4	2.9	0.0-06.0
45-54	634	462,748	501	78.6	74.1-83.1	117	15.4	12.1-18.7	5	2.2	0.0-04.6	5	1.7	0.0-03.5	4	1.3	0.0-02.9	2	0.9	0.0-02.5
55-64	842	427,659	689	84.0	80.7-87.3	141	13.5	10.8-16.2	2	0.4	0.0-01.0				8	1.8	0.0-03.6	2	0.4	0.0-01.0
65+	1282	543,405	1131	86.8	83.9-89.7	133	10.8	08.1-13.5	10	1.0	0.2-01.8	3	0.6	0.0-01.4	5	0.8	0.0-01.6			
Less Than H.S.	459	436,447	364	77.2	71.1-83.3	82	15.2	10.5-19.9	5	2.7	0.0-05.6	1	0.2	0.0-00.6	5	3.0	0.1-05.9	2	1.8	0.0-04.3
H.S. or G.E.D.	1244	823,402	1018	77.1	73.4-80.8	203	18.1	14.8-21.4	3	0.8	0.0-01.8	3	0.2	0.0-00.6	13	2.7	0.9-04.5	4	1.0	0.0-02.0
Some Post-H.S.	1009	770,573	812	74.4	70.1-78.7	167	17.3	14.0-20.6	5	0.5	0.0-01.1	5	2.5	0.0-05.2	10	2.6	0.6-04.6	10	2.8	01.0-04.6
College Graduate	914	544,604	758	79.7	75.8-83.6	124	12.6	09.9-15.3	8	1.2	0.2-02.2	6	2.1	0.3-03.9	9	1.6	0.4-02.8	9	2.8	0.4-05.2
Less than \$15,000	526	322,998	403	72.2	65.7-78.7	112	19.9	14.6-25.2	3	1.8	0.0-04.7	1	0.3	0.0-00.9	6	4.9	01.0-08.8	1	0.8	0.0-02.4
\$15,000- 24,999	633	424,668	484	69.6	64.1-75.1	134	24.3	19.4-29.2	5	1.1	0.0-02.7	3	0.8	0.0-01.8	4	2.6	0.0-05.3	3	1.7	0.0-03.9
\$25,000- 34,999	335	246,053	278	78.3	71.8-84.8	41	10.8	06.9-14.7	3	1.7	0.0-03.9				6	3.1	0.0-06.2	7	6.1	01.4-10.8
\$35,000- 49,999	359	273,707	299	81.7	75.6-87.8	46	9.0	05.9-12.1	1	0.4	0.0-01.2	1	0.5	0.0-01.5	8	5.8	0.7-10.9	4	2.6	0.1-05.1
\$50,000- 74,999	303	246,768	266	83.5	75.5-91.5	31	10.2	05.3-15.1	1	0.4	0.0-01.2	2	4.6	0.0-11.9	1	0.1	0.0-00.3	2	1.2	0.0-02.8
\$75,000+	375	323,798	330	84.5	79.0-90.0	31	9.1	05.2-13.0	4	1.8	0.0-03.8	2	0.7	0.0-01.7	3	0.8	0.0-01.8	5	3.1	0.0-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5742	4,991,859	4754	77.0	75.2-78.8	988	23.0	21.2-24.8
Male	2095	2,404,491	1785	77.1	74.2-80.0	310	22.9	20.0-25.8
Female	3647	2,587,368	2969	76.8	74.6-79.0	678	23.2	21.0-25.4
18-24	264	625,817	178	66.6	59.7-73.5	86	33.4	26.5-40.3
25-34	552	836,551	410	70.6	65.7-75.5	142	29.4	24.5-34.3
35-44	644	809,195	509	71.6	66.5-76.7	135	28.4	23.3-33.5
45-54	983	904,555	800	79.3	75.4-83.2	183	20.7	16.8-24.6
55-64	1317	823,153	1103	83.6	80.7-86.5	214	16.4	13.5-19.3
65+	1942	964,022	1722	86.0	83.5-88.5	220	14.0	11.5-16.5
Less Than H.S.	707	816,487	578	78.9	74.2-83.6	129	21.1	16.4-25.8
H.S. or G.E.D.	1910	1,647,154	1564	74.1	70.8-77.4	346	25.9	22.6-29.2
Some Post-H.S.	1530	1,434,147	1253	76.9	73.6-80.2	277	23.1	19.8-26.4
College Graduate	1561	1,059,566	1334	80.8	77.9-83.7	227	19.2	16.3-22.1
Less than \$15,000	729	543,251	564	70.6	64.9-76.3	165	29.4	23.7-35.1
\$15,000- 24,999	956	828,358	746	72.3	67.8-76.8	210	27.7	23.2-32.2
\$25,000- 34,999	540	479,697	451	76.8	71.1-82.5	89	23.2	17.5-28.9
\$35,000- 49,999	589	554,315	500	78.6	72.7-84.5	89	21.4	15.5-27.3
\$50,000- 74,999	547	506,551	488	85.4	80.3-90.5	59	14.6	09.5-19.7
\$75,000+	727	702,197	650	84.4	80.5-88.3	77	15.6	11.7-19.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2095	2,404,491	1785	77.1	74.4-79.8	310	22.9	20.2-25.6
18-24	104	318,588	78	72.7	62.7-82.7	26	27.3	17.3-37.3
25-34	227	413,799	179	73.0	65.6-80.4	48	27.0	19.6-34.4
35-44	264	399,168	212	68.1	60.1-76.1	52	31.9	23.9-39.9
45-54	349	441,806	299	80.1	73.8-86.4	50	19.9	13.6-26.2
55-64	475	395,495	414	83.2	78.1-88.3	61	16.8	11.7-21.9
65+	660	420,617	591	85.0	80.7-89.3	69	15.0	10.7-19.3
Less Than H.S.	248	380,040	214	81.0	73.6-88.4	34	19.0	11.6-26.4
H.S. or G.E.D.	666	823,752	546	71.1	65.6-76.6	120	28.9	23.4-34.4
Some Post-H.S.	521	663,574	441	79.8	74.9-84.7	80	20.2	15.3-25.1
College Graduate	647	514,962	576	82.0	77.5-86.5	71	18.0	13.5-22.5
Less than \$15,000	203	220,253	161	68.3	58.1-78.5	42	31.7	21.5-41.9
\$15,000- 24,999	323	403,690	262	75.2	68.1-82.3	61	24.8	17.7-31.9
\$25,000- 34,999	205	233,644	173	75.3	66.1-84.5	32	24.7	15.5-33.9
\$35,000- 49,999	230	280,608	201	75.6	65.8-85.4	29	24.4	14.6-34.2
\$50,000- 74,999	244	259,783	222	87.2	80.7-93.7	22	12.8	06.3-19.3
\$75,000+	352	378,399	320	84.3	78.4-90.2	32	15.7	09.8-21.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3647	2,587,368	2969	76.8	74.6-79.0	678	23.2	21.0-25.4
18-24	160	307,229	100	60.2	51.0-69.4	60	39.8	30.6-49.0
25-34	325	422,752	231	68.3	61.8-74.8	94	31.7	25.2-38.2
35-44	380	410,027	297	75.0	68.7-81.3	83	25.0	18.7-31.3
45-54	634	462,748	501	78.6	74.1-83.1	133	21.4	16.9-25.9
55-64	842	427,659	689	84.0	80.7-87.3	153	16.0	12.7-19.3
65+	1282	543,405	1131	86.8	83.9-89.7	151	13.2	10.3-16.1
Less Than H.S.	459	436,447	364	77.2	71.1-83.3	95	22.8	16.7-28.9
H.S. or G.E.D.	1244	823,402	1018	77.1	73.4-80.8	226	22.9	19.2-26.6
Some Post-H.S.	1009	770,573	812	74.4	70.1-78.7	197	25.6	21.3-29.9
College Graduate	914	544,604	758	79.7	75.8-83.6	156	20.3	16.4-24.2
Less than \$15,000	526	322,998	403	72.2	65.7-78.7	123	27.8	21.3-34.3
\$15,000- 24,999	633	424,668	484	69.6	64.1-75.1	149	30.4	24.9-35.9
\$25,000- 34,999	335	246,053	278	78.3	71.8-84.8	57	21.7	15.2-28.2
\$35,000- 49,999	359	273,707	299	81.7	75.6-87.8	60	18.3	12.2-24.4
\$50,000- 74,999	303	246,768	266	83.5	75.5-91.5	37	16.5	08.5-24.5
\$75,000+	375	323,798	330	84.5	79.0-90.0	45	15.5	10.0-21.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5742	4,991,859	4754	77.0	75.2-78.8	825	15.8	14.4-17.2	85	3.4	02.4-04.4	37	1.7	00.9-02.5	41	2.1	01.3-02.9
Male	2095	2,404,491	1785	77.1	74.2-80.0	245	15.4	13.0-17.8	31	3.3	01.9-04.7	18	2.1	00.7-03.5	16	2.1	00.9-03.3
Female	3647	2,587,368	2969	76.8	74.6-79.0	580	16.3	14.5-18.1	54	3.4	02.2-04.6	19	1.4	00.6-02.2	25	2.0	01.0-03.0
18-24	264	625,817	178	66.6	59.7-73.5	64	23.8	17.5-30.1	9	3.9	01.2-06.6	5	2.4	00.0-04.8	8	3.3	00.8-05.8
25-34	552	836,551	410	70.6	65.7-75.5	107	18.5	14.6-22.4	17	6.1	02.8-09.4	5	1.8	00.0-03.6	13	2.9	01.1-04.7
35-44	644	809,195	509	71.6	66.5-76.7	106	16.3	12.6-20.0	10	3.1	00.9-05.3	6	3.1	00.0-06.2	13	5.8	02.5-09.1
45-54	983	904,555	800	79.3	75.4-83.2	161	15.5	12.4-18.6	15	4.0	01.5-06.5	5	0.8	00.0-01.6	2	0.4	00.0-01.2
55-64	1317	823,153	1103	83.6	80.7-86.5	192	12.9	10.4-15.4	12	1.6	00.4-02.8	6	1.2	00.0-02.4	4	0.6	00.0-01.4
65+	1942	964,022	1722	86.0	83.5-88.5	187	10.4	08.2-12.6	22	1.9	00.9-02.9	10	1.5	00.1-02.9	1	0.3	00.0-00.9
Less Than H.S.	707	816,487	578	78.9	74.2-83.6	111	14.3	10.4-18.2	7	2.0	00.0-04.0	5	1.6	00.0-03.2	6	3.1	00.7-05.5
H.S. or G.E.D.	1910	1,647,154	1564	74.1	70.8-77.4	304	19.5	16.6-22.4	22	2.8	01.2-04.4	12	2.1	00.5-03.7	8	1.5	00.3-02.7
Some Post-H.S.	1530	1,434,147	1253	76.9	73.6-80.2	228	15.1	12.6-17.6	24	3.9	01.9-05.9	10	2.1	00.5-03.7	15	2.0	00.8-03.2
College Graduate	1561	1,059,566	1334	80.8	77.9-83.7	178	12.4	10.0-14.8	29	4.2	02.4-06.0	10	0.9	00.3-01.5	10	1.6	00.2-03.0
Less than \$15,000	729	543,251	564	70.6	64.9-76.3	147	21.5	16.6-26.4	8	2.6	00.2-05.0	6	3.1	00.6-05.6	4	2.2	00.0-04.6
\$15,000- 24,999	956	828,358	746	72.3	67.8-76.8	180	19.7	16.0-23.4	17	4.7	02.0-07.4	7	1.3	00.0-02.7	6	2.0	00.2-03.8
\$25,000- 34,999	540	479,697	451	76.8	71.1-82.5	68	14.7	10.2-19.2	7	1.9	00.3-03.5	5	1.5	00.0-03.1	9	5.1	01.4-08.8
\$35,000- 49,999	589	554,315	500	78.6	72.7-84.5	68	11.6	07.7-15.5	7	1.5	00.1-02.9	8	5.3	00.6-10.0	6	3.0	00.5-05.5
\$50,000- 74,999	547	506,551	488	85.4	80.3-90.5	46	8.3	05.2-11.4	7	4.0	00.1-07.9	3	1.2	00.0-03.2	3	1.1	00.0-02.5
\$75,000+	727	702,197	650	84.4	80.5-88.3	57	10.2	07.1-13.3	11	2.8	00.8-04.8	2	0.7	00.0-01.9	7	1.9	00.0-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2095	2,404,491	1785	77.1	74.4-79.8	245	15.4	13.0-17.8	31	3.3	01.9-04.7	18	2.1	00.7-03.5	16	2.1	00.9-03.3
18-24	104	318,588	78	72.7	62.7-82.7	21	22.1	12.7-31.5	1	1.1	00.0-03.3	2	2.4	00.0-05.9	2	1.7	00.0-04.6
25-34	227	413,799	179	73.0	65.6-80.4	35	17.4	11.1-23.7	9	6.7	02.0-11.4	2	1.7	00.0-04.2	2	1.2	00.0-02.8
35-44	264	399,168	212	68.1	60.1-76.1	36	15.4	10.1-20.7	4	3.2	00.0-06.5	3	4.4	00.0-10.1	9	8.8	03.1-14.5
45-54	349	441,806	299	80.1	73.8-86.4	44	15.5	10.2-20.8	4	4.0	00.0-08.3	2	0.4	00.0-01.0			
55-64	475	395,495	414	83.2	78.1-88.3	51	12.3	08.0-16.6	6	2.5	00.3-04.7	2	1.2	00.0-03.0	2	0.9	00.0-02.3
65+	660	420,617	591	85.0	80.7-89.3	54	9.9	06.6-13.2	7	2.0	00.2-03.8	7	2.6	00.0-05.3	1	0.6	00.0-01.8
Less Than H.S.	248	380,040	214	81.0	73.6-88.4	29	13.3	07.0-19.6				1	1.1	00.0-03.3	4	4.6	00.3-08.9
H.S. or G.E.D.	666	823,752	546	71.1	65.6-76.6	101	20.8	16.1-25.5	8	3.1	00.6-05.6	7	2.9	00.0-05.8	4	2.1	00.1-04.1
Some Post-H.S.	521	663,574	441	79.8	74.9-84.7	61	12.7	09.0-16.4	7	3.5	00.8-06.2	7	2.9	00.4-05.4	5	1.1	00.0-02.3
College Graduate	647	514,962	576	82.0	77.5-86.5	54	12.2	08.3-16.1	13	4.9	02.0-07.8	3	0.4	00.0-01.0	1	0.4	00.0-01.2
Less than \$15,000	203	220,253	161	68.3	58.1-78.5	35	23.7	14.5-32.9	2	1.7	00.0-04.6	2	2.0	00.0-04.7	3	4.2	00.0-09.7
\$15,000- 24,999	323	403,690	262	75.2	68.1-82.3	46	14.8	09.5-20.1	6	5.3	00.8-09.8	6	2.4	00.0-05.1	3	2.3	00.0-04.8
\$25,000- 34,999	205	233,644	173	75.3	66.1-84.5	27	18.7	10.5-26.9	2	1.7	00.0-04.1	1	0.2	00.0-00.6	2	4.1	00.0-09.6
\$35,000- 49,999	230	280,608	201	75.6	65.8-85.4	22	14.1	07.2-21.0	3	1.5	00.0-03.5	2	5.5	00.0-13.3	2	3.3	00.0-07.8
\$50,000- 74,999	244	259,783	222	87.2	80.7-93.7	15	6.4	02.5-10.3	3	2.9	00.0-06.4	3	2.4	00.0-06.3	1	1.1	00.0-03.3
\$75,000+	352	378,399	320	84.3	78.4-90.2	26	11.1	06.4-15.8	3	2.6	00.0-05.5	1	1.1	00.0-03.3	2	0.9	00.0-02.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3647	2,587,368	2969	76.8	74.6-79.0	580	16.3	14.5-18.1	54	3.4	02.2-04.6	19	1.4	00.6-02.2	25	2.0	01.0-03.0
18-24	160	307,229	100	60.2	51.0-69.4	43	25.5	17.3-33.7	8	6.7	02.0-11.4	3	2.5	00.0-05.2	6	5.1	01.0-09.2
25-34	325	422,752	231	68.3	61.8-74.8	72	19.6	14.7-24.5	8	5.5	00.6-10.4	3	2.0	00.0-04.4	11	4.7	01.8-07.6
35-44	380	410,027	297	75.0	68.7-81.3	70	17.3	12.2-22.4	6	3.0	00.3-05.7	3	1.8	00.0-04.7	4	2.9	00.0-06.0
45-54	634	462,748	501	78.6	74.1-83.1	117	15.4	12.1-18.7	11	4.1	01.2-07.0	3	1.1	00.0-02.7	2	0.9	00.0-02.5
55-64	842	427,659	689	84.0	80.7-87.3	141	13.5	10.8-16.2	6	0.9	00.0-01.9	4	1.2	00.0-02.8	2	0.4	00.0-01.0
65+	1282	543,405	1131	86.8	83.9-89.7	133	10.8	08.1-13.5	15	1.8	00.6-03.0	3	0.6	00.0-01.2			
Less Than H.S.	459	436,447	364	77.2	71.1-83.3	82	15.2	10.5-19.9	7	3.8	00.3-07.3	4	2.1	00.0-04.5	2	1.8	00.0-04.3
H.S. or G.E.D.	1244	823,402	1018	77.1	73.4-80.8	203	18.1	14.8-21.4	14	2.5	00.9-04.1	5	1.3	00.1-02.5	4	1.0	00.0-02.0
Some Post-H.S.	1009	770,573	812	74.4	70.1-78.7	167	17.3	14.0-20.6	17	4.2	01.3-07.1	3	1.4	00.0-03.2	10	2.8	01.0-04.6
College Graduate	914	544,604	758	79.7	75.8-83.6	124	12.6	09.9-15.3	16	3.6	01.4-05.8	7	1.3	00.1-02.5	9	2.8	00.4-05.2
Less than \$15,000	526	322,998	403	72.2	65.7-78.7	112	19.9	14.6-25.2	6	3.1	00.0-06.4	4	3.9	00.2-07.6	1	0.8	00.0-02.4
\$15,000- 24,999	633	424,668	484	69.6	64.1-75.1	134	24.3	19.4-29.2	11	4.2	01.1-07.3	1	0.2	00.0-00.6	3	1.7	00.0-03.9
\$25,000- 34,999	335	246,053	278	78.3	71.8-84.8	41	10.8	06.9-14.7	5	2.1	00.0-04.5	4	2.7	00.0-05.6	7	6.1	01.4-10.8
\$35,000- 49,999	359	273,707	299	81.7	75.6-87.8	46	9.0	05.9-12.1	4	1.6	00.0-03.4	6	5.1	00.0-10.2	4	2.6	00.1-05.1
\$50,000- 74,999	303	246,768	266	83.5	75.5-91.5	31	10.2	05.3-15.1	4	5.1	00.0-12.4				2	1.2	00.0-02.8
\$75,000+	375	323,798	330	84.5	79.0-90.0	31	9.1	05.2-13.0	8	3.2	00.8-05.6	1	0.1	00.0-00.3	5	3.1	00.0-06.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5755	4,994,719	528	20.5	18.7-22.3	591	16.3	14.9-17.7	778	16.9	15.5-18.3	1211	18.1	16.7-19.5	1333	15.5	14.3-16.7	1314	12.7	11.7-13.7
Male	2100	2,401,978	227	22.2	19.3-25.1	220	15.3	13.1-17.5	309	18.5	16.1-20.9	419	17.2	15.2-19.2	495	15.7	13.7-17.7	430	11.0	09.6-12.4
Female	3655	2,592,741	301	19.0	16.8-21.2	371	17.1	15.1-19.1	469	15.5	13.9-17.1	792	19.0	17.2-20.8	838	15.2	13.8-16.6	884	14.3	12.9-15.7
White/Non-Hisp	4722	3,821,575	376	18.2	16.2-20.2	437	14.9	13.3-16.5	624	16.5	14.9-18.1	992	19.2	17.6-20.8	1122	16.7	15.3-18.1	1171	14.5	13.3-15.7
Black or Afr. Am./Non-Hisp	817	781,768	112	27.7	22.6-32.8	112	19.3	15.2-23.4	120	16.9	13.2-20.6	184	16.3	13.2-19.4	171	12.1	09.4-14.8	118	7.8	05.6-10.0
Oth. Race/Non-Hisp.	85	168,940	19	34.2	20.1-48.3	11	16.3	06.5-26.1	14	22.1	09.6-34.6	13	12.5	04.3-20.7	17	9.6	03.9-15.3	11	5.3	01.2-09.4
Less Than H.S.	706	814,800	27	10.8	06.5-15.1	43	13.0	08.7-17.3	68	14.6	10.7-18.5	139	22.7	18.2-27.2	154	17.7	13.8-21.6	275	21.3	17.8-24.8
H.S. or G.E.D.	1913	1,648,036	189	24.5	21.2-27.8	168	14.5	12.1-16.9	234	17.1	14.4-19.8	424	17.3	15.1-19.5	436	14.1	12.3-15.9	462	12.4	10.8-14.0
Some Post-H.S.	1535	1,436,020	185	25.8	22.3-29.3	157	15.8	13.1-18.5	213	15.5	13.0-18.0	300	16.4	14.0-18.8	377	16.2	14.0-18.4	303	10.4	08.8-12.0
College Graduate	1567	1,060,576	125	14.8	12.1-17.5	220	22.4	19.5-25.3	260	20.0	17.5-22.5	344	18.4	16.0-20.8	359	15.0	13.0-17.0	259	9.5	08.1-10.9
Less than \$15,000	731	546,019	61	19.8	14.3-25.3	68	17.0	12.3-21.7	103	16.4	12.3-20.5	181	22.0	17.7-26.3	141	11.5	08.8-14.2	177	13.4	10.7-16.1
\$15,000- 24,999	959	829,034	106	24.7	20.0-29.4	103	16.8	13.1-20.5	104	13.4	10.5-16.3	172	15.7	12.4-19.0	221	15.9	12.6-19.2	253	13.6	11.2-16.0
\$25,000- 34,999	541	481,288	65	25.0	19.1-30.9	50	15.5	10.8-20.2	58	15.2	10.7-19.7	90	13.2	09.7-16.7	151	18.0	14.5-21.5	127	13.1	10.0-16.2
\$35,000- 49,999	592	555,811	60	19.3	14.2-24.4	71	16.8	12.1-21.5	90	19.7	14.4-25.0	114	18.8	14.3-23.3	152	16.1	12.8-19.4	105	9.3	06.9-11.7
\$50,000- 74,999	548	506,967	46	17.2	11.5-22.9	72	19.8	15.1-24.5	89	17.5	13.4-21.6	150	22.9	18.6-27.2	131	16.2	12.5-19.9	60	6.3	04.3-08.3
\$75,000+	726	699,247	32	9.0	05.3-12.7	115	23.8	19.5-28.1	165	24.9	20.8-29.0	206	22.3	18.8-25.8	147	14.2	11.5-16.9	61	5.9	04.1-07.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2100	2,401,978	227	22.2	19.5-24.9	220	15.3	13.1-17.5	309	18.5	16.1-20.9	419	17.2	15.2-19.2	495	15.7	13.9-17.5	430	11.0	09.6-12.4
White/Non-Hisp	1773	1,845,746	174	20.8	17.9-23.7	173	14.4	12.0-16.8	254	17.2	14.8-19.6	356	18.4	16.0-20.8	424	16.4	14.4-18.4	392	12.8	11.2-14.4
Black or Afr. Am./Non-Hisp	241	362,602	38	27.8	19.6-36.0	33	19.1	12.2-26.0	38	18.1	11.8-24.4	52	16.3	10.8-21.8	51	13.5	08.4-18.6	29	5.2	02.5-07.9
Less Than H.S.	248	380,040	6	6.6	00.7-12.5	16	14.5	07.2-21.8	31	18.2	11.3-25.1	51	21.9	15.0-28.8	60	20.9	13.8-28.0	84	17.9	12.8-23.0
H.S. or G.E.D.	666	821,554	91	27.9	22.6-33.2	68	14.4	10.7-18.1	100	20.0	15.3-24.7	142	15.8	12.5-19.1	141	12.3	09.8-14.8	124	9.5	07.3-11.7
Some Post-H.S.	524	662,618	76	29.9	24.0-35.8	55	14.3	10.2-18.4	75	15.9	12.0-19.8	100	16.2	12.5-19.9	129	15.2	11.9-18.5	89	8.6	06.2-11.0
College Graduate	649	515,032	53	15.0	10.9-19.1	80	19.4	15.1-23.7	101	18.9	15.0-22.8	123	17.3	13.8-20.8	161	17.6	14.5-20.7	131	11.8	09.4-14.2
Less than \$15,000	205	223,021	24	22.3	12.1-32.5	17	14.0	06.0-22.0	31	17.5	09.7-25.3	56	25.3	17.1-33.5	35	8.8	04.9-12.7	42	12.0	07.1-16.9
\$15,000- 24,999	323	403,690	44	28.6	21.0-36.2	32	14.9	09.2-20.6	39	12.5	08.0-17.0	56	15.1	09.8-20.4	81	18.2	12.1-24.3	71	10.6	07.3-13.9
\$25,000- 34,999	205	233,919	26	28.1	18.1-38.1	21	15.6	08.2-23.0	24	16.7	09.3-24.1	28	9.4	04.9-13.9	59	17.5	12.0-23.0	47	12.7	07.6-17.8
\$35,000- 49,999	232	281,803	32	21.2	13.6-28.8	21	14.0	07.5-20.5	38	24.2	15.2-33.2	41	16.1	10.6-21.6	55	14.8	09.7-19.9	45	9.7	06.0-13.4
\$50,000- 74,999	245	260,199	23	17.7	10.4-25.0	33	18.2	11.9-24.5	35	13.9	08.8-19.0	55	24.0	17.3-30.7	58	17.8	12.1-23.5	41	8.5	05.4-11.6
\$75,000+	351	377,208	18	8.8	04.5-13.1	52	22.0	15.9-28.1	73	25.6	19.5-31.7	88	19.6	14.9-24.3	78	16.0	11.9-20.1	42	8.0	05.1-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3655	2,592,741	301	19.0	16.8-21.2	371	17.1	15.1-19.1	469	15.5	13.9-17.1	792	19.0	17.2-20.8	838	15.2	13.8-16.6	884	14.3	12.9-15.7
White/Non-Hisp	2949	1,975,830	202	15.8	13.4-18.2	264	15.3	13.3-17.3	370	15.8	14.0-17.6	636	19.9	17.9-21.9	698	17.0	15.4-18.6	779	16.2	14.6-17.8
Black or Afr. Am./Non-Hisp	576	419,167	74	27.6	21.5-33.7	79	19.5	14.6-24.4	82	15.8	11.5-20.1	132	16.3	12.6-20.0	120	10.9	08.2-13.6	89	10.0	06.7-13.3
Oth. Race/Non-Hisp.	54	88,794	11	36.3	16.9-55.7	7	16.5	03.8-29.2	9	19.5	05.6-33.4	10	14.7	02.7-26.7	9	8.8	01.9-15.7	8	4.2	00.7-07.7
Less Than H.S.	458	434,760	21	14.4	08.1-20.7	27	11.6	06.9-16.3	37	11.5	07.0-16.0	88	23.3	17.4-29.2	94	14.9	11.0-18.8	191	24.3	19.4-29.2
H.S. or G.E.D.	1247	826,482	98	21.2	16.9-25.5	100	14.6	11.5-17.7	134	14.3	11.6-17.0	282	18.9	16.0-21.8	295	15.8	13.4-18.2	338	15.3	12.9-17.7
Some Post-H.S.	1011	773,402	109	22.3	18.2-26.4	102	17.1	13.6-20.6	138	15.2	12.1-18.3	200	16.6	13.9-19.3	248	17.0	14.5-19.5	214	11.9	09.7-14.1
College Graduate	918	545,544	72	14.6	11.1-18.1	140	25.2	21.1-29.3	159	21.0	17.5-24.5	221	19.5	16.4-22.6	198	12.5	10.3-14.7	128	7.3	05.7-08.9
Less than \$15,000	526	322,998	37	18.1	12.4-23.8	51	19.0	13.3-24.7	72	15.6	11.1-20.1	125	19.6	14.9-24.3	106	13.3	09.6-17.0	135	14.4	11.1-17.7
\$15,000- 24,999	636	425,344	62	20.9	15.8-26.0	71	18.6	13.9-23.3	65	14.2	10.1-18.3	116	16.3	12.6-20.0	140	13.6	10.7-16.5	182	16.4	12.9-19.9
\$25,000- 34,999	336	247,370	39	22.0	15.5-28.5	29	15.3	09.2-21.4	34	13.9	08.6-19.2	62	16.8	11.3-22.3	92	18.5	13.8-23.2	80	13.5	09.6-17.4
\$35,000- 49,999	360	274,008	28	17.4	10.7-24.1	50	19.7	13.2-26.2	52	15.2	10.5-19.9	73	21.5	14.6-28.4	97	17.4	12.9-21.9	60	8.9	06.0-11.8
\$50,000- 74,999	303	246,768	23	16.7	08.1-25.3	39	21.5	14.8-28.2	54	21.4	14.9-27.9	95	21.7	16.0-27.4	73	14.6	10.1-19.1	19	4.1	01.4-06.8
\$75,000+	375	322,039	14	9.4	03.1-15.7	63	25.8	19.5-32.1	92	24.0	18.7-29.3	118	25.5	20.2-30.8	69	12.1	08.6-15.6	19	3.4	01.6-05.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5755	4,994,719	3798	80.6	79.4-81.8	1957	19.4	18.2-20.6
Male	2100	2,401,978	1435	82.4	80.6-84.2	665	17.6	15.8-19.4
Female	3655	2,592,741	2363	78.9	77.3-80.5	1292	21.1	19.5-22.7
White/Non-Hisp	4722	3,821,575	3000	78.3	76.9-79.7	1722	21.7	20.3-23.1
Black or Afr. Am./Non-Hisp	817	781,768	630	87.2	84.5-89.9	187	12.8	10.1-15.5
Oth. Race/Non-Hisp.	85	168,940	63	89.2	83.3-95.1	22	10.8	04.9-16.7
Less Than H.S.	706	814,800	349	71.4	67.3-75.5	357	28.6	24.5-32.7
H.S. or G.E.D.	1913	1,648,036	1222	80.8	78.8-82.8	691	19.2	17.2-21.2
Some Post-H.S.	1535	1,436,020	1059	82.5	80.3-84.7	476	17.5	15.3-19.7
College Graduate	1567	1,060,576	1153	84.8	83.0-86.6	414	15.2	13.4-17.0
Less than \$15,000	731	546,019	496	83.0	79.9-86.1	235	17.0	13.9-20.1
\$15,000- 24,999	959	829,034	596	80.0	77.1-82.9	363	20.0	17.1-22.9
\$25,000- 34,999	541	481,288	342	78.0	73.9-82.1	199	22.0	17.9-26.1
\$35,000- 49,999	592	555,811	407	82.5	79.0-86.0	185	17.5	14.0-21.0
\$50,000- 74,999	548	506,967	423	85.5	82.2-88.8	125	14.5	11.2-17.8
\$75,000+	726	699,247	616	89.9	87.5-92.3	110	10.1	07.7-12.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2100	2,401,978	1435	82.4	80.6-84.2	665	17.6	15.8-19.4
White/Non-Hisp	1773	1,845,746	1182	80.6	78.6-82.6	591	19.4	17.4-21.4
Black or Afr. Am./Non-Hisp	241	362,602	187	88.6	84.7-92.5	54	11.4	07.5-15.3
Less Than H.S.	248	380,040	133	74.3	68.0-80.6	115	25.7	19.4-32.0
H.S. or G.E.D.	666	821,554	469	84.6	81.9-87.3	197	15.4	12.7-18.1
Some Post-H.S.	524	662,618	374	84.3	81.0-87.6	150	15.7	12.4-19.0
College Graduate	649	515,032	450	82.0	79.1-84.9	199	18.0	15.1-20.9
Less than \$15,000	205	223,021	151	85.7	80.6-90.8	54	14.3	09.2-19.4
\$15,000- 24,999	323	403,690	215	83.5	79.4-87.6	108	16.5	12.4-20.6
\$25,000- 34,999	205	233,919	123	77.2	70.7-83.7	82	22.8	16.3-29.3
\$35,000- 49,999	232	281,803	158	82.1	76.6-87.6	74	17.9	12.4-23.4
\$50,000- 74,999	245	260,199	172	82.5	77.6-87.4	73	17.5	12.6-22.4
\$75,000+	351	377,208	283	87.0	83.3-90.7	68	13.0	09.3-16.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3655	2,592,741	2363	78.9	77.3-80.5	1292	21.1	19.5-22.7
White/Non-Hisp	2949	1,975,830	1818	76.1	74.3-77.9	1131	23.9	22.1-25.7
Black or Afr. Am./Non-Hisp	576	419,167	443	86.0	82.5-89.5	133	14.0	10.5-17.5
Oth. Race/Non-Hisp.	54	88,794	39	88.9	81.5-96.3	15	11.1	03.7-18.5
Less Than H.S.	458	434,760	216	68.9	63.4-74.4	242	31.1	25.6-36.6
H.S. or G.E.D.	1247	826,482	753	77.0	74.3-79.7	494	23.0	20.3-25.7
Some Post-H.S.	1011	773,402	685	81.0	78.3-83.7	326	19.0	16.3-21.7
College Graduate	918	545,544	703	87.5	85.3-89.7	215	12.5	10.3-14.7
Less than \$15,000	526	322,998	345	81.2	77.5-84.9	181	18.8	15.1-22.5
\$15,000- 24,999	636	425,344	381	76.7	72.8-80.6	255	23.3	19.4-27.2
\$25,000- 34,999	336	247,370	219	78.7	73.8-83.6	117	21.3	16.4-26.2
\$35,000- 49,999	360	274,008	249	82.9	78.6-87.2	111	17.1	12.8-21.4
\$50,000- 74,999	303	246,768	251	88.7	84.4-93.0	52	11.3	07.0-15.6
\$75,000+	375	322,039	333	93.3	90.9-95.7	42	6.7	04.3-09.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5703	4,933,206	273	3.3	02.7-03.9	2775	41.8	40.0-43.6	2185	43.5	41.5-45.5	470	11.4	10.0-12.8
Male	2083	2,372,829	6	0.1	00.0-00.3	176	9.1	07.3-10.9	1441	67.5	64.8-70.2	460	23.2	20.7-25.7
Female	3620	2,560,377	267	6.2	05.2-07.2	2599	72.1	70.1-74.1	744	21.3	19.3-23.3	10	0.4	00.0-00.8
White/Non-Hisp	4681	3,782,983	216	3.1	02.5-03.7	2223	40.2	38.2-42.2	1831	44.9	42.9-46.9	411	11.9	10.5-13.3
Black or Afr. Am./Non-Hisp	808	773,460	39	3.0	01.8-04.2	436	44.3	39.4-49.2	281	40.5	35.4-45.6	52	12.2	08.3-16.1
Oth. Race/Non-Hisp.	81	161,581	8	5.5	00.0-11.0	45	53.1	38.8-67.4	27	39.1	24.8-53.4	1	2.3	00.0-06.6
18-24	259	611,119	10	2.4	00.6-04.2	118	40.2	33.1-47.3	98	42.8	35.5-50.1	33	14.6	09.5-19.7
25-34	551	833,194	19	2.9	01.5-04.3	240	39.4	34.5-44.3	223	42.2	37.1-47.3	69	15.5	11.4-19.6
35-44	642	795,958	25	3.2	01.4-05.0	275	40.7	35.8-45.6	283	46.3	41.2-51.4	59	9.7	06.8-12.6
45-54	977	889,301	47	3.8	02.4-05.2	458	38.5	34.4-42.6	388	46.1	41.8-50.4	84	11.6	08.7-14.5
55-64	1313	818,564	46	2.5	01.5-03.5	660	44.2	40.5-47.9	502	43.5	39.6-47.4	105	9.7	07.5-11.9
65+	1918	955,086	122	4.5	03.5-05.5	1003	47.0	43.9-50.1	674	39.9	36.8-43.0	119	8.6	06.6-10.6
Less Than H.S.	689	794,590	54	4.9	02.9-06.9	355	45.3	39.8-50.8	240	41.3	35.8-46.8	40	8.4	04.9-11.9
H.S. or G.E.D.	1896	1,638,810	105	3.8	02.8-04.8	989	42.6	39.3-45.9	668	42.6	39.3-45.9	134	11.0	08.6-13.4
Some Post-H.S.	1530	1,425,494	63	2.8	01.8-03.8	755	42.0	38.7-45.3	577	42.8	39.3-46.3	135	12.4	09.9-14.9
College Graduate	1567	1,059,215	49	1.9	01.3-02.5	667	38.0	34.9-41.1	692	47.6	44.3-50.9	159	12.5	10.1-14.9
Less than \$15,000	726	535,594	49	5.2	03.2-07.2	414	50.6	44.9-56.3	217	33.3	28.0-38.6	46	10.9	06.8-15.0
\$15,000- 24,999	954	825,590	54	3.5	01.9-05.1	484	41.6	37.1-46.1	349	43.5	38.6-48.4	67	11.4	07.9-14.9
\$25,000- 34,999	534	473,221	24	4.6	02.1-07.1	268	46.9	40.8-53.0	210	41.1	35.0-47.2	32	7.5	04.2-10.8
\$35,000- 49,999	590	553,305	26	3.1	01.7-04.5	273	39.6	33.9-45.3	233	43.8	37.9-49.7	58	13.6	09.3-17.9
\$50,000- 74,999	546	504,830	17	2.2	00.8-03.6	242	39.6	33.9-45.3	235	47.7	42.0-53.4	52	10.4	07.1-13.7
\$75,000+	725	701,203	11	0.9	00.3-01.5	257	32.1	27.6-36.6	347	50.5	45.8-55.2	110	16.5	13.0-20.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2083	2,372,829	6	0.1	00.0-00.3	176	9.1	07.3-10.9	1441	67.5	64.8-70.2	460	23.2	20.7-25.7
White/Non-Hisp	1761	1,825,203	4	0.1	00.1-00.1	123	7.2	05.4-09.0	1233	68.8	65.9-71.7	401	24.0	21.3-26.7
Black or Afr. Am./Non-Hisp	242	366,117	2	0.6	00.0-01.6	36	10.6	06.3-14.9	152	63.0	55.0-71.0	52	25.9	18.3-33.5
18-24	102	312,535				7	8.5	01.6-15.4	64	64.3	53.9-74.7	31	27.2	17.8-36.6
25-34	229	415,712	1	0.5	00.0-01.5	18	7.0	03.5-10.5	144	62.4	54.8-70.0	66	30.1	22.7-37.5
35-44	260	384,170	1	0.1	00.0-00.3	21	11.2	05.7-16.7	179	68.6	61.5-75.7	59	20.1	14.4-25.8
45-54	347	433,168				23	6.7	03.4-10.0	241	69.6	63.3-75.9	83	23.7	17.8-29.6
55-64	476	394,485	2	0.1	00.1-00.1	42	9.9	06.2-13.6	328	69.8	64.5-75.1	104	20.2	15.9-24.5
65+	653	418,104	1	0.1	00.0-00.3	63	11.6	07.9-15.3	473	69.2	64.3-74.1	116	19.1	15.0-23.2
Less Than H.S.	238	368,285	1	0.1	00.0-00.3	29	11.8	05.5-18.1	169	70.3	61.9-78.7	39	17.9	10.8-25.0
H.S. or G.E.D.	661	818,941	4	0.3	00.0-00.7	75	11.6	08.3-14.9	453	66.9	62.0-71.8	129	21.3	17.0-25.6
Some Post-H.S.	525	659,501				39	7.8	04.9-10.7	352	65.7	60.4-71.0	134	26.4	21.5-31.3
College Graduate	650	515,073	1	0.1	00.0-00.3	32	5.2	03.0-07.4	461	69.2	64.5-73.9	156	25.5	21.0-30.0
Less than \$15,000	201	213,761	2	0.2	00.0-00.6	29	16.6	07.6-25.6	125	56.2	45.6-66.8	45	27.0	17.6-36.4
\$15,000- 24,999	322	401,474				37	10.8	06.5-15.1	220	66.6	59.2-74.0	65	22.6	15.9-29.3
\$25,000- 34,999	201	228,225				22	16.0	08.2-23.8	148	69.6	60.4-78.8	31	14.4	07.9-20.9
\$35,000- 49,999	232	281,803				12	6.6	02.1-11.1	162	66.8	58.4-75.2	58	26.6	18.8-34.4
\$50,000- 74,999	245	260,199	1	0.2	00.0-00.6	19	8.7	04.0-13.4	173	70.9	63.8-78.0	52	20.2	14.1-26.3
\$75,000+	352	378,504				10	3.0	00.5-05.5	235	66.8	60.5-73.1	107	30.2	24.1-36.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3620	2,560,377	267	6.2	05.2-07.2	2599	72.1	69.9-74.3	744	21.3	19.3-23.3	10	0.4	00.0-00.8
White/Non-Hisp	2920	1,957,780	212	5.9	04.9-06.9	2100	70.9	68.5-73.3	598	22.6	20.4-24.8	10	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	566	407,343	37	5.2	03.0-07.4	400	74.5	69.6-79.4	129	20.3	15.6-25.0			
Oth. Race/Non-Hisp.	51	82,903	8	10.8	00.4-21.2	36	80.2	67.3-93.1	7	9.0	01.0-17.0			
18-24	157	298,583	10	4.9	01.2-08.6	111	73.4	65.6-81.2	34	20.4	13.1-27.7	2	1.3	00.0-03.3
25-34	322	417,482	18	5.3	02.6-08.0	222	71.6	65.9-77.3	79	22.2	16.9-27.5	3	0.9	00.0-02.1
35-44	382	411,788	24	6.2	03.1-09.3	254	68.3	62.4-74.2	104	25.5	20.2-30.8			
45-54	630	456,133	47	7.3	04.8-09.8	435	68.7	64.0-73.4	147	23.8	19.5-28.1	1	0.1	00.0-00.3
55-64	837	424,079	44	4.8	03.0-06.6	618	76.1	72.4-79.8	174	19.1	15.8-22.4	1	0.0	00.0-00.0
65+	1265	536,983	121	8.0	06.0-10.0	940	74.5	71.2-77.8	201	17.1	14.0-20.2	3	0.5	00.0-01.1
Less Than H.S.	451	426,306	53	9.1	05.6-12.6	326	74.3	68.4-80.2	71	16.4	11.3-21.5	1	0.2	00.0-00.6
H.S. or G.E.D.	1235	819,869	101	7.3	05.3-09.3	914	73.6	70.1-77.1	215	18.3	15.0-21.6	5	0.8	00.0-01.6
Some Post-H.S.	1005	765,993	63	5.2	03.4-07.0	716	71.4	67.7-75.1	225	23.1	19.6-26.6	1	0.3	00.0-00.9
College Graduate	917	544,142	48	3.6	02.4-04.8	635	69.1	65.2-73.0	231	27.0	23.3-30.7	3	0.2	00.0-00.6
Less than \$15,000	525	321,833	47	8.5	05.4-11.6	385	73.1	67.6-78.6	92	18.1	13.4-22.8	1	0.2	00.0-00.6
\$15,000- 24,999	632	424,117	54	6.9	04.0-09.8	447	70.7	65.4-76.0	129	21.6	16.9-26.3	2	0.8	00.0-02.0
\$25,000- 34,999	333	244,996	24	8.8	04.3-13.3	246	75.7	69.4-82.0	62	14.5	09.8-19.2	1	1.0	00.0-03.0
\$35,000- 49,999	358	271,501	26	6.3	03.4-09.2	261	73.8	67.5-80.1	71	19.8	14.1-25.5			
\$50,000- 74,999	301	244,632	16	4.4	01.5-07.3	223	72.5	65.1-79.9	62	23.1	15.8-30.4			
\$75,000+	373	322,699	11	1.9	00.7-03.1	247	66.2	59.9-72.5	112	31.5	25.4-37.6	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5705	4,938,751	273	3.3	02.7-03.9	2776	41.8	40.0-43.6	2186	43.6	41.6-45.6	470	11.4	10.0-12.8
Male	2084	2,377,202	6	0.1	00.0-00.3	176	9.1	07.3-10.9	1442	67.6	64.9-70.3	460	23.2	20.7-25.7
Female	3621	2,561,549	267	6.2	05.2-07.2	2600	72.1	70.1-74.1	744	21.3	19.3-23.3	10	0.4	00.0-00.8
White/Non-Hisp	4681	3,782,983	216	3.1	02.5-03.7	2223	40.2	38.2-42.2	1831	44.9	42.9-46.9	411	11.9	10.5-13.3
Black or Afr. Am./Non-Hisp	808	773,460	39	3.0	01.8-04.2	436	44.3	39.4-49.2	281	40.5	35.4-45.6	52	12.2	08.3-16.1
Oth. Race/Non-Hisp.	82	162,753	8	5.5	00.2-10.8	46	53.4	39.1-67.7	27	38.8	24.5-53.1	1	2.2	00.0-06.5
18-24	259	611,119	10	2.4	00.6-04.2	118	40.2	33.1-47.3	98	42.8	35.5-50.1	33	14.6	09.5-19.7
25-34	552	834,366	19	2.9	01.5-04.3	241	39.4	34.5-44.3	223	42.2	37.1-47.3	69	15.5	11.4-19.6
35-44	643	800,331	25	3.2	01.4-05.0	275	40.5	35.6-45.4	284	46.6	41.5-51.7	59	9.6	06.7-12.5
45-54	977	889,301	47	3.8	02.4-05.2	458	38.5	34.4-42.6	388	46.1	41.8-50.4	84	11.6	08.7-14.5
55-64	1313	818,564	46	2.5	01.5-03.5	660	44.2	40.5-47.9	502	43.5	39.6-47.4	105	9.7	07.5-11.9
65+	1918	955,086	122	4.5	03.5-05.5	1003	47.0	43.9-50.1	674	39.9	36.8-43.0	119	8.6	06.6-10.6
Less Than H.S.	690	798,963	54	4.9	02.9-06.9	355	45.1	39.6-50.6	241	41.7	36.2-47.2	40	8.3	04.8-11.8
H.S. or G.E.D.	1896	1,638,810	105	3.8	02.8-04.8	989	42.6	39.3-45.9	668	42.6	39.3-45.9	134	11.0	08.6-13.4
Some Post-H.S.	1530	1,425,494	63	2.8	01.8-03.8	755	42.0	38.7-45.3	577	42.8	39.3-46.3	135	12.4	09.9-14.9
College Graduate	1568	1,060,388	49	1.9	01.3-02.5	668	38.1	35.0-41.2	692	47.5	44.2-50.8	159	12.5	10.1-14.9
Less than \$15,000	727	539,967	49	5.1	03.1-07.1	414	50.2	44.5-55.9	218	33.9	28.4-39.4	46	10.8	06.7-14.9
\$15,000- 24,999	954	825,590	54	3.5	01.9-05.1	484	41.6	37.1-46.1	349	43.5	38.6-48.4	67	11.4	07.9-14.9
\$25,000- 34,999	534	473,221	24	4.6	02.1-07.1	268	46.9	40.8-53.0	210	41.1	35.0-47.2	32	7.5	04.2-10.8
\$35,000- 49,999	590	553,305	26	3.1	01.7-04.5	273	39.6	33.9-45.3	233	43.8	37.9-49.7	58	13.6	09.3-17.9
\$50,000- 74,999	546	504,830	17	2.2	00.8-03.6	242	39.6	33.9-45.3	235	47.7	42.0-53.4	52	10.4	07.1-13.7
\$75,000+	726	702,376	11	0.9	00.3-01.5	258	32.2	27.7-36.7	347	50.5	45.8-55.2	110	16.5	13.0-20.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2084	2,377,202	6	0.1	00.0-00.3	176	9.1	07.3-10.9	1442	67.6	64.9-70.3	460	23.2	20.7-25.7
White/Non-Hisp	1761	1,825,203	4	0.1	00.1-00.1	123	7.2	05.4-09.0	1233	68.8	65.9-71.7	401	24.0	21.3-26.7
Black or Afr. Am./Non-Hisp	242	366,117	2	0.6	00.0-01.6	36	10.6	06.3-14.9	152	63.0	55.0-71.0	52	25.9	18.3-33.5
18-24	102	312,535				7	8.5	01.6-15.4	64	64.3	53.9-74.7	31	27.2	17.8-36.6
25-34	229	415,712	1	0.5	00.0-01.5	18	7.0	03.5-10.5	144	62.4	54.8-70.0	66	30.1	22.7-37.5
35-44	261	388,543	1	0.1	00.0-00.3	21	11.1	05.8-16.4	180	69.0	61.9-76.1	59	19.8	14.1-25.5
45-54	347	433,168				23	6.7	03.4-10.0	241	69.6	63.3-75.9	83	23.7	17.8-29.6
55-64	476	394,485	2	0.1	00.1-00.1	42	9.9	06.2-13.6	328	69.8	64.5-75.1	104	20.2	15.9-24.5
65+	653	418,104	1	0.1	00.0-00.3	63	11.6	07.9-15.3	473	69.2	64.3-74.1	116	19.1	15.0-23.2
Less Than H.S.	239	372,658	1	0.1	00.0-00.3	29	11.6	05.3-17.9	170	70.6	62.2-79.0	39	17.7	10.6-24.8
H.S. or G.E.D.	661	818,941	4	0.3	00.0-00.7	75	11.6	08.3-14.9	453	66.9	62.0-71.8	129	21.3	17.0-25.6
Some Post-H.S.	525	659,501				39	7.8	04.9-10.7	352	65.7	60.4-71.0	134	26.4	21.5-31.3
College Graduate	650	515,073	1	0.1	00.0-00.3	32	5.2	03.0-07.4	461	69.2	64.5-73.9	156	25.5	21.0-30.0
Less than \$15,000	202	218,134	2	0.2	00.0-00.6	29	16.2	07.4-25.0	126	57.1	46.5-67.7	45	26.4	17.0-35.8
\$15,000- 24,999	322	401,474				37	10.8	06.5-15.1	220	66.6	59.2-74.0	65	22.6	15.9-29.3
\$25,000- 34,999	201	228,225				22	16.0	08.2-23.8	148	69.6	60.4-78.8	31	14.4	07.9-20.9
\$35,000- 49,999	232	281,803				12	6.6	02.1-11.1	162	66.8	58.4-75.2	58	26.6	18.8-34.4
\$50,000- 74,999	245	260,199	1	0.2	00.0-00.6	19	8.7	04.0-13.4	173	70.9	63.8-78.0	52	20.2	14.1-26.3
\$75,000+	352	378,504				10	3.0	00.5-05.5	235	66.8	60.5-73.1	107	30.2	24.1-36.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3621	2,561,549	267	6.2	05.2-07.2	2600	72.1	70.1-74.1	744	21.3	19.3-23.3	10	0.4	00.0-00.8
White/Non-Hisp	2920	1,957,780	212	5.9	04.9-06.9	2100	70.9	68.5-73.3	598	22.6	20.4-24.8	10	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	566	407,343	37	5.2	03.0-07.4	400	74.5	69.6-79.4	129	20.3	15.6-25.0			
Oth. Race/Non-Hisp.	52	84,076	8	10.7	00.5-20.9	37	80.5	67.8-93.2	7	8.8	00.8-16.8			
18-24	157	298,583	10	4.9	01.2-08.6	111	73.4	65.6-81.2	34	20.4	13.1-27.7	2	1.3	00.0-03.3
25-34	323	418,655	18	5.3	02.8-07.8	223	71.7	66.0-77.4	79	22.1	16.8-27.4	3	0.9	00.0-02.1
35-44	382	411,788	24	6.2	03.1-09.3	254	68.3	62.4-74.2	104	25.5	20.2-30.8			
45-54	630	456,133	47	7.3	04.8-09.8	435	68.7	64.0-73.4	147	23.8	19.5-28.1	1	0.1	00.0-00.3
55-64	837	424,079	44	4.8	03.0-06.6	618	76.1	72.4-79.8	174	19.1	15.8-22.4	1	0.0	00.0-00.0
65+	1265	536,983	121	8.0	06.0-10.0	940	74.5	71.2-77.8	201	17.1	14.0-20.2	3	0.5	00.0-01.1
Less Than H.S.	451	426,306	53	9.1	05.6-12.6	326	74.3	68.4-80.2	71	16.4	11.3-21.5	1	0.2	00.0-00.6
H.S. or G.E.D.	1235	819,869	101	7.3	05.3-09.3	914	73.6	70.1-77.1	215	18.3	15.0-21.6	5	0.8	00.0-01.6
Some Post-H.S.	1005	765,993	63	5.2	03.4-07.0	716	71.4	67.7-75.1	225	23.1	19.6-26.6	1	0.3	00.0-00.9
College Graduate	918	545,315	48	3.6	02.4-04.8	636	69.2	65.3-73.1	231	27.0	23.3-30.7	3	0.2	00.0-00.6
Less than \$15,000	525	321,833	47	8.5	05.4-11.6	385	73.1	67.6-78.6	92	18.1	13.4-22.8	1	0.2	00.0-00.6
\$15,000- 24,999	632	424,117	54	6.9	04.0-09.8	447	70.7	65.4-76.0	129	21.6	16.9-26.3	2	0.8	00.0-02.0
\$25,000- 34,999	333	244,996	24	8.8	04.3-13.3	246	75.7	69.4-82.0	62	14.5	09.8-19.2	1	1.0	00.0-03.0
\$35,000- 49,999	358	271,501	26	6.3	03.4-09.2	261	73.8	67.5-80.1	71	19.8	14.1-25.5			
\$50,000- 74,999	301	244,632	16	4.4	01.5-07.3	223	72.5	65.1-79.9	62	23.1	15.8-30.4			
\$75,000+	374	323,871	11	1.9	00.7-03.1	248	66.4	60.1-72.7	112	31.4	25.3-37.5	3	0.4	00.0-01.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5512	4,806,933	63	0.8	00.6-01.0	1639	26.3	24.7-27.9	2412	43.9	41.9-45.9	1015	19.9	18.3-21.5	295	7.4	06.2-08.6	88	1.7	01.3-02.1
Male	2076	2,369,609	2	0.1	00.0-00.3	186	10.0	08.0-12.0	1044	49.0	46.1-51.9	606	27.6	25.1-30.1	185	10.8	08.6-13.0	53	2.6	01.6-03.6
Female	3436	2,437,324	61	1.6	01.0-02.2	1453	42.1	39.7-44.5	1368	38.9	36.5-41.3	409	12.4	10.6-14.2	110	4.1	02.9-05.3	35	0.8	00.4-01.2
White/Non-Hisp	4521	3,680,364	50	0.8	00.6-01.0	1379	26.6	24.8-28.4	1976	43.7	41.7-45.7	820	19.9	18.3-21.5	231	7.3	06.1-08.5	65	1.6	01.0-02.2
Black or Afr. Am./Non-Hisp	783	751,969	5	0.3	00.0-00.7	185	20.7	16.8-24.6	348	45.5	40.4-50.6	173	24.2	19.7-28.7	51	7.1	04.6-09.6	21	2.3	00.7-03.9
Oth. Race/Non-Hisp.	81	163,817	5	4.2	00.1-08.3	33	34.7	22.0-47.4	30	40.1	25.8-54.4	8	12.6	00.8-24.4	5	8.5	00.9-16.1			
18-24	254	605,882	3	0.9	00.0-01.9	101	35.4	28.7-42.1	107	47.7	40.4-55.0	31	12.7	08.0-17.4	12	3.4	00.9-05.9			
25-34	538	815,716	4	0.6	00.0-01.2	159	26.7	22.4-31.0	224	41.0	35.9-46.1	101	21.1	16.6-25.6	35	7.8	04.7-10.9	15	2.8	01.0-04.6
35-44	617	770,549	2	0.2	00.0-00.4	149	22.0	17.9-26.1	260	43.8	38.7-48.9	137	21.5	17.6-25.4	51	10.4	06.7-14.1	18	2.1	00.9-03.3
45-54	941	868,875	15	1.3	00.5-02.1	252	24.8	21.3-28.3	377	37.7	33.6-41.8	200	22.3	18.8-25.8	76	11.2	07.9-14.5	21	2.6	01.0-04.2
55-64	1262	788,018	9	0.7	00.1-01.3	321	20.1	17.4-22.8	575	46.8	42.9-50.7	257	22.2	18.7-25.7	77	8.8	06.3-11.3	23	1.4	00.6-02.2
65+	1868	935,702	28	1.3	00.5-02.1	646	30.1	27.4-32.8	854	47.4	44.3-50.5	286	17.9	15.5-20.3	43	2.5	01.5-03.5	11	0.8	00.2-01.4
Less Than H.S.	679	784,830	18	1.5	00.7-02.3	209	25.1	20.8-29.4	286	42.5	37.0-48.0	108	17.0	12.9-21.1	45	12.7	08.4-17.0	13	1.2	00.4-02.0
H.S. or G.E.D.	1824	1,586,378	18	0.7	00.3-01.1	521	25.2	22.3-28.1	798	44.0	40.7-47.3	353	21.3	18.6-24.0	106	7.2	05.2-09.2	28	1.7	00.9-02.5
Some Post-H.S.	1481	1,386,521	13	0.7	00.1-01.3	465	28.4	25.3-31.5	621	41.6	38.1-45.1	269	20.7	17.6-23.8	84	6.4	04.6-08.2	29	2.3	01.1-03.5
College Graduate	1508	1,030,031	13	0.9	00.3-01.5	435	26.2	23.3-29.1	700	47.4	44.1-50.7	283	19.3	16.8-21.8	59	4.8	03.2-06.4	18	1.2	00.4-02.0
Less than \$15,000	706	525,159	11	1.3	00.3-02.3	206	24.6	20.1-29.1	299	45.0	39.1-50.9	116	15.7	11.6-19.8	51	9.7	06.4-13.0	23	3.6	01.2-06.0
\$15,000- 24,999	935	806,989	9	0.6	00.0-01.2	294	27.1	23.0-31.2	402	43.4	38.5-48.3	173	21.0	16.9-25.1	50	7.0	04.3-09.7	7	0.8	00.2-01.4
\$25,000- 34,999	522	460,521	7	0.9	00.1-01.7	143	27.3	22.0-32.6	250	45.5	39.4-51.6	88	18.9	14.2-23.6	25	5.7	02.8-08.6	9	1.5	00.3-02.7
\$35,000- 49,999	569	538,951	2	0.2	00.0-00.6	166	23.8	19.1-28.5	233	38.6	32.9-44.3	122	23.8	18.7-28.9	34	10.7	05.4-16.0	12	2.8	00.4-05.2
\$50,000- 74,999	535	497,479	5	0.9	00.0-01.9	130	22.0	17.3-26.7	236	44.3	38.6-50.0	133	26.3	20.8-31.8	27	5.4	03.2-07.6	4	1.1	00.0-02.3
\$75,000+	705	681,906	3	0.4	00.0-00.8	188	25.0	20.9-29.1	333	46.9	42.2-51.6	135	19.5	15.8-23.2	39	7.6	04.7-10.5	7	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2076	2,369,609	2	0.1	00.0-00.3	186	10.0	08.0-12.0	1044	49.0	46.1-51.9	606	27.6	25.1-30.1	185	10.8	08.6-13.0	53	2.6	01.6-03.6
White/Non-Hisp	1754	1,823,851	2	0.1	00.0-00.3	155	10.0	07.8-12.2	886	48.5	45.4-51.6	510	28.0	25.3-30.7	155	10.8	08.6-13.0	46	2.7	01.7-03.7
Black or Afr. Am./Non-Hisp	241	362,853				20	7.3	03.2-11.4	112	46.5	38.1-54.9	83	35.5	27.5-43.5	21	8.2	03.9-12.5	5	2.5	00.0-05.4
18-24	103	317,183	1	0.4	00.0-01.2	19	20.0	11.4-28.6	52	54.4	43.6-65.2	24	21.2	12.8-29.6	7	4.0	00.3-07.7			
25-34	228	413,368				22	9.4	04.7-14.1	118	50.5	42.7-58.3	57	24.8	18.1-31.5	21	11.0	05.5-16.5	10	4.3	01.2-07.4
35-44	260	386,077				18	8.2	03.7-12.7	118	46.8	39.2-54.4	84	27.8	21.3-34.3	28	14.0	07.3-20.7	12	3.2	01.0-05.4
45-54	346	432,161				34	10.8	06.7-14.9	146	38.8	32.1-45.5	108	30.0	23.9-36.1	47	16.2	10.7-21.7	11	4.2	01.1-07.3
55-64	472	389,809				31	5.1	02.6-07.6	228	47.1	40.8-53.4	147	31.4	25.5-37.3	52	14.2	09.5-18.9	14	2.2	00.8-03.6
65+	652	416,593	1	0.0	00.0-00.0	59	8.1	05.6-10.6	374	58.1	53.2-63.0	183	28.6	24.1-33.1	29	4.1	02.3-05.9	6	1.1	00.1-02.1
Less Than H.S.	239	373,952	1	0.0	00.0-00.0	28	9.8	05.5-14.1	115	45.9	37.1-54.7	58	23.3	15.9-30.7	30	19.1	11.7-26.5	7	1.8	00.4-03.2
H.S. or G.E.D.	654	808,404	1	0.2	00.0-00.6	63	11.6	07.9-15.3	317	47.5	42.2-52.8	193	28.4	23.9-32.9	64	9.9	06.4-13.4	16	2.3	00.7-03.9
Some Post-H.S.	523	656,733				50	11.2	07.3-15.1	242	46.1	40.4-51.8	161	29.1	24.0-34.2	52	9.7	06.6-12.8	18	4.0	01.6-06.4
College Graduate	650	514,844				42	6.3	03.9-08.7	366	56.5	51.6-61.4	192	28.5	24.2-32.8	38	6.9	04.2-09.6	12	1.8	00.4-03.2
Less than \$15,000	197	215,144				23	10.1	04.4-15.8	91	48.7	38.1-59.3	51	22.6	14.2-31.0	22	12.2	05.5-18.9	10	6.4	00.9-11.9
\$15,000- 24,999	321	397,509				44	14.2	09.1-19.3	155	46.8	39.0-54.6	91	28.3	21.2-35.4	25	9.4	04.5-14.3	6	1.4	00.2-02.6
\$25,000- 34,999	201	227,674				18	11.7	04.4-19.0	106	51.4	41.6-61.2	53	25.7	17.5-33.9	19	9.2	03.9-14.5	5	2.0	00.0-04.2
\$35,000- 49,999	231	280,847				16	4.1	01.6-06.6	106	43.4	34.6-52.2	77	32.7	24.7-40.7	22	14.6	06.2-23.0	10	5.2	00.9-09.5
\$50,000- 74,999	245	260,199				17	9.5	03.8-15.2	116	47.0	39.0-55.0	90	34.5	27.1-41.9	19	7.6	03.9-11.3	3	1.5	00.0-03.7
\$75,000+	350	377,299				17	6.9	02.8-11.0	191	52.0	45.3-58.7	104	28.1	22.4-33.8	34	12.4	07.5-17.3	4	0.6	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3436	2,437,324	61	1.6	01.0-02.2	1453	42.1	39.7-44.5	1368	38.9	36.5-41.3	409	12.4	10.6-14.2	110	4.1	02.9-05.3	35	0.8	00.4-01.2
White/Non-Hisp	2767	1,856,512	48	1.5	00.9-02.1	1224	43.0	40.5-45.5	1090	39.0	36.5-41.5	310	12.0	10.2-13.8	76	3.9	02.7-05.1	19	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	542	389,115	5	0.5	00.0-01.1	165	33.1	27.0-39.2	236	44.7	38.6-50.8	90	13.7	10.0-17.4	30	6.0	03.3-08.7	16	2.0	00.6-03.4
Oth. Race/Non-Hisp.	52	87,836	5	7.8	00.0-15.6	29	52.8	34.0-71.6	13	19.1	06.2-32.0	4	16.7	00.0-36.5	1	3.5	00.0-10.2			
18-24	151	288,699	2	1.3	00.0-03.3	82	52.3	42.7-61.9	55	40.2	30.6-49.8	7	3.3	00.6-06.0	5	2.8	00.0-06.3			
25-34	310	402,348	4	1.1	00.0-02.3	137	44.5	37.8-51.2	106	31.3	25.4-37.2	44	17.3	11.0-23.6	14	4.5	02.0-07.0	5	1.2	00.0-02.4
35-44	357	384,472	2	0.3	00.0-00.7	131	35.8	29.5-42.1	142	40.8	34.1-47.5	53	15.2	10.3-20.1	23	6.8	03.7-09.9	6	1.1	00.1-02.1
45-54	595	436,714	15	2.6	01.0-04.2	218	38.7	33.4-44.0	231	36.6	31.5-41.7	92	14.7	11.0-18.4	29	6.3	02.6-10.0	10	1.0	00.2-01.8
55-64	790	398,209	9	1.3	00.3-02.3	290	34.8	30.5-39.1	347	46.4	41.7-51.1	110	13.2	10.3-16.1	25	3.5	01.7-05.3	9	0.6	00.0-01.2
65+	1216	519,109	27	2.4	01.0-03.8	587	47.7	43.8-51.6	480	38.9	35.0-42.8	103	9.3	06.9-11.7	14	1.2	00.4-02.0	5	0.5	00.0-01.1
Less Than H.S.	440	410,879	17	2.8	01.2-04.4	181	39.0	32.5-45.5	171	39.4	32.5-46.3	50	11.3	07.2-15.4	15	6.9	02.2-11.6	6	0.6	00.0-01.2
H.S. or G.E.D.	1170	777,973	17	1.2	00.4-02.0	458	39.4	35.3-43.5	481	40.4	36.1-44.7	160	13.8	11.1-16.5	42	4.3	02.7-05.9	12	0.9	00.3-01.5
Some Post-H.S.	958	729,788	13	1.2	00.2-02.2	415	44.0	39.7-48.3	379	37.5	33.4-41.6	108	13.2	09.5-16.9	32	3.4	02.0-04.8	11	0.8	00.2-01.4
College Graduate	858	515,187	13	1.9	00.7-03.1	393	46.2	41.7-50.7	334	38.3	34.2-42.4	91	10.2	07.5-12.9	21	2.8	01.2-04.4	6	0.7	00.0-01.5
Less than \$15,000	509	310,015	11	2.2	00.6-03.8	183	34.7	28.6-40.8	208	42.5	36.0-49.0	65	11.0	07.3-14.7	29	8.0	04.7-11.3	13	1.6	00.6-02.6
\$15,000- 24,999	614	409,480	9	1.3	00.3-02.3	250	39.6	33.9-45.3	247	40.2	34.5-45.9	82	14.0	09.9-18.1	25	4.7	02.2-07.2	1	0.2	00.0-00.6
\$25,000- 34,999	321	232,847	7	1.8	00.2-03.4	125	42.6	35.3-49.9	144	39.8	32.5-47.1	35	12.4	07.7-17.1	6	2.3	00.0-04.7	4	1.1	00.0-02.3
\$35,000- 49,999	338	258,104	2	0.5	00.0-01.1	150	45.3	37.5-53.1	127	33.4	26.5-40.3	45	14.2	08.5-19.9	12	6.4	00.3-12.5	2	0.2	00.0-00.6
\$50,000- 74,999	290	237,281	5	2.0	00.0-04.0	113	35.7	28.1-43.3	120	41.4	33.2-49.6	43	17.3	09.1-25.5	8	2.9	00.7-05.1	1	0.7	00.0-02.1
\$75,000+	355	304,607	3	0.8	00.0-01.8	171	47.4	40.5-54.3	142	40.5	33.6-47.4	31	8.9	05.2-12.6	5	1.6	00.0-03.4	3	0.8	00.0-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18						> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5452	4,736,030	74	1.2	00.8-01.6	1696	30.6	28.8-32.4	1906	34.5	32.7-36.3	1028	19.2	17.6-20.8	748	14.4	13.0-15.8			
Male	2066	2,358,927	17	0.8	00.2-01.4	499	26.2	23.5-28.9	886	40.4	37.5-43.3	428	20.0	17.6-22.4	236	12.6	10.4-14.8			
Female	3386	2,377,103	57	1.6	01.0-02.2	1197	35.0	32.6-37.4	1020	28.8	26.6-31.0	600	18.5	16.5-20.5	512	16.1	14.1-18.1			
White/Non-Hisp	4480	3,633,598	68	1.5	01.1-01.9	1449	31.3	29.3-33.3	1576	34.4	32.4-36.4	823	19.4	17.8-21.0	564	13.4	12.0-14.8			
Black or Afr. Am./Non-Hisp	772	742,664	5	0.3	00.0-00.7	172	24.7	20.0-29.4	260	34.6	29.5-39.7	174	22.3	18.2-26.4	161	18.1	14.4-21.8			
Oth. Race/Non-Hisp.	79	155,869	1	1.6	00.0-04.7	28	32.4	19.9-44.9	33	43.3	28.6-58.0	9	7.7	00.6-14.8	8	15.0	02.7-27.3			
18-24	239	580,455	6	2.5	00.3-04.7	110	44.5	37.1-51.9	71	35.1	27.7-42.5	32	12.4	07.7-17.1	20	5.5	02.6-08.4			
25-34	520	790,200	5	0.7	00.0-01.5	184	34.7	29.8-39.6	159	31.0	26.3-35.7	88	17.1	13.2-21.0	84	16.5	12.2-20.8			
35-44	611	764,391	3	0.2	00.0-00.4	166	25.8	21.5-30.1	206	33.5	28.6-38.4	125	22.1	17.8-26.4	111	18.5	14.2-22.8			
45-54	938	861,239	14	1.4	00.4-02.4	262	27.2	23.5-30.9	306	31.7	27.6-35.8	190	21.4	17.9-24.9	166	18.4	14.7-22.1			
55-64	1259	787,317	12	0.9	00.3-01.5	324	23.0	19.9-26.1	473	37.4	33.7-41.1	245	21.3	18.0-24.6	205	17.5	14.4-20.6			
65+	1853	930,239	32	1.8	01.0-02.6	639	32.1	29.2-35.0	678	37.9	34.8-41.0	343	19.4	16.9-21.9	161	8.7	06.9-10.5			
Less Than H.S.	668	772,485	13	1.5	00.5-02.5	213	29.2	24.3-34.1	194	27.9	22.8-33.0	139	22.7	18.0-27.4	109	18.6	14.1-23.1			
H.S. or G.E.D.	1808	1,567,574	20	0.8	00.4-01.2	514	27.7	24.6-30.8	638	36.9	33.6-40.2	364	20.5	17.8-23.2	272	14.1	11.7-16.5			
Some Post-H.S.	1464	1,365,404	25	1.7	00.7-02.7	475	32.9	29.6-36.2	472	32.2	28.9-35.5	277	17.4	14.9-19.9	215	15.7	13.0-18.4			
College Graduate	1494	1,017,111	14	0.9	00.3-01.5	487	33.4	30.3-36.5	597	38.9	35.6-42.2	245	17.2	14.8-19.6	151	9.6	07.6-11.6			
Less than \$15,000	701	516,800	13	1.2	00.4-02.0	195	29.0	23.7-34.3	222	32.1	26.6-37.6	115	15.5	11.6-19.4	156	22.2	17.5-26.9			
\$15,000- 24,999	927	798,406	16	1.9	00.7-03.1	289	30.3	25.8-34.8	286	31.8	27.3-36.3	208	22.5	18.4-26.6	128	13.6	10.5-16.7			
\$25,000- 34,999	518	456,552	7	0.8	00.0-01.6	159	30.9	25.2-36.6	181	32.7	26.8-38.6	107	22.3	17.2-27.4	64	13.4	09.5-17.3			
\$35,000- 49,999	565	534,587	7	0.7	00.1-01.3	166	26.1	21.4-30.8	207	34.2	28.5-39.9	105	19.8	15.3-24.3	80	19.2	13.3-25.1			
\$50,000- 74,999	530	488,909	7	2.2	00.0-04.4	139	26.0	20.9-31.1	200	36.0	30.5-41.5	119	23.1	18.6-27.6	65	12.8	08.1-17.5			
\$75,000+	701	679,040	1	0.1	00.0-00.3	239	34.2	29.5-38.9	289	39.5	34.8-44.2	110	17.8	14.1-21.5	62	8.3	05.8-10.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2066	2,358,927	17	0.8	00.2-01.4	499	26.2	23.5-28.9	886	40.4	37.5-43.3	428	20.0	17.6-22.4	236	12.6	10.4-14.8	
White/Non-Hisp	1748	1,813,949	17	1.1	00.3-01.9	429	26.1	23.2-29.0	757	40.8	37.7-43.9	357	20.1	17.6-22.6	188	11.9	09.7-14.1	
Black or Afr. Am./Non-Hisp	239	362,218				47	24.1	16.3-31.9	97	37.3	29.1-45.5	58	24.0	16.9-31.1	37	14.5	08.8-20.2	
18-24	102	312,535	3	2.4	00.0-05.5	47	47.4	36.4-58.4	35	37.4	26.6-48.2	13	10.1	03.8-16.4	4	2.7	00.0-05.6	
25-34	228	413,368	2	0.6	00.0-01.4	63	28.5	21.2-35.8	94	39.8	32.2-47.4	42	18.4	12.5-24.3	27	12.6	06.9-18.3	
35-44	259	384,877				50	18.9	13.0-24.8	106	39.7	32.3-47.1	62	25.3	18.6-32.0	41	16.2	09.5-22.9	
45-54	344	429,026	3	1.2	00.0-02.6	81	24.4	18.7-30.1	129	33.3	26.8-39.8	79	22.7	17.0-28.4	52	18.4	12.5-24.3	
55-64	471	389,477	3	0.4	00.0-01.0	92	18.3	13.8-22.8	211	42.8	36.7-48.9	96	21.1	15.6-26.6	69	17.4	12.3-22.5	
65+	647	415,226	5	0.6	00.0-01.2	164	24.3	20.0-28.6	302	48.0	42.9-53.1	134	20.5	16.6-24.4	42	6.7	04.2-09.2	
Less Than H.S.	235	370,130	2	1.0	00.0-02.4	67	27.0	19.4-34.6	78	29.2	21.2-37.2	49	23.6	15.8-31.4	39	19.2	11.9-26.5	
H.S. or G.E.D.	651	807,445	4	0.5	00.0-01.1	149	25.0	20.3-29.7	271	41.4	36.1-46.7	148	21.0	16.9-25.1	79	12.0	08.3-15.7	
Some Post-H.S.	523	656,733	8	1.4	00.0-03.0	135	29.2	23.9-34.5	205	37.9	32.4-43.4	107	17.9	13.8-22.0	68	13.7	09.8-17.6	
College Graduate	648	513,590	2	0.5	00.0-01.3	147	24.1	19.8-28.4	328	49.6	44.7-54.5	122	18.9	15.2-22.6	49	6.9	04.5-09.3	
Less than \$15,000	196	212,100	3	0.3	00.0-00.9	48	29.2	19.2-39.2	78	38.8	28.2-49.4	33	14.7	07.8-21.6	34	16.9	09.1-24.7	
\$15,000- 24,999	320	397,117	6	2.3	00.3-04.3	94	30.9	23.6-38.2	115	34.4	27.0-41.8	70	21.5	14.8-28.2	35	10.9	06.2-15.6	
\$25,000- 34,999	199	226,806	1	0.2	00.0-00.6	47	26.1	17.3-34.9	82	40.0	30.2-49.8	45	22.5	14.7-30.3	24	11.2	05.5-16.9	
\$35,000- 49,999	231	280,847				57	21.6	15.1-28.1	96	37.0	28.6-45.4	48	21.4	14.5-28.3	30	20.0	11.2-28.8	
\$50,000- 74,999	245	260,199	3	2.6	00.0-06.1	51	21.3	14.6-28.0	106	42.9	35.1-50.7	62	23.7	17.2-30.2	23	9.5	04.6-14.4	
\$75,000+	350	377,299	1	0.2	00.0-00.6	72	24.2	18.1-30.3	182	47.6	40.9-54.3	70	21.3	15.8-26.8	25	6.7	03.4-10.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18						> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3386	2,377,103	57	1.6	01.0-02.2	1197	35.0	32.6-37.4	1020	28.8	26.6-31.0	600	18.5	16.5-20.5	512	16.1	14.1-18.1			
White/Non-Hisp	2732	1,819,649	51	1.8	01.2-02.4	1020	36.5	34.0-39.0	819	27.9	25.5-30.3	466	18.8	16.6-21.0	376	15.0	13.0-17.0			
Black or Afr. Am./Non-Hisp	533	380,445	5	0.6	00.0-01.2	125	25.3	19.6-31.0	163	32.1	26.0-38.2	116	20.6	15.9-25.3	124	21.5	16.8-26.2			
Oth. Race/Non-Hisp.	50	79,889	1	3.1	00.0-09.2	20	36.3	19.2-53.4	20	33.3	16.4-50.2	5	9.4	00.0-21.4	4	17.8	00.0-38.4			
18-24	137	267,920	3	2.5	00.0-05.4	63	41.2	31.4-51.0	36	32.4	22.2-42.6	19	15.0	07.7-22.3	16	8.9	03.6-14.2			
25-34	292	376,831	3	0.9	00.0-02.1	121	41.4	34.7-48.1	65	21.4	16.1-26.7	46	15.6	10.7-20.5	57	20.7	14.4-27.0			
35-44	352	379,514	3	0.4	00.0-01.0	116	32.9	26.6-39.2	100	27.2	21.1-33.3	63	18.8	13.3-24.3	70	20.8	15.3-26.3			
45-54	594	432,213	11	1.6	00.4-02.8	181	30.0	25.3-34.7	177	30.0	25.1-34.9	111	20.1	15.8-24.4	114	18.3	13.8-22.8			
55-64	788	397,840	9	1.3	00.3-02.3	232	27.6	23.5-31.7	262	32.1	27.8-36.4	149	21.4	17.5-25.3	136	17.6	14.1-21.1			
65+	1206	515,013	27	2.8	01.4-04.2	475	38.5	34.6-42.4	376	29.9	26.4-33.4	209	18.5	15.2-21.8	119	10.4	08.0-12.8			
Less Than H.S.	433	402,355	11	2.0	00.6-03.4	146	31.2	24.9-37.5	116	26.8	20.5-33.1	90	21.9	16.4-27.4	70	18.0	12.3-23.7			
H.S. or G.E.D.	1157	760,129	16	1.2	00.4-02.0	365	30.5	26.6-34.4	367	32.0	27.9-36.1	216	19.9	16.4-23.4	193	16.3	13.4-19.2			
Some Post-H.S.	941	708,672	17	2.0	00.6-03.4	340	36.4	32.1-40.7	267	26.9	23.0-30.8	170	17.0	13.9-20.1	147	17.6	13.7-21.5			
College Graduate	846	503,521	12	1.3	00.5-02.1	340	42.8	38.3-47.3	269	28.0	24.1-31.9	123	15.5	12.4-18.6	102	12.3	09.4-15.2			
Less than \$15,000	505	304,700	10	1.8	00.6-03.0	147	28.8	22.9-34.7	144	27.4	21.5-33.3	82	16.1	11.4-20.8	122	25.9	20.4-31.4			
\$15,000- 24,999	607	401,289	10	1.4	00.2-02.6	195	29.7	24.6-34.8	171	29.1	23.8-34.4	138	23.6	18.3-28.9	93	16.2	12.1-20.3			
\$25,000- 34,999	319	229,746	6	1.4	00.0-02.8	112	35.6	28.7-42.5	99	25.4	19.1-31.7	62	22.0	15.3-28.7	40	15.6	10.1-21.1			
\$35,000- 49,999	334	253,740	7	1.5	00.3-02.7	109	31.1	24.2-38.0	111	31.1	23.8-38.4	57	18.0	12.3-23.7	50	18.3	10.7-25.9			
\$50,000- 74,999	285	228,710	4	1.8	00.0-03.8	88	31.3	23.5-39.1	94	28.1	21.0-35.2	57	22.3	15.6-29.0	42	16.5	08.5-24.5			
\$75,000+	351	301,741				167	46.9	39.8-54.0	107	29.4	22.7-36.1	40	13.4	08.7-18.1	37	10.3	06.4-14.2			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Underweight			Normal Weight			Overweight			Obese		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5452	4,736,030	101	1.8	01.4-02.2	1659	29.8	28.0-31.6	1912	34.7	32.9-36.5	1780	33.7	31.9-35.5
Male	2066	2,358,927	25	1.4	00.6-02.2	483	25.1	22.4-27.8	891	40.7	37.8-43.6	667	32.8	30.1-35.5
Female	3386	2,377,103	76	2.1	01.5-02.7	1176	34.4	32.0-36.8	1021	28.8	26.6-31.0	1113	34.6	32.2-37.0
White/Non-Hisp	4480	3,633,598	86	1.9	01.3-02.5	1422	30.6	28.6-32.6	1581	34.6	32.6-36.6	1391	33.0	31.0-35.0
Black or Afr. Am./Non-Hisp	772	742,664	11	1.4	00.2-02.6	165	23.4	18.7-28.1	261	34.9	29.8-40.0	335	40.3	35.2-45.4
Oth. Race/Non-Hisp.	79	155,869	3	3.3	00.0-07.4	26	30.8	18.5-43.1	33	43.3	28.6-58.0	17	22.6	09.3-35.9
18-24	239	580,455	10	4.1	01.4-06.8	105	42.4	35.0-49.8	72	35.5	28.1-42.9	52	17.9	12.4-23.4
25-34	520	790,200	9	1.3	00.3-02.3	179	34.0	29.1-38.9	160	31.2	26.5-35.9	172	33.5	28.4-38.6
35-44	611	764,391	5	0.5	00.1-00.9	163	25.3	21.0-29.6	207	33.7	28.8-38.6	236	40.5	35.4-45.6
45-54	938	861,239	21	1.9	00.9-02.9	254	26.5	22.8-30.2	306	31.8	27.7-35.9	357	39.8	35.5-44.1
55-64	1259	787,317	13	1.1	00.3-01.9	321	22.5	19.6-25.4	474	37.6	33.9-41.3	451	38.9	35.0-42.8
65+	1853	930,239	41	2.3	01.3-03.3	626	31.3	28.4-34.2	680	38.2	35.1-41.3	506	28.3	25.6-31.0
Less Than H.S.	668	772,485	18	2.0	00.8-03.2	207	28.5	23.6-33.4	195	28.2	23.1-33.3	248	41.3	35.8-46.8
H.S. or G.E.D.	1808	1,567,574	29	1.6	00.8-02.4	503	26.7	23.6-29.8	638	36.9	33.6-40.2	638	34.7	31.4-38.0
Some Post-H.S.	1464	1,365,404	33	2.1	01.1-03.1	461	32.0	28.7-35.3	478	32.8	29.5-36.1	492	33.2	29.9-36.5
College Graduate	1494	1,017,111	19	1.5	00.7-02.3	481	32.7	29.6-35.8	596	38.8	35.5-42.1	398	27.0	24.1-29.9
Less than \$15,000	701	516,800	18	2.0	00.6-03.4	189	28.1	22.8-33.4	221	31.9	26.4-37.4	273	38.0	32.5-43.5
\$15,000- 24,999	927	798,406	24	3.0	01.6-04.4	280	29.1	24.8-33.4	287	31.9	27.4-36.4	336	36.1	31.4-40.8
\$25,000- 34,999	518	456,552	8	0.9	00.1-01.7	156	30.6	24.9-36.3	183	32.8	26.9-38.7	171	35.6	29.7-41.5
\$35,000- 49,999	565	534,587	8	0.8	00.2-01.4	164	26.0	21.3-30.7	208	34.3	28.6-40.0	185	39.0	32.7-45.3
\$50,000- 74,999	530	488,909	9	2.8	00.4-05.2	134	24.2	19.1-29.3	203	37.2	31.7-42.7	184	35.8	30.1-41.5
\$75,000+	701	679,040	5	0.7	00.1-01.3	234	33.4	28.9-37.9	289	39.6	34.9-44.3	173	26.3	22.2-30.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Underweight			Normal Weight			Overweight			Obese		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2066	2,358,927	25	1.4	00.6-02.2	483	25.1	22.4-27.8	891	40.7	37.8-43.6	667	32.8	30.1-35.5
White/Non-Hisp	1748	1,813,949	21	1.5	00.7-02.3	418	25.2	22.5-27.9	761	41.2	38.1-44.3	548	32.2	29.3-35.1
Black or Afr. Am./Non-Hisp	239	362,218	4	1.9	00.0-04.1	42	21.7	14.1-29.3	98	37.9	29.7-46.1	95	38.5	30.3-46.7
18-24	102	312,535	6	5.1	00.8-09.4	43	44.0	33.2-54.8	36	38.1	27.3-48.9	17	12.8	05.9-19.7
25-34	228	413,368	2	0.6	00.0-01.4	63	28.5	21.2-35.8	94	39.8	32.2-47.4	69	31.1	23.8-38.4
35-44	259	384,877	1	0.3	00.0-00.9	48	18.1	12.2-24.0	107	40.1	32.7-47.5	103	41.5	33.7-49.3
45-54	344	429,026	5	1.7	00.1-03.3	78	23.5	17.8-29.2	129	33.6	27.1-40.1	132	41.2	34.3-48.1
55-64	471	389,477	4	0.8	00.0-01.8	89	17.2	12.9-21.5	212	43.1	37.0-49.2	166	38.8	32.5-45.1
65+	647	415,226	6	0.9	00.1-01.7	160	23.2	18.9-27.5	304	48.4	43.3-53.5	177	27.5	23.0-32.0
Less Than H.S.	235	370,130	4	1.8	00.0-03.6	64	25.7	18.3-33.1	79	29.8	21.8-37.8	88	42.8	34.0-51.6
H.S. or G.E.D.	651	807,445	7	1.5	00.1-02.9	144	23.8	19.1-28.5	272	41.5	36.2-46.8	228	33.2	28.3-38.1
Some Post-H.S.	523	656,733	10	1.7	00.1-03.3	129	27.9	22.6-33.2	209	38.9	33.4-44.4	175	31.5	26.4-36.6
College Graduate	648	513,590	3	0.7	00.0-01.5	145	23.8	19.5-28.1	327	49.4	44.5-54.3	173	26.2	22.1-30.3
Less than \$15,000	196	212,100	4	1.5	00.0-03.9	46	27.9	18.1-37.7	78	38.3	27.7-48.9	68	32.3	22.7-41.9
\$15,000- 24,999	320	397,117	8	3.5	01.0-06.0	92	29.7	22.4-37.0	115	34.4	27.0-41.8	105	32.4	25.0-39.8
\$25,000- 34,999	199	226,806	1	0.2	00.0-00.6	46	25.8	17.0-34.6	83	40.3	30.5-50.1	69	33.7	24.7-42.7
\$35,000- 49,999	231	280,847				56	21.4	14.9-27.9	97	37.2	28.6-45.8	78	41.4	32.2-50.6
\$50,000- 74,999	245	260,199	3	2.6	00.0-06.1	48	19.1	12.6-25.6	109	45.1	37.3-52.9	85	33.2	25.9-40.5
\$75,000+	350	377,299	3	0.7	00.0-01.5	69	23.2	17.1-29.3	182	47.8	41.1-54.5	96	28.3	22.4-34.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3386	2,377,103	76	2.1	01.5-02.7	1176	34.4	32.0-36.8	1021	28.8	26.6-31.0	1113	34.6	32.2-37.0
White/Non-Hisp	2732	1,819,649	65	2.3	01.5-03.1	1004	36.0	33.5-38.5	820	28.0	25.6-30.4	843	33.8	31.3-36.3
Black or Afr. Am./Non-Hisp	533	380,445	7	0.8	00.0-01.6	123	25.0	19.3-30.7	163	32.1	26.0-38.2	240	42.1	36.0-48.2
Oth. Race/Non-Hisp.	50	79,889	3	6.4	00.0-14.2	18	33.0	16.5-49.5	20	33.3	16.4-50.2	9	27.3	06.1-48.5
18-24	137	267,920	4	3.1	00.0-06.2	62	40.6	30.8-50.4	36	32.4	22.2-42.6	35	23.9	15.5-32.3
25-34	292	376,831	7	2.1	00.5-03.7	116	39.9	33.2-46.6	66	21.7	16.4-27.0	103	36.3	29.4-43.2
35-44	352	379,514	4	0.6	00.0-01.2	115	32.6	26.3-38.9	100	27.2	21.1-33.3	133	39.6	32.9-46.3
45-54	594	432,213	16	2.2	01.0-03.4	176	29.4	24.7-34.1	177	30.0	25.1-34.9	225	38.4	33.1-43.7
55-64	788	397,840	9	1.3	00.3-02.3	232	27.6	23.5-31.7	262	32.1	27.8-36.4	285	39.0	34.5-43.5
65+	1206	515,013	35	3.4	01.8-05.0	466	37.8	33.9-41.7	376	29.9	26.4-33.4	329	28.9	25.2-32.6
Less Than H.S.	433	402,355	14	2.1	00.7-03.5	143	31.1	24.8-37.4	116	26.8	20.5-33.1	160	39.9	33.0-46.8
H.S. or G.E.D.	1157	760,129	22	1.8	01.0-02.6	359	29.9	26.0-33.8	366	32.0	27.9-36.1	410	36.3	32.2-40.4
Some Post-H.S.	941	708,672	23	2.4	01.0-03.8	332	35.8	31.5-40.1	269	27.1	23.2-31.0	317	34.6	30.3-38.9
College Graduate	846	503,521	16	2.4	01.0-03.8	336	41.8	37.3-46.3	269	28.0	24.1-31.9	225	27.8	23.9-31.7
Less than \$15,000	505	304,700	14	2.4	00.8-04.0	143	28.2	22.3-34.1	143	27.4	21.5-33.3	205	42.0	35.7-48.3
\$15,000- 24,999	607	401,289	16	2.4	01.0-03.8	188	28.4	23.5-33.3	172	29.4	24.1-34.7	231	39.7	34.0-45.4
\$25,000- 34,999	319	229,746	7	1.5	00.1-02.9	110	35.4	28.5-42.3	100	25.5	19.2-31.8	102	37.6	30.2-45.0
\$35,000- 49,999	334	253,740	8	1.6	00.2-03.0	108	31.0	24.1-37.9	111	31.1	23.8-38.4	107	36.3	28.3-44.3
\$50,000- 74,999	285	228,710	6	3.1	00.4-05.8	86	30.0	22.2-37.8	94	28.1	21.0-35.2	99	38.8	30.2-47.4
\$75,000+	351	301,741	2	0.6	00.0-01.6	165	46.2	39.1-53.3	107	29.4	22.7-36.1	77	23.7	17.8-29.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5452	4,736,030	1760	31.6	29.8-33.4	3692	68.4	66.6-70.2
Male	2066	2,358,927	508	26.5	23.8-29.2	1558	73.5	70.8-76.2
Female	3386	2,377,103	1252	36.6	34.2-39.0	2134	63.4	61.0-65.8
White/Non-Hisp	4480	3,633,598	1508	32.5	30.5-34.5	2972	67.5	65.5-69.5
Black or Afr. Am./Non-Hisp	772	742,664	176	24.8	20.1-29.5	596	75.2	70.5-79.9
Oth. Race/Non-Hisp.	79	155,869	29	34.0	21.3-46.7	50	66.0	53.3-78.7
18-24	239	580,455	115	46.6	39.2-54.0	124	53.4	46.0-60.8
25-34	520	790,200	188	35.3	30.4-40.2	332	64.7	59.8-69.6
35-44	611	764,391	168	25.8	21.5-30.1	443	74.2	69.9-78.5
45-54	938	861,239	275	28.4	24.7-32.1	663	71.6	67.9-75.3
55-64	1259	787,317	334	23.5	20.4-26.6	925	76.5	73.4-79.6
65+	1853	930,239	667	33.6	30.7-36.5	1186	66.4	63.5-69.3
Less Than H.S.	668	772,485	225	30.5	25.6-35.4	443	69.5	64.6-74.4
H.S. or G.E.D.	1808	1,567,574	532	28.4	25.3-31.5	1276	71.6	68.5-74.7
Some Post-H.S.	1464	1,365,404	494	34.1	30.8-37.4	970	65.9	62.6-69.2
College Graduate	1494	1,017,111	500	34.2	31.1-37.3	994	65.8	62.7-68.9
Less than \$15,000	701	516,800	207	30.1	24.8-35.4	494	69.9	64.6-75.2
\$15,000- 24,999	927	798,406	304	32.0	27.5-36.5	623	68.0	63.5-72.5
\$25,000- 34,999	518	456,552	164	31.5	25.8-37.2	354	68.5	62.8-74.2
\$35,000- 49,999	565	534,587	172	26.7	22.0-31.4	393	73.3	68.6-78.0
\$50,000- 74,999	530	488,909	143	27.0	21.7-32.3	387	73.0	67.7-78.3
\$75,000+	701	679,040	239	34.1	29.4-38.8	462	65.9	61.2-70.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2066	2,358,927	508	26.5	23.8-29.2	1558	73.5	70.8-76.2
White/Non-Hisp	1748	1,813,949	439	26.7	23.8-29.6	1309	73.3	70.4-76.2
Black or Afr. Am./Non-Hisp	239	362,218	46	23.6	15.8-31.4	193	76.4	68.6-84.2
18-24	102	312,535	49	49.0	38.0-60.0	53	51.0	40.0-62.0
25-34	228	413,368	65	29.1	21.8-36.4	163	70.9	63.6-78.2
35-44	259	384,877	49	18.4	12.5-24.3	210	81.6	75.7-87.5
45-54	344	429,026	83	25.2	19.3-31.1	261	74.8	68.9-80.7
55-64	471	389,477	93	18.0	13.5-22.5	378	82.0	77.5-86.5
65+	647	415,226	166	24.1	19.8-28.4	481	75.9	71.6-80.2
Less Than H.S.	235	370,130	68	27.5	19.9-35.1	167	72.5	64.9-80.1
H.S. or G.E.D.	651	807,445	151	25.3	20.6-30.0	500	74.7	70.0-79.4
Some Post-H.S.	523	656,733	139	29.6	24.1-35.1	384	70.4	64.9-75.9
College Graduate	648	513,590	148	24.5	20.0-29.0	500	75.5	71.0-80.0
Less than \$15,000	196	212,100	50	29.4	19.4-39.4	146	70.6	60.6-80.6
\$15,000- 24,999	320	397,117	100	33.2	25.8-40.6	220	66.8	59.4-74.2
\$25,000- 34,999	199	226,806	47	26.0	17.2-34.8	152	74.0	65.2-82.8
\$35,000- 49,999	231	280,847	56	21.4	14.9-27.9	175	78.6	72.1-85.1
\$50,000- 74,999	245	260,199	51	21.7	14.6-28.8	194	78.3	71.2-85.4
\$75,000+	350	377,299	72	23.9	17.8-30.0	278	76.1	70.0-82.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3386	2,377,103	1252	36.6	34.2-39.0	2134	63.4	61.0-65.8
White/Non-Hisp	2732	1,819,649	1069	38.3	35.8-40.8	1663	61.7	59.2-64.2
Black or Afr. Am./Non-Hisp	533	380,445	130	25.8	20.1-31.5	403	74.2	68.5-79.9
Oth. Race/Non-Hisp.	50	79,889	21	39.4	21.8-57.0	29	60.6	43.0-78.2
18-24	137	267,920	66	43.7	33.7-53.7	71	56.3	46.3-66.3
25-34	292	376,831	123	42.0	35.3-48.7	169	58.0	51.3-64.7
35-44	352	379,514	119	33.2	26.9-39.5	233	66.8	60.5-73.1
45-54	594	432,213	192	31.6	26.9-36.3	402	68.4	63.7-73.1
55-64	788	397,840	241	28.9	24.8-33.0	547	71.1	67.0-75.2
65+	1206	515,013	501	41.2	37.3-45.1	705	58.8	54.9-62.7
Less Than H.S.	433	402,355	157	33.2	26.9-39.5	276	66.8	60.5-73.1
H.S. or G.E.D.	1157	760,129	381	31.7	27.8-35.6	776	68.3	64.4-72.2
Some Post-H.S.	941	708,672	355	38.2	33.9-42.5	586	61.8	57.5-66.1
College Graduate	846	503,521	352	44.1	39.6-48.6	494	55.9	51.4-60.4
Less than \$15,000	505	304,700	157	30.6	24.7-36.5	348	69.4	63.5-75.3
\$15,000- 24,999	607	401,289	204	30.9	25.8-36.0	403	69.1	64.0-74.2
\$25,000- 34,999	319	229,746	117	36.9	30.0-43.8	202	63.1	56.2-70.0
\$35,000- 49,999	334	253,740	116	32.6	25.5-39.7	218	67.4	60.3-74.5
\$50,000- 74,999	285	228,710	92	33.1	25.1-41.1	193	66.9	58.9-74.9
\$75,000+	351	301,741	167	46.9	39.8-54.0	184	53.1	46.0-60.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5787	5,006,251	4491	68.1	66.3-69.9	568	13.3	11.9-14.7	479	12.2	10.8-13.6	165	4.0	03.2-04.8	49	1.5	00.9-02.1	35	1.0	00.6-01.4
Male	2103	2,399,910	1679	72.5	69.8-75.2	179	12.1	09.9-14.3	163	10.0	08.2-11.8	47	2.7	01.7-03.7	17	1.3	00.5-02.1	18	1.3	00.5-02.1
Female	3684	2,606,342	2812	64.1	61.7-66.5	389	14.4	12.6-16.2	316	14.2	12.2-16.2	118	5.2	04.0-06.4	32	1.6	00.8-02.4	17	0.7	00.3-01.1
White/Non-Hisp	4740	3,828,014	3746	70.1	68.1-72.1	445	12.8	11.4-14.2	379	11.7	10.3-13.1	114	3.4	02.6-04.2	35	1.3	00.7-01.9	21	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	822	788,151	585	62.9	57.8-68.0	103	14.8	11.1-18.5	76	14.2	10.3-18.1	43	6.1	03.9-08.3	8	1.0	00.2-01.8	7	1.0	00.0-02.0
Oth. Race/Non-Hisp.	85	168,940	62	65.3	51.4-79.2	9	10.2	02.8-17.6	8	13.0	01.6-24.4	3	5.5	00.0-12.4	2	3.7	00.0-09.0	1	2.3	00.0-06.8
18-24	263	624,325	169	66.0	59.3-72.7	49	15.0	10.5-19.5	36	15.4	09.7-21.1	7	3.2	00.7-05.7	1	0.4	00.0-01.2	1	0.1	00.0-00.3
25-34	556	841,081	251	46.9	41.8-52.0	96	18.1	14.2-22.0	128	21.8	17.5-26.1	55	8.4	05.9-10.9	16	3.4	01.4-05.4	10	1.3	00.3-02.3
35-44	651	812,907	229	35.2	30.5-39.9	141	22.3	18.0-26.6	180	26.0	21.7-30.3	67	10.0	07.3-12.7	19	3.4	01.2-05.6	15	3.1	01.1-05.1
45-54	988	903,691	695	67.8	63.7-71.9	166	18.4	14.9-21.9	92	9.8	07.4-12.2	20	1.7	00.9-02.5	9	1.2	00.2-02.2	6	1.2	00.0-02.4
55-64	1327	827,707	1205	89.9	87.7-92.1	79	5.9	04.3-07.5	24	2.3	01.1-03.5	14	1.4	00.4-02.4	3	0.3	00.0-00.7	2	0.2	00.0-00.4
65+	1952	965,547	1896	96.6	95.4-97.8	35	2.2	01.2-03.2	18	1.2	00.6-01.8	2	0.1	00.0-00.3				1	0.0	00.0-00.0
Less Than H.S.	708	818,474	589	75.0	70.1-79.9	53	10.5	07.0-14.0	35	7.3	04.4-10.2	22	4.8	02.4-07.2	6	1.8	00.2-03.4	3	0.7	00.0-01.9
H.S. or G.E.D.	1926	1,660,368	1542	68.4	65.1-71.7	173	13.6	11.1-16.1	143	13.2	10.7-15.7	44	2.9	01.7-04.1	11	0.9	00.3-01.5	13	1.1	00.3-01.9
Some Post-H.S.	1545	1,438,019	1156	66.0	62.5-69.5	176	14.3	11.8-16.8	138	12.9	10.4-15.4	49	4.3	02.9-05.7	14	1.3	00.3-02.3	12	1.2	00.4-02.0
College Graduate	1574	1,060,575	1173	65.0	61.9-68.1	165	13.8	11.4-16.2	163	13.8	11.4-16.2	50	4.8	03.2-06.4	17	2.2	01.0-03.4	6	0.4	00.0-00.8
Less than \$15,000	731	546,019	570	70.3	65.0-75.6	72	11.0	07.7-14.3	51	10.3	06.8-13.8	25	6.0	02.9-09.1	8	1.7	00.0-03.5	5	0.7	00.0-01.5
\$15,000- 24,999	960	829,193	750	71.3	67.0-75.6	81	10.1	07.4-12.8	83	13.0	09.7-16.3	33	3.7	02.1-05.3	7	1.4	00.2-02.6	6	0.6	00.0-01.2
\$25,000- 34,999	542	480,656	430	68.1	62.2-74.0	52	12.4	08.3-16.5	36	11.4	06.9-15.9	18	5.9	02.8-09.0	3	0.9	00.0-02.1	3	1.3	00.0-03.1
\$35,000- 49,999	593	555,878	459	66.8	60.7-72.9	66	17.4	11.9-22.9	40	9.9	06.2-13.6	19	3.3	01.7-04.9	5	1.8	00.0-04.0	4	0.9	00.0-01.9
\$50,000- 74,999	546	505,074	388	60.7	54.8-66.6	68	16.8	12.3-21.3	66	15.7	10.8-20.6	15	3.6	01.6-05.6	6	2.2	00.0-04.4	3	1.0	00.0-02.4
\$75,000+	728	702,574	475	55.0	50.1-59.9	102	17.7	13.8-21.6	108	18.3	14.4-22.2	27	5.5	03.1-07.9	10	2.0	00.6-03.4	6	1.4	00.0-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2103	2,399,910	1679	72.5	69.8-75.2	179	12.1	09.9-14.3	163	10.0	08.2-11.8	47	2.7	01.7-03.7	17	1.3	00.5-02.1	18	1.3	00.5-02.1
White/Non-Hisp	1773	1,841,740	1426	74.0	71.1-76.9	147	11.4	09.2-13.6	138	10.0	08.0-12.0	37	2.3	01.5-03.1	15	1.5	00.5-02.5	10	0.9	00.3-01.5
Black or Afr. Am./Non-Hisp	244	368,832	186	68.8	60.8-76.8	27	14.8	08.3-21.3	19	10.5	05.0-16.0	8	4.6	01.3-07.9	1	0.0	00.0-00.0	3	1.3	00.0-03.1
18-24	104	318,588	83	80.1	71.5-88.7	12	10.5	04.4-16.6	7	8.5	01.8-15.2				1	0.7	00.0-02.1	1	0.1	00.0-00.3
25-34	229	415,950	142	61.8	54.4-69.2	33	16.2	10.3-22.1	36	14.3	09.2-19.4	12	4.6	01.7-07.5	4	2.6	00.0-05.3	2	0.5	00.0-01.3
35-44	264	395,791	109	39.7	32.3-47.1	44	19.0	12.1-25.9	70	24.2	17.9-30.5	23	8.4	04.5-12.3	9	4.0	00.9-07.1	9	4.7	01.2-08.2
45-54	349	439,184	242	65.5	58.8-72.2	58	19.8	13.9-25.7	37	10.7	06.6-14.8	5	1.0	00.0-02.0	3	0.7	00.0-01.9	4	2.2	00.0-04.7
55-64	479	396,556	439	91.1	88.0-94.2	22	4.4	02.2-06.6	9	2.1	00.3-03.9	7	2.1	00.5-03.7				2	0.3	00.0-00.7
65+	663	420,798	650	97.3	95.5-99.1	9	2.1	00.5-03.7	4	0.6	00.0-01.2									
Less Than H.S.	248	380,040	214	78.1	70.5-85.7	14	9.8	04.1-15.5	14	7.2	02.7-11.7	3	1.6	00.0-03.6	2	2.1	00.0-05.0	1	1.2	00.0-03.4
H.S. or G.E.D.	670	828,673	542	72.3	67.2-77.4	54	13.0	08.9-17.1	50	10.5	07.0-14.0	12	1.6	00.6-02.6	4	0.9	00.0-02.1	8	1.7	00.3-03.1
Some Post-H.S.	526	662,110	414	73.2	68.1-78.3	51	11.7	08.0-15.4	38	9.1	05.6-12.6	16	4.4	02.0-06.8	3	0.5	00.0-01.1	4	1.1	00.0-02.5
College Graduate	649	512,639	500	67.9	63.0-72.8	60	13.0	09.3-16.7	61	12.7	09.4-16.0	16	3.2	01.4-05.0	8	2.7	00.5-04.9	4	0.5	00.0-01.1
Less than \$15,000	205	223,021	172	80.3	72.1-88.5	8	6.0	00.5-11.5	15	7.5	02.2-12.8	5	3.4	00.0-06.9	2	1.6	00.0-04.7	3	1.2	00.0-02.8
\$15,000- 24,999	324	403,850	276	79.7	73.2-86.2	18	7.8	03.3-12.3	23	9.8	05.1-14.5	3	0.7	00.0-01.7	2	1.2	00.0-03.4	2	0.7	00.0-01.9
\$25,000- 34,999	206	234,136	166	70.0	60.4-79.6	16	10.3	04.2-16.4	13	11.8	04.2-19.4	7	4.7	01.2-08.2	2	1.1	00.0-02.7	2	2.1	00.0-05.8
\$35,000- 49,999	232	281,803	190	70.3	60.9-79.7	24	17.9	08.9-26.9	13	8.9	03.8-14.0	4	2.3	00.1-04.5				1	0.6	00.0-01.8
\$50,000- 74,999	243	258,305	177	67.9	60.3-75.5	26	14.2	08.1-20.3	30	11.7	07.2-16.2	5	2.4	00.0-04.8	4	3.8	00.0-07.7	1	0.1	00.0-00.3
\$75,000+	352	377,244	242	59.1	52.4-65.8	48	16.9	11.6-22.2	41	14.8	09.7-19.9	14	5.5	02.2-08.8	3	1.6	00.0-03.6	4	2.1	00.0-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3684	2,606,342	2812	64.1	61.7-66.5	389	14.4	12.6-16.2	316	14.2	12.2-16.2	118	5.2	04.0-06.4	32	1.6	00.8-02.4	17	0.7	00.3-01.1
White/Non-Hisp	2967	1,986,274	2320	66.5	64.0-69.0	298	14.2	12.2-16.2	241	13.2	11.2-15.2	77	4.4	03.2-05.6	20	1.1	00.5-01.7	11	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	578	419,319	399	57.7	51.6-63.8	76	14.8	10.7-18.9	57	17.5	12.0-23.0	35	7.4	04.5-10.3	7	1.8	00.2-03.4	4	0.8	00.0-01.6
Oth. Race/Non-Hisp.	54	88,794	38	57.8	38.6-77.0	7	13.5	02.1-24.9	5	15.9	00.0-34.3	3	10.4	00.0-22.9	1	2.3	00.0-06.8			
18-24	159	305,737	86	51.3	41.9-60.7	37	19.6	12.9-26.3	29	22.7	14.1-31.3	7	6.5	01.4-11.6						
25-34	327	425,131	109	32.3	26.4-38.2	63	20.0	14.9-25.1	92	29.3	23.0-35.6	43	12.2	08.1-16.3	12	4.2	01.7-06.7	8	2.1	00.5-03.7
35-44	387	417,116	120	30.9	25.0-36.8	97	25.4	19.7-31.1	110	27.7	22.0-33.4	44	11.6	07.7-15.5	10	2.9	00.0-05.8	6	1.6	00.0-03.2
45-54	639	464,507	453	70.0	65.3-74.7	108	17.1	13.2-21.0	55	8.8	06.1-11.5	15	2.3	00.9-03.7	6	1.6	00.2-03.0	2	0.3	00.0-00.7
55-64	848	431,150	766	88.7	85.8-91.6	57	7.4	05.0-09.8	15	2.5	01.1-03.9	7	0.8	00.0-01.6	3	0.6	00.0-01.4			
65+	1289	544,749	1246	96.1	94.5-97.7	26	2.2	01.2-03.2	14	1.6	00.6-02.6	2	0.2	00.0-00.4				1	0.0	00.0-00.0
Less Than H.S.	460	438,434	375	72.2	65.9-78.5	39	11.1	06.8-15.4	21	7.3	03.4-11.2	19	7.5	03.6-11.4	4	1.5	00.0-03.1	2	0.4	00.0-01.0
H.S. or G.E.D.	1256	831,695	1000	64.5	60.2-68.8	119	14.2	11.1-17.3	93	15.8	11.9-19.7	32	4.1	02.1-06.1	7	0.9	00.1-01.7	5	0.6	00.0-01.2
Some Post-H.S.	1019	775,909	742	60.0	55.5-64.5	125	16.5	13.2-19.8	100	16.1	12.4-19.8	33	4.3	02.5-06.1	11	2.0	00.2-03.8	8	1.2	00.2-02.2
College Graduate	925	547,935	673	62.3	58.0-66.6	105	14.6	11.5-17.7	102	14.9	11.8-18.0	34	6.3	03.9-08.7	9	1.7	00.5-02.9	2	0.3	00.0-00.7
Less than \$15,000	526	322,998	398	63.4	56.9-69.9	64	14.4	10.1-18.7	36	12.2	07.5-16.9	20	7.9	03.4-12.4	6	1.7	00.0-03.7	2	0.4	00.0-01.0
\$15,000- 24,999	636	425,344	474	63.3	57.8-68.8	63	12.2	08.9-15.5	60	16.0	11.3-20.7	30	6.5	03.6-09.4	5	1.5	00.1-02.9	4	0.6	00.0-01.4
\$25,000- 34,999	336	246,519	264	66.2	58.9-73.5	36	14.4	08.9-19.9	23	11.0	06.3-15.7	11	7.1	02.2-12.0	1	0.8	00.0-02.4	1	0.5	00.0-01.5
\$35,000- 49,999	361	274,075	269	63.2	55.6-70.8	42	16.8	10.9-22.7	27	11.0	05.5-16.5	15	4.3	01.9-06.7	5	3.6	00.0-08.1	3	1.2	00.0-02.8
\$50,000- 74,999	303	246,768	211	53.2	44.8-61.6	42	19.6	12.9-26.3	36	19.9	11.5-28.3	10	4.8	01.7-07.9	2	0.6	00.0-01.4	2	1.8	00.0-04.3
\$75,000+	376	325,330	233	50.2	43.3-57.1	54	18.7	12.8-24.6	67	22.4	16.1-28.7	13	5.5	02.2-08.8	7	2.5	00.5-04.5	2	0.6	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5770	4,991,915	707	16.4	14.8-18.0	1928	33.3	31.5-35.1	1553	29.0	27.2-30.8	1582	21.4	20.0-22.8
Male	2104	2,394,429	247	15.8	13.3-18.3	672	34.7	31.8-37.6	530	27.9	25.2-30.6	655	21.6	19.6-23.6
Female	3666	2,597,485	460	16.9	14.9-18.9	1256	32.0	29.8-34.2	1023	29.9	27.7-32.1	927	21.2	19.4-23.0
White/Non-Hisp	4728	3,823,283	577	16.8	15.0-18.6	1564	31.9	29.9-33.9	1253	28.9	27.1-30.7	1334	22.4	21.0-23.8
Black or Afr. Am./Non-Hisp	821	786,392	111	14.8	10.9-18.7	304	40.8	35.7-45.9	228	27.6	23.3-31.9	178	16.7	13.4-20.0
Oth. Race/Non-Hisp.	82	163,016	7	10.1	01.1-19.1	22	28.3	15.2-41.4	24	34.0	19.7-48.3	29	27.6	16.4-38.8
18-24	261	617,330	16	10.9	05.4-16.4	110	45.0	37.7-52.3	100	35.5	28.8-42.2	35	8.6	05.3-11.9
25-34	556	839,665	36	10.2	06.5-13.9	161	29.6	25.1-34.1	164	33.1	28.2-38.0	195	27.1	23.0-31.2
35-44	652	814,657	42	11.5	07.8-15.2	181	31.8	26.9-36.7	176	27.1	22.8-31.4	253	29.6	25.5-33.7
45-54	988	900,501	117	20.4	16.3-24.5	343	33.9	30.0-37.8	253	24.8	21.3-28.3	275	20.9	18.0-23.8
55-64	1325	824,073	137	18.2	14.5-21.9	427	29.3	26.2-32.4	366	29.5	26.2-32.8	395	23.0	20.3-25.7
65+	1938	961,801	357	24.2	21.3-27.1	691	32.9	30.0-35.8	476	26.1	23.4-28.8	414	16.7	14.7-18.7
Less Than H.S.	707	817,069	707	100.0	0100-0100									
H.S. or G.E.D.	1928	1,661,406				1928	100.0	0100-0100						
Some Post-H.S.	1553	1,445,838							1553	100.0	0100-0100			
College Graduate	1582	1,067,601										1582	100.0	0100-0100
Less than \$15,000	727	543,479	207	42.4	36.5-48.3	312	33.3	28.4-38.2	158	19.3	15.2-23.4	50	5.1	03.3-06.9
\$15,000- 24,999	959	828,806	175	26.0	21.5-30.5	421	40.8	36.3-45.3	266	26.0	21.7-30.3	97	7.1	04.9-09.3
\$25,000- 34,999	543	481,726	45	13.1	08.4-17.8	228	41.4	35.5-47.3	168	32.7	27.0-38.4	102	12.8	09.5-16.1
\$35,000- 49,999	593	555,878	23	7.0	03.3-10.7	164	36.2	30.1-42.3	200	34.1	28.8-39.4	206	22.8	18.9-26.7
\$50,000- 74,999	548	506,967	13	5.0	01.7-08.3	118	21.1	16.6-25.6	162	36.9	31.0-42.8	255	36.9	31.8-42.0
\$75,000+	728	701,394	8	1.9	00.3-03.5	90	16.5	12.6-20.4	161	28.1	23.6-32.6	469	53.5	48.6-58.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2104	2,394,429	247	15.8	13.3-18.3	672	34.7	31.8-37.6	530	27.9	25.2-30.6	655	21.6	19.6-23.6
White/Non-Hisp	1776	1,844,296	213	16.6	13.9-19.3	546	31.8	28.9-34.7	441	28.7	25.8-31.6	576	22.9	20.7-25.1
Black or Afr. Am./Non-Hisp	245	369,176	29	13.7	07.2-20.2	101	46.4	38.0-54.8	61	22.8	16.1-29.5	54	17.1	11.6-22.6
18-24	102	312,535	5	7.6	00.3-14.9	46	48.2	37.2-59.2	36	34.7	24.5-44.9	15	9.6	04.3-14.9
25-34	230	416,901	7	7.5	01.8-13.2	75	32.0	25.1-38.9	67	34.1	26.5-41.7	81	26.4	20.3-32.5
35-44	266	398,359	21	12.6	06.7-18.5	85	38.2	30.4-46.0	68	24.8	18.5-31.1	92	24.3	18.8-29.8
45-54	350	436,140	46	21.4	14.9-27.9	129	36.7	30.2-43.2	79	23.0	17.5-28.5	96	18.9	14.4-23.4
55-64	477	392,540	53	20.9	14.4-27.4	134	25.2	20.3-30.1	124	27.7	22.2-33.2	166	26.3	21.6-31.0
65+	661	421,363	115	23.2	18.5-27.9	197	30.0	25.5-34.5	150	24.8	20.3-29.3	199	22.0	18.5-25.5
Less Than H.S.	247	378,635	247	100.0	0100-0100									
H.S. or G.E.D.	672	829,711				672	100.0	0100-0100						
Some Post-H.S.	530	668,115							530	100.0	0100-0100			
College Graduate	655	517,968										655	100.0	0100-0100
Less than \$15,000	202	220,749	67	44.1	33.5-54.7	75	32.4	23.4-41.4	45	19.8	12.0-27.6	15	3.8	01.3-06.3
\$15,000- 24,999	324	403,850	74	31.1	23.5-38.7	142	37.5	30.2-44.8	77	24.1	17.0-31.2	31	7.3	03.8-10.8
\$25,000- 34,999	206	234,136	18	12.2	05.3-19.1	86	42.2	32.6-51.8	62	34.6	25.4-43.8	40	11.0	06.7-15.3
\$35,000- 49,999	232	281,803	8	4.9	01.2-08.6	81	47.0	38.0-56.0	71	30.2	22.4-38.0	72	17.9	12.8-23.0
\$50,000- 74,999	245	260,199	8	4.9	01.0-08.8	47	21.1	14.4-27.8	74	36.4	28.6-44.2	116	37.6	30.2-45.0
\$75,000+	352	376,065	4	2.1	00.0-04.5	45	15.5	10.6-20.4	69	27.4	20.9-33.9	234	55.0	48.3-61.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3666	2,597,485	460	16.9	14.9-18.9	1256	32.0	29.8-34.2	1023	29.9	27.7-32.1	927	21.2	19.4-23.0
White/Non-Hisp	2952	1,978,986	364	17.0	14.8-19.2	1018	32.1	29.7-34.5	812	29.0	26.8-31.2	758	21.9	19.9-23.9
Black or Afr. Am./Non-Hisp	576	417,217	82	15.9	11.0-20.8	203	35.8	29.7-41.9	167	31.9	26.4-37.4	124	16.5	12.8-20.2
Oth. Race/Non-Hisp.	54	88,794	7	18.6	03.1-34.1	14	22.7	09.0-36.4	17	36.5	17.5-55.5	16	22.1	09.4-34.8
18-24	159	304,795	11	14.3	06.1-22.5	64	41.7	32.5-50.9	64	36.3	27.9-44.7	20	7.6	03.9-11.3
25-34	326	422,764	29	12.9	08.2-17.6	86	27.2	21.3-33.1	97	32.2	25.7-38.7	114	27.7	22.4-33.0
35-44	386	416,298	21	10.5	05.6-15.4	96	25.5	19.8-31.2	108	29.3	23.2-35.4	161	34.7	29.0-40.4
45-54	638	464,361	71	19.4	14.1-24.7	214	31.3	26.6-36.0	174	26.5	22.2-30.8	179	22.8	18.9-26.7
55-64	848	431,533	84	15.7	12.0-19.4	293	33.0	28.9-37.1	242	31.2	27.1-35.3	229	20.0	17.1-22.9
65+	1277	540,438	242	25.0	21.3-28.7	494	35.2	31.7-38.7	326	27.2	23.7-30.7	215	12.6	10.4-14.8
Less Than H.S.	460	438,434	460	100.0	0100-0100									
H.S. or G.E.D.	1256	831,695				1256	100.0	0100-0100						
Some Post-H.S.	1023	777,723							1023	100.0	0100-0100			
College Graduate	927	549,633										927	100.0	0100-0100
Less than \$15,000	525	322,729	140	41.2	34.5-47.9	237	33.9	28.4-39.4	113	19.0	14.5-23.5	35	5.9	03.4-08.4
\$15,000- 24,999	635	424,956	101	21.2	16.3-26.1	279	44.0	38.5-49.5	189	27.9	23.0-32.8	66	6.9	04.5-09.3
\$25,000- 34,999	337	247,590	27	13.9	07.4-20.4	142	40.6	33.7-47.5	106	30.9	24.2-37.6	62	14.5	09.8-19.2
\$35,000- 49,999	361	274,075	15	9.2	02.7-15.7	83	25.0	18.1-31.9	129	38.1	30.8-45.4	134	27.7	21.8-33.6
\$50,000- 74,999	303	246,768	5	5.1	00.0-10.6	71	21.2	15.1-27.3	88	37.4	28.8-46.0	139	36.2	28.9-43.5
\$75,000+	376	325,330	4	1.8	00.0-04.0	45	17.7	11.2-24.2	92	28.8	22.7-34.9	235	51.7	44.8-58.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4103	3,622,321	730	15.0	13.4-16.6	960	22.9	20.9-24.9	543	13.3	11.7-14.9	593	15.3	13.7-16.9	1277	33.4	31.4-35.4			
Male	1564	1,780,216	204	12.4	10.0-14.8	324	22.7	19.6-25.8	206	13.2	10.8-15.6	232	15.8	13.3-18.3	598	35.9	32.8-39.0			
Female	2539	1,842,104	526	17.5	15.5-19.5	636	23.1	20.7-25.5	337	13.4	11.6-15.2	361	14.9	12.7-17.1	679	31.1	28.6-33.6			
White/Non-Hisp	3398	2,811,034	563	13.6	12.0-15.2	746	21.3	19.3-23.3	451	13.1	11.5-14.7	500	15.5	13.7-17.3	1138	36.5	34.3-38.7			
Black or Afr. Am./Non-Hisp	566	527,481	147	22.1	17.0-27.2	180	30.9	25.4-36.4	68	13.4	09.1-17.7	68	12.2	08.1-16.3	103	21.5	16.6-26.4			
Oth. Race/Non-Hisp.	57	110,958	8	12.5	01.7-23.3	17	35.4	18.9-51.9	7	8.2	01.1-15.3	7	7.7	01.2-14.2	18	36.2	19.0-53.4			
18-24	154	361,405	34	19.1	11.8-26.4	53	31.2	23.0-39.4	21	16.4	09.1-23.7	24	15.1	08.4-21.8	22	18.2	10.4-26.0			
25-34	462	699,679	65	13.4	09.5-17.3	109	25.6	20.5-30.7	72	15.2	11.5-18.9	69	14.4	10.7-18.1	147	31.4	26.3-36.5			
35-44	515	655,699	68	12.2	08.5-15.9	97	17.7	13.6-21.8	47	10.5	06.8-14.2	82	17.2	12.3-22.1	221	42.4	36.9-47.9			
45-54	742	668,349	149	16.9	13.4-20.4	132	18.5	14.6-22.4	75	10.1	07.4-12.8	98	15.1	11.4-18.8	288	39.3	34.8-43.8			
55-64	1006	626,178	179	15.3	12.2-18.4	205	21.0	16.9-25.1	127	11.7	09.2-14.2	134	14.3	11.6-17.0	361	37.7	33.6-41.8			
65+	1217	605,652	235	15.3	12.8-17.8	363	27.3	24.0-30.6	199	17.5	14.6-20.4	185	16.1	13.2-19.0	235	23.8	20.5-27.1			
Less Than H.S.	471	587,135	207	39.2	32.9-45.5	175	36.7	30.4-43.0	45	10.7	06.8-14.6	23	6.6	03.1-10.1	21	6.7	03.4-10.0			
H.S. or G.E.D.	1333	1,142,911	312	15.8	13.3-18.3	421	29.6	26.1-33.1	228	17.4	14.5-20.3	164	17.6	14.1-21.1	208	19.5	16.4-22.6			
Some Post-H.S.	1115	1,051,588	158	10.0	07.6-12.4	266	20.5	17.0-24.0	168	15.0	12.1-17.9	200	18.0	14.9-21.1	323	36.5	32.4-40.6			
College Graduate	1179	836,615	50	3.3	02.1-04.5	97	7.0	05.0-09.0	102	7.4	05.6-09.2	206	15.1	12.6-17.6	724	67.2	63.9-70.5			
Less than \$15,000	730	544,615	730	100.0	0100-0100															
\$15,000- 24,999	960	829,193				960	100.0	0100-0100												
\$25,000- 34,999	543	481,726							543	100.0	0100-0100									
\$35,000- 49,999	593	555,878										593	100.0	0100-0100						
\$50,000- 74,999	548	506,967													548	100.0	0100-0100			
\$75,000+	729	703,942													729	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1564	1,780,216	204	12.4	10.0-14.8	324	22.7	19.8-25.6	206	13.2	10.8-15.6	232	15.8	13.3-18.3	598	35.9	32.8-39.0
White/Non-Hisp	1338	1,386,385	160	10.8	08.4-13.2	262	21.9	18.6-25.2	173	12.7	10.2-15.2	201	15.3	12.8-17.8	542	39.4	36.1-42.7
Black or Afr. Am./Non-Hisp	171	254,274	35	20.5	12.3-28.7	46	23.6	15.6-31.6	27	17.2	09.4-25.0	22	15.6	08.2-23.0	41	23.1	15.3-30.9
18-24	61	185,441	8	12.5	02.1-22.9	22	34.5	21.6-47.4	11	21.9	09.6-34.2	9	13.3	03.7-22.9	11	17.7	07.5-27.9
25-34	194	346,986	24	12.5	06.2-18.8	40	25.1	17.1-33.1	25	12.9	07.8-18.0	37	18.7	12.2-25.2	68	30.9	23.5-38.3
35-44	207	319,676	22	10.7	05.2-16.2	34	15.6	09.7-21.5	23	12.8	06.7-18.9	25	16.5	08.5-24.5	103	44.3	35.9-52.7
45-54	271	323,454	41	13.7	08.2-19.2	48	19.9	13.4-26.4	27	9.2	05.1-13.3	40	15.9	10.6-21.2	115	41.3	34.0-48.6
55-64	368	306,358	55	14.6	09.7-19.5	71	23.5	16.1-30.9	37	8.0	04.7-11.3	47	12.2	08.3-16.1	158	41.6	34.7-48.5
65+	459	296,521	54	10.8	07.3-14.3	108	22.4	17.5-27.3	82	18.0	13.3-22.7	74	17.0	12.1-21.9	141	31.8	26.3-37.3
Less Than H.S.	179	285,851	67	34.0	24.4-43.6	74	43.9	33.9-53.9	18	10.0	04.3-15.7	8	4.8	01.1-08.5	12	7.2	02.5-11.9
H.S. or G.E.D.	476	567,461	75	12.6	08.9-16.3	142	26.7	21.6-31.8	86	17.4	12.7-22.1	81	23.3	17.4-29.2	92	20.0	15.5-24.5
Some Post-H.S.	398	504,877	45	8.6	04.9-12.3	77	19.3	13.4-25.2	62	16.1	11.2-21.0	71	16.8	12.1-21.5	143	39.2	32.7-45.7
College Graduate	508	418,612	15	2.0	00.6-03.4	31	7.0	03.7-10.3	40	6.1	03.7-08.5	72	12.1	09.0-15.2	350	72.8	68.1-77.5
Less than \$15,000	204	221,617	204	100.0	0100-0100												
\$15,000- 24,999	324	403,850				324	100.0	0100-0100									
\$25,000- 34,999	206	234,136							206	100.0	0100-0100						
\$35,000- 49,999	232	281,803										232	100.0	0100-0100			
\$50,000- 74,999	245	260,199													245	100.0	0100-0100
\$75,000+	353	378,612													353	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2539	1,842,104	526	17.5	15.5-19.5	636	23.1	20.7-25.5	337	13.4	11.6-15.2	361	14.9	12.7-17.1	679	31.1	28.6-33.6
White/Non-Hisp	2060	1,424,649	403	16.4	14.2-18.6	484	20.7	18.3-23.1	278	13.5	11.5-15.5	299	15.7	13.3-18.1	596	33.7	30.8-36.6
Black or Afr. Am./Non-Hisp	395	273,207	112	23.6	17.5-29.7	134	37.7	30.8-44.6	41	9.8	06.3-13.3	46	9.0	05.9-12.1	62	19.9	14.0-25.8
18-24	93	175,964	26	26.1	16.1-36.1	31	27.7	17.7-37.7	10	10.6	03.9-17.3	15	16.9	07.9-25.9	11	18.7	06.9-30.5
25-34	268	352,693	41	14.4	09.5-19.3	69	26.2	19.7-32.7	47	17.5	12.4-22.6	32	10.1	06.2-14.0	79	31.8	24.7-38.9
35-44	308	336,023	46	13.7	08.8-18.6	63	19.6	14.1-25.1	24	8.4	04.3-12.5	57	17.8	12.1-23.5	118	40.6	33.5-47.7
45-54	471	344,895	108	19.9	15.2-24.6	84	17.3	12.8-21.8	48	11.0	07.3-14.7	58	14.4	09.1-19.7	173	37.5	31.8-43.2
55-64	638	319,820	124	16.0	12.3-19.7	134	18.6	14.9-22.3	90	15.1	11.4-18.8	87	16.3	12.2-20.4	203	34.0	29.1-38.9
65+	758	309,130	181	19.7	16.0-23.4	255	32.1	27.4-36.8	117	17.0	13.3-20.7	111	15.2	11.7-18.7	94	16.0	12.1-19.9
Less Than H.S.	292	301,284	140	44.1	36.1-52.1	101	29.9	22.8-37.0	27	11.5	06.0-17.0	15	8.4	02.5-14.3	9	6.1	01.2-11.0
H.S. or G.E.D.	857	575,450	237	19.0	15.7-22.3	279	32.5	28.0-37.0	142	17.5	14.2-20.8	83	11.9	08.4-15.4	116	19.1	14.8-23.4
Some Post-H.S.	717	546,711	113	11.2	08.5-13.9	189	21.7	17.8-25.6	106	14.0	10.7-17.3	129	19.1	15.2-23.0	180	34.0	28.7-39.3
College Graduate	671	418,003	35	4.6	02.6-06.6	66	7.0	04.6-09.4	62	8.6	05.9-11.3	134	18.2	14.5-21.9	374	61.6	56.9-66.3
Less than \$15,000	526	322,998	526	100.0	0100-0100												
\$15,000- 24,999	636	425,344				636	100.0	0100-0100									
\$25,000- 34,999	337	247,590							337	100.0	0100-0100						
\$35,000- 49,999	361	274,075										361	100.0	0100-0100			
\$50,000- 74,999	303	246,768													303	100.0	0100-0100
\$75,000+	376	325,330													376	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 9: TOBACCO USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	86
2	MALES ONLY	87
3	FEMALES ONLY	88
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	89
5	MALES ONLY	90
6	FEMALES ONLY	91

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5467	4,781,316	869	18.4	16.8-20.0	306	5.9	04.9-06.9	1473	24.1	22.5-25.7	2819	51.6	49.6-53.6
Male	1987	2,290,721	329	19.6	17.1-22.1	110	7.2	05.4-09.0	679	27.9	25.4-30.4	869	45.3	42.4-48.2
Female	3480	2,490,595	540	17.3	15.5-19.1	196	4.8	03.8-05.8	794	20.6	18.8-22.4	1950	57.4	55.0-59.8
White/Non-Hisp	4490	3,675,110	736	19.9	18.1-21.7	226	5.5	04.5-06.5	1287	26.4	24.6-28.2	2241	48.3	46.3-50.3
Black or Afr. Am./Non-Hisp	763	732,879	112	15.5	11.6-19.4	63	7.4	04.9-09.9	138	14.0	10.9-17.1	450	63.1	58.2-68.0
Oth. Race/Non-Hisp.	82	161,751	8	8.6	01.5-15.7	9	10.1	00.5-19.7	19	16.1	07.9-24.3	46	65.1	52.2-78.0
18-24	247	568,096	42	19.7	13.4-26.0	11	3.7	01.2-06.2	21	7.7	04.2-11.2	173	68.9	62.0-75.8
25-34	534	810,518	112	23.8	19.1-28.5	46	8.8	05.7-11.9	79	16.0	12.1-19.9	297	51.3	46.0-56.6
35-44	629	789,349	126	18.9	15.2-22.6	28	4.7	02.5-06.9	117	19.9	15.8-24.0	358	56.4	51.3-61.5
45-54	933	867,409	221	24.3	20.6-28.0	72	7.9	05.5-10.3	189	20.7	17.4-24.0	451	47.2	42.9-51.5
55-64	1273	801,502	223	17.5	14.6-20.4	82	7.2	04.8-09.6	365	30.1	26.6-33.6	603	45.2	41.5-48.9
65+	1807	912,547	142	7.8	06.0-09.6	66	3.0	02.0-04.0	688	43.0	39.9-46.1	911	46.2	43.1-49.3
Less Than H.S.	636	764,025	166	33.1	27.6-38.6	50	7.5	04.6-10.4	186	24.6	20.3-28.9	234	34.8	29.3-40.3
H.S. or G.E.D.	1800	1,570,065	362	22.2	19.5-24.9	109	6.5	04.9-08.1	475	22.2	19.7-24.7	854	49.1	45.6-52.6
Some Post-H.S.	1492	1,398,289	234	14.8	12.3-17.3	94	6.7	04.7-08.7	407	26.0	22.9-29.1	757	52.5	49.0-56.0
College Graduate	1521	1,030,355	105	6.9	05.1-08.7	53	3.0	02.0-04.0	397	23.7	21.0-26.4	966	66.5	63.6-69.4
Less than \$15,000	692	524,305	206	37.7	31.6-43.8	65	9.0	06.3-11.7	162	17.1	13.4-20.8	259	36.2	30.7-41.7
\$15,000- 24,999	904	791,498	212	27.7	23.4-32.0	64	9.2	05.9-12.5	233	22.1	18.2-26.0	395	40.9	36.2-45.6
\$25,000- 34,999	521	462,698	85	17.0	12.7-21.3	37	8.0	04.9-11.1	144	22.3	17.6-27.0	255	52.7	46.6-58.8
\$35,000- 49,999	571	542,490	76	15.2	10.9-19.5	26	6.4	03.1-09.7	163	26.6	21.5-31.7	306	51.8	45.7-57.9
\$50,000- 74,999	534	488,224	60	11.3	07.8-14.8	24	3.5	01.7-05.3	158	30.1	24.8-35.4	292	55.1	49.4-60.8
\$75,000+	717	697,140	46	6.8	04.4-09.2	15	2.2	00.8-03.6	202	28.4	24.1-32.7	454	62.6	58.1-67.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1987	2,290,721	329	19.6	17.1-22.1	110	7.2	05.4-09.0	679	27.9	25.4-30.4	869	45.3	42.4-48.2
White/Non-Hisp	1688	1,773,033	281	20.9	18.0-23.8	81	6.4	04.6-08.2	604	30.6	27.9-33.3	722	42.0	38.9-45.1
Black or Afr. Am./Non-Hisp	222	343,811	40	20.1	12.8-27.4	23	8.9	04.4-13.4	47	13.7	08.6-18.8	112	57.2	48.6-65.8
18-24	93	281,408	20	23.9	13.7-34.1	6	5.1	00.8-09.4	10	9.3	03.4-15.2	57	61.8	50.8-72.8
25-34	222	409,415	44	24.5	17.1-31.9	24	12.2	06.5-17.9	40	18.5	12.2-24.8	114	44.8	37.2-52.4
35-44	256	382,001	49	17.9	12.2-23.6	15	5.8	02.5-09.1	46	19.5	13.4-25.6	146	56.8	49.2-64.4
45-54	330	420,743	77	26.6	20.3-32.9	24	9.5	05.2-13.8	82	22.7	17.2-28.2	147	41.2	34.3-48.1
55-64	456	381,926	84	18.0	13.3-22.7	27	7.4	03.5-11.3	170	36.5	30.6-42.4	175	38.0	31.7-44.3
65+	616	401,312	52	7.7	05.2-10.2	14	2.4	00.6-04.2	327	56.3	51.2-61.4	223	33.6	28.7-38.5
Less Than H.S.	222	363,211	60	34.7	25.7-43.7	16	9.4	03.7-15.1	86	27.2	19.9-34.5	60	28.7	20.5-36.9
H.S. or G.E.D.	624	784,948	145	23.7	19.4-28.0	42	7.8	05.1-10.5	212	25.7	21.6-29.8	225	42.9	37.4-48.4
Some Post-H.S.	504	635,056	81	15.4	11.1-19.7	34	9.0	05.3-12.7	182	31.1	26.0-36.2	207	44.5	38.8-50.2
College Graduate	629	496,398	41	7.9	05.0-10.8	18	2.4	01.0-03.8	195	27.3	23.0-31.6	375	62.4	57.7-67.1
Less than \$15,000	190	214,361	63	43.6	32.4-54.8	16	8.3	03.6-13.0	54	18.9	12.4-25.4	57	29.2	20.2-38.2
\$15,000- 24,999	305	383,238	81	30.0	22.7-37.3	25	13.3	07.0-19.6	118	29.3	22.4-36.2	81	27.4	20.1-34.7
\$25,000- 34,999	195	221,531	31	13.8	08.1-19.5	12	7.3	02.2-12.4	67	25.7	18.1-33.3	85	53.1	43.5-62.7
\$35,000- 49,999	223	275,653	35	16.5	10.0-23.0	9	7.5	02.0-13.0	73	27.8	20.4-35.2	106	48.2	39.0-57.4
\$50,000- 74,999	238	251,728	26	12.0	06.3-17.7	15	5.8	02.5-09.1	85	33.5	25.9-41.1	112	48.7	40.7-56.7
\$75,000+	349	377,855	25	8.6	04.9-12.3	9	3.1	00.9-05.3	111	29.8	23.9-35.7	204	58.5	52.0-65.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3480	2,490,595	540	17.3	15.5-19.1	196	4.8	03.8-05.8	794	20.6	18.8-22.4	1950	57.4	55.0-59.8
White/Non-Hisp	2802	1,902,077	455	18.9	16.7-21.1	145	4.6	03.6-05.6	683	22.4	20.2-24.6	1519	54.1	51.6-56.6
Black or Afr. Am./Non-Hisp	541	389,068	72	11.3	07.6-15.0	40	6.1	03.6-08.6	91	14.2	10.1-18.3	338	68.4	62.9-73.9
Oth. Race/Non-Hisp.	54	88,794	7	15.6	03.3-27.9	6	3.1	00.0-06.2	9	13.5	03.3-23.7	32	67.8	52.1-83.5
18-24	154	286,688	22	15.6	08.3-22.9	5	2.4	00.0-04.8	11	6.1	02.4-09.8	116	75.9	67.9-83.9
25-34	312	401,103	68	23.2	17.3-29.1	22	5.4	02.9-07.9	39	13.4	08.9-17.9	183	58.0	51.3-64.7
35-44	373	407,348	77	19.9	14.8-25.0	13	3.7	01.0-06.4	71	20.4	14.9-25.9	212	56.1	49.6-62.6
45-54	603	446,665	144	22.2	18.1-26.3	48	6.3	04.1-08.5	107	18.8	14.7-22.9	304	52.8	47.5-58.1
55-64	817	419,576	139	17.0	13.5-20.5	55	7.1	04.7-09.5	195	24.3	20.4-28.2	428	51.6	47.1-56.1
65+	1191	511,235	90	8.0	05.8-10.2	52	3.5	02.3-04.7	361	32.5	28.8-36.2	688	56.1	52.2-60.0
Less Than H.S.	414	400,814	106	31.6	25.1-38.1	34	5.7	03.2-08.2	100	22.3	16.8-27.8	174	40.4	33.3-47.5
H.S. or G.E.D.	1176	785,117	217	20.6	17.1-24.1	67	5.3	03.5-07.1	263	18.7	15.8-21.6	629	55.4	51.3-59.5
Some Post-H.S.	988	763,233	153	14.3	11.6-17.0	60	4.7	03.3-06.1	225	21.8	18.1-25.5	550	59.2	55.1-63.3
College Graduate	892	533,957	64	6.0	04.2-07.8	35	3.5	01.9-05.1	202	20.3	17.0-23.6	591	70.3	66.6-74.0
Less than \$15,000	502	309,944	143	33.7	27.4-40.0	49	9.4	05.9-12.9	108	15.9	11.6-20.2	202	41.0	34.5-47.5
\$15,000- 24,999	599	408,260	131	25.6	20.5-30.7	39	5.4	03.2-07.6	115	15.3	11.6-19.0	314	53.6	47.9-59.3
\$25,000- 34,999	326	241,167	54	19.9	13.6-26.2	25	8.5	04.4-12.6	77	19.2	13.5-24.9	170	52.4	45.1-59.7
\$35,000- 49,999	348	266,837	41	13.8	08.1-19.5	17	5.3	01.2-09.4	90	25.3	18.4-32.2	200	55.5	47.7-63.3
\$50,000- 74,999	296	236,496	34	10.6	06.3-14.9	9	1.2	00.2-02.2	73	26.5	19.1-33.9	180	61.8	54.0-69.6
\$75,000+	368	319,284	21	4.7	02.3-07.1	6	1.2	00.0-02.4	91	26.7	20.8-32.6	250	67.5	61.2-73.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5467	4,781,316	4292	75.7	73.9-77.5	1175	24.3	22.5-26.1
Male	1987	2,290,721	1548	73.2	70.5-75.9	439	26.8	24.1-29.5
Female	3480	2,490,595	2744	78.0	76.0-80.0	736	22.0	20.0-24.0
White/Non-Hisp	4490	3,675,110	3528	74.6	72.6-76.6	962	25.4	23.4-27.4
Black or Afr. Am./Non-Hisp	763	732,879	588	77.1	72.6-81.6	175	22.9	18.4-27.4
Oth. Race/Non-Hisp.	82	161,751	65	81.3	70.1-92.5	17	18.7	07.5-29.9
18-24	247	568,096	194	76.6	70.1-83.1	53	23.4	16.9-29.9
25-34	534	810,518	376	67.3	62.2-72.4	158	32.7	27.6-37.8
35-44	629	789,349	475	76.4	72.3-80.5	154	23.6	19.5-27.7
45-54	933	867,409	640	67.8	63.7-71.9	293	32.2	28.1-36.3
55-64	1273	801,502	968	75.3	72.0-78.6	305	24.7	21.4-28.0
65+	1807	912,547	1599	89.2	87.2-91.2	208	10.8	08.8-12.8
Less Than H.S.	636	764,025	420	59.5	53.8-65.2	216	40.5	34.8-46.2
H.S. or G.E.D.	1800	1,570,065	1329	71.3	68.2-74.4	471	28.7	25.6-31.8
Some Post-H.S.	1492	1,398,289	1164	78.5	75.6-81.4	328	21.5	18.6-24.4
College Graduate	1521	1,030,355	1363	90.1	88.1-92.1	158	9.9	07.9-11.9
Less than \$15,000	692	524,305	421	53.3	47.4-59.2	271	46.7	40.8-52.6
\$15,000- 24,999	904	791,498	628	63.0	58.1-67.9	276	37.0	32.1-41.9
\$25,000- 34,999	521	462,698	399	75.1	70.0-80.2	122	24.9	19.8-30.0
\$35,000- 49,999	571	542,490	469	78.4	73.3-83.5	102	21.6	16.5-26.7
\$50,000- 74,999	534	488,224	450	85.2	81.3-89.1	84	14.8	10.9-18.7
\$75,000+	717	697,140	656	91.0	88.5-93.5	61	9.0	06.5-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1987	2,290,721	1548	73.2	70.5-75.9	439	26.8	24.1-29.5
White/Non-Hisp	1688	1,773,033	1326	72.7	69.6-75.8	362	27.3	24.2-30.4
Black or Afr. Am./Non-Hisp	222	343,811	159	70.9	63.1-78.7	63	29.1	21.3-36.9
18-24	93	281,408	67	71.1	60.5-81.7	26	28.9	18.3-39.5
25-34	222	409,415	154	63.3	55.3-71.3	68	36.7	28.7-44.7
35-44	256	382,001	192	76.3	70.0-82.6	64	23.7	17.4-30.0
45-54	330	420,743	229	63.9	57.0-70.8	101	36.1	29.2-43.0
55-64	456	381,926	345	74.6	68.9-80.3	111	25.4	19.7-31.1
65+	616	401,312	550	89.9	86.8-93.0	66	10.1	07.0-13.2
Less Than H.S.	222	363,211	146	55.9	46.7-65.1	76	44.1	34.9-53.3
H.S. or G.E.D.	624	784,948	437	68.6	63.7-73.5	187	31.4	26.5-36.3
Some Post-H.S.	504	635,056	389	75.6	70.3-80.9	115	24.4	19.1-29.7
College Graduate	629	496,398	570	89.7	86.6-92.8	59	10.3	07.2-13.4
Less than \$15,000	190	214,361	111	48.1	37.5-58.7	79	51.9	41.3-62.5
\$15,000- 24,999	305	383,238	199	56.7	48.7-64.7	106	43.3	35.3-51.3
\$25,000- 34,999	195	221,531	152	78.9	71.6-86.2	43	21.1	13.8-28.4
\$35,000- 49,999	223	275,653	179	76.0	68.2-83.8	44	24.0	16.2-31.8
\$50,000- 74,999	238	251,728	197	82.2	75.9-88.5	41	17.8	11.5-24.1
\$75,000+	349	377,855	315	88.3	84.0-92.6	34	11.7	07.4-16.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3480	2,490,595	2744	78.0	76.0-80.0	736	22.0	20.0-24.0
White/Non-Hisp	2802	1,902,077	2202	76.5	74.3-78.7	600	23.5	21.3-25.7
Black or Afr. Am./Non-Hisp	541	389,068	429	82.5	78.2-86.8	112	17.5	13.2-21.8
Oth. Race/Non-Hisp.	54	88,794	41	81.3	68.6-94.0	13	18.7	06.0-31.4
18-24	154	286,688	127	82.1	74.7-89.5	27	17.9	10.5-25.3
25-34	312	401,103	222	71.4	65.3-77.5	90	28.6	22.5-34.7
35-44	373	407,348	283	76.4	70.9-81.9	90	23.6	18.1-29.1
45-54	603	446,665	411	71.5	67.0-76.0	192	28.5	24.0-33.0
55-64	817	419,576	623	75.9	72.0-79.8	194	24.1	20.2-28.0
65+	1191	511,235	1049	88.6	86.1-91.1	142	11.4	08.9-13.9
Less Than H.S.	414	400,814	274	62.7	56.0-69.4	140	37.3	30.6-44.0
H.S. or G.E.D.	1176	785,117	892	74.1	70.2-78.0	284	25.9	22.0-29.8
Some Post-H.S.	988	763,233	775	80.9	77.8-84.0	213	19.1	16.0-22.2
College Graduate	892	533,957	793	90.6	88.2-93.0	99	9.4	07.0-11.8
Less than \$15,000	502	309,944	310	56.9	50.4-63.4	192	43.1	36.6-49.6
\$15,000- 24,999	599	408,260	429	68.9	63.6-74.2	170	31.1	25.8-36.4
\$25,000- 34,999	326	241,167	247	71.6	64.7-78.5	79	28.4	21.5-35.3
\$35,000- 49,999	348	266,837	290	80.9	74.2-87.6	58	19.1	12.4-25.8
\$50,000- 74,999	296	236,496	253	88.3	83.8-92.8	43	11.7	07.2-16.2
\$75,000+	368	319,284	341	94.2	91.7-96.7	27	5.8	03.3-08.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	94
2 MALES ONLY	95
3 FEMALES ONLY	96
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	97
5 MALES ONLY	98
6 FEMALES ONLY	99
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	100
8 MALES ONLY	101
9 FEMALES ONLY	102
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)	
10 MALES AND FEMALES	103
11 MALES ONLY	104
12 FEMALES ONLY	105
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)	
13 MALES AND FEMALES	106
14 MALES ONLY	107
15 FEMALES ONLY	108
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)	
16 MALES AND FEMALES	109
17 MALES ONLY	110
18 FEMALES ONLY	111

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
19	ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4) MALES ONLY	112
20	ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4) FEMALES ONLY	113

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5380	4,708,002	1714	37.5	35.5-39.5	3666	62.5	60.5-64.5
Male	1950	2,249,288	813	45.3	42.2-48.4	1137	54.7	51.6-57.8
Female	3430	2,458,714	901	30.3	28.1-32.5	2529	69.7	67.5-71.9
White/Non-Hisp	4427	3,623,779	1395	36.4	34.4-38.4	3032	63.6	61.6-65.6
Black or Afr. Am./Non-Hisp	743	713,498	242	39.4	34.1-44.7	501	60.6	55.3-65.9
Oth. Race/Non-Hisp.	81	159,649	31	37.2	23.9-50.5	50	62.8	49.5-76.1
18-24	245	565,815	93	40.8	33.5-48.1	152	59.2	51.9-66.5
25-34	525	800,056	270	51.1	45.8-56.4	255	48.9	43.6-54.2
35-44	623	780,378	259	45.4	40.3-50.5	364	54.6	49.5-59.7
45-54	917	853,898	341	37.1	33.0-41.2	576	62.9	58.8-67.0
55-64	1255	785,430	367	31.6	27.9-35.3	888	68.4	64.7-72.1
65+	1774	892,311	372	22.2	19.5-24.9	1402	77.8	75.1-80.5
Less Than H.S.	624	750,460	82	22.0	16.5-27.5	542	78.0	72.5-83.5
H.S. or G.E.D.	1780	1,551,989	417	31.1	27.8-34.4	1363	68.9	65.6-72.2
Some Post-H.S.	1467	1,370,467	505	41.7	38.2-45.2	962	58.3	54.8-61.8
College Graduate	1491	1,016,503	708	53.5	50.2-56.8	783	46.5	43.2-49.8
Less than \$15,000	685	514,982	150	32.0	26.1-37.9	535	68.0	62.1-73.9
\$15,000- 24,999	897	783,414	216	29.0	24.5-33.5	681	71.0	66.5-75.5
\$25,000- 34,999	517	459,317	164	35.3	29.4-41.2	353	64.7	58.8-70.6
\$35,000- 49,999	562	536,410	213	43.4	37.3-49.5	349	56.6	50.5-62.7
\$50,000- 74,999	526	484,282	229	46.8	40.9-52.7	297	53.2	47.3-59.1
\$75,000+	705	686,220	400	57.9	53.2-62.6	305	42.1	37.4-46.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1950	2,249,288	813	45.3	42.2-48.4	1137	54.7	51.6-57.8
White/Non-Hisp	1661	1,744,245	677	43.2	40.1-46.3	984	56.8	53.7-59.9
Black or Afr. Am./Non-Hisp	213	332,236	100	51.3	42.3-60.3	113	48.7	39.7-57.7
18-24	92	280,587	47	54.0	42.6-65.4	45	46.0	34.6-57.4
25-34	218	402,446	133	59.3	51.3-67.3	85	40.7	32.7-48.7
35-44	253	377,662	118	51.7	43.9-59.5	135	48.3	40.5-56.1
45-54	319	407,838	140	40.4	33.7-47.1	179	59.6	52.9-66.3
55-64	447	372,892	174	39.2	32.9-45.5	273	60.8	54.5-67.1
65+	607	393,525	196	30.5	25.8-35.2	411	69.5	64.8-74.2
Less Than H.S.	217	356,444	45	30.3	21.3-39.3	172	69.7	60.7-78.7
H.S. or G.E.D.	615	773,948	225	41.5	36.0-47.0	390	58.5	53.0-64.0
Some Post-H.S.	496	619,306	222	50.5	44.6-56.4	274	49.5	43.6-55.4
College Graduate	614	488,482	320	56.6	51.7-61.5	294	43.4	38.5-48.3
Less than \$15,000	186	209,758	63	43.4	32.4-54.4	123	56.6	45.6-67.6
\$15,000- 24,999	301	377,488	92	34.2	26.4-42.0	209	65.8	58.0-73.6
\$25,000- 34,999	195	221,531	71	39.8	30.2-49.4	124	60.2	50.6-69.8
\$35,000- 49,999	221	273,942	97	50.0	40.8-59.2	124	50.0	40.8-59.2
\$50,000- 74,999	235	252,388	125	58.1	50.3-65.9	110	41.9	34.1-49.7
\$75,000+	339	368,393	210	61.1	54.6-67.6	129	38.9	32.4-45.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3430	2,458,714	901	30.3	28.1-32.5	2529	69.7	67.5-71.9
White/Non-Hisp	2766	1,879,534	718	30.1	27.7-32.5	2048	69.9	67.5-72.3
Black or Afr. Am./Non-Hisp	530	381,262	142	29.1	23.4-34.8	388	70.9	65.2-76.6
Oth. Race/Non-Hisp.	54	88,794	20	34.5	18.2-50.8	34	65.5	49.2-81.8
18-24	153	285,228	46	27.8	19.8-35.8	107	72.2	64.2-80.2
25-34	307	397,610	137	42.9	36.2-49.6	170	57.1	50.4-63.8
35-44	370	402,716	141	39.5	33.0-46.0	229	60.5	54.0-67.0
45-54	598	446,059	201	34.0	28.7-39.3	397	66.0	60.7-71.3
55-64	808	412,539	193	24.7	20.8-28.6	615	75.3	71.4-79.2
65+	1167	498,786	176	15.8	12.9-18.7	991	84.2	81.3-87.1
Less Than H.S.	407	394,017	37	14.5	08.4-20.6	370	85.5	79.4-91.6
H.S. or G.E.D.	1165	778,042	192	20.7	17.2-24.2	973	79.3	75.8-82.8
Some Post-H.S.	971	751,161	283	34.4	30.3-38.5	688	65.6	61.5-69.7
College Graduate	877	528,021	388	50.7	46.4-55.0	489	49.3	45.0-53.6
Less than \$15,000	499	305,224	87	24.1	18.0-30.2	412	75.9	69.8-82.0
\$15,000- 24,999	596	405,926	124	24.1	19.2-29.0	472	75.9	71.0-80.8
\$25,000- 34,999	322	237,786	93	31.1	24.4-37.8	229	68.9	62.2-75.6
\$35,000- 49,999	341	262,468	116	36.4	28.6-44.2	225	63.6	55.8-71.4
\$50,000- 74,999	291	231,894	104	34.6	27.2-42.0	187	65.4	58.0-72.8
\$75,000+	366	317,827	190	54.2	47.3-61.1	176	45.8	38.9-52.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5380	4,708,002	1093	24.4	22.6-26.2	313	6.8	05.8-07.8	113	2.4	01.8-03.0	195	3.9	03.1-04.7	3666	62.5	60.5-64.5
Male	1950	2,249,288	454	27.2	24.3-30.1	171	8.9	07.3-10.5	63	3.2	02.2-04.2	125	6.0	04.6-07.4	1137	54.7	51.6-57.8
Female	3430	2,458,714	639	21.9	19.9-23.9	142	5.0	04.0-06.0	50	1.6	01.0-02.2	70	1.9	01.3-02.5	2529	69.7	67.5-71.9
White/Non-Hisp	4427	3,623,779	876	23.3	21.5-25.1	253	6.5	05.5-07.5	98	2.6	02.0-03.2	168	3.9	03.1-04.7	3032	63.6	61.6-65.6
Black or Afr. Am./Non-Hisp	743	713,498	162	25.5	20.6-30.4	51	9.1	06.0-12.2	10	1.5	00.5-02.5	19	3.4	01.6-05.2	501	60.6	55.3-65.9
Oth. Race/Non-Hisp.	81	159,649	23	26.1	14.5-37.7	4	6.3	00.0-12.8	2	2.9	00.0-07.2	2	1.9	00.0-05.2	50	62.8	49.5-76.1
18-24	245	565,815	63	29.4	22.5-36.3	22	7.9	04.4-11.4	4	1.7	00.0-03.7	4	1.8	00.0-03.8	152	59.2	51.9-66.5
25-34	525	800,056	168	31.8	26.9-36.7	65	11.5	08.6-14.4	14	2.7	01.1-04.3	23	5.2	02.7-07.7	255	48.9	43.6-54.2
35-44	623	780,378	177	31.5	26.4-36.6	45	7.3	04.9-09.7	20	3.6	01.8-05.4	17	3.1	01.3-04.9	364	54.6	49.5-59.7
45-54	917	853,898	231	24.2	20.5-27.9	57	5.9	03.9-07.9	24	2.4	01.2-03.6	29	4.6	02.6-06.6	576	62.9	58.8-67.0
55-64	1255	785,430	223	19.7	16.4-23.0	73	5.7	04.1-07.3	26	2.5	01.1-03.9	45	3.7	02.3-05.1	888	68.4	64.7-72.1
65+	1774	892,311	223	13.3	11.1-15.5	48	3.4	02.0-04.8	24	1.4	00.8-02.0	77	4.2	03.0-05.4	1402	77.8	75.1-80.5
Less Than H.S.	624	750,460	57	15.7	10.6-20.8	12	3.0	00.8-05.2	3	1.2	00.0-02.8	10	2.1	00.5-03.7	542	78.0	72.5-83.5
H.S. or G.E.D.	1780	1,551,989	279	21.3	18.2-24.4	77	5.2	03.8-06.6	19	1.3	00.5-02.1	42	3.3	01.9-04.7	1363	68.9	65.6-72.2
Some Post-H.S.	1467	1,370,467	341	27.9	24.6-31.2	76	6.8	04.8-08.8	31	2.7	01.5-03.9	57	4.3	02.7-05.9	962	58.3	54.8-61.8
College Graduate	1491	1,016,503	415	31.2	28.1-34.3	148	12.4	10.2-14.6	60	4.4	03.0-05.8	85	5.5	04.1-06.9	783	46.5	43.2-49.8
Less than \$15,000	685	514,982	106	23.5	17.8-29.2	20	3.0	01.4-04.6	9	2.5	00.5-04.5	15	3.0	00.8-05.2	535	68.0	62.1-73.9
\$15,000- 24,999	897	783,414	154	20.0	16.1-23.9	36	5.7	03.2-08.2	7	0.8	00.0-01.6	19	2.4	00.8-04.0	681	71.0	66.5-75.5
\$25,000- 34,999	517	459,317	110	23.5	18.2-28.8	27	6.3	03.2-09.4	9	1.4	00.4-02.4	18	4.1	01.7-06.5	353	64.7	58.8-70.6
\$35,000- 49,999	562	536,410	139	28.6	22.5-34.7	45	9.9	06.4-13.4	14	2.4	01.0-03.8	15	2.5	00.3-04.7	349	56.6	50.5-62.7
\$50,000- 74,999	526	484,282	143	30.2	24.7-35.7	46	9.0	05.9-12.1	15	2.3	00.9-03.7	25	5.3	02.4-08.2	297	53.2	47.3-59.1
\$75,000+	705	686,220	236	35.5	30.8-40.2	78	10.0	07.6-12.4	32	4.6	02.6-06.6	54	7.9	05.4-10.4	305	42.1	37.4-46.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1950	2,249,288	454	27.2	24.3-30.1	171	8.9	07.3-10.5	63	3.2	02.2-04.2	125	6.0	04.6-07.4	1137	54.7	51.6-57.8
White/Non-Hisp	1661	1,744,245	377	25.8	22.9-28.7	139	7.9	06.3-09.5	54	3.5	02.3-04.7	107	5.9	04.5-07.3	984	56.8	53.7-59.9
Black or Afr. Am./Non-Hisp	213	332,236	56	29.8	21.4-38.2	27	14.3	08.2-20.4	6	2.0	00.0-04.0	11	5.1	01.8-08.4	113	48.7	39.7-57.7
18-24	92	280,587	31	37.8	26.4-49.2	9	9.5	03.2-15.8	3	3.0	00.0-06.7	4	3.7	00.0-07.6	45	46.0	34.6-57.4
25-34	218	402,446	72	33.5	26.1-40.9	35	13.1	08.4-17.8	9	4.0	01.3-06.7	17	8.6	04.1-13.1	85	40.7	32.7-48.7
35-44	253	377,662	73	33.7	25.7-41.7	26	10.1	05.8-14.4	10	3.7	01.0-06.4	9	4.2	00.9-07.5	135	48.3	40.5-56.1
45-54	319	407,838	76	22.3	16.8-27.8	30	7.8	04.3-11.3	13	2.9	01.1-04.7	21	7.4	04.1-10.7	179	59.6	52.9-66.3
55-64	447	372,892	95	23.2	17.7-28.7	37	7.0	04.5-09.5	11	3.2	00.7-05.7	31	5.8	03.3-08.3	273	60.8	54.5-67.1
65+	607	393,525	105	16.6	12.9-20.3	32	5.6	02.7-08.5	16	2.3	00.9-03.7	43	5.9	03.9-07.9	411	69.5	64.8-74.2
Less Than H.S.	217	356,444	30	20.4	12.2-28.6	6	4.1	00.4-07.8	2	2.3	00.0-05.4	7	3.5	00.4-06.6	172	69.7	60.7-78.7
H.S. or G.E.D.	615	773,948	134	26.6	21.5-31.7	42	6.9	04.4-09.4	17	2.4	01.0-03.8	32	5.6	03.2-08.0	390	58.5	53.0-64.0
Some Post-H.S.	496	619,306	132	30.6	25.1-36.1	40	9.3	05.8-12.8	12	3.3	01.1-05.5	38	7.2	04.1-10.3	274	49.5	43.6-55.4
College Graduate	614	488,482	158	29.3	24.4-34.2	83	15.2	11.7-18.7	32	5.1	03.1-07.1	47	7.1	04.7-09.5	294	43.4	38.5-48.3
Less than \$15,000	186	209,758	36	27.7	16.7-38.7	9	4.5	01.0-08.0	7	5.6	00.9-10.3	11	5.6	00.9-10.3	123	56.6	45.6-67.6
\$15,000- 24,999	301	377,488	59	20.3	13.8-26.8	17	8.6	03.7-13.5	3	1.1	00.0-02.9	13	4.2	01.1-07.3	209	65.8	58.0-73.6
\$25,000- 34,999	195	221,531	39	23.3	14.7-31.9	14	7.1	02.0-12.2	5	1.9	00.0-03.9	13	7.5	03.0-12.0	124	60.2	50.6-69.8
\$35,000- 49,999	221	273,942	57	30.1	20.9-39.3	26	14.3	08.0-20.6	4	1.4	00.0-02.8	10	4.2	00.3-08.1	124	50.0	40.8-59.2
\$50,000- 74,999	235	252,388	74	38.0	29.8-46.2	27	10.1	05.8-14.4	10	3.2	00.8-05.6	14	6.7	01.8-11.6	110	41.9	34.1-49.7
\$75,000+	339	368,393	110	35.8	29.1-42.5	47	11.1	07.6-14.6	16	4.0	01.6-06.4	37	10.2	06.5-13.9	129	38.9	32.4-45.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3430	2,458,714	639	21.9	19.9-23.9	142	5.0	04.0-06.0	50	1.6	01.0-02.2	70	1.9	01.3-02.5	2529	69.7	67.5-71.9
White/Non-Hisp	2766	1,879,534	499	21.0	18.8-23.2	114	5.2	04.0-06.4	44	1.8	01.2-02.4	61	2.1	01.3-02.9	2048	69.9	67.5-72.3
Black or Afr. Am./Non-Hisp	530	381,262	106	21.8	16.5-27.1	24	4.5	02.1-06.9	4	1.0	00.0-02.0	8	1.9	00.3-03.5	388	70.9	65.2-76.6
Oth. Race/Non-Hisp.	54	88,794	16	28.2	13.1-43.3	2	4.3	00.0-10.6	1	1.7	00.0-05.0	1	0.3	00.0-01.1	34	65.5	49.2-81.8
18-24	153	285,228	32	21.1	13.7-28.5	13	6.4	02.7-10.1	1	0.3	00.0-00.9				107	72.2	64.2-80.2
25-34	307	397,610	96	30.0	23.9-36.1	30	9.8	06.1-13.5	5	1.3	00.1-02.5	6	1.8	00.2-03.4	170	57.1	50.4-63.8
35-44	370	402,716	104	29.4	23.1-35.7	19	4.7	02.3-07.1	10	3.4	01.0-05.8	8	2.0	00.4-03.6	229	60.5	54.0-67.0
45-54	598	446,059	155	25.8	20.9-30.7	27	4.2	02.4-06.0	11	1.9	00.5-03.3	8	2.1	00.3-03.9	397	66.0	60.7-71.3
55-64	808	412,539	128	16.6	13.1-20.1	36	4.5	02.7-06.3	15	1.9	00.9-02.9	14	1.8	00.8-02.8	615	75.3	71.4-79.2
65+	1167	498,786	118	10.7	08.3-13.1	16	1.6	00.6-02.6	8	0.6	00.2-01.0	34	2.9	01.5-04.3	991	84.2	81.3-87.1
Less Than H.S.	407	394,017	27	11.5	05.8-17.2	6	1.9	00.0-03.9	1	0.2	00.0-00.6	3	0.9	00.0-02.1	370	85.5	79.4-91.6
H.S. or G.E.D.	1165	778,042	145	16.0	12.7-19.3	35	3.5	02.1-04.9	2	0.1	00.0-00.3	10	1.0	00.0-02.0	973	79.3	75.8-82.8
Some Post-H.S.	971	751,161	209	25.7	21.8-29.6	36	4.6	02.8-06.4	19	2.2	01.0-03.4	19	1.8	00.6-03.0	688	65.6	61.5-69.7
College Graduate	877	528,021	257	33.0	28.7-37.3	65	9.9	07.2-12.6	28	3.8	02.0-05.6	38	4.0	02.4-05.6	489	49.3	45.0-53.6
Less than \$15,000	499	305,224	70	20.6	14.7-26.5	11	1.9	00.3-03.5	2	0.4	00.0-01.0	4	1.3	00.0-02.9	412	75.9	69.8-82.0
\$15,000- 24,999	596	405,926	95	19.7	15.0-24.4	19	3.1	01.3-04.9	4	0.6	00.0-01.2	6	0.7	00.0-01.5	472	75.9	71.0-80.8
\$25,000- 34,999	322	237,786	71	23.6	17.5-29.7	13	5.7	02.2-09.2	4	0.9	00.0-01.9	5	0.9	00.0-01.9	229	68.9	62.2-75.6
\$35,000- 49,999	341	262,468	82	27.0	19.2-34.8	19	5.3	02.6-08.0	10	3.5	01.3-05.7	5	0.8	00.0-01.6	225	63.6	55.8-71.4
\$50,000- 74,999	291	231,894	69	21.6	15.5-27.7	19	7.9	03.4-12.4	5	1.4	00.0-03.0	11	3.7	01.0-06.4	187	65.4	58.0-72.8
\$75,000+	366	317,827	126	35.1	28.6-41.6	31	8.6	05.3-11.9	16	5.3	02.2-08.4	17	5.2	02.1-08.3	176	45.8	38.9-52.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5334	4,641,596	4982	90.4	89.2-91.6	352	9.6	08.4-10.8
Male	1921	2,197,334	1721	86.9	84.7-89.1	200	13.1	10.9-15.3
Female	3413	2,444,262	3261	93.5	92.3-94.7	152	6.5	05.3-07.7
White/Non-Hisp	4400	3,589,378	4111	90.6	89.2-92.0	289	9.4	08.0-10.8
Black or Afr. Am./Non-Hisp	729	698,093	680	90.1	86.8-93.4	49	9.9	06.6-13.2
Oth. Race/Non-Hisp.	80	159,279	72	87.3	78.1-96.5	8	12.7	03.5-21.9
18-24	242	556,214	200	82.9	77.6-88.2	42	17.1	11.8-22.4
25-34	522	795,872	428	80.8	76.7-84.9	94	19.2	15.1-23.3
35-44	613	754,071	548	88.0	84.5-91.5	65	12.0	08.5-15.5
45-54	904	840,661	843	93.6	91.6-95.6	61	6.4	04.4-08.4
55-64	1246	775,720	1193	95.9	94.5-97.3	53	4.1	02.7-05.5
65+	1766	888,944	1732	98.0	97.2-98.8	34	2.0	01.2-02.8
Less Than H.S.	615	732,259	597	94.7	91.8-97.6	18	5.3	02.4-08.2
H.S. or G.E.D.	1762	1,518,013	1660	91.5	89.5-93.5	102	8.5	06.5-10.5
Some Post-H.S.	1455	1,361,643	1346	88.0	85.5-90.5	109	12.0	09.5-14.5
College Graduate	1485	1,011,163	1362	88.8	86.6-91.0	123	11.2	09.0-13.4
Less than \$15,000	675	499,119	633	89.8	85.7-93.9	42	10.2	06.1-14.3
\$15,000- 24,999	890	778,185	843	90.5	87.2-93.8	47	9.5	06.2-12.8
\$25,000- 34,999	513	454,730	478	90.0	86.3-93.7	35	10.0	06.3-13.7
\$35,000- 49,999	557	520,126	512	88.1	83.8-92.4	45	11.9	07.6-16.2
\$50,000- 74,999	526	484,282	482	89.7	86.2-93.2	44	10.3	06.8-13.8
\$75,000+	696	678,339	618	87.0	83.7-90.3	78	13.0	09.7-16.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1921	2,197,334	1721	86.9	84.7-89.1	200	13.1	10.9-15.3
White/Non-Hisp	1644	1,719,635	1475	87.1	84.7-89.5	169	12.9	10.5-15.3
Black or Afr. Am./Non-Hisp	205	321,121	180	85.5	79.4-91.6	25	14.5	08.4-20.6
18-24	89	270,986	68	77.3	67.9-86.7	21	22.7	13.3-32.1
25-34	216	399,452	163	75.9	69.2-82.6	53	24.1	17.4-30.8
35-44	245	354,459	207	83.6	77.7-89.5	38	16.4	10.5-22.3
45-54	312	397,810	278	91.2	87.9-94.5	34	8.8	05.5-12.1
55-64	443	368,486	411	94.3	91.9-96.7	32	5.7	03.3-08.1
65+	602	391,802	582	96.7	94.9-98.5	20	3.3	01.5-05.1
Less Than H.S.	210	340,518	204	96.1	92.8-99.4	6	3.9	00.6-07.2
H.S. or G.E.D.	603	745,698	539	87.3	83.6-91.0	64	12.7	09.0-16.4
Some Post-H.S.	492	616,885	425	80.8	75.9-85.7	67	19.2	14.3-24.1
College Graduate	609	483,188	546	87.4	84.1-90.7	63	12.6	09.3-15.9
Less than \$15,000	176	193,895	160	87.7	80.8-94.6	16	12.3	05.4-19.2
\$15,000- 24,999	296	373,302	268	86.1	79.8-92.4	28	13.9	07.6-20.2
\$25,000- 34,999	194	219,260	173	86.5	80.0-93.0	21	13.5	07.0-20.0
\$35,000- 49,999	218	259,852	192	81.2	73.4-89.0	26	18.8	11.0-26.6
\$50,000- 74,999	235	252,388	206	87.3	82.0-92.6	29	12.7	07.4-18.0
\$75,000+	334	363,453	285	84.9	80.2-89.6	49	15.1	10.4-19.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3413	2,444,262	3261	93.5	92.3-94.7	152	6.5	05.3-07.7
White/Non-Hisp	2756	1,869,742	2636	93.8	92.4-95.2	120	6.2	04.8-07.6
Black or Afr. Am./Non-Hisp	524	376,971	500	94.0	90.7-97.3	24	6.0	02.7-09.3
Oth. Race/Non-Hisp.	53	88,425	48	88.1	76.7-99.5	5	11.9	00.5-23.3
18-24	153	285,228	132	88.3	83.2-93.4	21	11.7	06.6-16.8
25-34	306	396,420	265	85.8	81.1-90.5	41	14.2	09.5-18.9
35-44	368	399,613	341	91.8	87.9-95.7	27	8.2	04.3-12.1
45-54	592	442,851	565	95.7	93.3-98.1	27	4.3	01.9-06.7
55-64	803	407,234	782	97.3	95.9-98.7	21	2.7	01.3-04.1
65+	1164	497,142	1150	99.0	98.4-99.6	14	1.0	00.4-01.6
Less Than H.S.	405	391,741	393	93.5	89.0-98.0	12	6.5	02.0-11.0
H.S. or G.E.D.	1159	772,315	1121	95.5	93.7-97.3	38	4.5	02.7-06.3
Some Post-H.S.	963	744,757	921	93.9	91.9-95.9	42	6.1	04.1-08.1
College Graduate	876	527,975	816	90.1	87.2-93.0	60	9.9	07.0-12.8
Less than \$15,000	499	305,224	473	91.0	86.1-95.9	26	9.0	04.1-13.9
\$15,000- 24,999	594	404,884	575	94.7	91.8-97.6	19	5.3	02.4-08.2
\$25,000- 34,999	319	235,470	305	93.1	89.0-97.2	14	6.9	02.8-11.0
\$35,000- 49,999	339	260,274	320	95.0	92.5-97.5	19	5.0	02.5-07.5
\$50,000- 74,999	291	231,894	276	92.2	87.5-96.9	15	7.8	03.1-12.5
\$75,000+	362	314,886	333	89.5	85.2-93.8	29	10.5	06.2-14.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5346	4,663,233	1318	28.7	26.9-30.5	280	6.1	05.1-07.1	69	1.6	01.2-02.0	11	0.3	00.1-00.5	2	0.2	00.0-00.4	3666	63.1	61.1-65.1
Male	1924	2,211,864	554	31.7	28.8-34.6	163	8.9	07.1-10.7	58	2.8	01.8-03.8	10	0.6	00.0-01.2	2	0.4	00.0-01.0	1137	55.6	52.5-58.7
Female	3422	2,451,369	764	25.9	23.7-28.1	117	3.6	02.8-04.4	11	0.5	00.1-00.9	1	0.0	00.0-00.0				2529	69.9	67.7-72.1
White/Non-Hisp	4406	3,599,761	1059	27.1	25.1-29.1	245	6.6	05.6-07.6	57	1.6	01.0-02.2	11	0.4	00.0-00.8	2	0.2	00.0-00.6	3032	64.0	62.0-66.0
Black or Afr. Am./Non-Hisp	734	698,354	198	32.2	26.9-37.5	28	4.8	02.6-07.0	7	1.1	00.1-02.1							501	61.9	56.6-67.2
Oth. Race/Non-Hisp.	80	159,279	25	30.7	18.2-43.2	2	2.9	00.0-07.2	3	3.5	00.0-08.0							50	63.0	49.7-76.3
18-24	242	556,437	66	30.3	23.2-37.4	16	6.1	02.8-09.4	5	2.1	00.3-03.9	2	0.5	00.0-01.1	1	0.8	00.0-02.4	152	60.2	52.9-67.5
25-34	522	795,315	202	37.7	32.6-42.8	51	9.9	07.0-12.8	13	2.6	01.2-04.0	1	0.7	00.0-01.9				255	49.2	43.9-54.5
35-44	615	766,701	205	36.3	31.2-41.4	31	5.2	03.0-07.4	13	2.3	00.7-03.9	1	0.1	00.0-00.3	1	0.5	00.0-01.5	364	55.6	50.5-60.7
45-54	913	849,767	279	29.4	25.5-33.3	50	6.3	04.3-08.3	6	0.7	00.0-01.5	2	0.3	00.0-00.7				576	63.3	59.2-67.4
55-64	1251	780,071	288	24.4	21.1-27.7	57	5.3	03.5-07.1	15	1.2	00.4-02.0	3	0.3	00.0-00.7				888	68.9	65.4-72.4
65+	1762	884,830	269	16.4	14.0-18.8	74	4.4	03.2-05.6	15	0.8	00.4-01.2	2	0.1	00.1-00.1				1402	78.4	75.9-80.9
Less Than H.S.	618	733,796	59	17.0	11.7-22.3	10	1.4	00.4-02.4	5	1.1	00.0-02.3	1	0.2	00.0-00.6	1	0.5	00.0-01.5	542	79.8	74.5-85.1
H.S. or G.E.D.	1772	1,544,907	323	23.4	20.3-26.5	63	5.5	03.7-07.3	19	1.6	00.8-02.4	4	0.2	00.0-00.4				1363	69.2	65.9-72.5
Some Post-H.S.	1454	1,357,306	383	31.1	27.8-34.4	85	7.6	05.6-09.6	22	1.6	00.8-02.4	1	0.4	00.0-01.2	1	0.3	00.0-00.9	962	58.9	55.4-62.4
College Graduate	1484	1,008,643	552	42.3	39.0-45.6	122	8.6	06.8-10.4	22	1.8	00.8-02.8	5	0.4	00.0-00.8				783	46.8	43.5-50.1
Less than \$15,000	679	504,324	115	25.6	19.7-31.5	19	2.6	01.2-04.0	8	1.5	00.1-02.9	1	0.2	00.0-00.6	1	0.7	00.0-02.1	535	69.5	63.6-75.4
\$15,000- 24,999	890	779,150	170	21.9	17.8-26.0	30	4.4	02.2-06.6	6	1.4	00.0-02.8	2	0.2	00.0-00.6	1	0.6	00.0-01.8	681	71.4	66.9-75.9
\$25,000- 34,999	514	455,319	127	26.6	21.1-32.1	23	5.7	02.8-08.6	10	2.2	00.4-04.0	1	0.2	00.0-00.6				353	65.3	59.4-71.2
\$35,000- 49,999	559	532,458	169	33.1	27.0-39.2	29	7.3	03.8-10.8	9	1.4	00.4-02.4	3	1.2	00.0-03.2				349	57.0	50.9-63.1
\$50,000- 74,999	524	482,366	180	36.6	30.9-42.3	38	8.7	05.2-12.2	8	1.1	00.1-02.1	1	0.2	00.0-00.6				297	53.4	47.5-59.3
\$75,000+	700	680,322	304	43.6	38.7-48.5	75	10.9	08.2-13.6	15	2.8	01.2-04.4	1	0.2	00.0-00.6				305	42.5	37.8-47.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1924	2,211,864	554	31.7	28.8-34.6	163	8.9	07.1-10.7	58	2.8	01.8-03.8	10	0.6	00.0-01.2	2	0.4	00.0-01.0	1137	55.6	52.5-58.7
White/Non-Hisp	1645	1,724,901	458	29.2	26.3-32.1	142	9.2	07.4-11.0	49	2.9	01.9-03.9	10	0.8	00.2-01.4	2	0.5	00.0-01.1	984	57.4	54.1-60.7
Black or Afr. Am./Non-Hisp	206	319,393	72	40.0	30.8-49.2	15	7.3	03.0-11.6	6	2.1	00.0-04.3							113	50.7	41.5-59.9
18-24	89	271,209	32	39.0	27.4-50.6	7	8.6	02.1-15.1	3	2.4	00.0-05.1	1	0.6	00.0-01.8	1	1.7	00.0-05.0	45	47.6	36.0-59.2
25-34	216	398,895	86	38.4	30.8-46.0	33	14.8	09.3-20.3	11	4.4	01.7-07.1	1	1.3	00.0-03.8				85	41.1	33.1-49.1
35-44	247	366,489	86	39.2	31.0-47.4	13	5.4	01.9-08.9	11	4.4	01.3-07.5	1	0.3	00.0-00.9	1	1.0	00.0-03.0	135	49.7	41.7-57.7
45-54	316	404,333	93	27.7	21.6-33.8	36	10.1	06.4-13.8	6	1.5	00.0-03.1	2	0.6	00.0-01.4				179	60.1	53.4-66.8
55-64	445	369,769	122	28.1	22.2-34.0	35	7.9	04.6-11.2	12	2.0	00.4-03.6	3	0.6	00.0-01.2				273	61.3	55.0-67.6
65+	597	386,830	132	21.2	16.9-25.5	39	6.3	03.9-08.7	13	1.6	00.6-02.6	2	0.2	00.0-00.4				411	70.7	66.0-75.4
Less Than H.S.	211	339,779	29	22.2	13.4-31.0	5	1.7	00.1-03.3	3	1.4	00.0-03.6	1	0.5	00.0-01.5	1	1.0	00.0-03.0	172	73.1	64.1-82.1
H.S. or G.E.D.	608	767,492	156	28.7	23.6-33.8	41	9.0	05.7-12.3	17	2.9	01.3-04.5	4	0.4	00.0-00.8				390	58.9	53.4-64.4
Some Post-H.S.	488	610,359	147	34.2	28.5-39.9	46	11.0	07.3-14.7	19	3.0	01.2-04.8	1	0.9	00.0-02.5	1	0.8	00.0-02.4	274	50.2	44.3-56.1
College Graduate	609	483,126	222	40.9	35.8-46.0	71	11.3	08.4-14.2	18	3.3	01.5-05.1	4	0.6	00.0-01.4				294	43.9	39.0-48.8
Less than \$15,000	180	199,100	38	30.5	19.3-41.7	11	4.7	01.6-07.8	7	3.5	00.2-06.8				1	1.8	00.0-05.1	123	59.6	48.4-70.8
\$15,000- 24,999	294	373,224	60	21.9	15.0-28.8	16	6.8	02.7-10.9	6	3.0	00.3-05.7	2	0.5	00.0-01.3	1	1.2	00.0-03.6	209	66.5	58.7-74.3
\$25,000- 34,999	194	219,260	48	26.5	17.5-35.5	15	10.1	04.4-15.8	6	2.3	00.0-04.7	1	0.3	00.0-00.9				124	60.8	51.2-70.4
\$35,000- 49,999	219	270,616	68	33.9	24.7-43.1	17	11.0	04.7-17.3	7	2.2	00.4-04.0	3	2.4	00.0-06.1				124	50.6	41.4-59.8
\$50,000- 74,999	233	250,472	93	44.2	36.0-52.4	23	11.5	05.8-17.2	6	1.7	00.0-03.5	1	0.3	00.0-00.9				110	42.2	34.2-50.2
\$75,000+	336	365,306	144	43.2	36.5-49.9	48	12.2	08.3-16.1	14	4.9	02.0-07.8	1	0.4	00.0-01.2				129	39.2	32.7-45.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3422	2,451,369	764	25.9	23.7-28.1	117	3.6	02.8-04.4	11	0.5	00.1-00.9	1	0.0	00.0-00.0	2529	69.9	67.7-72.1
White/Non-Hisp	2761	1,874,860	601	25.3	22.9-27.7	103	4.1	03.1-05.1	8	0.4	00.0-00.8	1	0.1	00.0-00.3	2048	70.1	67.7-72.5
Black or Afr. Am./Non-Hisp	528	378,961	126	25.7	20.2-31.2	13	2.7	00.9-04.5	1	0.3	00.0-00.9				388	71.3	65.6-77.0
Oth. Race/Non-Hisp.	53	88,425	16	29.3	14.0-44.6	1	1.7	00.0-05.0	2	3.2	00.0-08.7				34	65.8	49.5-82.1
18-24	153	285,228	34	22.0	14.6-29.4	9	3.6	01.1-06.1	2	1.8	00.0-04.3	1	0.3	00.0-00.9	107	72.2	64.2-80.2
25-34	306	396,420	116	37.1	30.6-43.6	18	5.0	02.5-07.5	2	0.7	00.0-01.7				170	57.3	50.6-64.0
35-44	368	400,212	119	33.7	27.4-40.0	18	5.0	02.3-07.7	2	0.4	00.0-01.0				229	60.9	54.4-67.4
45-54	597	445,433	186	31.0	25.9-36.1	14	2.9	00.9-04.9							397	66.1	60.8-71.4
55-64	806	410,301	166	21.1	17.4-24.8	22	2.9	01.5-04.3	3	0.4	00.0-00.8				615	75.7	71.8-79.6
65+	1165	498,000	137	12.6	10.1-15.1	35	2.8	01.4-04.2	2	0.2	00.0-00.4				991	84.4	81.5-87.3
Less Than H.S.	407	394,017	30	12.5	06.6-18.4	5	1.2	00.0-02.6	2	0.9	00.0-02.3				370	85.5	79.4-91.6
H.S. or G.E.D.	1164	777,415	167	18.2	14.9-21.5	22	2.1	00.9-03.3	2	0.3	00.0-00.9				973	79.4	75.9-82.9
Some Post-H.S.	966	746,947	236	28.7	24.8-32.6	39	4.8	03.0-06.6	3	0.5	00.0-01.3				688	66.0	61.9-70.1
College Graduate	875	525,516	330	43.6	39.3-47.9	51	6.1	03.9-08.3	4	0.5	00.0-01.1	1	0.2	00.0-00.6	489	49.6	45.3-53.9
Less than \$15,000	499	305,224	77	22.4	16.3-28.5	8	1.2	00.0-02.6	1	0.2	00.0-00.6	1	0.3	00.0-00.9	412	75.9	69.8-82.0
\$15,000- 24,999	596	405,926	110	21.9	17.0-26.8	14	2.2	00.8-03.6							472	75.9	71.0-80.8
\$25,000- 34,999	320	236,059	79	26.7	20.4-33.0	8	1.7	00.3-03.1	4	2.1	00.0-04.8				229	69.4	62.7-76.1
\$35,000- 49,999	340	261,842	101	32.4	24.6-40.2	12	3.4	01.2-05.6	2	0.5	00.0-01.3				225	63.7	55.9-71.5
\$50,000- 74,999	291	231,894	87	28.3	21.2-35.4	15	5.7	02.2-09.2	2	0.5	00.0-01.3				187	65.4	58.0-72.8
\$75,000+	364	315,015	160	43.9	37.0-50.8	27	9.5	05.4-13.6	1	0.4	00.0-01.2				176	46.2	39.3-53.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5345	4,661,785	719	15.0	13.6-16.4	387	9.5	08.3-10.7	311	6.2	05.4-07.0	181	4.2	03.4-05.0	81	2.0	01.4-02.6	3666	63.2	61.2-65.2
Male	1923	2,210,416	265	15.2	12.8-17.6	181	11.5	09.3-13.7	163	7.7	06.1-09.3	108	6.3	04.9-07.7	69	3.7	02.5-04.9	1137	55.7	52.6-58.8
Female	3422	2,451,369	454	14.8	13.0-16.6	206	7.6	06.2-09.0	148	4.9	03.9-05.9	73	2.3	01.7-02.9	12	0.5	00.1-00.9	2529	69.9	67.7-72.1
White/Non-Hisp	4405	3,598,312	582	14.4	12.8-16.0	311	9.0	07.8-10.2	254	5.8	05.0-06.6	157	4.6	03.6-05.6	69	2.2	01.4-03.0	3032	64.1	62.1-66.1
Black or Afr. Am./Non-Hisp	734	698,354	105	15.9	11.6-20.2	55	9.6	06.3-12.9	46	8.7	05.6-11.8	20	2.8	01.2-04.4	7	1.1	00.1-02.1	501	61.9	56.6-67.2
Oth. Race/Non-Hisp.	80	159,279	14	19.2	08.4-30.0	9	9.4	02.3-16.5	2	2.0	00.0-04.9	2	2.9	00.0-07.2	3	3.5	00.0-08.0	50	63.0	49.7-76.3
18-24	242	556,437	31	15.0	09.3-20.7	27	12.6	07.5-17.7	10	3.6	01.2-06.0	14	5.2	02.1-08.3	8	3.4	00.9-05.9	152	60.2	52.9-67.5
25-34	521	793,866	97	17.8	13.9-21.7	70	14.0	10.5-17.5	52	9.7	06.8-12.6	34	6.2	03.8-08.6	13	3.1	01.1-05.1	255	49.2	43.9-54.5
35-44	615	766,701	109	19.1	15.0-23.2	62	12.1	08.0-16.2	41	6.1	03.9-08.3	24	4.3	02.1-06.5	15	2.9	01.1-04.7	364	55.6	50.5-60.7
45-54	913	849,767	149	15.7	12.4-19.0	82	8.6	06.4-10.8	63	7.1	04.7-09.5	35	4.3	02.7-05.9	8	1.0	00.2-01.8	576	63.3	59.2-67.4
55-64	1251	780,071	157	13.6	10.7-16.5	83	7.3	05.3-09.3	70	5.3	03.9-06.7	35	3.5	01.9-05.1	18	1.4	00.6-02.2	888	68.9	65.4-72.4
65+	1762	884,830	170	9.7	07.9-11.5	61	4.2	02.8-05.6	74	4.8	03.2-06.4	38	2.1	01.3-02.9	17	0.9	00.5-01.3	1402	78.4	75.9-80.9
Less Than H.S.	618	733,796	32	9.6	05.1-14.1	19	5.4	02.5-08.3	12	2.7	00.7-04.7	6	0.7	00.1-01.3	7	1.8	00.2-03.4	542	79.8	74.5-85.1
H.S. or G.E.D.	1771	1,543,458	182	12.5	10.1-14.9	91	8.0	05.6-10.4	67	4.5	03.1-05.9	46	3.9	02.5-05.3	22	1.7	00.9-02.5	1363	69.3	66.0-72.6
Some Post-H.S.	1454	1,357,306	208	15.6	13.1-18.1	122	11.2	08.8-13.6	77	6.2	04.4-08.0	61	5.7	03.9-07.5	24	2.3	00.9-03.7	962	58.9	55.4-62.4
College Graduate	1484	1,008,643	297	22.0	19.1-24.9	154	12.3	09.9-14.7	155	11.5	09.3-13.7	68	5.1	03.7-06.5	27	2.3	01.3-03.3	783	46.8	43.5-50.1
Less than \$15,000	679	504,324	62	13.8	08.5-19.1	36	9.2	05.5-12.9	21	3.3	01.5-05.1	15	1.8	00.6-03.0	10	2.4	00.4-04.4	535	69.5	63.6-75.4
\$15,000- 24,999	890	779,150	99	12.6	09.3-15.9	48	6.6	03.9-09.3	31	3.7	01.9-05.5	22	3.4	01.4-05.4	9	2.3	00.5-04.1	681	71.4	66.9-75.9
\$25,000- 34,999	514	455,319	72	15.0	10.5-19.5	40	8.8	05.5-12.1	19	3.3	01.3-05.3	19	5.2	02.5-07.9	11	2.4	00.6-04.2	353	65.3	59.4-71.2
\$35,000- 49,999	559	532,458	94	16.1	11.4-20.8	47	10.7	06.0-15.4	39	9.0	05.5-12.5	18	4.6	01.7-07.5	12	2.6	00.4-04.8	349	57.0	50.9-63.1
\$50,000- 74,999	524	482,366	91	18.2	13.7-22.7	58	12.5	08.6-16.4	46	9.6	06.1-13.1	23	5.0	02.6-07.4	9	1.3	00.3-02.3	297	53.4	47.5-59.3
\$75,000+	699	678,873	159	22.5	18.4-26.6	88	13.5	10.2-16.8	90	12.3	09.4-15.2	42	6.3	04.1-08.5	15	2.8	01.2-04.4	305	42.6	37.9-47.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1923	2,210,416	265	15.2	12.8-17.6	181	11.5	09.3-13.7	163	7.7	06.1-09.3	108	6.3	04.9-07.7	69	3.7	02.5-04.9	1137	55.7	52.6-58.8
White/Non-Hisp	1644	1,723,453	219	14.1	11.7-16.5	150	10.6	08.4-12.8	137	7.0	05.6-08.4	94	6.7	05.1-08.3	60	4.1	02.7-05.5	984	57.5	54.2-60.8
Black or Afr. Am./Non-Hisp	206	319,393	34	18.9	11.1-26.7	22	12.6	06.7-18.5	20	11.2	05.5-16.9	11	4.4	01.5-07.3	6	2.1	00.0-04.3	113	50.7	41.5-59.9
18-24	89	271,209	14	17.1	07.9-26.3	14	18.4	09.0-27.8	6	5.3	01.0-09.6	5	6.8	00.9-12.7	5	4.7	00.2-09.2	45	47.6	36.0-59.2
25-34	215	397,446	36	17.4	11.1-23.7	33	15.1	09.4-20.8	27	11.4	06.7-16.1	23	9.5	05.4-13.6	11	5.4	01.9-08.9	85	41.3	33.3-49.3
35-44	247	366,489	39	18.0	11.7-24.3	31	16.4	09.1-23.7	18	5.3	02.8-07.8	11	4.9	01.4-08.4	13	5.7	02.2-09.2	135	49.7	41.7-57.7
45-54	316	404,333	41	12.7	08.2-17.2	29	8.2	04.9-11.5	34	9.8	05.7-13.9	25	7.2	04.1-10.3	8	2.1	00.3-03.9	179	60.1	53.4-66.8
55-64	445	369,769	60	15.8	10.7-20.9	39	8.3	05.4-11.2	36	6.1	03.7-08.5	22	6.0	02.9-09.1	15	2.6	00.8-04.4	273	61.3	55.0-67.6
65+	597	386,830	74	11.7	08.6-14.8	34	5.5	03.3-07.7	41	7.0	03.9-10.1	22	3.3	01.7-04.9	15	1.7	00.7-02.7	411	70.7	66.0-75.4
Less Than H.S.	211	339,779	15	13.4	05.4-21.4	12	6.5	02.2-10.8	4	3.2	00.0-06.7	3	0.9	00.0-01.9	5	2.9	00.0-05.8	172	73.1	64.1-82.1
H.S. or G.E.D.	607	766,043	75	13.7	10.0-17.4	50	11.1	07.0-15.2	38	6.0	03.5-08.5	34	7.0	04.3-09.7	20	3.1	01.3-04.9	390	59.1	53.6-64.6
Some Post-H.S.	488	610,359	73	15.4	11.3-19.5	49	13.7	09.2-18.2	37	7.7	04.8-10.6	34	8.4	05.1-11.7	21	4.6	01.9-07.3	274	50.2	44.3-56.1
College Graduate	609	483,126	102	19.0	14.5-23.5	70	13.3	09.8-16.8	84	13.6	10.3-16.9	37	6.3	03.9-08.7	22	3.9	01.9-05.9	294	43.9	39.0-48.8
Less than \$15,000	180	199,100	21	20.7	09.5-31.9	9	5.5	01.4-09.6	10	4.7	01.0-08.4	9	4.2	01.3-07.1	8	5.2	00.5-09.9	123	59.6	48.4-70.8
\$15,000- 24,999	294	373,224	30	10.3	05.4-15.2	20	9.3	04.0-14.6	15	3.9	01.4-06.4	11	5.2	01.5-08.9	9	4.7	01.0-08.4	209	66.5	58.7-74.3
\$25,000- 34,999	194	219,260	24	14.3	06.5-22.1	18	10.0	04.5-15.5	8	2.6	00.0-05.5	13	9.6	03.9-15.3	7	2.6	00.2-05.0	124	60.8	51.2-70.4
\$35,000- 49,999	219	270,616	31	11.4	06.5-16.3	22	13.9	05.5-22.3	22	13.4	07.1-19.7	10	6.2	01.1-11.3	10	4.5	00.4-08.6	124	50.6	41.4-59.8
\$50,000- 74,999	233	250,472	42	22.2	14.9-29.5	34	14.5	08.6-20.4	25	12.4	06.5-18.3	15	6.7	02.8-10.6	7	2.0	00.2-03.8	110	42.2	34.2-50.2
\$75,000+	335	363,858	70	21.1	15.2-27.0	42	14.8	09.5-20.1	52	12.2	08.5-15.9	28	7.6	04.5-10.7	14	4.9	02.0-07.8	129	39.4	32.7-46.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3422	2,451,369	454	14.8	13.0-16.6	206	7.6	06.2-09.0	148	4.9	03.9-05.9	73	2.3	01.7-02.9	12	0.5	00.1-00.9	2529	69.9	67.7-72.1
White/Non-Hisp	2761	1,874,860	363	14.6	12.6-16.6	161	7.4	06.0-08.8	117	4.7	03.7-05.7	63	2.6	01.8-03.4	9	0.5	00.1-00.9	2048	70.1	67.7-72.5
Black or Afr. Am./Non-Hisp	528	378,961	71	13.3	09.4-17.2	33	7.1	03.6-10.6	26	6.6	03.3-09.9	9	1.4	00.2-02.6	1	0.3	00.0-00.9	388	71.3	65.6-77.0
Oth. Race/Non-Hisp.	53	88,425	9	20.8	06.7-34.9	6	7.3	01.2-13.4	1	1.2	00.0-03.6	1	1.7	00.0-05.0	2	3.2	00.0-08.7	34	65.8	49.5-82.1
18-24	153	285,228	17	13.1	06.4-19.8	13	7.0	03.1-10.9	4	1.9	00.0-03.9	9	3.6	01.1-06.1	3	2.2	00.0-04.7	107	72.2	64.2-80.2
25-34	306	396,420	61	18.3	13.4-23.2	37	12.9	08.4-17.4	25	8.0	04.7-11.3	11	2.9	00.9-04.9	2	0.7	00.0-01.7	170	57.3	50.6-64.0
35-44	368	400,212	70	20.0	14.5-25.5	31	8.2	04.7-11.7	23	6.8	03.7-09.9	13	3.7	01.3-06.1	2	0.4	00.0-01.0	229	60.9	54.4-67.4
45-54	597	445,433	108	18.5	14.0-23.0	53	9.0	06.1-11.9	29	4.8	02.6-07.0	10	1.7	00.3-03.1				397	66.1	60.8-71.4
55-64	806	410,301	97	11.6	08.7-14.5	44	6.4	04.0-08.8	34	4.7	02.9-06.5	13	1.3	00.5-02.1	3	0.4	00.0-00.8	615	75.7	71.8-79.6
65+	1165	498,000	96	8.1	06.1-10.1	27	3.2	01.6-04.8	33	3.0	01.6-04.4	16	1.1	00.3-01.9	2	0.2	00.0-00.4	991	84.4	81.5-87.3
Less Than H.S.	407	394,017	17	6.4	01.7-11.1	7	4.5	00.8-08.2	8	2.3	00.5-04.1	3	0.5	00.0-01.3	2	0.9	00.0-02.3	370	85.5	79.4-91.6
H.S. or G.E.D.	1164	777,415	107	11.3	08.4-14.2	41	5.0	03.2-06.8	29	3.0	01.6-04.4	12	0.9	00.1-01.7	2	0.3	00.0-00.9	973	79.4	75.9-82.9
Some Post-H.S.	966	746,947	135	15.9	12.8-19.0	73	9.2	06.7-11.7	40	5.0	03.0-07.0	27	3.5	01.9-05.1	3	0.5	00.0-01.3	688	66.0	61.9-70.1
College Graduate	875	525,516	195	24.8	20.7-28.9	84	11.4	08.5-14.3	71	9.6	07.1-12.1	31	4.0	02.2-05.8	5	0.7	00.1-01.3	489	49.6	45.3-53.9
Less than \$15,000	499	305,224	41	9.3	05.6-13.0	27	11.6	06.3-16.9	11	2.3	00.5-04.1	6	0.3	00.1-00.5	2	0.6	00.0-01.4	412	75.9	69.8-82.0
\$15,000- 24,999	596	405,926	69	14.7	10.4-19.0	28	4.1	02.1-06.1	16	3.6	01.4-05.8	11	1.7	00.5-02.9				472	75.9	71.0-80.8
\$25,000- 34,999	320	236,059	48	15.6	10.5-20.7	22	7.7	03.8-11.6	11	4.0	01.3-06.7	6	1.2	00.2-02.2	4	2.1	00.0-04.8	229	69.4	62.7-76.1
\$35,000- 49,999	340	261,842	63	21.0	13.4-28.6	25	7.5	04.0-11.0	17	4.4	01.9-06.9	8	2.9	00.7-05.1	2	0.5	00.0-01.3	225	63.7	55.9-71.5
\$50,000- 74,999	291	231,894	49	14.0	09.3-18.7	24	10.3	05.2-15.4	21	6.6	03.1-10.1	8	3.2	00.7-05.7	2	0.5	00.0-01.3	187	65.4	58.0-72.8
\$75,000+	364	315,015	89	24.2	18.3-30.1	46	11.9	08.0-15.8	38	12.4	07.7-17.1	14	4.9	01.8-08.0	1	0.4	00.0-01.2	176	46.2	39.3-53.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5346	4,663,233	5191	96.7	96.1-97.3	155	3.3	02.7-03.9
Male	1924	2,211,864	1854	96.3	95.1-97.5	70	3.7	02.5-04.9
Female	3422	2,451,369	3337	97.2	96.4-98.0	85	2.8	02.0-03.6
White/Non-Hisp	4406	3,599,761	4273	96.4	95.6-97.2	133	3.6	02.8-04.4
Black or Afr. Am./Non-Hisp	734	698,354	718	98.1	96.9-99.3	16	1.9	00.7-03.1
Oth. Race/Non-Hisp.	80	159,279	76	95.6	90.7-0100	4	4.4	00.0-09.3
18-24	242	556,437	225	94.7	92.0-97.4	17	5.3	02.6-08.0
25-34	522	795,315	497	95.3	93.1-97.5	25	4.7	02.5-06.9
35-44	615	766,701	587	95.1	92.9-97.3	28	4.9	02.7-07.1
45-54	913	849,767	895	98.1	96.9-99.3	18	1.9	00.7-03.1
55-64	1251	780,071	1220	97.9	96.9-98.9	31	2.1	01.1-03.1
65+	1762	884,830	1729	98.5	97.9-99.1	33	1.5	00.9-02.1
Less Than H.S.	618	733,796	608	97.9	96.3-99.5	10	2.1	00.5-03.7
H.S. or G.E.D.	1772	1,544,907	1737	97.7	96.7-98.7	35	2.3	01.3-03.3
Some Post-H.S.	1454	1,357,306	1403	95.7	94.1-97.3	51	4.3	02.7-05.9
College Graduate	1484	1,008,643	1426	95.7	94.3-97.1	58	4.3	02.9-05.7
Less than \$15,000	679	504,324	663	97.4	95.4-99.4	16	2.6	00.6-04.6
\$15,000- 24,999	890	779,150	870	96.8	94.8-98.8	20	3.2	01.2-05.2
\$25,000- 34,999	514	455,319	497	97.0	95.0-99.0	17	3.0	01.0-05.0
\$35,000- 49,999	559	532,458	539	96.0	93.6-98.4	20	4.0	01.6-06.4
\$50,000- 74,999	524	482,366	507	97.2	95.6-98.8	17	2.8	01.2-04.4
\$75,000+	700	680,322	670	94.7	92.5-96.9	30	5.3	03.1-07.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1924	2,211,864	1854	96.3	95.1-97.5	70	3.7	02.5-04.9
White/Non-Hisp	1645	1,724,901	1584	95.8	94.4-97.2	61	4.2	02.8-05.6
Black or Afr. Am./Non-Hisp	206	319,393	200	97.9	95.7-0100	6	2.1	00.0-04.3
18-24	89	271,209	84	95.3	90.8-99.8	5	4.7	00.2-09.2
25-34	216	398,895	204	94.3	90.6-98.0	12	5.7	02.0-09.4
35-44	247	366,489	234	94.3	90.8-97.8	13	5.7	02.2-09.2
45-54	316	404,333	308	97.9	96.1-99.7	8	2.1	00.3-03.9
55-64	445	369,769	430	97.4	95.6-99.2	15	2.6	00.8-04.4
65+	597	386,830	582	98.3	97.3-99.3	15	1.7	00.7-02.7
Less Than H.S.	211	339,779	206	97.1	94.2-0100	5	2.9	00.0-05.8
H.S. or G.E.D.	608	767,492	587	96.7	94.9-98.5	21	3.3	01.5-05.1
Some Post-H.S.	488	610,359	467	95.4	92.7-98.1	21	4.6	01.9-07.3
College Graduate	609	483,126	587	96.1	94.1-98.1	22	3.9	01.9-05.9
Less than \$15,000	180	199,100	172	94.8	90.1-99.5	8	5.2	00.5-09.9
\$15,000- 24,999	294	373,224	285	95.3	91.6-99.0	9	4.7	01.0-08.4
\$25,000- 34,999	194	219,260	187	97.4	95.0-99.8	7	2.6	00.2-05.0
\$35,000- 49,999	219	270,616	209	95.5	91.4-99.6	10	4.5	00.4-08.6
\$50,000- 74,999	233	250,472	226	98.0	96.2-99.8	7	2.0	00.2-03.8
\$75,000+	336	365,306	321	94.7	91.8-97.6	15	5.3	02.4-08.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3422	2,451,369	3337	97.2	96.4-98.0	85	2.8	02.0-03.6
White/Non-Hisp	2761	1,874,860	2689	96.9	95.9-97.9	72	3.1	02.1-04.1
Black or Afr. Am./Non-Hisp	528	378,961	518	98.3	96.9-99.7	10	1.7	00.3-03.1
Oth. Race/Non-Hisp.	53	88,425	50	95.1	88.6-0100	3	4.9	00.0-11.4
18-24	153	285,228	141	94.2	90.7-97.7	12	5.8	02.3-09.3
25-34	306	396,420	293	96.4	94.2-98.6	13	3.6	01.4-05.8
35-44	368	400,212	353	95.9	93.5-98.3	15	4.1	01.7-06.5
45-54	597	445,433	587	98.3	96.9-99.7	10	1.7	00.3-03.1
55-64	806	410,301	790	98.3	97.3-99.3	16	1.7	00.7-02.7
65+	1165	498,000	1147	98.7	97.9-99.5	18	1.3	00.5-02.1
Less Than H.S.	407	394,017	402	98.7	97.1-0100	5	1.3	00.0-02.9
H.S. or G.E.D.	1164	777,415	1150	98.8	97.8-99.8	14	1.2	00.2-02.2
Some Post-H.S.	966	746,947	936	96.0	94.4-97.6	30	4.0	02.4-05.6
College Graduate	875	525,516	839	95.3	93.3-97.3	36	4.7	02.7-06.7
Less than \$15,000	499	305,224	491	99.1	98.3-99.9	8	0.9	00.1-01.7
\$15,000- 24,999	596	405,926	585	98.3	97.1-99.5	11	1.7	00.5-02.9
\$25,000- 34,999	320	236,059	310	96.7	94.0-99.4	10	3.3	00.6-06.0
\$35,000- 49,999	340	261,842	330	96.6	94.2-99.0	10	3.4	01.0-05.8
\$50,000- 74,999	291	231,894	281	96.3	93.6-99.0	10	3.7	01.0-06.4
\$75,000+	364	315,015	349	94.7	91.6-97.8	15	5.3	02.2-08.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 19: ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1924	2,211,864	1854	96.3	95.1-97.5	70	3.7	02.5-04.9
White/Non-Hisp	1645	1,724,901	1584	95.8	94.4-97.2	61	4.2	02.8-05.6
Black or Afr. Am./Non-Hisp	206	319,393	200	97.9	95.7-0100	6	2.1	00.0-04.3
18-24	89	271,209	84	95.3	90.8-99.8	5	4.7	00.2-09.2
25-34	216	398,895	204	94.3	90.6-98.0	12	5.7	02.0-09.4
35-44	247	366,489	234	94.3	90.8-97.8	13	5.7	02.2-09.2
45-54	316	404,333	308	97.9	96.1-99.7	8	2.1	00.3-03.9
55-64	445	369,769	430	97.4	95.6-99.2	15	2.6	00.8-04.4
65+	597	386,830	582	98.3	97.3-99.3	15	1.7	00.7-02.7
Less Than H.S.	211	339,779	206	97.1	94.2-0100	5	2.9	00.0-05.8
H.S. or G.E.D.	608	767,492	587	96.7	94.9-98.5	21	3.3	01.5-05.1
Some Post-H.S.	488	610,359	467	95.4	92.7-98.1	21	4.6	01.9-07.3
College Graduate	609	483,126	587	96.1	94.1-98.1	22	3.9	01.9-05.9
Less than \$15,000	180	199,100	172	94.8	90.1-99.5	8	5.2	00.5-09.9
\$15,000- 24,999	294	373,224	285	95.3	91.6-99.0	9	4.7	01.0-08.4
\$25,000- 34,999	194	219,260	187	97.4	95.0-99.8	7	2.6	00.2-05.0
\$35,000- 49,999	219	270,616	209	95.5	91.4-99.6	10	4.5	00.4-08.6
\$50,000- 74,999	233	250,472	226	98.0	96.2-99.8	7	2.0	00.2-03.8
\$75,000+	336	365,306	321	94.7	91.8-97.6	15	5.3	02.4-08.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 10: ALCOHOL CONSUMPTION**

TABLE 20: ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3422	2,451,369	3337	97.2	96.4-98.0	85	2.8	02.0-03.6
White/Non-Hisp	2761	1,874,860	2689	96.9	95.9-97.9	72	3.1	02.1-04.1
Black or Afr. Am./Non-Hisp	528	378,961	518	98.3	96.9-99.7	10	1.7	00.3-03.1
Oth. Race/Non-Hisp.	53	88,425	50	95.1	88.6-0100	3	4.9	00.0-11.4
18-24	153	285,228	141	94.2	90.7-97.7	12	5.8	02.3-09.3
25-34	306	396,420	293	96.4	94.2-98.6	13	3.6	01.4-05.8
35-44	368	400,212	353	95.9	93.5-98.3	15	4.1	01.7-06.5
45-54	597	445,433	587	98.3	96.9-99.7	10	1.7	00.3-03.1
55-64	806	410,301	790	98.3	97.3-99.3	16	1.7	00.7-02.7
65+	1165	498,000	1147	98.7	97.9-99.5	18	1.3	00.5-02.1
Less Than H.S.	407	394,017	402	98.7	97.1-0100	5	1.3	00.0-02.9
H.S. or G.E.D.	1164	777,415	1150	98.8	97.8-99.8	14	1.2	00.2-02.2
Some Post-H.S.	966	746,947	936	96.0	94.4-97.6	30	4.0	02.4-05.6
College Graduate	875	525,516	839	95.3	93.3-97.3	36	4.7	02.7-06.7
Less than \$15,000	499	305,224	491	99.1	98.3-99.9	8	0.9	00.1-01.7
\$15,000- 24,999	596	405,926	585	98.3	97.1-99.5	11	1.7	00.5-02.9
\$25,000- 34,999	320	236,059	310	96.7	94.0-99.4	10	3.3	00.6-06.0
\$35,000- 49,999	340	261,842	330	96.6	94.2-99.0	10	3.4	01.0-05.8
\$50,000- 74,999	291	231,894	281	96.3	93.6-99.0	10	3.7	01.0-06.4
\$75,000+	364	315,015	349	94.7	91.6-97.8	15	5.3	02.2-08.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE *****
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
 TO THE STATES SURVEY.

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)	
1 MALES AND FEMALES	116
2 MALES ONLY	117
3 FEMALES ONLY	118
FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)	
4 MALES AND FEMALES	119
5 MALES ONLY	120
6 FEMALES ONLY	121
BEAN INTAKE IN TIMES PER DAY (BEANDAY_)	
7 MALES AND FEMALES	122
8 MALES ONLY	123
9 FEMALES ONLY	124
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)	
10 MALES AND FEMALES	125
11 MALES ONLY	126
12 FEMALES ONLY	127
ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)	
13 MALES AND FEMALES	128
14 MALES ONLY	129
15 FEMALES ONLY	130
VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)	
16 MALES AND FEMALES	131
17 MALES ONLY	132
18 FEMALES ONLY	133

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 11: FRUITS AND VEGETABLES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)	
19 MALES AND FEMALES	134
20 MALES ONLY	135
21 FEMALES ONLY	136
TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)	
22 MALES AND FEMALES	137
23 MALES ONLY	138
24 FEMALES ONLY	139
CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)	
25 MALES AND FEMALES	140
26 MALES ONLY	141
27 FEMALES ONLY	142
CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGL1)	
28 MALES AND FEMALES	143
29 MALES ONLY	144
30 FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5144	4,491,429	2213	47.2	45.2-49.2	1113	19.6	18.0-21.2	19	0.4	00.2-00.6	41	0.6	00.4-00.8	1758	32.3	30.5-34.1
Male	1859	2,131,369	844	49.3	46.2-52.4	432	21.0	18.5-23.5	5	0.3	00.0-00.7	13	0.5	00.1-00.9	565	28.8	26.1-31.5
Female	3285	2,360,061	1369	45.3	42.8-47.8	681	18.2	16.4-20.0	14	0.4	00.2-00.6	28	0.7	00.3-01.1	1193	35.4	33.0-37.8
White/Non-Hisp	4245	3,480,046	1816	46.8	44.6-49.0	878	18.4	16.8-20.0	9	0.2	00.0-00.4	34	0.6	00.4-00.8	1508	34.0	32.0-36.0
Black or Afr. Am./Non-Hisp	700	666,394	300	46.6	41.1-52.1	195	26.8	21.9-31.7	10	1.5	00.5-02.5	7	0.6	00.0-01.2	188	24.6	19.9-29.3
Oth. Race/Non-Hisp.	77	149,821	36	50.9	36.0-65.8	17	22.7	10.7-34.7						24	26.4	14.4-38.4	
18-24	236	550,209	114	48.1	40.7-55.5	55	22.9	16.4-29.4	3	0.7	00.0-01.5				64	28.2	21.3-35.1
25-34	501	755,144	258	54.6	49.3-59.9	97	18.5	14.6-22.4	4	0.8	00.0-01.6	3	0.8	00.0-01.8	139	25.4	21.1-29.7
35-44	598	741,376	290	47.5	42.4-52.6	111	18.0	14.1-21.9	1	0.2	00.0-00.6	7	0.8	00.2-01.4	189	33.6	28.5-38.7
45-54	894	831,255	423	48.0	43.5-52.5	148	16.5	13.4-19.6	3	0.3	00.0-00.7	1	0.0	00.0-00.0	319	35.1	30.8-39.4
55-64	1218	752,134	517	46.4	42.5-50.3	233	18.2	15.5-20.9	2	0.1	00.0-00.3	6	0.5	00.0-01.1	460	34.8	31.3-38.3
65+	1661	837,829	591	38.8	35.5-42.1	463	24.3	21.6-27.0	6	0.4	00.0-00.8	23	1.3	00.5-02.1	578	35.2	32.1-38.3
Less Than H.S.	577	683,112	200	45.8	39.9-51.7	149	19.7	15.6-23.8	3	0.3	00.0-00.7	7	1.2	00.2-02.2	218	33.0	27.5-38.5
H.S. or G.E.D.	1686	1,463,900	688	43.3	39.8-46.8	352	20.2	17.3-23.1	11	0.7	00.1-01.3	12	0.4	00.0-00.8	623	35.3	31.8-38.8
Some Post-H.S.	1405	1,334,126	638	50.0	46.5-53.5	278	18.5	15.8-21.2	1	0.1	00.0-00.3	13	0.5	00.1-00.9	475	30.9	27.8-34.0
College Graduate	1463	996,610	681	49.8	46.5-53.1	332	20.1	17.4-22.8	4	0.4	00.0-00.8	9	0.5	00.1-00.9	437	29.2	26.1-32.3
Less than \$15,000	646	485,876	248	46.9	40.8-53.0	147	21.8	17.1-26.5	3	0.4	00.0-01.0	4	0.8	00.0-01.8	244	30.1	25.0-35.2
\$15,000- 24,999	850	740,873	334	45.3	40.2-50.4	198	19.3	15.8-22.8	5	0.8	00.0-01.6	12	0.7	00.1-01.3	301	34.0	29.3-38.7
\$25,000- 34,999	498	433,284	220	51.2	45.1-57.3	99	16.1	12.0-20.2	1	0.1	00.0-00.3	2	0.5	00.0-01.3	176	32.0	26.5-37.5
\$35,000- 49,999	543	518,105	247	46.3	40.2-52.4	117	19.8	14.9-24.7	1	0.3	00.0-00.9	6	0.8	00.0-01.6	172	32.8	26.5-39.1
\$50,000- 74,999	513	471,088	247	53.1	47.2-59.0	99	16.8	12.5-21.1				4	0.6	00.0-01.2	163	29.5	24.4-34.6
\$75,000+	695	676,809	335	47.5	42.6-52.4	134	18.8	15.1-22.5	2	0.3	00.0-00.7	6	0.7	00.1-01.3	218	32.8	28.1-37.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1859	2,131,369	844	49.3	46.2-52.4	432	21.0	18.5-23.5	5	0.3	00.0-00.7	13	0.5	00.1-00.9	565	28.8	26.1-31.5
White/Non-Hisp	1593	1,672,176	721	49.6	46.3-52.9	364	19.9	17.4-22.4	2	0.2	00.0-00.6	10	0.5	00.1-00.9	496	29.8	26.9-32.7
Black or Afr. Am./Non-Hisp	198	302,037	87	43.8	34.8-52.8	53	31.2	22.2-40.2	3	1.3	00.0-02.9	3	1.0	00.0-02.2	52	22.7	15.3-30.1
18-24	88	270,197	42	47.4	35.8-59.0	21	25.9	15.3-36.5	1	0.6	00.0-01.8				24	26.1	16.3-35.9
25-34	207	380,364	120	60.5	52.9-68.1	38	18.4	12.3-24.5	2	1.1	00.0-02.7	1	0.3	00.0-00.9	46	19.7	13.8-25.6
35-44	240	348,396	117	48.0	40.0-56.0	46	17.9	12.0-23.8				3	0.9	00.0-01.9	74	33.2	25.0-41.4
45-54	314	403,140	149	46.4	39.3-53.5	60	18.9	13.4-24.4	1	0.3	00.0-00.9				104	34.4	27.5-41.3
55-64	433	353,221	194	49.2	42.7-55.7	94	20.2	15.7-24.7				2	0.7	00.0-01.7	143	29.8	24.3-35.3
65+	565	367,715	216	43.4	37.9-48.9	172	26.6	22.1-31.1	1	0.1	00.0-00.3	7	1.0	00.0-02.0	169	28.9	24.2-33.6
Less Than H.S.	199	316,935	72	49.4	39.8-59.0	50	18.6	12.3-24.9	1	0.2	00.0-00.6				76	31.8	23.4-40.2
H.S. or G.E.D.	574	719,715	250	43.2	37.5-48.9	119	21.9	17.0-26.8	3	0.8	00.0-01.8	5	0.6	00.0-01.2	197	33.6	28.3-38.9
Some Post-H.S.	480	606,691	230	53.3	47.4-59.2	102	19.5	15.0-24.0				4	0.5	00.0-01.1	144	26.8	21.7-31.9
College Graduate	601	479,883	290	53.4	48.3-58.5	160	23.6	19.3-27.9	1	0.3	00.0-00.9	4	0.8	00.0-01.6	146	22.0	17.9-26.1
Less than \$15,000	176	195,784	76	51.9	40.9-62.9	43	22.3	14.3-30.3							57	25.8	16.6-35.0
\$15,000- 24,999	283	353,197	106	43.7	35.3-52.1	74	20.5	14.6-26.4	2	1.1	00.0-02.9	1	0.0	00.0-00.0	100	34.7	27.1-42.3
\$25,000- 34,999	183	204,154	80	51.9	41.9-61.9	35	15.5	08.8-22.2				1	0.6	00.0-01.8	67	32.0	23.2-40.8
\$35,000- 49,999	212	261,821	94	44.5	35.3-53.7	54	24.2	16.2-32.2	1	0.6	00.0-01.8	4	1.0	00.0-02.2	59	29.9	20.7-39.1
\$50,000- 74,999	228	243,968	117	55.5	47.5-63.5	50	17.8	11.7-23.9				2	0.8	00.0-02.0	59	25.9	18.8-33.0
\$75,000+	337	364,948	166	51.7	45.0-58.4	78	21.3	15.8-26.8				3	0.8	00.0-01.8	90	26.3	20.2-32.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3285	2,360,061	1369	45.3	42.8-47.8	681	18.2	16.4-20.0	14	0.4	00.2-00.6	28	0.7	00.3-01.1	1193	35.4	33.0-37.8
White/Non-Hisp	2652	1,807,871	1095	44.1	41.4-46.8	514	16.9	14.9-18.9	7	0.3	00.1-00.5	24	0.8	00.4-01.2	1012	37.9	35.4-40.4
Black or Afr. Am./Non-Hisp	502	364,357	213	48.9	42.4-55.4	142	23.2	18.3-28.1	7	1.6	00.4-02.8	4	0.3	00.0-00.7	136	26.1	20.2-32.0
Oth. Race/Non-Hisp.	52	82,591	23	46.2	26.8-65.6	11	27.1	10.2-44.0							18	26.7	12.2-41.2
18-24	148	280,013	72	48.9	39.3-58.5	34	20.0	12.9-27.1	2	0.9	00.0-02.1				40	30.2	20.6-39.8
25-34	294	374,779	138	48.7	41.6-55.8	59	18.5	13.2-23.8	2	0.5	00.0-01.3	2	1.2	00.0-02.8	93	31.2	25.1-37.3
35-44	358	392,980	173	47.1	40.4-53.8	65	18.0	12.7-23.3	1	0.3	00.0-00.9	4	0.6	00.0-01.4	115	34.0	27.5-40.5
45-54	580	428,115	274	49.5	44.0-55.0	88	14.3	10.8-17.8	2	0.3	00.0-00.7	1	0.1	00.0-00.3	215	35.8	30.5-41.1
55-64	785	398,913	323	44.0	39.3-48.7	139	16.3	13.0-19.6	2	0.2	00.0-00.6	4	0.3	00.0-00.7	317	39.2	34.7-43.7
65+	1096	470,114	375	35.2	31.3-39.1	291	22.4	19.3-25.5	5	0.6	00.0-01.2	16	1.5	00.5-02.5	409	40.2	36.1-44.3
Less Than H.S.	378	366,176	128	42.7	35.3-50.1	99	20.7	15.2-26.2	2	0.4	00.0-01.0	7	2.3	00.3-04.3	142	34.0	26.9-41.1
H.S. or G.E.D.	1112	744,185	438	43.4	39.1-47.7	233	18.6	15.5-21.7	8	0.7	00.1-01.3	7	0.3	00.0-00.7	426	36.9	32.6-41.2
Some Post-H.S.	925	727,435	408	47.3	42.8-51.8	176	17.7	14.4-21.0	1	0.2	00.0-00.6	9	0.5	00.1-00.9	331	34.3	30.2-38.4
College Graduate	862	516,728	391	46.5	42.2-50.8	172	16.9	13.8-20.0	3	0.5	00.0-01.1	5	0.3	00.0-00.7	291	35.8	31.5-40.1
Less than \$15,000	470	290,092	172	43.5	36.8-50.2	104	21.4	15.7-27.1	3	0.7	00.0-01.7	4	1.4	00.0-03.2	187	33.0	27.1-38.9
\$15,000- 24,999	567	387,675	228	46.8	40.9-52.7	124	18.2	13.9-22.5	3	0.4	00.0-01.0	11	1.3	00.0-02.7	201	33.3	27.8-38.8
\$25,000- 34,999	315	229,130	140	50.6	43.3-57.9	64	16.7	11.8-21.6	1	0.2	00.0-00.6	1	0.4	00.0-01.2	109	32.1	25.4-38.8
\$35,000- 49,999	331	256,284	153	48.2	40.2-56.2	63	15.3	10.4-20.2				2	0.6	00.0-01.4	113	35.9	27.9-43.9
\$50,000- 74,999	285	227,120	130	50.6	42.2-59.0	49	15.7	09.8-21.6				2	0.3	00.0-00.7	104	33.4	26.0-40.8
\$75,000+	358	311,861	169	42.6	35.9-49.3	56	15.9	11.0-20.8	2	0.5	00.0-01.3	3	0.5	00.0-01.3	128	40.4	33.1-47.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5168	4,509,837	2691	53.3	51.3-55.3	2053	38.7	36.7-40.7	113	2.0	01.4-02.6	80	1.1	00.7-01.5	231	4.8	03.8-05.8
Male	1869	2,141,843	1047	57.7	54.6-60.8	669	34.1	31.2-37.0	22	0.8	00.4-01.2	22	1.0	00.4-01.6	109	6.4	04.6-08.2
Female	3299	2,367,995	1644	49.4	46.9-51.9	1384	42.9	40.5-45.3	91	3.1	02.1-04.1	58	1.2	00.8-01.6	122	3.4	02.6-04.2
White/Non-Hisp	4252	3,478,206	2234	54.1	51.9-56.3	1678	38.2	36.2-40.2	95	1.9	01.3-02.5	62	1.0	00.6-01.4	183	4.7	03.7-05.7
Black or Afr. Am./Non-Hisp	713	670,598	370	55.0	49.7-60.3	284	37.6	32.3-42.9	10	1.1	00.3-01.9	13	1.4	00.4-02.4	36	4.9	02.5-07.3
Oth. Race/Non-Hisp.	81	159,649	33	48.1	33.6-62.6	39	43.2	28.9-57.5	2	3.5	00.0-09.0	2	1.0	00.0-02.6	5	4.3	00.0-08.8
18-24	239	555,012	133	54.4	47.0-61.8	84	35.6	28.3-42.9	6	2.1	00.1-04.1	2	0.7	00.0-01.7	14	7.2	02.7-11.7
25-34	506	765,551	267	54.6	49.3-59.9	201	38.0	32.9-43.1	12	1.9	00.7-03.1	8	1.6	00.4-02.8	18	3.8	01.8-05.8
35-44	603	750,922	323	52.1	46.8-57.4	237	41.0	35.7-46.3	13	2.7	00.7-04.7	7	1.0	00.0-02.0	23	3.3	01.7-04.9
45-54	886	827,725	494	57.0	52.7-61.3	312	34.9	30.8-39.0	19	1.9	00.5-03.3	16	0.9	00.3-01.5	45	5.3	03.1-07.5
55-64	1215	744,714	637	53.3	49.4-57.2	478	37.7	34.0-41.4	23	1.7	00.9-02.5	17	1.1	00.5-01.7	60	6.1	03.6-08.6
65+	1684	842,549	816	48.8	45.5-52.1	729	43.8	40.5-47.1	40	1.9	01.1-02.7	29	1.4	00.6-02.2	70	4.0	02.6-05.4
Less Than H.S.	570	678,087	292	57.2	51.3-63.1	210	31.5	26.2-36.8	8	1.3	00.0-02.7	7	0.9	00.0-02.1	53	9.1	05.0-13.2
H.S. or G.E.D.	1702	1,480,046	950	55.3	51.8-58.8	619	37.4	33.9-40.9	26	1.4	00.6-02.2	23	1.1	00.5-01.7	84	4.8	03.4-06.2
Some Post-H.S.	1405	1,331,414	762	53.7	50.2-57.2	539	39.0	35.5-42.5	33	2.3	01.1-03.5	14	0.9	00.3-01.5	57	4.2	02.6-05.8
College Graduate	1478	1,005,906	683	47.2	43.9-50.5	677	45.0	41.7-48.3	46	3.2	02.2-04.2	36	1.7	00.9-02.5	36	3.0	01.6-04.4
Less than \$15,000	653	486,770	374	58.8	52.9-64.7	212	29.1	23.8-34.4	7	1.3	00.3-02.3	4	0.8	00.0-02.2	56	9.9	05.6-14.2
\$15,000- 24,999	851	747,142	467	57.0	52.1-61.9	302	34.1	29.4-38.8	26	2.7	01.3-04.1	12	0.7	00.1-01.3	44	5.4	02.7-08.1
\$25,000- 34,999	496	432,248	252	48.3	42.2-54.4	197	43.4	37.3-49.5	9	1.1	00.1-02.1	11	2.1	00.5-03.7	27	5.0	02.5-07.5
\$35,000- 49,999	547	522,066	301	56.3	50.2-62.4	214	37.1	31.0-43.2	12	2.5	00.0-05.0	7	0.8	00.0-01.6	13	3.3	01.1-05.5
\$50,000- 74,999	512	472,303	269	52.7	46.8-58.6	212	41.3	35.4-47.2	8	1.3	00.3-02.3	11	1.7	00.5-02.9	12	3.0	00.5-05.5
\$75,000+	695	677,277	321	47.4	42.5-52.3	329	47.0	42.1-51.9	17	1.7	00.7-02.7	14	1.1	00.3-01.9	14	2.8	00.8-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1869	2,141,843	1047	57.7	54.6-60.8	669	34.1	31.2-37.0	22	0.8	00.4-01.2	22	1.0	00.4-01.6	109	6.4	04.6-08.2
White/Non-Hisp	1597	1,675,408	900	58.1	54.8-61.4	571	33.6	30.5-36.7	19	0.9	00.3-01.5	19	1.1	00.5-01.7	88	6.3	04.3-08.3
Black or Afr. Am./Non-Hisp	201	301,281	115	60.3	51.3-69.3	68	33.2	24.6-41.8	3	0.7	00.0-01.5	2	0.6	00.0-01.6	13	5.2	01.1-09.3
18-24	90	274,643	49	55.6	44.0-67.2	30	31.7	21.1-42.3	1	0.9	00.0-02.7	2	1.5	00.0-03.7	8	10.4	02.4-18.4
25-34	208	383,710	127	61.8	54.0-69.6	67	31.3	23.9-38.7	2	0.8	00.0-01.8	2	1.2	00.0-02.8	10	5.0	01.5-08.5
35-44	241	354,319	142	57.6	49.4-65.8	82	36.7	28.5-44.9	3	0.7	00.0-01.5	2	1.3	00.0-03.3	12	3.8	01.3-06.3
45-54	312	402,252	183	61.3	54.4-68.2	101	30.8	24.3-37.3	5	0.9	00.1-01.7	2	0.4	00.0-01.2	21	6.6	02.9-10.3
55-64	429	346,466	233	54.4	48.1-60.7	164	36.2	30.1-42.3	4	0.8	00.0-01.8	6	1.0	00.0-02.0	22	7.6	02.7-12.5
65+	577	372,117	305	54.1	48.8-59.4	222	37.9	32.8-43.0	7	1.0	00.2-01.8	8	1.1	00.1-02.1	35	5.9	03.0-08.8
Less Than H.S.	194	313,917	101	60.3	50.7-69.9	67	26.6	19.0-34.2	1	0.2	00.0-00.6	2	1.2	00.0-03.4	23	11.8	03.8-19.8
H.S. or G.E.D.	585	734,551	351	58.1	52.4-63.8	181	34.4	28.9-39.9	2	0.1	00.0-00.3	7	1.1	00.1-02.1	44	6.2	04.0-08.4
Some Post-H.S.	478	603,448	289	60.0	54.1-65.9	158	32.7	27.2-38.2	4	0.8	00.0-01.8	4	0.8	00.0-01.8	23	5.7	02.8-08.6
College Graduate	607	482,020	304	52.2	47.1-57.3	261	40.0	35.1-44.9	15	2.4	01.0-03.8	9	1.2	00.2-02.2	18	4.2	01.5-06.9
Less than \$15,000	177	195,508	95	57.2	46.0-68.4	58	29.1	19.7-38.5	1	0.3	00.0-00.9	1	1.8	00.0-05.3	22	11.5	02.7-20.3
\$15,000- 24,999	283	358,179	173	62.8	54.8-70.8	89	29.5	22.2-36.8	2	0.9	00.0-02.3	1	0.0	00.0-00.0	18	6.8	01.5-12.1
\$25,000- 34,999	186	206,023	95	50.4	40.4-60.4	69	40.1	30.3-49.9	4	1.0	00.0-02.2	3	1.8	00.0-04.3	15	6.6	02.5-10.7
\$35,000- 49,999	214	266,160	126	57.5	48.1-66.9	75	36.1	26.5-45.7	2	0.8	00.0-02.2	3	0.9	00.0-02.1	8	4.8	00.9-08.7
\$50,000- 74,999	230	244,717	135	60.2	52.0-68.4	84	33.0	25.2-40.8				4	1.8	00.0-03.6	7	4.9	00.2-09.6
\$75,000+	336	363,821	178	54.6	47.9-61.3	134	38.4	31.7-45.1	8	1.7	00.3-03.1	5	0.7	00.1-01.3	11	4.6	01.1-08.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3299	2,367,995	1644	49.4	46.9-51.9	1384	42.9	40.5-45.3	91	3.1	02.1-04.1	58	1.2	00.8-01.6	122	3.4	02.6-04.2
White/Non-Hisp	2655	1,802,798	1334	50.4	47.7-53.1	1107	42.5	40.0-45.0	76	2.9	02.1-03.7	43	1.0	00.6-01.4	95	3.2	02.4-04.0
Black or Afr. Am./Non-Hisp	512	369,317	255	50.6	44.3-56.9	216	41.2	34.9-47.5	7	1.4	00.2-02.6	11	2.0	00.4-03.6	23	4.8	01.9-07.7
Oth. Race/Non-Hisp.	54	88,794	21	36.5	19.6-53.4	27	53.8	35.6-72.0	2	6.3	00.0-16.1	2	1.7	00.0-04.4	2	1.7	00.0-04.6
18-24	149	280,369	84	53.3	43.7-62.9	54	39.4	29.8-49.0	5	3.3	00.0-06.6				6	4.0	00.5-07.5
25-34	298	381,840	140	47.5	40.6-54.4	134	44.8	37.9-51.7	10	3.1	01.1-05.1	6	2.1	00.3-03.9	8	2.6	00.6-04.6
35-44	362	396,603	181	47.2	40.5-53.9	155	44.8	38.1-51.5	10	4.5	01.0-08.0	5	0.7	00.1-01.3	11	2.8	00.8-04.8
45-54	574	425,473	311	53.0	47.5-58.5	211	38.7	33.4-44.0	14	2.8	00.4-05.2	14	1.4	00.6-02.2	24	4.1	02.1-06.1
55-64	786	398,248	404	52.4	47.9-56.9	314	39.0	34.5-43.5	19	2.4	01.2-03.6	11	1.2	00.2-02.2	38	4.9	02.5-07.3
65+	1107	470,432	511	44.7	40.8-48.6	507	48.5	44.4-52.6	33	2.7	01.5-03.9	21	1.6	00.6-02.6	35	2.5	01.5-03.5
Less Than H.S.	376	364,170	191	54.5	47.1-61.9	143	35.7	28.6-42.8	7	2.3	00.0-04.8	5	0.7	00.0-01.5	30	6.7	03.4-10.0
H.S. or G.E.D.	1117	745,495	599	52.6	48.3-56.9	438	40.3	36.0-44.6	24	2.6	01.2-04.0	16	1.2	00.4-02.0	40	3.4	01.8-05.0
Some Post-H.S.	927	727,966	473	48.5	44.0-53.0	381	44.2	39.7-48.7	29	3.5	01.3-05.7	10	1.0	00.2-01.8	34	2.9	01.7-04.1
College Graduate	871	523,886	379	42.6	38.3-46.9	416	49.5	45.2-53.8	31	3.9	02.3-05.5	27	2.1	01.1-03.1	18	1.8	00.8-02.8
Less than \$15,000	476	291,262	279	59.9	53.4-66.4	154	29.2	23.1-35.3	6	2.0	00.2-03.8	3	0.2	00.0-00.4	34	8.7	05.0-12.4
\$15,000- 24,999	568	388,963	294	51.7	45.8-57.6	213	38.4	32.7-44.1	24	4.4	02.0-06.8	11	1.4	00.2-02.6	26	4.1	02.1-06.1
\$25,000- 34,999	310	226,225	157	46.4	39.0-53.8	128	46.4	39.0-53.8	5	1.3	00.1-02.5	8	2.4	00.2-04.6	12	3.6	00.5-06.7
\$35,000- 49,999	333	255,906	175	55.1	47.5-62.7	139	38.2	30.9-45.5	10	4.3	00.0-09.0	4	0.6	00.0-01.2	5	1.7	00.0-03.5
\$50,000- 74,999	282	227,586	134	44.7	36.5-52.9	128	50.1	41.7-58.5	8	2.6	00.4-04.8	7	1.7	00.3-03.1	5	0.9	00.0-01.9
\$75,000+	359	313,456	143	39.0	32.3-45.7	195	57.0	50.1-63.9	9	1.6	00.4-02.8	9	1.6	00.2-03.0	3	0.7	00.0-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 7: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5119	4,486,365	4123	77.9	76.1-79.7	442	9.2	08.0-10.4	13	0.2	00.0-00.4	15	0.2	00.0-00.4	526	12.5	11.1-13.9
Male	1850	2,127,340	1514	78.7	76.0-81.4	157	9.0	07.0-11.0	2	0.1	00.0-00.3	5	0.2	00.0-00.4	172	12.0	09.8-14.2
Female	3269	2,359,025	2609	77.2	75.0-79.4	285	9.3	07.9-10.7	11	0.3	00.1-00.5	10	0.3	00.1-00.5	354	12.9	10.9-14.9
White/Non-Hisp	4218	3,464,901	3450	80.0	78.2-81.8	365	9.2	07.8-10.6	13	0.3	00.1-00.5	14	0.2	00.0-00.4	376	10.3	08.9-11.7
Black or Afr. Am./Non-Hisp	697	660,410	525	73.2	68.3-78.1	51	5.3	03.3-07.3				1	0.4	00.0-01.2	120	21.1	16.4-25.8
Oth. Race/Non-Hisp.	80	157,565	55	61.9	47.4-76.4	11	14.0	04.6-23.4							14	24.1	10.4-37.8
18-24	235	546,710	172	73.8	67.1-80.5	19	8.8	04.5-13.1							44	17.4	11.9-22.9
25-34	500	752,960	389	75.6	70.7-80.5	35	6.9	04.4-09.4	4	0.6	00.0-01.2	1	0.3	00.0-00.9	71	16.5	12.0-21.0
35-44	595	745,418	465	75.5	71.0-80.0	63	11.4	08.1-14.7							67	13.1	09.4-16.8
45-54	880	826,057	714	77.9	73.8-82.0	83	11.2	08.1-14.3	2	0.2	00.0-00.4	4	0.4	00.0-00.8	77	10.3	07.2-13.4
55-64	1215	749,782	986	80.2	76.9-83.5	96	8.6	06.1-11.1	3	0.3	00.0-00.7	5	0.3	00.0-00.7	125	10.7	08.3-13.1
65+	1659	842,851	1366	82.4	79.7-85.1	144	8.0	06.4-09.6	4	0.2	00.0-00.4	5	0.3	00.0-00.7	140	9.0	06.6-11.4
Less Than H.S.	567	688,975	419	68.4	62.5-74.3	69	14.9	10.2-19.6				1	0.2	00.0-00.6	78	16.5	11.8-21.2
H.S. or G.E.D.	1686	1,476,666	1339	78.6	75.7-81.5	156	9.4	07.4-11.4	5	0.3	00.1-00.5	6	0.3	00.0-00.7	180	11.4	09.0-13.8
Some Post-H.S.	1389	1,308,893	1136	79.9	76.8-83.0	111	6.9	05.3-08.5	5	0.4	00.0-00.8	3	0.1	00.0-00.3	134	12.7	10.0-15.4
College Graduate	1464	998,493	1217	80.4	77.5-83.3	105	7.9	06.1-09.7	3	0.1	00.1-00.1	5	0.4	00.0-00.8	134	11.2	08.7-13.7
Less than \$15,000	650	488,610	496	73.0	67.5-78.5	69	11.7	07.6-15.8	1	0.3	00.0-00.9	3	0.4	00.0-01.0	81	14.6	10.3-18.9
\$15,000- 24,999	841	744,011	649	74.7	70.2-79.2	81	11.4	07.9-14.9	3	0.3	00.0-00.7	2	0.2	00.0-00.4	106	13.4	10.1-16.7
\$25,000- 34,999	489	425,023	389	76.8	71.3-82.3	44	8.9	05.2-12.6				1	0.1	00.0-00.3	55	14.2	09.5-18.9
\$35,000- 49,999	546	519,763	455	79.8	74.7-84.9	42	8.4	05.3-11.5	2	0.3	00.0-00.7				47	11.5	07.2-15.8
\$50,000- 74,999	512	469,989	429	81.2	75.9-86.5	40	8.9	05.6-12.2	2	0.3	00.0-00.7	4	0.6	00.0-01.2	37	9.1	04.6-13.6
\$75,000+	689	670,521	609	86.9	83.4-90.4	41	5.3	03.5-07.1	2	0.4	00.0-01.0	2	0.2	00.0-00.6	35	7.3	04.2-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 8: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1850	2,127,340	1514	78.7	76.0-81.4	157	9.0	07.0-11.0	2	0.1	00.0-00.3	5	0.2	00.0-00.4	172	12.0	09.8-14.2
White/Non-Hisp	1584	1,665,881	1305	80.4	77.7-83.1	142	9.8	07.6-12.0	2	0.1	00.0-00.3	5	0.2	00.0-00.4	130	9.5	07.5-11.5
Black or Afr. Am./Non-Hisp	195	296,305	155	73.1	64.3-81.9	7	2.7	00.5-04.9							33	24.3	15.5-33.1
18-24	87	267,738	66	76.0	66.0-86.0	6	7.9	01.0-14.8							15	16.2	08.0-24.4
25-34	206	379,061	159	76.2	69.3-83.1	14	6.1	02.8-09.4	1	0.4	00.0-01.2				32	17.4	11.1-23.7
35-44	236	349,732	186	76.0	68.9-83.1	26	12.3	07.0-17.6							24	11.7	06.4-17.0
45-54	309	397,873	252	76.6	69.9-83.3	29	10.8	06.1-15.5				2	0.5	00.0-01.1	26	12.1	06.6-17.6
55-64	432	350,597	364	81.8	76.3-87.3	31	9.1	04.2-14.0	1	0.2	00.0-00.6	1	0.2	00.0-00.6	35	8.7	05.2-12.2
65+	570	375,281	477	84.8	80.9-88.7	51	8.1	05.6-10.6				2	0.3	00.0-00.7	40	6.8	03.7-09.9
Less Than H.S.	199	322,241	149	67.7	58.5-76.9	22	16.1	08.3-23.9							28	16.2	09.1-23.3
H.S. or G.E.D.	577	731,355	469	79.3	74.6-84.0	52	9.0	05.9-12.1	1	0.1	00.0-00.3				55	11.5	07.8-15.2
Some Post-H.S.	468	590,131	391	81.7	77.0-86.4	35	6.3	03.8-08.8	1	0.2	00.0-00.6	2	0.2	00.0-00.4	39	11.5	07.2-15.8
College Graduate	600	475,424	500	81.2	77.1-85.3	47	7.7	05.2-10.2				3	0.5	00.0-01.1	50	10.5	07.0-14.0
Less than \$15,000	178	197,277	139	71.7	61.5-81.9	14	10.9	03.5-18.3	1	0.7	00.0-02.1				24	16.7	08.3-25.1
\$15,000- 24,999	280	356,602	219	75.8	68.2-83.4	26	10.2	04.5-15.9	1	0.2	00.0-00.6	1	0.2	00.0-00.6	33	13.7	07.8-19.6
\$25,000- 34,999	179	199,056	133	72.9	63.9-81.9	23	10.5	04.8-16.2							23	16.6	08.6-24.6
\$35,000- 49,999	214	264,091	175	77.9	69.9-85.9	17	8.5	03.8-13.2							22	13.5	06.2-20.8
\$50,000- 74,999	228	241,895	197	83.5	77.2-89.8	17	10.1	04.6-15.6				2	0.5	00.0-01.3	12	5.8	02.3-09.3
\$75,000+	333	359,587	292	87.0	82.1-91.9	22	5.0	02.6-07.4				2	0.4	00.0-01.0	17	7.6	03.1-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 9: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3269	2,359,025	2609	77.2	75.0-79.4	285	9.3	07.9-10.7	11	0.3	00.1-00.5	10	0.3	00.1-00.5	354	12.9	10.9-14.9
White/Non-Hisp	2634	1,799,021	2145	79.7	77.3-82.1	223	8.6	07.0-10.2	11	0.4	00.0-00.8	9	0.3	00.1-00.5	246	11.0	09.0-13.0
Black or Afr. Am./Non-Hisp	502	364,105	370	73.3	67.8-78.8	44	7.5	04.4-10.6				1	0.7	00.0-01.9	87	18.6	13.9-23.3
Oth. Race/Non-Hisp.	53	86,710	34	51.3	32.5-70.1	9	18.7	05.0-32.4							10	30.0	10.2-49.8
18-24	148	278,972	106	71.7	63.1-80.3	13	9.7	04.2-15.2							29	18.6	11.2-26.0
25-34	294	373,899	230	75.1	68.4-81.8	21	7.8	04.1-11.5	3	0.9	00.0-01.9	1	0.6	00.0-01.8	39	15.6	09.5-21.7
35-44	359	395,686	279	75.1	69.0-81.2	37	10.6	06.7-14.5							43	14.3	09.0-19.6
45-54	571	428,183	462	79.2	74.5-83.9	54	11.5	07.4-15.6	2	0.3	00.0-00.9	2	0.3	00.0-00.7	51	8.6	05.5-11.7
55-64	783	399,185	622	78.7	74.8-82.6	65	8.1	05.7-10.5	2	0.4	00.0-01.0	4	0.5	00.0-01.1	90	12.3	09.0-15.6
65+	1089	467,570	889	80.5	77.0-84.0	93	8.0	05.8-10.2	4	0.4	00.0-00.8	3	0.3	00.0-00.9	100	10.8	07.7-13.9
Less Than H.S.	368	366,733	270	69.0	61.7-76.3	47	13.9	08.6-19.2				1	0.4	00.0-01.2	50	16.8	10.7-22.9
H.S. or G.E.D.	1109	745,311	870	78.0	74.5-81.5	104	9.7	07.2-12.2	4	0.4	00.0-00.8	6	0.6	00.0-01.2	125	11.3	08.6-14.0
Some Post-H.S.	921	718,762	745	78.4	74.3-82.5	76	7.4	05.2-09.6	4	0.6	00.0-01.2	1	0.0	00.0-00.0	95	13.6	09.9-17.3
College Graduate	864	523,070	717	79.7	75.6-83.8	58	8.2	05.5-10.9	3	0.1	00.0-00.3	2	0.2	00.0-00.6	84	11.7	08.2-15.2
Less than \$15,000	472	291,334	357	73.9	68.0-79.8	55	12.3	07.8-16.8				3	0.6	00.0-01.6	57	13.2	08.7-17.7
\$15,000- 24,999	561	387,410	430	73.8	68.7-78.9	55	12.5	08.4-16.6	2	0.4	00.0-01.0	1	0.2	00.0-00.6	73	13.1	09.4-16.8
\$25,000- 34,999	310	225,967	256	80.2	73.7-86.7	21	7.5	02.8-12.2				1	0.2	00.0-00.6	32	12.1	07.0-17.2
\$35,000- 49,999	332	255,672	280	81.8	75.9-87.7	25	8.2	04.1-12.3	2	0.7	00.0-01.7				25	9.3	04.8-13.8
\$50,000- 74,999	284	228,094	232	78.7	70.5-86.9	23	7.5	03.8-11.2	2	0.6	00.0-01.6	2	0.6	00.0-01.4	25	12.6	04.6-20.6
\$75,000+	356	310,934	317	86.8	81.7-91.9	19	5.6	02.9-08.3	2	0.8	00.0-01.8				18	6.9	02.6-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 10: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5136	4,493,724	3768	71.6	69.8-73.4	877	17.8	16.2-19.4	11	0.4	00.0-00.8	16	0.2	00.0-00.4	464	10.0	08.8-11.2
Male	1857	2,133,901	1365	71.4	68.5-74.3	279	15.9	13.5-18.3	2	0.4	00.0-01.0	5	0.2	00.0-00.4	206	12.1	09.9-14.3
Female	3279	2,359,823	2403	71.8	69.4-74.2	598	19.5	17.3-21.7	9	0.3	00.1-00.5	11	0.3	00.1-00.5	258	8.0	06.6-09.4
White/Non-Hisp	4225	3,456,848	3104	71.6	69.6-73.6	683	16.8	15.2-18.4	7	0.2	00.0-00.4	14	0.3	00.1-00.5	417	11.1	09.7-12.5
Black or Afr. Am./Non-Hisp	711	676,583	537	76.5	72.0-81.0	140	17.2	13.5-20.9	1	0.9	00.0-02.7	1	0.2	00.0-00.6	32	5.2	02.7-07.7
Oth. Race/Non-Hisp.	79	157,409	46	60.6	46.1-75.1	27	35.2	20.7-49.7	2	1.6	00.0-04.0				4	2.5	00.0-05.6
18-24	236	548,464	156	63.2	55.8-70.6	46	17.7	12.0-23.4	1	1.2	00.0-03.6				33	17.9	11.6-24.2
25-34	504	760,528	370	72.6	67.7-77.5	96	20.0	15.5-24.5	1	0.1	00.0-00.3	6	0.7	00.1-01.3	31	6.5	03.8-09.2
35-44	597	744,943	432	71.5	66.8-76.2	109	18.8	14.7-22.9	3	0.4	00.0-00.8				53	9.3	06.4-12.2
45-54	887	828,186	639	70.9	66.8-75.0	168	19.7	16.0-23.4	1	0.1	00.0-00.3	5	0.5	00.0-01.1	74	8.8	06.3-11.3
55-64	1214	745,388	905	74.5	71.2-77.8	202	15.9	13.2-18.6	3	0.4	00.0-00.8	1	0.1	00.0-00.3	103	9.2	06.8-11.6
65+	1662	843,268	1238	74.4	71.5-77.3	249	14.5	12.3-16.7	2	0.2	00.0-00.6	4	0.1	00.0-00.3	169	10.7	08.5-12.9
Less Than H.S.	567	687,777	381	63.0	57.1-68.9	86	17.3	12.8-21.8	1	0.3	00.0-00.9	1	0.0	00.0-00.0	98	19.4	14.5-24.3
H.S. or G.E.D.	1692	1,468,268	1257	72.6	69.5-75.7	239	15.4	12.7-18.1	2	0.5	00.0-01.3	3	0.2	00.0-00.4	191	11.3	09.1-13.5
Some Post-H.S.	1404	1,329,173	1042	74.1	70.8-77.4	241	17.5	14.6-20.4	5	0.3	00.0-00.7	4	0.3	00.0-00.7	112	7.8	05.8-09.8
College Graduate	1463	999,989	1082	72.6	69.5-75.7	309	22.2	19.5-24.9	3	0.3	00.1-00.5	8	0.5	00.1-00.9	61	4.5	02.9-06.1
Less than \$15,000	645	484,895	461	69.5	63.8-75.2	92	15.6	11.3-19.9				1	0.3	00.0-00.9	91	14.7	10.0-19.4
\$15,000- 24,999	842	738,098	596	67.5	62.6-72.4	140	18.1	14.0-22.2	3	0.3	00.0-00.9	2	0.2	00.0-00.4	101	13.9	10.4-17.4
\$25,000- 34,999	495	434,440	345	66.8	60.9-72.7	103	21.4	16.1-26.7	1	0.2	00.0-00.6	3	0.4	00.0-01.0	43	11.2	07.1-15.3
\$35,000- 49,999	544	521,145	417	75.3	70.0-80.6	87	15.6	11.3-19.9	4	1.8	00.0-04.3	1	0.1	00.0-00.3	35	7.2	04.3-10.1
\$50,000- 74,999	515	472,647	404	78.1	72.6-83.6	79	14.9	10.0-19.8	1	0.2	00.0-00.6	4	0.7	00.0-01.5	27	6.1	03.2-09.0
\$75,000+	696	675,869	516	73.7	69.4-78.0	152	21.8	17.7-25.9	2	0.3	00.0-00.7	4	0.3	00.0-00.7	22	3.8	01.6-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 11: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1857	2,133,901	1365	71.4	68.5-74.3	279	15.9	13.5-18.3	2	0.4	00.0-01.0	5	0.2	00.0-00.4	206	12.1	09.9-14.3
White/Non-Hisp	1585	1,658,418	1160	70.9	67.8-74.0	233	15.5	13.1-17.9	1	0.1	00.0-00.3	5	0.3	00.1-00.5	186	13.1	10.6-15.6
Black or Afr. Am./Non-Hisp	202	310,484	157	75.2	67.2-83.2	33	15.7	09.4-22.0	1	2.1	00.0-06.0				11	7.0	02.1-11.9
18-24	88	270,586	53	57.0	45.4-68.6	14	13.6	06.3-20.9	1	2.4	00.0-06.9				20	27.0	16.2-37.8
25-34	208	383,449	154	73.3	66.0-80.6	38	18.3	12.0-24.6				2	0.6	00.0-01.4	14	7.9	03.4-12.4
35-44	238	350,368	171	69.8	62.4-77.2	40	18.7	12.4-25.0							27	11.5	06.4-16.6
45-54	314	402,468	226	71.9	65.4-78.4	56	18.4	12.5-24.3				2	0.6	00.0-01.4	30	9.1	05.0-13.2
55-64	427	344,531	322	76.5	71.2-81.8	63	13.4	09.3-17.5							42	10.1	06.2-14.0
65+	571	375,083	431	76.0	71.5-80.5	66	11.7	08.4-15.0	1	0.5	00.0-01.5	1	0.1	00.0-00.3	72	11.7	08.2-15.2
Less Than H.S.	197	321,142	127	59.3	49.9-68.7	29	17.0	09.9-24.1	1	0.6	00.0-01.8				40	23.2	14.6-31.8
H.S. or G.E.D.	580	728,571	423	71.6	66.5-76.7	73	14.0	10.1-17.9	1	0.9	00.0-02.7				83	13.6	09.9-17.3
Some Post-H.S.	476	602,273	361	75.4	70.1-80.7	61	13.6	09.3-17.9				3	0.5	00.0-01.1	51	10.5	06.8-14.2
College Graduate	600	478,418	452	74.1	69.6-78.6	116	21.0	16.9-25.1				2	0.4	00.0-01.0	30	4.4	01.9-06.9
Less than \$15,000	175	195,016	119	64.3	53.1-75.5	26	19.3	10.5-28.1							30	16.4	06.8-26.0
\$15,000- 24,999	283	357,816	199	66.4	58.4-74.4	38	15.7	09.0-22.4	1	0.5	00.0-01.5				45	17.3	11.0-23.6
\$25,000- 34,999	183	206,776	117	60.9	50.9-70.9	39	22.8	14.0-31.6				1	0.6	00.0-01.8	26	15.7	08.3-23.1
\$35,000- 49,999	211	264,171	171	78.1	70.3-85.9	21	11.2	05.7-16.7	1	2.4	00.0-07.1				18	8.3	03.6-13.0
\$50,000- 74,999	229	243,517	191	83.2	76.7-89.7	23	8.5	04.0-13.0				1	0.6	00.0-01.8	14	7.6	02.5-12.7
\$75,000+	338	364,355	255	75.0	69.1-80.9	68	19.1	14.2-24.0				2	0.5	00.0-01.3	13	5.4	01.7-09.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 12: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3279	2,359,823	2403	71.8	69.4-74.2	598	19.5	17.3-21.7	9	0.3	0.1-0.5	11	0.3	0.1-0.5	258	8.0	06.6-09.4
White/Non-Hisp	2640	1,798,429	1944	72.3	69.9-74.7	450	18.0	15.8-20.2	6	0.2	0.0-0.4	9	0.3	0.1-0.5	231	9.3	07.7-10.9
Black or Afr. Am./Non-Hisp	509	366,099	380	77.6	72.9-82.3	107	18.5	14.2-22.8				1	0.3	0.0-0.9	21	3.7	01.7-05.7
Oth. Race/Non-Hisp.	53	86,710	27	47.3	28.7-65.9	22	48.1	29.1-67.1	2	3.0	0.0-0.7.3				2	1.6	00.0-04.3
18-24	148	277,878	103	69.3	60.3-78.3	32	21.7	13.5-29.9							13	9.0	03.7-14.3
25-34	296	377,079	216	72.0	65.3-78.7	58	21.8	15.3-28.3	1	0.3	0.0-0.9	4	0.9	0.1-0.1.7	17	5.0	02.3-07.7
35-44	359	394,575	261	73.0	67.1-78.9	69	18.9	13.6-24.2	3	0.8	0.0-0.1.8				26	7.4	03.9-10.9
45-54	573	425,718	413	69.9	64.8-75.0	112	21.0	16.3-25.7	1	0.1	0.0-0.0.3	3	0.4	0.0-0.1.0	44	8.6	05.7-11.5
55-64	787	400,856	583	72.7	68.6-76.8	139	18.0	14.5-21.5	3	0.7	0.0-0.1.5	1	0.1	0.0-0.0.3	61	8.4	05.9-10.9
65+	1091	468,185	807	73.1	69.6-76.6	183	16.8	13.9-19.7	1	0.1	0.0-0.0.3	3	0.1	0.0-0.0.3	97	9.9	07.2-12.6
Less Than H.S.	370	366,636	254	66.3	59.2-73.4	57	17.5	11.8-23.2				1	0.0	0.0-0.0.0	58	16.1	10.8-21.4
H.S. or G.E.D.	1112	739,696	834	73.7	69.8-77.6	166	16.8	13.3-20.3	1	0.1	0.0-0.0.3	3	0.4	0.0-0.0.8	108	9.0	06.8-11.2
Some Post-H.S.	928	726,900	681	73.1	69.0-77.2	180	20.7	16.8-24.6	5	0.6	0.0-0.1.2	1	0.0	0.0-0.0.0	61	5.6	03.8-07.4
College Graduate	863	521,572	630	71.2	67.1-75.3	193	23.2	19.5-26.9	3	0.5	0.0-0.1.1	6	0.6	0.0-0.1.2	31	4.5	02.5-06.5
Less than \$15,000	470	289,879	342	72.9	67.4-78.4	66	13.1	09.0-17.2				1	0.5	0.0-0.1.3	61	13.6	09.3-17.9
\$15,000- 24,999	559	380,282	397	68.6	63.1-74.1	102	20.3	15.6-25.0	2	0.2	0.0-0.0.6	2	0.3	0.0-0.0.9	56	10.6	06.9-14.3
\$25,000- 34,999	312	227,664	228	72.1	65.4-78.8	64	20.2	14.1-26.3	1	0.4	0.0-0.1.2	2	0.3	0.0-0.0.9	17	7.0	03.1-10.9
\$35,000- 49,999	333	256,974	246	72.3	65.2-79.4	66	20.1	13.6-26.6	3	1.1	0.0-0.2.5	1	0.3	0.0-0.0.9	17	6.1	02.8-09.4
\$50,000- 74,999	286	229,130	213	72.6	64.2-81.0	56	21.7	13.3-30.1	1	0.5	0.0-0.1.5	3	0.8	0.0-0.1.8	13	4.5	01.6-07.4
\$75,000+	358	311,514	261	72.2	65.7-78.7	84	24.9	18.4-31.4	2	0.7	0.0-0.1.7	2	0.2	0.0-0.0.6	9	2.0	00.4-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 13: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5086	4,435,397	4020	77.4	75.6-79.2	385	7.8	06.8-08.8	8	0.3	00.0-00.7	7	0.1	00.0-00.3	666	14.4	13.0-15.8
Male	1841	2,104,107	1445	76.6	73.9-79.3	119	6.7	05.1-08.3	3	0.5	00.0-01.1	3	0.2	00.0-00.4	271	16.0	13.6-18.4
Female	3245	2,331,290	2575	78.2	76.0-80.4	266	8.7	07.1-10.3	5	0.1	00.0-00.3	4	0.1	00.1-00.1	395	12.9	11.1-14.7
White/Non-Hisp	4190	3,423,993	3366	79.1	77.3-80.9	307	7.1	06.1-08.1	6	0.2	00.0-00.4	6	0.1	00.0-00.3	505	13.5	11.9-15.1
Black or Afr. Am./Non-Hisp	697	660,440	517	75.0	70.5-79.5	46	5.2	03.0-07.4	2	1.0	00.0-03.0	1	0.0	00.0-00.0	131	18.7	14.8-22.6
Oth. Race/Non-Hisp.	80	157,565	53	67.1	54.0-80.2	16	17.8	08.0-27.6							11	15.1	04.9-25.3
18-24	233	541,600	163	66.6	59.2-74.0	13	6.9	03.0-10.8	1	1.2	00.0-03.6				56	25.3	18.4-32.2
25-34	499	757,229	381	76.5	72.2-80.8	39	8.0	05.3-10.7	2	0.3	00.0-00.7				77	15.2	11.5-18.9
35-44	593	735,645	451	74.3	69.6-79.0	51	10.4	06.9-13.9							91	15.3	11.6-19.0
45-54	882	824,214	690	79.5	76.0-83.0	69	7.0	04.8-09.2	1	0.2	00.0-00.6				122	13.2	10.5-15.9
55-64	1204	734,346	956	80.4	77.3-83.5	87	6.6	04.8-08.4	1	0.0	00.0-00.0	3	0.2	00.0-00.4	157	12.8	09.9-15.7
65+	1638	818,469	1351	83.8	81.4-86.2	123	7.4	05.8-09.0	3	0.2	00.0-00.4	4	0.4	00.0-01.0	157	8.2	06.4-10.0
Less Than H.S.	549	654,257	408	74.0	68.5-79.5	39	6.5	03.8-09.2	1	0.1	00.0-00.3	2	0.3	00.0-00.9	99	19.0	13.9-24.1
H.S. or G.E.D.	1674	1,458,206	1276	73.9	70.8-77.0	121	8.7	06.5-10.9	3	0.7	00.0-01.7	3	0.1	00.0-00.3	271	16.6	14.1-19.1
Some Post-H.S.	1390	1,321,538	1113	78.8	75.7-81.9	100	7.5	05.5-09.5	3	0.1	00.0-00.3				174	13.6	11.1-16.1
College Graduate	1464	997,817	1215	83.1	80.6-85.6	124	7.6	05.8-09.4	1	0.0	00.0-00.0	2	0.1	00.0-00.3	122	9.2	07.0-11.4
Less than \$15,000	640	475,624	491	76.1	70.4-81.8	39	5.6	02.7-08.5				1	0.2	00.0-00.6	109	18.2	12.9-23.5
\$15,000- 24,999	833	732,390	621	73.2	68.7-77.7	65	8.5	05.8-11.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3	145	18.1	14.2-22.0
\$25,000- 34,999	486	420,125	390	77.4	71.9-82.9	39	10.7	06.2-15.2	1	0.3	00.0-00.9				56	11.6	07.7-15.5
\$35,000- 49,999	543	518,601	437	75.6	69.9-81.3	44	10.3	06.4-14.2	3	1.6	00.0-04.1				59	12.5	08.4-16.6
\$50,000- 74,999	512	469,960	430	84.3	80.2-88.4	36	5.3	03.1-07.5				2	0.3	00.0-00.9	44	10.1	06.4-13.8
\$75,000+	692	670,885	589	85.8	82.5-89.1	55	6.2	04.2-08.2							48	8.0	05.1-10.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 14: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	2,104,107	1445	76.6	73.9-79.3	119	6.7	05.1-08.3	3	0.5	00.0-01.1	3	0.2	00.0-00.4	271	16.0	13.6-18.4
White/Non-Hisp	1576	1,650,914	1253	77.9	75.0-80.8	102	6.4	04.8-08.0	2	0.2	00.0-00.4	3	0.2	00.0-00.4	216	15.3	12.6-18.0
Black or Afr. Am./Non-Hisp	196	297,524	141	71.8	63.6-80.0	9	4.2	00.7-07.7	1	2.1	00.0-06.2				45	21.9	14.6-29.2
18-24	88	268,093	56	60.1	48.5-71.7	6	6.6	01.3-11.9	1	2.4	00.0-06.9				25	30.9	19.9-41.9
25-34	207	383,676	154	73.7	66.8-80.6	19	9.6	05.1-14.1	1	0.4	00.0-01.2				33	16.3	10.4-22.2
35-44	236	342,757	180	76.6	69.7-83.5	19	8.8	03.9-13.7							37	14.6	09.1-20.1
45-54	311	400,584	239	80.3	75.0-85.6	19	4.5	02.0-07.0	1	0.5	00.0-01.5				52	14.7	10.2-19.2
55-64	426	339,186	342	80.2	74.7-85.7	23	5.4	02.7-08.1				1	0.2	00.0-00.6	60	14.2	09.1-19.3
65+	561	361,447	465	84.5	80.8-88.2	33	5.8	03.6-08.0				2	0.9	00.0-02.1	61	8.9	06.0-11.8
Less Than H.S.	188	302,298	138	75.7	66.9-84.5	10	4.0	00.7-07.3				1	0.6	00.0-01.8	39	19.6	11.0-28.2
H.S. or G.E.D.	577	723,685	423	71.0	65.9-76.1	37	7.7	04.8-10.6	3	1.3	00.0-03.1	2	0.3	00.0-00.7	112	19.8	15.5-24.1
Some Post-H.S.	472	601,016	379	78.1	73.0-83.2	29	7.1	04.0-10.2							64	14.8	10.5-19.1
College Graduate	600	476,114	501	83.8	80.1-87.5	43	6.6	04.2-09.0							56	9.5	06.4-12.6
Less than \$15,000	173	189,256	122	68.5	57.3-79.7	15	9.7	03.0-16.4				1	0.4	00.0-01.2	35	21.4	10.8-32.0
\$15,000- 24,999	278	354,481	204	71.8	64.4-79.2	20	7.4	03.3-11.5							54	20.9	14.0-27.8
\$25,000- 34,999	177	193,350	144	78.4	69.6-87.2	12	10.7	03.4-18.0	1	0.7	00.0-02.1				20	10.1	04.2-16.0
\$35,000- 49,999	213	263,758	174	79.1	71.5-86.7	13	6.0	02.1-09.9	2	3.1	00.0-08.0				24	11.8	06.3-17.3
\$50,000- 74,999	228	242,566	193	82.6	75.9-89.3	10	3.6	00.7-06.5				1	0.5	00.0-01.5	24	13.3	07.2-19.4
\$75,000+	336	360,491	285	86.0	81.5-90.5	22	5.3	02.8-07.8							29	8.7	04.8-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 15: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3245	2,331,290	2575	78.2	76.0-80.4	266	8.7	07.1-10.3	5	0.1	00.0-00.3	4	0.1	00.1-00.1	395	12.9	11.1-14.7
White/Non-Hisp	2614	1,773,079	2113	80.2	78.0-82.4	205	7.8	06.2-09.4	4	0.2	00.0-00.4	3	0.1	00.1-00.1	289	11.9	10.1-13.7
Black or Afr. Am./Non-Hisp	501	362,916	376	77.7	73.0-82.4	37	6.1	03.6-08.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3	86	16.1	12.0-20.2
Oth. Race/Non-Hisp.	53	86,710	32	59.7	41.7-77.7	12	20.7	07.2-34.2							9	19.6	04.5-34.7
18-24	145	273,507	107	72.9	64.1-81.7	7	7.3	01.6-13.0							31	19.8	12.2-27.4
25-34	292	373,553	227	79.3	74.0-84.6	20	6.3	03.2-09.4	1	0.3	00.0-00.9				44	14.0	09.5-18.5
35-44	357	392,888	271	72.3	65.8-78.8	32	11.8	06.7-16.9							54	15.8	10.7-20.9
45-54	571	423,630	451	78.7	74.2-83.2	50	9.5	06.0-13.0							70	11.8	08.5-15.1
55-64	778	395,160	614	80.6	76.9-84.3	64	7.5	05.1-09.9	1	0.0	00.0-00.0	2	0.2	00.0-00.4	97	11.6	08.5-14.7
65+	1077	457,022	886	83.2	80.3-86.1	90	8.7	06.3-11.1	3	0.3	00.0-00.7	2	0.1	00.0-00.3	96	7.6	05.6-09.6
Less Than H.S.	361	351,959	270	72.5	65.6-79.4	29	8.7	04.4-13.0	1	0.2	00.0-00.6	1	0.1	00.0-00.3	60	18.5	12.4-24.6
H.S. or G.E.D.	1097	734,521	853	76.7	72.8-80.6	84	9.7	06.8-12.6				1	0.0	00.0-00.0	159	13.5	10.6-16.4
Some Post-H.S.	918	720,522	734	79.3	75.6-83.0	71	7.9	05.2-10.6	3	0.2	00.0-00.6				110	12.5	09.6-15.4
College Graduate	864	521,702	714	82.5	79.0-86.0	81	8.4	06.0-10.8	1	0.1	00.0-00.3	2	0.1	00.0-00.3	66	8.9	06.0-11.8
Less than \$15,000	467	286,367	369	81.2	75.9-86.5	24	2.8	01.0-04.6							74	16.0	10.7-21.3
\$15,000- 24,999	555	377,909	417	74.6	69.5-79.7	45	9.6	06.1-13.1	1	0.1	00.0-00.3	1	0.1	00.0-00.3	91	15.5	11.6-19.4
\$25,000- 34,999	309	226,775	246	76.5	69.6-83.4	27	10.6	05.1-16.1							36	12.9	07.8-18.0
\$35,000- 49,999	330	254,843	263	71.9	63.9-79.9	31	14.7	08.0-21.4	1	0.1	00.0-00.3				35	13.4	07.3-19.5
\$50,000- 74,999	284	227,394	237	86.1	81.2-91.0	26	7.0	03.7-10.3				1	0.1	00.0-00.3	20	6.8	03.1-10.5
\$75,000+	356	310,393	304	85.6	80.7-90.5	33	7.3	04.4-10.2							19	7.1	02.8-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 16: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5083	4,438,837	3006	59.0	57.0-61.0	1925	37.7	35.7-39.7	40	0.8	00.4-01.2	37	0.7	00.3-01.1	75	1.8	01.2-02.4
Male	1835	2,096,955	1146	62.1	59.0-65.2	628	33.7	30.8-36.6	13	1.0	00.4-01.6	13	0.7	00.1-01.3	35	2.5	01.3-03.7
Female	3248	2,341,882	1860	56.3	53.8-58.8	1297	41.3	38.8-43.8	27	0.6	00.2-01.0	24	0.7	00.3-01.1	40	1.2	00.6-01.8
White/Non-Hisp	4184	3,426,340	2431	57.9	55.7-60.1	1639	39.4	37.2-41.6	31	0.7	00.3-01.1	29	0.7	00.3-01.1	54	1.4	00.8-02.0
Black or Afr. Am./Non-Hisp	700	656,068	466	66.0	60.9-71.1	203	27.9	23.2-32.6	6	0.6	00.0-01.2	7	0.8	00.0-01.6	18	4.8	01.7-07.9
Oth. Race/Non-Hisp.	80	157,565	41	55.7	41.0-70.4	36	43.3	28.6-58.0	1	0.1	00.0-00.3	1	0.8	00.0-02.4	1	0.1	00.0-00.3
18-24	233	538,890	145	62.5	55.2-69.8	77	30.9	24.0-37.8	1	0.3	00.0-00.9	1	0.9	00.0-02.7	9	5.5	01.6-09.4
25-34	497	747,834	292	58.8	53.5-64.1	187	36.2	31.1-41.3	7	2.1	00.3-03.9	3	0.7	00.0-01.5	8	2.2	00.2-04.2
35-44	594	740,052	347	59.4	54.3-64.5	225	37.6	32.5-42.7	4	0.5	00.0-01.1	7	0.8	00.0-01.6	11	1.7	00.5-02.9
45-54	885	826,101	520	58.5	54.0-63.0	343	40.0	35.5-44.5	7	0.6	00.2-01.0	4	0.3	00.1-00.5	11	0.6	00.0-01.2
55-64	1202	736,109	734	59.8	55.9-63.7	431	37.3	33.4-41.2	12	1.1	00.3-01.9	6	0.4	00.0-00.8	19	1.4	00.4-02.4
65+	1637	827,021	945	56.1	52.8-59.4	650	42.0	38.7-45.3	9	0.3	00.1-00.5	16	1.0	00.4-01.6	17	0.7	00.3-01.1
Less Than H.S.	558	678,131	339	57.9	52.0-63.8	198	38.0	32.1-43.9	3	0.3	00.0-00.7	5	1.0	00.0-02.0	13	2.7	00.5-04.9
H.S. or G.E.D.	1663	1,447,700	1024	60.3	56.8-63.8	593	36.5	33.2-39.8	11	0.9	00.1-01.7	8	0.3	00.1-00.5	27	2.0	00.8-03.2
Some Post-H.S.	1387	1,306,011	820	59.8	56.3-63.3	528	37.5	34.0-41.0	11	0.8	00.2-01.4	9	0.7	00.0-01.5	19	1.2	00.4-02.0
College Graduate	1463	998,046	818	57.0	53.7-60.3	599	39.3	36.2-42.4	15	1.0	00.4-01.6	15	1.0	00.4-01.6	16	1.7	00.5-02.9
Less than \$15,000	639	480,685	365	57.9	52.0-63.8	251	38.1	32.4-43.8	3	0.4	00.0-01.0	7	1.0	00.0-02.0	13	2.6	00.6-04.6
\$15,000- 24,999	834	740,137	490	56.8	51.7-61.9	317	39.3	34.4-44.2	7	0.9	00.0-01.9	9	1.5	00.1-02.9	11	1.5	00.0-03.1
\$25,000- 34,999	488	421,008	278	56.8	50.7-62.9	195	40.8	34.7-46.9	5	0.6	00.0-01.2	1	0.1	00.0-00.3	9	1.8	00.0-03.6
\$35,000- 49,999	544	516,991	336	60.9	54.8-67.0	198	36.2	30.3-42.1	4	0.8	00.0-01.8	2	0.2	00.0-00.4	4	1.9	00.0-04.4
\$50,000- 74,999	513	471,202	309	59.8	53.9-65.7	192	36.6	30.7-42.5	4	1.9	00.0-04.3	6	1.0	00.0-02.0	2	0.7	00.0-01.7
\$75,000+	686	668,381	374	56.6	51.7-61.5	296	40.6	35.9-45.3	6	0.8	00.2-01.4	5	0.6	00.0-01.2	5	1.4	00.0-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 17: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1835	2,096,955	1146	62.1	59.0-65.2	628	33.7	30.8-36.6	13	1.0	00.4-01.6	13	0.7	00.1-01.3	35	2.5	01.3-03.7
White/Non-Hisp	1566	1,635,813	971	60.7	57.4-64.0	544	35.7	32.6-38.8	12	0.9	00.3-01.5	11	0.8	00.2-01.4	28	1.9	00.9-02.9
Black or Afr. Am./Non-Hisp	198	295,988	136	69.5	60.9-78.1	53	23.0	15.7-30.3				2	0.4	00.0-01.0	7	7.0	00.9-13.1
18-24	86	261,533	56	65.2	54.0-76.4	24	25.3	15.3-35.3				1	1.8	00.0-05.3	5	7.7	00.8-14.6
25-34	206	376,966	127	60.4	52.4-68.4	68	32.0	24.6-39.4	5	3.5	00.2-06.8				6	4.1	00.4-07.8
35-44	235	345,960	149	63.2	55.4-71.0	76	33.6	26.0-41.2	1	0.5	00.0-01.5	4	1.1	00.0-02.3	5	1.6	00.0-03.4
45-54	311	399,322	195	63.2	56.5-69.9	109	35.4	28.7-42.1	3	0.8	00.0-01.6				4	0.7	00.0-01.5
55-64	428	344,595	272	61.1	54.6-67.6	142	35.8	29.3-42.3	4	0.7	00.0-01.5	4	0.8	00.0-01.6	6	1.7	00.0-03.5
65+	558	361,162	339	60.4	55.1-65.7	206	38.1	32.8-43.4				4	0.7	00.0-01.5	9	0.7	00.1-01.3
Less Than H.S.	192	315,674	127	64.3	55.1-73.5	58	32.6	23.6-41.6	1	0.4	00.0-01.2	1	0.1	00.0-00.3	5	2.6	00.0-05.5
H.S. or G.E.D.	570	717,969	366	62.5	57.0-68.0	187	33.1	27.8-38.4	3	1.4	00.0-03.0	1	0.1	00.0-00.3	13	2.9	00.5-05.3
Some Post-H.S.	470	585,024	290	61.9	56.2-67.6	162	34.0	28.5-39.5	5	1.0	00.0-02.2	5	1.2	00.0-02.8	8	1.8	00.0-03.6
College Graduate	598	474,747	362	60.8	55.9-65.7	217	34.8	30.1-39.5	4	0.7	00.0-01.5	6	1.1	00.1-02.1	9	2.6	00.1-05.1
Less than \$15,000	172	190,930	112	68.1	57.9-78.3	54	28.7	18.9-38.5	1	0.7	00.0-02.1	2	0.4	00.0-01.0	3	2.1	00.0-05.0
\$15,000- 24,999	284	359,749	177	57.6	49.4-65.8	97	37.3	29.3-45.3	2	0.8	00.0-02.4	2	1.5	00.0-04.0	6	2.8	00.0-05.7
\$25,000- 34,999	180	196,090	98	55.5	45.5-65.5	75	41.5	31.7-51.3	2	0.8	00.0-02.0	1	0.2	00.0-00.6	4	2.0	00.0-05.1
\$35,000- 49,999	210	260,317	136	63.8	54.8-72.8	69	31.6	23.4-39.8	2	1.2	00.0-03.0				3	3.4	00.0-08.3
\$50,000- 74,999	227	242,071	154	67.7	60.1-75.3	68	27.2	20.3-34.1	2	3.2	00.0-07.7	1	0.5	00.0-01.5	2	1.4	00.0-03.4
\$75,000+	332	358,754	196	60.6	54.1-67.1	125	35.4	29.1-41.7	4	1.0	00.0-02.0	4	0.9	00.0-01.9	3	2.1	00.0-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 18: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3248	2,341,882	1860	56.3	53.8-58.8	1297	41.3	38.8-43.8	27	0.6	0.2-0.1.0	24	0.7	0.3-0.1.1	40	1.2	0.6-0.1.8
White/Non-Hisp	2618	1,790,527	1460	55.2	52.5-57.9	1095	42.8	40.1-45.5	19	0.5	0.3-0.0.7	18	0.6	0.2-0.1.0	26	0.8	0.2-0.1.4
Black or Afr. Am./Non-Hisp	502	360,080	330	63.1	56.8-69.4	150	31.8	25.7-37.9	6	1.0	0.0-0.2.2	5	1.1	0.0-0.2.3	11	3.0	0.8-0.5.2
Oth. Race/Non-Hisp.	53	86,710	27	50.6	31.8-69.4	23	47.5	28.5-66.5	1	0.3	0.0-0.0.9	1	1.4	0.0-0.4.1	1	0.2	0.0-0.0.6
18-24	147	277,357	89	59.9	50.5-69.3	53	36.2	26.8-45.6	1	0.5	0.0-0.1.5				4	3.4	0.0-0.7.1
25-34	291	370,868	165	57.2	50.3-64.1	119	40.5	33.6-47.4	2	0.6	0.0-0.1.6	3	1.4	0.0-0.3.2	2	0.3	0.0-0.0.7
35-44	359	394,093	198	56.1	49.4-62.8	149	41.2	34.7-47.7	3	0.4	0.0-0.1.0	3	0.6	0.0-0.1.4	6	1.7	0.0-0.3.5
45-54	574	426,779	325	54.1	48.4-59.8	234	44.4	38.7-50.1	4	0.4	0.0-0.0.8	4	0.5	0.0-0.1.1	7	0.6	0.0-0.1.2
55-64	774	391,514	462	58.7	54.2-63.2	289	38.5	34.0-43.0	8	1.4	0.2-0.2.6	2	0.1	0.0-0.0.3	13	1.2	0.4-0.2.0
65+	1079	465,860	606	52.7	48.6-56.8	444	45.0	40.9-49.1	9	0.5	0.1-0.0.9	12	1.2	0.4-0.2.0	8	0.6	0.0-0.1.2
Less Than H.S.	366	362,457	212	52.3	44.7-59.9	140	42.8	35.4-50.2	2	0.2	0.0-0.0.6	4	1.9	0.0-0.3.9	8	2.8	0.0-0.5.7
H.S. or G.E.D.	1093	729,732	658	58.2	53.9-62.5	406	39.9	35.6-44.2	8	0.5	0.1-0.0.9	7	0.4	0.0-0.0.8	14	1.0	0.2-0.1.8
Some Post-H.S.	917	720,987	530	58.1	53.6-62.6	366	40.4	35.9-44.9	6	0.6	0.0-0.1.2	4	0.2	0.0-0.0.4	11	0.7	0.1-0.1.3
College Graduate	865	523,299	456	53.5	49.2-57.8	382	43.5	39.2-47.8	11	1.2	0.2-0.2.2	9	0.9	0.1-0.1.7	7	0.8	0.2-0.1.4
Less than \$15,000	467	289,755	253	51.1	44.4-57.8	197	44.4	37.7-51.1	2	0.2	0.0-0.0.6	5	1.4	0.0-0.3.0	10	2.9	0.4-0.5.4
\$15,000- 24,999	550	380,387	313	56.0	49.9-62.1	220	41.2	35.3-47.1	5	1.0	0.0-0.2.0	7	1.5	0.1-0.2.9	5	0.3	0.0-0.0.7
\$25,000- 34,999	308	224,918	180	57.8	50.5-65.1	120	40.2	32.9-47.5	3	0.5	0.0-0.1.1				5	1.5	0.1-0.2.9
\$35,000- 49,999	334	256,674	200	57.9	49.9-65.9	129	40.9	32.9-48.9	2	0.4	0.0-0.1.0	2	0.3	0.0-0.0.7	1	0.4	0.0-0.1.2
\$50,000- 74,999	286	229,130	155	51.5	43.1-59.9	124	46.4	38.0-54.8	2	0.5	0.0-0.1.3	5	1.6	0.0-0.3.4			
\$75,000+	354	309,627	178	51.9	44.8-59.0	171	46.7	39.6-53.8	2	0.6	0.0-0.1.6	1	0.2	0.0-0.0.6	2	0.6	0.0-0.1.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 19: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5046	4,407,061	1993	42.2	40.2-44.2	2543	48.2	46.2-50.2	184	4.0	03.0-05.0	164	2.8	02.2-03.4	18	0.2	00.2-00.2	144	2.6	02.0-03.2
Male	1825	2,092,514	765	45.2	42.1-48.3	893	46.2	43.1-49.3	49	3.0	01.8-04.2	48	2.4	01.4-03.4	4	0.1	00.0-00.3	66	3.1	02.1-04.1
Female	3221	2,314,547	1228	39.6	37.2-42.0	1650	50.0	47.5-52.5	135	4.9	03.5-06.3	116	3.2	02.4-04.0	14	0.2	00.0-00.4	78	2.1	01.5-02.7
White/Non-Hisp	4160	3,412,445	1659	43.3	41.1-45.5	2091	47.5	45.3-49.7	146	3.5	02.7-04.3	131	2.8	02.2-03.4	14	0.2	00.0-00.4	119	2.8	02.0-03.6
Black or Afr. Am./Non-Hisp	689	651,732	260	40.0	34.7-45.3	354	50.8	45.3-56.3	25	4.3	01.4-07.2	25	3.1	01.5-04.7	4	0.2	00.0-00.4	21	1.6	00.6-02.6
Oth. Race/Non-Hisp.	77	149,821	29	40.6	25.9-55.3	39	47.9	33.0-62.8	5	8.8	00.0-20.6	3	1.7	00.0-03.9				1	0.9	00.0-02.7
18-24	233	545,381	103	44.6	37.2-52.0	102	43.0	35.6-50.4	13	6.5	02.4-10.6	7	2.6	00.4-04.8				8	3.3	00.8-05.8
25-34	492	742,046	201	42.6	37.3-47.9	229	45.5	40.2-50.8	29	5.9	03.0-08.8	22	4.2	02.2-06.2				11	1.9	00.7-03.1
35-44	592	734,339	238	40.2	35.1-45.3	291	50.5	45.2-55.8	27	4.7	02.3-07.1	17	2.3	00.9-03.7	2	0.2	00.0-00.4	17	2.1	00.9-03.3
45-54	875	812,116	403	47.2	42.7-51.7	397	44.9	40.4-49.4	20	2.4	00.8-04.0	29	2.1	01.1-03.1	2	0.1	00.0-00.3	24	3.3	01.3-05.3
55-64	1195	732,620	496	44.7	40.8-48.6	588	47.4	43.5-51.3	37	2.5	01.5-03.5	34	2.5	01.5-03.5	2	0.1	00.1-00.1	38	2.9	01.5-04.3
65+	1624	817,196	538	35.2	31.9-38.5	916	55.8	52.5-59.1	58	3.0	02.0-04.0	54	3.3	02.1-04.5	12	0.6	00.2-01.0	46	2.2	01.4-03.0
Less Than H.S.	550	648,982	216	49.8	43.7-55.9	268	41.9	36.0-47.8	14	2.0	00.6-03.4	15	2.1	00.5-03.7	2	0.2	00.0-00.6	35	4.0	01.8-06.2
H.S. or G.E.D.	1650	1,439,012	724	43.8	40.3-47.3	775	47.1	43.6-50.6	44	3.2	01.6-04.8	44	2.7	01.7-03.7	8	0.2	00.0-00.4	55	3.0	02.0-04.0
Some Post-H.S.	1381	1,315,780	570	41.7	38.2-45.2	679	48.7	45.0-52.4	55	4.9	02.7-07.1	36	2.2	01.2-03.2	4	0.1	00.0-00.3	37	2.4	01.4-03.4
College Graduate	1454	990,018	480	35.6	32.3-38.9	813	53.4	50.1-56.7	71	5.4	03.8-07.0	69	4.3	03.1-05.5	4	0.1	00.0-00.3	17	1.2	00.4-02.0
Less than \$15,000	631	469,173	284	48.1	42.0-54.2	276	42.1	36.2-48.0	23	2.9	01.5-04.3	10	2.1	00.3-03.9	2	0.1	00.0-00.3	36	4.7	02.5-06.9
\$15,000- 24,999	832	727,354	338	45.0	39.9-50.1	401	44.4	39.5-49.3	28	3.0	01.4-04.6	30	4.0	02.0-06.0	5	0.1	00.0-00.3	30	3.5	01.5-05.5
\$25,000- 34,999	489	426,391	198	39.3	33.4-45.2	238	50.7	44.4-57.0	18	3.8	01.4-06.2	18	3.0	01.2-04.8	1	0.2	00.0-00.6	16	3.0	01.2-04.8
\$35,000- 49,999	537	511,547	216	45.1	38.8-51.4	277	47.0	40.7-53.3	17	4.2	01.3-07.1	17	2.1	00.9-03.3	2	0.2	00.0-00.4	8	1.5	00.3-02.7
\$50,000- 74,999	508	469,351	189	38.9	33.2-44.6	278	51.1	45.2-57.0	17	5.7	01.4-10.0	15	2.4	01.0-03.8	3	0.3	00.0-00.7	6	1.6	00.0-03.8
\$75,000+	691	673,535	240	36.9	32.2-41.6	369	52.6	47.7-57.5	39	5.7	03.5-07.9	36	3.5	02.1-04.9				7	1.4	00.2-02.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES
 TABLE 20: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1825	2,092,514	765	45.2	42.1-48.3	893	46.2	43.1-49.3	49	3.0	01.8-04.2	48	2.4	01.4-03.4	4	0.1	00.0-00.3	66	3.1	02.1-04.1
White/Non-Hisp	1563	1,643,391	653	45.8	42.5-49.1	769	45.5	42.2-48.8	42	2.6	01.6-03.6	40	2.5	01.5-03.5	3	0.1	00.0-00.3	56	3.5	02.1-04.9
Black or Afr. Am./Non-Hisp	194	291,968	82	41.3	32.3-50.3	91	48.8	39.4-58.2	5	6.2	00.0-12.5	7	2.2	00.4-04.0	1	0.1	00.0-00.3	8	1.4	00.0-02.8
18-24	87	267,230	39	45.9	34.1-57.7	35	38.6	27.2-50.0	5	7.2	00.3-14.1	4	4.1	00.0-08.4				4	4.2	00.0-08.5
25-34	203	373,391	90	45.2	37.0-53.4	89	45.2	37.0-53.4	12	4.4	01.7-07.1	5	2.6	00.2-05.0				7	2.6	00.6-04.6
35-44	236	343,431	106	44.0	36.0-52.0	109	49.4	41.2-57.6	5	1.4	00.0-02.8	6	2.6	00.2-05.0	1	0.3	00.0-00.9	9	2.4	00.4-04.4
45-54	308	395,559	143	49.0	41.7-56.3	142	43.6	36.5-50.7	4	1.8	00.0-04.2	8	1.6	00.2-03.0				11	4.1	00.8-07.4
55-64	422	342,169	178	46.1	39.4-52.8	214	47.9	41.4-54.4	6	1.1	00.1-02.1	10	1.7	00.5-02.9				14	3.1	00.7-05.5
65+	557	362,399	202	40.3	34.8-45.8	299	51.7	46.2-57.2	17	3.0	01.2-04.8	15	2.2	00.8-03.6	3	0.4	00.0-00.8	21	2.4	01.2-03.6
Less Than H.S.	190	302,993	77	54.9	45.3-64.5	89	38.3	29.3-47.3	5	1.6	00.0-03.4	3	1.4	00.0-03.8				16	3.8	00.0-07.7
H.S. or G.E.D.	565	710,013	268	45.7	40.0-51.4	244	44.7	39.0-50.4	11	3.4	00.7-06.1	13	2.1	00.7-03.5	2	0.2	00.0-00.4	27	3.9	02.1-05.7
Some Post-H.S.	470	597,523	216	45.7	39.8-51.6	220	46.5	40.6-52.4	10	2.3	00.3-04.3	9	2.3	00.3-04.3	1	0.1	00.0-00.3	14	3.0	00.8-05.2
College Graduate	596	474,123	203	37.5	32.4-42.6	337	53.3	48.2-58.4	23	4.2	02.0-06.4	23	3.5	01.7-05.3	1	0.1	00.0-00.3	9	1.5	00.3-02.7
Less than \$15,000	173	191,332	76	50.0	38.6-61.4	80	43.8	32.8-54.8	2	0.6	00.0-01.4	2	1.9	00.0-05.4				13	3.7	01.2-06.2
\$15,000- 24,999	274	342,962	129	51.9	43.5-60.3	123	39.0	31.0-47.0	3	1.9	00.0-04.1	7	3.6	00.3-06.9				12	3.6	00.0-07.3
\$25,000- 34,999	182	201,972	77	38.9	29.3-48.5	78	49.0	38.8-59.2	10	4.5	00.6-08.4	7	2.8	00.1-05.5				10	4.8	01.3-08.3
\$35,000- 49,999	209	259,268	92	46.8	37.4-56.2	103	47.0	37.4-56.6	5	3.4	00.3-06.5	3	0.8	00.0-02.0	2	0.3	00.0-00.7	4	1.7	00.0-03.5
\$50,000- 74,999	228	243,968	88	41.5	33.5-49.5	125	51.3	43.1-59.5	6	2.1	00.0-04.3	4	1.9	00.0-03.9	1	0.4	00.0-01.2	4	2.9	00.0-06.8
\$75,000+	334	362,639	126	40.4	33.7-47.1	170	49.8	42.9-56.7	16	4.5	01.6-07.4	16	3.2	01.4-05.0				6	2.2	00.2-04.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES
TABLE 21: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3221	2,314,547	1228	39.6	37.2-42.0	1650	50.0	47.5-52.5	135	4.9	03.5-06.3	116	3.2	02.4-04.0	14	0.2	00.0-00.4	78	2.1	01.5-02.7
White/Non-Hisp	2597	1,769,054	1006	40.9	38.2-43.6	1322	49.4	46.7-52.1	104	4.4	03.2-05.6	91	3.0	02.2-03.8	11	0.2	00.0-00.4	63	2.2	01.6-02.8
Black or Afr. Am./Non-Hisp	495	359,764	178	38.9	32.6-45.2	263	52.4	45.9-58.9	20	2.8	01.0-04.6	18	3.8	01.6-06.0	3	0.3	00.0-00.7	13	1.8	00.6-03.0
Oth. Race/Non-Hisp.	52	82,591	17	26.3	11.4-41.2	26	52.9	33.7-72.1	5	16.0	00.0-35.8	3	3.2	00.0-07.1				1	1.6	00.0-04.7
18-24	146	278,151	64	43.4	33.8-53.0	67	47.3	37.5-57.1	8	5.8	01.7-09.9	3	1.1	00.0-02.5				4	2.5	00.0-05.0
25-34	289	368,655	111	40.0	33.1-46.9	140	45.8	38.9-52.7	17	7.3	02.0-12.6	17	5.8	02.9-08.7				4	1.1	00.0-02.3
35-44	356	390,907	132	36.8	30.3-43.3	182	51.5	44.8-58.2	22	7.7	03.6-11.8	11	2.1	00.7-03.5	1	0.1	00.0-00.3	8	1.8	00.4-03.2
45-54	567	416,556	260	45.4	39.9-50.9	255	46.2	40.7-51.7	16	3.0	00.8-05.2	21	2.6	01.2-04.0	2	0.3	00.0-00.7	13	2.5	00.9-04.1
55-64	773	390,451	318	43.4	38.7-48.1	374	46.9	42.2-51.6	31	3.8	02.2-05.4	24	3.1	01.7-04.5	2	0.1	00.0-00.3	24	2.7	01.3-04.1
65+	1067	454,797	336	31.2	27.3-35.1	617	59.0	54.9-63.1	41	2.9	01.9-03.9	39	4.1	02.5-05.7	9	0.7	00.1-01.3	25	2.0	01.0-03.0
Less Than H.S.	360	345,989	139	45.3	37.7-52.9	179	45.0	37.6-52.4	9	2.4	00.2-04.6	12	2.8	00.8-04.8	2	0.4	00.0-01.0	19	4.2	01.8-06.6
H.S. or G.E.D.	1085	728,999	456	41.9	37.6-46.2	531	49.4	44.9-53.9	33	3.0	01.4-04.6	31	3.3	01.9-04.7	6	0.2	00.0-00.4	28	2.1	00.9-03.3
Some Post-H.S.	911	718,257	354	38.4	34.1-42.7	459	50.4	45.9-54.9	45	7.0	03.7-10.3	27	2.1	01.1-03.1	3	0.2	00.0-00.4	23	1.8	00.8-02.8
College Graduate	858	515,895	277	33.8	29.7-37.9	476	53.5	49.2-57.8	48	6.5	04.1-08.9	46	5.0	03.2-06.8	3	0.1	00.0-00.3	8	1.0	00.2-01.8
Less than \$15,000	458	277,840	208	46.8	39.9-53.7	196	40.9	34.2-47.6	21	4.4	02.0-06.8	8	2.2	00.4-04.0	2	0.2	00.0-00.4	23	5.5	02.4-08.6
\$15,000- 24,999	558	384,392	209	38.8	32.9-44.7	278	49.3	43.4-55.2	25	4.0	01.8-06.2	23	4.3	02.1-06.5	5	0.2	00.0-00.4	18	3.4	01.4-05.4
\$25,000- 34,999	307	224,420	121	39.7	32.4-47.0	160	52.2	44.8-59.6	8	3.2	00.5-05.9	11	3.1	00.7-05.5	1	0.4	00.0-01.2	6	1.3	00.1-02.5
\$35,000- 49,999	328	252,279	124	43.3	35.1-51.5	174	47.0	39.2-54.8	12	5.0	00.0-10.1	14	3.4	01.2-05.6				4	1.3	00.0-02.7
\$50,000- 74,999	280	225,383	101	36.1	28.3-43.9	153	50.9	42.3-59.5	11	9.5	01.3-17.7	11	2.9	00.9-04.9	2	0.3	00.0-00.7	2	0.2	00.0-00.6
\$75,000+	357	310,896	114	32.8	26.3-39.3	199	55.9	49.0-62.8	23	7.1	03.6-10.6	20	3.8	01.8-05.8				1	0.4	00.0-01.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 22: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4895	4,293,368	1095	23.8	22.0-25.6	2080	41.3	39.3-43.3	1216	24.4	22.6-26.2	467	9.7	08.5-10.9	14	0.2	00.0-00.4	23	0.5	00.3-00.7
Male	1770	2,025,746	437	27.0	24.1-29.9	789	41.5	38.4-44.6	402	23.2	20.5-25.9	128	7.5	05.7-09.3	5	0.2	00.0-00.4	9	0.6	00.0-01.2
Female	3125	2,267,622	658	20.9	18.7-23.1	1291	41.2	38.7-43.7	814	25.5	23.3-27.7	339	11.7	09.9-13.5	9	0.3	00.1-00.5	14	0.4	00.2-00.6
White/Non-Hisp	4034	3,324,953	851	22.2	20.2-24.2	1737	42.2	40.0-44.4	1035	26.0	24.0-28.0	383	9.0	07.8-10.2	13	0.3	00.1-00.5	15	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	668	623,770	212	35.1	29.6-40.6	262	39.0	33.5-44.5	135	17.9	14.0-21.8	51	6.0	03.5-08.5	1	0.2	00.0-00.6	7	1.7	00.1-03.3
Oth. Race/Non-Hisp.	79	157,409	13	13.8	04.8-22.8	24	32.5	19.4-45.6	25	30.8	16.9-44.7	17	23.0	09.7-36.3						
18-24	223	520,250	77	35.0	27.6-42.4	82	36.2	28.8-43.6	45	20.0	13.7-26.3	16	7.3	03.4-11.2	3	1.5	00.0-03.3			
25-34	488	730,634	94	20.9	16.4-25.4	211	41.9	36.6-47.2	125	24.6	20.1-29.1	53	11.8	07.9-15.7	3	0.5	00.0-01.1	2	0.3	00.0-00.7
35-44	578	718,628	121	24.7	19.6-29.8	247	40.5	35.4-45.6	140	22.5	18.4-26.6	65	11.6	08.1-15.1				5	0.7	00.0-01.5
45-54	851	795,680	180	21.7	18.0-25.4	356	40.5	36.0-45.0	220	27.1	22.8-31.4	88	10.2	07.5-12.9	4	0.3	00.0-00.7	3	0.2	00.0-00.4
55-64	1172	714,528	261	22.0	18.7-25.3	500	42.8	38.9-46.7	297	26.9	23.4-30.4	103	7.5	05.7-09.3	4	0.3	00.0-00.7	7	0.5	00.1-00.9
65+	1549	791,178	355	22.2	19.5-24.9	667	44.1	40.8-47.4	381	24.0	21.1-26.9	140	9.2	07.4-11.0	3	0.2	00.0-00.6	3	0.2	00.0-00.4
Less Than H.S.	513	625,205	163	32.7	26.6-38.8	215	38.8	32.7-44.9	94	20.5	15.4-25.6	39	7.6	04.5-10.7	1	0.2	00.0-00.6	1	0.2	00.0-00.6
H.S. or G.E.D.	1596	1,406,873	439	26.8	23.7-29.9	697	42.0	38.5-45.5	325	22.1	19.0-25.2	120	8.4	06.2-10.6	5	0.2	00.0-00.4	10	0.6	00.2-01.0
Some Post-H.S.	1351	1,276,137	276	21.8	18.7-24.9	576	42.5	39.0-46.0	355	24.7	21.6-27.8	134	10.0	07.5-12.5	3	0.3	00.0-00.7	7	0.7	00.0-01.5
College Graduate	1427	981,618	215	16.4	13.7-19.1	589	40.5	37.2-43.8	439	30.0	27.1-32.9	174	12.5	10.3-14.7	5	0.3	00.0-00.7	5	0.4	00.0-00.8
Less than \$15,000	611	462,566	180	33.9	27.6-40.2	246	37.0	31.1-42.9	129	20.2	15.3-25.1	49	7.3	04.4-10.2	3	0.7	00.0-01.5	4	0.8	00.0-01.8
\$15,000- 24,999	798	705,759	197	24.0	19.7-28.3	347	40.8	35.9-45.7	177	25.8	21.1-30.5	70	8.5	05.8-11.2	3	0.4	00.0-00.8	4	0.5	00.0-01.1
\$25,000- 34,999	469	400,523	97	21.4	16.1-26.7	197	43.2	36.9-49.5	125	23.8	18.9-28.7	44	9.9	05.8-14.0	1	0.3	00.0-00.9	5	1.4	00.0-03.2
\$35,000- 49,999	528	502,421	98	20.0	14.5-25.5	236	45.3	39.0-51.6	145	22.9	18.2-27.6	47	11.3	07.0-15.6				2	0.4	00.0-01.0
\$50,000- 74,999	508	466,807	93	19.5	14.8-24.2	212	40.4	34.7-46.1	141	27.2	22.1-32.3	59	12.6	07.7-17.5	3	0.3	00.0-00.7			
\$75,000+	676	659,039	86	17.7	13.4-22.0	297	42.0	37.3-46.7	203	28.0	23.7-32.3	88	12.0	09.3-14.7	2	0.2	00.0-00.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 23: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1770	2,025,746	437	27.0	24.1-29.9	789	41.5	38.4-44.6	402	23.2	20.5-25.9	128	7.5	05.7-09.3	5	0.2	00.0-00.4	9	0.6	00.0-01.2
White/Non-Hisp	1518	1,593,964	361	25.8	22.7-28.9	679	41.8	38.5-45.1	352	24.2	21.3-27.1	115	7.5	05.9-09.1	5	0.3	00.1-00.5	6	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	185	278,077	64	37.2	27.8-46.6	76	38.8	29.2-48.4	34	17.3	10.4-24.2	8	4.3	00.0-09.0				3	2.4	00.0-05.5
18-24	81	251,202	27	35.3	23.5-47.1	31	35.9	24.3-47.5	16	19.0	09.6-28.4	5	7.3	00.6-14.0				2	2.6	00.0-06.1
25-34	202	365,862	44	25.2	17.8-32.6	90	39.8	32.0-47.6	51	26.1	18.8-33.4	14	7.8	03.3-12.3	2	0.7	00.0-01.7	1	0.3	00.0-00.9
35-44	227	331,208	54	27.5	19.3-35.7	96	41.3	33.3-49.3	50	19.0	13.1-24.9	25	11.5	06.2-16.8				2	0.7	00.0-01.9
45-54	300	388,301	76	26.8	20.1-33.5	125	39.0	32.1-45.9	73	27.1	20.0-34.2	24	6.8	03.7-09.9	1	0.2	00.0-00.6	1	0.1	00.0-00.3
55-64	415	331,029	106	25.9	20.4-31.4	178	41.9	35.4-48.4	108	27.6	21.3-33.9	19	3.7	01.7-05.7	2	0.4	00.0-01.0	2	0.4	00.0-01.2
65+	535	351,087	128	24.0	19.1-28.9	262	48.9	43.4-54.4	103	19.2	14.9-23.5	41	7.8	05.1-10.5				1	0.1	00.0-00.3
Less Than H.S.	177	288,452	60	40.0	29.8-50.2	80	34.2	25.2-43.2	28	20.9	12.5-29.3	9	4.9	01.0-08.8						
H.S. or G.E.D.	550	699,873	162	28.9	23.6-34.2	244	41.0	35.3-46.7	105	21.1	16.2-26.0	34	8.3	04.8-11.8				5	0.7	00.0-01.5
Some Post-H.S.	456	570,037	106	23.8	18.7-28.9	207	44.3	38.4-50.2	106	23.4	18.1-28.7	31	6.9	04.0-09.8	3	0.6	00.0-01.2	3	1.2	00.0-02.8
College Graduate	584	466,435	109	20.0	15.5-24.5	255	43.2	38.1-48.3	163	27.8	23.3-32.3	54	8.7	06.2-11.2	2	0.3	00.0-00.7	1	0.0	00.0-00.0
Less than \$15,000	166	186,015	52	38.0	26.2-49.8	68	36.2	25.4-47.0	32	17.9	09.5-26.3	13	7.1	01.4-12.8	1	0.8	00.0-02.4			
\$15,000- 24,999	267	337,790	80	29.6	22.0-37.2	113	34.0	26.4-41.6	54	28.9	20.5-37.3	17	6.4	02.3-10.5	1	0.2	00.0-00.6	2	1.0	00.0-02.4
\$25,000- 34,999	167	178,506	33	24.7	15.1-34.3	79	44.9	34.3-55.5	38	18.1	11.0-25.2	13	9.5	02.6-16.4	1	0.7	00.0-02.1	3	2.1	00.0-05.6
\$35,000- 49,999	205	254,395	46	23.2	14.0-32.4	96	44.1	34.7-53.5	49	23.1	15.7-30.5	13	9.1	03.0-15.2				1	0.4	00.0-01.2
\$50,000- 74,999	226	240,449	54	24.7	17.4-32.0	100	42.5	34.3-50.7	56	24.8	17.9-31.7	16	7.9	02.8-13.0						
\$75,000+	325	350,818	54	23.2	16.7-29.7	151	43.1	36.4-49.8	85	24.7	18.8-30.6	33	8.5	05.4-11.6	2	0.5	00.0-01.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 24: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3125	2,267,622	658	20.9	18.7-23.1	1291	41.2	38.7-43.7	814	25.5	23.3-27.7	339	11.7	09.9-13.5	9	0.3	00.1-00.5	14	0.4	00.2-00.6
White/Non-Hisp	2516	1,730,990	490	19.0	16.8-21.2	1058	42.5	39.8-45.2	683	27.7	25.2-30.2	268	10.3	08.7-11.9	8	0.3	00.1-00.5	9	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	483	345,692	148	33.4	27.1-39.7	186	39.2	32.5-45.9	101	18.5	14.0-23.0	43	7.4	04.5-10.3	1	0.3	00.0-00.9	4	1.2	00.0-02.4
Oth. Race/Non-Hisp.	53	86,710	9	14.3	02.5-26.1	12	25.9	09.6-42.2	16	20.2	08.4-32.0	16	39.5	19.9-59.1						
18-24	142	269,048	50	34.8	25.4-44.2	51	36.4	26.8-46.0	29	21.0	12.6-29.4	11	7.2	02.9-11.5				1	0.6	00.0-01.8
25-34	286	364,772	50	16.5	11.6-21.4	121	44.1	37.0-51.2	74	23.2	17.7-28.7	39	15.8	09.7-21.9	1	0.3	00.0-00.9	1	0.2	00.0-00.6
35-44	351	387,420	67	22.4	16.1-28.7	151	39.7	33.2-46.2	90	25.5	19.8-31.2	40	11.6	06.9-16.3				3	0.8	00.0-01.8
45-54	551	407,379	104	16.7	13.0-20.4	231	42.0	36.3-47.7	147	27.2	22.3-32.1	64	13.4	09.1-17.7	3	0.4	00.0-01.0	2	0.3	00.0-00.7
55-64	757	383,499	155	18.7	15.0-22.4	322	43.6	38.9-48.3	189	26.2	22.1-30.3	84	10.7	08.0-13.4	2	0.3	00.0-00.7	5	0.6	00.0-01.2
65+	1014	440,091	227	20.8	17.7-23.9	405	40.3	36.2-44.4	278	27.8	24.1-31.5	99	10.4	07.9-12.9	3	0.4	00.0-01.0	2	0.3	00.0-00.7
Less Than H.S.	336	336,753	103	26.4	19.3-33.5	135	42.7	34.9-50.5	66	20.0	13.9-26.1	30	10.0	05.3-14.7	1	0.4	00.0-01.2	1	0.5	00.0-01.5
H.S. or G.E.D.	1046	707,000	277	24.6	20.9-28.3	453	42.9	38.4-47.4	220	23.0	19.1-26.9	86	8.6	06.2-11.0	5	0.4	00.0-00.8	5	0.4	00.0-01.0
Some Post-H.S.	895	706,101	170	20.2	16.5-23.9	369	41.1	36.6-45.6	249	25.8	22.1-29.5	103	12.6	08.9-16.3				4	0.3	00.0-00.7
College Graduate	843	515,183	106	13.2	09.9-16.5	334	38.0	33.7-42.3	276	31.9	27.8-36.0	120	16.0	12.5-19.5	3	0.3	00.0-00.7	4	0.6	00.0-01.2
Less than \$15,000	445	276,552	128	31.2	24.7-37.7	178	37.6	30.9-44.3	97	21.8	16.1-27.5	36	7.5	04.4-10.6	2	0.6	00.0-01.6	4	1.4	00.0-03.0
\$15,000- 24,999	531	367,969	117	18.8	14.5-23.1	234	47.1	41.0-53.2	123	23.0	18.1-27.9	53	10.5	07.0-14.0	2	0.5	00.0-01.3	2	0.2	00.0-00.4
\$25,000- 34,999	302	222,016	64	18.6	12.9-24.3	118	41.9	34.5-49.3	87	28.3	21.6-35.0	31	10.3	05.4-15.2				2	0.9	00.0-02.1
\$35,000- 49,999	323	248,026	52	16.8	10.5-23.1	140	46.4	38.2-54.6	96	22.8	17.3-28.3	34	13.6	07.3-19.9				1	0.4	00.0-01.2
\$50,000- 74,999	282	226,358	39	13.9	08.4-19.4	112	38.1	30.1-46.1	85	29.7	22.4-37.0	43	17.6	09.4-25.8	3	0.7	00.0-01.7			
\$75,000+	351	308,221	32	11.5	06.2-16.8	146	40.7	33.8-47.6	118	31.8	25.1-38.5	55	16.0	11.3-20.7						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 25: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5046	4,407,061	2909	55.2	53.2-57.2	2137	44.8	42.8-46.8
Male	1825	2,092,514	994	51.7	48.6-54.8	831	48.3	45.2-51.4
Female	3221	2,314,547	1915	58.4	55.9-60.9	1306	41.6	39.1-44.1
White/Non-Hisp	4160	3,412,445	2382	53.9	51.7-56.1	1778	46.1	43.9-48.3
Black or Afr. Am./Non-Hisp	689	651,732	408	58.5	53.2-63.8	281	41.5	36.2-46.8
Oth. Race/Non-Hisp.	77	149,821	47	58.5	43.8-73.2	30	41.5	26.8-56.2
18-24	233	545,381	122	52.1	44.5-59.7	111	47.9	40.3-55.5
25-34	492	742,046	280	55.6	50.3-60.9	212	44.4	39.1-49.7
35-44	592	734,339	337	57.7	52.6-62.8	255	42.3	37.2-47.4
45-54	875	812,116	448	49.6	45.1-54.1	427	50.4	45.9-54.9
55-64	1195	732,620	661	52.4	48.5-56.3	534	47.6	43.7-51.5
65+	1624	817,196	1040	62.6	59.3-65.9	584	37.4	34.1-40.7
Less Than H.S.	550	648,982	299	46.2	40.1-52.3	251	53.8	47.7-59.9
H.S. or G.E.D.	1650	1,439,012	871	53.2	49.7-56.7	779	46.8	43.3-50.3
Some Post-H.S.	1381	1,315,780	774	55.9	52.4-59.4	607	44.1	40.6-47.6
College Graduate	1454	990,018	957	63.2	59.9-66.5	497	36.8	33.5-40.1
Less than \$15,000	631	469,173	311	47.1	41.0-53.2	320	52.9	46.8-59.0
\$15,000- 24,999	832	727,354	464	51.5	46.4-56.6	368	48.5	43.4-53.6
\$25,000- 34,999	489	426,391	275	57.7	51.6-63.8	214	42.3	36.2-48.4
\$35,000- 49,999	537	511,547	313	53.4	47.1-59.7	224	46.6	40.3-52.9
\$50,000- 74,999	508	469,351	313	59.5	53.8-65.2	195	40.5	34.8-46.2
\$75,000+	691	673,535	444	61.8	57.1-66.5	247	38.2	33.5-42.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 26: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1825	2,092,514	994	51.7	48.6-54.8	831	48.3	45.2-51.4
White/Non-Hisp	1563	1,643,391	854	50.7	47.4-54.0	709	49.3	46.0-52.6
Black or Afr. Am./Non-Hisp	194	291,968	104	57.3	48.1-66.5	90	42.7	33.5-51.9
18-24	87	267,230	44	50.0	38.2-61.8	43	50.0	38.2-61.8
25-34	203	373,391	106	52.3	44.1-60.5	97	47.7	39.5-55.9
35-44	236	343,431	121	53.6	45.6-61.6	115	46.4	38.4-54.4
45-54	308	395,559	154	46.9	39.8-54.0	154	53.1	46.0-60.2
55-64	422	342,169	230	50.8	44.3-57.3	192	49.2	42.7-55.7
65+	557	362,399	334	57.3	51.8-62.8	223	42.7	37.2-48.2
Less Than H.S.	190	302,993	97	41.3	32.1-50.5	93	58.7	49.5-67.9
H.S. or G.E.D.	565	710,013	270	50.4	44.7-56.1	295	49.6	43.9-55.3
Some Post-H.S.	470	597,523	240	51.3	45.4-57.2	230	48.7	42.8-54.6
College Graduate	596	474,123	384	61.0	55.9-66.1	212	39.0	33.9-44.1
Less than \$15,000	173	191,332	84	46.3	35.1-57.5	89	53.7	42.5-64.9
\$15,000- 24,999	274	342,962	133	44.5	36.3-52.7	141	55.5	47.3-63.7
\$25,000- 34,999	182	201,972	95	56.3	46.5-66.1	87	43.7	33.9-53.5
\$35,000- 49,999	209	259,268	113	51.5	42.1-60.9	96	48.5	39.1-57.9
\$50,000- 74,999	228	243,968	136	55.6	47.4-63.8	92	44.4	36.2-52.6
\$75,000+	334	362,639	202	57.5	50.8-64.2	132	42.5	35.8-49.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 27: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3221	2,314,547	1915	58.4	55.9-60.9	1306	41.6	39.1-44.1
White/Non-Hisp	2597	1,769,054	1528	57.0	54.3-59.7	1069	43.0	40.3-45.7
Black or Afr. Am./Non-Hisp	495	359,764	304	59.4	53.1-65.7	191	40.6	34.3-46.9
Oth. Race/Non-Hisp.	52	82,591	34	72.1	57.0-87.2	18	27.9	12.8-43.0
18-24	146	278,151	78	54.1	44.5-63.7	68	45.9	36.3-55.5
25-34	289	368,655	174	58.9	52.0-65.8	115	41.1	34.2-48.0
35-44	356	390,907	216	61.4	54.9-67.9	140	38.6	32.1-45.1
45-54	567	416,556	294	52.1	46.6-57.6	273	47.9	42.4-53.4
55-64	773	390,451	431	53.9	49.2-58.6	342	46.1	41.4-50.8
65+	1067	454,797	706	66.8	62.9-70.7	361	33.2	29.3-37.1
Less Than H.S.	360	345,989	202	50.5	42.9-58.1	158	49.5	41.9-57.1
H.S. or G.E.D.	1085	728,999	601	56.0	51.7-60.3	484	44.0	39.7-48.3
Some Post-H.S.	911	718,257	534	59.8	55.5-64.1	377	40.2	35.9-44.5
College Graduate	858	515,895	573	65.1	61.0-69.2	285	34.9	30.8-39.0
Less than \$15,000	458	277,840	227	47.7	40.8-54.6	231	52.3	45.4-59.2
\$15,000- 24,999	558	384,392	331	57.8	51.9-63.7	227	42.2	36.3-48.1
\$25,000- 34,999	307	224,420	180	59.0	51.6-66.4	127	41.0	33.6-48.4
\$35,000- 49,999	328	252,279	200	55.4	47.2-63.6	128	44.6	36.4-52.8
\$50,000- 74,999	280	225,383	177	63.7	55.9-71.5	103	36.3	28.5-44.1
\$75,000+	357	310,896	242	66.8	60.3-73.3	115	33.2	26.7-39.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

**TABLE 28: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4895	4,293,368	3777	75.7	73.9-77.5	1118	24.3	22.5-26.1
Male	1770	2,025,746	1324	72.4	69.5-75.3	446	27.6	24.7-30.5
Female	3125	2,267,622	2453	78.6	76.4-80.8	672	21.4	19.2-23.6
White/Non-Hisp	4034	3,324,953	3168	77.5	75.5-79.5	866	22.5	20.5-24.5
Black or Afr. Am./Non-Hisp	668	623,770	449	63.2	57.7-68.7	219	36.8	31.3-42.3
Oth. Race/Non-Hisp.	79	157,409	66	86.2	77.2-95.2	13	13.8	04.8-22.8
18-24	223	520,250	143	63.5	56.1-70.9	80	36.5	29.1-43.9
25-34	488	730,634	392	78.9	74.4-83.4	96	21.1	16.6-25.6
35-44	578	718,628	452	74.5	69.4-79.6	126	25.5	20.4-30.6
45-54	851	795,680	668	78.2	74.5-81.9	183	21.8	18.1-25.5
55-64	1172	714,528	904	77.5	74.2-80.8	268	22.5	19.2-25.8
65+	1549	791,178	1191	77.6	74.9-80.3	358	22.4	19.7-25.1
Less Than H.S.	513	625,205	349	67.1	61.0-73.2	164	32.9	26.8-39.0
H.S. or G.E.D.	1596	1,406,873	1147	72.7	69.4-76.0	449	27.3	24.0-30.6
Some Post-H.S.	1351	1,276,137	1068	77.5	74.4-80.6	283	22.5	19.4-25.6
College Graduate	1427	981,618	1207	83.2	80.5-85.9	220	16.8	14.1-19.5
Less than \$15,000	611	462,566	427	65.2	58.9-71.5	184	34.8	28.5-41.1
\$15,000- 24,999	798	705,759	597	75.5	71.2-79.8	201	24.5	20.2-28.8
\$25,000- 34,999	469	400,523	367	77.2	71.7-82.7	102	22.8	17.3-28.3
\$35,000- 49,999	528	502,421	428	79.5	74.0-85.0	100	20.5	15.0-26.0
\$50,000- 74,999	508	466,807	415	80.5	75.8-85.2	93	19.5	14.8-24.2
\$75,000+	676	659,039	590	82.3	78.0-86.6	86	17.7	13.4-22.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 11: FRUITS AND VEGETABLES**

TABLE 29: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1770	2,025,746	1324	72.4	69.5-75.3	446	27.6	24.7-30.5
White/Non-Hisp	1518	1,593,964	1151	73.9	70.8-77.0	367	26.1	23.0-29.2
Black or Afr. Am./Non-Hisp	185	278,077	118	60.4	50.8-70.0	67	39.6	30.0-49.2
18-24	81	251,202	52	62.2	50.2-74.2	29	37.8	25.8-49.8
25-34	202	365,862	157	74.4	67.0-81.8	45	25.6	18.2-33.0
35-44	227	331,208	171	71.9	63.7-80.1	56	28.1	19.9-36.3
45-54	300	388,301	223	73.1	66.4-79.8	77	26.9	20.2-33.6
55-64	415	331,029	307	73.7	68.0-79.4	108	26.3	20.6-32.0
65+	535	351,087	406	75.9	71.0-80.8	129	24.1	19.2-29.0
Less Than H.S.	177	288,452	117	60.0	49.8-70.2	60	40.0	29.8-50.2
H.S. or G.E.D.	550	699,873	383	70.4	65.1-75.7	167	29.6	24.3-34.9
Some Post-H.S.	456	570,037	347	75.1	69.8-80.4	109	24.9	19.6-30.2
College Graduate	584	466,435	474	80.0	75.5-84.5	110	20.0	15.5-24.5
Less than \$15,000	166	186,015	114	62.0	50.2-73.8	52	38.0	26.2-49.8
\$15,000- 24,999	267	337,790	185	69.4	61.8-77.0	82	30.6	23.0-38.2
\$25,000- 34,999	167	178,506	131	73.1	63.3-82.9	36	26.9	17.1-36.7
\$35,000- 49,999	205	254,395	158	76.4	67.4-85.4	47	23.6	14.6-32.6
\$50,000- 74,999	226	240,449	172	75.3	68.0-82.6	54	24.7	17.4-32.0
\$75,000+	325	350,818	271	76.8	70.3-83.3	54	23.2	16.7-29.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 11: FRUITS AND VEGETABLES**

TABLE 30: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3125	2,267,622	2453	78.6	76.4-80.8	672	21.4	19.2-23.6
White/Non-Hisp	2516	1,730,990	2017	80.8	78.6-83.0	499	19.2	17.0-21.4
Black or Afr. Am./Non-Hisp	483	345,692	331	65.4	59.1-71.7	152	34.6	28.3-40.9
Oth. Race/Non-Hisp.	53	86,710	44	85.7	73.9-97.5	9	14.3	02.5-26.1
18-24	142	269,048	91	64.7	55.3-74.1	51	35.3	25.9-44.7
25-34	286	364,772	235	83.3	78.4-88.2	51	16.7	11.8-21.6
35-44	351	387,420	281	76.8	70.5-83.1	70	23.2	16.9-29.5
45-54	551	407,379	445	83.0	79.3-86.7	106	17.0	13.3-20.7
55-64	757	383,499	597	80.7	77.0-84.4	160	19.3	15.6-23.0
65+	1014	440,091	785	78.9	75.6-82.2	229	21.1	17.8-24.4
Less Than H.S.	336	336,753	232	73.2	66.1-80.3	104	26.8	19.7-33.9
H.S. or G.E.D.	1046	707,000	764	75.0	71.3-78.7	282	25.0	21.3-28.7
Some Post-H.S.	895	706,101	721	79.5	75.8-83.2	174	20.5	16.8-24.2
College Graduate	843	515,183	733	86.2	82.9-89.5	110	13.8	10.5-17.1
Less than \$15,000	445	276,552	313	67.4	60.7-74.1	132	32.6	25.9-39.3
\$15,000- 24,999	531	367,969	412	81.1	76.6-85.6	119	18.9	14.4-23.4
\$25,000- 34,999	302	222,016	236	80.5	74.6-86.4	66	19.5	13.6-25.4
\$35,000- 49,999	323	248,026	270	82.8	76.5-89.1	53	17.2	10.9-23.5
\$50,000- 74,999	282	226,358	243	86.1	80.6-91.6	39	13.9	08.4-19.4
\$75,000+	351	308,221	319	88.5	83.2-93.8	32	11.5	06.2-16.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 12: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	147
2	MALES ONLY	148
3	FEMALES ONLY	149
	PHYSICAL ACTIVITY CATEGORIES (_PACAT1)	
4	MALES AND FEMALES	150
5	MALES ONLY	151
6	FEMALES ONLY	152
	PHYSICAL ACTIVITY INDEX (_PAINDX1)	
7	MALES AND FEMALES	153
8	MALES ONLY	154
9	FEMALES ONLY	155
	MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
10	MALES AND FEMALES	156
11	MALES ONLY	157
12	FEMALES ONLY	158
	AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)	
13	MALES AND FEMALES	159
14	MALES ONLY	160
15	FEMALES ONLY	161
	AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)	
16	MALES AND FEMALES	162
17	MALES ONLY	163
18	FEMALES ONLY	164

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5196	4,545,015	3152	62.8	60.8-64.8	2044	37.2	35.2-39.2
Male	1884	2,170,866	1222	65.3	62.4-68.2	662	34.7	31.8-37.6
Female	3312	2,374,149	1930	60.5	58.1-62.9	1382	39.5	37.1-41.9
White/Non-Hisp	4281	3,506,665	2619	62.2	60.0-64.4	1662	37.8	35.6-40.0
Black or Afr. Am./Non-Hisp	716	676,511	404	62.3	57.2-67.4	312	37.7	32.6-42.8
Oth. Race/Non-Hisp.	81	159,667	59	72.0	59.7-84.3	22	28.0	15.7-40.3
18-24	237	546,959	159	67.2	60.1-74.3	78	32.8	25.7-39.9
25-34	501	763,906	357	66.8	61.5-72.1	144	33.2	27.9-38.5
35-44	603	753,768	422	68.1	63.2-73.0	181	31.9	27.0-36.8
45-54	897	840,615	534	60.9	56.6-65.2	363	39.1	34.8-43.4
55-64	1225	758,839	697	57.3	53.6-61.0	528	42.7	39.0-46.4
65+	1698	858,099	963	58.3	55.0-61.6	735	41.7	38.4-45.0
Less Than H.S.	588	713,083	244	41.1	35.4-46.8	344	58.9	53.2-64.6
H.S. or G.E.D.	1720	1,488,683	928	58.7	55.4-62.0	792	41.3	38.0-44.6
Some Post-H.S.	1407	1,332,618	863	67.8	64.5-71.1	544	32.2	28.9-35.5
College Graduate	1468	1,000,614	1112	77.8	75.1-80.5	356	22.2	19.5-24.9
Less than \$15,000	658	490,524	307	45.2	39.3-51.1	351	54.8	48.9-60.7
\$15,000- 24,999	859	759,487	439	52.4	47.5-57.3	420	47.6	42.7-52.5
\$25,000- 34,999	495	429,846	306	63.1	57.2-69.0	189	36.9	31.0-42.8
\$35,000- 49,999	547	522,626	360	63.9	58.0-69.8	187	36.1	30.2-42.0
\$50,000- 74,999	515	476,390	373	73.5	68.6-78.4	142	26.5	21.6-31.4
\$75,000+	695	675,499	552	79.8	75.9-83.7	143	20.2	16.3-24.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1884	2,170,866	1222	65.3	62.4-68.2	662	34.7	31.8-37.6
White/Non-Hisp	1606	1,687,962	1045	64.2	60.9-67.5	561	35.8	32.5-39.1
Black or Afr. Am./Non-Hisp	207	314,556	135	68.7	60.5-76.9	72	31.3	23.1-39.5
18-24	89	269,200	67	74.2	63.8-84.6	22	25.8	15.4-36.2
25-34	211	395,061	153	65.9	57.9-73.9	58	34.1	26.1-42.1
35-44	243	357,558	172	68.7	61.4-76.0	71	31.3	24.0-38.6
45-54	317	407,409	202	62.0	55.1-68.9	115	38.0	31.1-44.9
55-64	438	357,979	269	61.2	55.1-67.3	169	38.8	32.7-44.9
65+	575	376,242	355	63.1	58.0-68.2	220	36.9	31.8-42.0
Less Than H.S.	203	338,531	91	44.1	34.9-53.3	112	55.9	46.7-65.1
H.S. or G.E.D.	590	741,739	340	61.4	56.1-66.7	250	38.6	33.3-43.9
Some Post-H.S.	482	607,795	321	71.1	66.0-76.2	161	28.9	23.8-34.0
College Graduate	604	479,259	469	78.9	74.8-83.0	135	21.1	17.0-25.2
Less than \$15,000	180	199,421	99	50.9	39.7-62.1	81	49.1	37.9-60.3
\$15,000- 24,999	291	369,684	157	53.1	45.1-61.1	134	46.9	38.9-54.9
\$25,000- 34,999	182	202,400	110	63.3	53.9-72.7	72	36.7	27.3-46.1
\$35,000- 49,999	214	265,418	146	64.8	56.0-73.6	68	35.2	26.4-44.0
\$50,000- 74,999	230	248,486	165	72.3	65.0-79.6	65	27.7	20.4-35.0
\$75,000+	337	363,541	275	82.7	78.0-87.4	62	17.3	12.6-22.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3312	2,374,149	1930	60.5	58.1-62.9	1382	39.5	37.1-41.9
White/Non-Hisp	2675	1,818,703	1574	60.3	57.8-62.8	1101	39.7	37.2-42.2
Black or Afr. Am./Non-Hisp	509	361,955	269	56.7	50.4-63.0	240	43.3	37.0-49.6
Oth. Race/Non-Hisp.	53	86,710	40	69.3	51.9-86.7	13	30.7	13.3-48.1
18-24	148	277,759	92	60.5	51.1-69.9	56	39.5	30.1-48.9
25-34	290	368,845	204	67.7	61.0-74.4	86	32.3	25.6-39.0
35-44	360	396,210	250	67.5	61.2-73.8	110	32.5	26.2-38.8
45-54	580	433,206	332	60.0	54.5-65.5	248	40.0	34.5-45.5
55-64	787	400,861	428	53.9	49.2-58.6	359	46.1	41.4-50.8
65+	1123	481,856	608	54.6	50.5-58.7	515	45.4	41.3-49.5
Less Than H.S.	385	374,551	153	38.5	31.4-45.6	232	61.5	54.4-68.6
H.S. or G.E.D.	1130	746,944	588	56.0	51.7-60.3	542	44.0	39.7-48.3
Some Post-H.S.	925	724,823	542	65.1	61.0-69.2	383	34.9	30.8-39.0
College Graduate	864	521,354	643	76.8	73.1-80.5	221	23.2	19.5-26.9
Less than \$15,000	478	291,103	208	41.3	34.8-47.8	270	58.7	52.2-65.2
\$15,000- 24,999	568	389,803	282	51.7	45.8-57.6	286	48.3	42.4-54.2
\$25,000- 34,999	313	227,446	196	62.9	55.6-70.2	117	37.1	29.8-44.4
\$35,000- 49,999	333	257,208	214	62.9	55.1-70.7	119	37.1	29.3-44.9
\$50,000- 74,999	285	227,903	208	74.8	67.9-81.7	77	25.2	18.3-32.1
\$75,000+	358	311,958	277	76.4	69.9-82.9	81	23.6	17.1-30.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 4: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4977	4,349,907	987	20.6	18.8-22.4	820	16.8	15.4-18.2	1054	22.1	20.3-23.9	2116	40.5	38.5-42.5
Male	1808	2,068,788	450	23.1	20.4-25.8	295	16.7	14.3-19.1	365	21.4	18.9-23.9	698	38.7	35.6-41.8
Female	3169	2,281,119	537	18.4	16.4-20.4	525	16.8	15.0-18.6	689	22.6	20.4-24.8	1418	42.2	39.7-44.7
White/Non-Hisp	4107	3,357,326	854	21.2	19.4-23.0	683	16.5	14.9-18.1	853	21.4	19.6-23.2	1717	40.9	38.7-43.1
Black or Afr. Am./Non-Hisp	683	647,306	91	15.2	11.1-19.3	108	17.3	13.2-21.4	159	25.4	20.3-30.5	325	42.1	36.6-47.6
Oth. Race/Non-Hisp.	77	147,418	19	24.0	11.7-36.3	16	21.3	08.0-34.6	16	19.1	08.5-29.7	26	35.7	22.0-49.4
18-24	227	526,603	46	21.2	14.9-27.5	38	14.6	09.7-19.5	59	27.7	20.6-34.8	84	36.4	29.0-43.8
25-34	490	752,755	95	19.3	15.0-23.6	99	20.3	15.8-24.8	140	24.1	19.8-28.4	156	36.2	30.9-41.5
35-44	577	724,025	128	24.0	19.1-28.9	97	14.8	11.5-18.1	157	26.1	21.6-30.6	195	35.1	30.0-40.2
45-54	863	794,605	139	17.2	13.9-20.5	162	19.8	16.3-23.3	189	19.6	16.3-22.9	373	43.3	38.8-47.8
55-64	1193	737,684	211	19.2	15.7-22.7	187	14.3	11.8-16.8	260	22.2	19.1-25.3	535	44.3	40.4-48.2
65+	1612	807,197	368	23.3	20.6-26.0	237	16.0	13.3-18.7	249	15.2	12.8-17.6	758	45.5	42.2-48.8
Less Than H.S.	559	683,205	72	15.4	10.7-20.1	53	9.0	05.7-12.3	84	13.0	09.3-16.7	350	62.5	56.6-68.4
H.S. or G.E.D.	1644	1,413,999	273	19.1	16.2-22.0	248	14.6	12.2-17.0	313	21.4	18.3-24.5	810	44.8	41.3-48.3
Some Post-H.S.	1346	1,274,539	262	21.1	18.0-24.2	228	19.7	16.6-22.8	290	23.3	20.2-26.4	566	35.9	32.4-39.4
College Graduate	1418	969,790	379	25.9	23.0-28.8	291	21.6	18.7-24.5	366	27.8	24.7-30.9	382	24.8	21.9-27.7
Less than \$15,000	627	465,646	81	14.1	10.2-18.0	73	10.2	07.1-13.3	115	17.0	12.7-21.3	358	58.7	52.8-64.6
\$15,000- 24,999	833	740,537	142	21.3	16.8-25.8	109	12.5	09.4-15.6	154	16.7	13.2-20.2	428	49.6	44.5-54.7
\$25,000- 34,999	472	411,404	110	20.6	15.7-25.5	69	15.2	10.7-19.7	92	23.0	17.3-28.7	201	41.3	35.2-47.4
\$35,000- 49,999	534	512,122	124	20.4	15.1-25.7	92	16.0	11.7-20.3	122	24.6	19.1-30.1	196	39.0	32.9-45.1
\$50,000- 74,999	498	454,619	113	21.1	16.4-25.8	110	24.6	18.9-30.3	124	24.4	19.3-29.5	151	29.9	24.6-35.2
\$75,000+	669	651,406	182	26.7	22.2-31.2	171	25.2	21.1-29.3	163	25.8	21.5-30.1	153	22.2	18.1-26.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 5: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1808	2,068,788	450	23.1	20.4-25.8	295	16.7	14.3-19.1	365	21.4	18.9-23.9	698	38.7	35.6-41.8
White/Non-Hisp	1539	1,606,343	404	24.0	21.1-26.9	250	16.2	13.8-18.6	297	20.3	17.6-23.0	588	39.5	36.2-42.8
Black or Afr. Am./Non-Hisp	199	302,618	34	16.9	09.8-24.0	33	18.3	11.2-25.4	53	27.4	19.2-35.6	79	37.3	28.5-46.1
18-24	85	255,995	20	23.2	13.2-33.2	16	15.1	07.7-22.5	24	31.5	20.1-42.9	25	30.2	19.0-41.4
25-34	206	388,436	42	20.4	13.7-27.1	43	20.4	14.1-26.7	56	21.0	14.9-27.1	65	38.2	30.0-46.4
35-44	234	343,556	59	25.6	17.8-33.4	37	14.0	08.7-19.3	61	25.3	18.4-32.2	77	35.2	27.6-42.8
45-54	302	377,591	59	18.0	12.9-23.1	56	19.9	14.0-25.8	66	18.7	13.4-24.0	121	43.4	36.3-50.5
55-64	422	343,151	94	22.5	16.4-28.6	70	15.4	11.1-19.7	86	21.2	15.9-26.5	172	40.9	34.6-47.2
65+	552	355,288	176	30.1	25.2-35.0	73	14.7	10.2-19.2	72	14.3	10.4-18.2	231	40.9	35.6-46.2
Less Than H.S.	191	320,016	29	17.5	09.7-25.3	21	10.1	04.4-15.8	26	12.5	06.6-18.4	115	59.9	50.3-69.5
H.S. or G.E.D.	567	702,667	116	21.0	16.1-25.9	87	14.3	10.4-18.2	103	21.7	16.8-26.6	261	43.0	37.5-48.5
Some Post-H.S.	466	580,725	110	24.1	18.8-29.4	79	19.6	14.9-24.3	102	22.2	17.1-27.3	175	34.2	28.7-39.7
College Graduate	579	461,839	194	28.7	24.2-33.2	108	21.6	17.1-26.1	134	26.5	21.8-31.2	143	23.2	18.9-27.5
Less than \$15,000	172	185,944	27	15.8	08.4-23.2	18	8.8	03.5-14.1	42	20.7	12.3-29.1	85	54.7	43.5-65.9
\$15,000- 24,999	286	364,757	61	25.3	17.5-33.1	37	10.8	06.3-15.3	51	15.3	09.8-20.8	137	48.7	40.5-56.9
\$25,000- 34,999	176	192,425	41	18.7	11.3-26.1	26	15.4	08.0-22.8	32	23.3	13.3-33.3	77	42.5	32.5-52.5
\$35,000- 49,999	209	258,869	63	24.1	15.3-32.9	35	17.2	10.3-24.1	38	19.8	12.2-27.4	73	38.9	29.7-48.1
\$50,000- 74,999	221	235,377	59	21.1	14.8-27.4	44	24.0	16.6-31.4	46	22.4	15.1-29.7	72	32.5	24.7-40.3
\$75,000+	321	348,649	109	31.3	24.8-37.8	75	25.8	19.7-31.9	72	24.1	18.2-30.0	65	18.8	13.7-23.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 6: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3169	2,281,119	537	18.4	16.4-20.4	525	16.8	15.0-18.6	689	22.6	20.4-24.8	1418	42.2	39.7-44.7
White/Non-Hisp	2568	1,750,983	450	18.5	16.3-20.7	433	16.8	14.8-18.8	556	22.4	20.2-24.6	1129	42.2	39.5-44.9
Black or Afr. Am./Non-Hisp	484	344,688	57	13.6	09.3-17.9	75	16.4	11.7-21.1	106	23.6	17.7-29.5	246	46.4	39.9-52.9
Oth. Race/Non-Hisp.	50	82,982	13	19.8	07.5-32.1	11	26.3	06.3-46.3	11	15.4	04.2-26.6	15	38.6	19.6-57.6
18-24	142	270,607	26	19.2	11.4-27.0	22	14.2	07.9-20.5	35	24.2	15.6-32.8	59	42.4	32.8-52.0
25-34	284	364,320	53	18.2	12.9-23.5	56	20.2	13.9-26.5	84	27.5	21.6-33.4	91	34.1	27.4-40.8
35-44	343	380,470	69	22.6	16.5-28.7	60	15.5	11.2-19.8	96	26.9	20.8-33.0	118	35.0	28.3-41.7
45-54	561	417,015	80	16.6	12.3-20.9	106	19.8	15.5-24.1	123	20.5	16.2-24.8	252	43.2	37.5-48.9
55-64	771	394,533	117	16.4	13.1-19.7	117	13.3	10.4-16.2	174	23.0	19.3-26.7	363	47.3	42.6-52.0
65+	1060	451,909	192	18.0	15.1-20.9	164	16.9	13.6-20.2	177	16.0	13.1-18.9	527	49.1	45.0-53.2
Less Than H.S.	368	363,190	43	13.7	08.0-19.4	32	8.0	04.3-11.7	58	13.6	09.1-18.1	235	64.8	57.7-71.9
H.S. or G.E.D.	1077	711,332	157	17.3	13.8-20.8	161	14.9	12.0-17.8	210	21.2	17.3-25.1	549	46.6	42.1-51.1
Some Post-H.S.	880	693,813	152	18.5	15.0-22.0	149	19.8	15.7-23.9	188	24.3	20.2-28.4	391	37.3	33.0-41.6
College Graduate	839	507,951	185	23.3	19.4-27.2	183	21.6	18.1-25.1	232	28.9	24.8-33.0	239	26.2	22.3-30.1
Less than \$15,000	455	279,702	54	13.0	08.7-17.3	55	11.1	07.2-15.0	73	14.5	10.0-19.0	273	61.3	54.8-67.8
\$15,000- 24,999	547	375,780	81	17.4	12.7-22.1	72	14.1	10.0-18.2	103	18.1	13.8-22.4	291	50.5	44.4-56.6
\$25,000- 34,999	296	218,979	69	22.2	15.7-28.7	43	14.9	09.6-20.2	60	22.7	16.4-29.0	124	40.1	32.7-47.5
\$35,000- 49,999	325	253,253	61	16.5	11.2-21.8	57	14.8	10.1-19.5	84	29.5	21.9-37.1	123	39.2	31.2-47.2
\$50,000- 74,999	277	219,242	54	21.2	14.1-28.3	66	25.2	16.6-33.8	78	26.5	19.4-33.6	79	27.1	20.0-34.2
\$75,000+	348	302,756	73	21.4	15.5-27.3	96	24.6	19.1-30.1	91	27.7	21.4-34.0	88	26.2	19.5-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 7: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5002	4,369,706	1832	37.7	35.7-39.7	3170	62.3	60.3-64.3
Male	1820	2,080,227	757	40.2	37.1-43.3	1063	59.8	56.7-62.9
Female	3182	2,289,480	1075	35.4	33.0-37.8	2107	64.6	62.2-67.0
White/Non-Hisp	4129	3,375,108	1559	38.0	35.8-40.2	2570	62.0	59.8-64.2
Black or Afr. Am./Non-Hisp	686	649,323	202	32.7	27.4-38.0	484	67.3	62.0-72.6
Oth. Race/Non-Hisp.	77	147,418	35	45.3	30.6-60.0	42	54.7	40.0-69.4
18-24	228	528,002	85	36.0	28.7-43.3	143	64.0	56.7-71.3
25-34	491	754,161	195	39.7	34.4-45.0	296	60.3	55.0-65.6
35-44	582	730,036	230	39.3	34.0-44.6	352	60.7	55.4-66.0
45-54	868	798,019	306	37.4	33.1-41.7	562	62.6	58.3-66.9
55-64	1197	739,501	402	33.7	30.0-37.4	795	66.3	62.6-70.0
65+	1621	812,950	614	39.7	36.4-43.0	1007	60.3	57.0-63.6
Less Than H.S.	562	686,082	128	24.8	19.5-30.1	434	75.2	69.9-80.5
H.S. or G.E.D.	1651	1,418,327	528	34.0	30.5-37.5	1123	66.0	62.5-69.5
Some Post-H.S.	1352	1,281,382	496	41.1	37.4-44.8	856	58.9	55.2-62.6
College Graduate	1427	975,541	679	47.7	44.4-51.0	748	52.3	49.0-55.6
Less than \$15,000	628	465,798	155	24.3	19.4-29.2	473	75.7	70.8-80.6
\$15,000- 24,999	835	742,657	253	33.9	29.0-38.8	582	66.1	61.2-71.0
\$25,000- 34,999	475	413,915	182	36.1	30.2-42.0	293	63.9	58.0-69.8
\$35,000- 49,999	538	514,269	220	36.6	30.7-42.5	318	63.4	57.5-69.3
\$50,000- 74,999	500	457,971	225	46.1	40.0-52.2	275	53.9	47.8-60.0
\$75,000+	676	657,859	360	52.4	47.5-57.3	316	47.6	42.7-52.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 8: PHYSICAL ACTIVITY INDEX (_PAINDX1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1820	2,080,227	757	40.2	37.1-43.3	1063	59.8	56.7-62.9
White/Non-Hisp	1549	1,617,164	664	40.6	37.3-43.9	885	59.4	56.1-62.7
Black or Afr. Am./Non-Hisp	201	303,235	69	35.4	26.6-44.2	132	64.6	55.8-73.4
18-24	85	255,995	36	38.3	26.9-49.7	49	61.7	50.3-73.1
25-34	207	389,841	86	41.0	33.0-49.0	121	59.0	51.0-67.0
35-44	235	345,329	97	39.8	31.6-48.0	138	60.2	52.0-68.4
45-54	305	380,296	118	38.3	31.4-45.2	187	61.7	54.8-68.6
55-64	424	344,669	166	38.1	31.6-44.6	258	61.9	55.4-68.4
65+	557	359,325	254	45.4	39.9-50.9	303	54.6	49.1-60.1
Less Than H.S.	193	322,741	52	28.2	19.4-37.0	141	71.8	63.0-80.6
H.S. or G.E.D.	568	702,861	204	35.3	29.8-40.8	364	64.7	59.2-70.2
Some Post-H.S.	469	584,393	192	44.0	38.1-49.9	277	56.0	50.1-61.9
College Graduate	585	466,690	308	50.8	45.5-56.1	277	49.2	43.9-54.5
Less than \$15,000	172	185,944	45	24.6	15.8-33.4	127	75.4	66.6-84.2
\$15,000- 24,999	286	364,757	98	36.1	28.1-44.1	188	63.9	55.9-71.9
\$25,000- 34,999	178	194,709	69	35.0	25.4-44.6	109	65.0	55.4-74.6
\$35,000- 49,999	210	259,497	99	41.5	32.1-50.9	111	58.5	49.1-67.9
\$50,000- 74,999	222	237,150	104	45.5	37.3-53.7	118	54.5	46.3-62.7
\$75,000+	326	353,380	189	57.6	50.9-64.3	137	42.4	35.7-49.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)
 TABLE 9: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3182	2,289,480	1075	35.4	33.0-37.8	2107	64.6	62.2-67.0
White/Non-Hisp	2580	1,757,945	895	35.6	33.1-38.1	1685	64.4	61.9-66.9
Black or Afr. Am./Non-Hisp	485	346,088	133	30.3	24.4-36.2	352	69.7	63.8-75.6
Oth. Race/Non-Hisp.	50	82,982	24	46.1	26.5-65.7	26	53.9	34.3-73.5
18-24	143	272,007	49	33.8	24.8-42.8	94	66.2	57.2-75.2
25-34	284	364,320	109	38.4	31.3-45.5	175	61.6	54.5-68.7
35-44	347	384,707	133	38.8	32.1-45.5	214	61.2	54.5-67.9
45-54	563	417,723	188	36.5	31.2-41.8	375	63.5	58.2-68.8
55-64	773	394,832	236	29.8	25.7-33.9	537	70.2	66.1-74.3
65+	1064	453,625	360	35.2	31.3-39.1	704	64.8	60.9-68.7
Less Than H.S.	369	363,341	76	21.7	15.2-28.2	293	78.3	71.8-84.8
H.S. or G.E.D.	1083	715,466	324	32.6	28.5-36.7	759	67.4	63.3-71.5
Some Post-H.S.	883	696,989	304	38.6	34.1-43.1	579	61.4	56.9-65.9
College Graduate	842	508,851	371	44.9	40.4-49.4	471	55.1	50.6-59.6
Less than \$15,000	456	279,854	110	24.2	18.7-29.7	346	75.8	70.3-81.3
\$15,000- 24,999	549	377,900	155	31.9	26.2-37.6	394	68.1	62.4-73.8
\$25,000- 34,999	297	219,206	113	37.2	29.9-44.5	184	62.8	55.5-70.1
\$35,000- 49,999	328	254,772	121	31.7	24.8-38.6	207	68.3	61.4-75.2
\$50,000- 74,999	278	220,821	121	46.8	38.2-55.4	157	53.2	44.6-61.8
\$75,000+	350	304,479	171	46.4	39.3-53.5	179	53.6	46.5-60.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 10: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5146	4,488,811	824	19.6	17.8-21.4	4322	80.4	78.6-82.2
Male	1860	2,133,307	363	24.4	21.5-27.3	1497	75.6	72.7-78.5
Female	3286	2,355,504	461	15.3	13.5-17.1	2825	84.7	82.9-86.5
White/Non-Hisp	4246	3,480,084	655	18.1	16.3-19.9	3591	81.9	80.1-83.7
Black or Afr. Am./Non-Hisp	708	662,186	134	25.3	20.2-30.4	574	74.7	69.6-79.8
Oth. Race/Non-Hisp.	79	156,997	18	27.8	13.7-41.9	61	72.2	58.1-86.3
18-24	233	533,771	65	28.8	21.9-35.7	168	71.2	64.3-78.1
25-34	496	759,456	131	27.7	22.8-32.6	365	72.3	67.4-77.2
35-44	594	743,810	126	23.9	19.0-28.8	468	76.1	71.2-81.0
45-54	886	829,055	143	16.5	13.0-20.0	743	83.5	80.0-87.0
55-64	1215	751,873	175	14.5	12.0-17.0	1040	85.5	83.0-88.0
65+	1687	848,017	178	10.6	08.6-12.6	1509	89.4	87.4-91.4
Less Than H.S.	580	702,379	35	6.4	03.7-09.1	545	93.6	90.9-96.3
H.S. or G.E.D.	1696	1,456,550	200	18.1	14.8-21.4	1496	81.9	78.6-85.2
Some Post-H.S.	1398	1,322,841	253	23.3	20.0-26.6	1145	76.7	73.4-80.0
College Graduate	1458	992,375	334	26.4	23.5-29.3	1124	73.6	70.7-76.5
Less than \$15,000	657	485,938	79	14.6	10.1-19.1	578	85.4	80.9-89.9
\$15,000- 24,999	850	749,562	101	15.2	11.1-19.3	749	84.8	80.7-88.9
\$25,000- 34,999	491	427,586	77	20.3	14.6-26.0	414	79.7	74.0-85.4
\$35,000- 49,999	541	513,194	106	24.4	18.3-30.5	435	75.6	69.5-81.7
\$50,000- 74,999	513	473,497	97	19.9	15.2-24.6	416	80.1	75.4-84.8
\$75,000+	691	671,412	179	26.5	22.2-30.8	512	73.5	69.2-77.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 11: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1860	2,133,307	363	24.4	21.5-27.3	1497	75.6	72.7-78.5
White/Non-Hisp	1588	1,671,048	288	21.5	18.8-24.2	1300	78.5	75.8-81.2
Black or Afr. Am./Non-Hisp	203	302,457	62	37.6	28.4-46.8	141	62.4	53.2-71.6
18-24	87	261,041	37	43.5	31.7-55.3	50	56.5	44.7-68.3
25-34	210	393,125	78	38.2	30.2-46.2	132	61.8	53.8-69.8
35-44	239	350,933	62	26.7	19.1-34.3	177	73.3	65.7-80.9
45-54	310	397,884	54	18.5	12.4-24.6	256	81.5	75.4-87.6
55-64	434	353,509	73	15.3	11.2-19.4	361	84.7	80.6-88.8
65+	569	369,399	57	9.6	06.5-12.7	512	90.4	87.3-93.5
Less Than H.S.	199	329,963	11	5.4	01.5-09.3	188	94.6	90.7-98.5
H.S. or G.E.D.	575	715,636	91	25.2	19.5-30.9	484	74.8	69.1-80.5
Some Post-H.S.	479	603,386	103	29.3	23.4-35.2	376	70.7	64.8-76.6
College Graduate	601	476,132	157	30.3	25.6-35.0	444	69.7	65.0-74.4
Less than \$15,000	178	192,470	29	20.7	11.5-29.9	149	79.3	70.1-88.5
\$15,000- 24,999	288	362,644	42	20.1	12.8-27.4	246	79.9	72.6-87.2
\$25,000- 34,999	181	202,499	34	25.9	16.1-35.7	147	74.1	64.3-83.9
\$35,000- 49,999	211	259,451	49	29.3	19.5-39.1	162	70.7	60.9-80.5
\$50,000- 74,999	230	248,486	47	22.4	15.5-29.3	183	77.6	70.7-84.5
\$75,000+	335	360,854	90	31.1	24.6-37.6	245	68.9	62.4-75.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 12: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3286	2,355,504	461	15.3	13.5-17.1	2825	84.7	82.9-86.5
White/Non-Hisp	2658	1,809,036	367	14.9	12.9-16.9	2291	85.1	83.1-87.1
Black or Afr. Am./Non-Hisp	505	359,729	72	15.1	10.6-19.6	433	84.9	80.4-89.4
Oth. Race/Non-Hisp.	52	84,196	11	17.3	05.0-29.6	41	82.7	70.4-95.0
18-24	146	272,730	28	14.7	09.0-20.4	118	85.3	79.6-91.0
25-34	286	366,330	53	16.5	11.8-21.2	233	83.5	78.8-88.2
35-44	355	392,877	64	21.5	15.2-27.8	291	78.5	72.2-84.8
45-54	576	431,171	89	14.7	11.0-18.4	487	85.3	81.6-89.0
55-64	781	398,364	102	13.9	11.0-16.8	679	86.1	83.2-89.0
65+	1118	478,617	121	11.3	08.8-13.8	997	88.7	86.2-91.2
Less Than H.S.	381	372,416	24	7.4	03.5-11.3	357	92.6	88.7-96.5
H.S. or G.E.D.	1121	740,913	109	11.3	08.4-14.2	1012	88.7	85.8-91.6
Some Post-H.S.	919	719,454	150	18.2	14.7-21.7	769	81.8	78.3-85.3
College Graduate	857	516,243	177	22.9	19.2-26.6	680	77.1	73.4-80.8
Less than \$15,000	479	293,469	50	10.6	06.7-14.5	429	89.4	85.5-93.3
\$15,000- 24,999	562	386,918	59	10.6	07.1-14.1	503	89.4	85.9-92.9
\$25,000- 34,999	310	225,087	43	15.2	09.5-20.9	267	84.8	79.1-90.5
\$35,000- 49,999	330	253,743	57	19.3	12.4-26.2	273	80.7	73.8-87.6
\$50,000- 74,999	283	225,011	50	17.0	11.1-22.9	233	83.0	77.1-88.9
\$75,000+	356	310,558	89	21.2	16.3-26.1	267	78.8	73.9-83.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 13: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4959	4,318,027	493	12.2	10.8-13.6	1330	25.7	23.9-27.5	304	7.6	06.4-08.8	2832	54.5	52.5-56.5
Male	1799	2,047,068	214	14.7	12.2-17.2	539	25.9	23.2-28.6	141	10.0	07.8-12.2	905	49.4	46.3-52.5
Female	3160	2,270,959	279	9.9	08.3-11.5	791	25.5	23.3-27.7	163	5.5	04.3-06.7	1927	59.1	56.6-61.6
White/Non-Hisp	4099	3,346,506	402	11.5	10.1-12.9	1151	26.7	24.9-28.5	233	6.9	05.7-08.1	2313	54.9	52.7-57.1
Black or Afr. Am./Non-Hisp	680	642,371	69	13.6	09.5-17.7	133	19.4	15.3-23.5	61	12.1	08.0-16.2	417	54.8	49.3-60.3
Oth. Race/Non-Hisp.	75	144,748	13	18.3	06.5-30.1	21	27.7	13.8-41.6	4	6.1	00.0-12.8	37	48.0	33.3-62.7
18-24	223	510,166	35	16.2	10.5-21.9	49	20.5	14.6-26.4	26	12.9	07.4-18.4	113	50.4	42.6-58.2
25-34	486	748,126	74	16.1	12.0-20.2	121	23.9	19.2-28.6	56	12.0	08.3-15.7	235	48.0	42.5-53.5
35-44	576	721,568	78	16.0	11.5-20.5	150	23.5	19.2-27.8	46	8.5	05.4-11.6	302	52.1	46.8-57.4
45-54	860	792,768	94	11.0	08.3-13.7	209	26.5	22.6-30.4	46	5.1	03.1-07.1	511	57.5	53.0-62.0
55-64	1189	734,518	101	8.7	06.7-10.7	300	25.1	21.6-28.6	69	5.9	04.1-07.7	719	60.3	56.4-64.2
65+	1610	803,843	111	7.0	05.2-08.8	501	32.6	29.5-35.7	60	3.6	02.4-04.8	938	56.7	53.4-60.0
Less Than H.S.	556	677,307	12	3.0	00.8-05.2	115	21.5	16.4-26.6	22	3.6	01.6-05.6	407	71.9	66.4-77.4
H.S. or G.E.D.	1631	1,392,488	111	10.7	08.0-13.4	413	23.6	20.7-26.5	82	7.3	05.1-09.5	1025	58.4	54.7-62.1
Some Post-H.S.	1342	1,270,573	145	14.6	11.7-17.5	349	26.6	23.3-29.9	97	9.2	06.7-11.7	751	49.6	45.9-53.3
College Graduate	1420	969,286	224	17.4	14.9-19.9	453	30.6	27.5-33.7	103	9.0	07.0-11.0	640	43.0	39.7-46.3
Less than \$15,000	626	465,159	30	5.8	03.1-08.5	124	18.5	14.2-22.8	43	8.6	04.7-12.5	429	67.1	61.4-72.8
\$15,000- 24,999	828	733,821	52	8.9	05.6-12.2	200	25.5	21.0-30.0	48	6.5	03.8-09.2	528	59.2	54.1-64.3
\$25,000- 34,999	470	411,162	46	11.2	07.1-15.3	136	25.1	19.8-30.4	30	9.8	04.9-14.7	258	53.9	47.6-60.2
\$35,000- 49,999	533	504,982	68	14.6	09.5-19.7	150	22.2	17.7-26.7	36	10.1	05.6-14.6	279	53.2	46.9-59.5
\$50,000- 74,999	498	455,078	69	14.5	10.4-18.6	155	31.5	25.6-37.4	27	6.0	03.3-08.7	247	48.0	41.9-54.1
\$75,000+	673	654,175	123	19.0	15.1-22.9	235	33.4	28.7-38.1	56	8.2	05.7-10.7	259	39.4	34.5-44.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1799	2,047,068	214	14.7	12.2-17.2	539	25.9	23.2-28.6	141	10.0	07.8-12.2	905	49.4	46.3-52.5
White/Non-Hisp	1533	1,598,192	174	13.4	11.0-15.8	488	27.6	24.7-30.5	107	8.6	06.4-10.8	764	50.4	47.1-53.7
Black or Afr. Am./Non-Hisp	199	298,088	33	19.1	11.5-26.7	36	16.9	10.4-23.4	29	19.0	11.2-26.8	101	45.0	35.8-54.2
18-24	82	243,188	21	25.0	14.6-35.4	15	15.3	07.7-22.9	14	20.5	10.3-30.7	32	39.2	27.2-51.2
25-34	206	387,905	44	22.0	15.1-28.9	42	19.2	13.1-25.3	34	16.7	10.4-23.0	86	42.0	34.0-50.0
35-44	232	339,767	35	17.3	10.0-24.6	62	23.2	16.5-29.9	26	10.0	05.7-14.3	109	49.5	41.3-57.7
45-54	300	376,114	33	11.2	06.9-15.5	83	27.2	20.9-33.5	20	6.0	02.7-09.3	164	55.5	48.4-62.6
55-64	421	342,004	44	9.5	06.2-12.8	122	28.9	22.4-35.4	28	6.1	03.4-08.8	227	55.5	48.8-62.2
65+	551	353,318	37	5.9	03.5-08.3	215	39.1	33.6-44.6	19	3.6	01.6-05.6	280	51.4	45.9-56.9
Less Than H.S.	190	315,978	4	2.9	00.0-06.2	47	24.6	16.2-33.0	7	2.7	00.2-05.2	132	69.7	60.7-78.7
H.S. or G.E.D.	556	683,430	50	14.3	09.4-19.2	153	22.0	17.7-26.3	40	10.8	06.7-14.9	313	52.9	47.2-58.6
Some Post-H.S.	466	580,556	57	17.6	12.5-22.7	135	26.7	21.6-31.8	43	12.3	07.8-16.8	231	43.4	37.5-49.3
College Graduate	582	463,563	102	19.2	15.1-23.3	204	31.7	27.0-36.4	51	11.1	07.8-14.4	225	38.1	33.0-43.2
Less than \$15,000	172	185,944	10	7.6	02.1-13.1	35	17.0	09.6-24.4	17	12.3	04.1-20.5	110	63.1	52.3-73.9
\$15,000- 24,999	283	357,717	24	11.7	05.6-17.8	73	25.1	17.8-32.4	18	8.7	03.4-14.0	168	54.6	46.4-62.8
\$25,000- 34,999	176	194,316	15	10.7	04.4-17.0	54	24.3	15.9-32.7	19	16.3	07.1-25.5	88	48.7	38.5-58.9
\$35,000- 49,999	207	253,530	34	19.8	10.6-29.0	64	22.6	15.7-29.5	15	10.2	03.7-16.7	94	47.4	38.0-56.8
\$50,000- 74,999	222	237,150	31	15.1	09.2-21.0	73	30.4	22.8-38.0	15	8.2	03.3-13.1	103	46.4	38.0-54.8
\$75,000+	324	350,693	63	22.7	16.6-28.8	125	35.1	28.6-41.6	27	9.3	05.2-13.4	109	32.9	26.6-39.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3160	2,270,959	279	9.9	08.3-11.5	791	25.5	23.3-27.7	163	5.5	04.3-06.7	1927	59.1	56.6-61.6
White/Non-Hisp	2566	1,748,314	228	9.8	08.2-11.4	663	25.8	23.4-28.2	126	5.3	04.1-06.5	1549	59.1	56.4-61.8
Black or Afr. Am./Non-Hisp	481	344,283	36	8.8	05.1-12.5	97	21.6	16.5-26.7	32	6.2	03.3-09.1	316	63.3	57.0-69.6
18-24	141	266,978	14	8.2	03.5-12.9	34	25.3	16.7-33.9	12	6.0	02.5-09.5	81	60.5	51.1-69.9
25-34	280	360,220	30	9.8	06.1-13.5	79	29.0	22.1-35.9	22	6.9	03.6-10.2	149	54.3	47.2-61.4
35-44	344	381,801	43	14.7	09.4-20.0	88	23.7	18.2-29.2	20	7.2	02.7-11.7	193	54.4	47.5-61.3
45-54	560	416,654	61	10.7	07.4-14.0	126	25.8	20.9-30.7	26	4.3	02.3-06.3	347	59.2	53.7-64.7
55-64	768	392,514	57	8.0	05.6-10.4	178	21.7	18.0-25.4	41	5.7	03.7-07.7	492	64.6	60.3-68.9
65+	1059	450,525	74	7.9	05.5-10.3	286	27.5	23.8-31.2	41	3.6	02.2-05.0	658	61.0	56.9-65.1
Less Than H.S.	366	361,329	8	3.1	00.0-06.2	68	18.8	12.7-24.9	15	4.3	01.6-07.0	275	73.8	67.1-80.5
H.S. or G.E.D.	1075	709,057	61	7.3	04.8-09.8	260	25.1	21.4-28.8	42	3.9	02.1-05.7	712	63.7	59.4-68.0
Some Post-H.S.	876	690,017	88	12.0	09.1-14.9	214	26.6	22.3-30.9	54	6.5	04.0-09.0	520	54.8	50.1-59.5
College Graduate	838	505,723	122	15.7	12.4-19.0	249	29.6	25.5-33.7	52	7.2	04.8-09.6	415	47.6	43.1-52.1
Less than \$15,000	454	279,215	20	4.6	02.1-07.1	89	19.5	14.4-24.6	26	6.1	02.8-09.4	319	69.8	63.7-75.9
\$15,000- 24,999	545	376,104	28	6.2	03.1-09.3	127	25.8	20.5-31.1	30	4.4	02.2-06.6	360	63.6	57.7-69.5
\$25,000- 34,999	294	216,846	31	11.7	06.4-17.0	82	25.9	19.4-32.4	11	3.9	01.0-06.8	170	58.5	51.1-65.9
\$35,000- 49,999	326	251,452	34	9.4	05.5-13.3	86	21.7	15.8-27.6	21	9.9	03.8-16.0	185	59.0	51.2-66.8
\$50,000- 74,999	276	217,928	38	14.0	08.3-19.7	82	32.7	23.7-41.7	12	3.6	01.2-06.0	144	49.7	41.1-58.3
\$75,000+	349	303,482	60	14.7	10.4-19.0	110	31.5	25.0-38.0	29	7.0	04.1-09.9	150	46.8	39.7-53.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 16: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4959	4,318,027	493	12.2	10.8-13.6	4466	87.8	86.4-89.2
Male	1799	2,047,068	214	14.7	12.2-17.2	1585	85.3	82.8-87.8
Female	3160	2,270,959	279	9.9	08.3-11.5	2881	90.1	88.5-91.7
White/Non-Hisp	4099	3,346,506	402	11.5	10.1-12.9	3697	88.5	87.1-89.9
Black or Afr. Am./Non-Hisp	680	642,371	69	13.6	09.5-17.7	611	86.4	82.3-90.5
Oth. Race/Non-Hisp.	75	144,748	13	18.3	06.5-30.1	62	81.7	69.9-93.5
18-24	223	510,166	35	16.2	10.5-21.9	188	83.8	78.1-89.5
25-34	486	748,126	74	16.1	12.0-20.2	412	83.9	79.8-88.0
35-44	576	721,568	78	16.0	11.5-20.5	498	84.0	79.5-88.5
45-54	860	792,768	94	11.0	08.3-13.7	766	89.0	86.3-91.7
55-64	1189	734,518	101	8.7	06.7-10.7	1088	91.3	89.3-93.3
65+	1610	803,843	111	7.0	05.2-08.8	1499	93.0	91.2-94.8
Less Than H.S.	556	677,307	12	3.0	00.8-05.2	544	97.0	94.8-99.2
H.S. or G.E.D.	1631	1,392,488	111	10.7	08.0-13.4	1520	89.3	86.6-92.0
Some Post-H.S.	1342	1,270,573	145	14.6	11.7-17.5	1197	85.4	82.5-88.3
College Graduate	1420	969,286	224	17.4	14.9-19.9	1196	82.6	80.1-85.1
Less than \$15,000	626	465,159	30	5.8	03.1-08.5	596	94.2	91.5-96.9
\$15,000- 24,999	828	733,821	52	8.9	05.6-12.2	776	91.1	87.8-94.4
\$25,000- 34,999	470	411,162	46	11.2	07.1-15.3	424	88.8	84.7-92.9
\$35,000- 49,999	533	504,982	68	14.6	09.5-19.7	465	85.4	80.3-90.5
\$50,000- 74,999	498	455,078	69	14.5	10.4-18.6	429	85.5	81.4-89.6
\$75,000+	673	654,175	123	19.0	15.1-22.9	550	81.0	77.1-84.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1799	2,047,068	214	14.7	12.2-17.2	1585	85.3	82.8-87.8
White/Non-Hisp	1533	1,598,192	174	13.4	11.0-15.8	1359	86.6	84.2-89.0
Black or Afr. Am./Non-Hisp	199	298,088	33	19.1	11.5-26.7	166	80.9	73.3-88.5
18-24	82	243,188	21	25.0	14.6-35.4	61	75.0	64.6-85.4
25-34	206	387,905	44	22.0	15.1-28.9	162	78.0	71.1-84.9
35-44	232	339,767	35	17.3	10.0-24.6	197	82.7	75.4-90.0
45-54	300	376,114	33	11.2	06.9-15.5	267	88.8	84.5-93.1
55-64	421	342,004	44	9.5	06.2-12.8	377	90.5	87.2-93.8
65+	551	353,318	37	5.9	03.5-08.3	514	94.1	91.7-96.5
Less Than H.S.	190	315,978	4	2.9	00.0-06.2	186	97.1	93.8-0100
H.S. or G.E.D.	556	683,430	50	14.3	09.4-19.2	506	85.7	80.8-90.6
Some Post-H.S.	466	580,556	57	17.6	12.5-22.7	409	82.4	77.3-87.5
College Graduate	582	463,563	102	19.2	15.1-23.3	480	80.8	76.7-84.9
Less than \$15,000	172	185,944	10	7.6	02.1-13.1	162	92.4	86.9-97.9
\$15,000- 24,999	283	357,717	24	11.7	05.6-17.8	259	88.3	82.2-94.4
\$25,000- 34,999	176	194,316	15	10.7	04.4-17.0	161	89.3	83.0-95.6
\$35,000- 49,999	207	253,530	34	19.8	10.6-29.0	173	80.2	71.0-89.4
\$50,000- 74,999	222	237,150	31	15.1	09.2-21.0	191	84.9	79.0-90.8
\$75,000+	324	350,693	63	22.7	16.6-28.8	261	77.3	71.2-83.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 12: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3160	2,270,959	279	9.9	08.3-11.5	2881	90.1	88.5-91.7
White/Non-Hisp	2566	1,748,314	228	9.8	08.2-11.4	2338	90.2	88.6-91.8
Black or Afr. Am./Non-Hisp	481	344,283	36	8.8	05.1-12.5	445	91.2	87.5-94.9
18-24	141	266,978	14	8.2	03.5-12.9	127	91.8	87.1-96.5
25-34	280	360,220	30	9.8	06.1-13.5	250	90.2	86.5-93.9
35-44	344	381,801	43	14.7	09.4-20.0	301	85.3	80.0-90.6
45-54	560	416,654	61	10.7	07.4-14.0	499	89.3	86.0-92.6
55-64	768	392,514	57	8.0	05.6-10.4	711	92.0	89.6-94.4
65+	1059	450,525	74	7.9	05.5-10.3	985	92.1	89.7-94.5
Less Than H.S.	366	361,329	8	3.1	00.0-06.2	358	96.9	93.8-0100
H.S. or G.E.D.	1075	709,057	61	7.3	04.8-09.8	1014	92.7	90.2-95.2
Some Post-H.S.	876	690,017	88	12.0	09.1-14.9	788	88.0	85.1-90.9
College Graduate	838	505,723	122	15.7	12.4-19.0	716	84.3	81.0-87.6
Less than \$15,000	454	279,215	20	4.6	02.1-07.1	434	95.4	92.9-97.9
\$15,000- 24,999	545	376,104	28	6.2	03.1-09.3	517	93.8	90.7-96.9
\$25,000- 34,999	294	216,846	31	11.7	06.4-17.0	263	88.3	83.0-93.6
\$35,000- 49,999	326	251,452	34	9.4	05.5-13.3	292	90.6	86.7-94.5
\$50,000- 74,999	276	217,928	38	14.0	08.3-19.7	238	86.0	80.3-91.7
\$75,000+	349	303,482	60	14.7	10.4-19.0	289	85.3	81.0-89.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 13: ARTHRITIS BURDEN CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT1)	
1	MALES AND FEMALES	166
2	MALES ONLY	167
3	FEMALES ONLY	168
	LIMITED WORK ACTIVITIES (_LMTWRK1)	
4	MALES AND FEMALES	169
5	MALES ONLY	170
6	FEMALES ONLY	171
	LIMITED SOCIAL ACTIVITIES (_LMTSCL1)	
7	MALES AND FEMALES	172
8	MALES ONLY	173
9	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5563	4,888,931	1026	14.5	13.3-15.7	730	10.0	09.0-11.0	3807	75.5	73.9-77.1
Male	2042	2,360,811	276	10.6	08.8-12.4	247	9.4	07.8-11.0	1519	80.0	77.8-82.2
Female	3521	2,528,120	750	18.1	16.3-19.9	483	10.7	09.3-12.1	2288	71.2	69.0-73.4
White/Non-Hisp	4553	3,733,362	865	15.8	14.4-17.2	618	10.9	09.7-12.1	3070	73.3	71.5-75.1
Black or Afr. Am./Non-Hisp	785	763,061	133	9.8	07.4-12.2	92	7.9	05.5-10.3	560	82.2	78.9-85.5
Oth. Race/Non-Hisp.	83	165,548	14	11.3	03.1-19.5	9	6.5	01.0-12.0	60	82.2	72.4-92.0
18-24	264	625,817	6	2.3	00.1-04.5	3	1.0	00.0-02.2	255	96.7	94.3-99.1
25-34	554	836,405	26	4.0	02.0-06.0	21	4.8	02.4-07.2	507	91.2	88.3-94.1
35-44	643	809,016	65	11.2	07.9-14.5	34	5.0	03.0-07.0	544	83.8	80.1-87.5
45-54	955	879,882	186	19.3	15.8-22.8	84	9.7	07.0-12.4	685	71.0	66.9-75.1
55-64	1276	795,076	316	25.2	21.7-28.7	183	14.0	11.5-16.5	777	60.8	57.1-64.5
65+	1819	909,274	424	21.9	19.4-24.4	403	22.9	20.4-25.4	992	55.2	52.1-58.3
Less Than H.S.	645	779,468	212	28.1	23.4-32.8	83	10.2	07.1-13.3	350	61.7	56.4-67.0
H.S. or G.E.D.	1841	1,605,348	382	13.8	11.8-15.8	256	9.8	08.2-11.4	1203	76.4	73.9-78.9
Some Post-H.S.	1497	1,418,933	257	12.8	10.6-15.0	222	11.0	09.0-13.0	1018	76.2	73.5-78.9
College Graduate	1548	1,050,044	173	8.2	06.4-10.0	168	9.2	07.4-11.0	1207	82.6	80.2-85.0
Less than \$15,000	685	512,706	245	29.3	24.4-34.2	74	7.4	05.0-09.8	366	63.3	58.0-68.6
\$15,000- 24,999	914	805,961	230	20.2	16.5-23.9	125	11.0	08.1-13.9	559	68.8	64.5-73.1
\$25,000- 34,999	519	465,407	89	14.1	10.2-18.0	65	7.9	05.5-10.3	365	77.9	73.4-82.4
\$35,000- 49,999	579	547,634	77	10.8	07.5-14.1	89	11.5	07.8-15.2	413	77.7	73.0-82.4
\$50,000- 74,999	542	503,842	62	10.2	07.1-13.3	80	9.5	07.0-12.0	400	80.3	76.4-84.2
\$75,000+	725	702,340	47	5.1	03.3-06.9	79	9.8	07.3-12.3	599	85.1	82.2-88.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Total have arthritis and limited usual activities			Total have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2042	2,360,811	276	10.6	08.8-12.4	247	9.4	07.8-11.0	1519	80.0	77.8-82.2
White/Non-Hisp	1721	1,810,409	239	11.8	09.8-13.8	214	10.2	08.4-12.0	1268	78.0	75.5-80.5
Black or Afr. Am./Non-Hisp	234	355,908	30	7.4	04.1-10.7	27	6.4	03.1-09.7	177	86.2	81.5-90.9
18-24	104	318,588	2	1.6	00.0-04.3	1	0.7	00.0-02.1	101	97.8	94.9-0100
25-34	230	416,811	3	0.9	00.0-01.9	11	6.3	02.0-10.6	216	92.8	88.5-97.1
35-44	261	396,290	15	4.6	01.9-07.3	14	4.3	01.8-06.8	232	91.2	87.5-94.9
45-54	339	425,751	60	17.1	12.0-22.2	30	9.7	05.8-13.6	249	73.2	67.1-79.3
55-64	463	385,303	92	21.8	16.3-27.3	61	12.0	08.3-15.7	310	66.2	60.1-72.3
65+	625	401,299	103	16.8	12.7-20.9	130	22.0	17.7-26.3	392	61.1	56.0-66.2
Less Than H.S.	227	363,650	57	21.8	14.7-28.9	24	7.2	03.3-11.1	146	71.0	63.4-78.6
H.S. or G.E.D.	641	803,911	90	9.5	07.0-12.0	81	8.8	06.4-11.2	470	81.7	78.4-85.0
Some Post-H.S.	518	661,111	75	9.6	06.9-12.3	74	11.0	07.5-14.5	369	79.4	75.3-83.5
College Graduate	642	509,279	53	6.3	03.8-08.8	68	10.1	07.4-12.8	521	83.6	80.1-87.1
Less than \$15,000	190	205,876	58	21.2	13.9-28.5	15	6.1	02.4-09.8	117	72.7	64.5-80.9
\$15,000- 24,999	309	394,518	72	18.4	12.7-24.1	39	10.2	05.5-14.9	198	71.5	64.6-78.4
\$25,000- 34,999	197	227,006	18	7.9	03.0-12.8	24	7.2	03.7-10.7	155	84.9	79.0-90.8
\$35,000- 49,999	227	278,623	22	6.1	03.0-09.2	34	10.1	05.6-14.6	171	83.8	78.5-89.1
\$50,000- 74,999	240	257,367	20	8.6	03.7-13.5	40	10.6	06.7-14.5	180	80.7	74.8-86.6
\$75,000+	352	378,386	20	4.6	02.2-07.0	43	11.2	07.3-15.1	289	84.2	79.9-88.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3521	2,528,120	750	18.1	16.3-19.9	483	10.7	09.3-12.1	2288	71.2	69.2-73.2
White/Non-Hisp	2832	1,922,953	626	19.5	17.5-21.5	404	11.6	10.0-13.2	1802	68.9	66.5-71.3
Black or Afr. Am./Non-Hisp	551	407,153	103	12.0	08.9-15.1	65	9.2	05.9-12.5	383	78.8	74.3-83.3
Oth. Race/Non-Hisp.	52	85,402	11	17.6	03.3-31.9	6	3.9	00.0-07.8	35	78.5	63.8-93.2
18-24	160	307,229	4	3.0	00.0-06.3	2	1.3	00.0-03.5	154	95.7	91.8-99.6
25-34	324	419,594	23	7.1	03.6-10.6	10	3.3	01.1-05.5	291	89.5	85.4-93.6
35-44	382	412,727	50	17.6	12.1-23.1	20	5.6	02.7-08.5	312	76.8	70.9-82.7
45-54	616	454,131	126	21.4	16.9-25.9	54	9.7	05.6-13.8	436	68.9	63.6-74.2
55-64	813	409,774	224	28.4	24.1-32.7	122	15.8	12.5-19.1	467	55.8	51.3-60.3
65+	1194	507,975	321	25.9	22.4-29.4	273	23.6	20.3-26.9	600	50.5	46.6-54.4
Less Than H.S.	418	415,819	155	33.6	27.3-39.9	59	12.9	08.0-17.8	204	53.5	46.4-60.6
H.S. or G.E.D.	1200	801,437	292	18.1	15.2-21.0	175	10.9	08.7-13.1	733	71.0	67.5-74.5
Some Post-H.S.	979	757,822	182	15.6	12.5-18.7	148	11.0	08.8-13.2	649	73.4	69.9-76.9
College Graduate	906	540,765	120	10.0	07.5-12.5	100	8.4	06.4-10.4	686	81.7	78.6-84.8
Less than \$15,000	495	306,830	187	34.8	28.7-40.9	59	8.2	05.3-11.1	249	57.1	50.6-63.6
\$15,000- 24,999	605	411,442	158	21.9	17.2-26.6	86	11.8	08.1-15.5	361	66.3	61.0-71.6
\$25,000- 34,999	322	238,401	71	20.1	14.2-26.0	41	8.6	05.5-11.7	210	71.3	64.8-77.8
\$35,000- 49,999	352	269,012	55	15.6	09.9-21.3	55	12.9	06.8-19.0	242	71.5	64.1-78.9
\$50,000- 74,999	302	246,474	42	11.8	07.5-16.1	40	8.4	05.1-11.7	220	79.8	74.5-85.1
\$75,000+	373	323,954	27	5.6	03.2-08.0	36	8.2	05.1-11.3	310	86.1	82.2-90.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Total have arthritis and limited work			Total have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5525	4,862,352	772	11.6	10.4-12.8	946	12.6	11.4-13.8	3807	75.9	74.3-77.5
Male	2030	2,348,688	212	9.1	07.5-10.7	299	10.5	08.9-12.1	1519	80.4	78.2-82.6
Female	3495	2,513,664	560	13.8	12.2-15.4	647	14.5	12.9-16.1	2288	71.6	69.6-73.6
White/Non-Hisp	4519	3,709,815	646	12.4	11.0-13.8	803	13.8	12.4-15.2	3070	73.8	72.0-75.6
Black or Afr. Am./Non-Hisp	781	758,820	106	8.9	06.4-11.4	115	8.4	06.4-10.4	560	82.7	79.6-85.8
Oth. Race/Non-Hisp.	84	166,856	13	9.7	02.1-17.3	11	8.7	02.2-15.2	60	81.6	71.8-91.4
18-24	264	625,817	4	1.9	00.0-04.1	5	1.3	00.0-02.7	255	96.7	94.3-99.1
25-34	553	834,617	26	4.4	02.4-06.4	20	4.2	01.8-06.6	507	91.4	88.5-94.3
35-44	643	809,016	51	9.3	06.2-12.4	48	6.8	04.6-09.0	544	83.8	80.1-87.5
45-54	950	876,699	143	16.0	12.7-19.3	122	12.8	09.9-15.7	685	71.2	67.1-75.3
55-64	1271	792,718	229	18.0	14.9-21.1	265	21.0	18.1-23.9	777	61.0	57.3-64.7
65+	1792	890,025	316	17.3	14.9-19.7	484	26.3	23.6-29.0	992	56.4	53.3-59.5
Less Than H.S.	631	768,247	161	22.7	18.2-27.2	120	14.8	11.1-18.5	350	62.6	57.3-67.9
H.S. or G.E.D.	1830	1,601,442	301	11.9	09.9-13.9	326	11.5	09.7-13.3	1203	76.5	74.0-79.0
Some Post-H.S.	1488	1,409,961	194	9.8	07.8-11.8	276	13.5	11.3-15.7	1018	76.7	74.0-79.4
College Graduate	1544	1,047,564	114	5.5	03.9-07.1	223	11.7	09.7-13.7	1207	82.8	80.4-85.2
Less than \$15,000	678	509,342	180	22.8	18.3-27.3	132	13.4	10.1-16.7	366	63.8	58.5-69.1
\$15,000- 24,999	905	799,440	173	17.0	13.5-20.5	173	13.6	10.5-16.7	559	69.4	65.1-73.7
\$25,000- 34,999	519	465,407	74	11.8	08.3-15.3	80	10.2	07.1-13.3	365	77.9	73.4-82.4
\$35,000- 49,999	576	545,483	49	8.1	04.8-11.4	114	13.8	10.1-17.5	413	78.0	73.3-82.7
\$50,000- 74,999	541	503,460	42	7.2	04.5-09.9	99	12.5	09.6-15.4	400	80.4	76.5-84.3
\$75,000+	723	700,755	32	3.8	02.2-05.4	92	10.9	08.4-13.4	599	85.3	82.4-88.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2030	2,348,688	212	9.1	07.5-10.7	299	10.5	08.9-12.1	1519	80.4	78.2-82.6
White/Non-Hisp	1710	1,798,425	185	10.0	08.0-12.0	257	11.5	09.7-13.3	1268	78.5	76.0-81.0
Black or Afr. Am./Non-Hisp	233	355,769	21	6.5	03.2-09.8	35	7.2	04.1-10.3	177	86.2	81.5-90.9
18-24	104	318,588	1	1.3	00.0-03.8	2	0.9	00.0-02.3	101	97.8	94.9-0100
25-34	230	416,811	5	2.6	00.1-05.1	9	4.6	00.9-08.3	216	92.8	88.5-97.1
35-44	261	396,290	13	4.2	01.5-06.9	16	4.6	02.1-07.1	232	91.2	87.5-94.9
45-54	337	423,820	53	16.9	11.6-22.2	35	9.5	05.8-13.2	249	73.6	67.5-79.7
55-64	461	382,253	68	16.5	11.4-21.6	83	16.8	12.3-21.3	310	66.8	60.7-72.9
65+	617	394,156	71	12.0	08.7-15.3	154	25.8	21.1-30.5	392	62.2	57.1-67.3
Less Than H.S.	224	361,604	38	16.1	09.6-22.6	40	12.4	07.5-17.3	146	71.4	63.8-79.0
H.S. or G.E.D.	637	799,944	81	9.5	07.0-12.0	86	8.4	06.2-10.6	470	82.1	78.8-85.4
Some Post-H.S.	514	656,455	60	8.2	05.7-10.7	85	11.8	08.3-15.3	369	80.0	75.9-84.1
College Graduate	641	507,823	32	5.0	02.5-07.5	88	11.2	08.3-14.1	521	83.8	80.3-87.3
Less than \$15,000	187	203,550	43	17.3	10.4-24.2	27	9.1	04.6-13.6	117	73.6	65.6-81.6
\$15,000- 24,999	304	391,457	51	16.0	10.5-21.5	55	11.9	07.2-16.6	198	72.0	65.1-78.9
\$25,000- 34,999	197	227,006	18	8.2	03.9-12.5	24	6.9	02.8-11.0	155	84.9	79.0-90.8
\$35,000- 49,999	226	276,773	14	5.1	01.6-08.6	41	10.6	06.5-14.7	171	84.3	79.0-89.6
\$50,000- 74,999	240	257,367	17	7.4	02.9-11.9	43	11.9	07.6-16.2	180	80.7	74.8-86.6
\$75,000+	351	377,230	14	3.8	01.6-06.0	48	11.7	07.8-15.6	289	84.5	80.2-88.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 13: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3495	2,513,664	560	13.8	12.2-15.4	647	14.5	12.9-16.1	2288	71.6	69.6-73.6
White/Non-Hisp	2809	1,911,390	461	14.6	12.8-16.4	546	16.0	14.2-17.8	1802	69.3	66.9-71.7
Black or Afr. Am./Non-Hisp	548	403,051	85	11.1	07.6-14.6	80	9.3	06.6-12.0	383	79.6	75.3-83.9
Oth. Race/Non-Hisp.	53	86,710	9	10.9	00.0-22.7	9	11.8	01.6-22.0	35	77.3	62.6-92.0
18-24	160	307,229	3	2.5	00.0-05.6	3	1.9	00.0-04.3	154	95.7	91.8-99.6
25-34	323	417,806	21	6.3	03.4-09.2	11	3.8	00.9-06.7	291	89.9	86.0-93.8
35-44	382	412,727	38	14.2	08.9-19.5	32	9.0	05.7-12.3	312	76.8	70.9-82.7
45-54	613	452,879	90	15.1	11.2-19.0	87	15.8	11.3-20.3	436	69.1	63.8-74.4
55-64	810	410,465	161	19.5	15.8-23.2	182	24.9	21.0-28.8	467	55.7	51.2-60.2
65+	1175	495,869	245	21.5	18.2-24.8	330	26.8	23.5-30.1	600	51.8	47.9-55.7
Less Than H.S.	407	406,643	123	28.5	22.4-34.6	80	16.8	11.5-22.1	204	54.7	47.6-61.8
H.S. or G.E.D.	1193	801,498	220	14.4	11.7-17.1	240	14.6	12.1-17.1	733	71.0	67.5-74.5
Some Post-H.S.	974	753,506	134	11.2	08.5-13.9	191	15.0	12.3-17.7	649	73.8	70.3-77.3
College Graduate	903	539,741	82	6.0	04.4-07.6	135	12.2	09.5-14.9	686	81.8	78.7-84.9
Less than \$15,000	491	305,792	137	26.5	20.8-32.2	105	16.3	11.8-20.8	249	57.3	50.8-63.8
\$15,000- 24,999	601	407,983	122	17.9	13.4-22.4	118	15.2	11.3-19.1	361	66.8	61.5-72.1
\$25,000- 34,999	322	238,401	56	15.3	10.0-20.6	56	13.4	08.9-17.9	210	71.3	64.8-77.8
\$35,000- 49,999	350	268,711	35	11.3	05.8-16.8	73	17.2	10.9-23.5	242	71.6	64.2-79.0
\$50,000- 74,999	301	246,093	25	7.0	03.7-10.3	56	13.1	09.0-17.2	220	80.0	74.7-85.3
\$75,000+	372	323,525	18	3.7	01.7-05.7	44	10.0	06.7-13.3	310	86.3	82.4-90.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN**

TABLE 7: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5546	4,877,679	538	7.8	06.8-08.8	541	7.5	06.5-08.5	660	9.0	08.0-10.0	3807	75.6	74.0-77.2
Male	2039	2,355,683	142	6.0	04.6-07.4	150	5.6	04.4-06.8	228	8.2	06.8-09.6	1519	80.2	78.0-82.4
Female	3507	2,521,996	396	9.5	08.1-10.9	391	9.3	07.9-10.7	432	9.8	08.6-11.0	2288	71.4	69.4-73.4
White/Non-Hisp	4540	3,724,191	457	8.4	07.2-09.6	439	8.0	07.0-09.0	574	10.2	09.0-11.4	3070	73.5	71.7-75.3
Black or Afr. Am./Non-Hisp	781	759,717	68	5.8	03.8-07.8	83	5.5	03.7-07.3	70	6.2	04.2-08.2	560	82.6	79.5-85.7
Oth. Race/Non-Hisp.	83	166,810	3	2.2	00.0-05.1	10	10.8	02.4-19.2	10	5.5	01.2-09.8	60	81.6	71.8-91.4
18-24	264	625,817	5	2.1	00.0-04.3	2	0.4	00.0-01.0	2	0.7	00.0-01.7	255	96.7	94.3-99.1
25-34	554	836,405	9	1.7	00.3-03.1	21	3.4	01.6-05.2	17	3.7	01.5-05.9	507	91.2	88.3-94.1
35-44	641	804,291	40	6.8	04.1-09.5	27	4.9	02.7-07.1	30	4.0	02.4-05.6	544	84.3	80.6-88.0
45-54	952	876,587	106	11.1	08.4-13.8	78	9.3	06.4-12.2	83	8.4	06.2-10.6	685	71.3	67.2-75.4
55-64	1271	795,925	169	13.5	10.6-16.4	148	11.1	08.9-13.3	177	14.6	12.1-17.1	777	60.8	57.1-64.5
65+	1812	905,193	206	10.4	08.6-12.2	264	14.0	11.6-16.4	350	20.2	17.7-22.7	992	55.5	52.4-58.6
Less Than H.S.	637	770,795	134	17.7	13.6-21.8	83	11.3	07.8-14.8	70	8.6	06.1-11.1	350	62.4	57.1-67.7
H.S. or G.E.D.	1837	1,605,585	209	7.8	06.2-09.4	205	7.3	05.9-08.7	220	8.6	07.2-10.0	1203	76.4	73.9-78.9
Some Post-H.S.	1493	1,416,447	124	5.8	04.2-07.4	154	7.5	05.9-09.1	197	10.3	08.3-12.3	1018	76.4	73.7-79.1
College Graduate	1547	1,049,714	69	3.5	02.1-04.9	99	5.4	04.0-06.8	172	8.5	06.9-10.1	1207	82.6	80.2-85.0
Less than \$15,000	684	510,569	165	20.1	16.0-24.2	85	8.5	06.0-11.0	68	7.8	05.3-10.3	366	63.6	58.5-68.7
\$15,000- 24,999	908	801,832	117	11.9	08.8-15.0	120	10.5	07.8-13.2	112	8.5	06.0-11.0	559	69.2	64.9-73.5
\$25,000- 34,999	518	463,548	40	6.2	03.5-08.9	46	7.8	04.9-10.7	67	7.8	05.4-10.2	365	78.3	73.8-82.8
\$35,000- 49,999	578	547,186	36	5.1	02.4-07.8	47	7.5	04.0-11.0	82	9.6	06.9-12.3	413	77.8	73.1-82.5
\$50,000- 74,999	542	503,842	31	4.2	02.0-06.4	31	4.6	02.6-06.6	80	10.9	08.0-13.8	400	80.3	76.4-84.2
\$75,000+	725	702,340	12	1.2	00.4-02.0	37	4.4	02.8-06.0	77	9.2	06.7-11.7	599	85.1	82.2-88.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN**

TABLE 8: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2039	2,355,683	142	6.0	04.6-07.4	150	5.6	04.4-06.8	228	8.2	06.8-09.6	1519	80.2	78.0-82.4
White/Non-Hisp	1718	1,805,280	123	6.5	04.9-08.1	126	5.9	04.5-07.3	201	9.4	07.8-11.0	1268	78.2	75.7-80.7
Black or Afr. Am./Non-Hisp	234	355,908	14	3.8	01.4-06.2	19	4.1	01.7-06.5	24	5.9	02.6-09.2	177	86.2	81.5-90.9
18-24	104	318,588	1	1.3	00.0-03.8	2	0.9	00.0-02.3				101	97.8	94.9-100.0
25-34	230	416,811	2	0.6	00.0-01.4	4	2.3	00.0-04.7	8	4.3	00.6-08.0	216	92.8	88.5-97.1
35-44	260	393,233	11	2.9	00.7-05.1	4	1.6	00.0-03.2	13	3.6	01.4-05.8	232	91.9	88.6-95.2
45-54	338	425,283	31	10.3	05.8-14.8	25	7.7	04.2-11.2	33	8.7	05.2-12.2	249	73.3	67.2-79.4
55-64	463	385,316	54	13.9	08.8-19.0	40	7.8	05.1-10.5	59	12.1	08.4-15.8	310	66.2	60.1-72.3
65+	624	399,681	42	6.4	04.0-08.8	75	12.9	09.0-16.8	115	19.3	15.2-23.4	392	61.4	56.3-66.5
Less Than H.S.	225	359,274	39	14.8	08.5-21.1	18	6.6	02.7-10.5	22	6.7	03.2-10.2	146	71.9	64.3-79.5
H.S. or G.E.D.	641	803,924	48	5.5	03.5-07.5	52	5.4	03.4-07.4	71	7.5	05.3-09.7	470	81.7	78.4-85.0
Some Post-H.S.	517	660,643	35	4.0	02.4-05.6	49	6.7	04.3-09.1	64	9.8	06.5-13.1	369	79.5	75.4-83.6
College Graduate	642	508,980	20	3.5	01.1-05.9	31	4.3	02.3-06.3	70	8.6	06.2-11.0	521	83.6	80.1-87.1
Less than \$15,000	189	202,833	37	15.4	08.9-21.9	16	4.6	01.9-07.3	19	6.3	02.6-10.0	117	73.8	66.0-81.6
\$15,000- 24,999	307	392,732	38	11.6	06.7-16.5	36	8.6	04.9-12.3	35	8.0	03.9-12.1	198	71.8	64.9-78.7
\$25,000- 34,999	197	227,006	7	3.1	00.0-06.2	14	6.4	02.1-10.7	21	5.5	02.6-08.4	155	84.9	79.0-90.8
\$35,000- 49,999	227	278,324	11	3.4	01.0-05.8	15	4.4	01.3-07.5	30	8.4	04.7-12.1	171	83.8	78.5-89.1
\$50,000- 74,999	240	257,367	9	3.7	00.2-07.2	12	4.2	01.5-06.9	39	11.3	06.8-15.8	180	80.7	74.8-86.6
\$75,000+	352	378,386	5	1.0	00.0-02.0	17	4.2	01.8-06.6	41	10.5	06.8-14.2	289	84.2	79.9-88.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 13: ARTHRITIS BURDEN
 TABLE 9: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3507	2,521,996	396	9.5	08.1-10.9	391	9.3	07.9-10.7	432	9.8	08.6-11.0	2288	71.4	69.4-73.4
White/Non-Hisp	2822	1,918,911	334	10.2	08.6-11.8	313	9.9	08.3-11.5	373	10.9	09.5-12.3	1802	69.0	66.6-71.4
Black or Afr. Am./Non-Hisp	547	403,809	54	7.5	04.8-10.2	64	6.6	03.9-09.3	46	6.5	04.0-09.0	383	79.4	75.1-83.7
Oth. Race/Non-Hisp.	52	86,664	1	0.2	00.0-00.6	8	15.2	01.3-29.1	8	7.2	01.3-13.1	35	77.4	62.7-92.1
18-24	160	307,229	4	3.0	00.0-06.3				2	1.3	00.0-03.5	154	95.7	91.8-99.6
25-34	324	419,594	7	2.8	00.1-05.5	17	4.5	02.1-06.9	9	3.2	01.0-05.4	291	89.5	85.4-93.6
35-44	381	411,058	29	10.5	05.8-15.2	23	8.1	04.2-12.0	17	4.3	02.1-06.5	312	77.1	71.2-83.0
45-54	614	451,304	75	11.8	08.3-15.3	53	10.7	06.2-15.2	50	8.1	05.4-10.8	436	69.3	64.0-74.6
55-64	808	410,609	115	13.1	10.0-16.2	108	14.3	11.0-17.6	118	17.0	13.5-20.5	467	55.7	51.2-60.2
65+	1188	505,512	164	13.5	10.8-16.2	189	14.9	12.2-17.6	235	20.8	17.7-23.9	600	50.8	46.9-54.7
Less Than H.S.	412	411,521	95	20.2	14.9-25.5	65	15.5	10.0-21.0	48	10.2	06.7-13.7	204	54.1	47.0-61.2
H.S. or G.E.D.	1196	801,661	161	10.1	07.7-12.5	153	9.2	07.0-11.4	149	9.6	07.6-11.6	733	71.0	67.5-74.5
Some Post-H.S.	976	755,803	89	7.3	04.9-09.7	105	8.3	06.1-10.5	133	10.8	08.4-13.2	649	73.6	70.1-77.1
College Graduate	905	540,734	49	3.5	02.3-04.7	68	6.3	04.1-08.5	102	8.5	06.3-10.7	686	81.7	78.6-84.8
Less than \$15,000	495	307,736	128	23.2	17.7-28.7	69	11.1	07.4-14.8	49	8.9	05.6-12.2	249	56.9	50.6-63.2
\$15,000- 24,999	601	409,099	79	12.1	08.2-16.0	84	12.3	08.4-16.2	77	8.9	06.2-11.6	361	66.6	61.3-71.9
\$25,000- 34,999	321	236,542	33	9.1	04.8-13.4	32	9.1	05.0-13.2	46	9.9	06.4-13.4	210	71.9	65.6-78.2
\$35,000- 49,999	351	268,862	25	6.9	02.2-11.6	32	10.8	04.7-16.9	52	10.8	06.9-14.7	242	71.5	64.1-78.9
\$50,000- 74,999	302	246,474	22	4.7	02.2-07.2	19	5.1	02.4-07.8	41	10.4	06.5-14.3	220	79.8	74.5-85.1
\$75,000+	373	323,954	7	1.4	00.2-02.6	20	4.7	02.3-07.1	36	7.7	04.8-10.6	310	86.1	82.2-90.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 14: SEATBELT USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	176
2	MALES ONLY	177
3	FEMALES ONLY	178
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	179
5	MALES ONLY	180
6	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5144	4,492,771	4894	94.6	93.8-95.4	250	5.4	04.6-06.2
Male	1868	2,140,387	1733	92.6	91.0-94.2	135	7.4	05.8-09.0
Female	3276	2,352,384	3161	96.5	95.7-97.3	115	3.5	02.7-04.3
White/Non-Hisp	4236	3,470,191	4025	94.2	93.2-95.2	211	5.8	04.8-06.8
Black or Afr. Am./Non-Hisp	708	668,331	675	94.9	92.2-97.6	33	5.1	02.4-07.8
Oth. Race/Non-Hisp.	81	159,667	80	99.8	99.4-0100	1	0.2	00.0-00.6
18-24	233	536,129	221	94.7	91.4-98.0	12	5.3	02.0-08.6
25-34	497	762,736	472	93.6	90.9-96.3	25	6.4	03.7-09.1
35-44	597	745,357	559	93.7	91.3-96.1	38	6.3	03.9-08.7
45-54	886	823,618	834	94.5	92.7-96.3	52	5.5	03.7-07.3
55-64	1217	754,716	1163	95.2	93.6-96.8	54	4.8	03.2-06.4
65+	1680	847,533	1611	95.8	94.6-97.0	69	4.2	03.0-05.4
Less Than H.S.	579	701,932	545	93.8	91.3-96.3	34	6.2	03.7-08.7
H.S. or G.E.D.	1690	1,456,076	1578	93.1	91.3-94.9	112	6.9	05.1-08.7
Some Post-H.S.	1397	1,325,238	1327	94.9	93.3-96.5	70	5.1	03.5-06.7
College Graduate	1463	994,795	1430	97.3	96.1-98.5	33	2.7	01.5-03.9
Less than \$15,000	653	478,962	610	94.1	91.7-96.5	43	5.9	03.5-08.3
\$15,000- 24,999	849	747,691	801	92.7	90.0-95.4	48	7.3	04.6-10.0
\$25,000- 34,999	492	426,915	463	93.1	90.2-96.0	29	6.9	04.0-09.8
\$35,000- 49,999	539	511,742	510	93.2	89.7-96.7	29	6.8	03.3-10.3
\$50,000- 74,999	513	473,497	488	94.9	92.5-97.3	25	5.1	02.7-07.5
\$75,000+	690	671,163	674	97.1	95.5-98.7	16	2.9	01.3-04.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 14: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1868	2,140,387	1733	92.6	91.0-94.2	135	7.4	05.8-09.0
White/Non-Hisp	1590	1,666,617	1473	92.2	90.4-94.0	117	7.8	06.0-09.6
Black or Afr. Am./Non-Hisp	205	309,341	192	92.3	87.0-97.6	13	7.7	02.4-13.0
18-24	87	262,176	80	92.2	85.9-98.5	7	7.8	01.5-14.1
25-34	212	397,404	196	91.5	86.8-96.2	16	8.5	03.8-13.2
35-44	243	355,164	220	91.4	87.3-95.5	23	8.6	04.5-12.7
45-54	309	391,986	284	93.1	90.0-96.2	25	6.9	03.8-10.0
55-64	437	357,654	410	93.6	90.7-96.5	27	6.4	03.5-09.3
65+	569	368,587	532	93.6	91.2-96.0	37	6.4	04.0-08.8
Less Than H.S.	200	330,225	185	93.3	89.2-97.4	15	6.7	02.6-10.8
H.S. or G.E.D.	575	717,210	516	90.6	87.5-93.7	59	9.4	06.3-12.5
Some Post-H.S.	481	605,737	442	92.3	89.2-95.4	39	7.7	04.6-10.8
College Graduate	605	478,962	584	96.0	94.0-98.0	21	4.0	02.0-06.0
Less than \$15,000	177	188,103	161	94.5	90.8-98.2	16	5.5	01.8-09.2
\$15,000- 24,999	287	360,927	262	90.4	85.5-95.3	25	9.6	04.7-14.5
\$25,000- 34,999	182	202,811	165	90.8	85.9-95.7	17	9.2	04.3-14.1
\$35,000- 49,999	210	258,059	190	89.1	82.6-95.6	20	10.9	04.4-17.4
\$50,000- 74,999	230	248,486	213	92.2	87.9-96.5	17	7.8	03.5-12.1
\$75,000+	335	361,950	325	96.1	93.4-98.8	10	3.9	01.2-06.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 14: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3276	2,352,384	3161	96.5	95.7-97.3	115	3.5	02.7-04.3
White/Non-Hisp	2646	1,803,574	2552	96.0	95.0-97.0	94	4.0	03.0-05.0
Black or Afr. Am./Non-Hisp	503	358,990	483	97.2	95.2-99.2	20	2.8	00.8-04.8
Oth. Race/Non-Hisp.	53	86,710	52	99.7	99.1-0100	1	0.3	00.0-00.9
18-24	146	273,953	141	97.1	94.4-99.8	5	2.9	00.2-05.6
25-34	285	365,332	276	95.9	93.0-98.8	9	4.1	01.2-07.0
35-44	354	390,193	339	95.8	93.4-98.2	15	4.2	01.8-06.6
45-54	577	431,632	550	95.9	93.9-97.9	27	4.1	02.1-06.1
55-64	780	397,062	753	96.6	94.8-98.4	27	3.4	01.6-05.2
65+	1111	478,946	1079	97.5	96.3-98.7	32	2.5	01.3-03.7
Less Than H.S.	379	371,707	360	94.3	91.4-97.2	19	5.7	02.8-08.6
H.S. or G.E.D.	1115	738,866	1062	95.5	93.7-97.3	53	4.5	02.7-06.3
Some Post-H.S.	916	719,502	885	97.1	95.9-98.3	31	2.9	01.7-04.1
College Graduate	858	515,833	846	98.5	97.3-99.7	12	1.5	00.3-02.7
Less than \$15,000	476	290,860	449	93.7	90.8-96.6	27	6.3	03.4-09.2
\$15,000- 24,999	562	386,763	539	94.9	92.0-97.8	23	5.1	02.2-08.0
\$25,000- 34,999	310	224,104	298	95.2	92.1-98.3	12	4.8	01.7-07.9
\$35,000- 49,999	329	253,683	320	97.3	95.1-99.5	9	2.7	00.5-04.9
\$50,000- 74,999	283	225,011	275	97.9	96.1-99.7	8	2.1	00.3-03.9
\$75,000+	355	309,213	349	98.3	96.7-99.9	6	1.7	00.1-03.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013**

SECTION 14: SEATBELT USE

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5144	4,492,771	4664	89.5	88.3-90.7	480	10.5	09.3-11.7
Male	1868	2,140,387	1624	86.6	84.4-88.8	244	13.4	11.2-15.6
Female	3276	2,352,384	3040	92.1	90.7-93.5	236	7.9	06.5-09.3
White/Non-Hisp	4236	3,470,191	3832	88.7	87.3-90.1	404	11.3	09.9-12.7
Black or Afr. Am./Non-Hisp	708	668,331	645	90.1	86.6-93.6	63	9.9	06.4-13.4
Oth. Race/Non-Hisp.	81	159,667	78	96.4	91.5-100.0	3	3.6	00.0-08.5
18-24	233	536,129	202	87.8	83.1-92.5	31	12.2	07.5-16.9
25-34	497	762,736	435	85.9	82.0-89.8	62	14.1	10.2-18.0
35-44	597	745,357	529	88.1	84.8-91.4	68	11.9	08.6-15.2
45-54	886	823,618	805	90.9	88.5-93.3	81	9.1	06.7-11.5
55-64	1217	754,716	1111	89.6	86.9-92.3	106	10.4	07.7-13.1
65+	1680	847,533	1551	93.2	91.8-94.6	129	6.8	05.4-08.2
Less Than H.S.	579	701,932	520	89.3	85.6-93.0	59	10.7	07.0-14.4
H.S. or G.E.D.	1690	1,456,076	1509	88.0	85.6-90.4	181	12.0	09.6-14.4
Some Post-H.S.	1397	1,325,238	1259	89.5	87.3-91.7	138	10.5	08.3-12.7
College Graduate	1463	994,795	1363	91.8	89.8-93.8	100	8.2	06.2-10.2
Less than \$15,000	653	478,962	585	89.8	86.7-92.9	68	10.2	07.1-13.3
\$15,000- 24,999	849	747,691	754	86.8	83.3-90.3	95	13.2	09.7-16.7
\$25,000- 34,999	492	426,915	440	88.7	85.0-92.4	52	11.3	07.6-15.0
\$35,000- 49,999	539	511,742	489	88.5	84.2-92.8	50	11.5	07.2-15.8
\$50,000- 74,999	513	473,497	465	89.3	85.8-92.8	48	10.7	07.2-14.2
\$75,000+	690	671,163	638	90.5	87.6-93.4	52	9.5	06.6-12.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 14: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1868	2,140,387	1624	86.6	84.4-88.8	244	13.4	11.2-15.6
White/Non-Hisp	1590	1,666,617	1378	85.9	83.5-88.3	212	14.1	11.7-16.5
Black or Afr. Am./Non-Hisp	205	309,341	181	87.2	80.9-93.5	24	12.8	06.5-19.1
18-24	87	262,176	72	84.0	75.8-92.2	15	16.0	07.8-24.2
25-34	212	397,404	181	84.3	78.2-90.4	31	15.7	09.6-21.8
35-44	243	355,164	207	86.5	81.4-91.6	36	13.5	08.4-18.6
45-54	309	391,986	269	88.2	83.9-92.5	40	11.8	07.5-16.1
55-64	437	357,654	377	84.7	79.8-89.6	60	15.3	10.4-20.2
65+	569	368,587	507	91.0	88.3-93.7	62	9.0	06.3-11.7
Less Than H.S.	200	330,225	174	87.3	80.6-94.0	26	12.7	06.0-19.4
H.S. or G.E.D.	575	717,210	484	84.9	81.0-88.8	91	15.1	11.2-19.0
Some Post-H.S.	481	605,737	413	86.4	82.5-90.3	68	13.6	09.7-17.5
College Graduate	605	478,962	547	89.3	85.8-92.8	58	10.7	07.2-14.2
Less than \$15,000	177	188,103	152	90.2	85.1-95.3	25	9.8	04.7-14.9
\$15,000- 24,999	287	360,927	241	83.3	77.0-89.6	46	16.7	10.4-23.0
\$25,000- 34,999	182	202,811	154	85.2	78.7-91.7	28	14.8	08.3-21.3
\$35,000- 49,999	210	258,059	178	84.5	77.4-91.6	32	15.5	08.4-22.6
\$50,000- 74,999	230	248,486	202	87.4	81.9-92.9	28	12.6	07.1-18.1
\$75,000+	335	361,950	306	90.0	85.9-94.1	29	10.0	05.9-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
 SECTION 14: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3276	2,352,384	3040	92.1	90.7-93.5	236	7.9	06.5-09.3
White/Non-Hisp	2646	1,803,574	2454	91.2	89.6-92.8	192	8.8	07.2-10.4
Black or Afr. Am./Non-Hisp	503	358,990	464	92.6	89.1-96.1	39	7.4	03.9-10.9
Oth. Race/Non-Hisp.	53	86,710	52	99.7	99.1-0100	1	0.3	00.0-00.9
18-24	146	273,953	130	91.5	87.0-96.0	16	8.5	04.0-13.0
25-34	285	365,332	254	87.6	83.1-92.1	31	12.4	07.9-16.9
35-44	354	390,193	322	89.6	85.3-93.9	32	10.4	06.1-14.7
45-54	577	431,632	536	93.4	90.9-95.9	41	6.6	04.1-09.1
55-64	780	397,062	734	94.1	91.9-96.3	46	5.9	03.7-08.1
65+	1111	478,946	1044	94.9	93.3-96.5	67	5.1	03.5-06.7
Less Than H.S.	379	371,707	346	91.1	87.4-94.8	33	8.9	05.2-12.6
H.S. or G.E.D.	1115	738,866	1025	91.1	88.6-93.6	90	8.9	06.4-11.4
Some Post-H.S.	916	719,502	846	92.1	89.7-94.5	70	7.9	05.5-10.3
College Graduate	858	515,833	816	94.2	92.0-96.4	42	5.8	03.6-08.0
Less than \$15,000	476	290,860	433	89.5	85.4-93.6	43	10.5	06.4-14.6
\$15,000- 24,999	562	386,763	513	90.1	86.6-93.6	49	9.9	06.4-13.4
\$25,000- 34,999	310	224,104	286	91.8	87.9-95.7	24	8.2	04.3-12.1
\$35,000- 49,999	329	253,683	311	92.6	88.1-97.1	18	7.4	02.9-11.9
\$50,000- 74,999	283	225,011	263	91.5	87.0-96.0	20	8.5	04.0-13.0
\$75,000+	355	309,213	332	91.1	86.8-95.4	23	8.9	04.6-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 15: IMMUNIZATION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	183
2	MALES ONLY	184
3	FEMALES ONLY	185
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	186
5	MALES ONLY	187
6	FEMALES ONLY	188

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1671	845,555	1211	73.4	70.7-76.1	460	26.6	23.9-29.3
Male	567	367,995	410	73.1	68.4-77.8	157	26.9	22.2-31.6
Female	1104	477,560	801	73.6	70.3-76.9	303	26.4	23.1-29.7
White/Non-Hisp	1472	722,643	1085	74.7	71.8-77.6	387	25.3	22.4-28.2
Black or Afr. Am./Non-Hisp	155	84,192	99	67.0	56.6-77.4	56	33.0	22.6-43.4
65+	1671	845,555	1211	73.4	70.7-76.1	460	26.6	23.9-29.3
Less Than H.S.	274	191,896	202	77.0	70.3-83.7	72	23.0	16.3-29.7
H.S. or G.E.D.	602	275,047	432	73.4	68.9-77.9	170	26.6	22.1-31.1
Some Post-H.S.	420	232,330	296	71.0	65.3-76.7	124	29.0	23.3-34.7
College Graduate	369	143,429	276	72.3	66.2-78.4	93	27.7	21.6-33.8
Less than \$15,000	210	85,311	147	71.9	63.7-80.1	63	28.1	19.9-36.3
\$15,000- 24,999	316	150,127	228	75.0	68.3-81.7	88	25.0	18.3-31.7
\$25,000- 34,999	178	95,510	135	80.0	73.1-86.9	43	20.0	13.1-26.9
\$35,000- 49,999	166	86,120	116	71.1	62.3-79.9	50	28.9	20.1-37.7
\$50,000- 74,999	117	68,690	89	72.5	61.3-83.7	28	27.5	16.3-38.7
\$75,000+	102	67,232	83	78.4	68.6-88.2	19	21.6	11.8-31.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	567	367,995	410	73.1	68.4-77.8	157	26.9	22.2-31.6
White/Non-Hisp	503	308,487	370	74.3	69.4-79.2	133	25.7	20.8-30.6
65+	567	367,995	410	73.1	68.4-77.8	157	26.9	22.2-31.6
Less Than H.S.	85	81,695	62	70.9	58.6-83.2	23	29.1	16.8-41.4
H.S. or G.E.D.	169	106,314	116	71.8	63.6-80.0	53	28.2	20.0-36.4
Some Post-H.S.	132	96,294	95	74.6	65.2-84.0	37	25.4	16.0-34.8
College Graduate	178	82,998	135	75.9	67.9-83.9	43	24.1	16.1-32.1
\$15,000- 24,999	96	60,667	65	70.1	57.6-82.6	31	29.9	17.4-42.4
\$25,000- 34,999	74	49,813	54	82.3	73.3-91.3	20	17.7	08.7-26.7
\$35,000- 49,999	66	45,027	52	81.4	69.8-93.0	14	18.6	07.0-30.2
\$50,000- 74,999	66	41,079	51	71.8	57.1-86.5	15	28.2	13.5-42.9
\$75,000+	63	46,983	52	79.8	67.6-92.0	11	20.2	08.0-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1104	477,560	801	73.6	70.3-76.9	303	26.4	23.1-29.7
White/Non-Hisp	969	414,156	715	75.0	71.5-78.5	254	25.0	21.5-28.5
Black or Afr. Am./Non-Hisp	109	47,854	70	69.3	57.5-81.1	39	30.7	18.9-42.5
65+	1104	477,560	801	73.6	70.3-76.9	303	26.4	23.1-29.7
Less Than H.S.	189	110,201	140	81.5	74.8-88.2	49	18.5	11.8-25.2
H.S. or G.E.D.	433	168,733	316	74.4	69.3-79.5	117	25.6	20.5-30.7
Some Post-H.S.	288	136,036	201	68.5	61.2-75.8	87	31.5	24.2-38.8
College Graduate	191	60,431	141	67.3	58.3-76.3	50	32.7	23.7-41.7
Less than \$15,000	162	55,089	113	74.0	65.4-82.6	49	26.0	17.4-34.6
\$15,000- 24,999	220	89,460	163	78.3	71.4-85.2	57	21.7	14.8-28.6
\$25,000- 34,999	104	45,698	81	77.5	67.5-87.5	23	22.5	12.5-32.5
\$35,000- 49,999	100	41,093	64	59.8	47.5-72.1	36	40.2	27.9-52.5
\$50,000- 74,999	51	27,610	38	73.6	56.4-90.8	13	26.4	09.2-43.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1637	829,673	1134	69.7	66.6-72.8	503	30.3	27.2-33.4
Male	554	359,660	378	67.9	62.8-73.0	176	32.1	27.0-37.2
Female	1083	470,013	756	71.0	67.3-74.7	327	29.0	25.3-32.7
White/Non-Hisp	1444	710,374	1020	71.6	68.5-74.7	424	28.4	25.3-31.5
Black or Afr. Am./Non-Hisp	151	81,608	85	54.3	42.9-65.7	66	45.7	34.3-57.1
65+	1637	829,673	1134	69.7	66.6-72.8	503	30.3	27.2-33.4
Less Than H.S.	266	187,862	187	73.1	65.8-80.4	79	26.9	19.6-34.2
H.S. or G.E.D.	586	268,776	388	67.0	61.9-72.1	198	33.0	27.9-38.1
Some Post-H.S.	416	229,922	289	68.3	62.0-74.6	127	31.7	25.4-38.0
College Graduate	364	140,306	265	71.9	65.8-78.0	99	28.1	22.0-34.2
Less than \$15,000	204	83,923	142	70.3	61.5-79.1	62	29.7	20.9-38.5
\$15,000- 24,999	310	146,566	217	72.8	65.9-79.7	93	27.2	20.3-34.1
\$25,000- 34,999	173	93,034	126	76.5	68.3-84.7	47	23.5	15.3-31.7
\$35,000- 49,999	166	86,120	114	68.5	59.1-77.9	52	31.5	22.1-40.9
\$50,000- 74,999	116	68,122	73	58.9	46.7-71.1	43	41.1	28.9-53.3
\$75,000+	99	64,701	77	77.2	66.6-87.8	22	22.8	12.2-33.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	554	359,660	378	67.9	62.8-73.0	176	32.1	27.0-37.2
White/Non-Hisp	495	302,967	345	70.3	65.0-75.6	150	29.7	24.4-35.0
65+	554	359,660	378	67.9	62.8-73.0	176	32.1	27.0-37.2
Less Than H.S.	81	78,830	54	72.4	60.4-84.4	27	27.6	15.6-39.6
H.S. or G.E.D.	165	104,021	103	65.0	55.8-74.2	62	35.0	25.8-44.2
Some Post-H.S.	132	95,979	95	65.0	54.0-76.0	37	35.0	24.0-46.0
College Graduate	174	80,182	124	70.6	62.2-79.0	50	29.4	21.0-37.8
\$15,000- 24,999	93	58,298	60	65.2	52.3-78.1	33	34.8	21.9-47.7
\$25,000- 34,999	73	49,320	48	73.0	59.7-86.3	25	27.0	13.7-40.3
\$35,000- 49,999	66	45,027	44	64.5	49.0-80.0	22	35.5	20.0-51.0
\$50,000- 74,999	65	40,512	45	61.9	45.8-78.0	20	38.1	22.0-54.2
\$75,000+	62	45,870	51	79.0	65.9-92.1	11	21.0	07.9-34.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 15: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1083	470,013	756	71.0	67.3-74.7	327	29.0	25.3-32.7
White/Non-Hisp	949	407,406	675	72.5	68.6-76.4	274	27.5	23.6-31.4
Black or Afr. Am./Non-Hisp	108	47,056	63	59.6	46.3-72.9	45	40.4	27.1-53.7
65+	1083	470,013	756	71.0	67.3-74.7	327	29.0	25.3-32.7
Less Than H.S.	185	109,032	133	73.6	64.4-82.8	52	26.4	17.2-35.6
H.S. or G.E.D.	421	164,755	285	68.2	62.3-74.1	136	31.8	25.9-37.7
Some Post-H.S.	284	133,943	194	70.8	63.7-77.9	90	29.2	22.1-36.3
College Graduate	190	60,124	141	73.6	65.2-82.0	49	26.4	18.0-34.8
Less than \$15,000	157	54,191	109	74.7	66.1-83.3	48	25.3	16.7-33.9
\$15,000- 24,999	217	88,268	157	77.8	70.7-84.9	60	22.2	15.1-29.3
\$25,000- 34,999	100	43,714	78	80.4	71.0-89.8	22	19.6	10.2-29.0
\$35,000- 49,999	100	41,093	70	72.9	62.3-83.5	30	27.1	16.5-37.7
\$50,000- 74,999	51	27,610	28	54.4	35.0-73.8	23	45.6	26.2-65.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013

SECTION 16: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	190
2	MALES ONLY	191
3	FEMALES ONLY	192

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 16: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4776	4,193,215	1714	43.5	41.5-45.5	3062	56.5	54.5-58.5
Male	1727	1,993,494	652	44.1	40.8-47.4	1075	55.9	52.6-59.2
Female	3049	2,199,720	1062	43.0	40.5-45.5	1987	57.0	54.5-59.5
White/Non-Hisp	3909	3,221,840	1270	38.9	36.7-41.1	2639	61.1	58.9-63.3
Black or Afr. Am./Non-Hisp	681	643,746	359	60.9	55.6-66.2	322	39.1	33.8-44.4
Oth. Race/Non-Hisp.	74	149,419	32	50.2	34.9-65.5	42	49.8	34.5-65.1
18-24	223	515,096	114	47.7	39.9-55.5	109	52.3	44.5-60.1
25-34	473	730,299	279	63.1	58.0-68.2	194	36.9	31.8-42.0
35-44	561	704,944	337	59.6	54.3-64.9	224	40.4	35.1-45.7
45-54	826	760,894	357	44.9	40.4-49.4	469	55.1	50.6-59.6
55-64	1130	701,647	376	31.8	28.1-35.5	754	68.2	64.5-71.9
65+	1534	761,137	244	16.3	13.6-19.0	1290	83.7	81.0-86.4
Less Than H.S.	525	630,087	166	38.2	31.9-44.5	359	61.8	55.5-68.1
H.S. or G.E.D.	1568	1,378,113	510	43.5	39.8-47.2	1058	56.5	52.8-60.2
Some Post-H.S.	1302	1,233,511	521	46.4	42.7-50.1	781	53.6	49.9-57.3
College Graduate	1369	938,805	514	43.4	39.9-46.9	855	56.6	53.1-60.1
Less than \$15,000	609	451,323	258	49.9	43.6-56.2	351	50.1	43.8-56.4
\$15,000- 24,999	789	695,319	295	47.5	42.4-52.6	494	52.5	47.4-57.6
\$25,000- 34,999	445	385,166	160	44.3	37.8-50.8	285	55.7	49.2-62.2
\$35,000- 49,999	498	474,796	180	45.5	39.0-52.0	318	54.5	48.0-61.0
\$50,000- 74,999	482	448,389	175	44.2	37.9-50.5	307	55.8	49.5-62.1
\$75,000+	645	632,812	251	43.5	38.4-48.6	394	56.5	51.4-61.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1727	1,993,494	652	44.1	40.8-47.4	1075	55.9	52.6-59.2
White/Non-Hisp	1461	1,549,606	507	39.5	36.0-43.0	954	60.5	57.0-64.0
Black or Afr. Am./Non-Hisp	199	294,996	113	61.7	52.7-70.7	86	38.3	29.3-47.3
18-24	83	250,521	33	42.4	30.2-54.6	50	57.6	45.4-69.8
25-34	202	381,936	115	62.6	55.0-70.2	87	37.4	29.8-45.0
35-44	228	335,285	118	51.8	43.6-60.0	110	48.2	40.0-56.4
45-54	287	357,025	128	47.2	39.8-54.6	159	52.8	45.4-60.2
55-64	405	336,410	160	37.5	31.2-43.8	245	62.5	56.2-68.8
65+	511	324,902	95	19.1	14.4-23.8	416	80.9	76.2-85.6
Less Than H.S.	176	291,960	58	37.8	27.6-48.0	118	62.2	52.0-72.4
H.S. or G.E.D.	534	683,731	205	47.9	42.0-53.8	329	52.1	46.2-58.0
Some Post-H.S.	444	557,736	192	48.0	41.9-54.1	252	52.0	45.9-58.1
College Graduate	566	451,814	195	37.9	32.6-43.2	371	62.1	56.8-67.4
Less than \$15,000	163	178,871	67	52.8	41.4-64.2	96	47.2	35.8-58.6
\$15,000- 24,999	259	329,200	108	46.5	38.1-54.9	151	53.5	45.1-61.9
\$25,000- 34,999	165	184,203	60	43.4	32.8-54.0	105	56.6	46.0-67.2
\$35,000- 49,999	195	243,063	71	48.7	38.9-58.5	124	51.3	41.5-61.1
\$50,000- 74,999	218	235,184	86	43.8	35.4-52.2	132	56.2	47.8-64.6
\$75,000+	319	344,029	120	40.2	33.3-47.1	199	59.8	52.9-66.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013
SECTION 16: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3049	2,199,720	1062	43.0	40.5-45.5	1987	57.0	54.5-59.5
White/Non-Hisp	2448	1,672,234	763	38.4	35.7-41.1	1685	61.6	58.9-64.3
Black or Afr. Am./Non-Hisp	482	348,749	246	60.2	53.9-66.5	236	39.8	33.5-46.1
Oth. Race/Non-Hisp.	50	83,164	21	48.8	29.4-68.2	29	51.2	31.8-70.6
18-24	140	264,575	81	52.6	42.6-62.6	59	47.4	37.4-57.4
25-34	271	348,363	164	63.7	57.0-70.4	107	36.3	29.6-43.0
35-44	333	369,659	219	66.8	60.3-73.3	114	33.2	26.7-39.7
45-54	539	403,869	229	43.0	37.3-48.7	310	57.0	51.3-62.7
55-64	725	365,238	216	26.6	22.7-30.5	509	73.4	69.5-77.3
65+	1023	436,235	149	14.2	11.3-17.1	874	85.8	82.9-88.7
Less Than H.S.	349	338,126	108	38.5	30.9-46.1	241	61.5	53.9-69.1
H.S. or G.E.D.	1034	694,382	305	39.2	34.7-43.7	729	60.8	56.3-65.3
Some Post-H.S.	858	675,775	329	45.1	40.4-49.8	529	54.9	50.2-59.6
College Graduate	803	486,991	319	48.4	43.7-53.1	484	51.6	46.9-56.3
Less than \$15,000	446	272,452	191	48.0	41.1-54.9	255	52.0	45.1-58.9
\$15,000- 24,999	530	366,119	187	48.4	42.3-54.5	343	51.6	45.5-57.7
\$25,000- 34,999	280	200,963	100	45.1	37.3-52.9	180	54.9	47.1-62.7
\$35,000- 49,999	303	231,734	109	42.1	33.7-50.5	194	57.9	49.5-66.3
\$50,000- 74,999	264	213,205	89	44.7	35.7-53.7	175	55.3	46.3-64.3
\$75,000+	326	288,783	131	47.4	40.1-54.7	195	52.6	45.3-59.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a Relative Standard Error > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2013**

End of Calculated Variable Data Report