

TENNESSEE

2013 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

May 29, 2014



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4454	3,961,884	2863	58.9	56.7-61.1	1591	41.1	38.9-43.3
Male	1585	1,869,334	990	55.5	52.2-58.8	595	44.5	41.2-47.8
Female	2869	2,092,551	1873	61.9	59.4-64.4	996	38.1	35.6-40.6
White/Non-Hisp	3654	3,025,203	2405	60.5	58.1-62.9	1249	39.5	37.1-41.9
Black or Afr. Am./Non-Hisp	615	626,210	362	54.4	48.5-60.3	253	45.6	39.7-51.5
Oth. Race/Non-Hisp.	68	138,671	36	53.5	37.8-69.2	32	46.5	30.8-62.2
18-24	214	510,805	70	34.5	26.9-42.1	144	65.5	57.9-73.1
25-34	449	693,979	215	46.6	40.9-52.3	234	53.4	47.7-59.1
35-44	558	687,748	323	58.3	53.0-63.6	235	41.7	36.4-47.0
45-54	793	723,622	499	61.8	57.1-66.5	294	38.2	33.5-42.9
55-64	988	622,998	688	69.9	66.0-73.8	300	30.1	26.2-34.0
65+	1409	695,346	1042	76.0	72.9-79.1	367	24.0	20.9-27.1
Less Than H.S.	472	574,683	256	46.5	40.0-53.0	216	53.5	47.0-60.0
H.S. or G.E.D.	1487	1,347,878	908	57.5	53.8-61.2	579	42.5	38.8-46.2
Some Post-H.S.	1206	1,166,562	780	60.3	56.4-64.2	426	39.7	35.8-43.6
College Graduate	1262	842,732	905	67.9	64.4-71.4	357	32.1	28.6-35.6
Less than \$15,000	505	391,693	274	45.5	39.2-51.8	231	54.5	48.2-60.8
\$15,000- 24,999	717	645,033	421	53.4	47.9-58.9	296	46.6	41.1-52.1
\$25,000- 34,999	414	371,227	274	56.5	49.4-63.6	140	43.5	36.4-50.6
\$35,000- 49,999	459	443,951	306	63.4	56.9-69.9	153	36.6	30.1-43.1
\$50,000- 74,999	434	410,293	299	63.0	56.7-69.3	135	37.0	30.7-43.3
\$75,000+	596	564,074	408	64.9	59.8-70.0	188	35.1	30.0-40.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1585	1,869,334	990	55.5	52.2-58.8	595	44.5	41.2-47.8
White/Non-Hisp	1340	1,439,144	861	56.8	53.3-60.3	479	43.2	39.7-46.7
Black or Afr. Am./Non-Hisp	178	281,849	97	52.7	42.9-62.5	81	47.3	37.5-57.1
18-24	80	253,335	26	34.7	22.9-46.5	54	65.3	53.5-77.1
25-34	176	333,043	61	34.1	25.7-42.5	115	65.9	57.5-74.3
35-44	225	333,671	128	53.4	45.2-61.6	97	46.6	38.4-54.8
45-54	280	343,440	168	60.7	53.4-68.0	112	39.3	32.0-46.6
55-64	349	303,291	250	71.4	65.1-77.7	99	28.6	22.3-34.9
65+	458	288,031	346	77.1	72.0-82.2	112	22.9	17.8-28.0
Less Than H.S.	156	261,752	82	50.6	40.0-61.2	74	49.4	38.8-60.0
H.S. or G.E.D.	506	662,328	291	51.7	45.6-57.8	215	48.3	42.2-54.4
Some Post-H.S.	404	526,238	250	55.9	49.4-62.4	154	44.1	37.6-50.6
College Graduate	508	400,134	362	65.1	59.6-70.6	146	34.9	29.4-40.4
Less than \$15,000	141	154,608	70	40.5	29.3-51.7	71	59.5	48.3-70.7
\$15,000- 24,999	241	319,464	131	50.1	41.1-59.1	110	49.9	40.9-58.9
\$25,000- 34,999	143	167,124	93	46.2	34.8-57.6	50	53.8	42.4-65.2
\$35,000- 49,999	180	225,594	110	58.8	48.8-68.8	70	41.2	31.2-51.2
\$50,000- 74,999	189	202,913	135	64.0	55.2-72.8	54	36.0	27.2-44.8
\$75,000+	270	284,616	184	61.6	54.0-69.2	86	38.4	30.8-46.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2869	2,092,551	1873	61.9	59.4-64.4	996	38.1	35.6-40.6
White/Non-Hisp	2314	1,586,059	1544	63.8	61.1-66.5	770	36.2	33.5-38.9
Black or Afr. Am./Non-Hisp	437	344,361	265	55.8	48.9-62.7	172	44.2	37.3-51.1
18-24	134	257,471	44	34.3	24.3-44.3	90	65.7	55.7-75.7
25-34	273	360,936	154	58.1	51.0-65.2	119	41.9	34.8-49.0
35-44	333	354,077	195	62.9	56.4-69.4	138	37.1	30.6-43.6
45-54	513	380,181	331	62.8	56.9-68.7	182	37.2	31.3-43.1
55-64	639	319,707	438	68.6	63.9-73.3	201	31.4	26.7-36.1
65+	951	407,315	696	75.2	71.3-79.1	255	24.8	20.9-28.7
Less Than H.S.	316	312,931	174	43.0	35.2-50.8	142	57.0	49.2-64.8
H.S. or G.E.D.	981	685,549	617	63.0	58.7-67.3	364	37.0	32.7-41.3
Some Post-H.S.	802	640,324	530	63.9	59.4-68.4	272	36.1	31.6-40.6
College Graduate	754	442,598	543	70.5	66.4-74.6	211	29.5	25.4-33.6
Less than \$15,000	364	237,085	204	48.8	41.4-56.2	160	51.2	43.8-58.6
\$15,000- 24,999	476	325,569	290	56.6	50.1-63.1	186	43.4	36.9-49.9
\$25,000- 34,999	271	204,103	181	65.0	57.4-72.6	90	35.0	27.4-42.6
\$35,000- 49,999	279	218,357	196	68.1	59.5-76.7	83	31.9	23.3-40.5
\$50,000- 74,999	245	207,380	164	62.1	53.3-70.9	81	37.9	29.1-46.7
\$75,000+	326	279,458	224	68.4	61.9-74.9	102	31.6	25.1-38.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4671	4,152,026	819	16.5	14.9-18.1	60	1.8	01.2-02.4	3792	81.7	80.1-83.3
Male	1677	1,970,545	282	16.2	13.8-18.6				1395	83.8	81.4-86.2
Female	2994	2,181,481	537	16.8	14.8-18.8	60	3.4	02.2-04.6	2397	79.8	77.6-82.0
White/Non-Hisp	3847	3,187,860	664	16.3	14.7-17.9	51	1.7	01.1-02.3	3132	82.0	80.4-83.6
Black or Afr. Am./Non-Hisp	634	648,451	125	17.2	13.1-21.3	5	1.2	00.0-02.4	504	81.6	77.3-85.9
Oth. Race/Non-Hisp.	68	138,671	14	15.0	03.8-26.2	1	2.5	00.0-07.4	53	82.6	70.6-94.6
18-24	227	538,478	17	7.4	03.3-11.5	2	1.2	00.0-03.2	208	91.4	86.9-95.9
25-34	469	722,105	66	15.1	11.2-19.0	15	3.1	01.3-04.9	388	81.8	77.5-86.1
35-44	583	722,515	82	15.9	12.0-19.8	16	3.9	01.5-06.3	485	80.2	75.7-84.7
45-54	823	753,580	139	17.5	14.2-20.8	13	1.1	00.5-01.7	671	81.4	77.9-84.9
55-64	1032	648,320	184	19.4	15.9-22.9	6	0.4	00.0-00.8	842	80.3	76.8-83.8
65+	1491	737,340	327	21.9	19.0-24.8	8	0.8	00.2-01.4	1156	77.3	74.4-80.2
Less Than H.S.	508	619,559	98	16.0	11.7-20.3	4	1.5	00.0-03.3	406	82.5	78.0-87.0
H.S. or G.E.D.	1554	1,395,662	292	17.6	14.9-20.3	17	1.7	00.5-02.9	1245	80.7	78.0-83.4
Some Post-H.S.	1257	1,217,664	216	16.5	13.6-19.4	23	2.1	00.9-03.3	1018	81.4	78.3-84.5
College Graduate	1323	888,957	210	15.0	12.6-17.4	16	1.6	00.8-02.4	1097	83.4	80.9-85.9
Less than \$15,000	537	417,795	122	21.0	16.3-25.7	5	1.1	00.0-02.3	410	77.9	73.2-82.6
\$15,000- 24,999	749	672,230	145	18.1	14.0-22.2	9	1.9	00.3-03.5	595	80.0	75.7-84.3
\$25,000- 34,999	431	385,704	81	18.3	13.2-23.4	10	2.1	00.5-03.7	340	79.6	74.3-84.9
\$35,000- 49,999	478	468,870	77	14.2	10.1-18.3	11	3.4	00.5-06.3	390	82.4	77.7-87.1
\$50,000- 74,999	450	425,980	64	13.7	09.6-17.8	7	1.2	00.2-02.2	379	85.1	81.0-89.2
\$75,000+	618	587,128	89	14.6	11.1-18.1	7	1.1	00.1-02.1	522	84.3	80.6-88.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1677	1,970,545	282	16.2	13.8-18.6	1395	83.8	81.4-86.2
White/Non-Hisp	1421	1,523,316	230	15.5	13.1-17.9	1191	84.5	82.1-86.9
Black or Afr. Am./Non-Hisp	187	297,004	40	17.0	10.5-23.5	147	83.0	76.5-89.5
18-24	86	269,176	4	5.2	00.0-10.7	82	94.8	89.3-0100
25-34	185	350,257	21	13.0	06.9-19.1	164	87.0	80.9-93.1
35-44	239	354,152	32	15.3	09.2-21.4	207	84.7	78.6-90.8
45-54	295	360,722	50	17.3	12.0-22.6	245	82.7	77.4-88.0
55-64	367	314,505	63	19.2	13.5-24.9	304	80.8	75.1-86.5
65+	488	307,212	111	26.9	21.6-32.2	377	73.1	67.8-78.4
Less Than H.S.	172	285,425	23	12.2	06.1-18.3	149	87.8	81.7-93.9
H.S. or G.E.D.	537	687,376	99	17.2	13.3-21.1	438	82.8	78.9-86.7
Some Post-H.S.	423	553,146	83	19.4	14.3-24.5	340	80.6	75.5-85.7
College Graduate	533	425,672	76	12.8	09.5-16.1	457	87.2	83.9-90.5
Less than \$15,000	153	166,404	31	18.6	10.6-26.6	122	81.4	73.4-89.4
\$15,000- 24,999	253	333,865	47	18.1	11.2-25.0	206	81.9	75.0-88.8
\$25,000- 34,999	151	173,065	31	17.4	09.6-25.2	120	82.6	74.8-90.4
\$35,000- 49,999	189	240,576	34	17.4	10.9-23.9	155	82.6	76.1-89.1
\$50,000- 74,999	197	213,234	31	14.5	08.2-20.8	166	85.5	79.2-91.8
\$75,000+	282	299,209	40	14.7	09.4-20.0	242	85.3	80.0-90.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2994	2,181,481	537	16.8	14.8-18.8	60	3.4	02.2-04.6	2397	79.8	77.6-82.0
White/Non-Hisp	2426	1,664,545	434	17.1	15.1-19.1	51	3.2	02.0-04.4	1941	79.7	77.3-82.1
Black or Afr. Am./Non-Hisp	447	351,447	85	17.4	12.1-22.7	5	2.2	00.2-04.2	357	80.4	74.9-85.9
18-24	141	269,302	13	9.7	03.4-16.0	2	2.4	00.0-06.1	126	88.0	80.9-95.1
25-34	284	371,848	45	17.1	12.0-22.2	15	6.1	02.6-09.6	224	76.9	71.2-82.6
35-44	344	368,363	50	16.5	11.2-21.8	16	7.6	02.9-12.3	278	75.9	69.6-82.2
45-54	528	392,858	89	17.6	13.3-21.9	13	2.1	00.7-03.5	426	80.3	75.8-84.8
55-64	665	333,815	121	19.5	15.4-23.6	6	0.7	00.0-01.5	538	79.8	75.7-83.9
65+	1003	430,129	216	18.3	15.4-21.2	8	1.3	00.1-02.5	779	80.4	77.3-83.5
Less Than H.S.	336	334,134	75	19.3	13.4-25.2	4	2.7	00.0-05.8	257	77.9	71.4-84.4
H.S. or G.E.D.	1017	708,285	193	18.0	14.5-21.5	17	3.4	01.2-05.6	807	78.6	74.7-82.5
Some Post-H.S.	834	664,518	133	14.1	11.0-17.2	23	3.9	01.5-06.3	678	82.0	78.3-85.7
College Graduate	790	463,285	134	17.1	13.8-20.4	16	3.0	01.4-04.6	640	79.9	76.4-83.4
Less than \$15,000	384	251,391	91	22.5	16.8-28.2	5	1.8	00.0-03.8	288	75.7	69.8-81.6
\$15,000- 24,999	496	338,365	98	18.2	13.5-22.9	9	3.8	00.9-06.7	389	78.0	72.7-83.3
\$25,000- 34,999	280	212,640	50	19.0	12.3-25.7	10	3.8	01.1-06.5	220	77.2	70.1-84.3
\$35,000- 49,999	289	228,294	43	10.9	06.4-15.4	11	7.0	01.1-12.9	235	82.1	75.2-89.0
\$50,000- 74,999	253	212,745	33	12.9	07.6-18.2	7	2.5	00.3-04.7	213	84.6	78.9-90.3
\$75,000+	336	287,919	49	14.5	09.6-19.4	7	2.3	00.3-04.3	280	83.2	78.1-88.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13
	ARE YOU NOW TAKING INSULIN? (INSULIN)	
4	MALES AND FEMALES	14
5	MALES ONLY	15
6	FEMALES ONLY	16
	ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7	MALES AND FEMALES	17
8	MALES ONLY	18
9	FEMALES ONLY	19
	ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10	MALES AND FEMALES	20
11	MALES ONLY	21
12	FEMALES ONLY	22
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13	MALES AND FEMALES	23
14	MALES ONLY	24
15	FEMALES ONLY	25
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16	MALES AND FEMALES	26
17	MALES ONLY	27
18	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28 MALES AND FEMALES	38
29 MALES ONLY	39
30 FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	811	532,463	18	3.0	01.2-04.8	77	13.5	08.8-18.2	196	29.7	24.6-34.8	359	39.6	34.7-44.5	161	14.3	11.4-17.2
Male	311	266,964	6	3.2	00.5-05.9	22	14.4	06.0-22.8	76	29.4	21.6-37.2	144	39.5	31.9-47.1	63	13.6	09.3-17.9
Female	500	265,499	12	2.8	00.6-05.0	55	12.5	08.6-16.4	120	30.0	23.7-36.3	215	39.8	33.9-45.7	98	15.0	11.3-18.7
White/Non-Hisp	637	399,619	13	3.6	01.2-06.0	50	12.4	06.9-17.9	143	26.7	21.4-32.0	284	40.7	35.2-46.2	147	16.6	13.1-20.1
Black or Afr. Am./Non-Hisp	158	108,607	5	1.4	00.0-02.8	26	15.7	07.7-23.7	47	33.8	21.6-46.0	67	40.5	29.1-51.9	13	8.5	03.0-14.0
45-54	130	118,585	5	4.7	00.0-09.6	23	16.0	05.6-26.4	62	48.7	35.8-61.6	40	30.7	19.5-41.9			
55-64	245	147,086	3	1.4	00.0-03.8	16	4.2	01.7-06.7	59	28.1	20.5-35.7	155	62.2	54.2-70.2	12	4.1	01.4-06.8
65+	376	189,505	2	0.6	00.0-01.4	16	5.6	01.9-09.3	48	14.2	08.5-19.9	162	43.3	36.4-50.2	148	36.3	29.8-42.8
Less Than H.S.	153	147,244	2	1.5	00.0-04.2	17	19.1	06.0-32.2	33	30.0	18.4-41.6	61	31.0	21.0-41.0	40	18.3	10.7-25.9
H.S. or G.E.D.	280	176,752	6	3.9	00.4-07.4	24	12.1	05.2-19.0	68	27.4	18.6-36.2	131	45.7	37.1-54.3	51	10.9	07.0-14.8
Some Post-H.S.	216	129,310	5	3.1	00.0-06.8	18	9.0	04.1-13.9	48	27.5	19.3-35.7	106	46.6	38.0-55.2	39	13.8	09.1-18.5
College Graduate	156	74,139	5	3.8	00.1-07.5	18	14.4	07.0-21.8	45	34.5	24.7-44.3	58	31.7	22.7-40.7	30	15.6	08.9-22.3
Less than \$15,000	143	84,937	1	0.1	00.0-00.3	18	18.2	00.2-36.2	37	30.1	15.0-45.2	61	41.7	26.6-56.8	26	9.9	03.6-16.2
\$15,000- 24,999	160	105,242	3	2.5	00.0-07.0	13	14.3	02.9-25.7	49	37.1	25.1-49.1	64	31.7	21.7-41.7	31	14.4	07.5-21.3
\$25,000- 34,999	87	62,743	2	3.7	00.0-10.0	6	13.1	00.0-28.4	21	27.6	13.5-41.7	41	42.6	27.7-57.5	17	13.0	05.4-20.6
\$35,000- 49,999	80	48,160	2	2.1	00.0-05.2	6	12.0	01.8-22.2	13	18.2	07.0-29.4	41	49.7	35.8-63.6	18	18.1	08.3-27.9
\$50,000- 74,999	66	38,835	1	1.9	00.0-05.6	7	12.5	02.3-22.7	13	23.0	09.5-36.5	36	51.9	37.2-66.6	9	10.7	03.4-18.0
\$75,000+	60	46,184	2	6.5	00.0-15.3	7	16.1	04.1-28.1	18	32.2	17.5-46.9	24	32.4	18.7-46.1	9	12.8	01.4-24.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	311	266,964	6	3.2	00.3-06.1	22	14.4	06.0-22.8	76	29.4	21.4-37.4	144	39.5	31.9-47.1	63	13.6	09.3-17.9
White/Non-Hisp	256	199,630	5	4.1	00.4-07.8	18	13.8	03.8-23.8	56	26.2	17.6-34.8	118	39.9	31.5-48.3	59	16.1	11.0-21.2
55-64	95	67,729				1	0.1	00.0-00.3	29	34.5	21.8-47.2	61	63.0	50.3-75.7	4	2.4	00.0-04.9
65+	148	95,235				9	8.8	01.9-15.7	14	12.2	04.4-20.0	67	43.8	33.4-54.2	58	35.1	25.3-44.9
Less Than H.S.	58	72,386	1	2.8	00.0-08.3	7	28.9	05.6-52.2	8	20.2	02.8-37.6	27	30.6	15.1-46.1	15	17.4	05.8-29.0
H.S. or G.E.D.	104	91,832	2	3.3	00.0-07.8	6	12.8	01.0-24.6	26	25.0	11.5-38.5	57	52.3	38.4-66.2	13	6.6	02.3-10.9
Some Post-H.S.	74	60,330	1	4.0	00.0-11.6	4	4.4	00.0-08.9	21	41.4	27.3-55.5	32	36.7	23.4-50.0	16	13.6	06.0-21.2
College Graduate	74	38,546	2	2.8	00.0-06.7	5	8.1	00.0-16.5	20	31.2	17.7-44.7	28	33.8	20.1-47.5	19	24.2	12.8-35.6
\$15,000- 24,999	55	46,855	1	5.1	00.0-14.9	4	17.2	00.0-39.2	15	29.4	12.3-46.5	25	30.5	15.2-45.8	10	17.8	05.3-30.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	500	265,499	12	2.8	00.6-05.0	55	12.5	08.6-16.4	120	30.0	23.7-36.3	215	39.8	33.9-45.7	98	15.0	11.3-18.7
White/Non-Hisp	381	199,988	8	3.1	00.4-05.8	32	11.0	06.5-15.5	87	27.2	20.7-33.7	166	41.5	34.8-48.2	88	17.1	12.4-21.8
Black or Afr. Am./Non-Hisp	114	60,206	4	1.9	00.0-03.9	23	18.7	08.9-28.5	32	35.1	20.4-49.8	45	35.2	23.0-47.4	10	9.1	03.6-14.6
45-54	84	50,169	2	1.0	00.0-02.4	18	19.5	08.3-30.7	39	47.3	33.4-61.2	25	32.2	19.3-45.1			
55-64	150	79,357	3	2.7	00.0-07.0	15	7.7	03.0-12.4	30	22.6	14.0-31.2	94	61.6	51.2-72.0	8	5.5	00.8-10.2
65+	228	94,269	2	1.1	00.0-02.7	7	2.5	00.3-04.7	34	16.3	08.5-24.1	95	42.7	33.7-51.7	90	37.5	28.7-46.3
Less Than H.S.	95	74,858	1	0.3	00.0-00.9	10	9.7	01.9-17.5	25	39.5	25.4-53.6	34	31.4	18.9-43.9	25	19.1	09.3-28.9
H.S. or G.E.D.	176	84,921	4	4.5	00.0-10.0	18	11.2	05.1-17.3	42	30.1	18.9-41.3	74	38.6	28.8-48.4	38	15.5	09.0-22.0
Some Post-H.S.	142	68,981	4	2.3	00.0-04.8	14	12.9	04.9-20.9	27	15.5	08.8-22.2	74	55.2	44.8-65.6	23	14.1	08.4-19.8
College Graduate	82	35,593	3	4.8	00.0-11.3	13	21.3	09.0-33.6	25	38.1	24.0-52.2	30	29.4	17.8-41.0	11	6.4	01.7-11.1
Less than \$15,000	108	50,589	1	0.2	00.0-00.6	17	12.8	03.6-22.0	23	32.2	15.7-48.7	47	42.6	27.3-57.9	20	12.2	03.4-21.0
\$15,000- 24,999	105	58,386	2	0.4	00.0-01.2	9	11.9	02.9-20.9	34	43.4	28.1-58.7	39	32.6	19.9-45.3	21	11.6	04.9-18.3
\$35,000- 49,999	50	24,862	1	1.2	00.0-03.6	5	22.9	05.1-40.7	10	24.4	07.7-41.1	26	40.8	23.4-58.2	8	10.8	01.6-20.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	911	586,539	327	35.8	31.1-40.5	584	64.2	59.5-68.9
Male	333	282,627	126	35.0	27.6-42.4	207	65.0	57.6-72.4
Female	578	303,912	201	36.6	30.9-42.3	377	63.4	57.7-69.1
White/Non-Hisp	721	442,664	258	35.7	30.6-40.8	463	64.3	59.2-69.4
Black or Afr. Am./Non-Hisp	172	115,049	62	36.8	25.8-47.8	110	63.2	52.2-74.2
45-54	141	126,163	52	39.9	27.6-52.2	89	60.1	47.8-72.4
55-64	264	158,130	87	32.1	24.7-39.5	177	67.9	60.5-75.3
65+	438	213,108	160	37.5	31.0-44.0	278	62.5	56.0-69.0
Less Than H.S.	189	174,853	73	40.0	29.2-50.8	116	60.0	49.2-70.8
H.S. or G.E.D.	318	191,932	113	34.5	26.9-42.1	205	65.5	57.9-73.1
Some Post-H.S.	235	137,433	81	32.4	24.6-40.2	154	67.6	59.8-75.4
College Graduate	160	76,583	57	37.8	28.2-47.4	103	62.2	52.6-71.8
Less than \$15,000	165	93,835	64	38.2	23.9-52.5	101	61.8	47.5-76.1
\$15,000- 24,999	180	116,109	62	43.1	31.3-54.9	118	56.9	45.1-68.7
\$25,000- 34,999	91	66,484	35	29.3	17.3-41.3	56	70.7	58.7-82.7
\$35,000- 49,999	83	49,085	25	36.8	23.5-50.1	58	63.2	49.9-76.5
\$50,000- 74,999	67	40,058	24	38.4	23.9-52.9	43	61.6	47.1-76.1
\$75,000+	61	47,976	21	31.4	17.7-45.1	40	68.6	54.9-82.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	333	282,627	126	35.0	27.6-42.4	207	65.0	57.6-72.4
White/Non-Hisp	273	206,957	101	36.2	27.8-44.6	172	63.8	55.4-72.2
55-64	99	70,969	38	38.1	26.1-50.1	61	61.9	49.9-73.9
65+	162	102,529	59	33.5	24.3-42.7	103	66.5	57.3-75.7
Less Than H.S.	69	81,649	24	31.8	14.9-48.7	45	68.2	51.3-85.1
H.S. or G.E.D.	106	93,414	44	36.3	23.6-49.0	62	63.7	51.0-76.4
Some Post-H.S.	81	63,292	33	40.3	27.2-53.4	48	59.7	46.6-72.8
College Graduate	75	40,338	25	33.9	20.6-47.2	50	66.1	52.8-79.4
\$15,000- 24,999	60	52,151	26	46.7	27.1-66.3	34	53.3	33.7-72.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	578	303,912	201	36.6	30.9-42.3	377	63.4	57.7-69.1
White/Non-Hisp	448	235,707	157	35.3	29.0-41.6	291	64.7	58.4-71.0
Black or Afr. Am./Non-Hisp	124	62,683	42	37.8	25.3-50.3	82	62.2	49.7-74.7
45-54	93	57,349	33	39.3	26.0-52.6	60	60.7	47.4-74.0
55-64	165	87,162	49	27.3	18.3-36.3	116	72.7	63.7-81.7
65+	276	110,579	101	41.3	32.7-49.9	175	58.7	50.1-67.3
Less Than H.S.	120	93,204	49	47.3	34.6-60.0	71	52.7	40.0-65.4
H.S. or G.E.D.	212	98,519	69	32.8	24.0-41.6	143	67.2	58.4-76.0
Some Post-H.S.	154	74,141	48	25.6	17.0-34.2	106	74.4	65.8-83.0
College Graduate	85	36,245	32	42.1	28.6-55.6	53	57.9	44.4-71.4
Less than \$15,000	127	58,769	49	41.6	26.9-56.3	78	58.4	43.7-73.1
\$15,000- 24,999	120	63,958	36	40.2	26.5-53.9	84	59.8	46.1-73.5
\$35,000- 49,999	53	25,786	14	31.7	15.2-48.2	39	68.3	51.8-84.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	878	562,785	45	4.1	02.5-05.7	191	25.4	20.9-29.9	631	69.2	64.5-73.9	11	1.3	00.5-02.1
Male	326	275,477	20	3.7	01.5-05.9	86	30.9	23.3-38.5	216	64.4	56.8-72.0	4	1.0	00.0-02.0
Female	552	287,307	25	4.5	02.1-06.9	105	20.2	15.1-25.3	415	73.7	68.2-79.2	7	1.6	00.2-03.0
White/Non-Hisp	696	429,633	35	4.5	02.5-06.5	154	26.1	21.0-31.2	497	67.9	62.6-73.2	10	1.5	00.5-02.5
Black or Afr. Am./Non-Hisp	165	108,697	9	2.0	00.4-03.6	34	21.9	12.7-31.1	121	75.3	65.9-84.7	1	0.9	00.0-02.7
45-54	136	123,544	10	4.9	01.2-08.6	31	25.4	14.2-36.6	94	69.4	57.8-81.0	1	0.4	00.0-01.2
55-64	255	151,802	9	3.4	00.7-06.1	65	25.3	18.4-32.2	178	69.9	62.6-77.2	3	1.4	00.0-03.2
65+	424	208,773	22	4.1	01.7-06.5	78	23.6	17.5-29.7	320	71.4	65.1-77.7	4	0.9	00.0-01.9
Less Than H.S.	182	165,196	8	2.4	00.0-04.8	28	19.2	09.2-29.2	144	77.7	67.5-87.9	2	0.7	00.0-01.7
H.S. or G.E.D.	309	187,190	12	3.0	00.6-05.4	77	29.3	21.5-37.1	216	66.6	58.6-74.6	4	1.2	00.0-02.6
Some Post-H.S.	228	132,244	16	5.7	02.2-09.2	52	29.8	21.4-38.2	160	64.6	56.0-73.2			
College Graduate	152	72,868	9	8.3	02.2-14.4	33	23.4	14.4-32.4	105	62.8	52.6-73.0	5	5.4	00.5-10.3
Less than \$15,000	161	90,024	9	1.8	00.4-03.2	30	12.4	06.1-18.7	120	85.3	78.6-92.0	2	0.6	00.0-01.4
\$15,000- 24,999	169	106,704	10	3.2	00.7-05.7	41	30.9	19.3-42.5	116	64.8	53.2-76.4	2	1.1	00.0-02.7
\$25,000- 34,999	90	64,952	4	6.5	00.0-13.2	26	40.6	24.3-56.9	59	51.4	35.9-66.9	1	1.4	00.0-04.1
\$35,000- 49,999	80	47,765	3	2.4	00.0-05.5	21	28.9	16.0-41.8	56	68.7	55.6-81.8			
\$50,000- 74,999	64	38,293	1	0.4	00.0-01.2	20	33.5	19.6-47.4	42	63.6	49.3-77.9	1	2.5	00.0-07.4
\$75,000+	60	47,451	4	7.6	00.0-16.0	13	30.3	14.6-46.0	41	58.2	42.1-74.3	2	3.9	00.0-09.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	326	275,477	20	3.7	01.5-05.9	86	30.9	23.3-38.5	216	64.4	56.8-72.0	4	1.0	00.0-02.0
White/Non-Hisp	268	205,674	14	3.4	01.2-05.6	71	30.9	22.5-39.3	180	64.9	56.5-73.3	3	0.8	00.0-02.0
55-64	98	69,475	3	2.8	00.0-06.3	27	25.9	16.1-35.7	66	69.4	58.8-80.0	2	1.9	00.0-04.6
65+	159	102,081	11	5.9	01.6-10.2	39	33.0	22.8-43.2	108	60.8	50.6-71.0	1	0.3	00.0-00.9
Less Than H.S.	67	77,034	3	2.0	00.0-04.9	15	26.6	09.2-44.0	48	71.0	53.4-88.6	1	0.4	00.0-01.2
H.S. or G.E.D.	106	93,414	6	2.1	00.0-04.5	29	33.9	20.6-47.2	69	62.7	49.2-76.2	2	1.4	00.0-03.6
Some Post-H.S.	78	61,152	4	2.9	00.0-05.8	22	35.9	21.8-50.0	52	61.2	47.1-75.3			
College Graduate	74	40,007	7	12.6	02.2-23.0	20	27.5	15.3-39.7	46	57.2	43.1-71.3	1	2.7	00.0-08.0
\$15,000- 24,999	58	47,274	4	2.8	00.0-05.9	17	41.0	20.8-61.2	36	55.6	35.6-75.6	1	0.6	00.0-02.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	552	287,307	25	4.5	02.1-06.9	105	20.2	15.1-25.3	415	73.7	68.2-79.2	7	1.6	00.2-03.0
White/Non-Hisp	428	223,960	21	5.5	02.6-08.4	83	21.7	15.6-27.8	317	70.8	64.3-77.3	7	2.1	00.5-03.7
Black or Afr. Am./Non-Hisp	118	57,825	4	0.8	00.0-01.8	22	16.4	08.0-24.8	92	82.7	74.3-91.1			
45-54	90	55,565	7	10.0	02.2-17.8	18	18.9	09.3-28.5	64	70.2	58.4-82.0	1	0.9	00.0-02.7
55-64	157	82,327	6	3.9	00.0-08.2	38	24.8	15.6-34.0	112	70.3	60.5-80.1	1	1.0	00.0-03.0
65+	265	106,693	11	2.3	00.5-04.1	39	14.7	08.8-20.6	212	81.5	75.2-87.8	3	1.5	00.0-03.5
Less Than H.S.	115	88,162	5	2.8	00.0-06.5	13	12.7	01.9-23.5	96	83.5	72.3-94.7	1	0.9	00.0-02.7
H.S. or G.E.D.	203	93,777	6	3.8	00.0-07.9	48	24.7	16.5-32.9	147	70.4	61.6-79.2	2	1.1	00.0-02.9
Some Post-H.S.	150	71,092	12	8.1	02.2-14.0	30	24.5	15.1-33.9	108	67.4	57.2-77.6			
College Graduate	78	32,860	2	3.0	00.0-07.1	13	18.5	05.0-32.0	59	69.7	55.2-84.2	4	8.7	00.3-17.1
Less than \$15,000	123	54,958	5	1.6	00.0-03.2	20	12.1	05.0-19.2	97	86.1	78.7-93.5	1	0.3	00.0-00.9
\$15,000- 24,999	111	59,430	6	3.5	00.0-07.2	24	22.9	12.1-33.7	80	72.1	60.5-83.7	1	1.4	00.0-04.1
\$35,000- 49,999	51	24,797	1	2.2	00.0-06.3	14	30.4	12.6-48.2	36	67.4	49.4-85.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes**

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	885	575,435	690	77.6	73.5-81.7	76	8.4	05.9-10.9	25	2.7	01.3-04.1	8	1.2	00.2-02.2	79	9.4	06.3-12.5	7	0.7	00.1-01.3
Male	327	279,610	241	76.1	70.0-82.2	37	10.1	06.2-14.0	12	3.2	00.8-05.6	3	0.5	00.0-01.1	30	9.3	05.0-13.6	4	0.7	00.0-01.5
Female	558	295,826	449	78.9	73.6-84.2	39	6.7	03.8-09.6	13	2.3	00.7-03.9	5	1.9	00.1-03.7	49	9.5	05.2-13.8	3	0.7	00.0-01.7
White/Non-Hisp	696	431,888	539	76.7	72.0-81.4	66	9.3	06.4-12.2	17	2.0	00.8-03.2	7	1.5	00.1-02.9	62	9.9	06.4-13.4	5	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	172	115,049	139	80.7	72.1-89.3	10	7.0	01.9-12.1	7	4.4	00.0-08.9				14	6.5	00.8-12.2	2	1.4	00.0-03.9
45-54	136	122,526	106	79.9	70.5-89.3	12	7.6	02.3-12.9	4	2.1	00.0-05.0				13	10.2	02.6-17.8	1	0.2	00.0-00.6
55-64	260	156,586	206	81.1	75.0-87.2	24	8.8	04.5-13.1	8	2.9	00.2-05.6	2	0.4	00.0-01.0	18	6.4	02.7-10.1	2	0.4	00.0-01.0
65+	422	208,717	329	74.3	68.2-80.4	37	10.4	05.9-14.9	10	2.8	00.8-04.8	5	2.3	00.1-04.5	39	9.5	05.4-13.6	2	0.7	00.0-01.7
Less Than H.S.	185	173,549	144	78.3	69.5-87.1	16	8.0	02.7-13.3	6	2.8	00.1-05.5	3	1.8	00.0-04.2	16	9.2	02.3-16.1			
H.S. or G.E.D.	308	187,934	241	80.7	74.8-86.6	27	6.8	03.5-10.1	9	3.0	00.5-05.5	3	1.1	00.0-02.3	25	7.2	03.5-10.9	3	1.1	00.0-02.7
Some Post-H.S.	229	133,471	178	74.1	66.1-82.1	18	10.0	04.9-15.1	6	3.0	00.0-06.1	2	1.5	00.0-03.9	21	10.0	03.5-16.5	4	1.4	00.0-03.0
College Graduate	157	75,351	122	73.1	63.5-82.7	15	10.7	03.8-17.6	4	1.6	00.0-03.6				16	14.6	06.4-22.8			
Less than \$15,000	163	93,567	133	85.4	77.2-93.6	14	6.1	01.6-10.6	1	0.2	00.0-00.6	1	1.7	00.0-05.0	13	6.3	00.2-12.4	1	0.3	00.0-00.9
\$15,000- 24,999	175	113,805	137	80.1	71.9-88.3	16	10.7	04.0-17.4	8	3.5	00.0-07.0				13	4.4	01.3-07.5	1	1.4	00.0-03.9
\$25,000- 34,999	89	64,699	64	76.6	64.8-88.4	8	9.2	01.0-17.4	2	0.9	00.0-02.3				12	10.8	02.4-19.2	3	2.4	00.0-05.5
\$35,000- 49,999	80	47,713	58	67.2	53.9-80.5	9	11.8	02.4-21.2	4	7.5	00.0-15.7	2	5.0	00.0-12.1	7	8.5	01.4-15.6			
\$50,000- 74,999	66	39,081	57	82.2	69.7-94.7	8	17.4	04.9-29.9	1	0.4	00.0-01.2									
\$75,000+	60	47,810	48	70.8	55.9-85.7	5	9.6	00.4-18.8	1	4.5	00.0-12.9				6	15.1	02.9-27.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	327	279,610	241	76.1	70.0-82.2	37	10.1	06.2-14.0	12	3.2	00.8-05.6	3	0.5	00.0-01.1	30	9.3	05.0-13.6	4	0.7	00.0-01.5
White/Non-Hisp	267	203,939	196	75.8	68.9-82.7	33	11.8	06.9-16.7	8	1.6	00.4-02.8	2	0.5	00.0-01.3	24	9.3	04.4-14.2	4	1.0	00.0-02.2
55-64	98	69,811	74	75.6	65.0-86.2	11	12.1	03.9-20.3	4	4.7	00.0-10.2	2	0.9	00.0-02.3	5	5.7	00.4-11.0	2	0.9	00.0-02.3
65+	158	101,174	115	69.9	60.3-79.5	18	11.9	05.2-18.6	5	3.0	00.1-05.9	1	0.8	00.0-02.4	17	13.0	05.6-20.4	2	1.4	00.0-03.4
Less Than H.S.	69	81,649	52	80.5	68.3-92.7	7	7.7	00.3-15.1	3	2.5	00.0-05.8	1	0.2	00.0-00.6	6	9.1	00.1-18.1			
H.S. or G.E.D.	104	92,288	74	78.9	69.7-88.1	14	9.2	03.1-15.3	5	4.6	00.0-09.5	1	0.9	00.0-02.7	9	6.1	01.4-10.8	1	0.4	00.0-01.2
Some Post-H.S.	78	61,464	57	66.2	52.3-80.1	9	14.2	04.8-23.6	2	3.1	00.0-08.8	1	0.7	00.0-02.1	6	13.0	01.0-25.0	3	2.8	00.0-06.3
College Graduate	75	40,338	57	73.7	60.8-86.6	7	11.9	01.3-22.5	2	2.1	00.0-05.4				9	12.3	02.9-21.7			
\$15,000- 24,999	59	51,646	43	82.9	72.9-92.9	6	8.5	01.6-15.4	4	2.5	00.0-05.2				6	6.1	00.0-12.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	558	295,826	449	78.9	73.6-84.2	39	6.7	03.8-09.6	13	2.3	00.7-03.9	5	1.9	00.1-03.7	49	9.5	05.2-13.8	3	0.7	00.0-01.7
White/Non-Hisp	429	227,949	343	77.4	71.1-83.7	33	7.1	03.6-10.6	9	2.5	00.5-04.5	5	2.4	00.0-04.8	38	10.4	05.3-15.5	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	124	62,683	101	82.7	73.3-92.1	6	6.1	00.6-11.6	4	1.6	00.0-03.6				11	7.0	00.5-13.5	2	2.6	00.0-07.3
45-54	89	54,217	72	81.7	71.3-92.1	5	4.8	00.1-09.5	3	4.4	00.0-10.9				8	8.5	01.1-15.9	1	0.5	00.0-01.5
55-64	162	86,775	132	85.5	79.0-92.0	13	6.1	02.2-10.0	4	1.5	00.0-03.5				13	6.9	02.0-11.8			
65+	264	107,544	214	78.6	71.0-86.2	19	9.0	02.9-15.1	5	2.6	00.1-05.1	4	3.8	00.0-07.7	22	6.2	02.5-09.9			
Less Than H.S.	116	91,900	92	76.3	64.1-88.5	9	8.3	01.0-15.6	3	3.1	00.0-07.2	2	3.1	00.0-07.4	10	9.3	00.0-19.3			
H.S. or G.E.D.	204	95,646	167	82.5	75.2-89.8	13	4.6	01.5-07.7	4	1.4	00.0-03.2	2	1.2	00.0-03.0	16	8.3	02.8-13.8	2	1.9	00.0-05.0
Some Post-H.S.	151	72,006	121	80.8	72.4-89.2	9	6.5	01.6-11.4	4	2.9	00.0-06.0	1	2.1	00.0-06.2	15	7.5	01.4-13.6	1	0.1	00.0-00.5
College Graduate	82	35,013	65	72.4	58.1-86.7	8	9.3	00.9-17.7	2	1.0	00.0-02.4				7	17.3	03.8-30.8			
Less than \$15,000	125	58,501	107	89.4	82.0-96.8	7	4.7	00.0-09.4	1	0.3	00.0-00.9	1	2.8	00.0-08.1	8	2.5	00.3-04.7	1	0.5	00.0-01.5
\$15,000- 24,999	116	62,158	94	77.9	66.3-89.5	10	12.4	02.4-22.4	4	4.3	00.0-10.2				7	2.9	00.4-05.4	1	2.5	00.0-07.2
\$35,000- 49,999	51	25,572	38	74.5	59.2-89.8	5	5.1	00.0-11.0	3	7.1	00.0-15.7	1	6.0	00.0-17.2	4	7.4	00.0-15.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	874	569,669	95	11.0	07.5-14.5	168	19.6	15.7-23.5	133	14.7	11.0-18.4	296	30.2	25.7-34.7	113	14.8	11.3-18.3	69	9.7	06.6-12.8
Male	319	275,031	30	10.7	04.0-17.4	71	22.1	15.2-29.0	53	15.1	09.2-21.0	98	28.5	21.2-35.8	43	15.1	09.6-20.6	24	8.6	04.3-12.9
Female	555	294,638	65	11.3	08.0-14.6	97	17.4	13.3-21.5	80	14.3	09.8-18.8	198	31.8	26.5-37.1	70	14.4	09.7-19.1	45	10.8	06.3-15.3
White/Non-Hisp	695	432,476	71	11.1	06.6-15.6	129	17.6	13.9-21.3	107	15.6	11.3-19.9	245	30.6	25.7-35.5	86	14.7	10.8-18.6	57	10.4	06.7-14.1
Black or Afr. Am./Non-Hisp	162	108,695	24	13.5	07.4-19.6	37	28.0	16.6-39.4	24	13.9	05.9-21.9	44	25.5	14.9-36.1	23	11.8	05.1-18.5	10	7.4	01.7-13.1
45-54	136	123,724	15	10.9	04.4-17.4	28	22.8	12.0-33.6	19	12.2	02.6-21.8	46	32.4	20.4-44.4	19	14.1	05.7-22.5	9	7.6	02.1-13.1
55-64	256	155,570	34	11.8	07.5-16.1	46	17.4	11.3-23.5	47	18.1	11.6-24.6	75	28.6	21.5-35.7	37	17.4	10.5-24.3	17	6.8	02.5-11.1
65+	414	201,238	38	8.5	05.2-11.8	80	19.9	15.0-24.8	60	16.8	10.9-22.7	157	32.9	27.0-38.8	45	12.2	07.3-17.1	34	9.6	05.3-13.9
Less Than H.S.	177	166,331	18	12.7	02.5-22.9	22	10.9	04.8-17.0	33	20.4	10.8-30.0	56	23.8	14.4-33.2	29	17.8	09.8-25.8	19	14.4	06.4-22.4
H.S. or G.E.D.	307	187,782	27	7.6	03.9-11.3	64	23.9	15.7-32.1	46	12.3	07.2-17.4	107	33.8	26.0-41.6	39	13.8	07.9-19.7	24	8.6	04.1-13.1
Some Post-H.S.	228	135,235	30	13.1	07.6-18.6	41	19.8	13.1-26.5	32	12.6	07.5-17.7	76	29.4	22.0-36.8	33	16.6	09.2-24.0	16	8.4	03.3-13.5
College Graduate	156	75,244	19	12.3	06.0-18.6	41	29.2	19.6-38.8	22	12.9	06.0-19.8	54	33.6	24.2-43.0	11	7.6	01.9-13.3	9	4.4	00.1-08.7
Less than \$15,000	162	93,232	16	16.0	00.0-32.7	18	13.3	01.7-24.9	25	15.7	05.7-25.7	55	21.0	12.6-29.4	33	25.5	13.5-37.5	15	8.6	02.5-14.7
\$15,000- 24,999	171	112,398	14	5.8	02.3-09.3	39	21.8	13.0-30.6	28	19.9	08.7-31.1	52	31.1	19.9-42.3	21	12.5	04.7-20.3	17	9.0	03.5-14.5
\$25,000- 34,999	87	63,324	9	8.8	01.5-16.1	17	19.5	04.6-34.4	15	15.6	05.2-26.0	25	18.7	08.5-28.9	10	17.0	05.6-28.4	11	20.4	06.9-33.9
\$35,000- 49,999	83	49,085	16	18.5	08.1-28.9	14	17.6	06.8-28.4	14	12.4	05.0-19.8	28	32.0	19.5-44.5	7	10.7	01.3-20.1	4	8.8	00.0-17.6
\$50,000- 74,999	67	40,058	5	5.5	00.4-10.6	18	25.9	13.9-37.9	8	18.3	05.4-31.2	27	38.3	24.0-52.6	5	8.3	00.3-16.3	4	3.7	00.0-08.6
\$75,000+	60	47,675	9	16.4	05.4-27.4	15	26.6	12.5-40.7	7	11.1	01.3-20.9	20	29.4	16.1-42.7	5	6.3	00.0-12.6	4	10.3	00.0-22.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	319	275,031	30	10.7	04.0-17.4	71	22.1	15.2-29.0	53	15.1	09.2-21.0	98	28.5	21.2-35.8	43	15.1	09.6-20.6	24	8.6	04.1-13.1
White/Non-Hisp	262	202,294	24	12.5	03.9-21.1	54	17.4	11.9-22.9	46	16.5	09.4-23.6	84	28.6	21.0-36.2	37	17.0	10.3-23.7	17	7.9	02.8-13.0
55-64	97	70,453	10	9.1	03.0-15.2	15	13.7	05.3-22.1	20	19.7	10.5-28.9	26	26.0	15.4-36.6	18	24.7	12.5-36.9	8	6.7	00.6-12.8
65+	152	96,069	14	8.2	02.9-13.5	38	23.0	14.8-31.2	21	15.3	06.9-23.7	50	29.1	20.3-37.9	17	12.9	05.8-20.0	12	11.5	03.7-19.3
Less Than H.S.	63	76,772	4	16.1	00.0-36.5	8	11.4	01.2-21.6	13	20.2	04.1-36.3	20	24.1	07.0-41.2	10	13.5	03.7-23.3	8	14.7	02.7-26.7
H.S. or G.E.D.	103	92,118	9	6.7	01.6-11.8	25	30.9	16.6-45.2	19	14.5	06.1-22.9	29	24.7	13.7-35.7	14	16.7	06.5-26.9	7	6.5	00.0-13.0
Some Post-H.S.	78	62,372	11	12.7	04.3-21.1	18	20.5	09.5-31.5	8	10.4	03.0-17.8	24	31.2	18.7-43.7	13	18.9	06.6-31.2	4	6.4	00.0-13.8
College Graduate	74	39,899	6	7.3	00.8-13.8	20	26.8	14.1-39.5	13	15.4	04.6-26.2	24	34.5	21.0-48.0	6	10.4	01.2-19.6	5	5.5	00.0-12.2
\$15,000- 24,999	56	49,963	1	1.4	00.0-04.1	15	26.3	10.4-42.2	11	24.4	04.2-44.6	20	29.2	11.6-46.8	5	13.2	00.0-27.5	4	5.6	00.0-12.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	555	294,638	65	11.3	08.0-14.6	97	17.4	13.3-21.5	80	14.3	09.8-18.8	198	31.8	26.5-37.1	70	14.4	09.7-19.1	45	10.8	06.3-15.3
White/Non-Hisp	433	230,181	47	9.8	06.3-13.3	75	17.7	12.8-22.6	61	14.8	09.7-19.9	161	32.3	26.4-38.2	49	12.7	08.0-17.4	40	12.6	07.1-18.1
Black or Afr. Am./Non-Hisp	117	59,262	18	18.2	09.2-27.2	22	17.4	08.8-26.0	18	13.2	03.6-22.8	35	31.7	17.8-45.6	19	15.1	05.5-24.7	5	4.5	00.0-09.4
45-54	90	55,530	11	14.3	04.5-24.1	18	18.3	07.9-28.7	10	8.0	02.5-13.5	29	29.8	18.0-41.6	14	15.7	05.3-26.1	8	13.9	03.7-24.1
55-64	159	85,116	24	14.0	07.9-20.1	31	20.5	11.7-29.3	27	16.7	07.7-25.7	49	30.7	21.1-40.3	19	11.3	04.6-18.0	9	6.8	00.9-12.7
65+	262	105,169	24	8.8	04.5-13.1	42	17.1	11.8-22.4	39	18.1	10.1-26.1	107	36.5	28.5-44.5	28	11.6	04.9-18.3	22	7.8	03.5-12.1
Less Than H.S.	114	89,558	14	9.8	03.7-15.9	14	10.6	03.5-17.7	20	20.5	08.9-32.1	36	23.5	13.7-33.3	19	21.4	09.8-33.0	11	14.2	03.0-25.4
H.S. or G.E.D.	204	95,664	18	8.5	03.2-13.8	39	17.1	10.2-24.0	27	10.1	04.2-16.0	78	42.5	32.5-52.5	25	11.1	05.0-17.2	17	10.7	04.2-17.2
Some Post-H.S.	150	72,863	19	13.5	06.4-20.6	23	19.2	11.2-27.2	24	14.5	07.8-21.2	52	27.9	19.3-36.5	20	14.7	05.9-23.5	12	10.2	03.3-17.1
College Graduate	82	35,345	13	18.0	07.2-28.8	21	31.8	17.7-45.9	9	10.0	02.2-17.8	30	32.6	19.7-45.5	5	4.5	00.0-09.4	4	3.1	00.0-08.4
Less than \$15,000	124	58,165	14	9.1	03.2-15.0	11	4.9	01.4-08.4	17	20.5	06.4-34.6	49	31.1	19.5-42.7	24	28.1	13.2-43.0	9	6.3	00.0-12.6
\$15,000- 24,999	115	62,435	13	9.3	03.4-15.2	24	18.2	09.0-27.4	17	16.3	04.9-27.7	32	32.5	18.2-46.8	16	11.8	03.4-20.2	13	11.8	03.8-19.8
\$35,000- 49,999	53	25,786	7	11.5	01.9-21.1	8	16.4	02.1-30.7	13	20.4	07.9-32.9	18	29.3	13.4-45.2	4	10.6	00.0-22.9	3	11.7	00.0-25.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 16: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	845	536,878	325	38.7	34.0-43.4	414	45.5	40.6-50.4	27	4.0	02.0-06.0	26	3.4	01.0-05.8	49	8.0	05.1-10.9	4	0.4	00.0-00.8
Male	307	256,324	125	40.7	32.9-48.5	148	44.4	36.4-52.4	9	4.6	01.5-07.7	9	5.1	00.6-09.6	15	5.0	01.5-08.5	1	0.2	00.0-00.6
Female	538	280,554	200	36.9	31.2-42.6	266	46.6	40.5-52.7	18	3.4	01.4-05.4	17	1.8	00.2-03.4	34	10.8	06.1-15.5	3	0.5	00.0-01.3
White/Non-Hisp	675	413,380	255	37.8	32.7-42.9	342	47.2	41.9-52.5	17	2.8	01.2-04.4	21	3.0	01.0-05.0	38	8.8	05.1-12.5	2	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	154	98,947	64	39.2	28.0-50.4	65	41.6	29.3-53.9	8	6.5	00.4-12.6	5	5.8	00.0-15.6	10	6.5	01.6-11.4	2	0.3	00.0-00.9
45-54	130	119,566	49	34.9	23.5-46.3	62	45.6	32.7-58.5	2	0.9	00.0-02.5	5	9.0	00.0-18.2	11	9.0	03.1-14.9	1	0.5	00.0-01.5
55-64	250	147,498	103	42.4	34.4-50.4	121	44.9	36.9-52.9	9	6.3	01.8-10.8	3	1.2	00.0-03.0	12	4.2	00.7-07.7	2	1.0	00.0-02.6
65+	403	196,258	148	38.8	32.3-45.3	207	50.2	43.3-57.1	14	4.0	01.3-06.7	17	2.5	00.7-04.3	16	4.6	01.7-07.5	1	0.0	00.0-00.0
Less Than H.S.	164	141,073	40	27.1	17.3-36.9	90	48.8	37.4-60.2	7	3.7	00.4-07.0	8	4.9	00.4-09.4	16	14.1	05.3-22.9	3	1.4	00.0-03.2
H.S. or G.E.D.	293	182,699	119	41.5	33.1-49.9	141	43.4	35.0-51.8	6	3.9	00.6-07.2	11	5.2	00.0-10.9	16	6.0	02.3-09.7			
Some Post-H.S.	224	131,774	90	43.4	34.8-52.0	111	44.9	36.5-53.3	8	4.6	00.7-08.5	3	0.2	00.0-00.4	12	7.0	02.7-11.3			
College Graduate	158	76,255	74	47.2	37.2-57.2	68	42.7	32.7-52.7	6	4.2	00.0-09.1	4	1.8	00.0-04.0	5	4.0	00.0-08.1	1	0.1	00.0-00.3
Less than \$15,000	148	68,765	45	29.2	18.2-40.2	85	50.9	37.6-64.2	4	4.3	00.0-09.8	9	13.3	00.0-27.6	4	2.0	00.0-04.2	1	0.4	00.0-01.2
\$15,000- 24,999	164	108,289	56	33.9	22.3-45.5	81	52.5	40.3-64.7	5	1.7	00.0-03.7	4	0.5	00.0-01.1	17	10.8	04.5-17.1	1	0.5	00.0-01.5
\$25,000- 34,999	85	62,770	38	44.5	28.6-60.4	34	32.1	18.6-45.6	4	2.6	00.0-05.7	2	5.9	00.0-13.9	6	14.8	02.5-27.1	1	0.1	00.0-00.3
\$35,000- 49,999	83	49,085	38	51.4	38.1-64.7	37	36.4	24.1-48.7	3	4.9	00.0-12.0	3	2.6	00.0-05.9	2	4.8	00.0-11.7			
\$50,000- 74,999	64	39,557	30	39.8	25.9-53.7	31	52.1	37.4-66.8	1	2.5	00.0-07.4	1	3.1	00.0-09.0	1	2.5	00.0-07.2			
\$75,000+	61	47,976	27	45.4	29.9-60.9	28	43.9	28.8-59.0	3	9.1	00.0-19.3	1	0.3	00.0-00.9	2	1.3	00.0-03.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 17: A TEST FOR “A ONE C” MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR “A ONE C”? (CHKHEM03)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	307	256,324	125	40.7	32.9-48.5	148	44.4	36.4-52.4	9	4.6	01.3-07.9	9	5.1	00.6-09.6	15	5.0	01.5-08.5	1	0.2	00.0-00.6
White/Non-Hisp	254	189,646	100	39.3	31.1-47.5	131	48.8	40.2-57.4	4	1.6	00.0-03.4	8	4.2	00.7-07.7	10	5.8	01.1-10.5	1	0.3	00.0-00.9
55-64	96	69,006	40	42.5	29.8-55.2	46	44.7	32.4-57.0	5	9.8	01.4-18.2	1	1.9	00.0-05.6	4	1.1	00.0-02.3			
65+	145	91,624	64	44.7	34.1-55.3	67	43.8	33.4-54.2	2	2.1	00.0-05.6	5	3.2	00.0-06.7	7	6.2	00.7-11.7			
Less Than H.S.	58	61,911	15	31.6	14.4-48.8	32	47.4	28.2-66.6	1	0.5	00.0-01.5	4	7.7	00.0-16.1	5	11.8	00.0-24.5	1	0.9	00.0-02.7
H.S. or G.E.D.	97	88,965	43	45.2	31.1-59.3	41	36.0	23.1-48.9	3	5.5	00.0-11.8	4	9.2	00.0-20.6	6	4.0	00.0-08.3			
Some Post-H.S.	77	61,436	33	43.4	29.3-57.5	38	47.7	33.8-61.6	3	6.5	00.0-14.1				3	2.4	00.0-05.5			
College Graduate	74	40,141	34	44.2	30.1-58.3	36	47.6	33.3-61.9	2	6.8	00.0-15.6	1	0.3	00.0-00.9	1	1.1	00.0-03.3			
\$15,000- 24,999	53	47,595	17	39.2	18.4-60.0	30	53.3	32.5-74.1							5	6.3	00.0-13.7	1	1.2	00.0-03.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	538	280,554	200	36.9	31.2-42.6	266	46.6	40.5-52.7	18	3.4	01.4-05.4	17	1.8	00.2-03.4	34	10.8	06.1-15.5	3	0.5	00.0-01.3
White/Non-Hisp	421	223,734	155	36.5	30.2-42.8	211	45.9	39.2-52.6	13	3.8	01.3-06.3	13	2.0	00.2-03.8	28	11.3	05.8-16.8	1	0.5	00.0-01.5
Black or Afr. Am./Non-Hisp	113	55,574	45	39.5	26.6-52.4	51	48.0	33.5-62.5	5	1.9	00.0-04.1	4	1.1	00.0-02.3	6	8.9	00.9-16.9	2	0.6	00.0-01.6
45-54	86	54,964	37	41.4	27.9-54.9	36	37.8	25.1-50.5	2	2.1	00.0-05.6	2	3.6	00.0-10.1	9	15.1	04.7-25.5			
55-64	154	78,492	63	42.4	32.0-52.8	75	45.1	34.7-55.5	4	3.3	00.0-07.0	2	0.5	00.0-01.3	8	7.0	00.7-13.3	2	1.8	00.0-04.7
65+	258	104,635	84	33.6	25.8-41.4	140	55.8	47.4-64.2	12	5.6	01.3-09.9	12	1.8	00.4-03.2	9	3.1	00.9-05.3	1	0.1	00.0-00.3
Less Than H.S.	106	79,162	25	23.6	12.8-34.4	58	49.9	36.4-63.4	6	6.2	00.3-12.1	4	2.7	00.0-07.2	11	15.9	03.6-28.2	2	1.8	00.0-04.7
H.S. or G.E.D.	196	93,734	76	37.9	28.5-47.3	100	50.5	40.3-60.7	3	2.3	00.0-05.0	7	1.5	00.3-02.7	10	7.9	01.8-14.0			
Some Post-H.S.	147	70,338	57	43.4	33.0-53.8	73	42.4	32.2-52.6	5	2.9	00.0-05.8	3	0.3	00.0-00.7	9	10.9	03.5-18.3			
College Graduate	84	36,114	40	50.5	36.6-64.4	32	37.2	23.5-50.9	4	1.3	00.0-02.9	3	3.5	00.0-08.0	4	7.3	00.0-15.3	1	0.2	00.0-00.6
Less than \$15,000	115	46,799	36	29.7	17.4-42.0	67	59.7	46.0-73.4	2	2.2	00.0-06.3	7	5.7	00.0-13.5	2	2.2	00.0-05.1	1	0.6	00.0-01.8
\$15,000- 24,999	111	60,694	39	29.8	18.4-41.2	51	51.9	37.6-66.2	5	3.0	00.0-06.3	4	0.9	00.0-02.1	12	14.4	05.0-23.8			
\$35,000- 49,999	53	25,786	22	44.4	26.2-62.6	25	39.7	23.0-56.4	2	2.4	00.0-06.1	2	4.4	00.0-10.5	2	9.1	00.0-21.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	872	565,417	158	15.8	12.7-18.9	166	20.5	16.4-24.6	90	8.6	06.2-11.0	177	20.7	16.8-24.6	67	7.9	05.0-10.8	214	26.5	21.4-31.6
Male	316	270,690	45	11.5	07.2-15.8	79	24.9	17.6-32.2	33	7.8	04.5-11.1	63	20.4	14.1-26.7	25	8.4	03.5-13.3	71	27.1	18.5-35.7
Female	556	294,727	113	19.9	15.4-24.4	87	16.4	12.3-20.5	57	9.4	06.1-12.7	114	20.9	15.8-26.0	42	7.5	04.0-11.0	143	26.0	20.5-31.5
White/Non-Hisp	692	428,569	124	16.5	12.8-20.2	126	19.0	14.7-23.3	75	9.5	06.8-12.2	141	19.5	15.6-23.4	49	5.5	03.5-07.5	177	30.1	24.2-36.0
Black or Afr. Am./Non-Hisp	164	109,975	33	16.9	09.3-24.5	35	23.6	14.8-32.4	14	7.2	02.1-12.3	32	23.8	12.6-35.0	15	13.7	03.5-23.9	35	14.8	07.5-22.1
45-54	137	123,353	25	13.0	06.3-19.7	20	20.0	09.2-30.8	14	6.1	02.0-10.2	32	25.5	14.9-36.1	9	8.7	00.3-17.1	37	26.6	15.2-38.0
55-64	258	154,522	59	19.5	13.8-25.2	47	17.7	11.6-23.8	24	9.8	05.1-14.5	47	19.8	13.3-26.3	20	7.5	03.2-11.8	61	25.7	18.1-33.3
65+	411	200,050	65	17.6	11.9-23.3	83	23.6	17.9-29.3	47	10.7	06.6-14.8	88	21.0	15.7-26.3	31	6.8	03.5-10.1	97	20.4	15.3-25.5
Less Than H.S.	181	166,082	22	8.7	03.4-14.0	32	19.5	10.7-28.3	20	7.1	03.0-11.2	40	17.9	10.6-25.2	17	8.6	02.7-14.5	50	38.2	25.9-50.5
H.S. or G.E.D.	303	185,246	65	17.6	11.9-23.3	56	21.0	13.6-28.4	27	8.7	04.4-13.0	65	24.8	17.2-32.4	21	9.2	02.9-15.5	69	18.7	12.6-24.8
Some Post-H.S.	223	134,224	37	18.8	12.1-25.5	40	20.6	13.5-27.7	26	8.7	04.8-12.6	38	15.5	09.4-21.6	15	7.1	02.6-11.6	67	29.2	21.4-37.0
College Graduate	158	74,518	33	22.8	14.2-31.4	38	22.4	14.4-30.4	17	12.3	05.0-19.6	31	21.7	13.3-30.1	14	5.2	01.9-08.5	25	15.6	08.5-22.7
Less than \$15,000	161	92,028	20	6.9	02.8-11.0	21	10.1	04.0-16.2	17	6.5	02.2-10.8	37	21.6	11.4-31.8	20	20.6	07.3-33.9	46	34.3	17.6-51.0
\$15,000- 24,999	172	112,397	32	14.8	07.4-22.2	35	17.7	10.3-25.1	20	11.2	04.7-17.7	29	19.7	10.1-29.3	12	4.1	00.6-07.6	44	32.5	20.0-45.0
\$25,000- 34,999	83	57,892	21	25.1	12.0-38.2	12	23.2	06.3-40.1	8	6.0	01.1-10.9	16	14.7	04.7-24.7	1	2.9	00.0-08.4	25	28.0	14.1-41.9
\$35,000- 49,999	82	48,994	18	16.8	08.2-25.4	17	20.7	09.5-31.9	12	13.8	04.2-23.4	9	10.0	01.8-18.2	7	9.2	01.2-17.2	19	29.7	17.0-42.4
\$50,000- 74,999	66	39,560	10	16.0	05.0-27.0	16	22.7	11.3-34.1	4	12.3	00.9-23.7	15	22.7	10.4-35.0	3	3.4	00.0-08.3	18	22.9	10.7-35.1
\$75,000+	61	47,976	17	27.7	14.0-41.4	15	24.3	11.2-37.4	5	11.4	01.2-21.6	12	21.9	09.6-34.2	3	6.0	00.0-14.6	9	8.6	01.5-15.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	316	270,690	45	11.5	07.2-15.8	79	24.9	17.6-32.2	33	7.8	04.7-10.9	63	20.4	14.1-26.7	25	8.4	03.5-13.3	71	27.1	18.5-35.7
White/Non-Hisp	259	197,975	38	11.5	07.0-16.0	61	23.2	15.4-31.0	30	9.1	05.2-13.0	51	18.3	12.2-24.4	19	5.2	02.3-08.1	60	32.7	22.5-42.9
55-64	95	69,001	17	13.1	05.5-20.7	23	20.4	10.8-30.0	9	11.0	03.6-18.4	15	18.9	09.3-28.5	11	12.7	04.1-21.3	20	24.0	12.0-36.0
65+	150	94,596	19	14.7	06.7-22.7	41	28.0	18.4-37.6	18	10.6	04.5-16.7	33	22.9	14.1-31.7	10	4.6	01.1-08.1	29	19.2	11.2-27.2
Less Than H.S.	64	76,072	5	5.3	00.0-11.0	11	22.0	05.5-38.5	10	8.4	01.7-15.1	17	18.4	06.4-30.4	7	4.8	00.1-09.5	14	41.0	19.2-62.8
H.S. or G.E.D.	102	91,456	18	14.7	05.9-23.5	28	28.8	15.9-41.7	8	6.0	01.1-10.9	15	16.1	06.1-26.1	8	13.7	01.7-25.7	25	20.8	10.4-31.2
Some Post-H.S.	76	61,019	11	15.4	06.0-24.8	20	24.9	12.6-37.2	5	4.5	01.6-07.4	14	19.9	09.1-30.7	7	9.0	01.0-17.0	19	26.2	13.1-39.3
College Graduate	73	38,273	11	10.8	03.7-17.9	20	23.6	11.6-35.6	10	17.2	05.0-29.4	16	27.4	14.1-40.7	3	2.6	00.0-05.9	13	18.4	07.4-29.4
\$15,000- 24,999	58	51,197	9	9.7	02.3-17.1	11	16.2	04.0-28.4	6	9.4	01.0-17.8	13	19.1	06.2-32.0	3	1.6	00.0-03.6	16	44.0	23.0-65.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	556	294,727	113	19.9	15.4-24.4	87	16.4	12.3-20.5	57	9.4	06.1-12.7	114	20.9	15.8-26.0	42	7.5	04.0-11.0	143	26.0	20.5-31.5
White/Non-Hisp	433	230,594	86	20.8	15.3-26.3	65	15.3	10.8-19.8	45	9.8	06.1-13.5	90	20.5	15.4-25.6	30	5.8	03.3-08.3	117	27.8	21.3-34.3
Black or Afr. Am./Non-Hisp	118	58,938	26	17.5	09.5-25.5	21	21.6	11.8-31.4	11	8.1	01.6-14.6	24	24.3	10.2-38.4	10	7.4	00.5-14.3	26	21.1	09.7-32.5
45-54	90	56,576	19	17.6	07.8-27.4	12	14.8	05.0-24.6	11	11.6	03.6-19.6	20	26.7	14.5-38.9	7	7.0	00.9-13.1	21	22.3	11.3-33.3
55-64	163	85,521	42	24.8	16.8-32.8	24	15.5	07.9-23.1	15	8.8	03.1-14.5	32	20.5	11.9-29.1	9	3.3	00.6-06.0	41	27.1	16.9-37.3
65+	261	105,453	46	20.1	12.1-28.1	42	19.7	13.6-25.8	29	10.8	05.1-16.5	55	19.3	13.0-25.6	21	8.7	03.6-13.8	68	21.4	14.7-28.1
Less Than H.S.	117	90,010	17	11.6	03.4-19.8	21	17.3	09.1-25.5	10	6.1	01.2-11.0	23	17.4	08.6-26.2	10	11.7	02.1-21.3	36	35.9	22.6-49.2
H.S. or G.E.D.	201	93,791	47	20.5	13.2-27.8	28	13.4	06.5-20.3	19	11.4	04.3-18.5	50	33.3	22.3-44.3	13	4.8	01.7-07.9	44	16.6	09.7-23.5
Some Post-H.S.	147	73,205	26	21.7	12.7-30.7	20	17.0	09.2-24.8	21	12.3	06.2-18.4	24	11.9	05.8-18.0	8	5.5	00.8-10.2	48	31.6	22.0-41.2
College Graduate	85	36,245	22	35.4	21.3-49.5	18	21.2	10.8-31.6	7	7.1	00.0-14.2	15	15.7	06.1-25.3	11	7.9	02.2-13.6	12	12.6	03.8-21.4
Less than \$15,000	124	58,071	18	10.4	04.1-16.7	17	11.2	03.9-18.5	11	6.9	01.2-12.6	31	26.1	14.3-37.9	13	15.9	02.6-29.2	34	29.6	15.1-44.1
\$15,000- 24,999	114	61,200	23	19.1	07.9-30.3	24	19.0	10.8-27.2	14	12.7	03.7-21.7	16	20.2	06.1-34.3	9	6.2	00.0-12.5	28	22.9	12.1-33.7
\$35,000- 49,999	52	25,696	12	18.0	07.2-28.8	7	14.4	00.7-28.1	11	22.8	06.7-38.9	8	15.2	01.7-28.7	4	6.4	00.0-13.3	10	23.1	07.6-38.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	875	564,523	191	19.6	15.9-23.3	395	45.2	40.1-50.3	131	14.6	10.9-18.3	132	17.1	13.0-21.2	26	3.6	01.4-05.8
Male	321	272,631	70	21.0	14.9-27.1	156	46.4	38.2-54.6	44	12.6	06.5-18.7	42	16.0	09.3-22.7	9	3.9	00.2-07.6
Female	554	291,892	121	18.2	13.7-22.7	239	44.0	38.1-49.9	87	16.5	11.8-21.2	90	18.1	12.8-23.4	17	3.2	01.2-05.2
White/Non-Hisp	692	428,611	150	18.6	14.5-22.7	312	45.9	40.2-51.6	100	13.9	10.0-17.8	111	19.0	14.1-23.9	19	2.7	01.1-04.3
Black or Afr. Am./Non-Hisp	167	111,362	37	23.1	14.3-31.9	75	43.9	32.7-55.1	29	15.7	06.9-24.5	20	13.4	03.6-23.2	6	4.0	00.0-08.3
45-54	138	122,413	30	16.8	08.6-25.0	52	36.0	24.6-47.4	22	14.3	04.3-24.3	28	28.7	16.4-41.0	6	4.2	00.1-08.3
55-64	254	152,932	44	16.1	10.4-21.8	119	49.9	41.7-58.1	36	13.3	08.0-18.6	45	17.1	10.8-23.4	10	3.6	00.7-06.5
65+	417	205,605	108	27.1	20.8-33.4	196	50.3	43.6-57.0	60	12.4	08.7-16.1	48	9.5	05.6-13.4	5	0.7	00.0-01.5
Less Than H.S.	178	161,767	38	18.1	10.5-25.7	68	34.3	22.9-45.7	27	14.6	06.4-22.8	40	28.5	17.5-39.5	5	4.6	00.0-10.3
H.S. or G.E.D.	305	186,891	68	20.3	14.0-26.6	142	47.4	38.8-56.0	40	15.9	08.3-23.5	44	12.3	06.0-18.6	11	4.1	00.8-07.4
Some Post-H.S.	230	135,556	45	20.3	12.9-27.7	98	45.0	36.6-53.4	46	16.3	10.8-21.8	36	16.8	10.3-23.3	5	1.7	00.1-03.3
College Graduate	156	75,232	39	20.3	12.7-27.9	83	60.5	50.9-70.1	18	9.4	04.1-14.7	11	5.9	01.8-10.0	5	3.8	00.0-07.9
Less than \$15,000	156	85,428	33	13.3	06.4-20.2	51	39.0	22.7-55.3	30	13.4	06.5-20.3	36	31.8	17.5-46.1	6	2.5	00.0-05.4
\$15,000- 24,999	174	113,692	29	17.1	08.9-25.3	78	38.8	28.0-49.6	34	22.7	10.7-34.7	27	15.1	07.3-22.9	6	6.3	00.0-14.1
\$25,000- 34,999	89	64,296	22	24.0	11.5-36.5	34	33.5	20.4-46.6	18	24.1	08.4-39.8	13	17.0	04.7-29.3	2	1.4	00.0-03.4
\$35,000- 49,999	78	47,420	14	11.2	03.6-18.8	38	57.3	44.0-70.6	11	12.2	03.6-20.8	14	18.8	08.2-29.4	1	0.5	00.0-01.5
\$50,000- 74,999	65	38,705	18	28.8	14.7-42.9	36	55.9	41.0-70.8	6	8.8	00.2-17.4	4	4.0	00.0-08.5	1	2.5	00.0-07.4
\$75,000+	61	47,976	16	25.0	11.3-38.7	36	57.4	41.9-72.9	6	8.8	00.4-17.2	1	1.9	00.0-05.6	2	6.9	00.0-16.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	321	272,631	70	21.0	14.9-27.1	156	46.4	38.2-54.6	44	12.6	06.5-18.7	42	16.0	09.3-22.7	9	3.9	00.2-07.6
White/Non-Hisp	263	200,271	59	22.0	15.1-28.9	130	48.3	39.1-57.5	35	11.8	05.3-18.3	34	16.4	08.8-24.0	5	1.4	00.0-03.2
55-64	96	68,501	21	23.8	12.8-34.8	46	54.7	42.2-67.2	10	7.2	02.5-11.9	15	11.9	04.6-19.2	4	2.3	00.0-05.6
65+	154	97,666	33	26.6	16.6-36.6	80	49.7	39.3-60.1	24	11.8	06.3-17.3	16	11.4	04.5-18.3	1	0.5	00.0-01.5
Less Than H.S.	64	75,630	14	18.4	06.4-30.4	26	34.8	14.6-55.0	9	13.2	00.0-28.1	12	25.9	08.3-43.5	3	7.6	00.0-19.0
H.S. or G.E.D.	103	91,742	28	26.3	15.3-37.3	46	42.0	28.7-55.3	14	16.3	04.3-28.3	11	10.6	00.0-21.6	4	4.8	00.0-10.5
Some Post-H.S.	80	62,134	13	18.0	05.3-30.7	41	53.9	40.2-67.6	13	10.3	04.8-15.8	13	17.8	06.8-28.8			
College Graduate	73	39,254	15	20.6	08.4-32.8	42	62.2	48.3-76.1	8	7.8	00.9-14.7	6	7.8	01.3-14.3	2	1.6	00.0-04.3
\$15,000- 24,999	58	50,583	10	14.9	03.9-25.9	22	29.2	12.9-45.5	12	25.6	05.6-45.6	10	16.9	02.8-31.0	4	13.3	00.0-29.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	554	291,892	121	18.2	13.7-22.7	239	44.0	38.1-49.9	87	16.5	11.8-21.2	90	18.1	12.8-23.4	17	3.2	01.2-05.2
White/Non-Hisp	429	228,339	91	15.6	10.9-20.3	182	43.8	37.3-50.3	65	15.7	11.2-20.2	77	21.2	14.9-27.5	14	3.7	01.2-06.2
Black or Afr. Am./Non-Hisp	121	62,306	29	27.9	16.9-38.9	54	44.0	30.9-57.1	22	19.5	06.2-32.8	13	7.2	02.1-12.3	3	1.5	00.0-03.5
45-54	91	56,264	17	13.9	05.5-22.3	31	33.1	20.8-45.4	18	16.5	06.7-26.3	20	30.5	17.6-43.4	5	6.1	00.0-12.6
55-64	158	84,431	23	10.0	05.1-14.9	73	45.9	35.5-56.3	26	18.2	10.0-26.4	30	21.3	11.7-30.9	6	4.7	00.0-09.4
65+	263	107,938	75	27.6	19.6-35.6	116	50.9	42.3-59.5	36	12.9	08.0-17.8	32	7.8	03.5-12.1	4	0.8	00.0-01.8
Less Than H.S.	114	86,137	24	17.8	07.8-27.8	42	33.8	22.2-45.4	18	15.9	07.3-24.5	28	30.7	17.4-44.0	2	1.9	00.0-05.2
H.S. or G.E.D.	202	95,149	40	14.5	08.2-20.8	96	52.6	42.0-63.2	26	15.4	05.8-25.0	33	13.9	07.6-20.2	7	3.5	00.0-07.2
Some Post-H.S.	150	73,422	32	22.3	13.7-30.9	57	37.4	27.4-47.4	33	21.4	13.2-29.6	23	15.9	08.3-23.5	5	3.1	00.2-06.0
College Graduate	83	35,978	24	20.0	10.6-29.4	41	58.7	45.2-72.2	10	11.2	02.8-19.6	5	3.8	00.0-08.1	3	6.3	00.0-14.3
Less than \$15,000	119	53,028	26	14.3	06.7-21.9	43	39.9	26.6-53.2	20	14.3	05.9-22.7	26	29.8	15.1-44.5	4	1.7	00.0-03.9
\$15,000- 24,999	116	63,109	19	18.8	07.0-30.6	56	46.5	33.0-60.0	22	20.5	07.0-34.0	17	13.7	05.1-22.3	2	0.6	00.0-01.4
\$35,000- 49,999	50	25,334	9	8.0	01.7-14.3	20	46.6	28.4-64.8	10	21.1	06.4-35.8	10	23.5	07.8-39.2	1	0.9	00.0-02.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	894	577,732	166	16.8	13.5-20.1	728	83.2	79.9-86.5
Male	329	281,420	63	16.7	11.6-21.8	266	83.3	78.2-88.4
Female	565	296,312	103	16.9	12.4-21.4	462	83.1	78.6-87.6
White/Non-Hisp	709	438,965	130	17.0	13.1-20.9	579	83.0	79.1-86.9
Black or Afr. Am./Non-Hisp	169	114,216	33	18.8	10.4-27.2	136	81.2	72.8-89.6
45-54	139	125,514	33	24.3	14.3-34.3	106	75.7	65.7-85.7
55-64	260	156,146	48	16.0	10.5-21.5	212	84.0	78.5-89.5
65+	429	211,352	75	16.2	11.3-21.1	354	83.8	78.9-88.7
Less Than H.S.	184	168,603	42	18.4	10.8-26.0	142	81.6	74.0-89.2
H.S. or G.E.D.	314	191,455	63	17.4	11.9-22.9	251	82.6	77.1-88.1
Some Post-H.S.	230	135,869	33	15.8	08.9-22.7	197	84.2	77.3-91.1
College Graduate	159	76,459	26	13.7	06.8-20.6	133	86.3	79.4-93.2
Less than \$15,000	160	88,957	39	19.7	09.9-29.5	121	80.3	70.5-90.1
\$15,000- 24,999	178	115,403	43	23.8	14.8-32.8	135	76.2	67.2-85.2
\$25,000- 34,999	88	64,667	18	17.6	08.0-27.2	70	82.4	72.8-92.0
\$35,000- 49,999	81	48,776	5	7.5	00.0-15.5	76	92.5	84.5-0100
\$50,000- 74,999	67	40,058	8	7.9	01.0-14.8	59	92.1	85.2-99.0
\$75,000+	61	47,976	8	18.6	05.9-31.3	53	81.4	68.7-94.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	329	281,420	63	16.7	11.6-21.8	266	83.3	78.2-88.4
White/Non-Hisp	271	206,398	56	18.3	12.2-24.4	215	81.7	75.6-87.8
55-64	98	70,790	24	20.3	11.1-29.5	74	79.7	70.5-88.9
65+	160	101,970	24	14.9	07.8-22.0	136	85.1	78.0-92.2
Less Than H.S.	69	81,649	14	14.3	04.3-24.3	55	85.7	75.7-95.7
H.S. or G.E.D.	106	93,414	24	17.7	09.3-26.1	82	82.3	73.9-90.7
Some Post-H.S.	78	62,149	11	17.3	05.5-29.1	67	82.7	70.9-94.5
College Graduate	75	40,338	14	19.5	07.7-31.3	61	80.5	68.7-92.3
\$15,000- 24,999	59	51,681	13	16.3	05.3-27.3	46	83.7	72.7-94.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	565	296,312	103	16.9	12.4-21.4	462	83.1	78.6-87.6
White/Non-Hisp	438	232,567	74	15.9	10.8-21.0	364	84.1	79.0-89.2
Black or Afr. Am./Non-Hisp	123	62,498	26	19.8	09.8-29.8	97	80.2	70.2-90.2
45-54	91	56,700	23	31.1	17.8-44.4	68	68.9	55.6-82.2
55-64	162	85,356	24	12.3	05.8-18.8	138	87.7	81.2-94.2
65+	269	109,382	51	17.5	10.4-24.6	218	82.5	75.4-89.6
Less Than H.S.	115	86,955	28	22.3	11.5-33.1	87	77.7	66.9-88.5
H.S. or G.E.D.	208	98,041	39	17.1	10.0-24.2	169	82.9	75.8-90.0
Some Post-H.S.	152	73,720	22	14.5	06.7-22.3	130	85.5	77.7-93.3
College Graduate	84	36,121	12	7.4	02.5-12.3	72	92.6	87.7-97.5
Less than \$15,000	123	54,069	30	22.0	11.2-32.8	93	78.0	67.2-88.8
\$15,000- 24,999	119	63,721	30	29.9	17.0-42.8	89	70.1	57.2-83.0
\$35,000- 49,999	51	25,477	4	9.7	00.0-22.2	47	90.3	77.8-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	907	585,726	478	50.8	45.7-55.9	429	49.2	44.1-54.3
Male	332	282,563	172	49.0	41.0-57.0	160	51.0	43.0-59.0
Female	575	303,163	306	52.5	46.4-58.6	269	47.5	41.4-53.6
White/Non-Hisp	719	442,363	377	51.8	46.3-57.3	342	48.2	42.7-53.7
Black or Afr. Am./Non-Hisp	171	114,864	92	45.7	34.7-56.7	79	54.3	43.3-65.3
45-54	141	126,163	81	58.3	46.1-70.5	60	41.7	29.5-53.9
55-64	263	157,946	142	48.3	40.3-56.3	121	51.7	43.7-59.7
65+	435	212,479	217	48.9	42.2-55.6	218	51.1	44.4-57.8
Less Than H.S.	189	174,853	74	39.4	28.6-50.2	115	60.6	49.8-71.4
H.S. or G.E.D.	318	191,932	155	46.6	38.2-55.0	163	53.4	45.0-61.8
Some Post-H.S.	233	137,012	142	63.9	55.7-72.1	91	36.1	27.9-44.3
College Graduate	160	76,583	104	66.8	57.4-76.2	56	33.2	23.8-42.6
Less than \$15,000	165	93,835	84	40.5	27.0-54.0	81	59.5	46.0-73.0
\$15,000- 24,999	179	115,872	82	44.7	33.1-56.3	97	55.3	43.7-66.9
\$25,000- 34,999	91	66,484	45	55.2	40.5-69.9	46	44.8	30.1-59.5
\$35,000- 49,999	82	48,900	52	67.4	55.1-79.7	30	32.6	20.3-44.9
\$50,000- 74,999	67	40,058	46	57.9	42.8-73.0	21	42.1	27.0-57.2
\$75,000+	61	47,976	42	70.3	56.0-84.6	19	29.7	15.4-44.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	332	282,563	172	49.0	41.0-57.0	160	51.0	43.0-59.0
White/Non-Hisp	272	206,892	145	52.4	43.4-61.4	127	47.6	38.6-56.6
55-64	99	70,969	53	48.2	36.0-60.4	46	51.8	39.6-64.0
65+	161	102,465	77	42.2	32.4-52.0	84	57.8	48.0-67.6
Less Than H.S.	69	81,649	19	30.2	12.4-48.0	50	69.8	52.0-87.6
H.S. or G.E.D.	106	93,414	57	52.9	39.6-66.2	49	47.1	33.8-60.4
Some Post-H.S.	81	63,292	51	64.5	51.0-78.0	30	35.5	22.0-49.0
College Graduate	75	40,338	45	58.2	43.9-72.5	30	41.8	27.5-56.1
\$15,000- 24,999	60	52,151	25	42.4	23.0-61.8	35	57.6	38.2-77.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	575	303,163	306	52.5	46.4-58.6	269	47.5	41.4-53.6
White/Non-Hisp	447	235,471	232	51.3	44.6-58.0	215	48.7	42.0-55.4
Black or Afr. Am./Non-Hisp	123	62,498	70	53.5	40.0-67.0	53	46.5	33.0-60.0
45-54	93	57,349	55	59.8	46.9-72.7	38	40.2	27.3-53.1
55-64	164	86,977	89	48.3	38.1-58.5	75	51.7	41.5-61.9
65+	274	110,015	140	55.2	47.0-63.4	134	44.8	36.6-53.0
Less Than H.S.	120	93,204	55	47.4	34.7-60.1	65	52.6	39.9-65.3
H.S. or G.E.D.	212	98,519	98	40.5	30.9-50.1	114	59.5	49.9-69.1
Some Post-H.S.	152	73,720	91	63.3	53.5-73.1	61	36.7	26.9-46.5
College Graduate	85	36,245	59	76.2	64.8-87.6	26	23.8	12.4-35.2
Less than \$15,000	127	58,769	70	53.0	38.5-67.5	57	47.0	32.5-61.5
\$15,000- 24,999	119	63,721	57	46.5	32.8-60.2	62	53.5	39.8-67.2
\$35,000- 49,999	52	25,602	33	65.8	48.9-82.7	19	34.2	17.3-51.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DO YOU HAVE MEDICARE? (MEDICARE)	
1 MALES AND FEMALES	43
2 MALES ONLY	44
3 FEMALES ONLY	45
ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)	
4 MALES AND FEMALES	46
5 MALES ONLY	47
6 FEMALES ONLY	48
OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)	
7 MALES AND FEMALES	49
8 MALES ONLY	50
9 FEMALES ONLY	51
DELAYED GETTING MEDICAL CARE OTHER RESPONSE (DLYOTHER)	
10 MALES AND FEMALES	52
11 MALES ONLY	53
12 FEMALES ONLY	54
IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)	
13 MALES AND FEMALES	55
14 MALES ONLY	56
15 FEMALES ONLY	57
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)	
16 MALES AND FEMALES	58
17 MALES ONLY	59
18 FEMALES ONLY	60

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 4: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)	
19 MALES AND FEMALES	61
20 MALES ONLY	62
21 FEMALES ONLY	63
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)	
22 MALES AND FEMALES	64
23 MALES ONLY	65
24 FEMALES ONLY	66
IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY- (CARERCVD)	
25 MALES AND FEMALES	67
26 MALES ONLY	68
27 FEMALES ONLY	69
DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)	
28 MALES AND FEMALES	70
29 MALES ONLY	71
30 FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 1: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4871	3,911,026	2402	35.6	33.8-37.4	2469	64.4	62.6-66.2
Male	1713	1,792,307	805	34.9	32.0-37.8	908	65.1	62.2-68.0
Female	3158	2,118,719	1597	36.2	34.0-38.4	1561	63.8	61.6-66.0
White/Non-Hisp	4045	3,042,846	2039	36.9	34.9-38.9	2006	63.1	61.1-65.1
Black or Afr. Am./Non-Hisp	662	623,171	302	33.5	28.4-38.6	360	66.5	61.4-71.6
Oth. Race/Non-Hisp.	60	113,621	24	21.2	09.8-32.6	36	78.8	67.4-90.2
18-24	173	404,353	24	13.5	06.8-20.2	149	86.5	79.8-93.2
25-34	352	511,906	38	11.3	07.4-15.2	314	88.7	84.8-92.6
35-44	508	614,972	64	10.7	07.4-14.0	444	89.3	86.0-92.6
45-54	786	721,251	167	21.0	16.9-25.1	619	79.0	74.9-83.1
55-64	1097	686,818	290	25.0	21.5-28.5	807	75.0	71.5-78.5
65+	1900	937,057	1794	94.2	92.8-95.6	106	5.8	04.4-07.2
Less Than H.S.	566	579,204	437	61.9	55.4-68.4	129	38.1	31.6-44.6
H.S. or G.E.D.	1579	1,280,632	861	36.8	33.5-40.1	718	63.2	59.9-66.5
Some Post-H.S.	1303	1,122,991	613	32.0	28.9-35.1	690	68.0	64.9-71.1
College Graduate	1383	897,953	466	21.0	18.6-23.4	917	79.0	76.6-81.4
Less than \$15,000	530	329,374	368	59.8	53.1-66.5	162	40.2	33.5-46.9
\$15,000- 24,999	723	549,213	481	50.2	44.7-55.7	242	49.8	44.3-55.3
\$25,000- 34,999	443	350,285	238	42.2	35.7-48.7	205	57.8	51.3-64.3
\$35,000- 49,999	516	448,928	199	25.8	20.9-30.7	317	74.2	69.3-79.1
\$50,000- 74,999	502	441,543	138	20.1	16.0-24.2	364	79.9	75.8-84.0
\$75,000+	664	619,383	120	13.4	10.5-16.3	544	86.6	83.7-89.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 2: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1713	1,792,307	805	34.9	32.0-37.8	908	65.1	62.2-68.0
White/Non-Hisp	1470	1,407,848	693	34.6	31.5-37.7	777	65.4	62.3-68.5
Black or Afr. Am./Non-Hisp	180	262,922	86	38.5	28.9-48.1	94	61.5	51.9-71.1
18-24	60	192,122	10	18.6	06.1-31.1	50	81.4	68.9-93.9
25-34	126	217,379	10	9.7	03.4-16.0	116	90.3	84.0-96.6
35-44	200	286,031	24	10.1	04.6-15.6	176	89.9	84.4-95.4
45-54	275	344,829	57	23.0	16.1-29.9	218	77.0	70.1-83.9
55-64	395	333,333	102	25.2	19.3-31.1	293	74.8	68.9-80.7
65+	636	400,643	593	93.1	90.6-95.6	43	6.9	04.4-09.4
Less Than H.S.	191	255,949	142	60.8	50.4-71.2	49	39.2	28.8-49.6
H.S. or G.E.D.	514	603,332	261	35.8	30.1-41.5	253	64.2	58.5-69.9
Some Post-H.S.	428	479,530	198	31.7	26.4-37.0	230	68.3	63.0-73.6
College Graduate	567	437,274	195	21.1	17.6-24.6	372	78.9	75.4-82.4
Less than \$15,000	131	114,991	94	69.6	57.6-81.6	37	30.4	18.4-42.4
\$15,000- 24,999	225	242,132	152	47.3	37.9-56.7	73	52.7	43.3-62.1
\$25,000- 34,999	161	155,368	89	41.6	31.0-52.2	72	58.4	47.8-69.0
\$35,000- 49,999	195	218,476	75	26.7	18.9-34.5	120	73.3	65.5-81.1
\$50,000- 74,999	223	226,053	80	25.0	18.5-31.5	143	75.0	68.5-81.5
\$75,000+	311	319,816	66	16.1	11.4-20.8	245	83.9	79.2-88.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 3: DO YOU HAVE MEDICARE? (MEDICARE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3158	2,118,719	1597	36.2	34.0-38.4	1561	63.8	61.6-66.0
White/Non-Hisp	2575	1,634,998	1346	38.8	36.3-41.3	1229	61.2	58.7-63.7
Black or Afr. Am./Non-Hisp	482	360,249	216	29.9	24.4-35.4	266	70.1	64.6-75.6
18-24	113	212,231	14	8.9	03.8-14.0	99	91.1	86.0-96.2
25-34	226	294,526	28	12.5	07.4-17.6	198	87.5	82.4-92.6
35-44	308	328,941	40	11.2	06.9-15.5	268	88.8	84.5-93.1
45-54	511	376,422	110	19.2	14.5-23.9	401	80.8	76.1-85.5
55-64	702	353,486	188	24.7	20.6-28.8	514	75.3	71.2-79.4
65+	1264	536,414	1201	94.9	93.3-96.5	63	5.1	03.5-06.7
Less Than H.S.	375	323,255	295	62.9	54.9-70.9	80	37.1	29.1-45.1
H.S. or G.E.D.	1065	677,301	600	37.7	33.6-41.8	465	62.3	58.2-66.4
Some Post-H.S.	875	643,460	415	32.2	28.3-36.1	460	67.8	63.9-71.7
College Graduate	816	460,678	271	20.9	17.8-24.0	545	79.1	76.0-82.2
Less than \$15,000	399	214,383	274	54.5	46.9-62.1	125	45.5	37.9-53.1
\$15,000- 24,999	498	307,081	329	52.5	46.0-59.0	169	47.5	41.0-54.0
\$25,000- 34,999	282	194,918	149	42.6	34.8-50.4	133	57.4	49.6-65.2
\$35,000- 49,999	321	230,452	124	24.9	19.0-30.8	197	75.1	69.2-81.0
\$50,000- 74,999	279	215,490	58	14.9	09.8-20.0	221	85.1	80.0-90.2
\$75,000+	353	299,567	54	10.5	07.2-13.8	299	89.5	86.2-92.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 4: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4834	3,894,328	4289	91.3	90.3-92.3	53	1.0	00.6-01.4	1	0.0	00.0-00.0	491	7.7	06.7-08.7
Male	1696	1,790,953	1519	91.3	89.5-93.1	26	1.2	00.6-01.8	1	0.1	00.0-00.3	150	7.4	05.6-09.2
Female	3138	2,103,375	2770	91.2	90.0-92.4	27	0.8	00.4-01.2				341	8.0	06.8-09.2
White/Non-Hisp	4023	3,031,858	3592	91.4	90.2-92.6	46	0.9	00.5-01.3				385	7.6	06.4-08.8
Black or Afr. Am./Non-Hisp	659	620,582	563	90.3	87.8-92.8	6	1.2	00.0-02.4	1	0.2	00.0-00.6	89	8.2	05.8-10.6
Oth. Race/Non-Hisp.	60	113,621	52	90.9	82.5-99.3	1	1.6	00.0-04.7				7	7.6	00.0-15.4
18-24	171	397,856	164	96.8	94.3-99.3							7	3.2	00.7-05.7
25-34	349	507,448	332	95.7	93.3-98.1	2	0.5	00.0-01.5				15	3.8	01.6-06.0
35-44	510	616,594	471	91.8	88.7-94.9	6	1.1	00.1-02.1				33	7.1	04.0-10.2
45-54	781	725,681	730	93.9	91.5-96.3	6	0.6	00.0-01.2				45	5.5	03.1-07.9
55-64	1092	685,721	978	91.1	88.7-93.5	15	1.5	00.5-02.5				99	7.5	05.3-09.7
65+	1878	927,791	1565	84.1	81.7-86.5	24	1.5	00.7-02.3	1	0.1	00.0-00.3	288	14.2	12.0-16.4
Less Than H.S.	561	581,219	431	83.7	79.6-87.8	10	1.4	00.4-02.4				120	14.9	11.0-18.8
H.S. or G.E.D.	1567	1,276,543	1371	91.6	89.8-93.4	15	0.7	00.3-01.1	1	0.1	00.0-00.3	180	7.6	06.0-09.2
Some Post-H.S.	1289	1,109,739	1159	91.6	89.6-93.6	17	1.4	00.6-02.2				113	7.0	05.2-08.8
College Graduate	1380	897,369	1300	95.9	94.7-97.1	10	0.6	00.0-01.2				70	3.5	02.3-04.7
Less than \$15,000	524	328,088	412	84.6	80.5-88.7	7	1.2	00.0-02.6				105	14.2	10.3-18.1
\$15,000- 24,999	720	554,176	576	83.8	80.3-87.3	7	0.8	00.0-01.6				137	15.4	11.9-18.9
\$25,000- 34,999	443	350,285	382	87.6	83.5-91.7	5	1.0	00.0-02.4				56	11.4	07.5-15.3
\$35,000- 49,999	517	448,565	494	96.7	94.9-98.5	4	0.9	00.0-01.9	1	0.3	00.0-00.9	18	2.1	00.9-03.3
\$50,000- 74,999	502	441,543	486	96.2	93.5-98.9	5	1.1	00.1-02.1				11	2.7	00.2-05.2
\$75,000+	663	615,667	640	97.2	95.8-98.6	5	1.0	00.0-02.0				18	1.8	00.8-02.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 5: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			CURRENTLY covered by 3 health coverage plans			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1696	1,790,953	1519	91.3	89.5-93.1	26	1.2	00.6-01.8	1	0.1	00.0-00.3	150	7.4	05.6-09.2
White/Non-Hisp	1460	1,407,951	1318	91.6	89.6-93.6	20	0.9	00.3-01.5				122	7.5	05.5-09.5
Black or Afr. Am./Non-Hisp	178	262,717	151	91.1	87.0-95.2	5	2.6	00.0-05.3	1	0.5	00.0-01.5	21	5.8	02.7-08.9
18-24	60	192,122	57	96.7	92.4-0100							3	3.3	00.0-07.6
25-34	125	216,127	121	96.7	93.4-0100	1	1.1	00.0-03.3				3	2.2	00.0-04.7
35-44	201	286,978	186	91.7	86.4-97.0	3	1.1	00.0-02.7				12	7.1	02.0-12.2
45-54	273	349,914	252	92.4	88.1-96.7	2	0.6	00.0-01.6				19	7.0	02.9-11.1
55-64	392	332,492	350	90.5	86.4-94.6	10	2.3	00.5-04.1				32	7.2	03.5-10.9
65+	624	395,350	533	85.1	81.2-89.0	10	1.6	00.2-03.0	1	0.3	00.0-00.9	80	12.9	09.4-16.4
Less Than H.S.	189	261,487	154	84.8	77.9-91.7	5	2.1	00.0-04.3				30	13.1	06.4-19.8
H.S. or G.E.D.	506	599,877	444	92.1	89.6-94.6	5	0.3	00.1-00.5	1	0.2	00.0-00.6	56	7.4	04.9-09.9
Some Post-H.S.	425	477,303	375	90.1	86.6-93.6	9	2.3	00.5-04.1				41	7.7	04.6-10.8
College Graduate	564	436,109	536	96.6	95.0-98.2	7	0.9	00.0-01.9				21	2.5	01.1-03.9
Less than \$15,000	128	114,104	98	81.5	72.7-90.3	3	2.5	00.0-06.2				27	16.0	08.0-24.0
\$15,000- 24,999	226	247,776	171	83.7	77.8-89.6	4	0.7	00.0-01.5				51	15.6	09.9-21.3
\$25,000- 34,999	161	155,368	140	86.8	79.4-94.2	4	2.0	00.0-04.9				17	11.2	04.3-18.1
\$35,000- 49,999	194	217,939	181	95.1	92.0-98.2	3	1.6	00.0-03.6	1	0.6	00.0-01.8	9	2.8	00.6-05.0
\$50,000- 74,999	223	226,053	217	95.4	90.9-99.9	2	0.9	00.0-02.3				4	3.7	00.0-08.2
\$75,000+	311	319,710	304	98.3	96.7-99.9	2	0.7	00.0-01.9				5	1.0	00.0-02.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 6: ARE YOU CURRENTLY COVERED BY ANY OF THE FOLLOWING TYPES OF HEALTH INSURANCE OR HEALTH COVERAGE PLANS? SELECT ALL THAT APPLY (HLTHCVRG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		CURRENTLY covered by 1 health coverage plan			CURRENTLY covered by 2 health coverage plans			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3138	2,103,375	2770	91.2	90.0-92.4	27	0.8	00.4-01.2	341	8.0	06.8-09.2
White/Non-Hisp	2563	1,623,907	2274	91.3	89.9-92.7	26	0.9	00.5-01.3	263	7.7	06.3-09.1
Black or Afr. Am./Non-Hisp	481	357,865	412	89.8	86.7-92.9	1	0.3	00.0-00.9	68	10.0	06.9-13.1
18-24	111	205,734	107	97.0	94.1-99.9				4	3.0	00.1-05.9
25-34	224	291,320	211	94.9	91.8-98.0	1	0.1	00.0-00.3	12	5.0	01.9-08.1
35-44	309	329,616	285	91.8	87.9-95.7	3	1.1	00.0-02.5	21	7.0	03.3-10.7
45-54	508	375,767	478	95.3	93.3-97.3	4	0.6	00.0-01.2	26	4.1	02.1-06.1
55-64	700	353,229	628	91.6	89.2-94.0	5	0.7	00.0-01.5	67	7.7	05.3-10.1
65+	1254	532,441	1032	83.3	80.4-86.2	14	1.4	00.4-02.4	208	15.2	12.3-18.1
Less Than H.S.	372	319,732	277	82.8	78.1-87.5	5	0.8	00.0-01.6	90	16.4	11.7-21.1
H.S. or G.E.D.	1061	676,666	927	91.2	89.0-93.4	10	1.0	00.2-01.8	124	7.8	05.8-09.8
Some Post-H.S.	864	632,436	784	92.7	90.5-94.9	8	0.8	00.0-01.6	72	6.5	04.3-08.7
College Graduate	816	461,260	764	95.2	93.4-97.0	3	0.3	00.0-00.7	49	4.5	02.7-06.3
Less than \$15,000	396	213,983	314	86.2	81.9-90.5	4	0.6	00.0-01.4	78	13.2	08.9-17.5
\$15,000- 24,999	494	306,400	405	83.9	79.4-88.4	3	0.8	00.0-02.2	86	15.3	11.0-19.6
\$25,000- 34,999	282	194,918	242	88.3	83.8-92.8	1	0.1	00.0-00.3	39	11.6	07.1-16.1
\$35,000- 49,999	323	230,625	313	98.2	96.8-99.6	1	0.3	00.0-00.9	9	1.5	00.3-02.7
\$50,000- 74,999	279	215,490	269	97.1	94.6-99.6	3	1.3	00.0-02.9	7	1.6	00.0-03.6
\$75,000+	352	295,957	336	96.1	93.9-98.3	3	1.3	00.0-02.9	13	2.6	01.0-04.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 7: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5554	4,703,952	10	0.1	00.0-00.3	140	2.7	02.1-03.3	77	1.4	01.0-01.8	24	0.4	00.2-00.6	565	10.1	08.9-11.3	4738	85.1	83.7-86.5
Male	1993	2,230,441	4	0.1	00.0-00.3	34	2.2	01.2-03.2	27	1.2	00.6-01.8	6	0.3	00.1-00.5	136	7.7	05.9-09.5	1786	88.6	86.6-90.6
Female	3561	2,473,511	6	0.1	00.0-00.3	106	3.3	02.5-04.1	50	1.6	01.0-02.2	18	0.6	00.2-01.0	429	12.4	10.8-14.0	2952	82.0	80.2-83.8
White/Non-Hisp	4543	3,605,381	8	0.1	00.1-00.1	109	2.9	02.1-03.7	59	1.4	01.0-01.8	23	0.5	00.3-00.7	459	10.3	08.9-11.7	3885	84.8	83.2-86.4
Black or Afr. Am./Non-Hisp	802	756,843				22	2.2	01.0-03.4	14	1.8	00.6-03.0	1	0.1	00.0-00.3	88	8.6	06.1-11.1	677	87.4	84.5-90.3
Oth. Race/Non-Hisp.	75	147,964	1	1.0	00.0-03.0	3	2.6	00.0-06.7	1	0.8	00.0-02.4				6	9.1	01.1-17.1	64	86.4	77.2-95.6
18-24	230	550,907				10	3.6	01.1-06.1	2	0.7	00.0-01.7	2	0.5	00.0-01.5	20	8.4	04.3-12.5	196	86.7	81.8-91.6
25-34	481	733,933				10	1.8	00.6-03.0	10	2.1	00.5-03.7	2	0.4	00.0-01.0	54	10.7	07.4-14.0	405	84.9	81.2-88.6
35-44	618	762,396	1	0.1	00.0-00.3	13	2.3	00.7-03.9	15	1.9	00.7-03.1	3	0.5	00.0-01.3	81	12.8	09.3-16.3	505	82.4	78.5-86.3
45-54	958	872,916	2	0.1	00.0-00.3	38	4.1	02.5-05.7	12	1.1	00.3-01.9	5	0.3	00.1-00.5	148	15.0	11.9-18.1	753	79.3	75.8-82.8
55-64	1290	801,173	2	0.1	00.0-00.3	34	2.8	01.4-04.2	14	1.3	00.3-02.3	4	0.2	00.0-00.4	162	10.1	08.1-12.1	1074	85.4	82.9-87.9
65+	1917	945,241	5	0.4	00.0-00.8	30	1.5	00.7-02.3	22	1.2	00.6-01.8	8	0.5	00.1-00.9	99	4.4	03.2-05.6	1753	91.9	90.3-93.5
Less Than H.S.	688	785,183	1	0.1	00.0-00.3	16	2.3	00.9-03.7	8	1.1	00.1-02.1	4	0.5	00.0-01.3	85	16.1	11.8-20.4	574	79.8	75.3-84.3
H.S. or G.E.D.	1858	1,571,325	1	0.0	00.0-00.0	39	2.4	01.4-03.4	23	1.2	00.6-01.8	11	0.7	00.1-01.3	182	8.3	06.5-10.1	1602	87.4	85.2-89.6
Some Post-H.S.	1489	1,343,234	3	0.1	00.0-00.3	46	3.3	01.9-04.7	29	1.8	01.0-02.6				173	10.2	08.0-12.4	1238	84.5	82.0-87.0
College Graduate	1475	965,424	4	0.3	00.0-00.7	38	2.8	01.6-04.0	17	1.7	00.7-02.7	9	0.5	00.1-00.9	124	8.5	06.5-10.5	1283	86.2	83.8-88.6
Less than \$15,000	697	503,909	2	0.1	00.0-00.3	24	4.1	01.9-06.3	14	2.0	00.6-03.4	4	0.9	00.0-02.1	149	22.5	17.6-27.4	504	70.3	65.0-75.6
\$15,000- 24,999	917	770,294	1	0.0	00.0-00.0	28	3.0	01.4-04.6	11	1.3	00.3-02.3	5	0.4	00.0-00.8	130	15.7	12.0-19.4	742	79.6	75.7-83.5
\$25,000- 34,999	520	452,298	1	0.1	00.0-00.3	13	2.6	01.0-04.2	8	1.1	00.1-02.1	2	0.1	00.0-00.3	42	8.1	05.0-11.2	454	87.9	84.4-91.4
\$35,000- 49,999	555	514,490	1	0.2	00.0-00.6	22	4.6	02.2-07.0	10	1.7	00.3-03.1	3	0.4	00.0-01.0	42	6.5	03.4-09.6	477	86.6	82.5-90.7
\$50,000- 74,999	512	457,958	2	0.3	00.0-00.7	9	3.0	00.3-05.7	6	1.7	00.3-03.1	2	0.2	00.0-00.6	45	9.1	05.4-12.8	448	85.7	81.2-90.2
\$75,000+	680	637,178	1	0.2	00.0-00.6	15	2.4	00.8-04.0	10	2.2	00.6-03.8	1	0.2	00.0-00.6	44	6.2	04.0-08.4	609	88.8	85.9-91.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 8: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1993	2,230,441	4	0.1	00.0-00.3	34	2.2	01.2-03.2	27	1.2	00.6-01.8	6	0.3	00.1-00.5	136	7.7	05.9-09.5	1786	88.6	86.6-90.6
White/Non-Hisp	1679	1,713,978	2	0.0	00.0-00.0	29	2.2	01.2-03.2	23	1.3	00.7-01.9	6	0.3	00.0-00.7	116	7.9	05.9-09.9	1503	88.2	85.8-90.6
Black or Afr. Am./Non-Hisp	234	344,614				4	2.1	00.0-04.5	3	1.2	00.0-02.6				14	6.0	02.5-09.5	213	90.8	86.5-95.1
18-24	87	275,127				3	3.3	00.0-07.2	1	0.9	00.0-02.7				7	7.8	01.9-13.7	76	88.0	80.9-95.1
25-34	190	353,498				2	0.9	00.0-02.3	2	1.1	00.0-02.7				17	9.4	04.3-14.5	169	88.6	83.1-94.1
35-44	249	371,052				1	1.0	00.0-03.0	6	1.4	00.0-02.8	1	0.8	00.0-02.4	22	8.3	04.2-12.4	219	88.5	83.6-93.4
45-54	337	423,132				11	4.1	01.4-06.8	5	1.3	00.1-02.5	2	0.3	00.0-00.7	42	12.3	07.4-17.2	277	82.1	76.6-87.6
55-64	465	384,313	1	0.1	00.0-00.3	11	3.2	00.7-05.7	6	1.8	00.0-03.6				30	5.7	03.2-08.2	417	89.2	85.3-93.1
65+	644	405,349	3	0.6	00.0-01.4	6	0.6	00.0-01.2	7	0.8	00.2-01.4	3	0.3	00.0-00.7	17	2.8	01.0-04.6	608	94.9	92.7-97.1
Less Than H.S.	234	359,313				1	0.1	00.0-00.3	2	0.9	00.0-02.3	2	1.0	00.0-02.8	29	14.4	07.9-20.9	200	83.6	76.7-90.5
H.S. or G.E.D.	639	774,581	1	0.0	00.0-00.0	12	2.4	00.6-04.2	8	0.7	00.1-01.3	2	0.2	00.0-00.4	42	5.6	03.6-07.6	574	91.2	88.5-93.9
Some Post-H.S.	502	605,929	1	0.1	00.0-00.3	8	2.6	00.4-04.8	12	2.1	00.5-03.7				35	7.8	04.5-11.1	446	87.4	83.3-91.5
College Graduate	602	466,503	2	0.4	00.0-01.0	12	2.9	00.9-04.9	5	1.3	00.0-02.7	2	0.2	00.0-00.4	30	6.0	03.1-08.9	551	89.2	85.5-92.9
Less than \$15,000	186	194,877	1	0.2	00.0-00.6	3	2.5	00.0-05.8	3	1.4	00.0-03.4	1	1.6	00.0-04.7	34	19.8	11.8-27.8	144	74.6	65.6-83.6
\$15,000- 24,999	305	371,606				6	2.5	00.1-04.9	6	1.0	00.0-02.0				36	13.9	07.8-20.0	257	82.6	76.1-89.1
\$25,000- 34,999	196	218,756	1	0.2	00.0-00.6	2	1.1	00.0-02.9	1	0.1	00.0-00.3	2	0.3	00.0-00.7	12	6.8	02.1-11.5	178	91.6	86.5-96.7
\$35,000- 49,999	217	262,916				6	4.1	00.4-07.8	4	2.1	00.0-04.5				10	4.2	01.3-07.1	197	89.7	84.4-95.0
\$50,000- 74,999	227	229,696	1	0.2	00.0-00.6	3	3.8	00.0-08.5	3	1.9	00.0-04.1	1	0.4	00.0-01.2	11	5.6	01.5-09.7	208	88.1	81.6-94.6
\$75,000+	321	332,524	1	0.5	00.0-01.5	6	2.3	00.3-04.3	5	2.4	00.0-04.8				13	4.0	01.3-06.7	296	90.8	86.7-94.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 9: OTHER THAN COST, THERE ARE MANY OTHER REASONS PEOPLE DELAY GETTING NEEDED MEDICAL CARE. HAVE YOU DELAYED GETTING NEEDED MEDICAL CARE FOR ANY OF THE FOLLOWING REASONS IN THE PAST 12 MONTHS? SELECT THE MOST IMPORTANT REASON. (DELAYMED)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Couldn't get through on the telephone			Couldn't get an appointment soon enough			Upon arrival, the waiting line too long			Clinic or Doctor's office wasn't open			Didn't have transportation or Other			No, did not delay did not need medical attention		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3561	2,473,511	6	0.1	00.0-00.3	106	3.3	02.5-04.1	50	1.6	01.0-02.2	18	0.6	00.2-01.0	429	12.4	10.8-14.0	2952	82.0	80.2-83.8
White/Non-Hisp	2864	1,891,403	6	0.2	00.0-00.4	80	3.5	02.5-04.5	36	1.5	00.9-02.1	17	0.7	00.3-01.1	343	12.4	10.6-14.2	2382	81.8	79.8-83.8
Black or Afr. Am./Non-Hisp	568	412,229				18	2.2	00.8-03.6	11	2.3	00.3-04.3	1	0.1	00.0-00.3	74	10.8	07.3-14.3	464	84.6	80.5-88.7
18-24	143	275,780				7	3.9	00.8-07.0	1	0.6	00.0-01.8	2	1.0	00.0-03.0	13	9.1	03.0-15.2	120	85.4	78.5-92.3
25-34	291	380,436				8	2.6	00.6-04.6	8	3.1	00.7-05.5	2	0.8	00.0-02.0	37	11.9	07.8-16.0	236	81.5	76.4-86.6
35-44	369	391,343	1	0.2	00.0-00.6	12	3.7	01.3-06.1	9	2.3	00.5-04.1	2	0.3	00.0-00.9	59	17.0	11.3-22.7	286	76.5	70.4-82.6
45-54	621	449,784	2	0.3	00.0-00.7	27	4.1	02.1-06.1	7	1.0	00.2-01.8	3	0.3	00.0-00.7	106	17.6	13.5-21.7	476	76.7	72.4-81.0
55-64	825	416,860	1	0.1	00.0-00.3	23	2.5	01.1-03.9	8	0.9	00.0-01.9	4	0.4	00.0-00.8	132	14.2	11.3-17.1	657	82.0	78.7-85.3
65+	1273	539,892	2	0.2	00.0-00.6	24	2.2	00.8-03.6	15	1.5	00.5-02.5	5	0.7	00.1-01.3	82	5.6	04.0-07.2	1145	89.7	87.3-92.1
Less Than H.S.	454	425,870	1	0.2	00.0-00.6	15	4.2	01.7-06.7	6	1.3	00.1-02.5	2	0.2	00.0-00.4	56	17.6	11.9-23.3	374	76.6	70.5-82.7
H.S. or G.E.D.	1219	796,744				27	2.5	01.3-03.7	15	1.6	00.4-02.8	9	1.2	00.2-02.2	140	11.0	08.3-13.7	1028	83.7	80.6-86.8
Some Post-H.S.	987	737,305	2	0.2	00.0-00.4	38	3.9	02.3-05.5	17	1.6	00.6-02.6				138	12.2	09.5-14.9	792	82.1	79.0-85.2
College Graduate	873	498,921	2	0.2	00.0-00.6	26	2.8	01.2-04.4	12	2.0	00.6-03.4	7	0.8	00.0-01.6	94	10.8	08.3-13.3	732	83.4	80.3-86.5
Less than \$15,000	511	309,032	1	0.1	00.0-00.3	21	5.2	02.5-07.9	11	2.5	00.7-04.3	3	0.5	00.0-01.1	115	24.2	18.3-30.1	360	67.6	61.3-73.9
\$15,000- 24,999	612	398,689	1	0.1	00.0-00.3	22	3.5	01.3-05.7	5	1.5	00.0-03.1	5	0.7	00.0-01.5	94	17.3	13.0-21.6	485	76.8	71.9-81.7
\$25,000- 34,999	324	233,543				11	4.1	01.4-06.8	7	2.0	00.0-04.0				30	9.3	05.4-13.2	276	84.5	79.6-89.4
\$35,000- 49,999	338	251,574	1	0.4	00.0-01.2	16	5.2	02.1-08.3	6	1.3	00.0-02.7	3	0.9	00.0-01.9	32	9.0	03.7-14.3	280	83.3	77.2-89.4
\$50,000- 74,999	285	228,262	1	0.4	00.0-01.2	6	2.2	00.0-04.6	3	1.4	00.0-03.0	1	0.1	00.0-00.3	34	12.7	06.6-18.8	240	83.3	76.8-89.8
\$75,000+	359	304,653				9	2.4	00.0-04.8	5	2.1	00.1-04.1	1	0.3	00.0-00.9	31	8.6	05.3-11.9	313	86.6	82.3-90.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 13: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4884	3,921,621	244	5.8	04.8-06.8	4640	94.2	93.2-95.2
Male	1716	1,799,564	71	5.5	03.9-07.1	1645	94.5	92.9-96.1
Female	3168	2,122,057	173	6.1	04.9-07.3	2995	93.9	92.7-95.1
White/Non-Hisp	4058	3,052,820	190	5.4	04.4-06.4	3868	94.6	93.6-95.6
Black or Afr. Am./Non-Hisp	663	623,846	45	8.0	04.7-11.3	618	92.0	88.7-95.3
Oth. Race/Non-Hisp.	60	113,621	2	4.6	00.0-11.7	58	95.4	88.3-0100
18-24	173	404,353	23	11.7	06.4-17.0	150	88.3	83.0-93.6
25-34	354	512,915	38	10.6	06.7-14.5	316	89.4	85.5-93.3
35-44	509	614,688	38	5.8	03.4-08.2	471	94.2	91.8-96.6
45-54	788	727,478	48	5.8	03.6-08.0	740	94.2	92.0-96.4
55-64	1099	689,153	53	4.1	02.7-05.5	1046	95.9	94.5-97.3
65+	1905	938,299	43	2.3	01.5-03.1	1862	97.7	96.9-98.5
Less Than H.S.	568	585,406	21	3.9	01.7-06.1	547	96.1	93.9-98.3
H.S. or G.E.D.	1585	1,283,069	93	6.5	04.5-08.5	1492	93.5	91.5-95.5
Some Post-H.S.	1305	1,123,661	80	7.4	05.2-09.6	1225	92.6	90.4-94.8
College Graduate	1386	899,240	49	4.5	02.9-06.1	1337	95.5	93.9-97.1
Less than \$15,000	531	329,976	46	7.8	04.7-10.9	485	92.2	89.1-95.3
\$15,000- 24,999	725	556,108	53	10.7	07.2-14.2	672	89.3	85.8-92.8
\$25,000- 34,999	443	350,285	27	9.0	04.5-13.5	416	91.0	86.5-95.5
\$35,000- 49,999	519	450,131	27	6.3	02.8-09.8	492	93.7	90.2-97.2
\$50,000- 74,999	502	441,543	20	5.5	02.6-08.4	482	94.5	91.6-97.4
\$75,000+	666	621,427	13	2.4	00.8-04.0	653	97.6	96.0-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 14: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1716	1,799,564	71	5.5	03.9-07.1	1645	94.5	92.9-96.1
White/Non-Hisp	1474	1,415,159	60	5.2	03.6-06.8	1414	94.8	93.2-96.4
Black or Afr. Am./Non-Hisp	180	262,922	8	7.0	01.1-12.9	172	93.0	87.1-98.9
18-24	60	192,122	9	14.3	04.7-23.9	51	85.7	76.1-95.3
25-34	126	217,379	10	10.0	03.3-16.7	116	90.0	83.3-96.7
35-44	200	285,071	12	3.7	01.2-06.2	188	96.3	93.8-98.8
45-54	277	351,055	13	4.7	01.6-07.8	264	95.3	92.2-98.4
55-64	396	335,269	14	3.8	01.4-06.2	382	96.2	93.8-98.6
65+	636	400,697	13	2.3	00.7-03.9	623	97.7	96.1-99.3
Less Than H.S.	192	261,897	5	2.9	00.2-05.6	187	97.1	94.4-99.8
H.S. or G.E.D.	516	604,557	31	6.7	03.6-09.8	485	93.3	90.2-96.4
Some Post-H.S.	428	479,530	17	6.3	02.8-09.8	411	93.7	90.2-97.2
College Graduate	567	437,358	18	4.6	01.9-07.3	549	95.4	92.7-98.1
Less than \$15,000	131	114,991	8	4.4	00.0-09.1	123	95.6	90.9-0100
\$15,000- 24,999	227	249,027	18	10.9	05.0-16.8	209	89.1	83.2-95.0
\$25,000- 34,999	161	155,368	9	12.4	03.6-21.2	152	87.6	78.8-96.4
\$35,000- 49,999	195	218,476	8	6.2	00.1-12.3	187	93.8	87.7-99.9
\$50,000- 74,999	223	226,053	9	4.8	01.5-08.1	214	95.2	91.9-98.5
\$75,000+	313	321,860	6	2.7	00.3-05.1	307	97.3	94.9-99.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 15: IN THE PAST 12 MONTHS WAS THERE ANY TIME WHEN YOU DID NOT HAVE ANY HEALTH INSURANCE OR COVERAGE? (NOCOV121)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3168	2,122,057	173	6.1	04.9-07.3	2995	93.9	92.7-95.1
White/Non-Hisp	2584	1,637,661	130	5.6	04.4-06.8	2454	94.4	93.2-95.6
Black or Afr. Am./Non-Hisp	483	360,924	37	8.8	05.1-12.5	446	91.2	87.5-94.9
18-24	113	212,231	14	9.2	04.1-14.3	99	90.8	85.7-95.9
25-34	228	295,536	28	11.1	06.4-15.8	200	88.9	84.2-93.6
35-44	309	329,616	26	7.5	03.6-11.4	283	92.5	88.6-96.4
45-54	511	376,422	35	6.8	03.9-09.7	476	93.2	90.3-96.1
55-64	703	353,884	39	4.3	02.7-05.9	664	95.7	94.1-97.3
65+	1269	537,602	30	2.2	01.2-03.2	1239	97.8	96.8-98.8
Less Than H.S.	376	323,509	16	4.6	01.7-07.5	360	95.4	92.5-98.3
H.S. or G.E.D.	1069	678,512	62	6.2	04.0-08.4	1007	93.8	91.6-96.0
Some Post-H.S.	877	644,130	63	8.2	05.7-10.7	814	91.8	89.3-94.3
College Graduate	819	461,881	31	4.3	02.3-06.3	788	95.7	93.7-97.7
Less than \$15,000	400	214,985	38	9.5	05.6-13.4	362	90.5	86.6-94.4
\$15,000- 24,999	498	307,081	35	10.6	06.1-15.1	463	89.4	84.9-93.9
\$25,000- 34,999	282	194,918	18	6.3	02.6-10.0	264	93.7	90.0-97.4
\$35,000- 49,999	324	231,655	19	6.5	03.0-10.0	305	93.5	90.0-97.0
\$50,000- 74,999	279	215,490	11	6.3	01.2-11.4	268	93.7	88.6-98.8
\$75,000+	353	299,567	7	2.1	00.1-04.1	346	97.9	95.9-99.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 16: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	689	786,160	82	11.3	08.0-14.6	53	7.7	05.0-10.4	136	20.9	16.6-25.2	355	49.5	44.2-54.8	63	10.6	07.3-13.9
Male	284	432,205	29	8.2	04.1-12.3	18	7.5	03.4-11.6	58	20.6	14.3-26.9	141	50.8	43.0-58.6	38	12.9	07.8-18.0
Female	405	353,956	53	15.0	09.9-20.1	35	8.0	04.9-11.1	78	21.2	15.5-26.9	214	47.9	41.4-54.4	25	7.8	03.7-11.9
White/Non-Hisp	514	569,284	60	9.9	06.6-13.2	39	7.5	04.6-10.4	97	21.8	16.5-27.1	273	51.3	45.2-57.4	45	9.5	05.8-13.2
Black or Afr. Am./Non-Hisp	135	130,516	14	15.7	04.7-26.7	10	6.5	00.8-12.2	36	24.7	14.7-34.7	65	45.0	33.2-56.8	10	8.2	02.3-14.1
25-34	129	224,675	17	12.6	05.2-20.0	14	8.6	03.7-13.5	35	25.2	16.0-34.4	57	47.5	36.5-58.5	6	6.0	00.1-11.9
35-44	112	152,177	10	6.6	02.3-10.9	10	9.2	02.1-16.3	17	9.2	04.1-14.3	61	59.9	48.7-71.1	14	15.0	06.2-23.8
45-54	178	152,781	15	6.6	02.5-10.7	8	2.5	00.3-04.7	30	15.7	08.8-22.6	111	65.0	56.0-74.0	14	10.2	04.3-16.1
55-64	195	114,414	21	9.1	04.6-13.6	14	6.8	02.3-11.3	36	19.6	12.2-27.0	105	47.6	38.4-56.8	19	17.0	08.4-25.6
Less Than H.S.	124	204,741	11	9.0	01.6-16.4	8	5.2	00.3-10.1	19	16.2	07.6-24.8	71	53.0	41.4-64.6	15	16.6	07.4-25.8
H.S. or G.E.D.	285	293,473	31	12.5	07.0-18.0	21	7.2	03.1-11.3	44	15.5	09.8-21.2	159	55.2	47.4-63.0	30	9.6	05.5-13.7
Some Post-H.S.	183	221,650	28	10.3	05.4-15.2	20	11.7	05.6-17.8	49	32.1	22.1-42.1	77	40.4	30.0-50.8	9	5.6	00.3-10.9
College Graduate	95	63,103	12	17.6	07.2-28.0	4	4.5	00.0-09.6	23	21.8	12.0-31.6	48	46.0	33.3-58.7	8	10.1	01.7-18.5
Less than \$15,000	171	178,593	16	13.8	05.0-22.6	15	8.6	03.1-14.1	23	14.1	05.7-22.5	101	49.9	39.1-60.7	16	13.7	05.5-21.9
\$15,000- 24,999	199	226,933	31	12.8	07.3-18.3	13	4.6	00.3-08.9	42	20.7	12.9-28.5	103	53.9	44.1-63.7	10	8.0	01.5-14.5
\$25,000- 34,999	80	101,117	6	5.2	00.7-09.7	10	15.9	04.9-26.9	19	24.8	11.7-37.9	36	43.5	29.0-58.0	9	10.5	02.1-18.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 17: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	284	432,205	29	8.2	04.1-12.3	18	7.5	03.4-11.6	58	20.6	14.5-26.7	141	50.8	43.2-58.4	38	12.9	07.8-18.0
White/Non-Hisp	218	307,324	27	8.6	04.7-12.5	14	7.0	02.5-11.5	45	22.1	15.0-29.2	107	50.6	42.0-59.2	25	11.7	05.8-17.6
25-34	65	138,715	9	13.3	02.5-24.1	4	4.4	00.0-08.9	16	22.5	11.1-33.9	33	52.8	37.7-67.9	3	7.0	00.0-15.6
35-44	50	87,736	3	2.9	00.0-06.2	4	10.3	00.0-21.1	4	4.1	00.0-09.0	29	60.9	45.0-76.8	10	21.9	08.2-35.6
45-54	65	78,416	6	4.5	00.0-09.2	1	0.5	00.0-01.5	12	15.3	04.7-25.9	37	63.4	49.1-77.7	9	16.4	05.8-27.0
55-64	68	47,926	6	6.9	01.0-12.8	4	7.1	00.0-15.3	16	26.3	13.4-39.2	32	42.2	27.5-56.9	10	17.6	04.9-30.3
H.S. or G.E.D.	122	167,335	13	8.4	03.1-13.7	7	7.9	01.6-14.2	18	16.6	08.0-25.2	66	55.8	45.0-66.6	18	11.3	05.4-17.2
Some Post-H.S.	76	133,890	9	6.5	01.6-11.4	7	9.8	01.4-18.2	21	32.4	18.5-46.3	33	44.0	28.9-59.1	6	7.4	00.0-16.0
Less than \$15,000	58	82,795	7	14.6	00.0-30.3	5	8.2	00.0-17.2	8	15.6	00.3-30.9	29	43.3	26.1-60.5	9	18.2	04.5-31.9
\$15,000- 24,999	85	135,363	11	8.9	02.4-15.4	4	5.3	00.0-12.2	19	20.8	09.4-32.2	41	51.6	37.3-65.9	10	13.5	03.1-23.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 18: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST HAD HEALTH CARE COVERAGE? (LSTCOVRG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		6 months or less			More than 6 months, but LT 1 year ago			More than 1 year, but LT 3 years ago			More than 3 years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	405	353,956	53	15.0	09.9-20.1	35	8.0	04.9-11.1	78	21.2	15.5-26.9	214	47.9	41.4-54.4	25	7.8	03.7-11.9
White/Non-Hisp	296	261,960	33	11.4	05.9-16.9	25	8.1	04.4-11.8	52	21.5	14.4-28.6	166	52.0	44.4-59.6	20	7.0	03.3-10.7
Black or Afr. Am./Non-Hisp	86	52,370	13	25.6	12.5-38.7	8	7.2	01.3-13.1	24	31.3	18.2-44.4	39	33.3	21.3-45.3	2	2.5	00.0-06.0
25-34	64	85,960	8	11.5	03.3-19.7	10	15.5	05.7-25.3	19	29.6	16.9-42.3	24	38.9	25.2-52.6	3	4.4	00.0-10.1
35-44	62	64,441	7	11.6	02.6-20.6	6	7.8	00.5-15.1	13	16.3	06.5-26.1	32	58.6	43.7-73.5	4	5.7	00.0-11.8
45-54	113	74,365	9	8.9	02.2-15.6	7	4.7	00.6-08.8	18	16.1	07.7-24.5	74	66.7	55.9-77.5	5	3.6	00.0-07.3
55-64	127	66,488	15	10.7	04.6-16.8	10	6.6	01.7-11.5	20	14.7	07.1-22.3	73	51.5	39.5-63.5	9	16.5	05.1-27.9
Less Than H.S.	76	101,370	8	8.9	01.6-16.2	6	5.5	00.0-11.2	12	21.5	07.4-35.6	45	53.4	38.3-68.5	5	10.6	00.0-21.6
H.S. or G.E.D.	163	126,138	18	17.9	07.7-28.1	14	6.3	01.8-10.8	26	14.1	07.2-21.0	93	54.4	43.6-65.2	12	7.3	02.4-12.2
Some Post-H.S.	107	87,759	19	16.0	07.2-24.8	13	14.6	06.2-23.0	28	31.7	20.3-43.1	44	35.0	24.0-46.0	3	2.8	00.0-06.1
College Graduate	58	38,041	8	19.9	06.4-33.4	2	5.0	00.0-12.1	11	18.6	06.4-30.8	32	42.5	26.4-58.6	5	14.0	01.1-26.9
Less than \$15,000	113	95,798	9	13.0	03.6-22.4	10	9.0	02.3-15.7	15	12.7	04.7-20.7	72	55.6	42.7-68.5	7	9.8	00.0-20.0
\$15,000- 24,999	114	91,570	20	18.5	09.3-27.7	9	3.7	00.6-06.8	23	20.5	11.1-29.9	62	57.3	45.5-69.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 19: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5807	5,028,159	4645	78.2	76.6-79.8	194	3.2	02.6-03.8	31	0.6	00.2-01.0	33	0.7	00.3-01.1	394	5.8	05.0-06.6	510	11.6	10.2-13.0
Male	2119	2,419,711	1682	76.1	73.4-78.8	72	3.0	02.0-04.0	12	0.3	00.1-00.5	17	1.1	00.5-01.7	83	3.8	02.6-05.0	253	15.7	13.3-18.1
Female	3688	2,608,447	2963	80.1	78.1-82.1	122	3.3	02.5-04.1	19	0.7	00.1-01.3	16	0.4	00.2-00.6	311	7.6	06.4-08.8	257	7.8	06.4-09.2
White/Non-Hisp	4750	3,838,957	3789	78.1	76.3-79.9	167	3.3	02.7-03.9	20	0.4	00.2-00.6	27	0.6	00.2-01.0	328	5.9	04.9-06.9	419	11.8	10.2-13.4
Black or Afr. Am./Non-Hisp	825	790,633	670	81.2	77.1-85.3	18	2.3	00.9-03.7	10	0.9	00.3-01.5	5	1.1	00.0-02.3	55	5.7	03.5-07.9	67	8.9	05.6-12.2
Oth. Race/Non-Hisp.	85	168,940	69	71.4	56.7-86.1	1	1.1	00.0-03.3						4	4.9	00.0-11.0	11	22.7	08.2-37.2	
18-24	264	625,817	209	75.3	68.8-81.8	4	1.4	00.0-02.8	2	0.7	00.0-01.7	1	0.4	00.0-01.2	12	5.0	01.3-08.7	36	17.2	11.3-23.1
25-34	557	841,942	403	69.8	64.9-74.7	21	3.3	01.7-04.9	3	0.4	00.0-00.8	7	0.7	00.1-01.3	33	6.3	03.8-08.8	90	19.5	14.8-24.2
35-44	654	820,678	512	76.3	72.0-80.6	30	4.6	02.6-06.6	3	0.9	00.0-02.3	4	1.0	00.0-02.2	26	4.1	01.9-06.3	79	13.1	09.8-16.4
45-54	991	907,623	790	79.6	76.1-83.1	34	3.3	01.9-04.7	6	0.5	00.1-00.9	7	1.5	00.1-02.9	51	3.8	02.4-05.2	103	11.4	08.5-14.3
55-64	1329	828,750	1074	82.5	80.0-85.0	51	3.5	02.3-04.7	9	0.4	00.0-00.8	7	0.4	00.0-00.8	75	5.2	03.6-06.8	113	7.9	05.9-09.9
65+	1954	967,352	1613	83.9	81.7-86.1	51	2.6	01.6-03.6	8	0.6	00.2-01.0	7	0.3	00.1-00.5	194	9.5	07.5-11.5	81	3.2	02.2-04.2
Less Than H.S.	707	817,962	518	72.9	68.0-77.8	21	4.1	01.9-06.3	5	0.8	00.0-01.6	5	1.8	00.0-03.6	101	10.8	07.5-14.1	57	9.5	06.2-12.8
H.S. or G.E.D.	1926	1,660,387	1501	75.4	72.5-78.3	61	2.8	01.8-03.8	13	0.6	00.2-01.0	7	0.4	00.0-00.8	148	6.1	04.5-07.7	196	14.7	12.0-17.4
Some Post-H.S.	1552	1,445,153	1256	79.6	76.5-82.7	66	3.6	02.6-04.6	5	0.5	00.0-01.3	15	0.6	00.2-01.0	83	4.3	02.9-05.7	127	11.5	08.8-14.2
College Graduate	1579	1,066,577	1343	85.2	82.8-87.6	45	2.6	01.6-03.6	8	0.3	00.1-00.5	6	0.5	00.1-00.9	53	2.7	01.7-03.7	124	8.7	06.9-10.5
Less than \$15,000	730	545,524	545	71.5	66.2-76.8	28	4.0	01.8-06.2	8	0.8	00.2-01.4	5	1.9	00.0-04.1	76	9.4	05.7-13.1	68	12.4	08.5-16.3
\$15,000- 24,999	960	829,193	756	75.4	71.1-79.7	33	3.6	02.0-05.2	7	0.7	00.1-01.3	6	1.0	00.0-02.2	63	6.4	04.2-08.6	95	12.9	09.2-16.6
\$25,000- 34,999	542	480,938	417	72.4	66.7-78.1	26	4.0	02.2-05.8	1	0.1	00.0-00.3	5	0.8	00.0-01.6	26	4.7	02.3-07.1	67	18.0	12.5-23.5
\$35,000- 49,999	593	555,878	489	79.4	74.3-84.5	28	4.9	02.5-07.3	4	1.3	00.0-03.5	3	0.3	00.0-00.7	19	1.7	00.7-02.7	50	12.4	08.1-16.7
\$50,000- 74,999	548	506,967	460	82.7	78.0-87.4	28	4.5	02.5-06.5	2	0.1	00.0-00.3	2	0.3	00.0-00.7	17	2.7	00.9-04.5	39	9.7	05.4-14.0
\$75,000+	729	703,942	648	89.7	87.0-92.4	9	0.9	00.1-01.7	1	0.0	00.0-00.0	3	0.4	00.0-01.0	16	2.0	00.8-03.2	52	7.0	04.5-09.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 20: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2119	2,419,711	1682	76.1	73.4-78.8	72	3.0	02.0-04.0	12	0.3	00.1-00.5	17	1.1	00.5-01.7	83	3.8	02.6-05.0	253	15.7	13.3-18.1
White/Non-Hisp	1785	1,854,190	1416	76.3	73.4-79.2	62	2.9	01.9-03.9	10	0.4	00.2-00.6	13	0.7	00.1-01.3	68	3.9	02.5-05.3	216	15.7	13.2-18.2
Black or Afr. Am./Non-Hisp	245	369,176	194	77.1	69.8-84.4	7	2.7	00.5-04.9	2	0.5	00.0-01.3	3	2.0	00.0-04.5	13	4.4	01.3-07.5	26	13.3	06.8-19.8
18-24	104	318,588	73	64.8	54.0-75.6	2	1.7	00.0-04.1				1	0.8	00.0-02.4	4	6.4	00.0-13.1	24	26.4	16.4-36.4
25-34	231	417,599	161	66.4	58.8-74.0	5	1.9	00.1-03.7	1	0.3	00.0-00.9	3	0.8	00.0-01.8	5	2.5	00.1-04.9	56	28.1	20.7-35.5
35-44	267	403,562	210	78.4	72.3-84.5	9	3.8	00.7-06.9	1	0.2	00.0-00.6	2	1.6	00.0-04.0	3	0.6	00.0-01.4	42	15.5	10.2-20.8
45-54	352	442,965	270	76.5	70.4-82.6	12	3.1	01.1-05.1	1	0.1	00.0-00.3	5	2.3	00.0-04.8	14	3.5	01.3-05.7	50	14.5	09.2-19.8
55-64	480	396,972	386	82.1	78.0-86.2	19	3.8	01.8-05.8	3	0.4	00.0-00.8	3	0.4	00.0-00.8	20	4.1	01.9-06.3	49	9.3	06.2-12.4
65+	664	422,056	567	86.1	82.8-89.4	24	3.2	01.6-04.8	6	1.1	00.1-02.1	3	0.4	00.0-01.0	36	5.9	03.4-08.4	28	3.3	01.7-04.9
Less Than H.S.	248	380,040	184	72.2	64.2-80.2	8	3.2	00.3-06.1	1	0.2	00.0-00.6	4	3.5	00.0-07.0	22	8.0	02.7-13.3	29	13.0	06.9-19.1
H.S. or G.E.D.	672	829,711	515	72.7	67.8-77.6	28	3.3	01.7-04.9	6	0.7	00.1-01.3	5	0.7	00.0-01.5	22	2.4	01.0-03.8	96	20.2	15.5-24.9
Some Post-H.S.	530	668,115	419	76.8	71.5-82.1	22	3.2	01.6-04.8	2	0.1	00.1-00.1	6	0.7	00.1-01.3	23	3.8	01.6-06.0	58	15.4	10.5-20.3
College Graduate	653	517,732	552	83.8	80.3-87.3	14	2.2	00.6-03.8	3	0.3	00.0-00.7	2	0.4	00.0-01.0	14	1.8	00.6-03.0	68	11.5	08.6-14.4
Less than \$15,000	205	223,021	152	69.5	59.1-79.9	5	0.9	00.0-01.9	2	0.6	00.0-01.4	2	3.4	00.0-08.1	17	8.4	00.6-16.2	27	17.3	09.3-25.3
\$15,000- 24,999	324	403,850	242	71.0	63.6-78.4	16	4.8	01.9-07.7	3	0.5	00.0-01.1	2	1.7	00.0-04.2	17	3.6	01.4-05.8	44	18.4	11.5-25.3
\$25,000- 34,999	206	234,136	159	69.9	60.3-79.5	11	4.5	01.6-07.4				3	1.1	00.0-02.7	6	2.5	00.3-04.7	27	22.0	12.6-31.4
\$35,000- 49,999	232	281,803	182	74.5	66.5-82.5	9	4.5	01.2-07.8	1	0.1	00.0-00.3	2	0.3	00.0-00.7	5	1.5	00.1-02.9	33	19.1	11.5-26.7
\$50,000- 74,999	245	260,199	206	83.9	78.2-89.6	12	3.5	01.0-06.0				1	0.2	00.0-00.6	4	2.2	00.0-04.7	22	10.2	05.5-14.9
\$75,000+	353	378,612	311	89.4	85.7-93.1	2	0.0	00.0-00.0	1	0.1	00.0-00.3				6	1.6	00.2-03.0	33	8.8	05.5-12.1

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 21: HOW MANY TIMES HAVE YOU BEEN TO A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL IN THE PAST 12 MONTHS? (DRVISITS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-13 times last 12 months			14-26 times last 12 months			27-39 times last 12 months			40-52 times last 12 months			53-87 times last 12 months			No times last 12 months		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3688	2,608,447	2963	80.1	78.1-82.1	122	3.3	02.5-04.1	19	0.7	00.1-01.3	16	0.4	00.2-00.6	311	7.6	06.4-08.8	257	7.8	06.4-09.2
White/Non-Hisp	2965	1,984,767	2373	79.8	77.6-82.0	105	3.6	02.8-04.4	10	0.4	00.0-00.8	14	0.5	00.1-00.9	260	7.7	06.3-09.1	203	8.0	06.4-09.6
Black or Afr. Am./Non-Hisp	580	421,458	476	84.9	81.2-88.6	11	1.9	00.5-03.3	8	1.2	00.2-02.2	2	0.2	00.0-00.6	42	6.8	04.1-09.5	41	5.0	02.8-07.2
Oth. Race/Non-Hisp.	54	88,794	44	72.4	53.0-91.8										4	9.3	00.0-20.5	6	18.3	00.0-36.9
18-24	160	307,229	136	86.2	80.3-92.1	2	1.1	00.0-02.7	2	1.4	00.0-03.4				8	3.5	00.8-06.2	12	7.8	02.9-12.7
25-34	326	424,343	242	73.2	66.9-79.5	16	4.7	02.3-07.1	2	0.4	00.0-01.0	4	0.6	00.0-01.2	28	10.0	05.9-14.1	34	11.1	06.0-16.2
35-44	387	417,116	302	74.3	68.2-80.4	21	5.3	02.8-07.8	2	1.6	00.0-04.5	2	0.5	00.0-01.1	23	7.5	03.6-11.4	37	10.8	06.5-15.1
45-54	639	464,659	520	82.5	78.8-86.2	22	3.5	01.3-05.7	5	0.9	00.0-01.9	2	0.6	00.0-01.6	37	4.0	02.4-05.6	53	8.4	05.7-11.1
55-64	849	431,778	688	82.9	79.6-86.2	32	3.2	01.8-04.6	6	0.4	00.0-00.8	4	0.5	00.0-01.1	55	6.3	04.1-08.5	64	6.7	04.5-08.9
65+	1290	545,296	1046	82.2	79.3-85.1	27	2.1	01.1-03.1	2	0.1	00.0-00.3	4	0.1	00.0-00.3	158	12.3	09.6-15.0	53	3.2	02.2-04.2
Less Than H.S.	459	437,922	334	73.5	67.8-79.2	13	4.9	02.0-07.8	4	1.4	00.0-03.0	1	0.4	00.0-01.2	79	13.3	09.4-17.2	28	6.5	03.2-09.8
H.S. or G.E.D.	1254	830,676	986	78.1	74.6-81.6	33	2.3	01.3-03.3	7	0.5	00.0-01.1	2	0.1	00.0-00.3	126	9.8	07.3-12.3	100	9.1	06.6-11.6
Some Post-H.S.	1022	777,038	837	81.9	78.2-85.6	44	4.0	02.6-05.4	3	0.9	00.0-02.5	9	0.5	00.1-00.9	60	4.7	02.9-06.5	69	8.0	05.1-10.9
College Graduate	926	548,845	791	86.5	83.6-89.4	31	2.9	01.5-04.3	5	0.4	00.0-00.8	4	0.7	00.1-01.3	39	3.6	02.0-05.2	56	6.0	03.8-08.2
Less than \$15,000	525	322,503	393	72.9	67.4-78.4	23	6.2	02.7-09.7	6	1.0	00.0-02.0	3	0.9	00.0-02.1	59	10.2	06.7-13.7	41	9.0	05.5-12.5
\$15,000- 24,999	636	425,344	514	79.6	74.9-84.3	17	2.5	00.9-04.1	4	1.0	00.0-02.0	4	0.2	00.0-00.4	46	9.0	05.3-12.7	51	7.6	04.9-10.3
\$25,000- 34,999	336	246,802	258	74.7	68.2-81.2	15	3.5	01.3-05.7	1	0.2	00.0-00.6	2	0.4	00.0-01.2	20	6.8	02.7-10.9	40	14.3	09.0-19.6
\$35,000- 49,999	361	274,075	307	84.4	78.3-90.5	19	5.3	02.2-08.4	3	2.5	00.0-06.8	1	0.3	00.0-00.9	14	1.9	00.5-03.3	17	5.5	01.6-09.4
\$50,000- 74,999	303	246,768	254	81.5	73.7-89.3	16	5.6	02.5-08.7	2	0.2	00.0-00.6	1	0.4	00.0-01.2	13	3.2	00.8-05.6	17	9.2	01.8-16.6
\$75,000+	376	325,330	337	90.0	85.7-94.3	7	1.8	00.2-03.4				3	0.9	00.0-01.9	10	2.4	00.6-04.2	19	4.9	01.4-08.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 22: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5606	4,748,836	626	12.0	10.6-13.4	4642	80.2	78.6-81.8	338	7.8	06.6-09.0
Male	2017	2,260,553	174	10.1	08.1-12.1	1690	80.1	77.6-82.6	153	9.8	07.8-11.8
Female	3589	2,488,283	452	13.6	11.8-15.4	2952	80.3	78.3-82.3	185	6.0	04.8-07.2
White/Non-Hisp	4589	3,641,236	495	12.2	10.8-13.6	3831	80.9	79.1-82.7	263	7.0	05.8-08.2
Black or Afr. Am./Non-Hisp	806	760,859	97	8.7	06.0-11.4	652	80.9	76.8-85.0	57	10.4	07.1-13.7
Oth. Race/Non-Hisp.	76	150,661	10	10.5	02.7-18.3	59	79.0	67.2-90.8	7	10.5	00.9-20.1
18-24	233	557,955	16	7.0	02.9-11.1	190	81.4	75.5-87.3	27	11.6	06.9-16.3
25-34	482	734,255	62	14.6	10.5-18.7	369	73.1	68.0-78.2	51	12.3	08.4-16.2
35-44	624	772,654	93	15.5	12.0-19.0	484	76.4	72.1-80.7	47	8.1	05.4-10.8
45-54	970	883,820	159	15.8	12.5-19.1	751	77.5	73.8-81.2	60	6.7	04.7-08.7
55-64	1303	810,953	166	11.9	09.4-14.4	1055	81.2	78.3-84.1	82	6.9	05.1-08.7
65+	1934	951,813	128	6.8	05.0-08.6	1739	89.8	87.6-92.0	67	3.4	02.2-04.6
Less Than H.S.	694	792,466	117	22.7	17.8-27.6	541	71.1	66.0-76.2	36	6.3	03.6-09.0
H.S. or G.E.D.	1884	1,592,398	222	10.8	08.8-12.8	1531	79.3	76.6-82.0	131	9.8	07.6-12.0
Some Post-H.S.	1498	1,357,732	177	10.9	08.7-13.1	1232	81.2	78.3-84.1	89	7.9	05.7-10.1
College Graduate	1486	967,455	105	6.8	05.0-08.6	1301	87.7	85.5-89.9	80	5.5	03.9-07.1
Less than \$15,000	706	513,026	165	25.6	20.5-30.7	505	67.5	62.2-72.8	36	6.9	04.2-09.6
\$15,000- 24,999	931	787,068	143	17.3	13.4-21.2	739	74.5	70.0-79.0	49	8.3	05.2-11.4
\$25,000- 34,999	525	454,797	61	12.2	08.1-16.3	421	77.8	72.5-83.1	43	10.1	06.2-14.0
\$35,000- 49,999	562	518,630	53	11.6	07.3-15.9	476	81.0	75.7-86.3	33	7.5	03.8-11.2
\$50,000- 74,999	518	467,017	32	6.2	03.5-08.9	458	87.3	83.4-91.2	28	6.5	03.8-09.2
\$75,000+	681	638,129	21	2.4	01.2-03.6	618	92.1	89.7-94.5	42	5.5	03.5-07.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 23: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2017	2,260,553	174	10.1	08.1-12.1	1690	80.1	77.6-82.6	153	9.8	07.8-11.8
White/Non-Hisp	1700	1,737,222	139	10.1	07.9-12.3	1439	81.1	78.4-83.8	122	8.9	06.9-10.9
Black or Afr. Am./Non-Hisp	235	348,602	19	6.1	02.6-09.6	193	81.5	74.8-88.2	23	12.4	06.5-18.3
18-24	89	280,914	4	6.5	00.2-12.8	72	79.6	70.0-89.2	13	13.9	06.1-21.7
25-34	191	354,805	21	14.0	07.7-20.3	139	67.4	59.0-75.8	31	18.6	11.5-25.7
35-44	251	374,810	31	12.5	07.6-17.4	195	77.0	70.5-83.5	25	10.4	05.7-15.1
45-54	344	432,042	39	12.2	07.5-16.9	277	80.2	74.7-85.7	28	7.7	04.4-11.0
55-64	470	389,328	42	8.9	05.2-12.6	393	83.9	79.6-88.2	35	7.2	04.5-09.9
65+	651	410,685	37	6.5	03.2-09.8	595	90.6	86.9-94.3	19	2.9	00.7-05.1
Less Than H.S.	239	366,269	31	19.9	12.5-27.3	191	71.6	63.2-80.0	17	8.5	03.4-13.6
H.S. or G.E.D.	647	785,297	60	8.4	05.9-10.9	524	78.4	74.1-82.7	63	13.1	09.4-16.8
Some Post-H.S.	507	617,879	46	9.5	05.8-13.2	424	81.5	76.6-86.4	37	9.0	05.3-12.7
College Graduate	608	466,994	35	6.5	03.6-09.4	538	87.6	83.9-91.3	35	6.0	03.6-08.4
Less than \$15,000	193	202,299	35	19.3	10.9-27.7	146	73.2	64.0-82.4	12	7.5	02.8-12.2
\$15,000- 24,999	313	386,016	41	15.0	09.1-20.9	250	74.3	66.9-81.7	22	10.7	05.0-16.4
\$25,000- 34,999	198	219,307	21	11.7	04.8-18.6	157	76.9	68.3-85.5	20	11.3	04.8-17.8
\$35,000- 49,999	219	263,875	15	8.0	02.9-13.1	182	79.2	71.2-87.2	22	12.8	05.7-19.9
\$50,000- 74,999	229	234,800	10	4.2	01.3-07.1	203	87.5	82.2-92.8	16	8.4	03.9-12.9
\$75,000+	322	333,475	8	2.5	00.5-04.5	298	92.6	89.3-95.9	16	4.9	02.2-07.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 24: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU DID NOT TAKE YOUR MEDICATION AS PRESCRIBED BECAUSE OF COST? DO NOT INCLUDE OVER-THE-COUNTER (OTC) MEDICATION. (MEDSCOST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No medication was prescribed		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3589	2,488,283	452	13.6	11.8-15.4	2952	80.3	78.3-82.3	185	6.0	04.8-07.2
White/Non-Hisp	2889	1,904,013	356	14.2	12.2-16.2	2392	80.7	78.5-82.9	141	5.2	04.2-06.2
Black or Afr. Am./Non-Hisp	571	412,257	78	11.0	07.3-14.7	459	80.3	75.2-85.4	34	8.7	05.0-12.4
18-24	144	277,041	12	7.6	02.1-13.1	118	83.2	76.1-90.3	14	9.2	04.1-14.3
25-34	291	379,450	41	15.3	10.2-20.4	230	78.4	72.7-84.1	20	6.3	03.2-09.4
35-44	373	397,844	62	18.3	13.2-23.4	289	75.8	70.1-81.5	22	6.0	03.1-08.9
45-54	626	451,778	120	19.4	14.7-24.1	474	74.9	70.0-79.8	32	5.7	03.3-08.1
55-64	833	421,625	124	14.7	11.2-18.2	662	78.6	74.7-82.5	47	6.7	04.3-09.1
65+	1283	541,128	91	7.0	05.0-09.0	1144	89.1	86.7-91.5	48	3.8	02.4-05.2
Less Than H.S.	455	426,197	86	25.0	18.7-31.3	350	70.6	64.1-77.1	19	4.4	02.0-06.8
H.S. or G.E.D.	1237	807,101	162	13.2	10.3-16.1	1007	80.2	76.9-83.5	68	6.6	04.6-08.6
Some Post-H.S.	991	739,853	131	12.2	09.5-14.9	808	80.9	77.6-84.2	52	7.0	04.6-09.4
College Graduate	878	500,461	70	7.0	05.0-09.0	763	87.9	85.2-90.6	45	5.1	03.3-06.9
Less than \$15,000	513	310,726	130	29.7	23.6-35.8	359	63.8	57.5-70.1	24	6.5	03.4-09.6
\$15,000- 24,999	618	401,052	102	19.4	14.5-24.3	489	74.6	69.1-80.1	27	5.9	02.8-09.0
\$25,000- 34,999	327	235,490	40	12.6	07.9-17.3	264	78.6	72.5-84.7	23	8.9	04.6-13.2
\$35,000- 49,999	343	254,755	38	15.3	08.4-22.2	294	82.7	75.6-89.8	11	2.0	00.4-03.6
\$50,000- 74,999	289	232,216	22	8.3	03.4-13.2	255	87.0	81.3-92.7	12	4.7	01.4-08.0
\$75,000+	359	304,653	13	2.4	01.0-03.8	320	91.5	88.6-94.4	26	6.1	03.4-08.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 25: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5584	4,734,303	3375	56.8	54.8-58.8	1836	34.9	33.1-36.7	218	4.4	03.6-05.2	155	4.0	03.2-04.8
Male	2008	2,252,485	1187	54.6	51.5-57.7	661	35.6	32.7-38.5	85	4.6	03.2-06.0	75	5.3	03.7-06.9
Female	3576	2,481,819	2188	58.7	56.3-61.1	1175	34.2	31.8-36.6	133	4.2	03.2-05.2	80	2.8	02.0-03.6
White/Non-Hisp	4572	3,632,976	2832	57.8	55.6-60.0	1454	34.3	32.3-36.3	172	4.3	03.3-05.3	114	3.6	02.6-04.6
Black or Afr. Am./Non-Hisp	804	760,742	435	55.3	50.2-60.4	312	38.2	33.3-43.1	31	3.6	01.8-05.4	26	3.0	01.4-04.6
Oth. Race/Non-Hisp.	76	150,661	41	54.8	39.9-69.7	22	27.7	14.4-41.0	7	8.4	01.5-15.3	6	9.1	00.9-17.3
18-24	232	555,802	125	51.9	44.3-59.5	84	37.0	29.6-44.4	7	3.3	00.8-05.8	16	7.8	03.7-11.9
25-34	480	732,791	249	47.3	41.8-52.8	175	38.4	33.1-43.7	26	6.3	03.4-09.2	30	7.9	04.6-11.2
35-44	622	770,189	342	51.9	46.8-57.0	218	38.6	33.5-43.7	37	5.9	03.7-08.1	25	3.6	01.8-05.4
45-54	965	879,756	538	55.8	51.5-60.1	336	34.9	30.8-39.0	55	5.5	03.5-07.5	36	3.8	02.2-05.4
55-64	1298	808,454	775	61.2	57.5-64.9	425	31.7	28.2-35.2	59	4.6	03.0-06.2	39	2.5	01.3-03.7
65+	1927	949,926	1305	67.9	65.0-70.8	580	30.5	27.6-33.4	33	1.1	00.5-01.7	9	0.5	00.1-00.9
Less Than H.S.	688	787,345	361	47.5	42.0-53.0	261	39.4	33.9-44.9	41	6.9	04.2-09.6	25	6.2	03.3-09.1
H.S. or G.E.D.	1876	1,586,316	1052	53.4	50.1-56.7	672	37.3	34.0-40.6	90	5.2	03.8-06.6	62	4.1	02.7-05.5
Some Post-H.S.	1492	1,354,326	909	58.6	55.1-62.1	489	33.7	30.4-37.0	54	3.6	02.2-05.0	40	4.0	02.2-05.8
College Graduate	1485	968,228	1031	67.5	64.4-70.6	395	28.3	25.2-31.4	31	2.2	01.2-03.2	28	2.0	01.0-03.0
Less than \$15,000	699	505,810	343	44.0	38.1-49.9	253	35.0	29.7-40.3	64	12.5	08.2-16.8	39	8.4	04.9-11.9
\$15,000- 24,999	925	785,695	506	50.8	45.9-55.7	343	38.3	33.6-43.0	41	4.5	02.5-06.5	35	6.4	03.7-09.1
\$25,000- 34,999	523	454,441	305	51.1	44.8-57.4	178	39.7	33.4-46.0	22	5.4	02.7-08.1	18	3.8	01.6-06.0
\$35,000- 49,999	561	517,344	339	57.1	51.0-63.2	193	36.1	30.2-42.0	21	4.3	02.1-06.5	8	2.5	00.3-04.7
\$50,000- 74,999	517	465,844	359	66.6	60.9-72.3	144	30.0	24.5-35.5	8	1.6	00.4-02.8	6	1.9	00.1-03.7
\$75,000+	681	638,129	524	74.4	70.1-78.7	138	22.4	18.1-26.7	12	1.8	00.6-03.0	7	1.3	00.1-02.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 26: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2008	2,252,485	1187	54.6	51.5-57.7	661	35.6	32.7-38.5	85	4.6	03.2-06.0	75	5.3	03.7-06.9
White/Non-Hisp	1694	1,732,293	1036	56.6	53.3-59.9	529	33.7	30.6-36.8	69	4.8	03.2-06.4	60	4.9	03.3-06.5
Black or Afr. Am./Non-Hisp	234	348,313	111	47.5	38.9-56.1	102	44.7	36.1-53.3	12	4.1	01.2-07.0	9	3.7	01.0-06.4
18-24	88	278,761	47	53.6	41.8-65.4	29	33.8	22.6-45.0	3	3.7	00.0-08.0	9	8.8	02.5-15.1
25-34	190	353,689	78	36.8	28.8-44.8	83	43.1	34.7-51.5	10	7.3	02.0-12.6	19	12.8	06.3-19.3
35-44	250	374,563	130	48.5	40.7-56.3	90	41.0	33.2-48.8	16	5.4	02.1-08.7	14	5.2	01.9-08.5
45-54	342	430,175	185	53.4	46.5-60.3	119	36.5	29.8-43.2	22	5.8	02.7-08.9	16	4.3	01.8-06.8
55-64	469	388,704	291	64.7	59.0-70.4	143	28.7	23.2-34.2	21	4.2	01.8-06.6	14	2.5	00.7-04.3
65+	648	408,622	440	68.3	63.6-73.0	192	30.3	25.6-35.0	13	1.2	00.4-02.0	3	0.3	00.0-00.7
Less Than H.S.	237	362,351	119	47.8	38.8-56.8	88	36.5	28.1-44.9	19	8.9	04.0-13.8	11	6.9	02.0-11.8
H.S. or G.E.D.	646	783,145	337	50.4	44.9-55.9	240	38.4	33.1-43.7	37	5.3	03.1-07.5	32	5.9	03.5-08.3
Some Post-H.S.	502	614,606	297	55.2	49.3-61.1	170	35.2	29.5-40.9	16	3.5	01.0-06.0	19	6.1	02.8-09.4
College Graduate	608	468,967	428	67.0	61.9-72.1	154	29.3	24.4-34.2	13	1.6	00.4-02.8	13	2.1	00.7-03.5
Less than \$15,000	189	195,999	89	43.7	32.5-54.9	63	30.8	21.2-40.4	24	15.2	06.4-24.0	13	10.2	03.7-16.7
\$15,000- 24,999	311	385,949	154	46.3	38.3-54.3	127	41.1	33.3-48.9	12	3.4	00.5-06.3	18	9.1	03.8-14.4
\$25,000- 34,999	196	218,951	109	47.8	37.8-57.8	70	42.4	32.2-52.6	8	5.0	00.7-09.3	9	4.8	01.1-08.5
\$35,000- 49,999	219	263,875	129	56.5	47.5-65.5	75	34.8	26.2-43.4	8	3.9	00.6-07.2	7	4.8	00.5-09.1
\$50,000- 74,999	229	234,800	162	65.8	57.6-74.0	59	29.6	21.6-37.6	5	2.5	00.1-04.9	3	2.2	00.0-04.9
\$75,000+	322	333,475	236	68.3	61.6-75.0	73	27.1	20.6-33.6	7	2.3	00.3-04.3	6	2.4	00.4-04.4

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 27: IN GENERAL, HOW SATISFIED ARE YOU WITH THE HEALTH CARE YOU RECEIVED? WOULD YOU SAY— (CARERCVD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Somewhat satisfied			Not at all satisfied			Not applicable		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3576	2,481,819	2188	58.7	56.3-61.1	1175	34.2	31.8-36.6	133	4.2	03.2-05.2	80	2.8	02.0-03.6
White/Non-Hisp	2878	1,900,684	1796	58.8	56.3-61.3	925	34.8	32.3-37.3	103	4.0	03.0-05.0	54	2.4	01.6-03.2
Black or Afr. Am./Non-Hisp	570	412,429	324	61.8	55.9-67.7	210	32.7	27.0-38.4	19	3.2	01.4-05.0	17	2.3	00.7-03.9
18-24	144	277,041	78	50.2	40.2-60.2	55	40.2	30.4-50.0	4	2.8	00.0-05.7	7	6.8	01.3-12.3
25-34	290	379,102	171	57.2	50.3-64.1	92	34.1	27.4-40.8	16	5.4	02.7-08.1	11	3.4	01.2-05.6
35-44	372	395,625	212	55.2	48.7-61.7	128	36.3	29.8-42.8	21	6.3	03.4-09.2	11	2.1	00.7-03.5
45-54	623	449,581	353	58.1	53.0-63.2	217	33.4	28.5-38.3	33	5.3	03.1-07.5	20	3.2	01.4-05.0
55-64	829	419,750	484	58.0	53.5-62.5	282	34.4	30.1-38.7	38	5.0	03.0-07.0	25	2.6	01.2-04.0
65+	1279	541,304	865	67.6	63.9-71.3	388	30.6	26.9-34.3	20	1.1	00.5-01.7	6	0.8	00.0-01.6
Less Than H.S.	451	424,994	242	47.2	40.3-54.1	173	41.9	35.0-48.8	22	5.3	02.8-07.8	14	5.6	01.9-09.3
H.S. or G.E.D.	1230	803,172	715	56.4	52.3-60.5	432	36.2	32.1-40.3	53	5.0	03.2-06.8	30	2.5	01.3-03.7
Some Post-H.S.	990	739,720	612	61.4	57.1-65.7	319	32.5	28.4-36.6	38	3.8	02.2-05.4	21	2.3	01.1-03.5
College Graduate	877	499,262	603	67.9	63.8-72.0	241	27.4	23.5-31.3	18	2.8	01.2-04.4	15	1.8	00.6-03.0
Less than \$15,000	510	309,811	254	44.3	37.8-50.8	190	37.7	31.4-44.0	40	10.8	06.9-14.7	26	7.3	03.0-11.6
\$15,000- 24,999	614	399,747	352	55.1	49.4-60.8	216	35.6	30.1-41.1	29	5.4	02.9-07.9	17	3.8	01.6-06.0
\$25,000- 34,999	327	235,490	196	54.2	46.8-61.6	108	37.1	29.7-44.5	14	5.8	02.3-09.3	9	2.9	00.7-05.1
\$35,000- 49,999	342	253,469	210	57.8	49.8-65.8	118	37.5	29.5-45.5	13	4.6	01.7-07.5	1	0.1	00.0-00.3
\$50,000- 74,999	288	231,044	197	67.4	59.6-75.2	85	30.4	22.6-38.2	3	0.6	00.0-01.4	3	1.6	00.0-03.6
\$75,000+	359	304,653	288	81.1	76.0-86.2	65	17.4	12.5-22.3	5	1.4	00.0-02.8	1	0.2	00.0-00.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

**TABLE 28: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5578	4,723,083	1312	26.0	24.2-27.8	4266	74.0	72.2-75.8
Male	2010	2,250,581	422	23.7	21.0-26.4	1588	76.3	73.6-79.0
Female	3568	2,472,502	890	28.2	26.0-30.4	2678	71.8	69.6-74.0
White/Non-Hisp	4574	3,626,217	1008	24.9	23.1-26.7	3566	75.1	73.3-76.9
Black or Afr. Am./Non-Hisp	797	756,207	254	29.9	25.2-34.6	543	70.1	65.4-74.8
Oth. Race/Non-Hisp.	75	149,035	19	27.8	14.5-41.1	56	72.2	58.9-85.5
18-24	231	554,297	51	23.3	16.6-30.0	180	76.7	70.0-83.4
25-34	483	737,589	157	32.6	27.5-37.7	326	67.4	62.3-72.5
35-44	623	770,876	183	31.3	26.4-36.2	440	68.7	63.8-73.6
45-54	964	875,019	317	32.9	28.8-37.0	647	67.1	63.0-71.2
55-64	1299	809,249	361	25.9	22.6-29.2	938	74.1	70.8-77.4
65+	1921	940,412	240	12.8	10.4-15.2	1681	87.2	84.8-89.6
Less Than H.S.	687	781,295	183	29.4	24.3-34.5	504	70.6	65.5-75.7
H.S. or G.E.D.	1873	1,585,993	476	27.5	24.4-30.6	1397	72.5	69.4-75.6
Some Post-H.S.	1492	1,350,330	379	27.0	23.9-30.1	1113	73.0	69.9-76.1
College Graduate	1484	968,002	268	19.8	17.1-22.5	1216	80.2	77.5-82.9
Less than \$15,000	702	506,831	213	30.9	25.6-36.2	489	69.1	63.8-74.4
\$15,000- 24,999	929	786,890	287	33.4	28.7-38.1	642	66.6	61.9-71.3
\$25,000- 34,999	522	453,641	134	29.4	23.9-34.9	388	70.6	65.1-76.1
\$35,000- 49,999	561	518,594	149	29.0	23.1-34.9	412	71.0	65.1-76.9
\$50,000- 74,999	517	466,297	125	25.9	20.6-31.2	392	74.1	68.8-79.4
\$75,000+	678	634,328	95	18.4	14.1-22.7	583	81.6	77.3-85.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 29: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2010	2,250,581	422	23.7	21.0-26.4	1588	76.3	73.6-79.0
White/Non-Hisp	1695	1,730,536	331	21.8	19.1-24.5	1364	78.2	75.5-80.9
Black or Afr. Am./Non-Hisp	235	349,738	73	30.5	22.5-38.5	162	69.5	61.5-77.5
18-24	88	278,761	21	23.6	13.6-33.6	67	76.4	66.4-86.4
25-34	191	356,094	54	26.7	19.3-34.1	137	73.3	65.9-80.7
35-44	252	376,659	58	27.0	19.2-34.8	194	73.0	65.2-80.8
45-54	342	426,073	101	31.0	24.5-37.5	241	69.0	62.5-75.5
55-64	468	388,402	109	22.4	17.3-27.5	359	77.6	72.5-82.7
65+	648	406,622	78	12.5	09.0-16.0	570	87.5	84.0-91.0
Less Than H.S.	238	360,688	63	29.3	21.3-37.3	175	70.7	62.7-78.7
H.S. or G.E.D.	645	782,497	151	25.1	20.2-30.0	494	74.9	70.0-79.8
Some Post-H.S.	506	616,326	116	24.1	19.0-29.2	390	75.9	70.8-81.0
College Graduate	606	467,654	90	16.9	12.8-21.0	516	83.1	79.0-87.2
Less than \$15,000	192	200,607	56	25.7	16.5-34.9	136	74.3	65.1-83.5
\$15,000- 24,999	312	384,439	96	30.5	23.2-37.8	216	69.5	62.2-76.8
\$25,000- 34,999	197	219,233	42	26.5	17.9-35.1	155	73.5	64.9-82.1
\$35,000- 49,999	218	263,839	54	28.6	19.2-38.0	164	71.4	62.0-80.8
\$50,000- 74,999	228	234,081	48	24.1	16.5-31.7	180	75.9	68.3-83.5
\$75,000+	321	331,922	36	16.6	10.9-22.3	285	83.4	77.7-89.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 4: HEALTH CARE ACCESS**

TABLE 30: DO YOU CURRENTLY HAVE ANY MEDICAL BILLS THAT ARE BEING PAID OFF OVER TIME? (MEDBILLS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3568	2,472,502	890	28.2	26.0-30.4	2678	71.8	69.6-74.0
White/Non-Hisp	2879	1,895,680	677	27.7	25.3-30.1	2202	72.3	69.9-74.7
Black or Afr. Am./Non-Hisp	562	406,469	181	29.3	23.8-34.8	381	70.7	65.2-76.2
18-24	143	275,536	30	22.9	13.9-31.9	113	77.1	68.1-86.1
25-34	292	381,496	103	38.0	31.1-44.9	189	62.0	55.1-68.9
35-44	371	394,217	125	35.5	29.2-41.8	246	64.5	58.2-70.8
45-54	622	448,946	216	34.7	29.8-39.6	406	65.3	60.4-70.2
55-64	831	420,847	252	29.1	25.0-33.2	579	70.9	66.8-75.0
65+	1273	533,790	162	13.0	10.1-15.9	1111	87.0	84.1-89.9
Less Than H.S.	449	420,607	120	29.5	23.0-36.0	329	70.5	64.0-77.0
H.S. or G.E.D.	1228	803,496	325	29.8	25.9-33.7	903	70.2	66.3-74.1
Some Post-H.S.	986	734,004	263	29.5	25.4-33.6	723	70.5	66.4-74.6
College Graduate	878	500,348	178	22.5	18.8-26.2	700	77.5	73.8-81.2
Less than \$15,000	510	306,224	157	34.3	28.0-40.6	353	65.7	59.4-72.0
\$15,000- 24,999	617	402,451	191	36.1	30.4-41.8	426	63.9	58.2-69.6
\$25,000- 34,999	325	234,408	92	32.1	25.0-39.2	233	67.9	60.8-75.0
\$35,000- 49,999	343	254,755	95	29.5	22.6-36.4	248	70.5	63.6-77.4
\$50,000- 74,999	289	232,216	77	27.7	20.4-35.0	212	72.3	65.0-79.6
\$75,000+	357	302,405	59	20.4	13.9-26.9	298	79.6	73.1-86.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)	
1 MALES AND FEMALES	74
2 MALES ONLY	75
3 FEMALES ONLY	76
HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)	
4 MALES AND FEMALES	77
5 MALES ONLY	78
6 FEMALES ONLY	79
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)	
7 MALES AND FEMALES	80
8 MALES ONLY	81
9 FEMALES ONLY	82

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 1: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4874	4,169,350	2956	55.6	53.6-57.6	1918	44.4	42.4-46.4
Male	1743	1,955,395	1004	53.2	49.9-56.5	739	46.8	43.5-50.1
Female	3131	2,213,956	1952	57.7	55.2-60.2	1179	42.3	39.8-44.8
White/Non-Hisp	4024	3,245,658	2347	53.4	51.2-55.6	1677	46.6	44.4-48.8
Black or Afr. Am./Non-Hisp	677	629,583	505	67.5	62.0-73.0	172	32.5	27.0-38.0
Oth. Race/Non-Hisp.	71	139,606	39	46.7	31.0-62.4	32	53.3	37.6-69.0
18-24	200	466,229	59	28.0	20.7-35.3	141	72.0	64.7-79.3
25-34	425	657,146	192	44.9	39.0-50.8	233	55.1	49.2-61.0
35-44	558	680,547	289	53.6	48.3-58.9	269	46.4	41.1-51.7
45-54	859	799,559	525	61.3	56.8-65.8	334	38.7	34.2-43.2
55-64	1180	731,889	756	64.5	60.8-68.2	424	35.5	31.8-39.2
65+	1618	811,299	1117	68.3	65.2-71.4	501	31.7	28.6-34.8
Less Than H.S.	553	666,925	392	67.1	61.2-73.0	161	32.9	27.0-38.8
H.S. or G.E.D.	1621	1,375,537	997	53.7	50.0-57.4	624	46.3	42.6-50.0
Some Post-H.S.	1327	1,219,670	792	54.1	50.4-57.8	535	45.9	42.2-49.6
College Graduate	1358	892,488	768	52.2	48.7-55.7	590	47.8	44.3-51.3
Less than \$15,000	619	441,070	418	62.5	56.4-68.6	201	37.5	31.4-43.6
\$15,000- 24,999	810	703,115	517	58.5	53.4-63.6	293	41.5	36.4-46.6
\$25,000- 34,999	470	393,058	289	61.1	54.8-67.4	181	38.9	32.6-45.2
\$35,000- 49,999	503	469,597	303	58.3	51.8-64.8	200	41.7	35.2-48.2
\$50,000- 74,999	483	434,449	271	54.3	48.2-60.4	212	45.7	39.6-51.8
\$75,000+	634	598,708	339	47.9	42.8-53.0	295	52.1	47.0-57.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 2: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1743	1,955,395	1004	53.2	49.9-56.5	739	46.8	43.5-50.1
White/Non-Hisp	1489	1,537,756	832	50.8	47.3-54.3	657	49.2	45.7-52.7
Black or Afr. Am./Non-Hisp	191	280,977	131	63.6	54.4-72.8	60	36.4	27.2-45.6
18-24	72	224,281	19	26.1	14.5-37.7	53	73.9	62.3-85.5
25-34	171	329,994	68	40.0	31.2-48.8	103	60.0	51.2-68.8
35-44	222	314,229	114	53.0	44.6-61.4	108	47.0	38.6-55.4
45-54	299	382,093	174	61.0	53.9-68.1	125	39.0	31.9-46.1
55-64	422	347,148	263	64.4	58.3-70.5	159	35.6	29.5-41.7
65+	546	350,236	359	63.5	58.0-69.0	187	36.5	31.0-42.0
Less Than H.S.	187	309,998	124	65.1	55.7-74.5	63	34.9	25.5-44.3
H.S. or G.E.D.	544	667,035	312	51.3	45.4-57.2	232	48.7	42.8-54.6
Some Post-H.S.	452	542,958	261	49.8	43.7-55.9	191	50.2	44.1-56.3
College Graduate	553	427,150	306	52.3	46.8-57.8	247	47.7	42.2-53.2
Less than \$15,000	163	165,074	99	61.1	49.3-72.9	64	38.9	27.1-50.7
\$15,000- 24,999	271	342,337	158	52.1	43.7-60.5	113	47.9	39.5-56.3
\$25,000- 34,999	173	183,609	105	59.1	48.7-69.5	68	40.9	30.5-51.3
\$35,000- 49,999	195	236,394	124	63.2	54.0-72.4	71	36.8	27.6-46.0
\$50,000- 74,999	214	223,088	126	53.2	44.8-61.6	88	46.8	38.4-55.2
\$75,000+	300	311,914	158	47.1	40.0-54.2	142	52.9	45.8-60.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 3: NOW I WOULD LIKE TO ASK YOU SOME QUESTIONS ABOUT SODIUM OR SALT INTAKE. MOST OF THE SODIUM OR SALT WE EAT COMES FROM PROCESSED FOODS AND FOODS PREPARED IN RESTAURANTS. SALT ALSO CAN BE ADDED IN COOKING OR AT THE TABLE. ARE YOU CURRENTLY WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (WTCHSALT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3131	2,213,956	1952	57.7	55.2-60.2	1179	42.3	39.8-44.8
White/Non-Hisp	2535	1,707,902	1515	55.7	53.0-58.4	1020	44.3	41.6-47.0
Black or Afr. Am./Non-Hisp	486	348,606	374	70.6	64.3-76.9	112	29.4	23.1-35.7
18-24	128	241,948	40	29.7	20.9-38.5	88	70.3	61.5-79.1
25-34	254	327,152	124	49.8	42.2-57.4	130	50.2	42.6-57.8
35-44	336	366,318	175	54.2	47.3-61.1	161	45.8	38.9-52.7
45-54	560	417,467	351	61.6	56.1-67.1	209	38.4	32.9-43.9
55-64	758	384,741	493	64.6	60.1-69.1	265	35.4	30.9-39.9
65+	1072	461,063	758	71.9	68.4-75.4	314	28.1	24.6-31.6
Less Than H.S.	366	356,927	268	68.8	61.4-76.2	98	31.2	23.8-38.6
H.S. or G.E.D.	1077	708,502	685	56.1	51.6-60.6	392	43.9	39.4-48.4
Some Post-H.S.	875	676,712	531	57.5	53.0-62.0	344	42.5	38.0-47.0
College Graduate	805	465,338	462	52.1	47.6-56.6	343	47.9	43.4-52.4
Less than \$15,000	456	275,996	319	63.3	56.4-70.2	137	36.7	29.8-43.6
\$15,000- 24,999	539	360,777	359	64.5	58.6-70.4	180	35.5	29.6-41.4
\$25,000- 34,999	297	209,449	184	62.9	55.6-70.2	113	37.1	29.8-44.4
\$35,000- 49,999	308	233,202	179	53.2	44.8-61.6	129	46.8	38.4-55.2
\$50,000- 74,999	269	211,361	145	55.5	47.1-63.9	124	44.5	36.1-52.9
\$75,000+	334	286,794	181	48.7	41.6-55.8	153	51.3	44.2-58.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 4: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2760	2,166,009	417	15.6	13.4-17.8	378	12.5	10.9-14.1	108	5.1	03.7-06.5	320	12.7	10.7-14.7	1537	54.1	51.4-56.8
Male	940	969,845	138	15.3	12.0-18.6	108	11.0	08.5-13.5	39	5.7	03.2-08.2	111	12.6	09.3-15.9	544	55.4	50.9-59.9
Female	1820	1,196,164	279	15.9	13.2-18.6	270	13.8	11.6-16.0	69	4.6	03.2-06.0	209	12.7	10.5-14.9	993	53.0	49.7-56.3
White/Non-Hisp	2199	1,636,323	344	15.3	13.1-17.5	286	12.6	10.6-14.6	79	5.0	03.4-06.6	244	12.5	10.5-14.5	1246	54.7	51.8-57.6
Black or Afr. Am./Non-Hisp	463	384,563	53	12.8	08.3-17.3	84	13.8	10.1-17.5	19	4.5	01.8-07.2	61	11.3	07.2-15.4	246	57.6	50.9-64.3
18-24	56	120,770	8	15.4	04.4-26.4	10	15.3	04.9-25.7	7	14.8	04.0-25.6	11	15.7	05.9-25.5	20	38.8	23.9-53.7
25-34	186	284,815	25	16.5	08.5-24.5	23	8.5	04.4-12.6	13	8.8	03.1-14.5	44	23.8	16.7-30.9	81	42.5	33.5-51.5
35-44	276	343,384	45	17.8	11.7-23.9	33	9.0	05.1-12.9	15	5.2	02.3-08.1	44	13.7	06.8-20.6	139	54.3	46.3-62.3
45-54	491	460,476	70	13.5	09.6-17.4	72	13.7	09.8-17.6	22	5.0	01.9-08.1	60	11.2	07.7-14.7	267	56.6	50.7-62.5
55-64	713	446,514	99	16.3	11.4-21.2	88	12.6	09.3-15.9	32	4.0	02.0-06.0	80	11.0	08.1-13.9	414	56.2	50.9-61.5
65+	1024	500,424	167	14.9	12.2-17.6	152	15.6	12.5-18.7	19	1.9	00.7-03.1	79	7.8	05.4-10.2	607	59.8	55.7-63.9
Less Than H.S.	341	405,278	58	18.5	12.4-24.6	59	14.1	09.4-18.8	12	4.1	00.6-07.6	38	10.6	06.5-14.7	174	52.7	45.3-60.1
H.S. or G.E.D.	937	689,482	129	14.1	10.6-17.6	138	13.1	10.2-16.0	37	4.9	02.9-06.9	118	14.1	10.0-18.2	515	53.8	48.9-58.7
Some Post-H.S.	751	626,168	112	17.0	12.7-21.3	102	12.0	09.1-14.9	28	5.5	02.6-08.4	102	14.8	11.3-18.3	407	50.7	45.6-55.8
College Graduate	727	440,503	118	13.6	10.7-16.5	79	10.9	08.2-13.6	30	5.8	03.1-08.5	62	9.5	06.8-12.2	438	60.2	55.5-64.9
Less than \$15,000	387	261,006	68	18.5	12.4-24.6	68	12.8	08.7-16.9	16	7.5	01.6-13.4	50	13.4	08.3-18.5	185	47.8	39.8-55.8
\$15,000- 24,999	487	389,631	83	18.2	12.3-24.1	77	13.9	09.8-18.0	16	4.5	01.0-08.0	54	11.8	07.5-16.1	257	51.6	44.7-58.5
\$25,000- 34,999	274	225,754	35	13.2	07.3-19.1	38	13.5	08.0-19.0	14	9.3	03.6-15.0	35	15.2	09.1-21.3	152	48.8	40.8-56.8
\$35,000- 49,999	289	256,420	46	13.5	08.4-18.6	37	10.6	06.5-14.7	12	4.4	01.5-07.3	44	18.4	09.8-27.0	150	53.1	44.1-62.1
\$50,000- 74,999	259	224,316	42	21.4	12.0-30.8	28	9.0	04.5-13.5	12	4.5	01.4-07.6	26	10.3	05.8-14.8	151	54.8	45.6-64.0
\$75,000+	320	270,330	52	16.2	11.1-21.3	32	8.6	05.5-11.7	12	5.0	01.5-08.5	28	9.0	05.3-12.7	196	61.3	54.6-68.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 5: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	940	969,845	138	15.3	12.0-18.6	108	11.0	08.5-13.5	39	5.7	03.2-08.2	111	12.6	09.3-15.9	544	55.4	50.9-59.9
White/Non-Hisp	785	744,959	119	16.6	12.7-20.5	87	11.4	08.5-14.3	29	5.6	02.7-08.5	87	11.7	08.8-14.6	463	54.7	49.8-59.6
Black or Afr. Am./Non-Hisp	118	158,368	13	8.0	02.5-13.5	17	7.8	03.1-12.5	5	3.2	00.0-07.1	17	11.2	04.1-18.3	66	69.8	59.6-80.0
25-34	65	126,218	8	13.2	03.4-23.0	4	5.8	00.0-12.1	5	9.9	00.0-20.7	21	26.4	14.6-38.2	27	44.5	29.4-59.6
35-44	105	148,429	17	18.0	08.0-28.0	11	9.7	03.2-16.2	6	4.8	00.3-09.3	19	18.1	04.2-32.0	52	49.3	36.4-62.2
45-54	162	220,414	23	12.4	06.1-18.7	21	12.1	06.0-18.2	7	5.8	00.0-11.7	18	11.0	05.1-16.9	93	58.6	49.0-68.2
55-64	248	214,445	42	20.5	11.9-29.1	20	8.5	04.2-12.8	13	4.9	01.8-08.0	18	6.8	02.9-10.7	155	59.3	50.3-68.3
65+	336	205,375	44	12.3	08.0-16.6	50	16.2	11.1-21.3	5	1.5	00.0-03.3	32	9.1	05.2-13.0	205	60.9	54.0-67.8
Less Than H.S.	114	189,397	22	22.7	11.5-33.9	18	13.7	06.3-21.1	4	3.6	00.0-09.7	15	9.7	03.4-16.0	55	50.3	37.8-62.8
H.S. or G.E.D.	294	315,113	39	12.3	07.0-17.6	29	9.9	05.4-14.4	10	4.1	01.2-07.0	32	13.5	06.1-20.9	184	60.2	52.0-68.4
Some Post-H.S.	249	257,145	38	16.6	10.3-22.9	34	11.2	06.7-15.7	9	6.7	00.6-12.8	39	16.5	10.4-22.6	129	49.0	40.6-57.4
College Graduate	282	205,643	39	11.7	07.2-16.2	27	9.8	05.5-14.1	16	8.8	03.5-14.1	25	9.2	05.1-13.3	175	60.4	53.0-67.8
Less than \$15,000	91	95,758	14	13.1	03.3-22.9	9	7.8	01.9-13.7	5	12.5	00.0-26.4	18	17.5	07.1-27.9	45	49.1	33.4-64.8
\$15,000- 24,999	147	167,302	33	24.5	13.3-35.7	16	7.7	02.8-12.6	5	5.1	00.0-12.0	13	7.4	01.9-12.9	80	55.3	43.0-67.6
\$25,000- 34,999	98	97,667	11	13.5	02.7-24.3	13	12.1	03.9-20.3	4	8.8	00.0-18.4	13	15.0	05.4-24.6	57	50.7	37.4-64.0
\$35,000- 49,999	119	138,631	15	9.0	02.5-15.5	19	12.2	05.9-18.5	4	3.0	00.0-06.3	16	19.4	04.9-33.9	65	56.4	42.5-70.3
\$50,000- 74,999	117	110,566	20	19.7	08.9-30.5	10	8.2	01.9-14.5	7	6.3	00.6-12.0	11	9.9	03.0-16.8	69	55.9	43.9-67.9
\$75,000+	148	138,172	22	17.3	09.5-25.1	14	7.9	03.4-12.4	6	6.8	00.5-13.1	12	8.0	03.3-12.7	94	60.0	50.2-69.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 6: HOW MANY DAYS, WEEKS, MONTHS, OR YEARS HAVE YOU BEEN WATCHING OR REDUCING YOUR SODIUM OR SALT INTAKE? (LONGWTCH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All my Life			Day(s)			Week(s)			Month(s)			Year(s)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1820	1,196,164	279	15.9	13.2-18.6	270	13.8	11.6-16.0	69	4.6	03.2-06.0	209	12.7	10.5-14.9	993	53.0	49.7-56.3
White/Non-Hisp	1414	891,364	225	14.2	11.7-16.7	199	13.6	11.1-16.1	50	4.4	02.8-06.0	157	13.2	10.7-15.7	783	54.7	51.0-58.4
Black or Afr. Am./Non-Hisp	345	226,195	40	16.1	09.4-22.8	67	17.9	12.6-23.2	14	5.4	01.7-09.1	44	11.5	06.8-16.2	180	49.1	41.3-56.9
25-34	121	158,597	17	19.1	07.1-31.1	19	10.5	05.2-15.8	8	7.9	02.4-13.4	23	21.6	12.8-30.4	54	40.8	29.8-51.8
35-44	171	194,955	28	17.6	10.0-25.2	22	8.5	04.0-13.0	9	5.4	01.5-09.3	25	10.4	05.3-15.5	87	58.2	48.6-67.8
45-54	329	240,063	47	14.5	09.4-19.6	51	15.1	10.0-20.2	15	4.2	01.7-06.7	42	11.4	07.3-15.5	174	54.8	47.7-61.9
55-64	465	232,069	57	12.4	07.9-16.9	68	16.3	11.4-21.2	19	3.2	01.0-05.4	62	14.8	10.5-19.1	259	53.3	47.2-59.4
65+	688	295,049	123	16.6	12.9-20.3	102	15.2	11.3-19.1	14	2.1	00.7-03.5	47	7.0	04.3-09.7	402	59.0	53.9-64.1
Less Than H.S.	227	215,881	36	14.9	09.0-20.8	41	14.4	08.7-20.1	8	4.5	00.8-08.2	23	11.3	05.8-16.8	119	54.9	46.1-63.7
H.S. or G.E.D.	643	374,369	90	15.6	10.7-20.5	109	15.9	12.0-19.8	27	5.5	03.0-08.0	86	14.5	10.4-18.6	331	48.5	42.8-54.2
Some Post-H.S.	502	369,023	74	17.2	11.1-23.3	68	12.5	08.4-16.6	19	4.7	02.2-07.2	63	13.6	09.5-17.7	278	51.9	45.4-58.4
College Graduate	445	234,860	79	15.3	11.2-19.4	52	11.8	08.1-15.5	14	3.1	00.9-05.3	37	9.8	06.3-13.3	263	60.1	54.2-66.0
Less than \$15,000	296	165,248	54	21.6	14.0-29.2	59	15.6	10.3-20.9	11	4.6	00.9-08.3	32	11.0	05.7-16.3	140	47.1	38.3-55.9
\$15,000- 24,999	340	222,329	50	13.5	07.8-19.2	61	18.5	12.4-24.6	11	4.0	01.1-06.9	41	15.2	09.1-21.3	177	48.8	41.0-56.6
\$25,000- 34,999	176	128,087	24	13.0	06.9-19.1	25	14.5	07.4-21.6	10	9.7	03.0-16.4	22	15.3	07.7-22.9	95	47.4	37.2-57.6
\$35,000- 49,999	170	117,789	31	18.7	10.9-26.5	18	8.7	03.8-13.6	8	6.1	01.0-11.2	28	17.3	09.9-24.7	85	49.3	38.5-60.1
\$50,000- 74,999	142	113,750	22	23.1	07.8-38.4	18	9.8	02.9-16.7	5	2.6	00.0-05.3	15	10.8	04.7-16.9	82	53.7	40.0-67.4
\$75,000+	172	132,157	30	15.1	08.4-21.8	18	9.2	04.7-13.7	6	3.1	00.4-05.8	16	10.0	04.3-15.7	102	62.7	53.9-71.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 7: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4857	4,148,560	1391	24.6	22.8-26.4	3466	75.4	73.6-77.2
Male	1739	1,954,687	518	26.5	23.6-29.4	1221	73.5	70.6-76.4
Female	3118	2,193,873	873	23.0	21.0-25.0	2245	77.0	75.0-79.0
White/Non-Hisp	4012	3,225,942	1089	23.2	21.4-25.0	2923	76.8	75.0-78.6
Black or Afr. Am./Non-Hisp	671	624,723	261	33.0	27.9-38.1	410	67.0	61.9-72.1
Oth. Race/Non-Hisp.	73	143,237	14	11.7	03.5-19.9	59	88.3	80.1-96.5
18-24	200	463,908	14	6.0	02.7-09.3	186	94.0	90.7-97.3
25-34	421	649,802	59	14.5	10.4-18.6	362	85.5	81.4-89.6
35-44	555	677,805	108	22.4	17.3-27.5	447	77.6	72.5-82.7
45-54	857	796,970	230	28.0	23.9-32.1	627	72.0	67.9-76.1
55-64	1174	728,106	388	33.5	29.8-37.2	786	66.5	62.8-70.2
65+	1616	809,287	585	34.2	31.1-37.3	1031	65.8	62.7-68.9
Less Than H.S.	546	658,797	243	39.0	33.1-44.9	303	61.0	55.1-66.9
H.S. or G.E.D.	1618	1,368,188	492	24.2	21.3-27.1	1126	75.8	72.9-78.7
Some Post-H.S.	1323	1,214,984	361	21.1	18.4-23.8	962	78.9	76.2-81.6
College Graduate	1356	892,931	294	19.7	17.0-22.4	1062	80.3	77.6-83.0
Less than \$15,000	617	439,922	225	30.1	24.6-35.6	392	69.9	64.4-75.4
\$15,000- 24,999	801	692,922	284	31.2	26.5-35.9	517	68.8	64.1-73.5
\$25,000- 34,999	468	392,488	144	29.4	23.5-35.3	324	70.6	64.7-76.5
\$35,000- 49,999	503	468,338	136	23.4	17.7-29.1	367	76.6	70.9-82.3
\$50,000- 74,999	478	430,754	113	21.2	16.5-25.9	365	78.8	74.1-83.5
\$75,000+	635	600,129	115	17.2	13.5-20.9	520	82.8	79.1-86.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

TABLE 8: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1739	1,954,687	518	26.5	23.6-29.4	1221	73.5	70.6-76.4
White/Non-Hisp	1486	1,534,119	422	24.6	21.7-27.5	1064	75.4	72.5-78.3
Black or Afr. Am./Non-Hisp	189	280,645	78	34.9	26.1-43.7	111	65.1	56.3-73.9
18-24	74	228,383	5	5.8	00.7-10.9	69	94.2	89.1-99.3
25-34	171	330,851	23	13.7	07.4-20.0	148	86.3	80.0-92.6
35-44	223	315,354	51	27.6	19.0-36.2	172	72.4	63.8-81.0
45-54	297	380,054	81	33.2	26.1-40.3	216	66.8	59.7-73.9
55-64	418	343,602	159	37.7	31.4-44.0	259	62.3	56.0-68.6
65+	545	349,027	195	32.9	27.6-38.2	350	67.1	61.8-72.4
Less Than H.S.	184	305,628	86	43.9	34.1-53.7	98	56.1	46.3-65.9
H.S. or G.E.D.	545	670,576	172	25.3	20.2-30.4	373	74.7	69.6-79.8
Some Post-H.S.	450	542,298	119	21.2	16.7-25.7	331	78.8	74.3-83.3
College Graduate	553	427,932	141	23.1	18.6-27.6	412	76.9	72.4-81.4
Less than \$15,000	163	165,931	60	35.0	23.6-46.4	103	65.0	53.6-76.4
\$15,000- 24,999	271	342,157	96	32.0	24.4-39.6	175	68.0	60.4-75.6
\$25,000- 34,999	173	183,609	60	31.8	22.4-41.2	113	68.2	58.8-77.6
\$35,000- 49,999	194	235,088	54	25.3	15.7-34.9	140	74.7	65.1-84.3
\$50,000- 74,999	210	220,385	60	26.5	19.1-33.9	150	73.5	66.1-80.9
\$75,000+	300	312,304	71	21.3	15.4-27.2	229	78.7	72.8-84.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 6: SODIUM OR SALT-RELATED BEHAVIOR**

**TABLE 9: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO REDUCE SODIUM OR SALT INTAKE? (DRADVISE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3118	2,193,873	873	23.0	21.0-25.0	2245	77.0	75.0-79.0
White/Non-Hisp	2526	1,691,823	667	22.0	19.8-24.2	1859	78.0	75.8-80.2
Black or Afr. Am./Non-Hisp	482	344,078	183	31.4	25.7-37.1	299	68.6	62.9-74.3
18-24	126	235,525	9	6.2	01.9-10.5	117	93.8	89.5-98.1
25-34	250	318,951	36	15.4	10.1-20.7	214	84.6	79.3-89.9
35-44	332	362,451	57	17.9	12.6-23.2	275	82.1	76.8-87.4
45-54	560	416,916	149	23.4	19.1-27.7	411	76.6	72.3-80.9
55-64	756	384,503	229	29.8	25.5-34.1	527	70.2	65.9-74.5
65+	1071	460,260	390	35.1	31.2-39.0	681	64.9	61.0-68.8
Less Than H.S.	362	353,170	157	34.8	28.1-41.5	205	65.2	58.5-71.9
H.S. or G.E.D.	1073	697,612	320	23.2	19.9-26.5	753	76.8	73.5-80.1
Some Post-H.S.	873	672,686	242	21.1	17.6-24.6	631	78.9	75.4-82.4
College Graduate	803	464,999	153	16.5	13.4-19.6	650	83.5	80.4-86.6
Less than \$15,000	454	273,991	165	27.1	21.6-32.6	289	72.9	67.4-78.4
\$15,000- 24,999	530	350,764	188	30.4	25.1-35.7	342	69.6	64.3-74.9
\$25,000- 34,999	295	208,879	84	27.2	20.1-34.3	211	72.8	65.7-79.9
\$35,000- 49,999	309	233,251	82	21.5	15.6-27.4	227	78.5	72.6-84.4
\$50,000- 74,999	268	210,369	53	15.6	10.5-20.7	215	84.4	79.3-89.5
\$75,000+	335	287,824	44	12.7	08.2-17.2	291	87.3	82.8-91.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 8: CARDIOVASCULAR HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)	
1	MALES AND FEMALES	84
2	MALES ONLY	85
3	FEMALES ONLY	86
	FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)	
4	MALES AND FEMALES	87
5	MALES ONLY	88
6	FEMALES ONLY	89
	DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)	
7	MALES AND FEMALES	90
8	MALES ONLY	91
9	FEMALES ONLY	92
	DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)	
10	MALES AND FEMALES	93
11	MALES ONLY	94
12	FEMALES ONLY	95
	DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)	
13	MALES AND FEMALES	96
14	MALES ONLY	97
15	FEMALES ONLY	98
	DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)	
16	MALES AND FEMALES	99
17	MALES ONLY	100
18	FEMALES ONLY	101
	DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)	
19	MALES AND FEMALES	102
20	MALES ONLY	103
21	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 1: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	396	273,960	109	25.0	19.5-30.5	287	75.0	69.5-80.5
Male	210	178,685	74	30.0	22.2-37.8	136	70.0	62.2-77.8
Female	186	95,275	35	15.7	09.2-22.2	151	84.3	77.8-90.8
White/Non-Hisp	340	229,229	95	25.6	19.7-31.5	245	74.4	68.5-80.3
45-54	59	61,192	8	18.6	04.5-32.7	51	81.4	67.3-95.5
55-64	98	72,380	30	28.2	17.6-38.8	68	71.8	61.2-82.4
65+	219	119,411	66	26.5	19.1-33.9	153	73.5	66.1-80.9
Less Than H.S.	95	92,913	19	16.7	07.3-26.1	76	83.3	73.9-92.7
H.S. or G.E.D.	137	75,716	34	20.4	12.4-28.4	103	79.6	71.6-87.6
Some Post-H.S.	109	73,603	28	27.1	15.9-38.3	81	72.9	61.7-84.1
College Graduate	55	31,729	28	55.5	39.6-71.4	27	44.5	28.6-60.4
Less than \$15,000	87	42,311	19	19.0	08.4-29.6	68	81.0	70.4-91.6
\$15,000- 24,999	96	65,433	24	16.4	07.8-25.0	72	83.6	75.0-92.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 2: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	210	178,685	74	30.0	22.0-38.0	136	70.0	62.0-78.0
White/Non-Hisp	183	145,873	65	31.7	23.3-40.1	118	68.3	59.9-76.7
55-64	64	58,470	24	31.7	18.8-44.6	40	68.3	55.4-81.2
65+	112	72,243	41	30.3	19.7-40.9	71	69.7	59.1-80.3
H.S. or G.E.D.	70	47,438	22	24.7	13.1-36.3	48	75.3	63.7-86.9
Some Post-H.S.	63	53,253	20	30.5	16.2-44.8	43	69.5	55.2-83.8
\$15,000- 24,999	52	42,329	13	13.6	02.2-25.0	39	86.4	75.0-97.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 3: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	186	95,275	35	15.7	09.4-22.0	151	84.3	78.0-90.6
White/Non-Hisp	157	83,356	30	15.1	08.6-21.6	127	84.9	78.4-91.4
65+	107	47,168	25	20.7	11.1-30.3	82	79.3	69.7-88.9
Less Than H.S.	54	38,430	7	9.1	01.3-16.9	47	90.9	83.1-98.7
H.S. or G.E.D.	67	28,277	12	13.2	04.4-22.0	55	86.8	78.0-95.6
Less than \$15,000	54	16,499	8	10.8	01.6-20.0	46	89.2	80.0-98.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 4: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	258	160,231	72	27.4	20.0-34.8	186	72.6	65.2-80.0
Male	84	69,086	23	32.7	19.2-46.2	61	67.3	53.8-80.8
Female	174	91,145	49	23.5	15.7-31.3	125	76.5	68.7-84.3
White/Non-Hisp	208	134,150	62	30.6	22.2-39.0	146	69.4	61.0-77.8
55-64	64	37,826	22	38.7	22.8-54.6	42	61.3	45.4-77.2
65+	139	63,141	38	27.4	17.8-37.0	101	72.6	63.0-82.2
Less Than H.S.	55	48,364	15	32.5	16.2-48.8	40	67.5	51.2-83.8
H.S. or G.E.D.	82	45,236	26	30.1	14.6-45.6	56	69.9	54.4-85.4
Some Post-H.S.	76	40,740	18	21.2	10.8-31.6	58	78.8	68.4-89.2
Less than \$15,000	52	27,560	17	30.3	12.7-47.9	35	69.7	52.1-87.3
\$15,000- 24,999	59	43,315	17	28.4	12.1-44.7	42	71.6	55.3-87.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 5: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED “REHAB.” (STREHAB1)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	84	69,086	23	32.7	20.2-45.2	61	67.3	54.8-79.8
White/Non-Hisp	73	59,675	21	36.1	22.4-49.8	52	63.9	50.2-77.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 6: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	174	91,145	49	23.5	15.7-31.3	125	76.5	68.7-84.3
White/Non-Hisp	135	74,475	41	26.2	17.0-35.4	94	73.8	64.6-83.0
65+	93	36,544	28	26.6	15.8-37.4	65	73.4	62.6-84.2
H.S. or G.E.D.	56	25,665	19	20.7	07.6-33.8	37	79.3	66.2-92.4
Some Post-H.S.	54	27,640	14	24.3	10.6-38.0	40	75.7	62.0-89.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 7: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 35 years of age

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4862	4,147,092	1745	28.3	26.5-30.1	3117	71.7	69.9-73.5
Male	1741	1,947,123	711	30.1	27.4-32.8	1030	69.9	67.2-72.6
Female	3121	2,199,969	1034	26.7	24.5-28.9	2087	73.3	71.1-75.5
White/Non-Hisp	4018	3,231,805	1488	29.7	27.7-31.7	2530	70.3	68.3-72.3
Black or Afr. Am./Non-Hisp	673	622,588	212	26.1	21.4-30.8	461	73.9	69.2-78.6
Oth. Race/Non-Hisp.	71	139,930	22	21.3	09.9-32.7	49	78.7	67.3-90.1
18-24	200	467,170	14	10.1	04.4-15.8	186	89.9	84.2-95.6
25-34	421	647,740	25	6.3	03.4-09.2	396	93.7	90.8-96.6
35-44	555	676,021	66	11.5	08.2-14.8	489	88.5	85.2-91.8
45-54	854	792,816	245	29.1	25.0-33.2	609	70.9	66.8-75.0
55-64	1176	729,785	512	45.2	41.3-49.1	664	54.8	50.9-58.7
65+	1623	812,652	871	54.3	51.0-57.6	752	45.7	42.4-49.0
Less Than H.S.	545	656,150	242	38.3	32.4-44.2	303	61.7	55.8-67.6
H.S. or G.E.D.	1622	1,369,397	613	27.3	24.4-30.2	1009	72.7	69.8-75.6
Some Post-H.S.	1323	1,215,375	446	25.9	23.0-28.8	877	74.1	71.2-77.0
College Graduate	1357	891,439	440	25.3	22.6-28.0	917	74.7	72.0-77.4
Less than \$15,000	617	435,490	244	33.5	27.8-39.2	373	66.5	60.8-72.2
\$15,000- 24,999	803	691,146	321	30.9	26.2-35.6	482	69.1	64.4-73.8
\$25,000- 34,999	468	393,384	174	26.3	21.4-31.2	294	73.7	68.8-78.6
\$35,000- 49,999	502	466,950	170	25.6	20.5-30.7	332	74.4	69.3-79.5
\$50,000- 74,999	482	433,009	159	28.2	23.1-33.3	323	71.8	66.7-76.9
\$75,000+	633	598,153	202	27.6	23.3-31.9	431	72.4	68.1-76.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 8: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1741	1,947,123	711	30.1	27.4-32.8	1030	69.9	67.2-72.6
White/Non-Hisp	1489	1,534,176	629	31.9	29.0-34.8	860	68.1	65.2-71.0
Black or Afr. Am./Non-Hisp	189	276,285	63	25.0	17.4-32.6	126	75.0	67.4-82.6
18-24	74	228,383	5	6.5	00.6-12.4	69	93.5	87.6-99.4
25-34	170	327,589	10	6.2	01.9-10.5	160	93.8	89.5-98.1
35-44	222	312,622	37	13.0	08.1-17.9	185	87.0	82.1-91.9
45-54	296	376,349	101	35.5	28.4-42.6	195	64.5	57.4-71.6
55-64	418	344,521	213	48.6	41.9-55.3	205	51.4	44.7-58.1
65+	551	352,016	341	59.1	53.4-64.8	210	40.9	35.2-46.6
Less Than H.S.	185	303,711	82	36.9	27.5-46.3	103	63.1	53.7-72.5
H.S. or G.E.D.	544	663,773	216	26.2	21.9-30.5	328	73.8	69.5-78.1
Some Post-H.S.	450	542,926	182	29.5	24.4-34.6	268	70.5	65.4-75.6
College Graduate	555	428,459	227	30.7	26.0-35.4	328	69.3	64.6-74.0
Less than \$15,000	161	159,554	68	35.3	24.5-46.1	93	64.7	53.9-75.5
\$15,000- 24,999	272	339,746	116	30.4	23.0-37.8	156	69.6	62.2-77.0
\$25,000- 34,999	172	183,558	64	23.6	16.3-30.9	108	76.4	69.1-83.7
\$35,000- 49,999	194	235,401	80	27.0	19.6-34.4	114	73.0	65.6-80.4
\$50,000- 74,999	213	222,000	87	35.3	27.3-43.3	126	64.7	56.7-72.7
\$75,000+	300	311,484	126	32.4	26.1-38.7	174	67.6	61.3-73.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 9: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3121	2,199,969	1034	26.7	24.5-28.9	2087	73.3	71.1-75.5
White/Non-Hisp	2529	1,697,629	859	27.6	25.2-30.0	1670	72.4	70.0-74.8
Black or Afr. Am./Non-Hisp	484	346,303	149	27.0	21.1-32.9	335	73.0	67.1-78.9
18-24	126	238,787	9	13.6	04.2-23.0	117	86.4	77.0-95.8
25-34	251	320,151	15	6.4	02.7-10.1	236	93.6	89.9-97.3
35-44	333	363,398	29	10.1	05.6-14.6	304	89.9	85.4-94.4
45-54	558	416,467	144	23.4	18.9-27.9	414	76.6	72.1-81.1
55-64	758	385,264	299	42.1	37.4-46.8	459	57.9	53.2-62.6
65+	1072	460,636	530	50.7	46.6-54.8	542	49.3	45.2-53.4
Less Than H.S.	360	352,439	160	39.5	32.2-46.8	200	60.5	53.2-67.8
H.S. or G.E.D.	1078	705,624	397	28.3	24.4-32.2	681	71.7	67.8-75.6
Some Post-H.S.	873	672,449	264	23.0	19.5-26.5	609	77.0	73.5-80.5
College Graduate	802	462,980	213	20.3	17.0-23.6	589	79.7	76.4-83.0
Less than \$15,000	456	275,937	176	32.4	25.7-39.1	280	67.6	60.9-74.3
\$15,000- 24,999	531	351,400	205	31.4	25.7-37.1	326	68.6	62.9-74.3
\$25,000- 34,999	296	209,826	110	28.6	22.1-35.1	186	71.4	64.9-77.9
\$35,000- 49,999	308	231,549	90	24.2	17.1-31.3	218	75.8	68.7-82.9
\$50,000- 74,999	269	211,009	72	20.7	14.6-26.8	197	79.3	73.2-85.4
\$75,000+	333	286,669	76	22.4	15.9-28.9	257	77.6	71.1-84.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 10: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 35 years of age and those that take aspirin daily/every other day

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3093	2,937,685	226	5.0	04.0-06.0	230	6.2	05.0-07.4	2637	88.7	87.3-90.1
Male	1027	1,341,939	59	4.0	02.8-05.2	50	5.6	03.6-07.6	918	90.4	88.0-92.8
Female	2066	1,595,746	167	5.9	04.5-07.3	180	6.8	05.4-08.2	1719	87.3	85.5-89.1
White/Non-Hisp	2511	2,246,632	198	5.7	04.5-06.9	195	6.6	05.2-08.0	2118	87.7	86.1-89.3
Black or Afr. Am./Non-Hisp	455	455,124	21	2.3	00.9-03.7	23	3.0	01.2-04.8	411	94.7	92.5-96.9
18-24	182	400,058	6	2.0	00.2-03.8	3	1.4	00.0-03.2	173	96.6	94.2-99.0
25-34	396	608,848	4	0.9	00.0-01.9	9	2.3	00.5-04.1	383	96.7	94.7-98.7
35-44	485	593,460	20	3.0	01.4-04.6	24	5.4	02.7-08.1	441	91.6	88.5-94.7
45-54	606	553,826	35	6.3	03.6-09.0	38	7.1	04.0-10.2	533	86.5	82.4-90.6
55-64	656	395,499	52	6.8	04.3-09.3	64	9.5	06.8-12.2	540	83.7	80.2-87.2
65+	746	368,568	109	14.8	11.1-18.5	91	14.3	10.2-18.4	546	71.0	66.1-75.9
Less Than H.S.	299	395,200	35	9.3	05.6-13.0	50	13.7	08.6-18.8	214	77.0	70.9-83.1
H.S. or G.E.D.	1003	980,791	85	5.4	03.8-07.0	70	4.4	03.0-05.8	848	90.2	88.0-92.4
Some Post-H.S.	871	895,872	60	4.0	02.6-05.4	74	6.6	04.4-08.8	737	89.4	86.9-91.9
College Graduate	910	659,683	44	3.2	01.6-04.8	36	4.1	02.3-05.9	830	92.7	90.3-95.1
Less than \$15,000	368	282,719	33	8.3	04.6-12.0	45	6.7	04.0-09.4	290	85.0	80.5-89.5
\$15,000- 24,999	479	473,378	55	8.3	05.2-11.4	39	7.0	04.1-09.9	385	84.7	80.6-88.8
\$25,000- 34,999	292	288,638	27	7.0	03.5-10.5	21	9.3	04.4-14.2	244	83.8	77.9-89.7
\$35,000- 49,999	327	345,714	18	4.0	01.8-06.2	24	5.9	02.6-09.2	285	90.2	86.3-94.1
\$50,000- 74,999	318	305,400	18	2.8	01.2-04.4	19	6.9	03.0-10.8	281	90.3	86.2-94.4
\$75,000+	429	429,933	10	2.1	00.7-03.5	17	4.5	01.8-07.2	402	93.4	90.3-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 11: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1027	1,341,939	59	4.0	02.8-05.2	50	5.6	03.6-07.6	918	90.4	88.0-92.8
White/Non-Hisp	858	1,031,544	52	4.4	02.8-06.0	43	5.7	03.5-07.9	763	89.9	87.4-92.4
Black or Afr. Am./Non-Hisp	125	205,672	4	2.0	00.0-04.2	2	1.6	00.0-04.5	119	96.3	92.8-99.8
18-24	67	200,308				1	1.5	00.0-04.4	66	98.5	95.6-0100
25-34	160	309,246				3	1.8	00.0-04.0	157	98.2	96.0-0100
35-44	184	269,695	3	1.2	00.0-02.8	11	7.3	02.4-12.2	170	91.5	86.4-96.6
45-54	195	236,049	11	6.2	01.9-10.5	9	7.8	01.7-13.9	175	86.0	78.9-93.1
55-64	205	176,747	11	5.1	01.6-08.6	12	6.4	02.3-10.5	182	88.5	83.2-93.8
65+	209	143,513	34	18.8	11.5-26.1	14	11.8	03.8-19.8	161	69.4	60.0-78.8
Less Than H.S.	102	182,610	11	10.8	04.1-17.5	10	12.5	03.7-21.3	81	76.6	66.2-87.0
H.S. or G.E.D.	326	482,050	20	3.6	01.6-05.6	9	2.1	00.5-03.7	297	94.3	91.8-96.8
Some Post-H.S.	270	384,529	19	3.1	01.5-04.7	19	6.9	02.8-11.0	232	89.9	85.6-94.2
College Graduate	326	292,018	9	1.5	00.3-02.7	12	5.3	02.0-08.6	305	93.2	89.7-96.7
Less than \$15,000	92	97,063	5	3.3	00.0-07.0	5	2.1	00.0-04.3	82	94.7	90.4-99.0
\$15,000- 24,999	156	236,314	18	8.6	03.9-13.3	9	6.0	01.5-10.5	129	85.4	79.1-91.7
\$25,000- 34,999	107	139,001	16	9.1	02.8-15.4	8	12.6	03.6-21.6	83	78.3	67.9-88.7
\$35,000- 49,999	114	172,862	5	3.2	00.3-06.1	7	7.0	00.7-13.3	102	89.8	82.9-96.7
\$50,000- 74,999	125	139,295	4	1.8	00.0-03.8	7	5.3	00.6-10.0	114	92.8	87.7-97.9
\$75,000+	173	208,324	3	1.4	00.0-03.0	5	4.3	00.0-09.0	165	94.3	89.4-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 12: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2066	1,595,746	167	5.9	04.5-07.3	180	6.8	05.4-08.2	1719	87.3	85.5-89.1
White/Non-Hisp	1653	1,215,088	146	6.8	05.2-08.4	152	7.3	05.7-08.9	1355	85.9	83.7-88.1
Black or Afr. Am./Non-Hisp	330	249,452	17	2.5	00.7-04.3	21	4.2	02.0-06.4	292	93.3	90.4-96.2
18-24	115	199,750	6	4.1	00.8-07.4	2	1.3	00.0-03.1	107	94.6	90.9-98.3
25-34	236	299,602	4	1.9	00.0-03.9	6	2.9	00.2-05.6	226	95.2	91.9-98.5
35-44	301	323,765	17	4.6	02.1-07.1	13	3.9	01.2-06.6	271	91.6	87.9-95.3
45-54	411	317,776	24	6.4	02.7-10.1	29	6.6	03.5-09.7	358	86.9	82.2-91.6
55-64	451	218,752	41	8.2	04.9-11.5	52	12.1	08.4-15.8	358	79.7	75.0-84.4
65+	537	225,055	75	12.2	08.3-16.1	77	15.8	11.3-20.3	385	71.9	66.6-77.2
Less Than H.S.	197	212,590	24	8.0	03.9-12.1	40	14.8	08.9-20.7	133	77.3	70.2-84.4
H.S. or G.E.D.	677	498,741	65	7.1	04.6-09.6	61	6.7	04.3-09.1	551	86.2	82.9-89.5
Some Post-H.S.	601	511,343	41	4.7	02.5-06.9	55	6.3	04.1-08.5	505	89.0	86.1-91.9
College Graduate	584	367,665	35	4.6	02.1-07.1	24	3.1	01.3-04.9	525	92.3	89.4-95.2
Less than \$15,000	276	185,655	28	11.0	05.9-16.1	40	9.1	05.2-13.0	208	79.9	73.8-86.0
\$15,000- 24,999	323	237,064	37	8.0	03.7-12.3	30	8.0	04.3-11.7	256	84.0	78.7-89.3
\$25,000- 34,999	185	149,638	11	5.0	01.1-08.9	13	6.2	02.1-10.3	161	88.9	83.4-94.4
\$35,000- 49,999	213	172,851	13	4.7	01.8-07.6	17	4.7	02.2-07.2	183	90.6	86.7-94.5
\$50,000- 74,999	193	166,105	14	3.6	01.1-06.1	12	8.2	02.1-14.3	167	88.2	81.7-94.7
\$75,000+	256	221,608	7	2.7	00.5-04.9	12	4.7	01.4-08.0	237	92.6	88.7-96.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 13: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1739	1,172,055	388	26.0	22.7-29.3	1351	74.0	70.7-77.3
Male	708	585,107	157	24.1	19.6-28.6	551	75.9	71.4-80.4
Female	1031	586,948	231	27.8	23.1-32.5	800	72.2	67.5-76.9
White/Non-Hisp	1484	957,828	318	24.1	20.8-27.4	1166	75.9	72.6-79.2
Black or Afr. Am./Non-Hisp	211	162,528	55	32.7	22.5-42.9	156	67.3	57.1-77.5
35-44	66	77,666	34	60.8	46.3-75.3	32	39.2	24.7-53.7
45-54	244	230,726	80	29.6	21.8-37.4	164	70.4	62.6-78.2
55-64	510	329,120	101	18.2	13.7-22.7	409	81.8	77.3-86.3
65+	868	441,017	140	14.3	11.2-17.4	728	85.7	82.6-88.8
Less Than H.S.	241	251,016	54	30.6	21.6-39.6	187	69.4	60.4-78.4
H.S. or G.E.D.	612	373,720	139	27.9	21.8-34.0	473	72.1	66.0-78.2
Some Post-H.S.	445	315,089	107	24.3	19.0-29.6	338	75.7	70.4-81.0
College Graduate	437	224,709	86	20.8	15.7-25.9	351	79.2	74.1-84.3
Less than \$15,000	243	145,665	78	38.8	28.4-49.2	165	61.2	50.8-71.6
\$15,000- 24,999	320	213,466	68	27.2	19.2-35.2	252	72.8	64.8-80.8
\$25,000- 34,999	174	103,302	42	25.0	16.4-33.6	132	75.0	66.4-83.6
\$35,000- 49,999	170	119,668	36	27.7	16.5-38.9	134	72.3	61.1-83.5
\$50,000- 74,999	158	121,743	25	15.5	08.4-22.6	133	84.5	77.4-91.6
\$75,000+	202	165,324	26	18.7	09.1-28.3	176	81.3	71.7-90.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 14: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	708	585,107	157	24.1	19.6-28.6	551	75.9	71.4-80.4
White/Non-Hisp	627	489,449	139	23.3	18.8-27.8	488	76.7	72.2-81.2
Black or Afr. Am./Non-Hisp	62	68,978	13	27.3	11.0-43.6	49	72.7	56.4-89.0
45-54	100	133,301	35	31.3	19.9-42.7	65	68.7	57.3-80.1
55-64	212	167,191	33	12.6	07.7-17.5	179	87.4	82.5-92.3
65+	340	207,660	61	16.6	11.3-21.9	279	83.4	78.1-88.7
Less Than H.S.	82	112,132	20	27.2	13.5-40.9	62	72.8	59.1-86.5
H.S. or G.E.D.	215	174,015	54	26.8	18.6-35.0	161	73.2	65.0-81.4
Some Post-H.S.	181	160,096	43	23.5	15.9-31.1	138	76.5	68.9-84.1
College Graduate	226	131,342	38	20.0	12.9-27.1	188	80.0	72.9-87.1
Less than \$15,000	67	56,205	23	36.3	20.4-52.2	44	63.7	47.8-79.6
\$15,000- 24,999	115	103,214	27	25.7	14.1-37.3	88	74.3	62.7-85.9
\$25,000- 34,999	64	43,276	14	21.2	07.5-34.9	50	78.8	65.1-92.5
\$35,000- 49,999	80	63,610	15	21.9	08.4-35.4	65	78.1	64.6-91.6
\$50,000- 74,999	86	78,053	12	13.9	04.7-23.1	74	86.1	76.9-95.3
\$75,000+	126	101,015	16	15.2	07.6-22.8	110	84.8	77.2-92.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 15: DO YOU TAKE ASPIRIN TO RELIEVE PAIN? (RLIVPAIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1031	586,948	231	27.8	23.1-32.5	800	72.2	67.5-76.9
White/Non-Hisp	857	468,379	179	25.0	20.1-29.9	678	75.0	70.1-79.9
Black or Afr. Am./Non-Hisp	149	93,551	42	36.7	24.0-49.4	107	63.3	50.6-76.0
45-54	144	97,426	45	27.3	17.7-36.9	99	72.7	63.1-82.3
55-64	298	161,929	68	24.0	16.9-31.1	230	76.0	68.9-83.1
65+	528	233,357	79	12.2	08.9-15.5	449	87.8	84.5-91.1
Less Than H.S.	159	138,884	34	33.3	21.5-45.1	125	66.7	54.9-78.5
H.S. or G.E.D.	397	199,705	85	28.9	19.9-37.9	312	71.1	62.1-80.1
Some Post-H.S.	264	154,992	64	25.2	17.8-32.6	200	74.8	67.4-82.2
College Graduate	211	93,367	48	21.9	14.6-29.2	163	78.1	70.8-85.4
Less than \$15,000	176	89,460	55	40.4	26.9-53.9	121	59.6	46.1-73.1
\$15,000- 24,999	205	110,252	41	28.6	17.8-39.4	164	71.4	60.6-82.2
\$25,000- 34,999	110	60,026	28	27.7	16.3-39.1	82	72.3	60.9-83.7
\$35,000- 49,999	90	56,059	21	34.2	18.3-50.1	69	65.8	49.9-81.7
\$50,000- 74,999	72	43,690	13	18.5	07.9-29.1	59	81.5	70.9-92.1
\$75,000+	76	64,309	10	24.2	03.6-44.8	66	75.8	55.2-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

**TABLE 16: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1727	1,161,908	1528	82.9	79.8-86.0	199	17.1	14.0-20.2
Male	708	580,533	637	84.7	80.6-88.8	71	15.3	11.2-19.4
Female	1019	581,375	891	81.0	76.3-85.7	128	19.0	14.3-23.7
White/Non-Hisp	1475	951,380	1307	84.2	81.1-87.3	168	15.8	12.7-18.9
Black or Afr. Am./Non-Hisp	208	158,829	187	82.8	73.6-92.0	21	17.2	08.0-26.4
35-44	66	77,666	42	62.0	46.9-77.1	24	38.0	22.9-53.1
45-54	245	230,865	206	80.2	72.9-87.5	39	19.8	12.5-27.1
55-64	508	329,026	468	91.0	87.7-94.3	40	9.0	05.7-12.3
65+	859	438,088	791	93.6	91.4-95.8	68	6.4	04.2-08.6
Less Than H.S.	239	250,562	209	80.3	71.9-88.7	30	19.7	11.3-28.1
H.S. or G.E.D.	606	367,984	542	83.4	77.5-89.3	64	16.6	10.7-22.5
Some Post-H.S.	443	311,274	391	86.1	81.6-90.6	52	13.9	09.4-18.4
College Graduate	435	224,566	384	82.0	76.3-87.7	51	18.0	12.3-23.7
Less than \$15,000	242	145,361	205	77.1	67.1-87.1	37	22.9	12.9-32.9
\$15,000- 24,999	318	209,618	278	82.2	74.9-89.5	40	17.8	10.5-25.1
\$25,000- 34,999	173	102,940	145	80.2	71.8-88.6	28	19.8	11.4-28.2
\$35,000- 49,999	168	115,851	151	84.1	74.1-94.1	17	15.9	05.9-25.9
\$50,000- 74,999	156	121,685	142	89.2	82.7-95.7	14	10.8	04.3-17.3
\$75,000+	201	165,020	180	80.0	69.8-90.2	21	20.0	09.8-30.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 17: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	708	580,533	637	84.7	80.6-88.8	71	15.3	11.2-19.4
White/Non-Hisp	626	484,736	562	85.1	81.0-89.2	64	14.9	10.8-19.0
Black or Afr. Am./Non-Hisp	63	69,116	60	89.5	75.8-0100	3	10.5	00.0-24.2
45-54	101	133,439	81	76.6	65.8-87.4	20	23.4	12.6-34.2
55-64	213	167,409	203	94.4	90.7-98.1	10	5.6	01.9-09.3
65+	339	206,302	319	94.8	91.7-97.9	20	5.2	02.1-08.3
Less Than H.S.	82	112,132	74	86.2	74.6-97.8	8	13.8	02.2-25.4
H.S. or G.E.D.	213	168,968	194	86.1	79.4-92.8	19	13.9	07.2-20.6
Some Post-H.S.	182	160,351	163	85.5	78.4-92.6	19	14.5	07.4-21.6
College Graduate	227	131,560	204	83.7	76.1-91.3	23	16.3	08.7-23.9
Less than \$15,000	68	56,344	59	82.9	70.7-95.1	9	17.1	04.9-29.3
\$15,000- 24,999	115	103,148	102	82.8	72.0-93.6	13	17.2	06.4-28.0
\$25,000- 34,999	64	43,276	51	72.9	57.0-88.8	13	27.1	11.2-43.0
\$35,000- 49,999	79	60,037	74	94.8	89.7-99.9	5	5.2	00.1-10.3
\$50,000- 74,999	87	78,307	82	92.3	85.2-99.4	5	7.7	00.6-14.8
\$75,000+	126	101,015	115	84.1	74.5-93.7	11	15.9	06.3-25.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 18: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A HEART ATTACK? (RDUCHART)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1019	581,375	891	81.0	76.5-85.5	128	19.0	14.5-23.5
White/Non-Hisp	849	466,644	745	83.1	78.4-87.8	104	16.9	12.2-21.6
Black or Afr. Am./Non-Hisp	145	89,712	127	77.6	65.3-89.9	18	22.4	10.1-34.7
45-54	144	97,426	125	85.1	76.7-93.5	19	14.9	06.5-23.3
55-64	295	161,617	265	87.4	82.1-92.7	30	12.6	07.3-17.9
65+	520	231,786	472	92.6	89.7-95.5	48	7.4	04.5-10.3
Less Than H.S.	157	138,430	135	75.4	63.8-87.0	22	24.6	13.0-36.2
H.S. or G.E.D.	393	199,015	348	81.1	71.9-90.3	45	18.9	09.7-28.1
Some Post-H.S.	261	150,923	228	86.8	80.9-92.7	33	13.2	07.3-19.1
College Graduate	208	93,006	180	79.7	71.5-87.9	28	20.3	12.1-28.5
Less than \$15,000	174	89,017	146	73.4	59.7-87.1	28	26.6	12.9-40.3
\$15,000- 24,999	203	106,470	176	81.6	72.0-91.2	27	18.4	08.8-28.0
\$25,000- 34,999	109	59,665	94	85.5	77.5-93.5	15	14.5	06.5-22.5
\$35,000- 49,999	89	55,814	77	72.6	56.5-88.7	12	27.4	11.3-43.5
\$50,000- 74,999	69	43,378	60	83.4	71.1-95.7	9	16.6	04.3-28.9
\$75,000+	75	64,005	65	73.4	53.0-93.8	10	26.6	06.2-47.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

**TABLE 19: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1675	1,134,302	1355	75.7	72.4-79.0	320	24.3	21.0-27.6
Male	689	567,649	570	77.9	73.4-82.4	119	22.1	17.6-26.6
Female	986	566,654	785	73.6	68.7-78.5	201	26.4	21.5-31.3
White/Non-Hisp	1429	926,540	1159	77.5	74.0-81.0	270	22.5	19.0-26.0
Black or Afr. Am./Non-Hisp	203	156,488	165	73.0	62.6-83.4	38	27.0	16.6-37.4
35-44	66	77,666	39	54.6	39.1-70.1	27	45.4	29.9-60.9
45-54	238	226,638	178	68.4	60.0-76.8	60	31.6	23.2-40.0
55-64	496	321,810	420	84.0	79.7-88.3	76	16.0	11.7-20.3
65+	827	423,541	697	86.9	84.0-89.8	130	13.1	10.2-16.0
Less Than H.S.	232	248,235	180	70.7	61.7-79.7	52	29.3	20.3-38.3
H.S. or G.E.D.	587	356,818	473	75.4	69.1-81.7	114	24.6	18.3-30.9
Some Post-H.S.	431	305,937	353	80.5	75.2-85.8	78	19.5	14.2-24.8
College Graduate	421	215,790	347	77.0	71.3-82.7	74	23.0	17.3-28.7
Less than \$15,000	235	142,401	184	66.8	56.0-77.6	51	33.2	22.4-44.0
\$15,000- 24,999	307	203,053	237	73.4	65.4-81.4	70	26.6	18.6-34.6
\$25,000- 34,999	170	100,486	129	73.8	64.6-83.0	41	26.2	17.0-35.4
\$35,000- 49,999	161	113,179	131	73.8	62.4-85.2	30	26.2	14.8-37.6
\$50,000- 74,999	154	120,888	128	81.9	74.1-89.7	26	18.1	10.3-25.9
\$75,000+	193	158,295	168	78.0	67.6-88.4	25	22.0	11.6-32.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 20: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	689	567,649	570	77.9	73.4-82.4	119	22.1	17.6-26.6
White/Non-Hisp	609	473,563	501	78.4	73.7-83.1	108	21.6	16.9-26.3
Black or Afr. Am./Non-Hisp	62	67,831	55	78.0	61.9-94.1	7	22.0	05.9-38.1
45-54	99	131,312	70	65.9	53.7-78.1	29	34.1	21.9-46.3
55-64	206	162,542	185	88.4	82.7-94.1	21	11.6	05.9-17.3
65+	329	200,412	283	86.7	82.0-91.4	46	13.3	08.6-18.0
Less Than H.S.	81	111,308	64	75.2	62.5-87.9	17	24.8	12.1-37.5
H.S. or G.E.D.	207	164,476	168	79.4	72.0-86.8	39	20.6	13.2-28.0
Some Post-H.S.	178	158,448	151	80.3	72.5-88.1	27	19.7	11.9-27.5
College Graduate	219	125,894	185	78.0	70.0-86.0	34	22.0	14.0-30.0
Less than \$15,000	67	55,520	51	69.6	54.1-85.1	16	30.4	14.9-45.9
\$15,000- 24,999	112	101,209	87	75.8	65.0-86.6	25	24.2	13.4-35.0
\$25,000- 34,999	62	41,283	49	71.7	55.4-88.0	13	28.3	12.0-44.6
\$35,000- 49,999	75	58,057	63	82.7	70.4-95.0	12	17.3	05.0-29.6
\$50,000- 74,999	85	77,510	73	82.7	72.5-92.9	12	17.3	07.1-27.5
\$75,000+	121	96,424	106	81.0	71.2-90.8	15	19.0	09.2-28.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 8: CARDIOVASCULAR HEALTH**

TABLE 21: DO YOU TAKE ASPIRIN TO REDUCE THE CHANCE OF A STROKE? (RUCSTRK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	986	566,654	785	73.6	68.7-78.5	201	26.4	21.5-31.3
White/Non-Hisp	820	452,977	658	76.5	71.6-81.4	162	23.5	18.6-28.4
Black or Afr. Am./Non-Hisp	141	88,658	110	69.1	55.6-82.6	31	30.9	17.4-44.4
45-54	139	95,327	108	71.9	60.7-83.1	31	28.1	16.9-39.3
55-64	290	159,268	235	79.5	73.2-85.8	55	20.5	14.2-26.8
65+	498	223,129	414	87.1	83.6-90.6	84	12.9	09.4-16.4
Less Than H.S.	151	136,927	116	67.0	55.2-78.8	35	33.0	21.2-44.8
H.S. or G.E.D.	380	192,342	305	71.9	62.3-81.5	75	28.1	18.5-37.7
Some Post-H.S.	253	147,488	202	80.7	73.8-87.6	51	19.3	12.4-26.2
College Graduate	202	89,896	162	75.6	67.4-83.8	40	24.4	16.2-32.6
Less than \$15,000	168	86,881	133	65.0	50.7-79.3	35	35.0	20.7-49.3
\$15,000- 24,999	195	101,845	150	70.9	59.5-82.3	45	29.1	17.7-40.5
\$25,000- 34,999	108	59,203	80	75.2	64.8-85.6	28	24.8	14.4-35.2
\$35,000- 49,999	86	55,122	68	64.4	47.9-80.9	18	35.6	19.1-52.1
\$50,000- 74,999	69	43,378	55	80.6	68.3-92.9	14	19.4	07.1-31.7
\$75,000+	72	61,870	62	73.3	52.3-94.3	10	26.7	05.7-47.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 9: ARTHRITIS MANAGEMENT CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWGT)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)	
7	MALES AND FEMALES	112
8	MALES ONLY	113
9	FEMALES ONLY	114
	HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)	
10	MALES AND FEMALES	115
11	MALES ONLY	116
12	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 1: EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		I can do Everything I would like to			I can do Most Things I would like to			I can do Some Things I would like to			I can Hardly do Anything I would like to		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1629	1,094,423	330	21.3	18.4-24.2	589	36.3	33.0-39.6	479	28.2	24.9-31.5	231	14.3	11.9-16.7
Male	483	429,079	117	26.7	21.0-32.4	175	32.3	26.8-37.8	126	27.4	21.5-33.3	65	13.6	09.3-17.9
Female	1146	665,343	213	17.9	15.0-20.8	414	38.8	34.5-43.1	353	28.6	24.7-32.5	166	14.7	11.8-17.6
White/Non-Hisp	1375	907,456	283	21.2	18.3-24.1	500	36.5	32.8-40.2	396	27.9	24.4-31.4	196	14.4	11.7-17.1
Black or Afr. Am./Non-Hisp	210	124,706	39	23.4	14.4-32.4	69	32.4	23.0-41.8	71	28.0	19.6-36.4	31	16.2	08.8-23.6
35-44	88	117,400	26	25.5	15.3-35.7	19	23.0	11.4-34.6	26	30.9	18.0-43.8	17	20.6	10.2-31.0
45-54	251	235,786	40	16.5	10.2-22.8	79	33.0	24.6-41.4	76	30.9	22.9-38.9	56	19.7	13.2-26.2
55-64	471	291,417	87	18.2	13.9-22.5	150	33.6	27.7-39.5	153	32.2	25.9-38.5	81	16.0	11.9-20.1
65+	767	369,457	164	23.2	18.9-27.5	318	43.7	38.8-48.6	213	24.9	20.8-29.0	72	8.2	05.7-10.7
Less Than H.S.	267	270,540	37	13.5	08.2-18.8	73	29.5	21.3-37.7	92	34.9	26.7-43.1	65	22.1	15.4-28.8
H.S. or G.E.D.	591	341,113	105	21.4	16.7-26.1	200	35.0	29.5-40.5	192	28.8	23.5-34.1	94	14.7	10.8-18.6
Some Post-H.S.	449	315,168	88	21.6	15.7-27.5	190	41.2	34.7-47.7	121	27.2	21.1-33.3	50	10.0	06.7-13.3
College Graduate	320	167,005	100	33.3	26.0-40.6	126	40.5	32.9-48.1	74	17.9	12.4-23.4	20	8.2	02.5-13.9
Less than \$15,000	294	165,985	27	8.9	04.4-13.4	68	22.4	15.5-29.3	108	32.1	24.3-39.9	91	36.5	28.3-44.7
\$15,000- 24,999	331	230,459	54	19.2	11.9-26.5	111	34.0	26.2-41.8	122	35.3	27.1-43.5	44	11.4	06.9-15.9
\$25,000- 34,999	148	98,927	34	21.4	13.2-29.6	59	34.8	24.4-45.2	37	25.8	15.8-35.8	18	17.9	07.7-28.1
\$35,000- 49,999	155	116,129	47	26.6	17.2-36.0	56	33.6	21.3-45.9	41	32.0	20.0-44.0	11	7.8	02.3-13.3
\$50,000- 74,999	139	97,295	38	28.5	18.9-38.1	67	47.7	36.7-58.7	25	13.5	07.2-19.8	9	10.2	01.0-19.4
\$75,000+	110	86,390	38	35.7	24.5-46.9	53	47.5	36.3-58.7	16	14.3	06.5-22.1	3	2.5	00.0-05.6

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 2: EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		I can do Everything I would like to			I can do Most Things I would like to			I can do Some Things I would like to			I can Hardly do Anything I would like to		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	483	429,079	117	26.7	21.0-32.4	175	32.3	26.8-37.8	126	27.4	21.7-33.1	65	13.6	09.3-17.9
White/Non-Hisp	419	361,005	103	25.7	19.8-31.6	146	31.7	25.8-37.6	113	28.9	22.6-35.2	57	13.6	08.9-18.3
Black or Afr. Am./Non-Hisp	51	42,656	11	32.6	13.8-51.4	23	32.3	16.6-48.0	11	23.3	08.2-38.4	6	11.8	00.0-24.3
45-54	83	106,168	12	19.0	07.6-30.4	24	22.7	12.5-32.9	29	37.7	24.4-51.0	18	20.5	09.1-31.9
55-64	142	120,775	31	21.6	13.4-29.8	45	33.5	22.9-44.1	39	28.6	17.2-40.0	27	16.3	08.9-23.7
65+	216	138,208	56	27.4	19.2-35.6	96	44.6	35.8-53.4	51	23.0	15.7-30.3	13	5.0	01.7-08.3
Less Than H.S.	73	95,111	15	17.9	06.7-29.1	13	19.0	06.7-31.3	27	39.1	23.0-55.2	18	24.0	11.3-36.7
H.S. or G.E.D.	157	133,040	36	28.6	19.4-37.8	55	31.1	22.1-40.1	43	29.1	19.5-38.7	23	11.2	04.9-17.5
Some Post-H.S.	139	124,232	30	26.8	14.8-38.8	56	37.9	27.1-48.7	33	23.6	14.4-32.8	20	11.7	05.6-17.8
College Graduate	113	76,414	36	34.2	22.4-46.0	51	41.9	29.9-53.9	23	16.2	06.8-25.6	3	7.7	00.0-18.5
Less than \$15,000	62	43,284	4	5.3	00.0-11.8	14	15.7	05.3-26.1	18	30.0	15.1-44.9	26	48.9	31.8-66.0
\$15,000- 24,999	105	105,873	17	22.2	08.9-35.5	39	29.5	17.9-41.1	33	34.7	20.6-48.8	16	13.7	05.9-21.5
\$35,000- 49,999	53	43,014	18	36.0	19.5-52.5	18	22.7	10.0-35.4	12	30.5	12.7-48.3	5	10.8	00.6-21.0
\$50,000- 74,999	59	49,440	20	34.4	18.9-49.9	26	41.2	24.5-57.9	10	13.2	04.8-21.6	3	11.2	00.0-27.3
\$75,000+	55	49,487	22	38.0	22.1-53.9	24	48.2	32.7-63.7	9	13.8	03.2-24.4			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 3: EARLIER YOU INDICATED THAT YOU HAD ARTHRITIS OR JOINT SYMPTOMS. THINKING ABOUT YOUR ARTHRITIS OR JOINT SYMPTOMS, WHICH OF THE FOLLOWING BEST DESCRIBES YOU TODAY? (ARTTODAY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		I can do Everything I would like to			I can do Most Things I would like to			I can do Some Things I would like to			I can Hardly do Anything I would like to		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1146	665,343	213	17.9	15.0-20.8	414	38.8	34.5-43.1	353	28.6	24.7-32.5	166	14.7	11.8-17.6
White/Non-Hisp	956	546,451	180	18.1	15.0-21.2	354	39.7	35.2-44.2	283	27.3	23.4-31.2	139	14.9	11.8-18.0
Black or Afr. Am./Non-Hisp	159	82,050	28	18.6	09.8-27.4	46	32.4	20.6-44.2	60	30.5	20.5-40.5	25	18.5	09.3-27.7
35-44	61	86,007	14	17.9	07.7-28.1	15	27.0	12.3-41.7	20	33.3	17.2-49.4	12	21.8	08.9-34.7
45-54	168	129,618	28	14.4	07.7-21.1	55	41.3	29.9-52.7	47	25.3	15.9-34.7	38	19.0	11.6-26.4
55-64	329	170,642	56	15.7	11.0-20.4	105	33.7	27.0-40.4	114	34.7	27.6-41.8	54	15.8	10.9-20.7
65+	551	231,250	108	20.7	16.2-25.2	222	43.1	37.4-48.8	162	26.1	21.2-31.0	59	10.1	06.6-13.6
Less Than H.S.	194	175,428	22	11.1	05.6-16.6	60	35.2	24.8-45.6	65	32.6	23.6-41.6	47	21.1	13.5-28.7
H.S. or G.E.D.	434	208,073	69	16.9	12.2-21.6	145	37.6	30.7-44.5	149	28.6	22.3-34.9	71	17.0	11.9-22.1
Some Post-H.S.	310	190,936	58	18.3	12.8-23.8	134	43.4	35.6-51.2	88	29.5	21.7-37.3	30	8.9	05.0-12.8
College Graduate	207	90,591	64	32.5	23.7-41.3	75	39.4	29.6-49.2	51	19.4	12.9-25.9	17	8.7	03.8-13.6
Less than \$15,000	232	122,701	23	10.2	04.7-15.7	54	24.8	16.6-33.0	90	32.9	23.7-42.1	65	32.2	23.2-41.2
\$15,000- 24,999	226	124,586	37	16.7	09.8-23.6	72	37.9	27.9-47.9	89	35.9	26.5-45.3	28	9.5	05.0-14.0
\$25,000- 34,999	110	67,315	21	18.6	09.4-27.8	45	33.5	22.1-44.9	29	27.7	15.4-40.0	15	20.2	07.9-32.5
\$35,000- 49,999	102	73,115	29	21.0	10.6-31.4	38	40.0	22.8-57.2	29	32.8	16.9-48.7	6	6.1	00.0-12.2
\$50,000- 74,999	80	47,855	18	22.5	11.1-33.9	41	54.4	40.9-67.9	15	13.9	05.9-21.9	6	9.2	00.6-17.8
\$75,000+	55	36,904	16	32.7	17.4-48.0	29	46.5	31.2-61.8	7	15.0	03.6-26.4	3	5.7	00.0-12.8

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 4: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWGT)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1642	1,111,398	547	35.8	32.3-39.3	1095	64.2	60.7-67.7
Male	488	434,639	140	30.6	24.7-36.5	348	69.4	63.5-75.3
Female	1154	676,759	407	39.2	34.9-43.5	747	60.8	56.5-65.1
White/Non-Hisp	1386	921,141	430	33.7	30.0-37.4	956	66.3	62.6-70.0
Black or Afr. Am./Non-Hisp	212	126,181	104	47.8	38.0-57.6	108	52.2	42.4-62.0
35-44	88	117,268	39	48.1	34.8-61.4	49	51.9	38.6-65.2
45-54	254	236,756	112	46.2	37.4-55.0	142	53.8	45.0-62.6
55-64	470	293,539	186	38.1	31.8-44.4	284	61.9	55.6-68.2
65+	777	378,525	193	25.2	21.1-29.3	584	74.8	70.7-78.9
Less Than H.S.	268	273,607	87	36.2	27.6-44.8	181	63.8	55.2-72.4
H.S. or G.E.D.	600	348,811	200	35.7	30.0-41.4	400	64.3	58.6-70.0
Some Post-H.S.	452	320,232	166	38.9	32.4-45.4	286	61.1	54.6-67.6
College Graduate	320	168,151	94	29.7	23.0-36.4	226	70.3	63.6-77.0
Less than \$15,000	297	168,652	120	41.2	33.0-49.4	177	58.8	50.6-67.0
\$15,000- 24,999	330	233,478	109	39.9	31.3-48.5	221	60.1	51.5-68.7
\$25,000- 34,999	147	99,274	44	33.3	22.5-44.1	103	66.7	55.9-77.5
\$35,000- 49,999	158	117,661	58	48.0	35.7-60.3	100	52.0	39.7-64.3
\$50,000- 74,999	140	97,427	44	31.2	21.6-40.8	96	68.8	59.2-78.4
\$75,000+	112	89,662	26	22.4	13.4-31.4	86	77.6	68.6-86.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 5: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWGT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	488	434,639	140	30.6	24.7-36.5	348	69.4	63.5-75.3
White/Non-Hisp	423	365,853	116	28.9	22.6-35.2	307	71.1	64.8-77.4
Black or Afr. Am./Non-Hisp	52	43,367	20	43.2	25.0-61.4	32	56.8	38.6-75.0
45-54	85	107,504	31	38.6	25.5-51.7	54	61.4	48.3-74.5
55-64	143	122,703	48	36.8	24.8-48.8	95	63.2	51.2-75.2
65+	219	141,166	47	19.4	13.1-25.7	172	80.6	74.3-86.9
Less Than H.S.	72	94,449	19	33.2	17.3-49.1	53	66.8	50.9-82.7
H.S. or G.E.D.	159	134,311	48	33.9	23.9-43.9	111	66.1	56.1-76.1
Some Post-H.S.	142	128,816	43	28.3	18.7-37.9	99	71.7	62.1-81.3
College Graduate	114	76,781	30	26.0	15.8-36.2	84	74.0	63.8-84.2
Less than \$15,000	63	44,761	24	45.9	29.0-62.8	39	54.1	37.2-71.0
\$15,000- 24,999	105	105,873	31	32.6	18.7-46.5	74	67.4	53.5-81.3
\$35,000- 49,999	54	43,380	16	32.9	15.7-50.1	38	67.1	49.9-84.3
\$50,000- 74,999	60	49,572	15	24.4	10.9-37.9	45	75.6	62.1-89.1
\$75,000+	57	52,581	12	20.8	09.2-32.4	45	79.2	67.6-90.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 6: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED LOSING WEIGHT TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHWGT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1154	676,759	407	39.2	34.9-43.5	747	60.8	56.5-65.1
White/Non-Hisp	963	555,288	314	36.8	32.1-41.5	649	63.2	58.5-67.9
Black or Afr. Am./Non-Hisp	160	82,814	84	50.1	38.5-61.7	76	49.9	38.3-61.5
35-44	62	86,537	30	52.1	36.0-68.2	32	47.9	31.8-64.0
45-54	169	129,252	81	52.6	41.4-63.8	88	47.4	36.2-58.6
55-64	327	170,836	138	39.0	32.1-45.9	189	61.0	54.1-67.9
65+	558	237,359	146	28.7	23.4-34.0	412	71.3	66.0-76.6
Less Than H.S.	196	179,158	68	37.8	27.6-48.0	128	62.2	52.0-72.4
H.S. or G.E.D.	441	214,500	152	36.9	30.0-43.8	289	63.1	56.2-70.0
Some Post-H.S.	310	191,416	123	46.1	38.1-54.1	187	53.9	45.9-61.9
College Graduate	206	91,371	64	32.8	24.2-41.4	142	67.2	58.6-75.8
Less than \$15,000	234	123,891	96	39.5	30.1-48.9	138	60.5	51.1-69.9
\$15,000- 24,999	225	127,605	78	45.9	35.5-56.3	147	54.1	43.7-64.5
\$25,000- 34,999	110	67,882	33	32.5	20.0-45.0	77	67.5	55.0-80.0
\$35,000- 49,999	104	74,281	42	56.8	41.7-71.9	62	43.2	28.1-58.3
\$50,000- 74,999	80	47,855	29	38.2	24.9-51.5	51	61.8	48.5-75.1
\$75,000+	55	37,080	14	24.6	11.7-37.5	41	75.4	62.5-88.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 7. HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1641	1,108,180	822	52.5	49.0-56.0	819	47.5	44.0-51.0
Male	486	431,038	220	48.5	42.2-54.8	266	51.5	45.2-57.8
Female	1155	677,142	602	55.1	50.8-59.4	553	44.9	40.6-49.2
White/Non-Hisp	1383	916,682	667	50.6	46.7-54.5	716	49.4	45.5-53.3
Black or Afr. Am./Non-Hisp	213	127,251	136	64.8	55.6-74.0	77	35.2	26.0-44.4
35-44	86	114,697	47	58.1	45.2-71.0	39	41.9	29.0-54.8
45-54	251	235,070	133	58.8	50.4-67.2	118	41.2	32.8-49.6
55-64	472	293,321	260	55.3	48.8-61.8	212	44.7	38.2-51.2
65+	779	379,783	350	44.2	39.5-48.9	429	55.8	51.1-60.5
Less Than H.S.	266	270,897	134	52.9	44.3-61.5	132	47.1	38.5-55.7
H.S. or G.E.D.	599	347,019	286	50.9	45.0-56.8	313	49.1	43.2-55.0
Some Post-H.S.	453	320,520	231	52.4	45.9-58.9	222	47.6	41.1-54.1
College Graduate	320	168,077	169	55.1	47.5-62.7	151	44.9	37.3-52.5
Less than \$15,000	297	168,320	155	53.7	45.5-61.9	142	46.3	38.1-54.5
\$15,000- 24,999	330	233,096	169	58.3	49.9-66.7	161	41.7	33.3-50.1
\$25,000- 34,999	147	99,274	73	53.2	42.0-64.4	74	46.8	35.6-58.0
\$35,000- 49,999	157	114,872	77	60.0	49.0-71.0	80	40.0	29.0-51.0
\$50,000- 74,999	138	96,827	66	41.2	30.8-51.6	72	58.8	48.4-69.2
\$75,000+	112	89,662	52	45.7	34.5-56.9	60	54.3	43.1-65.5

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 8: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	486	431,038	220	48.5	42.4-54.6	266	51.5	45.4-57.6
White/Non-Hisp	421	362,252	184	47.4	40.5-54.3	237	52.6	45.7-59.5
Black or Afr. Am./Non-Hisp	52	43,367	29	57.0	39.0-75.0	23	43.0	25.0-61.0
45-54	84	107,076	41	58.9	45.8-72.0	43	41.1	28.0-54.2
55-64	145	123,908	66	48.1	37.1-59.1	79	51.9	40.9-62.9
65+	218	139,359	93	38.5	30.1-46.9	125	61.5	53.1-69.9
Less Than H.S.	71	92,643	34	48.1	31.8-64.4	37	51.9	35.6-68.2
H.S. or G.E.D.	158	132,372	58	45.3	35.1-55.5	100	54.7	44.5-64.9
Some Post-H.S.	142	128,959	67	47.6	36.2-59.0	75	52.4	41.0-63.8
College Graduate	114	76,781	61	56.1	43.8-68.4	53	43.9	31.6-56.2
Less than \$15,000	64	45,333	28	42.4	26.3-58.5	36	57.6	41.5-73.7
\$15,000- 24,999	103	103,323	52	56.0	41.3-70.7	51	44.0	29.3-58.7
\$35,000- 49,999	54	42,185	21	47.3	29.5-65.1	33	52.7	34.9-70.5
\$50,000- 74,999	60	49,572	21	27.8	13.9-41.7	39	72.2	58.3-86.1
\$75,000+	57	52,581	25	43.7	28.6-58.8	32	56.3	41.2-71.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 9: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER SUGGESTED PHYSICAL ACTIVITY OR EXERCISE TO HELP YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEXER)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1155	677,142	602	55.1	50.8-59.4	553	44.9	40.6-49.2
White/Non-Hisp	962	554,430	483	52.7	48.2-57.2	479	47.3	42.8-51.8
Black or Afr. Am./Non-Hisp	161	83,884	107	68.8	59.0-78.6	54	31.2	21.4-41.0
35-44	62	86,537	37	62.9	47.8-78.0	25	37.1	22.0-52.2
45-54	167	127,994	92	58.7	47.9-69.5	75	41.3	30.5-52.1
55-64	327	169,413	194	60.5	53.4-67.6	133	39.5	32.4-46.6
65+	561	240,424	257	47.5	41.8-53.2	304	52.5	46.8-58.2
Less Than H.S.	195	178,254	100	55.5	45.7-65.3	95	44.5	34.7-54.3
H.S. or G.E.D.	441	214,646	228	54.4	47.3-61.5	213	45.6	38.5-52.7
Some Post-H.S.	311	191,561	164	55.7	47.9-63.5	147	44.3	36.5-52.1
College Graduate	206	91,296	108	54.3	44.9-63.7	98	45.7	36.3-55.1
Less than \$15,000	233	122,987	127	57.8	48.6-67.0	106	42.2	33.0-51.4
\$15,000- 24,999	227	129,774	117	60.1	50.1-70.1	110	39.9	29.9-49.9
\$25,000- 34,999	110	67,882	56	56.6	43.9-69.3	54	43.4	30.7-56.1
\$35,000- 49,999	103	72,687	56	67.5	54.8-80.2	47	32.5	19.8-45.2
\$50,000- 74,999	78	47,255	45	55.2	41.7-68.7	33	44.8	31.3-58.3
\$75,000+	55	37,080	27	48.7	33.0-64.4	28	51.3	35.6-67.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 10: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1649	1,113,986	170	10.2	08.2-12.2	1479	89.8	87.8-91.8
Male	491	436,506	37	6.6	04.1-09.1	454	93.4	90.9-95.9
Female	1158	677,480	133	12.5	09.6-15.4	1025	87.5	84.6-90.4
White/Non-Hisp	1392	924,475	136	9.5	07.5-11.5	1256	90.5	88.5-92.5
Black or Afr. Am./Non-Hisp	213	127,251	25	11.7	05.2-18.2	188	88.3	81.8-94.8
35-44	89	117,930	17	19.6	09.0-30.2	72	80.4	69.8-91.0
45-54	253	235,852	24	8.4	04.1-12.7	229	91.6	87.3-95.9
55-64	473	293,059	57	10.5	07.2-13.8	416	89.5	86.2-92.8
65+	781	381,835	65	8.4	05.7-11.1	716	91.6	88.9-94.3
Less Than H.S.	267	271,378	14	5.8	02.1-09.5	253	94.2	90.5-97.9
H.S. or G.E.D.	603	351,538	51	8.6	04.9-12.3	552	91.4	87.7-95.1
Some Post-H.S.	454	320,948	50	12.5	08.6-16.4	404	87.5	83.6-91.4
College Graduate	322	168,454	54	16.2	11.1-21.3	268	83.8	78.7-88.9
Less than \$15,000	298	168,982	25	8.9	04.4-13.4	273	91.1	86.6-95.6
\$15,000- 24,999	333	235,778	31	7.7	04.2-11.2	302	92.3	88.8-95.8
\$25,000- 34,999	147	99,274	18	15.1	05.9-24.3	129	84.9	75.7-94.1
\$35,000- 49,999	159	118,294	20	12.3	05.8-18.8	139	87.7	81.2-94.2
\$50,000- 74,999	140	97,427	19	13.1	06.2-20.0	121	86.9	80.0-93.8
\$75,000+	112	89,662	12	9.7	03.6-15.8	100	90.3	84.2-96.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 11: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	491	436,506	37	6.6	04.1-09.1	454	93.4	90.9-95.9
White/Non-Hisp	426	367,720	30	5.3	03.1-07.5	396	94.7	92.5-96.9
Black or Afr. Am./Non-Hisp	52	43,367	5	16.9	00.8-33.0	47	83.1	67.0-99.2
45-54	85	107,504	6	7.1	00.0-14.2	79	92.9	85.8-0100
55-64	145	123,908	15	7.9	03.4-12.4	130	92.1	87.6-96.6
65+	219	141,166	9	3.8	00.7-06.9	210	96.2	93.1-99.3
Less Than H.S.	73	95,111	3	3.4	00.0-07.7	70	96.6	92.3-0100
H.S. or G.E.D.	160	134,944	6	4.5	00.0-09.6	154	95.5	90.4-0100
Some Post-H.S.	143	129,387	10	6.1	01.8-10.4	133	93.9	89.6-98.2
College Graduate	114	76,781	18	14.9	07.3-22.5	96	85.1	77.5-92.7
Less than \$15,000	65	45,995	2	5.2	00.0-13.2	63	94.8	86.8-0100
\$15,000- 24,999	105	105,873	10	7.0	02.5-11.5	95	93.0	88.5-97.5
\$35,000- 49,999	55	44,013	5	9.9	00.0-20.5	50	90.1	79.5-0100
\$50,000- 74,999	60	49,572	6	5.6	00.7-10.5	54	94.4	89.5-99.3
\$75,000+	57	52,581	4	7.0	00.1-13.9	53	93.0	86.1-99.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 9: ARTHRITIS MANAGEMENT**

TABLE 12: HAVE YOU EVER TAKEN AN EDUCATIONAL COURSE OR CLASS TO TEACH YOU HOW TO MANAGE PROBLEMS RELATED TO YOUR ARTHRITIS OR JOINT SYMPTOMS? (ARTHEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who have not had joint pain in the past 3 months or have not been told they have arthritis

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1158	677,480	133	12.5	09.6-15.4	1025	87.5	84.6-90.4
White/Non-Hisp	966	556,755	106	12.2	09.3-15.1	860	87.8	84.9-90.7
Black or Afr. Am./Non-Hisp	161	83,884	20	9.0	03.9-14.1	141	91.0	85.9-96.1
35-44	62	86,537	13	23.3	09.4-37.2	49	76.7	62.8-90.6
45-54	168	128,348	18	9.4	04.3-14.5	150	90.6	85.5-95.7
55-64	328	169,152	42	12.5	08.0-17.0	286	87.5	83.0-92.0
65+	562	240,669	56	11.1	07.4-14.8	506	88.9	85.2-92.6
Less Than H.S.	194	176,267	11	7.0	01.7-12.3	183	93.0	87.7-98.3
H.S. or G.E.D.	443	216,595	45	11.1	06.0-16.2	398	88.9	83.8-94.0
Some Post-H.S.	311	191,561	40	16.8	11.1-22.5	271	83.2	77.5-88.9
College Graduate	208	91,673	36	17.4	10.7-24.1	172	82.6	75.9-89.3
Less than \$15,000	233	122,987	23	10.2	04.7-15.7	210	89.8	84.3-95.3
\$15,000- 24,999	228	129,905	21	8.3	03.4-13.2	207	91.7	86.8-96.6
\$25,000- 34,999	110	67,882	16	20.5	08.0-33.0	94	79.5	67.0-92.0
\$35,000- 49,999	104	74,281	15	13.7	05.3-22.1	89	86.3	77.9-94.7
\$50,000- 74,999	80	47,855	13	20.9	08.9-32.9	67	79.1	67.1-91.1
\$75,000+	55	37,080	8	13.5	02.5-24.5	47	86.5	75.5-97.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013

MODULE 10: INFLUENZA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)	
1	MALES AND FEMALES	119
2	MALES ONLY	120
3	FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 10: INFLUENZA**

TABLE 1: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store			Workplace, other place, a school			Other Canada, Mexico		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2592	1,865,628	1404	52.0	49.3-54.7	214	9.1	07.5-10.7	14	0.3	00.1-00.5	564	20.5	18.3-22.7	395	18.0	15.8-20.2	1	0.0	00.0-00.0
Male	875	817,633	471	53.7	49.2-58.2	72	8.9	06.2-11.6	6	0.4	00.0-00.8	191	18.3	15.0-21.6	135	18.7	15.0-22.4			
Female	1717	1,047,995	933	50.8	47.5-54.1	142	9.3	07.1-11.5	8	0.2	00.0-00.4	373	22.3	19.4-25.2	260	17.4	14.9-19.9	1	0.1	00.0-00.3
White/Non-Hisp	2236	1,537,543	1194	51.7	48.8-54.6	182	8.9	07.1-10.7	11	0.3	00.1-00.5	514	20.9	18.7-23.1	334	18.2	15.8-20.6	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	276	221,217	169	57.7	48.7-66.7	21	7.9	02.0-13.8	3	0.5	00.0-01.3	39	16.4	09.5-23.3	44	17.5	11.0-24.0			
25-34	146	217,875	77	54.1	44.3-63.9	12	8.8	03.5-14.1				20	14.4	07.5-21.3	37	22.6	14.6-30.6			
35-44	210	241,634	84	39.0	30.6-47.4	19	10.6	04.7-16.5				29	17.2	09.9-24.5	78	33.2	25.4-41.0			
45-54	371	320,284	160	44.0	36.9-51.1	34	9.6	05.5-13.7	1	0.0	00.0-00.0	68	16.6	11.7-21.5	108	29.7	23.6-35.8			
55-64	642	390,183	346	56.0	50.7-61.3	60	9.5	06.4-12.6				116	16.8	13.1-20.5	119	17.4	13.7-21.1	1	0.2	00.0-00.6
65+	1163	594,034	704	58.5	54.4-62.6	83	7.8	05.4-10.2	13	0.9	00.3-01.5	322	29.7	26.0-33.4	41	3.1	01.9-04.3			
Less Than H.S.	305	317,680	201	60.8	52.8-68.8	31	11.3	06.0-16.6				59	21.8	14.9-28.7	14	6.1	02.0-10.2			
H.S. or G.E.D.	827	558,581	480	56.0	51.1-60.9	81	11.9	08.6-15.2	5	0.3	00.0-00.7	178	19.1	15.6-22.6	82	12.6	09.1-16.1	1	0.1	00.0-00.3
Some Post-H.S.	675	519,972	370	49.8	44.5-55.1	55	8.5	05.8-11.2	4	0.2	00.0-00.4	145	22.3	18.0-26.6	101	19.2	14.7-23.7			
College Graduate	777	466,291	348	43.8	39.1-48.5	47	5.0	03.2-06.8	5	0.6	00.0-01.2	179	19.3	15.8-22.8	198	31.3	26.8-35.8			
Less than \$15,000	307	174,425	187	59.3	50.7-67.9	38	13.5	08.0-19.0				67	21.5	14.1-28.9	15	5.7	01.8-09.6			
\$15,000- 24,999	426	326,291	264	61.7	54.6-68.8	47	12.2	07.1-17.3	2	0.2	00.0-00.4	87	18.4	13.1-23.7	26	7.6	03.5-11.7			
\$25,000- 34,999	258	183,674	132	49.2	40.8-57.6	15	6.2	02.7-09.7	1	0.2	00.0-00.6	71	27.5	20.1-34.9	39	16.8	09.9-23.7			
\$35,000- 49,999	245	187,831	109	42.2	33.4-51.0	21	11.0	05.1-16.9	1	0.2	00.0-00.6	51	19.8	12.5-27.1	63	26.8	19.2-34.4			
\$50,000- 74,999	261	202,234	123	45.0	36.8-53.2	16	5.9	02.2-09.6	3	0.8	00.0-01.8	60	23.2	16.3-30.1	59	25.0	17.6-32.4			
\$75,000+	367	304,887	151	42.4	35.7-49.1	24	6.3	03.4-09.2	1	0.2	00.0-00.6	75	18.5	13.6-23.4	115	32.4	26.3-38.5	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 10: INFLUENZA**

TABLE 2: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store			Workplace, other place, a school		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	875	817,633	471	53.7	49.2-58.2	72	8.9	06.2-11.6	6	0.4	00.0-00.8	191	18.3	15.0-21.6	135	18.7	15.0-22.4
White/Non-Hisp	770	670,723	411	53.4	48.7-58.1	64	9.2	06.5-11.9	5	0.4	00.0-00.8	171	17.3	14.2-20.4	119	19.7	15.6-23.8
Black or Afr. Am./Non-Hisp	76	94,199	47	62.2	47.1-77.3	4	5.9	00.0-15.1	1	0.9	00.0-02.7	15	18.2	06.6-29.8	9	12.8	03.8-21.8
25-34	51	95,223	27	51.4	35.1-67.7	4	9.7	00.3-19.1				10	16.8	06.0-27.6	10	22.1	08.2-36.0
35-44	76	104,163	36	46.4	32.9-59.9	6	8.8	01.2-16.4				7	11.8	01.8-21.8	27	33.0	20.5-45.5
45-54	123	148,886	48	46.6	35.0-58.2	10	8.1	01.2-15.0				26	16.3	08.7-23.9	39	28.9	19.3-38.5
55-64	211	170,078	119	62.2	53.6-70.8	18	8.2	03.7-12.7				33	10.7	06.4-15.0	41	18.9	12.0-25.8
65+	396	255,785	233	57.8	51.1-64.5	32	9.1	05.2-13.0	6	1.3	00.1-02.5	111	28.6	22.3-34.9	14	3.1	01.1-05.1
Less Than H.S.	98	141,703	69	68.3	55.4-81.2	10	13.3	03.7-22.9				16	15.1	05.5-24.7	3	3.3	00.0-08.2
H.S. or G.E.D.	231	220,241	129	53.2	44.6-61.8	23	10.0	04.9-15.1	1	0.2	00.0-00.6	51	20.3	13.6-27.0	27	16.3	09.0-23.6
Some Post-H.S.	216	225,719	114	47.6	38.8-56.4	20	10.1	05.0-15.2	1	0.1	00.0-00.3	50	20.8	13.9-27.7	31	21.3	13.3-29.3
College Graduate	327	229,579	157	51.1	44.0-58.2	19	3.9	01.9-05.9	4	1.1	00.0-02.3	73	15.9	11.6-20.2	74	28.0	21.5-34.5
Less than \$15,000	74	59,905	50	75.9	62.8-89.0	5	4.0	00.0-08.9				18	17.4	06.0-28.8	1	2.7	00.0-08.0
\$15,000- 24,999	133	146,375	84	61.3	49.3-73.3	15	12.9	04.5-21.3				28	18.6	09.6-27.6	6	7.2	00.1-14.3
\$25,000- 34,999	89	78,821	47	53.3	39.4-67.2	5	4.9	00.4-09.4				26	26.7	14.9-38.5	11	15.1	02.9-27.3
\$35,000- 49,999	86	82,667	39	38.9	25.4-52.4	12	19.6	08.0-31.2	1	0.4	00.0-01.2	21	24.8	11.5-38.1	13	16.2	06.6-25.8
\$50,000- 74,999	111	100,057	55	55.3	43.5-67.1	8	5.2	00.9-09.5	2	1.2	00.0-03.0	29	18.6	11.2-26.0	17	19.7	09.7-29.7
\$75,000+	186	176,972	78	44.5	35.3-53.7	11	4.8	01.1-08.5	1	0.3	00.0-00.9	34	13.9	08.4-19.4	62	36.5	27.5-45.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 10: INFLUENZA**

TABLE 3: AT WHAT KIND OF PLACE DID YOU GET YOUR LAST FLU SHOT/VACCINE? (IMFVPLAC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.									Workplace, other place, a school			Other Canada, Mexico					
	TOTAL	WEIGHTED	Drs office, HMO, ER, Hospital			Health Dept, Clinic, Health Center			Senior, Recreation, Community Center			Store			Other					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1717	1,047,995	933	50.8	47.5-54.1	142	9.3	07.1-11.5	8	0.2	00.0-00.4	373	22.3	19.4-25.2	260	17.4	14.9-19.9	1	0.1	00.0-00.3
White/Non-Hisp	1466	866,821	783	50.4	46.9-53.9	118	8.6	06.6-10.6	6	0.2	00.0-00.4	343	23.7	20.6-26.8	215	17.1	14.4-19.8	1	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	200	127,018	122	54.3	43.7-64.9	17	9.4	01.8-17.0	2	0.3	00.0-00.7	24	15.0	06.4-23.6	35	21.0	12.4-29.6			
25-34	95	122,651	50	56.3	44.5-68.1	8	8.1	02.4-13.8				10	12.6	03.8-21.4	27	23.0	13.6-32.4			
35-44	134	137,470	48	33.3	23.3-43.3	13	12.0	03.6-20.4				22	21.3	11.3-31.3	51	33.3	23.3-43.3			
45-54	248	171,398	112	41.7	33.7-49.7	24	10.9	06.2-15.6	1	0.1	00.0-00.3	42	16.9	10.6-23.2	69	30.5	22.7-38.3			
55-64	431	220,106	227	51.3	45.0-57.6	42	10.5	06.4-14.6				83	21.5	16.2-26.8	78	16.3	12.2-20.4	1	0.3	00.0-00.9
65+	767	338,249	471	59.0	54.1-63.9	51	6.9	03.8-10.0	7	0.6	00.0-01.2	211	30.4	25.7-35.1	27	3.1	01.7-04.5			
Less Than H.S.	207	175,977	132	54.9	45.3-64.5	21	9.6	03.9-15.3				43	27.2	18.0-36.4	11	8.3	02.2-14.4			
H.S. or G.E.D.	596	338,339	351	57.8	52.1-63.5	58	13.2	08.7-17.7	4	0.4	00.0-00.8	127	18.3	14.4-22.2	55	10.1	06.8-13.4	1	0.2	00.0-00.6
Some Post-H.S.	459	294,253	256	51.5	45.0-58.0	35	7.2	04.3-10.1	3	0.3	00.0-00.7	95	23.4	17.7-29.1	70	17.5	12.6-22.4			
College Graduate	450	236,712	191	36.8	31.1-42.5	28	6.0	03.1-08.9	1	0.0	00.0-00.0	106	22.6	17.3-27.9	124	34.5	28.4-40.6			
Less than \$15,000	233	114,520	137	50.7	41.1-60.3	33	18.5	11.1-25.9				49	23.7	14.3-33.1	14	7.2	02.1-12.3			
\$15,000- 24,999	293	179,917	180	61.9	53.5-70.3	32	11.7	05.2-18.2	2	0.3	00.0-00.7	59	18.2	12.3-24.1	20	7.9	03.2-12.6			
\$25,000- 34,999	169	104,853	85	46.2	35.8-56.6	10	7.2	01.9-12.5	1	0.3	00.0-00.9	45	28.1	18.5-37.7	28	18.1	10.3-25.9			
\$35,000- 49,999	159	105,164	70	44.8	33.2-56.4	9	4.2	00.1-08.3				30	15.8	08.9-22.7	50	35.1	24.3-45.9			
\$50,000- 74,999	150	102,176	68	35.0	25.0-45.0	8	6.7	00.8-12.6	1	0.4	00.0-01.2	31	27.7	16.5-38.9	42	30.3	19.5-41.1			
\$75,000+	181	127,915	73	39.6	30.8-48.4	13	8.3	03.2-13.4				41	24.8	16.4-33.2	53	26.8	19.4-34.2	1	0.6	00.0-01.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 12: BREAST CANCER AND CERVICAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	123
2	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	124
3	A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	125
4	HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	126
5	A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	127
6	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	128
7	HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	129

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 12: BREAST CANCER AND CERVICAL CANCER SCREENING

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3085	2,179,092	2512	69.3	66.8-71.8	573	30.7	28.2-33.2
White/Non-Hisp	2497	1,679,394	2070	72.3	69.6-75.0	427	27.7	25.0-30.4
Black or Afr. Am./Non-Hisp	479	341,772	372	65.3	58.6-72.0	107	34.7	28.0-41.4
18-24	126	236,799	25	19.3	11.3-27.3	101	80.7	72.7-88.7
25-34	247	317,116	49	16.2	11.1-21.3	198	83.8	78.7-88.9
35-44	332	363,029	205	62.9	56.2-69.6	127	37.1	30.4-43.8
45-54	553	412,234	496	90.9	88.2-93.6	57	9.1	06.4-11.8
55-64	747	377,381	710	94.2	91.5-96.9	37	5.8	03.1-08.5
65+	1057	457,266	1006	96.2	94.8-97.6	51	3.8	02.4-05.2
Less Than H.S.	349	345,395	294	75.7	68.4-83.0	55	24.3	17.0-31.6
H.S. or G.E.D.	1066	699,090	861	66.1	61.4-70.8	205	33.9	29.2-38.6
Some Post-H.S.	863	665,510	694	67.1	62.4-71.8	169	32.9	28.2-37.6
College Graduate	799	462,620	656	72.2	67.9-76.5	143	27.8	23.5-32.1
Less than \$15,000	451	273,386	356	65.2	58.3-72.1	95	34.8	27.9-41.7
\$15,000- 24,999	523	345,546	423	69.3	63.2-75.4	100	30.7	24.6-36.8
\$25,000- 34,999	294	208,032	230	64.0	56.2-71.8	64	36.0	28.2-43.8
\$35,000- 49,999	304	231,243	247	73.0	65.7-80.3	57	27.0	19.7-34.3
\$50,000- 74,999	268	209,696	219	66.8	57.2-76.4	49	33.2	23.6-42.8
\$75,000+	332	286,476	272	71.9	64.5-79.3	60	28.1	20.7-35.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 12: BREAST CANCER AND CERVICAL CANCER SCREENING
TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-3 years			3-5 years			5 or more years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2479	1,492,576	1508	60.5	57.8-63.2	429	17.5	15.3-19.7	169	6.5	05.1-07.9	125	5.7	04.3-07.1	248	9.8	08.2-11.4
White/Non-Hisp	2042	1,199,754	1210	59.0	56.1-61.9	363	18.1	15.9-20.3	147	6.8	05.2-08.4	105	5.8	04.2-07.4	217	10.3	08.5-12.1
Black or Afr. Am./Non-Hisp	368	221,783	258	68.5	61.1-75.9	52	14.2	08.7-19.7	20	5.4	02.5-08.3	16	4.7	02.0-07.4	22	7.3	01.6-13.0
35-44	203	227,078	109	50.3	41.3-59.3	43	20.5	13.6-27.4	13	5.6	01.9-09.3	16	9.9	04.2-15.6	22	13.7	06.8-20.6
45-54	492	370,279	293	59.1	53.4-64.8	100	21.9	17.0-26.8	31	5.2	02.8-07.6	21	4.6	02.2-07.0	47	9.3	06.2-12.4
55-64	705	354,279	446	63.0	58.3-67.7	113	15.7	12.2-19.2	51	8.9	06.0-11.8	27	4.3	02.3-06.3	68	8.0	05.6-10.4
65+	985	431,473	608	66.7	62.8-70.6	157	14.4	11.5-17.3	67	5.0	03.0-07.0	52	4.1	02.7-05.5	101	9.9	07.4-12.4
Less Than H.S.	279	253,312	136	51.6	43.2-60.0	49	16.8	10.9-22.7	28	10.8	05.1-16.5	20	5.3	02.4-08.2	46	15.5	09.6-21.4
H.S. or G.E.D.	850	456,065	516	62.4	57.9-66.9	148	17.9	14.2-21.6	54	5.4	03.4-07.4	42	4.8	02.8-06.8	90	9.5	07.0-12.0
Some Post-H.S.	690	443,801	401	59.6	54.5-64.7	132	19.1	15.2-23.0	51	6.3	04.1-08.5	42	7.0	04.1-09.9	64	8.0	05.3-10.7
College Graduate	653	333,627	451	65.8	60.9-70.7	99	15.6	12.1-19.1	35	4.9	02.9-06.9	20	5.4	02.3-08.5	48	8.3	05.4-11.2
Less than \$15,000	350	175,893	173	44.8	37.0-52.6	70	23.6	16.7-30.5	32	8.1	03.6-12.6	19	4.8	02.3-07.3	56	18.7	11.4-26.0
\$15,000- 24,999	413	233,961	248	60.9	54.2-67.6	68	17.5	12.0-23.0	24	4.1	01.9-06.3	27	6.4	03.3-09.5	46	11.2	07.1-15.3
\$25,000- 34,999	227	132,001	137	57.9	49.1-66.7	38	19.8	12.2-27.4	14	6.4	02.1-10.7	7	3.4	00.9-05.9	31	12.5	07.0-18.0
\$35,000- 49,999	246	168,809	150	60.6	51.4-69.8	47	16.9	10.6-23.2	19	7.2	02.7-11.7	11	8.6	02.5-14.7	19	6.7	03.2-10.2
\$50,000- 74,999	219	140,032	133	58.4	49.8-67.0	45	21.9	14.8-29.0	13	6.2	02.1-10.3	12	7.7	02.0-13.4	16	5.8	02.3-09.3
\$75,000+	272	206,089	197	69.4	62.3-76.5	43	15.3	10.2-20.4	13	4.2	01.7-06.7	6	3.9	00.4-07.4	13	7.2	02.1-12.3

NOTE:
'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 12: BREAST CANCER AND CERVICAL CANCER SCREENING**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3062	2,161,315	2755	88.7	86.9-90.5	307	11.3	09.5-13.1
White/Non-Hisp	2480	1,668,999	2248	89.4	87.6-91.2	232	10.6	08.8-12.4
Black or Afr. Am./Non-Hisp	475	340,111	414	86.0	81.5-90.5	61	14.0	09.5-18.5
18-24	125	235,294	97	78.8	70.8-86.8	28	21.2	13.2-29.2
25-34	245	311,395	215	84.7	79.0-90.4	30	15.3	09.6-21.0
35-44	329	360,551	309	92.4	88.3-96.5	20	7.6	03.5-11.7
45-54	552	410,600	511	92.0	89.1-94.9	41	8.0	05.1-10.9
55-64	744	375,580	696	93.3	90.6-96.0	48	6.7	04.0-09.4
65+	1044	452,629	904	86.4	83.3-89.5	140	13.6	10.5-16.7
Less Than H.S.	345	338,691	283	82.1	76.4-87.8	62	17.9	12.2-23.6
H.S. or G.E.D.	1056	694,009	936	87.5	84.6-90.4	120	12.5	09.6-15.4
Some Post-H.S.	858	661,408	780	90.2	87.3-93.1	78	9.8	06.9-12.7
College Graduate	795	460,729	748	93.0	90.3-95.7	47	7.0	04.3-09.7
Less than \$15,000	443	263,686	370	82.5	76.8-88.2	73	17.5	11.8-23.2
\$15,000- 24,999	521	344,386	463	84.9	80.0-89.8	58	15.1	10.2-20.0
\$25,000- 34,999	292	207,679	263	88.4	83.3-93.5	29	11.6	06.5-16.7
\$35,000- 49,999	300	226,694	275	92.2	88.3-96.1	25	7.8	03.9-11.7
\$50,000- 74,999	268	209,696	257	93.8	89.5-98.1	11	6.2	01.9-10.5
\$75,000+	332	286,476	318	92.6	87.7-97.5	14	7.4	02.5-12.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 12: BREAST CANCER AND CERVICAL CANCER SCREENING
TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-3 years			3-5 years			5 or more years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2714	1,895,561	1790	67.5	65.0-70.0	405	14.9	13.1-16.7	154	5.3	04.1-06.5	112	4.3	03.1-05.5	253	8.1	06.5-09.7
White/Non-Hisp	2215	1,475,166	1421	65.7	63.0-68.4	332	14.9	12.9-16.9	139	5.9	04.5-07.3	97	4.6	03.2-06.0	226	8.9	07.3-10.5
Black or Afr. Am./Non-Hisp	409	291,539	308	76.0	70.1-81.9	59	15.8	10.5-21.1	11	2.1	00.7-03.5	11	2.8	00.8-04.8	20	3.4	01.0-05.8
18-24	97	185,335	72	78.5	69.5-87.5	12	8.6	03.3-13.9	6	7.4	00.7-14.1	4	3.1	00.0-06.6	3	2.3	00.0-04.8
25-34	213	262,658	147	66.3	58.1-74.5	29	14.3	08.8-19.8	13	5.6	02.3-08.9	14	6.6	03.1-10.1	10	7.1	00.0-14.2
35-44	308	332,790	202	64.3	57.4-71.2	57	18.7	13.2-24.2	16	4.9	02.0-07.8	14	5.0	01.3-08.7	19	7.0	03.5-10.5
45-54	508	376,431	343	67.5	62.2-72.8	85	16.8	12.9-20.7	18	3.0	01.0-05.0	20	5.2	02.3-08.1	42	7.4	04.7-10.1
55-64	687	347,041	456	65.4	60.7-70.1	90	14.7	11.0-18.4	44	6.9	04.4-09.4	23	3.0	01.4-04.6	74	10.0	06.9-13.1
65+	879	376,744	557	67.4	63.3-71.5	129	13.8	10.7-16.9	57	5.2	03.4-07.0	35	2.7	01.5-03.9	101	11.0	08.3-13.7
Less Than H.S.	269	268,252	138	58.4	50.2-66.6	39	11.4	06.9-15.9	27	6.5	03.0-10.0	14	8.2	02.9-13.5	51	15.6	10.1-21.1
H.S. or G.E.D.	920	601,126	598	67.6	63.3-71.9	148	17.2	13.7-20.7	46	4.9	02.5-07.3	35	3.1	01.5-04.7	93	7.2	05.2-09.2
Some Post-H.S.	776	594,287	497	66.0	61.3-70.7	112	14.4	11.1-17.7	54	6.3	04.1-08.5	43	4.6	02.6-06.6	70	8.6	05.1-12.1
College Graduate	742	426,123	553	74.9	70.8-79.0	104	14.7	11.4-18.0	27	3.6	02.0-05.2	20	3.0	01.4-04.6	38	3.8	02.0-05.6
Less than \$15,000	361	215,912	194	54.2	46.8-61.6	63	17.5	12.2-22.8	27	7.1	03.0-11.2	19	5.6	02.3-08.9	58	15.7	10.4-21.0
\$15,000- 24,999	455	286,702	296	65.0	58.7-71.3	64	18.2	12.9-23.5	22	3.2	00.8-05.6	24	4.6	02.2-07.0	49	9.0	05.5-12.5
\$25,000- 34,999	261	183,119	162	63.8	56.2-71.4	39	15.4	09.5-21.3	9	3.3	00.8-05.8	10	3.8	00.9-06.7	41	13.7	08.4-19.0
\$35,000- 49,999	273	207,870	183	68.6	61.0-76.2	41	13.3	08.0-18.6	24	7.9	04.2-11.6	10	5.5	01.2-09.8	15	4.7	01.8-07.6
\$50,000- 74,999	257	196,792	183	68.9	59.5-78.3	34	13.1	07.8-18.4	13	4.6	01.5-07.7	9	4.2	00.7-07.7	18	9.2	00.2-18.2
\$75,000+	318	265,209	245	77.9	72.2-83.6	46	14.6	09.7-19.5	13	4.0	01.6-06.4	5	1.9	00.1-03.7	9	1.6	00.2-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 12: BREAST CANCER AND CERVICAL CANCER SCREENING
TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3062	2,165,905	2820	91.6	90.2-93.0	242	8.4	07.0-09.8
White/Non-Hisp	2482	1,675,002	2281	91.2	89.4-93.0	201	8.8	07.0-10.6
Black or Afr. Am./Non-Hisp	475	340,028	442	94.1	91.4-96.8	33	5.9	03.2-08.6
18-24	126	236,799	98	78.6	70.6-86.6	28	21.4	13.4-29.4
25-34	244	310,607	230	92.7	88.4-97.0	14	7.3	03.0-11.6
35-44	331	362,335	320	96.6	94.2-99.0	11	3.4	01.0-05.8
45-54	552	411,395	525	95.1	92.6-97.6	27	4.9	02.4-07.4
55-64	741	375,070	694	94.2	91.8-96.6	47	5.8	03.4-08.2
65+	1047	455,761	932	88.3	85.6-91.0	115	11.7	09.0-14.4
Less Than H.S.	348	340,874	306	88.6	84.3-92.9	42	11.4	07.1-15.7
H.S. or G.E.D.	1057	698,041	961	90.8	88.1-93.5	96	9.2	06.5-11.9
Some Post-H.S.	858	662,750	797	91.5	88.8-94.2	61	8.5	05.8-11.2
College Graduate	793	459,093	751	95.4	93.4-97.4	42	4.6	02.6-06.6
Less than \$15,000	444	267,787	401	89.7	85.6-93.8	43	10.3	06.2-14.4
\$15,000- 24,999	521	345,337	478	89.7	85.6-93.8	43	10.3	06.2-14.4
\$25,000- 34,999	292	207,019	269	91.8	87.3-96.3	23	8.2	03.7-12.7
\$35,000- 49,999	301	228,262	280	92.9	88.8-97.0	21	7.1	03.0-11.2
\$50,000- 74,999	268	209,696	254	94.0	89.7-98.3	14	6.0	01.7-10.3
\$75,000+	332	286,476	319	94.8	90.5-99.1	13	5.2	00.9-09.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 12: BREAST CANCER AND CERVICAL CANCER SCREENING
TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-3 years			3-5 years			5 or more years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2765	1,949,208	1382	55.7	53.2-58.2	452	17.4	15.2-19.6	224	6.8	05.6-08.0	136	5.0	03.8-06.2	571	15.1	13.5-16.7
White/Non-Hisp	2236	1,498,106	1058	52.5	49.6-55.4	368	17.3	15.1-19.5	186	7.6	06.2-09.0	114	5.3	03.9-06.7	510	17.2	15.2-19.2
Black or Afr. Am./Non-Hisp	435	316,033	271	68.2	61.9-74.5	66	15.5	10.0-21.0	35	5.7	03.2-08.2	14	2.5	00.7-04.3	49	8.1	05.2-11.0
18-24	97	184,681	78	82.2	73.2-91.2	11	11.4	03.4-19.4	2	1.3	00.0-03.1	5	4.5	00.2-08.8	1	0.7	00.0-02.1
25-34	230	287,804	168	69.2	61.2-77.2	34	19.1	11.7-26.5	15	5.6	02.5-08.7	7	4.0	00.7-07.3	6	2.0	00.2-03.8
35-44	319	349,617	197	59.8	52.7-66.9	67	21.7	15.8-27.6	22	5.9	03.2-08.6	9	3.9	00.4-07.4	24	8.6	04.7-12.5
45-54	521	388,206	300	59.0	53.5-64.5	98	18.3	14.2-22.4	34	6.3	03.4-09.2	16	3.1	01.1-05.1	73	13.3	09.8-16.8
55-64	681	343,574	344	50.4	45.5-55.3	114	17.9	14.0-21.8	52	7.3	04.9-09.7	36	6.9	04.0-09.8	135	17.5	14.0-21.0
65+	896	381,390	286	31.1	27.2-35.0	125	14.2	10.9-17.5	98	10.6	07.7-13.5	61	6.6	04.4-08.8	326	37.4	33.1-41.7
Less Than H.S.	289	285,792	88	40.0	31.4-48.6	42	19.0	12.1-25.9	30	8.7	04.2-13.2	19	6.7	02.2-11.2	110	25.6	19.3-31.9
H.S. or G.E.D.	937	620,851	456	56.8	52.3-61.3	147	16.3	12.8-19.8	74	5.4	03.6-07.2	52	6.3	03.8-08.7	208	15.2	12.5-17.9
Some Post-H.S.	791	603,603	376	54.2	49.3-59.1	132	17.5	13.2-21.8	74	8.3	05.9-10.7	45	4.9	02.9-06.9	164	15.1	12.2-18.0
College Graduate	744	435,586	460	66.2	61.9-70.5	131	18.1	14.6-21.6	46	5.6	03.6-07.6	19	2.1	00.9-03.3	88	8.0	05.8-10.2
Less than \$15,000	388	236,356	141	43.2	35.8-50.6	56	19.8	13.3-26.3	35	5.9	02.8-09.0	34	7.3	04.0-10.6	122	23.8	18.1-29.5
\$15,000- 24,999	468	303,884	216	50.1	43.6-56.6	78	18.0	12.7-23.3	40	8.8	05.3-12.3	25	7.0	03.3-10.7	109	16.1	12.2-20.0
\$25,000- 34,999	265	184,483	126	52.1	44.1-60.1	45	20.0	12.9-27.1	14	5.3	02.2-08.4	16	3.9	01.5-06.3	64	18.7	13.4-24.0
\$35,000- 49,999	275	208,014	156	63.6	55.8-71.4	42	15.0	09.3-20.7	28	7.9	04.2-11.6	11	3.5	00.6-06.4	38	9.9	05.8-14.0
\$50,000- 74,999	254	197,122	148	59.7	50.5-68.9	45	18.6	09.6-27.6	15	5.1	01.6-08.6	12	5.3	01.4-09.2	34	11.2	06.3-16.1
\$75,000+	319	271,464	204	67.1	60.6-73.6	68	20.4	14.9-25.9	18	5.6	02.3-08.9	3	0.9	00.0-01.9	26	5.9	03.2-08.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 12: BREAST CANCER AND CERVICAL CANCER SCREENING
 TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3043	2,126,375	1194	31.3	29.1-33.5	1849	68.7	66.5-70.9
White/Non-Hisp	2471	1,648,375	999	33.7	31.2-36.2	1472	66.3	63.8-68.8
Black or Afr. Am./Non-Hisp	469	332,255	161	25.8	20.3-31.3	308	74.2	68.7-79.7
18-24	113	217,265				113	100.0	0100-0100
25-34	231	292,310	7	4.2	00.3-08.1	224	95.8	91.9-99.7
35-44	327	358,260	67	23.9	17.6-30.2	260	76.1	69.8-82.4
45-54	552	412,003	185	33.8	28.3-39.3	367	66.2	60.7-71.7
55-64	744	375,138	317	42.4	37.7-47.1	427	57.6	52.9-62.3
65+	1054	456,756	608	58.0	53.9-62.1	446	42.0	37.9-46.1
Less Than H.S.	349	343,407	188	44.3	36.9-51.7	161	55.7	48.3-63.1
H.S. or G.E.D.	1050	679,381	455	32.5	28.6-36.4	595	67.5	63.6-71.4
Some Post-H.S.	851	647,142	328	30.4	26.5-34.3	523	69.6	65.7-73.5
College Graduate	786	450,592	222	21.0	17.9-24.1	564	79.0	75.9-82.1
Less than \$15,000	445	268,310	193	34.0	27.7-40.3	252	66.0	59.7-72.3
\$15,000- 24,999	517	336,930	230	37.4	31.5-43.3	287	62.6	56.7-68.5
\$25,000- 34,999	290	203,672	117	29.5	23.2-35.8	173	70.5	64.2-76.8
\$35,000- 49,999	299	225,013	99	33.2	24.8-41.6	200	66.8	58.4-75.2
\$50,000- 74,999	265	203,168	77	24.5	17.4-31.6	188	75.5	68.4-82.6
\$75,000+	329	283,281	89	22.4	17.1-27.7	240	77.6	72.3-82.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 17: MENTAL ILLNESS AND STIGMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ABOUT HOW OFTEN DURING THE PAST 30 DAYS DID YOU FEEL NERVOUS- WOULD YOU SAY ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISNERVS)	
1	MALES AND FEMALES	132
2	MALES ONLY	133
3	FEMALES ONLY	134
	DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL HOPELESS- ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISHOPLS)	
4	MALES AND FEMALES	135
5	MALES ONLY	136
6	FEMALES ONLY	137
	DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL RESTLESS OR FIDGETY? (MISRSTLS)	
7	MALES AND FEMALES	138
8	MALES ONLY	139
9	FEMALES ONLY	140
	DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL SO DEPRESSED THAT NOTHING COULD CHEER YOU UP? (MISDEPRD)	
10	MALES AND FEMALES	141
11	MALES ONLY	142
12	FEMALES ONLY	143
	DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL THAT EVERYTHING WAS AN EFFORT? (MISEFFRT)	
13	MALES AND FEMALES	144
14	MALES ONLY	145
15	FEMALES ONLY	146

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

MODULE 17: MENTAL ILLNESS AND STIGMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL WORTHLESS? (MISWTLES)	
16 MALES AND FEMALES	147
17 MALES ONLY	148
18 FEMALES ONLY	149
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID A MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM KEEP YOU FROM DOING YOUR WORK OR OTHER USUAL ACTIVITIES? (MISNOWRK)	
19 MALES AND FEMALES	150
20 MALES ONLY	151
21 FEMALES ONLY	152
ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)	
22 MALES AND FEMALES	153
23 MALES ONLY	154
24 FEMALES ONLY	155
THESE NEXT QUESTIONS ASK ABOUT PEOPLES' ATTITUDES TOWARD MENTAL ILLNESS AND ITS TREATMENT. TREATMENT CAN HELP PEOPLE WITH MENTAL ILLNESS LEAD NORMAL LIVES. DO YOU AGREE SLIGHTLY OR STRONGLY, OR DISAGREE SLIGHTLY OR STRONGLY? (MISTRHLP)	
25 MALES AND FEMALES	156
26 MALES ONLY	157
27 FEMALES ONLY	158
PEOPLE ARE GENERALLY CARING AND SYMPATHETIC TO PEOPLE WITH MENTAL ILLNESS. DO YOU AGREE SLIGHTLY OR STRONGLY OR DISAGREE SLIGHTLY OR STRONGLY? (MISPHLPF)	
28 MALES AND FEMALES	159
29 MALES ONLY	160
30 FEMALES ONLY	161

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 1: ABOUT HOW OFTEN DURING THE PAST 30 DAYS DID YOU FEEL NERVOUS- WOULD YOU SAY ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISNERVS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4746	4,051,581	255	5.5	04.5-06.5	240	5.1	04.1-06.1	867	17.0	15.4-18.6	1312	28.6	26.6-30.6	2072	43.7	41.7-45.7
Male	1708	1,902,018	66	4.2	02.8-05.6	54	3.6	02.4-04.8	247	12.7	10.5-14.9	424	25.9	23.0-28.8	917	53.7	50.4-57.0
Female	3038	2,149,563	189	6.7	05.3-08.1	186	6.6	05.2-08.0	620	20.8	18.6-23.0	888	31.1	28.7-33.5	1155	34.9	32.5-37.3
White/Non-Hisp	3926	3,166,986	221	5.7	04.7-06.7	194	4.9	03.9-05.9	725	17.6	15.8-19.4	1127	29.8	27.8-31.8	1659	41.9	39.7-44.1
Black or Afr. Am./Non-Hisp	651	599,893	25	4.0	01.3-06.7	36	5.0	02.1-07.9	119	16.2	12.3-20.1	149	26.1	20.8-31.4	322	48.8	43.1-54.5
Oth. Race/Non-Hisp.	70	133,045	3	5.1	00.0-12.0	3	6.4	00.0-13.8	12	17.2	05.4-29.0	11	20.8	05.9-35.7	41	50.5	35.0-66.0
18-24	196	449,665	10	7.4	02.5-12.3	11	6.6	01.9-11.3	37	16.5	10.6-22.4	69	33.8	26.2-41.4	69	35.7	27.7-43.7
25-34	414	642,790	24	6.5	03.6-09.4	17	4.0	01.5-06.5	72	16.7	12.2-21.2	144	35.8	29.9-41.7	157	37.1	31.4-42.8
35-44	547	668,401	29	5.0	02.8-07.2	36	7.1	04.2-10.0	94	15.7	12.0-19.4	153	27.1	22.4-31.8	235	45.1	39.6-50.6
45-54	839	773,753	67	6.5	04.3-08.7	56	4.3	02.9-05.7	161	18.7	15.2-22.2	217	26.1	22.0-30.2	338	44.4	39.9-48.9
55-64	1142	705,435	67	5.0	03.4-06.6	65	5.9	03.7-08.1	213	17.5	14.6-20.4	298	25.1	21.8-28.4	499	46.5	42.4-50.6
65+	1574	788,855	57	3.6	02.0-05.2	54	3.9	02.5-05.3	286	16.8	14.3-19.3	422	26.8	23.9-29.7	755	49.0	45.7-52.3
Less Than H.S.	523	628,163	68	12.1	08.4-15.8	45	10.2	06.5-13.9	125	19.8	15.1-24.5	114	24.7	19.0-30.4	171	33.2	27.3-39.1
H.S. or G.E.D.	1582	1,336,184	103	6.5	04.5-08.5	81	4.5	02.9-06.1	317	17.2	14.7-19.7	423	26.8	23.7-29.9	658	45.0	41.3-48.7
Some Post-H.S.	1296	1,197,652	65	4.0	02.6-05.4	73	4.6	03.0-06.2	248	18.1	15.4-20.8	338	30.2	26.5-33.9	572	43.1	39.4-46.8
College Graduate	1331	875,288	19	1.5	00.7-02.3	40	3.3	01.9-04.7	177	13.5	11.1-15.9	433	32.4	29.1-35.7	662	49.3	45.8-52.8
Less than \$15,000	597	417,810	89	15.7	11.2-20.2	61	10.6	06.9-14.3	143	19.9	15.4-24.4	137	27.6	21.7-33.5	167	26.0	20.9-31.1
\$15,000- 24,999	781	672,947	51	6.0	03.6-08.4	52	6.6	04.1-09.1	182	23.9	19.4-28.4	193	24.5	20.0-29.0	303	39.0	33.9-44.1
\$25,000- 34,999	456	381,357	13	5.0	01.7-08.3	17	3.0	00.8-05.2	102	20.2	15.5-24.9	130	28.2	22.7-33.7	194	43.6	37.1-50.1
\$35,000- 49,999	492	460,411	16	5.0	01.1-08.9	21	4.3	01.6-07.0	79	15.3	11.4-19.2	149	31.4	25.3-37.5	227	44.0	37.3-50.7
\$50,000- 74,999	474	426,352	12	2.4	00.4-04.4	15	3.6	01.1-06.1	67	14.1	10.0-18.2	162	36.8	30.5-43.1	218	43.1	37.0-49.2
\$75,000+	624	592,161	6	0.9	00.1-01.7	11	2.5	00.7-04.3	81	14.3	10.4-18.2	195	30.2	25.7-34.7	331	52.1	47.0-57.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 2: ABOUT HOW OFTEN DURING THE PAST 30 DAYS DID YOU FEEL NERVOUS- WOULD YOU SAY ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, SOME OF THE TIME OR NONE OF THE TIME? (MISNERVS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1708	1,902,018	66	4.2	02.8-05.6	54	3.6	02.4-04.8	247	12.7	10.5-14.9	424	25.9	23.0-28.8	917	53.7	50.4-57.0
White/Non-Hisp	1463	1,504,248	56	4.0	02.6-05.4	45	3.6	02.2-05.0	211	13.1	10.7-15.5	384	27.5	24.4-30.6	767	51.8	48.3-55.3
Black or Afr. Am./Non-Hisp	183	267,518	8	6.0	00.5-11.5	5	1.6	00.0-03.6	29	10.9	05.8-16.0	32	22.3	13.1-31.5	109	59.3	49.5-69.1
18-24	72	216,105	3	5.5	00.0-12.2	3	4.0	00.0-08.9	10	12.8	05.0-20.6	24	31.4	19.6-43.2	32	46.3	33.4-59.2
25-34	172	331,549	9	6.5	01.8-11.2	3	2.5	00.0-05.8	18	11.6	05.1-18.1	57	34.9	26.3-43.5	85	44.6	35.8-53.4
35-44	218	308,498	7	3.2	00.5-05.9	10	5.5	01.6-09.4	25	7.7	04.2-11.2	52	24.3	17.2-31.4	124	59.3	51.1-67.5
45-54	291	363,847	17	4.2	01.7-06.7	14	3.1	01.3-04.9	47	15.6	10.3-20.9	68	22.2	16.3-28.1	145	55.0	47.7-62.3
55-64	407	336,196	19	3.9	01.5-06.3	13	4.2	01.1-07.3	67	15.1	10.8-19.4	93	21.0	15.9-26.1	215	55.8	49.3-62.3
65+	537	338,407	11	2.3	00.3-04.3	11	2.5	00.5-04.5	79	13.0	09.5-16.5	128	24.3	19.4-29.2	308	58.0	52.5-63.5
Less Than H.S.	177	284,917	17	9.1	03.8-14.4	9	6.0	01.1-10.9	40	17.6	10.2-25.0	37	21.8	13.4-30.2	74	45.5	35.5-55.5
H.S. or G.E.D.	533	645,910	25	4.6	01.9-07.3	13	1.9	00.7-03.1	79	11.3	08.2-14.4	123	25.2	20.1-30.3	293	57.1	51.4-62.8
Some Post-H.S.	445	540,774	17	3.3	01.1-05.5	19	5.0	01.9-08.1	65	13.0	08.9-17.1	112	28.0	22.3-33.7	232	50.7	44.4-57.0
College Graduate	546	421,530	7	1.3	00.1-02.5	13	2.6	01.0-04.2	63	11.5	07.8-15.2	150	27.5	22.8-32.2	313	57.1	51.8-62.4
Less than \$15,000	153	147,087	20	11.5	04.8-18.2	10	9.4	02.0-16.8	30	17.0	09.2-24.8	31	29.4	17.2-41.6	62	32.6	22.6-42.6
\$15,000- 24,999	267	333,181	14	5.7	01.8-09.6	10	3.5	00.6-06.4	53	17.7	11.2-24.2	59	24.1	16.5-31.7	131	48.9	40.3-57.5
\$25,000- 34,999	166	176,091	5	7.0	00.5-13.5	4	2.2	00.0-04.7	27	11.9	06.2-17.6	35	18.8	11.4-26.2	95	60.2	50.0-70.4
\$35,000- 49,999	192	234,626	5	4.7	00.0-10.4	6	4.1	00.0-08.8	25	10.3	05.6-15.0	57	31.9	22.9-40.9	99	49.0	38.8-59.2
\$50,000- 74,999	210	219,037	6	2.7	00.0-05.4	4	3.4	00.0-07.7	27	13.6	07.5-19.7	58	26.7	19.1-34.3	115	53.6	45.0-62.2
\$75,000+	296	308,222	4	1.2	00.0-02.6	5	2.5	00.1-04.9	31	8.7	05.2-12.2	76	24.4	18.7-30.1	180	63.2	56.5-69.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 3: ABOUT HOW OFTEN DURING THE PAST 30 DAYS DID YOU FEEL NERVOUS- WOULD YOU SAY ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, SOME OF THE TIME OR NONE OF THE TIME? (MISNERVS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3038	2,149,563	189	6.7	05.3-08.1	186	6.6	05.2-08.0	620	20.8	18.6-23.0	888	31.1	28.7-33.5	1155	34.9	32.5-37.3
White/Non-Hisp	2463	1,662,738	165	7.2	05.6-08.8	149	6.1	04.7-07.5	514	21.8	19.4-24.2	743	31.9	29.2-34.6	892	33.1	30.6-35.6
Black or Afr. Am./Non-Hisp	468	332,374	17	2.5	00.9-04.1	31	7.7	02.8-12.6	90	20.4	15.1-25.7	117	29.1	23.0-35.2	213	40.4	34.1-46.7
18-24	124	233,559	7	9.2	01.9-16.5	8	9.0	01.4-16.6	27	19.9	11.3-28.5	45	36.1	26.1-46.1	37	25.8	17.2-34.4
25-34	242	311,242	15	6.5	02.8-10.2	14	5.6	02.1-09.1	54	22.1	16.0-28.2	87	36.7	29.1-44.3	72	29.0	22.1-35.9
35-44	329	359,903	22	6.5	03.2-09.8	26	8.5	04.2-12.8	69	22.6	16.7-28.5	101	29.5	23.2-35.8	111	33.0	26.3-39.7
45-54	548	409,906	50	8.6	05.5-11.7	42	5.4	03.4-07.4	114	21.4	16.9-25.9	149	29.5	24.0-35.0	193	35.0	29.7-40.3
55-64	735	369,239	48	6.0	03.8-08.2	52	7.4	04.7-10.1	146	19.6	15.9-23.3	205	28.9	24.4-33.4	284	38.0	33.5-42.5
65+	1037	450,448	46	4.7	02.5-06.9	43	4.9	02.9-06.9	207	19.6	16.3-22.9	294	28.7	25.0-32.4	447	42.2	38.1-46.3
Less Than H.S.	346	343,246	51	14.6	09.5-19.7	36	13.6	08.3-18.9	85	21.7	16.0-27.4	77	27.1	19.5-34.7	97	23.0	17.1-28.9
H.S. or G.E.D.	1049	690,274	78	8.2	05.5-10.9	68	6.9	04.2-09.6	238	22.8	18.9-26.7	300	28.4	24.5-32.3	365	33.7	29.6-37.8
Some Post-H.S.	851	656,879	48	4.6	02.6-06.6	54	4.3	02.9-05.7	183	22.2	18.5-25.9	226	32.0	27.3-36.7	340	36.9	32.4-41.4
College Graduate	785	453,758	12	1.6	00.4-02.8	27	3.9	01.7-06.1	114	15.4	12.1-18.7	283	37.0	32.5-41.5	349	42.1	37.6-46.6
Less than \$15,000	444	270,724	69	18.0	12.3-23.7	51	11.3	07.2-15.4	113	21.5	16.2-26.8	106	26.7	20.4-33.0	105	22.5	16.6-28.4
\$15,000- 24,999	514	339,766	37	6.4	03.9-08.9	42	9.6	05.7-13.5	129	30.0	23.9-36.1	134	24.8	19.5-30.1	172	29.3	23.8-34.8
\$25,000- 34,999	290	205,266	8	3.3	00.6-06.0	13	3.8	00.5-07.1	75	27.4	20.5-34.3	95	36.2	28.6-43.8	99	29.4	22.7-36.1
\$35,000- 49,999	300	225,786	11	5.4	00.1-10.7	15	4.6	01.9-07.3	54	20.4	14.1-26.7	92	30.8	22.6-39.0	128	38.9	30.7-47.1
\$50,000- 74,999	264	207,315	6	2.1	00.0-04.6	11	3.8	01.1-06.5	40	14.6	09.1-20.1	104	47.4	38.4-56.4	103	32.1	24.5-39.7
\$75,000+	328	283,939	2	0.5	00.0-01.3	6	2.5	00.0-05.0	50	20.4	13.3-27.5	119	36.5	29.6-43.4	151	40.1	33.2-47.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 4: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL HOPELESS- ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISHOPLS)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All						Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	4729	4,034,888	116	2.4	01.6-03.2	122	2.4	01.8-03.0	405	8.8	07.6-10.0	454	9.7	08.5-10.9	3632	76.7	74.9-78.5			
Male	1700	1,896,522	36	2.3	01.1-03.5	29	1.6	00.8-02.4	115	7.4	05.4-09.4	145	8.7	06.7-10.7	1375	80.1	77.4-82.8			
Female	3029	2,138,367	80	2.6	01.8-03.4	93	3.1	02.1-04.1	290	10.0	08.4-11.6	309	10.6	09.0-12.2	2257	73.7	71.3-76.1			
White/Non-Hisp	3914	3,156,677	102	2.4	01.6-03.2	98	2.4	01.6-03.2	331	8.8	07.4-10.2	371	10.0	08.6-11.4	3012	76.4	74.4-78.4			
Black or Afr. Am./Non-Hisp	646	593,907	12	2.9	00.4-05.4	17	2.2	00.6-03.8	61	8.8	05.7-11.9	67	8.6	05.9-11.3	489	77.5	72.8-82.2			
Oth. Race/Non-Hisp.	70	133,045							7	9.0	00.8-17.2	8	13.3	03.3-23.3	55	77.7	65.4-90.0			
18-24	196	449,665	1	1.1	00.0-03.3	8	4.4	01.1-07.7	10	8.8	03.3-14.3	25	11.0	06.5-15.5	152	74.7	67.4-82.0			
25-34	413	639,052	8	3.0	00.3-05.7	11	2.4	00.8-04.0	37	8.7	05.4-12.0	50	14.6	10.1-19.1	307	71.3	65.6-77.0			
35-44	546	663,536	15	1.8	00.8-02.8	12	1.8	00.4-03.2	42	8.5	05.4-11.6	59	8.9	06.2-11.6	418	79.0	74.9-83.1			
45-54	835	769,274	36	4.1	02.3-05.9	31	3.2	01.6-04.8	82	9.9	07.2-12.6	86	8.3	05.8-10.8	600	74.5	70.6-78.4			
55-64	1142	705,770	34	3.5	01.7-05.3	42	2.7	01.7-03.7	114	9.7	07.0-12.4	108	9.2	06.7-11.7	844	75.0	71.3-78.7			
65+	1563	784,910	22	0.8	00.2-01.4	17	0.7	00.3-01.1	120	7.4	05.6-09.2	124	7.7	05.7-09.7	1280	83.5	81.0-86.0			
Less Than H.S.	515	616,397	35	7.8	04.3-11.3	27	4.2	02.0-06.4	89	19.1	13.8-24.4	45	8.6	05.1-12.1	319	60.3	54.0-66.6			
H.S. or G.E.D.	1574	1,332,347	48	2.4	01.4-03.4	52	3.5	02.1-04.9	150	8.2	06.2-10.2	159	9.0	07.0-11.0	1165	76.9	74.0-79.8			
Some Post-H.S.	1296	1,197,377	27	1.3	00.7-01.9	27	1.1	00.5-01.7	107	7.4	05.6-09.2	134	11.8	09.1-14.5	1001	78.5	75.4-81.6			
College Graduate	1330	874,473	6	0.4	00.0-00.8	16	1.2	00.4-02.0	58	4.3	02.7-05.9	113	8.8	06.6-11.0	1137	85.4	82.9-87.9			
Less than \$15,000	591	411,300	56	12.8	07.9-17.7	38	7.0	03.9-10.1	107	17.0	12.5-21.5	86	15.2	10.5-19.9	304	48.0	41.9-54.1			
\$15,000- 24,999	777	669,457	21	1.7	00.7-02.7	26	3.1	01.5-04.7	97	13.2	09.5-16.9	99	12.9	09.2-16.6	534	69.0	64.1-73.9			
\$25,000- 34,999	457	381,610	8	1.8	00.2-03.4	8	0.7	00.1-01.3	44	9.5	06.0-13.0	37	8.0	04.9-11.1	360	80.1	75.4-84.8			
\$35,000- 49,999	493	462,015	3	1.2	00.0-02.8	3	1.9	00.0-04.6	31	6.1	03.6-08.6	57	12.7	07.8-17.6	399	78.0	72.1-83.9			
\$50,000- 74,999	477	427,848	3	0.3	00.0-00.7	6	1.3	00.1-02.5	20	6.1	02.6-09.6	35	7.9	04.6-11.2	413	84.4	79.7-89.1			
\$75,000+	624	592,055	4	0.7	00.0-01.5	3	0.4	00.0-01.0	18	3.6	01.4-05.8	38	5.9	03.5-08.3	561	89.5	86.4-92.6			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 5: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL HOPELESS- ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISHOPLS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1700	1,896,522	36	2.3	01.1-03.5	29	1.6	00.8-02.4	115	7.4	05.4-09.4	145	8.7	06.7-10.7	1375	80.1	77.4-82.8
White/Non-Hisp	1455	1,498,286	33	2.2	01.2-03.2	23	1.4	00.6-02.2	96	7.6	05.4-09.8	124	9.3	07.1-11.5	1179	79.6	76.5-82.7
Black or Afr. Am./Non-Hisp	182	267,761	2	3.2	00.0-08.3	3	1.9	00.0-04.3	14	6.7	02.2-11.2	15	5.1	01.6-08.6	148	83.1	75.7-90.5
18-24	72	216,105							7	10.6	03.0-18.2	6	7.7	01.4-14.0	59	81.7	72.1-91.3
25-34	171	327,810	1	2.1	00.0-06.2	5	2.8	00.3-05.3	8	6.4	01.1-11.7	22	17.6	10.0-25.2	135	71.1	62.1-80.1
35-44	219	309,160	4	1.0	00.0-02.0	1	0.8	00.0-02.4	13	5.5	02.0-09.0	17	5.6	02.5-08.7	184	87.2	82.3-92.1
45-54	289	362,019	15	4.6	01.7-07.5	11	3.5	01.0-06.0	18	7.2	03.1-11.3	23	6.0	03.3-08.7	222	78.7	72.8-84.6
55-64	409	338,440	12	4.6	01.3-07.9	9	1.4	00.2-02.6	39	10.5	05.4-15.6	40	8.8	04.9-12.7	309	74.7	68.4-81.0
65+	529	335,572	4	0.3	00.0-00.7	3	0.4	00.0-00.8	30	5.3	02.8-07.8	37	6.5	03.6-09.4	455	87.6	83.9-91.3
Less Than H.S.	173	281,006	14	9.5	03.0-16.0	6	3.3	00.2-06.4	25	15.5	07.1-23.9	11	3.7	01.0-06.4	117	68.0	58.2-77.8
H.S. or G.E.D.	527	643,848	17	1.8	00.6-03.0	9	1.6	00.2-03.0	37	6.5	03.8-09.2	44	7.5	04.6-10.4	420	82.6	78.5-86.7
Some Post-H.S.	446	540,997	4	0.7	00.0-01.5	9	1.3	00.1-02.5	33	6.8	03.9-09.7	46	13.5	08.4-18.6	354	77.7	72.2-83.2
College Graduate	547	421,783	1	0.3	00.0-00.9	5	0.9	00.0-01.9	20	4.4	01.7-07.1	41	7.5	04.6-10.4	480	87.0	83.1-90.9
Less than \$15,000	151	147,199	15	15.3	04.5-26.1	5	6.2	00.1-12.3	21	11.5	05.2-17.8	25	18.3	08.1-28.5	85	48.6	37.0-60.2
\$15,000- 24,999	266	333,153	9	2.0	00.2-03.8	5	1.3	00.0-02.7	30	12.0	05.9-18.1	30	11.5	05.8-17.2	192	73.1	65.3-80.9
\$25,000- 34,999	167	176,344	4	2.5	00.0-05.2				12	6.2	02.1-10.3	14	5.9	01.8-10.0	137	85.4	79.1-91.7
\$35,000- 49,999	193	236,230	2	2.0	00.0-04.9	2	1.3	00.0-03.5	11	5.8	01.7-09.9	26	14.0	07.1-20.9	152	76.9	68.7-85.1
\$50,000- 74,999	211	219,677	1	0.3	00.0-00.9	2	0.8	00.0-02.4	10	8.6	02.3-14.9	10	6.3	01.2-11.4	188	84.1	76.5-91.7
\$75,000+	296	308,222	2	0.8	00.0-02.0	1	0.2	00.0-00.6	8	2.8	00.6-05.0	12	3.8	01.4-06.2	273	92.5	89.2-95.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 6: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL HOPELESS- ALL OF THE TIME, MOST OF THE TIME, SOME OF THE TIME, A LITTLE OF THE TIME OR NONE OF THE TIME? (MISHOPLS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3029	2,138,367	80	2.6	01.8-03.4	93	3.1	02.1-04.1	290	10.0	08.4-11.6	309	10.6	09.0-12.2	2257	73.7	71.3-76.1
White/Non-Hisp	2459	1,658,391	69	2.6	01.6-03.6	75	3.3	02.1-04.5	235	9.8	08.0-11.6	247	10.7	08.7-12.7	1833	73.5	71.0-76.0
Black or Afr. Am./Non-Hisp	464	326,146	10	2.6	00.6-04.6	14	2.4	00.4-04.4	47	10.6	06.3-14.9	52	11.5	07.6-15.4	341	72.9	67.0-78.8
18-24	124	233,559	1	2.1	00.0-06.2	8	8.4	01.9-14.9	3	7.2	00.0-15.0	19	14.1	07.4-20.8	93	68.2	57.6-78.8
25-34	242	311,242	7	3.9	00.6-07.2	6	2.0	00.2-03.8	29	11.1	06.8-15.4	28	11.5	06.6-16.4	172	71.4	64.5-78.3
35-44	327	354,376	11	2.5	00.9-04.1	11	2.8	00.6-05.0	29	11.1	06.4-15.8	42	11.7	07.6-15.8	234	71.9	65.6-78.2
45-54	546	407,255	21	3.7	01.7-05.7	20	3.0	01.2-04.8	64	12.2	08.5-15.9	63	10.3	06.2-14.4	378	70.8	65.3-76.3
55-64	733	367,330	22	2.4	01.0-03.8	33	3.8	02.0-05.6	75	8.9	06.2-11.6	68	9.5	06.4-12.6	535	75.3	71.0-79.6
65+	1034	449,338	18	1.2	00.4-02.0	14	0.9	00.3-01.5	90	8.9	06.5-11.3	87	8.5	06.0-11.0	825	80.4	77.1-83.7
Less Than H.S.	342	335,391	21	6.4	02.7-10.1	21	5.0	02.3-07.7	64	22.2	15.5-28.9	34	12.6	06.7-18.5	202	53.8	46.2-61.4
H.S. or G.E.D.	1047	688,498	31	2.9	01.1-04.7	43	5.4	03.0-07.8	113	9.8	06.9-12.7	115	10.4	07.7-13.1	745	71.5	67.2-75.8
Some Post-H.S.	850	656,380	23	1.8	00.8-02.8	18	1.0	00.4-01.6	74	7.8	05.4-10.2	88	10.3	07.6-13.0	647	79.1	75.6-82.6
College Graduate	783	452,690	5	0.5	00.1-00.9	11	1.4	00.4-02.4	38	4.2	02.6-05.8	72	10.0	07.1-12.9	657	83.9	80.6-87.2
Less than \$15,000	440	264,100	41	11.5	06.6-16.4	33	7.4	03.9-10.9	86	20.0	13.9-26.1	61	13.4	08.7-18.1	219	47.7	40.8-54.6
\$15,000- 24,999	511	336,304	12	1.4	00.4-02.4	21	4.8	02.3-07.3	67	14.5	09.8-19.2	69	14.3	09.6-19.0	342	65.0	58.9-71.1
\$25,000- 34,999	290	205,266	4	1.3	00.0-02.9	8	1.2	00.2-02.2	32	12.3	07.0-17.6	23	9.7	05.2-14.2	223	75.5	68.8-82.2
\$35,000- 49,999	300	225,786	1	0.4	00.0-01.2	1	2.6	00.0-07.7	20	6.4	03.3-09.5	31	11.4	04.3-18.5	247	79.2	71.0-87.4
\$50,000- 74,999	266	208,172	2	0.3	00.0-00.9	4	1.7	00.0-03.7	10	3.6	00.9-06.3	25	9.6	05.1-14.1	225	84.8	79.3-90.3
\$75,000+	328	283,833	2	0.5	00.0-01.3	2	0.7	00.0-01.9	10	4.5	00.6-08.4	26	8.1	04.0-12.2	288	86.2	80.7-91.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

**TABLE 7: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL RESTLESS OR FIDGETY? (MISRSTLS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4718	4,021,683	264	6.2	05.2-07.2	214	4.9	03.9-05.9	885	18.9	17.3-20.5	998	21.5	19.7-23.3	2357	48.6	46.4-50.8
Male	1699	1,890,369	89	6.1	04.5-07.7	72	4.4	03.0-05.8	282	16.9	14.4-19.4	364	21.0	18.5-23.5	892	51.6	48.3-54.9
Female	3019	2,131,314	175	6.3	04.9-07.7	142	5.4	04.2-06.6	603	20.6	18.4-22.8	634	21.9	19.7-24.1	1465	45.9	43.4-48.4
White/Non-Hisp	3905	3,150,905	208	5.6	04.4-06.8	183	5.5	04.3-06.7	732	19.1	17.3-20.9	846	21.9	20.1-23.7	1936	47.8	45.6-50.0
Black or Afr. Am./Non-Hisp	645	590,651	46	8.8	05.3-12.3	23	2.4	01.0-03.8	128	20.2	15.7-24.7	116	18.1	13.8-22.4	332	50.5	44.8-56.2
Oth. Race/Non-Hisp.	68	128,247	3	4.5	00.0-10.8	3	4.5	00.0-10.4	14	12.4	03.8-21.0	14	25.3	11.8-38.8	34	53.3	37.6-69.0
18-24	196	449,665	13	6.8	02.5-11.1	13	7.0	02.7-11.3	38	18.9	12.6-25.2	43	19.3	13.4-25.2	89	48.0	39.6-56.4
25-34	413	639,052	38	11.6	07.5-15.7	22	5.1	02.4-07.8	81	18.8	14.1-23.5	113	25.0	20.3-29.7	159	39.5	33.6-45.4
35-44	544	660,123	30	5.0	02.6-07.4	32	4.8	02.8-06.8	110	21.3	16.4-26.2	113	21.6	17.1-26.1	259	47.3	41.8-52.8
45-54	835	767,176	53	6.1	03.9-08.3	56	6.2	04.0-08.4	181	20.8	17.1-24.5	160	19.5	15.8-23.2	385	47.5	43.0-52.0
55-64	1135	701,413	80	6.4	04.4-08.4	49	4.8	03.0-06.6	214	17.1	14.4-19.8	245	24.0	20.1-27.9	547	47.7	43.6-51.8
65+	1561	781,572	50	2.5	01.5-03.5	41	2.5	01.5-03.5	258	16.7	14.2-19.2	321	20.0	17.3-22.7	891	58.2	54.9-61.5
Less Than H.S.	512	612,861	58	11.4	07.5-15.3	46	8.9	05.8-12.0	125	25.0	19.5-30.5	96	20.3	14.8-25.8	187	34.3	28.6-40.0
H.S. or G.E.D.	1569	1,328,222	108	7.7	05.5-09.9	70	4.3	02.7-05.9	326	19.9	17.0-22.8	301	18.3	15.6-21.0	764	49.8	46.1-53.5
Some Post-H.S.	1292	1,191,223	69	4.8	03.2-06.4	60	5.2	03.4-07.0	241	18.0	15.3-20.7	288	23.2	20.1-26.3	634	48.8	45.1-52.5
College Graduate	1331	875,083	29	2.3	01.3-03.3	37	2.7	01.5-03.9	191	14.2	11.7-16.7	311	24.9	21.8-28.0	763	55.9	52.4-59.4
Less than \$15,000	588	409,468	81	14.8	10.5-19.1	56	9.8	06.5-13.1	150	24.5	19.2-29.8	102	16.0	11.7-20.3	199	34.9	29.0-40.8
\$15,000- 24,999	776	665,416	54	8.4	05.1-11.7	39	6.5	04.0-09.0	181	21.8	17.7-25.9	172	21.5	16.8-26.2	330	41.8	36.5-47.1
\$25,000- 34,999	455	381,033	17	4.8	01.9-07.7	20	4.0	01.6-06.4	102	22.4	17.3-27.5	98	21.8	16.7-26.9	218	47.0	40.5-53.5
\$35,000- 49,999	492	461,925	20	5.9	02.2-09.6	14	4.7	01.2-08.2	91	20.4	14.5-26.3	133	25.1	19.6-30.6	234	43.9	37.4-50.4
\$50,000- 74,999	475	426,552	13	2.7	00.9-04.5	12	3.0	00.5-05.5	76	17.1	12.4-21.8	122	27.6	21.9-33.3	252	49.5	43.2-55.8
\$75,000+	624	592,055	15	2.0	00.8-03.2	14	3.1	01.1-05.1	74	12.2	09.1-15.3	126	20.6	16.5-24.7	395	62.1	57.2-67.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 8: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL RESTLESS OR FIDGETY? (MISRSTLS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1699	1,890,369	89	6.1	04.5-07.7	72	4.4	03.0-05.8	282	16.9	14.4-19.4	364	21.0	18.5-23.5	892	51.6	48.3-54.9
White/Non-Hisp	1456	1,498,103	65	5.0	03.4-06.6	66	5.3	03.5-07.1	244	17.1	14.6-19.6	324	21.9	19.0-24.8	757	50.7	47.2-54.2
Black or Afr. Am./Non-Hisp	182	266,589	20	12.8	05.9-19.7	4	1.1	00.0-02.5	31	17.3	09.9-24.7	28	14.2	07.9-20.5	99	54.5	44.7-64.3
18-24	72	216,105	3	5.5	00.0-12.2	4	4.7	00.0-09.8	13	16.0	07.4-24.6	19	22.3	12.5-32.1	33	51.5	38.8-64.2
25-34	171	327,810	19	12.3	06.4-18.2	9	5.6	01.1-10.1	30	17.4	10.3-24.5	45	23.0	16.1-29.9	68	41.7	32.7-50.7
35-44	218	306,463	9	3.4	01.0-05.8	11	2.9	00.7-05.1	37	18.1	10.1-26.1	44	18.6	12.5-24.7	117	57.0	48.4-65.6
45-54	290	361,979	19	7.0	03.3-10.7	17	5.5	02.4-08.6	48	17.2	11.5-22.9	56	19.6	13.7-25.5	150	50.7	43.4-58.0
55-64	408	338,015	28	6.4	03.1-09.7	16	4.7	01.8-07.6	70	15.6	11.5-19.7	82	22.6	16.1-29.1	212	50.8	44.1-57.5
65+	529	332,582	11	1.7	00.3-03.1	15	2.8	00.8-04.8	83	16.8	12.5-21.1	118	20.9	16.4-25.4	302	57.7	52.0-63.4
Less Than H.S.	174	281,082	12	7.1	02.2-12.0	18	8.9	03.8-14.0	32	21.0	12.4-29.6	38	23.1	14.1-32.1	74	39.9	30.1-49.7
H.S. or G.E.D.	526	640,774	37	7.9	04.6-11.2	14	2.3	00.7-03.9	101	18.3	13.6-23.0	104	19.2	14.9-23.5	270	52.4	46.5-58.3
Some Post-H.S.	445	537,843	24	5.9	02.8-09.0	28	6.8	03.5-10.1	78	16.0	11.7-20.3	93	19.8	15.1-24.5	222	51.5	45.2-57.8
College Graduate	547	421,783	16	3.0	01.2-04.8	12	1.6	00.6-02.6	71	13.6	09.7-17.5	127	24.2	19.5-28.9	321	57.6	52.1-63.1
Less than \$15,000	151	146,749	21	14.9	06.5-23.3	14	8.4	02.7-14.1	27	20.4	09.8-31.0	26	19.6	10.8-28.4	63	36.7	25.5-47.9
\$15,000- 24,999	264	328,892	18	8.2	03.3-13.1	13	5.7	01.6-09.8	56	18.1	12.2-24.0	61	22.6	14.6-30.6	116	45.4	36.8-54.0
\$25,000- 34,999	166	176,006	5	4.2	00.3-08.1	7	4.7	00.6-08.8	30	19.0	11.2-26.8	36	18.2	10.9-25.5	88	53.9	43.5-64.3
\$35,000- 49,999	193	236,230	8	7.6	00.7-14.5	6	4.2	00.0-08.9	37	23.3	13.5-33.1	43	17.9	11.4-24.4	99	47.0	37.2-56.8
\$50,000- 74,999	210	219,252	8	3.7	00.6-06.8	6	4.1	00.0-08.6	35	17.0	10.1-23.9	59	29.3	21.3-37.3	102	45.9	37.5-54.3
\$75,000+	296	308,222	9	2.8	00.8-04.8	9	3.1	00.6-05.6	29	10.1	06.0-14.2	59	18.7	13.2-24.2	190	65.3	58.4-72.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 9: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL RESTLESS OR FIDGETY? (MISRSTLS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3019	2,131,314	175	6.3	04.9-07.7	142	5.4	04.2-06.6	603	20.6	18.4-22.8	634	21.9	19.7-24.1	1465	45.9	43.4-48.4
White/Non-Hisp	2449	1,652,802	143	6.2	04.8-07.6	117	5.7	04.3-07.1	488	20.9	18.5-23.3	522	21.9	19.5-24.3	1179	45.2	42.5-47.9
Black or Afr. Am./Non-Hisp	463	324,061	26	5.5	03.0-08.0	19	3.4	01.0-05.8	97	22.6	16.9-28.3	88	21.3	15.6-27.0	233	47.2	40.5-53.9
18-24	124	233,559	10	8.1	02.6-13.6	9	9.1	02.4-15.8	25	21.5	12.5-30.5	24	16.5	09.4-23.6	56	44.8	34.0-55.6
25-34	242	311,242	19	10.9	05.4-16.4	13	4.6	01.9-07.3	51	20.2	14.3-26.1	68	27.1	20.4-33.8	91	37.2	29.4-45.0
35-44	326	353,660	21	6.3	02.6-10.0	21	6.5	03.2-09.8	73	24.0	17.9-30.1	69	24.2	17.9-30.5	142	38.9	32.2-45.6
45-54	545	405,198	34	5.3	02.9-07.7	39	6.8	04.1-09.5	133	24.0	19.3-28.7	104	19.4	14.5-24.3	235	44.6	39.1-50.1
55-64	727	363,398	52	6.4	04.2-08.6	33	4.8	02.6-07.0	144	18.6	14.9-22.3	163	25.3	21.0-29.6	335	44.9	40.2-49.6
65+	1032	448,990	39	3.1	01.7-04.5	26	2.3	01.1-03.5	175	16.6	13.5-19.7	203	19.3	16.0-22.6	589	58.6	54.5-62.7
Less Than H.S.	338	331,779	46	15.0	09.3-20.7	28	8.8	04.9-12.7	93	28.5	21.4-35.6	58	18.0	11.5-24.5	113	29.7	23.0-36.4
H.S. or G.E.D.	1043	687,448	71	7.5	05.0-10.0	56	6.1	03.6-08.6	225	21.5	17.8-25.2	197	17.5	14.4-20.6	494	47.4	42.9-51.9
Some Post-H.S.	847	653,380	45	3.9	02.5-05.3	32	3.9	02.1-05.7	163	19.7	16.2-23.2	195	26.1	21.8-30.4	412	46.5	41.8-51.2
College Graduate	784	453,300	13	1.6	00.6-02.6	25	3.8	01.6-06.0	120	14.7	11.6-17.8	184	25.6	21.5-29.7	442	54.3	49.8-58.8
Less than \$15,000	437	262,719	60	14.8	09.9-19.7	42	10.5	06.4-14.6	123	26.7	20.6-32.8	76	14.0	09.5-18.5	136	34.0	27.3-40.7
\$15,000- 24,999	512	336,524	36	8.7	04.2-13.2	26	7.2	03.9-10.5	125	25.4	19.9-30.9	111	20.5	15.6-25.4	214	38.2	32.3-44.1
\$25,000- 34,999	289	205,027	12	5.4	01.1-09.7	13	3.4	01.2-05.6	72	25.2	18.5-31.9	62	24.9	17.8-32.0	130	41.1	33.7-48.5
\$35,000- 49,999	299	225,695	12	4.0	01.3-06.7	8	5.2	00.0-10.5	54	17.4	11.7-23.1	90	32.5	23.9-41.1	135	40.7	32.5-48.9
\$50,000- 74,999	265	207,300	5	1.6	00.0-03.6	6	1.9	00.0-03.9	41	17.3	11.0-23.6	63	25.8	18.0-33.6	150	53.4	44.6-62.2
\$75,000+	328	283,833	6	1.1	00.1-02.1	5	3.1	00.0-06.2	45	14.6	09.9-19.3	67	22.6	16.7-28.5	205	58.6	51.5-65.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

**TABLE 10: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL SO DEPRESSED THAT NOTHING COULD CHEER YOU UP? (MISDEPRD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4712	4,017,737	70	1.2	00.8-01.6	115	2.5	01.9-03.1	325	6.9	05.9-07.9	421	9.1	07.9-10.3	3781	80.3	78.5-82.1
Male	1693	1,885,373	18	0.8	00.2-01.4	32	2.0	01.0-03.0	96	5.4	04.0-06.8	131	8.2	06.2-10.2	1416	83.6	81.1-86.1
Female	3019	2,132,364	52	1.6	01.0-02.2	83	2.9	01.9-03.9	229	8.2	06.6-09.8	290	9.9	08.3-11.5	2365	77.4	75.2-79.6
White/Non-Hisp	3907	3,151,893	61	1.2	00.8-01.6	94	2.5	01.7-03.3	265	6.9	05.7-08.1	348	9.1	07.7-10.5	3139	80.4	78.6-82.2
Black or Afr. Am./Non-Hisp	638	586,048	8	1.3	00.1-02.5	15	1.5	00.3-02.7	54	9.2	05.9-12.5	57	8.1	05.0-11.2	504	79.8	75.3-84.3
Oth. Race/Non-Hisp.	69	130,349	1	3.0	00.0-08.7	2	0.7	00.0-01.9	10	18.0	06.2-29.8	56	78.3	65.6-91.0			
18-24	195	447,188	1	0.1	00.0-00.3	6	3.0	00.3-05.7	12	6.8	02.5-11.1	22	10.6	05.5-15.7	154	79.5	72.8-86.2
25-34	411	635,307	4	1.5	00.0-03.1	13	3.0	01.0-05.0	20	4.9	02.0-07.8	48	12.7	08.4-17.0	326	77.9	72.6-83.2
35-44	546	661,461	7	1.0	00.2-01.8	12	2.1	00.5-03.7	46	8.3	05.6-11.0	41	6.9	04.4-09.4	440	81.8	77.9-85.7
45-54	837	771,095	20	1.5	00.7-02.3	35	4.3	02.1-06.5	75	8.0	05.6-10.4	77	8.5	06.0-11.0	630	77.7	73.8-81.6
55-64	1134	699,314	25	2.2	00.8-03.6	28	2.0	01.0-03.0	93	8.0	05.8-10.2	105	9.0	06.8-11.2	883	78.8	75.5-82.1
65+	1556	781,315	13	0.7	00.1-01.3	21	0.8	00.4-01.2	78	5.4	03.8-07.0	126	7.8	05.8-09.8	1318	85.3	82.8-87.8
Less Than H.S.	513	614,448	26	4.3	01.9-06.7	26	6.1	03.2-09.0	70	14.7	10.4-19.0	57	13.5	08.8-18.2	334	61.4	55.3-67.5
H.S. or G.E.D.	1564	1,321,718	25	1.1	00.5-01.7	44	2.6	01.4-03.8	131	7.4	05.4-09.4	151	8.5	06.7-10.3	1213	80.4	77.7-83.1
Some Post-H.S.	1292	1,193,398	13	0.5	00.1-00.9	32	1.6	00.8-02.4	83	5.4	04.0-06.8	122	9.4	07.0-11.8	1042	83.2	80.5-85.9
College Graduate	1330	874,503	6	0.3	00.1-00.5	13	1.0	00.4-01.6	41	2.9	01.9-03.9	88	6.5	04.7-08.3	1182	89.4	87.2-91.6
Less than \$15,000	591	411,090	32	6.4	03.1-09.7	40	7.4	04.3-10.5	91	14.8	10.7-18.9	85	20.1	14.2-26.0	343	51.3	45.2-57.4
\$15,000- 24,999	770	662,321	12	0.8	00.2-01.4	27	3.8	01.8-05.8	70	10.6	07.3-13.9	93	12.4	08.9-15.9	568	72.5	67.8-77.2
\$25,000- 34,999	454	380,410	3	0.6	00.0-01.4	6	0.7	00.0-01.5	29	5.5	02.8-08.2	50	9.5	06.4-12.6	366	83.7	79.6-87.8
\$35,000- 49,999	492	460,878	5	1.0	00.0-02.2	5	1.0	00.0-02.2	28	6.8	03.3-10.3	38	7.3	04.0-10.6	421	84.9	80.2-89.6
\$50,000- 74,999	476	427,424	4	0.4	00.0-01.0	6	0.6	00.0-01.4	13	3.4	01.4-05.4	36	7.3	04.4-10.2	417	88.3	84.8-91.8
\$75,000+	623	591,320	3	0.5	00.0-01.1				15	2.9	01.1-04.7	24	3.4	01.8-05.0	581	93.2	90.8-95.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 11: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL SO DEPRESSED THAT NOTHING COULD CHEER YOU UP? (MISDEPRD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1693	1,885,373	18	0.8	00.2-01.4	32	2.0	01.0-03.0	96	5.4	04.0-06.8	131	8.2	06.2-10.2	1416	83.6	81.1-86.1
White/Non-Hisp	1451	1,494,169	17	0.9	00.3-01.5	25	2.1	00.9-03.3	81	5.1	03.5-06.7	114	8.3	06.1-10.5	1214	83.6	80.9-86.3
Black or Afr. Am./Non-Hisp	181	265,234	1	0.6	00.0-01.8	5	1.7	00.0-03.7	14	8.7	03.2-14.2	12	7.0	01.3-12.7	149	82.0	74.4-89.6
18-24	71	213,629				2	1.4	00.0-03.8	3	3.9	00.0-08.2	7	7.4	01.9-12.9	59	87.2	79.9-94.5
25-34	169	324,065				4	2.2	00.0-04.6	4	3.3	00.0-07.4	19	14.9	07.3-22.5	142	79.5	71.1-87.9
35-44	218	306,463				2	0.4	00.0-01.2	13	5.3	02.0-08.6	10	4.2	01.3-07.1	193	90.0	85.5-94.5
45-54	291	363,887	8	1.5	00.1-02.9	14	5.8	01.9-09.7	19	6.9	03.0-10.8	18	5.8	01.9-09.7	232	79.9	73.6-86.2
55-64	407	336,878	8	2.6	00.0-05.3	5	1.0	00.0-02.6	35	7.1	04.2-10.0	36	8.8	05.3-12.3	323	80.4	75.1-85.7
65+	526	333,036	2	0.2	00.0-00.6	5	0.4	00.0-00.8	22	5.0	02.5-07.5	40	7.4	04.1-10.7	457	86.9	82.8-91.0
Less Than H.S.	172	279,587	4	2.2	00.0-05.1	9	6.3	01.2-11.4	23	13.4	06.5-20.3	21	11.2	04.1-18.3	115	67.0	57.2-76.8
H.S. or G.E.D.	521	634,119	9	1.0	00.2-01.8	12	1.6	00.4-02.8	31	4.8	02.6-07.0	47	8.0	05.1-10.9	422	84.6	80.7-88.5
Some Post-H.S.	446	540,997	3	0.3	00.0-00.7	8	1.7	00.1-03.3	26	4.1	02.1-06.1	39	9.3	05.4-13.2	370	84.6	80.1-89.1
College Graduate	547	421,783	2	0.2	00.0-00.4	3	0.3	00.0-00.7	16	2.7	01.1-04.3	23	5.1	02.4-07.8	503	91.7	88.6-94.8
Less than \$15,000	152	147,276	7	6.2	00.0-12.5	8	7.0	01.1-12.9	21	12.0	05.1-18.9	15	19.4	07.1-31.7	101	55.4	43.2-67.6
\$15,000- 24,999	262	327,616	4	0.3	00.0-00.7	8	2.5	00.3-04.7	23	7.9	03.8-12.0	38	13.3	07.4-19.2	189	76.0	68.9-83.1
\$25,000- 34,999	165	175,383	1	0.7	00.0-02.1	2	0.3	00.0-00.7	9	3.6	00.7-06.5	11	5.0	01.5-08.5	142	90.4	85.5-95.3
\$35,000- 49,999	192	235,092				1	1.1	00.0-03.1	11	5.7	01.6-09.8	15	7.3	01.8-12.8	165	86.0	79.1-92.9
\$50,000- 74,999	210	219,252	1	0.3	00.0-00.9	2	0.1	00.0-00.3	5	3.3	00.4-06.2	11	6.7	02.2-11.2	191	89.6	84.3-94.9
\$75,000+	296	308,222	2	0.6	00.0-01.6				6	3.2	00.5-05.9	11	2.9	00.9-04.9	277	93.3	89.8-96.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 12: DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL SO DEPRESSED THAT NOTHING COULD CHEER YOU UP? (MISDEPRD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3019	2,132,364	52	1.6	01.0-02.2	83	2.9	01.9-03.9	229	8.2	06.6-09.8	290	9.9	08.3-11.5	2365	77.4	75.2-79.6
White/Non-Hisp	2456	1,657,724	44	1.4	00.8-02.0	69	2.8	01.8-03.8	184	8.6	06.8-10.4	234	9.7	07.9-11.5	1925	77.5	75.1-79.9
Black or Afr. Am./Non-Hisp	457	320,814	7	1.9	00.1-03.7	10	1.4	00.2-02.6	40	9.6	05.3-13.9	45	9.1	05.8-12.4	355	78.0	72.5-83.5
18-24	124	233,559	1	0.2	00.0-00.6	4	4.5	00.0-09.4	9	9.5	02.4-16.6	15	13.4	05.4-21.4	95	72.4	62.0-82.8
25-34	242	311,242	4	3.0	00.0-06.1	9	3.9	00.8-07.0	16	6.6	02.5-10.7	29	10.4	06.5-14.3	184	76.1	69.6-82.6
35-44	328	354,998	7	1.8	00.4-03.2	10	3.4	00.5-06.3	33	10.9	06.6-15.2	31	9.1	05.4-12.8	247	74.7	68.6-80.8
45-54	546	407,208	12	1.4	00.4-02.4	21	2.9	01.3-04.5	56	9.0	06.1-11.9	59	10.9	07.4-14.4	398	75.7	71.0-80.4
55-64	727	362,436	17	1.8	00.6-03.0	23	2.8	01.2-04.4	58	8.9	05.6-12.2	69	9.2	06.5-11.9	560	77.3	73.0-81.6
65+	1030	448,279	11	1.1	00.3-01.9	16	1.0	00.4-01.6	56	5.6	03.4-07.8	86	8.1	05.9-10.3	861	84.2	81.1-87.3
Less Than H.S.	341	334,861	22	6.0	02.5-09.5	17	6.0	02.5-09.5	47	15.7	10.2-21.2	36	15.5	09.2-21.8	219	56.8	49.2-64.4
H.S. or G.E.D.	1043	687,599	16	1.1	00.5-01.7	32	3.6	01.4-05.8	100	9.8	06.7-12.9	104	8.9	06.7-11.1	791	76.6	72.7-80.5
Some Post-H.S.	846	652,401	10	0.6	00.0-01.2	24	1.5	00.7-02.3	57	6.4	04.4-08.4	83	9.5	06.8-12.2	672	82.0	78.7-85.3
College Graduate	783	452,720	4	0.3	00.0-00.7	10	1.7	00.5-02.9	25	3.1	01.7-04.5	65	7.7	05.3-10.1	679	87.2	84.3-90.1
Less than \$15,000	439	263,815	25	6.5	02.6-10.4	32	7.6	04.1-11.1	70	16.4	11.3-21.5	70	20.5	14.2-26.8	242	49.0	42.1-55.9
\$15,000- 24,999	508	334,705	8	1.2	00.2-02.2	19	5.0	01.7-08.3	47	13.2	08.3-18.1	55	11.5	07.4-15.6	379	69.1	63.0-75.2
\$25,000- 34,999	289	205,027	2	0.6	00.0-01.6	4	1.1	00.0-02.5	20	7.1	02.8-11.4	39	13.3	08.4-18.2	224	77.9	71.6-84.2
\$35,000- 49,999	300	225,786				4	1.0	00.0-02.0	17	8.1	02.4-13.8	23	7.2	03.3-11.1	256	83.7	77.2-90.2
\$50,000- 74,999	266	208,172	3	0.5	00.0-01.3	4	1.2	00.0-02.8	8	3.5	01.0-06.0	25	7.9	04.0-11.8	226	87.0	82.1-91.9
\$75,000+	327	283,098	1	0.4	00.0-01.2				9	2.5	00.3-04.7	13	4.1	01.7-06.5	304	93.0	89.9-96.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

**TABLE 13. DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL THAT EVERYTHING WAS AN EFFORT? (MISEFFRT)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4675	3,961,180	335	7.4	06.2-08.6	185	4.0	03.2-04.8	609	12.7	11.3-14.1	629	13.6	12.2-15.0	2917	62.3	60.3-64.3
Male	1672	1,841,624	110	7.2	05.4-09.0	49	3.3	01.9-04.7	180	11.2	09.0-13.4	219	13.1	10.7-15.5	1114	65.1	61.8-68.4
Female	3003	2,119,557	225	7.5	06.1-08.9	136	4.6	03.6-05.6	429	14.0	12.2-15.8	410	14.0	12.2-15.8	1803	59.9	57.4-62.4
White/Non-Hisp	3881	3,118,084	260	6.8	05.6-08.0	155	4.1	03.1-05.1	510	13.4	11.8-15.0	529	13.2	11.8-14.6	2427	62.5	60.3-64.7
Black or Afr. Am./Non-Hisp	629	568,039	62	10.1	06.6-13.6	22	3.9	01.7-06.1	82	11.4	07.9-14.9	80	13.2	09.3-17.1	383	61.4	55.7-67.1
Oth. Race/Non-Hisp.	67	125,806	4	5.0	00.0-10.7	1	1.4	00.0-04.1	7	5.9	00.4-11.4	7	16.8	04.8-28.8	48	70.9	57.2-84.6
18-24	190	433,875	11	6.4	02.1-10.7	7	4.7	01.0-08.4	22	10.1	05.2-15.0	28	14.4	08.5-20.3	122	64.4	56.4-72.4
25-34	406	621,771	30	8.3	04.8-11.8	17	3.3	01.3-05.3	53	13.5	09.4-17.6	68	16.9	12.6-21.2	238	58.0	52.1-63.9
35-44	542	654,804	40	8.6	05.3-11.9	27	4.2	02.4-06.0	65	11.9	08.6-15.2	72	14.0	09.7-18.3	338	61.3	55.8-66.8
45-54	836	765,552	75	8.7	06.2-11.2	37	3.8	01.8-05.8	123	15.8	12.1-19.5	99	11.7	09.0-14.4	502	60.0	55.5-64.5
55-64	1123	692,738	87	6.9	04.9-08.9	49	5.9	03.2-08.6	150	12.9	10.2-15.6	157	12.5	10.1-14.9	680	61.8	57.9-65.7
65+	1544	769,484	91	5.4	03.8-07.0	47	2.6	01.4-03.8	193	11.1	09.1-13.1	203	13.2	10.8-15.6	1010	67.6	64.5-70.7
Less Than H.S.	503	597,580	71	14.2	10.3-18.1	38	9.3	05.4-13.2	98	18.3	13.2-23.4	61	12.8	08.5-17.1	235	45.5	39.2-51.8
H.S. or G.E.D.	1553	1,306,996	137	9.3	06.9-11.7	68	3.8	02.4-05.2	228	13.9	11.4-16.4	178	10.8	08.3-13.3	942	62.2	58.5-65.9
Some Post-H.S.	1286	1,176,062	89	5.5	03.9-07.1	50	2.7	01.7-03.7	165	12.1	09.7-14.5	192	15.4	12.7-18.1	790	64.3	60.8-67.8
College Graduate	1320	866,873	36	2.3	01.3-03.3	29	2.5	01.1-03.9	116	8.0	06.2-09.8	197	16.1	13.4-18.8	942	71.1	67.8-74.4
Less than \$15,000	583	404,004	105	19.4	14.5-24.3	57	10.0	06.3-13.7	118	18.5	14.0-23.0	75	13.3	08.6-18.0	228	38.8	32.9-44.7
\$15,000- 24,999	764	649,855	80	10.8	07.5-14.1	38	6.5	03.2-09.8	143	18.4	14.5-22.3	107	14.0	10.5-17.5	396	50.3	45.0-55.6
\$25,000- 34,999	451	373,574	24	7.8	03.9-11.7	12	2.6	00.6-04.6	66	14.9	10.4-19.4	63	12.5	08.6-16.4	286	62.1	55.8-68.4
\$35,000- 49,999	490	457,412	18	6.3	02.2-10.4	18	3.3	01.3-05.3	61	14.6	09.1-20.1	71	14.1	08.8-19.4	322	61.7	54.8-68.6
\$50,000- 74,999	473	420,195	16	2.9	00.9-04.9	13	3.0	00.6-05.4	41	8.6	05.5-11.7	59	13.3	09.4-17.2	344	72.3	67.0-77.6
\$75,000+	623	591,160	11	1.5	00.5-02.5	4	0.5	00.0-01.1	47	7.9	05.2-10.6	85	14.3	10.8-17.8	476	75.9	71.6-80.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

**TABLE 14. DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL THAT EVERYTHING WAS AN EFFORT? (MISEFFRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1672	1,841,624	110	7.2	05.4-09.0	49	3.3	01.9-04.7	180	11.2	09.0-13.4	219	13.1	10.7-15.5	1114	65.1	61.8-68.4
White/Non-Hisp	1438	1,469,008	84	6.5	04.7-08.3	40	3.3	01.7-04.9	157	11.8	09.3-14.3	193	12.7	10.5-14.9	964	65.7	62.4-69.0
Black or Afr. Am./Non-Hisp	175	249,769	21	12.5	05.4-19.6	6	3.5	00.0-07.2	17	10.0	04.9-15.1	16	8.8	02.3-15.3	115	65.3	55.5-75.1
18-24	69	205,683	5	9.2	01.0-17.4	3	5.3	00.0-11.2	3	4.6	00.0-10.1	11	14.3	05.9-22.7	47	66.6	54.3-78.9
25-34	165	312,832	9	6.5	01.8-11.2	6	2.5	00.3-04.7	19	13.5	06.6-20.4	32	18.9	11.8-26.0	99	58.7	49.5-67.9
35-44	214	299,807	16	8.4	03.3-13.5	6	1.3	00.0-02.7	25	11.8	06.7-16.9	22	12.2	04.6-19.8	145	66.3	57.5-75.1
45-54	289	357,773	23	9.1	04.8-13.4	9	3.4	00.0-06.9	34	14.2	08.7-19.7	30	10.9	06.4-15.4	193	62.4	55.1-69.7
55-64	403	334,191	33	7.5	04.4-10.6	14	6.1	01.2-11.0	47	11.7	07.6-15.8	57	10.8	07.5-14.1	252	63.9	57.4-70.4
65+	521	323,923	24	3.6	01.6-05.6	11	1.9	00.7-03.1	52	9.3	06.2-12.4	67	12.6	08.7-16.5	367	72.7	67.8-77.6
Less Than H.S.	169	270,476	19	10.9	05.2-16.6	11	8.8	01.7-15.9	28	18.4	10.2-26.6	25	12.5	05.8-19.2	86	49.4	39.2-59.6
H.S. or G.E.D.	516	623,072	46	10.0	06.1-13.9	18	3.5	01.5-05.5	65	11.3	08.0-14.6	52	10.1	05.8-14.4	335	65.2	59.3-71.1
Some Post-H.S.	438	523,970	28	5.9	03.0-08.8	14	1.8	00.6-03.0	44	11.3	07.2-15.4	67	14.8	10.5-19.1	285	66.2	60.3-72.1
College Graduate	542	415,218	16	2.5	00.9-04.1	6	1.5	00.0-03.5	43	6.7	04.3-09.1	74	16.2	11.9-20.5	403	73.2	68.3-78.1
Less than \$15,000	150	143,441	27	20.5	11.3-29.7	12	8.8	02.1-15.5	24	13.4	06.5-20.3	17	14.6	04.2-25.0	70	42.8	31.2-54.4
\$15,000- 24,999	256	317,099	33	11.7	06.2-17.2	11	7.1	01.2-13.0	43	14.8	09.1-20.5	36	12.8	07.1-18.5	133	53.5	44.7-62.3
\$25,000- 34,999	162	168,547	9	8.2	01.5-14.9	3	1.7	00.0-03.9	18	14.6	07.0-22.2	19	10.7	05.2-16.2	113	64.8	54.6-75.0
\$35,000- 49,999	191	231,705	9	10.1	02.3-17.9	6	3.0	00.1-05.9	23	14.0	07.1-20.9	27	15.2	05.8-24.6	126	57.6	47.0-68.2
\$50,000- 74,999	208	212,272	5	2.4	00.0-04.8	5	2.7	00.0-06.6	16	8.0	03.3-12.7	29	14.1	08.2-20.0	153	72.8	65.2-80.4
\$75,000+	295	307,326	8	2.4	00.4-04.4	3	0.8	00.0-02.0	22	6.3	03.2-09.4	38	14.7	09.2-20.2	224	75.8	69.5-82.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

**TABLE 15. DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL THAT EVERYTHING WAS AN EFFORT? (MISEFFRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3003	2,119,557	225	7.5	06.1-08.9	136	4.6	03.6-05.6	429	14.0	12.2-15.8	410	14.0	12.2-15.8	1803	59.9	57.4-62.4
White/Non-Hisp	2443	1,649,076	176	7.1	05.5-08.7	115	4.8	03.6-06.0	353	14.8	12.6-17.0	336	13.7	11.7-15.7	1463	59.6	56.9-62.3
Black or Afr. Am./Non-Hisp	454	318,271	41	8.3	05.0-11.6	16	4.2	01.5-06.9	65	12.5	07.8-17.2	64	16.7	11.8-21.6	268	58.4	51.9-64.9
18-24	121	228,192	6	3.9	00.6-07.2	4	4.1	00.0-09.0	19	15.1	07.5-22.7	17	14.5	06.7-22.3	75	62.4	51.8-73.0
25-34	241	308,939	21	10.2	05.1-15.3	11	4.2	01.3-07.1	34	13.6	08.9-18.3	36	14.8	09.7-19.9	139	57.3	49.7-64.9
35-44	328	354,998	24	8.8	04.3-13.3	21	6.6	03.5-09.7	40	11.9	07.4-16.4	50	15.6	10.9-20.3	193	57.1	50.2-64.0
45-54	547	407,780	52	8.4	05.5-11.3	28	4.3	02.3-06.3	89	17.3	12.2-22.4	69	12.3	08.8-15.8	309	57.8	52.1-63.5
55-64	720	358,547	54	6.3	04.1-08.5	35	5.6	03.4-07.8	103	14.1	10.4-17.8	100	14.2	10.9-17.5	428	59.8	55.1-64.5
65+	1023	445,561	67	6.7	04.5-08.9	36	3.2	01.4-05.0	141	12.5	10.0-15.0	136	13.6	10.7-16.5	643	64.0	59.9-68.1
Less Than H.S.	334	327,104	52	17.0	11.5-22.5	27	9.6	05.3-13.9	70	18.1	11.8-24.4	36	13.1	07.2-19.0	149	42.2	34.6-49.8
H.S. or G.E.D.	1037	683,925	91	8.6	05.9-11.3	50	4.2	02.2-06.2	163	16.3	12.8-19.8	126	11.4	08.9-13.9	607	59.5	55.0-64.0
Some Post-H.S.	848	652,091	61	5.2	03.4-07.0	36	3.4	02.0-04.8	121	12.8	10.1-15.5	125	15.8	12.5-19.1	505	62.8	58.5-67.1
College Graduate	778	451,654	20	2.2	01.0-03.4	23	3.4	01.6-05.2	73	9.2	06.5-11.9	123	16.0	12.7-19.3	539	69.2	65.1-73.3
Less than \$15,000	433	260,563	78	18.8	13.1-24.5	45	10.7	06.4-15.0	94	21.3	15.6-27.0	58	12.6	07.9-17.3	158	36.7	30.0-43.4
\$15,000- 24,999	508	332,755	47	9.9	05.8-14.0	27	5.9	03.0-08.8	100	21.9	16.4-27.4	71	15.2	10.7-19.7	263	47.2	40.9-53.5
\$25,000- 34,999	289	205,027	15	7.5	02.6-12.4	9	3.3	00.4-06.2	48	15.2	09.7-20.7	44	14.0	08.5-19.5	173	59.9	52.3-67.5
\$35,000- 49,999	299	225,707	9	2.3	00.3-04.3	12	3.6	01.2-06.0	38	15.3	07.1-23.5	44	13.0	08.5-17.5	196	65.8	57.4-74.2
\$50,000- 74,999	265	207,922	11	3.5	00.4-06.6	8	3.3	00.8-05.8	25	9.1	05.0-13.2	30	12.5	07.2-17.8	191	71.7	64.4-79.0
\$75,000+	328	283,833	3	0.5	00.0-01.1	1	0.1	00.0-00.3	25	9.6	05.1-14.1	47	13.8	09.5-18.1	252	76.1	70.2-82.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

**TABLE 16. DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL WORTHLESS? (MISWTLES)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4700	4,006,493	114	2.0	01.4-02.6	101	2.1	01.5-02.7	252	5.3	04.3-06.3	315	6.8	05.8-07.8	3918	83.9	82.3-85.5
Male	1689	1,881,008	34	1.7	00.9-02.5	31	1.8	00.8-02.8	73	4.2	02.8-05.6	95	5.9	04.3-07.5	1456	86.3	83.9-88.7
Female	3011	2,125,486	80	2.2	01.4-03.0	70	2.3	01.5-03.1	179	6.2	04.8-07.6	220	7.6	06.2-09.0	2462	81.7	79.7-83.7
White/Non-Hisp	3895	3,139,946	96	1.9	01.3-02.5	86	2.4	01.6-03.2	212	5.5	04.3-06.7	265	6.8	05.6-08.0	3236	83.4	81.6-85.2
Black or Afr. Am./Non-Hisp	637	585,258	14	1.5	00.3-02.7	11	0.9	00.1-01.7	36	4.9	02.5-07.3	39	6.4	03.5-09.3	537	86.3	82.4-90.2
Oth. Race/Non-Hisp.	69	130,944	2	1.8	00.0-04.5							6	10.1	00.9-19.3	61	88.1	78.5-97.7
18-24	193	442,467				5	2.7	00.0-05.4	10	4.7	01.2-08.2	11	7.0	02.3-11.7	167	85.6	79.5-91.7
25-34	411	635,256	7	1.6	00.0-03.2	7	1.2	00.0-02.4	16	4.7	01.8-07.6	31	9.2	05.5-12.9	350	83.3	78.4-88.2
35-44	547	664,158	17	2.1	00.9-03.3	10	2.4	00.6-04.2	30	5.0	02.8-07.2	38	6.1	03.7-08.5	452	84.3	80.6-88.0
45-54	834	769,781	32	3.3	01.7-04.9	21	2.3	00.9-03.7	60	7.4	04.9-09.9	71	7.2	05.0-09.4	650	79.9	76.4-83.4
55-64	1130	696,443	32	2.9	01.3-04.5	33	2.7	01.1-04.3	71	6.6	04.4-08.8	68	5.0	03.4-06.6	926	82.8	79.7-85.9
65+	1551	775,433	26	1.1	00.5-01.7	24	1.5	00.7-02.3	64	3.1	02.1-04.1	96	6.8	05.0-08.6	1341	87.5	85.3-89.7
Less Than H.S.	510	610,195	31	5.1	02.7-07.5	26	5.3	02.8-07.8	55	10.6	06.7-14.5	47	9.5	05.8-13.2	351	69.6	63.9-75.3
H.S. or G.E.D.	1564	1,321,059	52	2.5	01.5-03.5	42	2.5	01.3-03.7	96	5.6	03.8-07.4	105	5.6	04.0-07.2	1269	83.8	81.3-86.3
Some Post-H.S.	1287	1,191,097	23	1.0	00.4-01.6	24	1.2	00.6-01.8	71	4.3	03.1-05.5	95	7.4	05.2-09.6	1074	86.1	83.6-88.6
College Graduate	1326	870,473	7	0.3	00.1-00.5	9	0.5	00.1-00.9	29	2.4	01.2-03.6	67	6.0	04.0-08.0	1214	90.8	88.4-93.2
Less than \$15,000	588	406,925	51	8.5	05.2-11.8	36	6.7	03.4-10.0	80	14.0	09.9-18.1	57	12.0	07.5-16.5	364	58.9	52.8-65.0
\$15,000- 24,999	770	664,295	24	2.4	01.2-03.6	18	2.2	00.8-03.6	58	7.2	04.7-09.7	76	9.5	06.4-12.6	594	78.7	74.6-82.8
\$25,000- 34,999	453	379,907	8	1.6	00.4-02.8	6	0.9	00.0-01.9	23	5.4	02.5-08.3	31	6.6	03.9-09.3	385	85.6	81.5-89.7
\$35,000- 49,999	492	461,936	2	0.5	00.0-01.3	5	1.9	00.0-03.9	17	3.8	01.1-06.5	30	5.6	02.7-08.5	438	88.2	83.9-92.5
\$50,000- 74,999	475	427,288	3	0.2	00.0-00.6	4	0.3	00.0-00.7	11	1.8	00.4-03.2	20	6.0	02.7-09.3	437	91.7	88.2-95.2
\$75,000+	622	591,056	1	0.2	00.0-00.6	2	0.3	00.0-00.7	7	1.2	00.0-02.4	24	3.4	01.8-05.0	588	94.9	92.7-97.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 17. DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL WORTHLESS? (MISWTLES)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1689	1,881,008	34	1.7	00.9-02.5	31	1.8	00.8-02.8	73	4.2	02.8-05.6	95	5.9	04.1-07.7	1456	86.3	83.9-88.7
White/Non-Hisp	1448	1,492,295	29	1.6	00.8-02.4	28	2.3	01.1-03.5	62	4.1	02.5-05.7	80	5.7	03.9-07.5	1249	86.4	83.9-88.9
Black or Afr. Am./Non-Hisp	180	262,148	2	1.4	00.0-03.4	2	0.0	00.0-00.0	8	4.9	01.0-08.8	10	6.2	00.5-11.9	158	87.5	80.6-94.4
18-24	70	210,319							1	1.6	00.0-04.7	3	5.4	00.0-11.5	66	93.0	86.1-99.9
25-34	169	324,014	2	0.9	00.0-02.3	1	0.8	00.0-02.4	4	3.7	00.0-08.0	13	11.0	04.5-17.5	149	83.7	76.1-91.3
35-44	219	309,160	4	0.9	00.0-01.9	4	2.7	00.0-05.6	8	2.6	00.4-04.8	8	3.3	00.8-05.8	195	90.4	85.9-94.9
45-54	290	363,575	10	3.2	00.8-05.6	6	2.2	00.0-04.4	17	6.9	02.6-11.2	17	3.9	01.7-06.1	240	83.8	78.3-89.3
55-64	406	336,680	9	3.3	00.8-05.8	13	3.6	00.5-06.7	27	6.4	03.3-09.5	23	5.2	02.3-08.1	334	81.5	76.0-87.0
65+	524	329,844	9	1.4	00.2-02.6	7	1.1	00.1-02.1	16	2.8	01.2-04.4	31	6.8	03.7-09.9	461	87.9	84.2-91.6
Less Than H.S.	173	280,132	10	4.0	00.9-07.1	6	5.0	00.7-09.3	15	8.9	02.4-15.4	17	8.1	02.4-13.8	125	74.0	65.0-83.0
H.S. or G.E.D.	523	635,408	19	2.7	01.1-04.3	13	2.0	00.4-03.6	22	4.0	01.8-06.2	30	4.3	02.3-06.3	439	87.0	83.5-90.5
Some Post-H.S.	441	537,519	4	0.7	00.0-01.5	8	1.1	00.1-02.1	22	3.4	01.6-05.2	23	6.5	03.0-10.0	384	88.3	84.4-92.2
College Graduate	545	419,061				4	0.4	00.0-01.0	14	2.6	01.0-04.2	24	6.2	02.9-09.5	503	90.7	87.0-94.4
Less than \$15,000	152	147,276	12	5.3	01.6-09.0	10	9.4	01.8-17.0	20	12.3	05.2-19.4	13	13.4	03.2-23.6	97	59.6	47.8-71.4
\$15,000- 24,999	262	329,987	8	2.3	00.3-04.3	7	1.5	00.0-03.1	16	4.5	01.6-07.4	27	9.4	04.5-14.3	204	82.3	76.4-88.2
\$25,000- 34,999	164	174,880	3	1.4	00.0-03.0	1	0.7	00.0-02.1	8	4.7	00.6-08.8	9	4.6	01.1-08.1	143	88.6	82.9-94.3
\$35,000- 49,999	193	236,230	1	0.8	00.0-02.4	3	3.2	00.0-06.9	3	1.3	00.0-02.9	9	4.6	00.1-09.1	177	90.1	84.0-96.2
\$50,000- 74,999	210	219,252				2	0.3	00.0-00.9	3	1.2	00.0-02.8	10	8.0	02.3-13.7	195	90.4	84.5-96.3
\$75,000+	295	307,891	1	0.5	00.0-01.5	1	0.4	00.0-01.2	4	0.7	00.0-01.5	11	3.7	01.2-06.2	278	94.8	92.1-97.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 18. DURING THE PAST 30 DAYS, ABOUT HOW OFTEN DID YOU FEEL WORTHLESS? (MISWTLES)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All			Most			Some			A Little			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3011	2,125,486	80	2.2	01.4-03.0	70	2.3	01.5-03.1	179	6.2	04.8-07.6	220	7.6	06.2-09.0	2462	81.7	79.7-83.7
White/Non-Hisp	2447	1,647,652	67	2.2	01.4-03.0	58	2.5	01.5-03.5	150	6.8	05.2-08.4	185	7.8	06.2-09.4	1987	80.6	78.2-83.0
Black or Afr. Am./Non-Hisp	457	323,110	12	1.7	00.5-02.9	9	1.6	00.2-03.0	28	4.9	02.4-07.4	29	6.5	03.6-09.4	379	85.3	81.2-89.4
18-24	123	232,148				5	5.2	00.1-10.3	9	7.6	01.5-13.7	8	8.4	01.5-15.3	101	78.8	69.2-88.4
25-34	242	311,242	5	2.4	00.0-05.1	6	1.7	00.0-03.5	12	5.8	01.9-09.7	18	7.3	03.8-10.8	201	82.8	76.9-88.7
35-44	328	354,998	13	3.1	01.1-05.1	6	2.2	00.2-04.2	22	7.0	03.5-10.5	30	8.6	04.9-12.3	257	79.1	73.6-84.6
45-54	544	406,206	22	3.4	01.4-05.4	15	2.3	00.9-03.7	43	7.8	04.9-10.7	54	10.1	06.8-13.4	410	76.4	71.7-81.1
55-64	724	359,762	23	2.6	01.0-04.2	20	1.8	00.8-02.8	44	6.8	04.1-09.5	45	4.8	03.0-06.6	592	84.0	80.5-87.5
65+	1027	445,589	17	1.0	00.4-01.6	17	1.7	00.5-02.9	48	3.4	02.0-04.8	65	6.7	04.5-08.9	880	87.2	84.5-89.9
Less Than H.S.	337	330,063	21	6.0	02.5-09.5	20	5.4	02.3-08.5	40	11.9	07.2-16.6	30	10.7	05.6-15.8	226	65.9	58.6-73.2
H.S. or G.E.D.	1041	685,651	33	2.3	01.3-03.3	29	3.0	01.2-04.8	74	7.2	04.5-09.9	75	6.8	04.6-09.0	830	80.8	77.1-84.5
Some Post-H.S.	846	653,578	19	1.3	00.5-02.1	16	1.2	00.4-02.0	49	5.0	03.2-06.8	72	8.2	05.7-10.7	690	84.3	81.2-87.4
College Graduate	781	451,412	7	0.6	00.0-01.2	5	0.6	00.0-01.2	15	2.2	00.4-04.0	43	5.7	03.5-07.9	711	90.9	88.2-93.6
Less than \$15,000	436	259,649	39	10.3	05.6-15.0	26	5.2	02.3-08.1	60	14.9	09.6-20.2	44	11.1	07.0-15.2	267	58.5	51.6-65.4
\$15,000- 24,999	508	334,308	16	2.4	01.0-03.8	11	3.0	00.8-05.2	42	9.9	05.8-14.0	49	9.6	05.9-13.3	390	75.1	69.6-80.6
\$25,000- 34,999	289	205,027	5	1.9	00.0-03.9	5	1.0	00.0-02.2	15	5.9	01.8-10.0	22	8.3	04.2-12.4	242	83.0	77.1-88.9
\$35,000- 49,999	299	225,707	1	0.3	00.0-00.9	2	0.6	00.0-01.8	14	6.4	01.1-11.7	21	6.6	03.1-10.1	261	86.2	79.9-92.5
\$50,000- 74,999	265	208,037	3	0.5	00.0-01.3	2	0.2	00.0-00.4	8	2.3	00.3-04.3	10	3.9	01.0-06.8	242	93.1	89.4-96.8
\$75,000+	327	283,164				1	0.2	00.0-00.6	3	1.7	00.0-04.1	13	3.2	01.2-05.2	310	95.0	91.9-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 19. DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID A MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM KEEP YOU FROM DOING YOUR WORK OR OTHER USUAL ACTIVITIES? (MISNOWRK)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	1 day		2-5 days			6-10 days			11-15 days			16-30 days			None		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4703	4,022,968	36	0.8	00.4-01.2	206	5.0	04.0-06.0	144	3.0	02.2-03.8	86	1.7	01.1-02.3	163	3.6	02.8-04.4	4068	85.9	84.3-87.5
Male	1689	1,891,993	10	0.7	00.1-01.3	48	3.9	02.3-05.5	40	2.3	01.1-03.5	17	0.9	00.3-01.5	52	3.3	01.9-04.7	1522	88.9	86.5-91.3
Female	3014	2,130,974	26	1.0	00.6-01.4	158	5.9	04.5-07.3	104	3.6	02.6-04.6	69	2.4	01.6-03.2	111	3.9	02.9-04.9	2546	83.3	81.3-85.3
White/Non-Hisp	3895	3,142,818	31	0.9	00.5-01.3	164	5.0	03.8-06.2	119	2.5	01.9-03.1	67	1.5	01.1-01.9	145	4.0	03.0-05.0	3369	86.2	84.6-87.8
Black or Afr. Am./Non-Hisp	639	596,229	4	0.7	00.0-01.5	32	4.2	02.2-06.2	19	5.1	02.2-08.0	16	2.7	00.7-04.7	15	1.9	00.5-03.3	553	85.5	81.4-89.6
Oth. Race/Non-Hisp.	69	130,944				5	12.1	00.3-23.9							1	1.4	00.0-04.1	63	86.5	74.5-98.5
18-24	198	451,184	2	0.8	00.0-02.0	11	5.8	01.9-09.7	6	2.9	00.2-05.6	2	0.9	00.0-02.3	3	1.4	00.0-03.0	174	88.3	83.0-93.6
25-34	407	629,531	8	1.9	00.5-03.3	26	7.6	03.9-11.3	12	2.9	01.1-04.7	4	0.6	00.0-01.2	11	3.3	00.6-06.0	346	83.8	79.1-88.5
35-44	541	657,584	8	1.2	00.2-02.2	31	5.3	02.9-07.7	13	1.6	00.4-02.8	12	3.2	01.0-05.4	25	4.3	02.1-06.5	452	84.5	80.6-88.4
45-54	840	780,467	6	0.8	00.2-01.4	40	3.5	02.1-04.9	33	3.6	01.8-05.4	30	2.8	01.4-04.2	53	6.8	04.3-09.3	678	82.5	79.0-86.0
55-64	1124	694,410	8	0.4	00.0-00.8	55	5.9	03.4-08.4	28	3.0	01.4-04.6	23	1.5	00.7-02.3	43	3.8	02.2-05.4	967	85.4	82.1-88.7
65+	1558	786,943	4	0.2	00.0-00.6	43	3.1	01.9-04.3	51	3.7	02.1-05.3	15	0.8	00.2-01.4	27	1.3	00.5-02.1	1418	90.9	88.7-93.1
Less Than H.S.	520	613,892	2	0.3	00.0-00.9	33	6.3	03.2-09.4	33	5.1	02.7-07.5	22	3.9	01.9-05.9	50	11.3	07.2-15.4	380	73.1	67.6-78.6
H.S. or G.E.D.	1562	1,343,800	10	0.5	00.1-00.9	75	6.0	04.0-08.0	48	3.9	02.3-05.5	36	1.7	00.7-02.7	63	3.2	02.0-04.4	1330	84.6	81.9-87.3
Some Post-H.S.	1290	1,183,693	10	1.3	00.5-02.1	63	5.1	03.3-06.9	35	1.7	00.9-02.5	23	1.5	00.7-02.3	33	2.2	01.2-03.2	1126	88.2	85.8-90.6
College Graduate	1316	867,164	14	1.2	00.4-02.0	35	2.5	01.5-03.5	25	1.6	00.8-02.4	5	0.3	00.0-00.7	16	0.7	00.3-01.1	1221	93.7	92.1-95.3
Less than \$15,000	586	410,087	9	1.6	00.2-03.0	43	7.1	04.4-09.8	31	8.9	04.6-13.2	39	5.9	03.2-08.6	64	11.9	08.0-15.8	400	64.5	58.6-70.4
\$15,000- 24,999	764	659,007	2	0.1	00.1-00.1	52	9.5	05.8-13.2	19	2.1	00.9-03.3	20	3.1	01.1-05.1	36	4.3	02.3-06.3	635	80.9	76.4-85.4
\$25,000- 34,999	445	376,178	3	0.4	00.0-01.0	22	5.2	02.3-08.1	8	1.5	00.1-02.9	5	0.6	00.0-01.4	8	2.7	00.5-04.9	399	89.6	85.7-93.5
\$35,000- 49,999	493	467,457	5	1.3	00.0-02.7	23	6.1	02.4-09.8	9	1.7	00.0-03.9	2	0.9	00.0-02.5	8	1.8	00.4-03.2	446	88.2	83.5-92.9
\$50,000- 74,999	477	429,887	6	1.6	00.0-03.2	14	2.7	00.9-04.5	7	1.3	00.1-02.5	1	0.1	00.0-00.3	5	0.5	00.0-01.1	444	93.9	91.4-96.4
\$75,000+	621	590,180	4	1.0	00.0-02.0	10	1.3	00.3-02.3	7	1.0	00.2-01.8	1	0.2	00.0-00.6	2	0.3	00.0-00.7	597	96.2	94.4-98.0

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 20. DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID A MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM KEEP YOU FROM DOING YOUR WORK OR OTHER USUAL ACTIVITIES? (MISNOWRK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	1 day		2-5 days			6-10 days			11-15 days			16-30 days			None		
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1689	1,891,993	10	0.7	00.1-01.3	48	3.9	02.3-05.5	40	2.3	01.1-03.5	17	0.9	00.3-01.5	52	3.3	01.9-04.7	1522	88.9	86.5-91.3
White/Non-Hisp	1449	1,496,419	8	0.6	00.0-01.2	40	3.6	02.0-05.2	32	1.7	00.9-02.5	14	0.8	00.2-01.4	45	3.7	02.1-05.3	1310	89.6	87.2-92.0
Black or Afr. Am./Non-Hisp	179	265,244	2	1.3	00.0-03.3	5	3.0	00.0-06.3	5	4.5	00.0-09.2	2	1.5	00.0-03.5	6	2.0	00.0-04.4	159	87.7	81.2-94.2
18-24	72	215,366				1	1.5	00.0-04.4	3	3.9	00.0-09.2				1	1.0	00.0-03.0	67	93.6	87.3-99.9
25-34	167	322,035	3	1.9	00.0-04.1	8	7.7	01.8-13.6	1	0.4	00.0-01.2	1	0.4	00.0-01.4	2	2.8	00.0-07.1	152	86.7	79.4-94.0
35-44	214	303,730	4	1.5	00.0-03.3	6	3.7	00.4-07.0	3	1.0	00.0-02.2	2	1.3	00.0-03.7	6	1.8	00.2-03.4	193	90.8	86.1-95.5
45-54	296	373,552	1	0.3	00.0-00.9	9	2.7	00.5-04.9	11	3.6	00.5-06.7	8	1.9	00.3-03.5	18	7.2	02.9-11.5	249	84.2	78.7-89.7
55-64	406	336,289	2	0.2	00.0-00.6	15	6.3	01.8-10.8	10	3.1	00.2-06.0	5	0.8	00.0-01.8	16	4.2	01.5-06.9	358	85.3	79.6-91.0
65+	522	333,510				9	1.2	00.4-02.0	12	2.3	00.3-04.3	1	0.4	00.0-01.2	9	1.5	00.1-02.9	491	94.7	92.0-97.4
Less Than H.S.	175	283,113	2	0.7	00.0-01.9	6	5.4	00.1-10.7	9	3.0	00.0-06.1	2	0.6	00.0-01.4	21	13.5	06.2-20.8	135	76.9	68.1-85.7
H.S. or G.E.D.	522	648,545	2	0.2	00.0-00.6	20	4.6	02.1-07.1	13	3.5	01.0-06.0	7	1.2	00.0-02.4	16	1.9	00.7-03.1	464	88.5	84.6-92.4
Some Post-H.S.	443	534,869	4	1.6	00.0-03.2	16	4.8	01.5-08.1	8	1.2	00.2-02.2	6	1.0	00.0-02.0	12	2.1	00.7-03.5	397	89.4	85.3-93.5
College Graduate	541	417,116	2	0.1	00.0-00.3	6	1.0	00.0-02.0	9	1.5	00.3-02.7	2	0.5	00.0-01.3	3	0.2	00.0-00.4	519	96.7	94.9-98.5
Less than \$15,000	150	150,578	3	2.3	00.0-05.2	8	6.8	01.1-12.5	7	11.1	01.7-20.5	8	3.1	00.6-05.6	14	8.7	02.6-14.8	110	68.0	56.6-79.4
\$15,000- 24,999	259	328,564				15	9.4	03.1-15.7	4	0.6	00.0-01.4	2	0.7	00.0-02.1	16	4.8	01.9-07.7	222	84.5	77.8-91.2
\$25,000- 34,999	163	176,012	1	0.2	00.0-00.6	3	2.7	00.0-06.6	3	1.0	00.0-02.8	1	0.7	00.0-02.1	3	2.3	00.0-05.0	152	93.1	87.8-98.4
\$35,000- 49,999	196	242,270	1	1.0	00.0-03.0	6	4.6	00.0-09.7	3	2.5	00.0-06.4	2	1.7	00.0-04.6	2	1.4	00.0-03.4	182	88.9	81.8-96.0
\$50,000- 74,999	210	220,250	1	1.1	00.0-03.3	3	2.1	00.0-04.5	2	1.0	00.0-02.6	1	0.1	00.0-00.3	2	0.3	00.0-00.9	201	95.4	91.9-98.9
\$75,000+	295	306,328	1	0.7	00.0-02.1	3	0.4	00.0-00.8	5	1.3	00.0-02.7				1	0.5	00.0-01.5	285	97.1	94.9-99.3

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 21. DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID A MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM KEEP YOU FROM DOING YOUR WORK OR OTHER USUAL ACTIVITIES? (MISNOWRK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 day		2-5 days			6-10 days			11-15 days			16-30 days			None		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3014	2,130,974	26	1.0	00.6-01.4	158	5.9	04.5-07.3	104	3.6	02.6-04.6	69	2.4	01.6-03.2	111	3.9	02.9-04.9	2546	83.3	81.3-85.3
White/Non-Hisp	2446	1,646,399	23	1.1	00.5-01.7	124	6.2	04.6-07.8	87	3.3	02.3-04.3	53	2.1	01.3-02.9	100	4.2	03.0-05.4	2059	83.1	80.9-85.3
Black or Afr. Am./Non-Hisp	460	330,985	2	0.1	00.0-00.3	27	5.1	02.6-07.6	14	5.6	02.1-09.1	14	3.7	00.8-06.6	9	1.8	00.0-03.6	394	83.7	78.4-89.0
18-24	126	235,819	2	1.5	00.0-03.7	10	9.6	02.5-16.7	3	1.9	00.0-04.1	2	1.8	00.0-04.3	2	1.8	00.0-04.3	107	83.5	75.5-91.5
25-34	240	307,496	5	1.9	00.1-03.7	18	7.4	03.3-11.5	11	5.5	02.0-09.0	3	0.7	00.0-01.7	9	3.9	00.8-07.0	194	80.7	74.4-87.0
35-44	327	353,855	4	0.9	00.0-01.9	25	6.7	03.6-09.8	10	2.0	00.0-04.0	10	4.9	01.6-08.2	19	6.5	02.8-10.2	259	79.0	73.3-84.7
45-54	544	406,915	5	1.2	00.0-02.4	31	4.3	02.5-06.1	22	3.6	01.8-05.4	22	3.5	01.3-05.7	35	6.4	03.7-09.1	429	81.0	76.9-85.1
55-64	718	358,122	6	0.6	00.0-01.2	40	5.6	03.1-08.1	18	2.9	01.3-04.5	18	2.2	00.6-03.8	27	3.4	01.6-05.2	609	85.4	81.9-88.9
65+	1036	453,433	4	0.4	00.0-01.0	34	4.5	02.5-06.5	39	4.7	02.5-06.9	14	1.1	00.3-01.9	18	1.2	00.6-01.8	927	88.1	85.2-91.0
Less Than H.S.	345	330,779				27	7.1	03.6-10.6	24	6.9	03.4-10.4	20	6.7	03.2-10.2	29	9.5	05.4-13.6	245	69.9	63.2-76.6
H.S. or G.E.D.	1040	695,255	8	0.7	00.1-01.3	55	7.3	04.4-10.2	35	4.3	02.3-06.3	29	2.2	00.6-03.8	47	4.5	02.5-06.5	866	81.0	77.1-84.9
Some Post-H.S.	847	648,824	6	1.0	00.0-02.0	47	5.3	03.3-07.3	27	2.1	01.1-03.1	17	2.0	00.8-03.2	21	2.3	00.9-03.7	729	87.3	84.4-90.2
College Graduate	775	450,048	12	2.2	00.8-03.6	29	3.9	02.3-05.5	16	1.7	00.7-02.7	3	0.1	00.0-00.3	13	1.2	00.4-02.0	702	91.0	88.5-93.5
Less than \$15,000	436	259,509	6	1.3	00.1-02.5	35	7.3	04.4-10.2	24	7.6	03.7-11.5	31	7.6	03.7-11.5	50	13.8	08.7-18.9	290	62.4	55.7-69.1
\$15,000- 24,999	505	330,443	2	0.1	00.0-00.3	37	9.7	05.4-14.0	15	3.6	01.2-06.0	18	5.5	02.2-08.8	20	3.8	01.3-06.3	413	77.3	71.6-83.0
\$25,000- 34,999	282	200,166	2	0.6	00.0-01.6	19	7.4	03.1-11.7	5	1.9	00.0-03.9	4	0.4	00.0-00.8	5	3.2	00.1-06.3	247	86.5	81.0-92.0
\$35,000- 49,999	297	225,187	4	1.6	00.0-03.4	17	7.8	02.3-13.3	6	0.8	00.0-01.8				6	2.2	00.0-04.4	264	87.6	81.5-93.7
\$50,000- 74,999	267	209,637	5	2.1	00.0-04.5	11	3.2	00.8-05.6	5	1.6	00.0-03.6				3	0.7	00.0-01.7	243	92.3	88.4-96.2
\$75,000+	326	283,852	3	1.3	00.0-02.9	7	2.4	00.2-04.6	2	0.6	00.0-01.6	1	0.3	00.0-00.9	1	0.2	00.0-00.6	312	95.2	92.5-97.9

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 22. ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4670	3,987,051	747	13.9	12.5-15.3	3923	86.1	84.7-87.5
Male	1676	1,870,296	163	8.3	06.5-10.1	1513	91.7	89.9-93.5
Female	2994	2,116,755	584	18.8	16.8-20.8	2410	81.2	79.2-83.2
White/Non-Hisp	3869	3,125,747	672	15.8	14.2-17.4	3197	84.2	82.6-85.8
Black or Afr. Am./Non-Hisp	637	584,989	64	7.0	04.6-09.4	573	93.0	90.6-95.4
Oth. Race/Non-Hisp.	69	130,944	3	2.9	00.0-06.4	66	97.1	93.6-0100
18-24	195	445,580	13	5.4	02.1-08.7	182	94.6	91.3-97.9
25-34	401	619,259	46	10.5	07.0-14.0	355	89.5	86.0-93.0
35-44	544	660,439	91	15.6	11.9-19.3	453	84.4	80.7-88.1
45-54	834	771,110	177	18.8	15.3-22.3	657	81.2	77.7-84.7
55-64	1125	693,647	219	18.6	15.5-21.7	906	81.4	78.3-84.5
65+	1538	774,957	198	11.1	09.1-13.1	1340	88.9	86.9-90.9
Less Than H.S.	513	614,949	121	22.8	17.7-27.9	392	77.2	72.1-82.3
H.S. or G.E.D.	1548	1,313,601	248	11.2	09.2-13.2	1300	88.8	86.8-90.8
Some Post-H.S.	1281	1,177,445	215	14.5	12.1-16.9	1066	85.5	83.1-87.9
College Graduate	1315	867,014	161	10.8	08.8-12.8	1154	89.2	87.2-91.2
Less than \$15,000	588	409,410	185	29.3	23.8-34.8	403	70.7	65.2-76.2
\$15,000- 24,999	767	661,349	135	15.6	12.1-19.1	632	84.4	80.9-87.9
\$25,000- 34,999	449	379,347	67	12.4	08.5-16.3	382	87.6	83.7-91.5
\$35,000- 49,999	489	461,171	84	14.6	10.7-18.5	405	85.4	81.5-89.3
\$50,000- 74,999	472	422,370	62	11.3	07.8-14.8	410	88.7	85.2-92.2
\$75,000+	617	584,123	54	8.7	06.2-11.2	563	91.3	88.8-93.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 23. ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1676	1,870,296	163	8.3	06.5-10.1	1513	91.7	89.9-93.5
White/Non-Hisp	1437	1,483,300	149	9.5	07.3-11.7	1288	90.5	88.3-92.7
Black or Afr. Am./Non-Hisp	180	261,666	12	4.6	01.3-07.9	168	95.4	92.1-98.7
18-24	70	210,319	1	1.0	00.0-03.0	69	99.0	97.0-100.0
25-34	166	319,692	10	6.6	02.1-11.1	156	93.4	88.9-97.9
35-44	217	306,336	18	7.1	03.2-11.0	199	92.9	89.0-96.8
45-54	292	365,452	43	14.4	08.9-19.9	249	85.6	80.1-91.1
55-64	402	331,217	56	12.8	08.5-17.1	346	87.2	82.9-91.5
65+	518	329,864	35	4.7	02.5-06.9	483	95.3	93.1-97.5
Less Than H.S.	175	284,058	25	13.8	06.7-20.9	150	86.2	79.1-93.3
H.S. or G.E.D.	516	633,142	41	5.8	03.4-08.2	475	94.2	91.8-96.6
Some Post-H.S.	439	529,086	49	9.4	06.1-12.7	390	90.6	87.3-93.9
College Graduate	540	415,820	48	7.3	04.8-09.8	492	92.7	90.2-95.2
Less than \$15,000	150	146,636	33	16.8	09.2-24.4	117	83.2	75.6-90.8
\$15,000- 24,999	261	329,403	31	10.6	05.5-15.7	230	89.4	84.3-94.5
\$25,000- 34,999	165	178,627	14	6.1	02.0-10.2	151	93.9	89.8-98.0
\$35,000- 49,999	193	236,230	18	8.7	03.2-14.2	175	91.3	85.8-96.8
\$50,000- 74,999	206	213,485	14	7.0	02.7-11.3	192	93.0	88.7-97.3
\$75,000+	292	302,386	19	5.9	02.8-09.0	273	94.1	91.0-97.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 24. ARE YOU NOW TAKING MEDICINE OR RECEIVING TREATMENT FROM A DOCTOR OR OTHER HEALTH PROFESSIONAL FOR ANY TYPE OF MENTAL HEALTH CONDITION OR EMOTIONAL PROBLEM? (MISTMNT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2994	2,116,755	584	18.8	16.8-20.8	2410	81.2	79.2-83.2
White/Non-Hisp	2432	1,642,448	523	21.4	19.2-23.6	1909	78.6	76.4-80.8
Black or Afr. Am./Non-Hisp	457	323,323	52	8.9	05.6-12.2	405	91.1	87.8-94.4
18-24	125	235,261	12	9.4	03.3-15.5	113	90.6	84.5-96.7
25-34	235	299,567	36	14.7	09.4-20.0	199	85.3	80.0-90.6
35-44	327	354,104	73	22.8	17.1-28.5	254	77.2	71.5-82.9
45-54	542	405,658	134	22.8	18.3-27.3	408	77.2	72.7-81.7
55-64	723	362,430	163	23.8	19.5-28.1	560	76.2	71.9-80.5
65+	1020	445,093	163	15.9	13.0-18.8	857	84.1	81.2-87.0
Less Than H.S.	338	330,890	96	30.6	23.7-37.5	242	69.4	62.5-76.3
H.S. or G.E.D.	1032	680,459	207	16.3	13.2-19.4	825	83.7	80.6-86.8
Some Post-H.S.	842	648,359	166	18.7	15.4-22.0	676	81.3	78.0-84.6
College Graduate	775	451,195	113	14.0	11.1-16.9	662	86.0	83.1-88.9
Less than \$15,000	438	262,775	152	36.3	29.4-43.2	286	63.7	56.8-70.6
\$15,000- 24,999	506	331,946	104	20.5	15.8-25.2	402	79.5	74.8-84.2
\$25,000- 34,999	284	200,721	53	18.0	11.7-24.3	231	82.0	75.7-88.3
\$35,000- 49,999	296	224,942	66	20.8	15.1-26.5	230	79.2	73.5-84.9
\$50,000- 74,999	266	208,885	48	15.7	10.2-21.2	218	84.3	78.8-89.8
\$75,000+	325	281,737	35	11.6	07.3-15.9	290	88.4	84.1-92.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 25. THESE NEXT QUESTIONS ASK ABOUT PEOPLES' ATTITUDES TOWARD MENTAL ILLNESS AND ITS TREATMENT. TREATMENT CAN HELP PEOPLE WITH MENTAL ILLNESS LEAD NORMAL LIVES. DO YOU AGREE SLIGHTLY OR STRONGLY, OR DISAGREE SLIGHTLY OR STRONGLY? (MISTRHLP)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Agree Strongly			Agree Slightly			Neutral			Disagree Slightly			Disagree Strongly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4392	3,743,647	3119	68.3	66.1-70.5	812	21.2	19.2-23.2	294	6.5	05.3-07.7	108	2.3	01.7-02.9	59	1.6	01.0-02.2
Male	1566	1,738,577	1042	63.7	60.4-67.0	346	24.6	21.5-27.7	118	7.7	05.7-09.7	35	2.3	01.1-03.5	25	1.6	00.6-02.6
Female	2826	2,005,070	2077	72.4	69.9-74.9	466	18.3	15.9-20.7	176	5.5	04.3-06.7	73	2.3	01.5-03.1	34	1.5	00.7-02.3
White/Non-Hisp	3663	2,959,097	2628	70.1	67.9-72.3	675	20.4	18.4-22.4	229	6.1	04.9-07.3	82	2.0	01.4-02.6	49	1.5	00.9-02.1
Black or Afr. Am./Non-Hisp	585	545,628	398	63.4	57.3-69.5	110	23.1	17.4-28.8	47	7.1	04.2-10.0	22	4.2	02.0-06.4	8	2.2	00.0-04.4
Oth. Race/Non-Hisp.	58	108,784	41	62.2	44.6-79.8	10	24.0	06.9-41.1	5	10.5	00.5-20.5	2	3.4	00.0-08.1			
18-24	183	422,261	110	55.3	46.5-64.1	52	30.9	22.7-39.1	12	9.1	03.4-14.8	8	3.5	00.6-06.4	1	1.2	00.0-03.6
25-34	386	591,998	275	69.3	63.4-75.2	64	18.7	13.4-24.0	28	7.0	03.9-10.1	14	3.6	01.2-06.0	5	1.4	00.0-02.8
35-44	528	638,434	377	67.3	61.6-73.0	103	23.9	18.4-29.4	26	5.1	02.7-07.5	15	2.0	00.6-03.4	7	1.7	00.3-03.1
45-54	789	723,588	571	71.9	67.6-76.2	144	19.2	15.7-22.7	47	5.6	03.4-07.8	12	1.0	00.2-01.8	15	2.4	00.6-04.2
55-64	1062	649,517	816	75.4	71.7-79.1	151	15.1	12.0-18.2	59	5.8	03.6-08.0	24	2.3	01.1-03.5	12	1.3	00.5-02.1
65+	1415	698,307	955	66.4	63.1-69.7	292	22.8	19.7-25.9	115	7.3	05.5-09.1	35	2.3	01.1-03.5	18	1.1	00.3-01.9
Less Than H.S.	452	540,092	285	62.7	56.2-69.2	102	24.0	18.1-29.9	42	8.3	04.8-11.8	8	1.1	00.0-02.3	15	3.9	01.2-06.6
H.S. or G.E.D.	1435	1,225,490	944	61.2	57.3-65.1	289	24.0	20.3-27.7	127	9.1	06.7-11.5	53	3.7	02.3-05.1	22	2.1	00.9-03.3
Some Post-H.S.	1217	1,125,112	873	71.0	67.3-74.7	240	21.8	18.5-25.1	68	4.5	02.9-06.1	26	2.0	00.8-03.2	10	0.7	00.1-01.3
College Graduate	1276	839,981	1010	78.7	75.6-81.8	180	14.8	12.3-17.3	54	4.3	02.5-06.1	21	1.7	00.7-02.7	11	0.5	00.1-00.9
Less than \$15,000	547	378,305	361	62.9	56.6-69.2	97	21.0	15.3-26.7	55	9.6	05.7-13.5	21	2.9	01.3-04.5	13	3.5	01.0-06.0
\$15,000- 24,999	718	600,809	483	66.7	61.4-72.0	148	22.1	17.4-26.8	51	5.5	03.0-08.0	22	3.6	01.2-06.0	14	2.1	00.7-03.5
\$25,000- 34,999	434	366,233	312	73.4	67.7-79.1	83	18.6	13.5-23.7	27	5.5	02.8-08.2	8	2.2	00.4-04.0	4	0.3	00.0-00.7
\$35,000- 49,999	471	443,109	345	69.3	62.8-75.8	89	22.6	16.5-28.7	23	5.5	02.2-08.8	10	1.5	00.3-02.7	4	1.1	00.0-02.5
\$50,000- 74,999	458	411,635	347	65.8	59.1-72.5	81	25.5	19.0-32.0	20	5.8	02.5-09.1	9	2.8	00.8-04.8	1	0.1	00.0-00.3
\$75,000+	603	567,456	473	74.6	69.5-79.7	103	20.6	15.9-25.3	19	3.9	01.4-06.4	3	0.5	00.0-01.1	5	0.5	00.1-00.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 26. THESE NEXT QUESTIONS ASK ABOUT PEOPLES' ATTITUDES TOWARD MENTAL ILLNESS AND ITS TREATMENT. TREATMENT CAN HELP PEOPLE WITH MENTAL ILLNESS LEAD NORMAL LIVES. DO YOU AGREE SLIGHTLY OR STRONGLY, OR DISAGREE SLIGHTLY OR STRONGLY? (MISTRHLP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Agree Strongly			Agree Slightly			Neutral			Disagree Slightly			Disagree Strongly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1566	1,738,577	1042	63.7	60.4-67.0	346	24.6	21.5-27.7	118	7.7	05.7-09.7	35	2.3	01.1-03.5	25	1.6	00.6-02.6
White/Non-Hisp	1350	1,387,197	909	66.4	62.9-69.9	297	23.2	20.1-26.3	93	7.0	05.0-09.0	28	1.9	00.7-03.1	23	1.5	00.7-02.3
Black or Afr. Am./Non-Hisp	165	242,508	103	54.9	44.3-65.5	39	30.2	20.0-40.4	17	8.7	03.0-14.4	4	3.4	00.0-06.9	2	2.9	00.0-07.2
18-24	67	203,300	33	46.4	33.1-59.7	24	36.0	23.1-48.9	8	14.4	04.4-24.4	2	3.2	00.0-07.9			
25-34	160	307,490	110	69.2	60.6-77.8	28	16.8	09.9-23.7	13	7.8	02.9-12.7	6	4.0	00.0-08.1	3	2.2	00.0-04.7
35-44	208	293,933	138	59.6	50.4-68.8	49	29.5	20.3-38.7	13	7.0	02.5-11.5	4	1.8	00.0-04.2	4	2.2	00.0-04.6
45-54	270	335,821	175	65.2	57.9-72.5	65	24.6	18.1-31.1	21	7.1	03.2-11.0	2	0.5	00.0-01.3	7	2.6	00.0-05.7
55-64	369	298,744	269	72.7	66.4-79.0	64	18.7	12.8-24.6	24	5.4	02.5-08.3	9	2.4	00.6-04.2	3	0.8	00.0-01.8
65+	482	293,289	312	63.3	57.6-69.0	114	26.0	20.7-31.3	36	6.7	04.0-09.4	12	2.7	00.5-04.9	8	1.4	00.0-02.8
Less Than H.S.	151	240,329	91	58.0	47.0-69.0	38	29.1	18.7-39.5	15	8.9	03.0-14.8	1	0.3	00.0-00.9	6	3.6	00.0-07.9
H.S. or G.E.D.	473	585,465	278	54.7	48.4-61.0	122	28.6	22.5-34.7	47	10.2	06.3-14.1	17	4.2	01.7-06.7	9	2.3	00.5-04.1
Some Post-H.S.	413	503,564	278	67.0	60.9-73.1	95	24.1	18.8-29.4	29	6.2	03.1-09.3	8	2.0	00.0-04.4	3	0.7	00.0-01.7
College Graduate	523	401,029	391	75.5	70.4-80.6	91	17.3	13.0-21.6	26	5.4	02.3-08.5	9	1.4	00.2-02.6	6	0.5	00.0-01.1
Less than \$15,000	137	130,761	86	61.0	48.5-73.5	26	22.6	10.8-34.4	19	13.4	05.6-21.2	2	1.3	00.0-03.3	4	1.7	00.0-03.9
\$15,000- 24,999	239	294,048	152	62.6	53.8-71.4	52	23.2	15.4-31.0	19	7.5	02.8-12.2	8	4.6	00.0-09.3	8	2.1	00.1-04.1
\$25,000- 34,999	157	168,838	108	70.2	60.4-80.0	35	22.9	13.9-31.9	9	3.8	00.5-07.1	4	3.1	00.0-06.4	1	0.0	00.0-00.0
\$35,000- 49,999	183	226,083	123	64.4	54.0-74.8	43	28.1	17.7-38.5	10	4.4	01.1-07.7	4	1.1	00.0-02.3	3	2.0	00.0-04.5
\$50,000- 74,999	199	205,981	135	61.0	52.0-70.0	46	28.1	19.7-36.5	13	8.7	02.8-14.6	5	2.3	00.0-04.7			
\$75,000+	281	288,920	198	67.2	59.8-74.6	65	25.7	18.6-32.8	13	5.8	01.3-10.3	2	0.6	00.0-01.6	3	0.7	00.0-01.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

TABLE 27. THESE NEXT QUESTIONS ASK ABOUT PEOPLES' ATTITUDES TOWARD MENTAL ILLNESS AND ITS TREATMENT. TREATMENT CAN HELP PEOPLE WITH MENTAL ILLNESS LEAD NORMAL LIVES. DO YOU AGREE SLIGHTLY OR STRONGLY, OR DISAGREE SLIGHTLY OR STRONGLY? (MISTRHLP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Agree Strongly			Agree Slightly			Neutral			Disagree Slightly			Disagree Strongly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2826	2,005,070	2077	72.4	69.9-74.9	466	18.3	15.9-20.7	176	5.5	04.3-06.7	73	2.3	01.5-03.1	34	1.5	00.7-02.3
White/Non-Hisp	2313	1,571,900	1719	73.4	70.7-76.1	378	17.9	15.5-20.3	136	5.3	03.9-06.7	54	2.1	01.3-02.9	26	1.4	00.6-02.2
Black or Afr. Am./Non-Hisp	420	303,120	295	70.2	63.9-76.5	71	17.5	12.0-23.0	30	5.9	03.2-08.6	18	4.8	02.1-07.5	6	1.6	00.0-03.2
18-24	116	218,961	77	63.5	52.3-74.7	28	26.3	15.9-36.7	4	4.2	00.0-09.7	6	3.8	00.5-07.1	1	2.3	00.0-06.6
25-34	226	284,508	165	69.4	61.2-77.6	36	20.8	12.8-28.8	15	6.1	02.4-09.8	8	3.2	00.7-05.7	2	0.6	00.0-01.4
35-44	320	344,502	239	73.9	67.6-80.2	54	19.2	13.3-25.1	13	3.4	01.2-05.6	11	2.2	00.6-03.8	3	1.3	00.0-02.9
45-54	519	387,767	396	77.6	72.9-82.3	79	14.5	10.8-18.2	26	4.3	02.3-06.3	10	1.5	00.3-02.7	8	2.2	00.0-04.4
55-64	693	350,773	547	77.8	73.5-82.1	87	12.1	09.0-15.2	35	6.2	03.3-09.1	15	2.3	00.7-03.9	9	1.7	00.3-03.1
65+	933	405,018	643	68.7	64.6-72.8	178	20.5	16.6-24.4	79	7.7	05.5-09.9	23	2.1	01.1-03.1	10	1.0	00.2-01.8
Less Than H.S.	301	299,763	194	66.4	58.8-74.0	64	20.0	13.5-26.5	27	7.8	03.7-11.9	7	1.7	00.0-03.7	9	4.2	00.9-07.5
H.S. or G.E.D.	962	640,025	666	67.1	62.4-71.8	167	19.8	15.5-24.1	80	8.0	05.3-10.7	36	3.2	01.8-04.6	13	1.9	00.1-03.7
Some Post-H.S.	804	621,548	595	74.2	69.7-78.7	145	19.9	15.6-24.2	39	3.2	01.8-04.6	18	2.1	00.9-03.3	7	0.7	00.1-01.3
College Graduate	753	438,952	619	81.6	78.1-85.1	89	12.6	09.7-15.5	28	3.2	01.6-04.8	12	2.0	00.6-03.4	5	0.5	00.0-01.1
Less than \$15,000	410	247,544	275	64.0	56.9-71.1	71	20.2	14.3-26.1	36	7.6	03.3-11.9	19	3.8	01.4-06.2	9	4.4	00.7-08.1
\$15,000- 24,999	479	306,762	331	70.7	64.8-76.6	96	21.0	15.3-26.7	32	3.7	01.9-05.5	14	2.6	01.0-04.2	6	2.0	00.2-03.8
\$25,000- 34,999	277	197,395	204	76.1	69.4-82.8	48	15.0	09.7-20.3	18	7.0	02.7-11.3	4	1.4	00.0-03.0	3	0.6	00.0-01.4
\$35,000- 49,999	288	217,026	222	74.4	66.8-82.0	46	16.9	11.0-22.8	13	6.7	01.0-12.4	6	2.0	00.0-04.0	1	0.1	00.0-00.3
\$50,000- 74,999	259	205,654	212	70.6	60.8-80.4	35	23.0	13.2-32.8	7	3.0	00.6-05.4	4	3.3	00.2-06.4	1	0.2	00.0-00.6
\$75,000+	322	278,536	275	82.2	75.5-88.9	38	15.3	08.8-21.8	6	1.8	00.2-03.4	1	0.4	00.0-01.2	2	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

**TABLE 28. PEOPLE ARE GENERALLY CARING AND SYMPATHETIC TO PEOPLE WITH MENTAL ILLNESS. DO YOU AGREE SLIGHTLY OR STRONGLY OR DISAGREE SLIGHTLY OR STRONGLY?
(MISPHLPF)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Agree Strongly			Agree Slightly			Neutral		Disagree Slightly			Disagree Strongly			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4376	3,742,731	1181	26.7	24.7-28.7	1243	29.7	27.7-31.7	517	11.3	09.9-12.7	843	19.7	17.9-21.5	592	12.6	11.2-14.0
Male	1570	1,747,220	482	29.7	26.6-32.8	485	30.9	27.8-34.0	176	12.2	09.7-14.7	256	16.8	14.3-19.3	171	10.4	08.2-12.6
Female	2806	1,995,512	699	24.0	21.8-26.2	758	28.8	26.3-31.3	341	10.5	08.9-12.1	587	22.2	19.8-24.6	421	14.5	12.7-16.3
White/Non-Hisp	3651	2,950,460	961	26.3	24.3-28.3	1080	30.9	28.7-33.1	421	10.7	09.3-12.1	704	19.5	17.7-21.3	485	12.6	11.0-14.2
Black or Afr. Am./Non-Hisp	585	550,541	192	32.1	26.4-37.8	125	22.9	17.6-28.2	76	12.8	08.7-16.9	108	18.8	14.5-23.1	84	13.4	09.5-17.3
Oth. Race/Non-Hisp.	58	113,988	12	23.7	09.0-38.4	16	32.1	14.7-49.5	9	12.6	02.4-22.8	12	18.3	06.5-30.1	9	13.4	03.4-23.4
18-24	183	419,919	57	32.0	24.0-40.0	61	31.0	23.2-38.8	18	10.7	04.8-16.6	25	15.1	08.8-21.4	22	11.1	05.8-16.4
25-34	382	586,087	87	23.0	17.7-28.3	114	31.9	25.8-38.0	38	10.2	06.1-14.3	83	21.7	16.8-26.6	60	13.2	09.5-16.9
35-44	523	633,542	125	24.7	19.8-29.6	157	30.6	25.5-35.7	50	10.8	06.5-15.1	107	20.8	16.1-25.5	84	13.0	09.7-16.3
45-54	789	731,364	194	24.8	20.9-28.7	224	29.3	25.2-33.4	79	10.9	07.8-14.0	171	19.7	16.2-23.2	121	15.3	11.6-19.0
55-64	1062	649,644	283	27.4	23.9-30.9	295	28.5	24.8-32.2	121	10.2	07.8-12.6	208	21.8	18.3-25.3	155	12.1	09.6-14.6
65+	1409	702,853	429	29.9	26.6-33.2	385	28.3	25.0-31.6	205	14.2	11.8-16.6	241	17.3	14.6-20.0	149	10.2	08.0-12.4
Less Than H.S.	458	548,255	155	31.3	25.6-37.0	121	24.7	18.8-30.6	61	12.3	08.0-16.6	66	19.4	14.1-24.7	55	12.4	07.7-17.1
H.S. or G.E.D.	1436	1,226,888	440	28.5	25.2-31.8	404	29.6	26.1-33.1	173	12.8	09.9-15.7	247	17.6	14.7-20.5	172	11.5	09.1-13.9
Some Post-H.S.	1208	1,122,999	290	25.9	22.4-29.4	334	30.9	27.2-34.6	132	9.4	07.2-11.6	253	19.8	16.9-22.7	199	14.0	11.5-16.5
College Graduate	1263	832,202	294	22.2	19.3-25.1	382	31.4	28.1-34.7	150	11.0	08.6-13.4	272	22.5	19.4-25.6	165	12.7	10.3-15.1
Less than \$15,000	543	380,349	158	31.4	25.1-37.7	122	22.5	17.0-28.0	69	10.7	07.2-14.2	93	19.2	14.1-24.3	101	16.2	12.1-20.3
\$15,000- 24,999	720	602,719	215	30.3	25.4-35.2	194	29.0	23.9-34.1	87	7.8	05.3-10.3	134	19.7	15.4-24.0	90	13.2	09.5-16.9
\$25,000- 34,999	431	364,316	108	32.2	25.3-39.1	125	28.2	22.3-34.1	47	9.1	05.8-12.4	86	18.2	13.7-22.7	65	12.3	08.6-16.0
\$35,000- 49,999	466	439,857	116	21.9	17.2-26.6	169	37.6	31.3-43.9	48	13.9	07.6-20.2	81	16.5	11.4-21.6	52	10.1	06.0-14.2
\$50,000- 74,999	455	409,594	106	21.2	16.5-25.9	139	34.9	28.4-41.4	47	9.0	05.9-12.1	97	22.2	16.9-27.5	66	12.7	09.0-16.4
\$75,000+	593	556,083	146	22.4	18.1-26.7	195	32.7	28.0-37.4	64	12.2	08.7-15.7	127	23.3	18.6-28.0	61	9.4	06.5-12.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

**TABLE 29. PEOPLE ARE GENERALLY CARING AND SYMPATHETIC TO PEOPLE WITH MENTAL ILLNESS. DO YOU AGREE SLIGHTLY OR STRONGLY OR DISAGREE SLIGHTLY OR STRONGLY?
(MISPHLPF)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Agree Strongly			Agree Slightly			Neutral		Disagree Slightly			Disagree Strongly			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1570	1,747,220	482	29.7	26.6-32.8	485	30.9	27.8-34.0	176	12.2	09.7-14.7	256	16.8	14.3-19.3	171	10.4	08.2-12.6
White/Non-Hisp	1351	1,387,001	417	30.5	27.2-33.8	427	31.8	28.5-35.1	144	10.9	08.5-13.3	220	16.7	14.0-19.4	143	10.1	07.9-12.3
Black or Afr. Am./Non-Hisp	169	248,656	57	34.2	24.2-44.2	40	24.1	15.5-32.7	24	13.2	05.8-20.6	28	17.6	10.3-24.9	20	11.0	04.7-17.3
18-24	67	203,300	23	36.4	23.3-49.5	20	26.1	14.9-37.3	7	12.2	02.6-21.8	11	15.4	06.2-24.6	6	10.0	01.8-18.2
25-34	159	303,819	46	29.1	20.7-37.5	43	27.9	19.1-36.7	16	11.5	04.8-18.2	34	20.0	12.9-27.1	20	11.6	05.9-17.3
35-44	207	293,325	62	29.9	22.1-37.7	68	32.6	24.6-40.6	20	13.8	05.6-22.0	31	14.3	08.4-20.2	26	9.3	05.0-13.6
45-54	276	346,617	78	26.6	20.3-32.9	87	32.5	25.6-39.4	26	12.0	06.3-17.7	51	15.5	10.2-20.8	34	13.4	08.1-18.7
55-64	372	299,590	104	27.8	21.9-33.7	110	31.3	24.8-37.8	44	10.0	06.3-13.7	71	21.1	15.4-26.8	43	9.8	05.7-13.9
65+	479	294,568	165	31.0	25.5-36.5	155	33.0	27.3-38.7	61	13.8	09.9-17.7	56	14.1	09.8-18.4	42	8.0	05.1-10.9
Less Than H.S.	155	245,299	46	26.1	17.7-34.5	46	25.7	16.3-35.1	27	18.0	09.4-26.6	22	19.7	10.9-28.5	14	10.5	03.4-17.6
H.S. or G.E.D.	479	593,586	152	30.1	24.4-35.8	153	31.4	25.9-36.9	57	14.4	09.1-19.7	74	14.8	10.7-18.9	43	9.4	06.1-12.7
Some Post-H.S.	412	501,804	134	34.4	28.1-40.7	123	31.1	25.0-37.2	38	8.1	04.8-11.4	58	14.5	10.2-18.8	59	12.0	08.1-15.9
College Graduate	519	398,926	149	26.1	21.4-30.8	162	32.4	27.1-37.7	53	10.9	06.8-15.0	101	20.5	16.0-25.0	54	10.1	06.6-13.6
Less than \$15,000	139	133,503	41	30.4	18.6-42.2	37	27.0	15.2-38.8	24	15.3	07.5-23.1	22	18.3	08.5-28.1	15	9.1	03.6-14.6
\$15,000- 24,999	242	295,166	78	29.7	21.9-37.5	63	27.2	18.6-35.8	26	7.1	03.2-11.0	42	20.3	13.4-27.2	33	15.6	08.9-22.3
\$25,000- 34,999	157	168,240	49	45.0	33.8-56.2	51	24.2	15.6-32.8	16	8.9	03.4-14.4	26	13.8	07.3-20.3	15	8.1	03.4-12.8
\$35,000- 49,999	181	224,211	61	26.9	19.1-34.7	69	40.5	30.7-50.3	14	15.0	04.4-25.6	20	12.3	05.4-19.2	17	5.3	02.2-08.4
\$50,000- 74,999	199	205,981	62	27.8	20.4-35.2	60	34.2	25.8-42.6	22	10.4	05.3-15.5	30	18.4	10.8-26.0	25	9.3	05.2-13.4
\$75,000+	276	285,564	70	22.9	16.6-29.2	98	35.4	28.3-42.5	30	13.7	07.8-19.6	57	20.7	14.6-26.8	21	7.2	03.1-11.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 17: MENTAL ILLNESS AND STIGMA**

**TABLE 30. PEOPLE ARE GENERALLY CARING AND SYMPATHETIC TO PEOPLE WITH MENTAL ILLNESS. DO YOU AGREE SLIGHTLY OR STRONGLY OR DISAGREE SLIGHTLY OR STRONGLY?
(MISPHLPF)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Agree Strongly			Agree Slightly			Neutral			Disagree Slightly			Disagree Strongly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2806	1,995,512	699	24.0	21.8-26.2	758	28.8	26.3-31.3	341	10.5	08.9-12.1	587	22.2	19.8-24.6	421	14.5	12.7-16.3
White/Non-Hisp	2300	1,563,459	544	22.6	20.2-25.0	653	30.0	27.3-32.7	277	10.5	08.7-12.3	484	22.0	19.6-24.4	342	14.8	12.8-16.8
Black or Afr. Am./Non-Hisp	416	301,884	135	30.4	24.1-36.7	85	21.9	15.4-28.4	52	12.6	08.3-16.9	80	19.7	14.4-25.0	64	15.4	10.5-20.3
18-24	116	216,619	34	27.9	18.5-37.3	41	35.6	24.8-46.4	11	9.4	02.7-16.1	14	14.9	06.1-23.7	16	12.2	05.5-18.9
25-34	223	282,269	41	16.6	10.7-22.5	71	36.3	28.1-44.5	22	8.8	04.7-12.9	49	23.5	16.8-30.2	40	14.9	10.0-19.8
35-44	316	340,217	63	20.2	14.3-26.1	89	28.9	22.6-35.2	30	8.2	04.5-11.9	76	26.4	19.7-33.1	58	16.2	11.3-21.1
45-54	513	384,747	116	23.1	18.2-28.0	137	26.4	21.3-31.5	53	9.9	06.8-13.0	120	23.6	18.7-28.5	87	17.0	12.1-21.9
55-64	690	350,054	179	27.0	22.5-31.5	185	26.0	21.7-30.3	77	10.4	07.5-13.3	137	22.5	18.2-26.8	112	14.0	10.9-17.1
65+	930	408,285	264	29.1	25.0-33.2	230	24.9	20.8-29.0	144	14.5	11.6-17.4	185	19.6	16.3-22.9	107	11.8	08.9-14.7
Less Than H.S.	303	302,957	109	35.4	27.8-43.0	75	23.8	16.5-31.1	34	7.7	04.4-11.0	44	19.1	12.6-25.6	41	14.0	07.7-20.3
H.S. or G.E.D.	957	633,302	288	27.0	23.1-30.9	251	28.0	23.7-32.3	116	11.4	08.3-14.5	173	20.2	15.9-24.5	129	13.4	10.5-16.3
Some Post-H.S.	796	621,195	156	19.0	15.3-22.7	211	30.9	26.0-35.8	94	10.4	07.9-12.9	195	24.1	20.0-28.2	140	15.6	12.5-18.7
College Graduate	744	433,276	145	18.7	15.0-22.4	220	30.5	26.2-34.8	97	11.2	08.5-13.9	171	24.4	20.3-28.5	111	15.1	11.8-18.4
Less than \$15,000	404	246,846	117	32.0	24.9-39.1	85	20.1	14.6-25.6	45	8.2	04.9-11.5	71	19.7	14.0-25.4	86	20.1	14.8-25.4
\$15,000- 24,999	478	307,552	137	30.7	24.6-36.8	131	30.7	24.8-36.6	61	8.5	05.6-11.4	92	19.0	13.9-24.1	57	10.9	07.4-14.4
\$25,000- 34,999	274	196,076	59	21.2	14.7-27.7	74	31.6	23.8-39.4	31	9.2	05.1-13.3	60	22.0	15.7-28.3	50	15.9	10.6-21.2
\$35,000- 49,999	285	215,646	55	16.7	11.2-22.2	100	34.6	26.6-42.6	34	12.9	06.0-19.8	61	20.8	13.5-28.1	35	15.0	07.6-22.4
\$50,000- 74,999	256	203,613	44	14.5	09.0-20.0	79	35.6	26.0-45.2	25	7.6	03.9-11.3	67	26.1	18.8-33.4	41	16.1	09.8-22.4
\$75,000+	317	270,519	76	22.0	16.1-27.9	97	29.9	23.6-36.2	34	10.6	06.7-14.5	70	25.9	18.6-33.2	40	11.6	07.1-16.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013

MODULE 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	163
2	MALES ONLY	164
3	FEMALES ONLY	165
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	166
5	MALES ONLY	167
6	FEMALES ONLY	168

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4497	3,802,576	2514	56.2	54.0-58.4	948	21.0	19.2-22.8	609	13.8	12.2-15.4	189	4.0	03.2-04.8	237	5.0	04.0-06.0
Male	1611	1,784,610	894	54.4	51.1-57.7	308	19.4	16.7-22.1	222	15.5	12.8-18.2	72	4.2	02.8-05.6	115	6.5	04.9-08.1
Female	2886	2,017,965	1620	57.7	55.2-60.2	640	22.5	20.3-24.7	387	12.3	10.7-13.9	117	3.8	02.8-04.8	122	3.7	02.7-04.7
White/Non-Hisp	3746	3,000,262	2109	57.2	55.0-59.4	824	22.0	20.2-23.8	466	12.3	10.7-13.9	163	3.8	03.0-04.6	184	4.6	03.6-05.6
Black or Afr. Am./Non-Hisp	599	554,631	311	48.5	42.6-54.4	91	17.8	12.7-22.9	128	20.9	16.2-25.6	24	5.7	02.6-08.8	45	7.1	04.4-09.8
Oth. Race/Non-Hisp.	65	122,395	40	64.6	49.5-79.7	12	15.3	05.1-25.5	8	13.9	01.9-25.9	1	2.2	00.0-06.5	4	4.0	00.0-09.1
18-24	184	418,061	99	52.3	43.7-60.9	45	27.9	19.9-35.9	27	14.1	08.2-20.0	6	2.7	00.3-05.1	7	3.0	00.8-05.2
25-34	384	591,908	207	56.0	49.9-62.1	94	21.9	17.0-26.8	54	13.9	09.6-18.2	16	3.9	01.2-06.6	13	4.3	01.4-07.2
35-44	516	620,736	289	58.1	52.6-63.6	116	19.8	15.7-23.9	77	16.5	11.8-21.2	21	3.5	01.5-05.5	13	2.2	00.8-03.6
45-54	807	743,004	403	51.5	46.8-56.2	199	22.6	18.9-26.3	118	14.5	11.0-18.0	40	4.7	02.7-06.7	47	6.7	04.3-09.1
55-64	1091	670,159	560	51.3	47.2-55.4	236	21.5	18.0-25.0	172	15.6	12.7-18.5	61	5.7	03.7-07.7	62	5.8	03.6-08.0
65+	1484	737,435	936	65.6	62.3-68.9	250	15.2	12.8-17.6	159	9.4	07.4-11.4	45	3.1	01.9-04.3	94	6.7	04.7-08.7
Less Than H.S.	483	578,988	251	49.4	42.9-55.9	61	15.6	10.3-20.9	91	18.9	14.0-23.8	29	6.1	02.8-09.4	51	9.9	06.4-13.4
H.S. or G.E.D.	1471	1,230,088	801	55.8	52.1-59.5	265	18.1	15.2-21.0	242	16.4	13.5-19.3	58	3.6	02.2-05.0	105	6.0	04.4-07.6
Some Post-H.S.	1254	1,141,429	717	59.2	55.5-62.9	254	20.4	17.3-23.5	171	12.2	09.7-14.7	56	4.2	02.8-05.6	56	4.0	02.4-05.6
College Graduate	1278	841,627	740	57.5	54.0-61.0	366	29.9	26.6-33.2	102	8.3	06.3-10.3	46	2.8	01.8-03.8	24	1.5	00.7-02.3
Less than \$15,000	558	387,192	258	46.1	39.8-52.4	85	15.2	10.5-19.9	119	22.6	17.3-27.9	45	6.8	03.9-09.7	51	9.3	05.6-13.0
\$15,000- 24,999	744	629,876	389	50.5	45.0-56.0	125	17.9	13.6-22.2	142	20.3	16.0-24.6	39	4.4	02.6-06.2	49	7.0	03.9-10.1
\$25,000- 34,999	436	365,393	239	54.8	48.1-61.5	89	21.9	16.0-27.8	65	13.1	09.0-17.2	18	4.0	01.3-06.7	25	6.1	03.0-09.2
\$35,000- 49,999	475	447,409	272	60.3	53.6-67.0	110	17.0	12.9-21.1	67	17.3	11.0-23.6	14	2.6	01.2-04.0	12	2.8	00.8-04.8
\$50,000- 74,999	460	411,804	272	59.5	53.4-65.6	124	26.3	21.0-31.6	44	9.9	06.2-13.6	8	2.4	00.0-04.8	12	2.0	00.6-03.4
\$75,000+	598	551,118	368	59.2	54.1-64.3	171	30.1	25.4-34.8	37	7.1	04.2-10.0	12	2.0	00.6-03.4	10	1.5	00.3-02.7

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 2: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1611	1,784,610	894	54.4	51.1-57.7	308	19.4	16.7-22.1	222	15.5	12.8-18.2	72	4.2	02.8-05.6	115	6.5	04.9-08.1
White/Non-Hisp	1385	1,420,659	781	55.7	52.2-59.2	271	20.4	17.5-23.3	172	13.4	10.9-15.9	64	4.2	02.6-05.8	97	6.3	04.5-08.1
Black or Afr. Am./Non-Hisp	171	248,123	80	44.6	34.4-54.8	24	16.0	07.6-24.4	46	26.6	17.8-35.4	6	4.4	00.0-09.3	15	8.3	03.6-13.0
18-24	66	197,996	32	48.6	35.3-61.9	19	29.9	17.6-42.2	11	16.5	06.7-26.3	3	3.7	00.0-08.0	1	1.2	00.0-03.6
25-34	160	307,462	83	52.3	42.9-61.7	41	22.3	14.9-29.7	21	14.0	07.3-20.7	8	4.8	00.1-09.5	7	6.7	01.4-12.0
35-44	209	292,326	118	58.9	50.1-67.7	42	15.6	10.3-20.9	33	19.3	10.7-27.9	8	3.0	00.3-05.7	8	3.2	00.7-05.7
45-54	282	354,288	149	51.6	44.2-59.0	63	20.3	14.6-26.0	38	16.3	10.2-22.4	10	3.6	00.3-06.9	22	8.1	04.2-12.0
55-64	387	316,597	193	49.2	42.3-56.1	73	18.4	12.7-24.1	68	17.8	12.7-22.9	22	6.1	02.8-09.4	31	8.3	04.4-12.2
65+	496	308,526	311	64.0	58.3-69.7	68	13.1	09.4-16.8	51	10.0	06.5-13.5	21	3.8	01.6-06.0	45	9.0	05.3-12.7
Less Than H.S.	162	268,439	80	45.8	35.6-56.0	20	16.5	07.5-25.5	32	19.4	11.4-27.4	10	7.4	01.1-13.7	20	10.9	04.8-17.0
H.S. or G.E.D.	489	593,434	263	55.2	49.1-61.3	71	13.6	09.7-17.5	81	19.3	14.0-24.6	23	3.8	01.6-06.0	51	8.2	05.3-11.1
Some Post-H.S.	429	509,510	234	54.7	48.4-61.0	82	20.6	15.5-25.7	62	14.3	09.6-19.0	22	4.7	02.3-07.1	29	5.7	02.6-08.8
College Graduate	526	407,566	316	59.2	53.7-64.7	134	28.4	23.3-33.5	45	8.2	05.5-10.9	17	2.1	00.7-03.5	14	2.1	00.5-03.7
Less than \$15,000	143	138,645	68	48.4	36.2-60.6	24	14.4	04.6-24.2	22	19.4	09.8-29.0	12	7.5	01.2-13.8	17	10.3	03.8-16.8
\$15,000- 24,999	252	316,828	117	44.9	36.1-53.7	33	16.9	09.6-24.2	60	22.9	15.6-30.2	16	4.4	01.7-07.1	26	10.8	05.1-16.5
\$25,000- 34,999	162	175,405	91	55.6	44.8-66.4	28	21.1	11.3-30.9	20	10.9	05.0-16.8	8	4.4	00.5-08.3	15	8.0	02.5-13.5
\$35,000- 49,999	186	228,512	115	57.5	47.1-67.9	28	12.3	07.0-17.6	28	23.9	12.9-34.9	6	2.0	00.0-04.0	9	4.3	00.8-07.8
\$50,000- 74,999	201	207,010	120	57.1	48.3-65.9	48	24.8	17.0-32.6	22	13.7	07.2-20.2	3	1.7	00.0-03.9	8	2.7	00.3-05.1
\$75,000+	280	279,829	170	56.2	48.8-63.6	78	30.8	23.9-37.7	21	8.1	03.6-12.6	6	2.7	00.0-05.4	5	2.2	00.0-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 3: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2886	2,017,965	1620	57.7	55.2-60.2	640	22.5	20.3-24.7	387	12.3	10.7-13.9	117	3.8	02.8-04.8	122	3.7	02.7-04.7
White/Non-Hisp	2361	1,579,603	1328	58.5	55.8-61.2	553	23.5	21.1-25.9	294	11.4	09.6-13.2	99	3.6	02.6-04.6	87	3.0	02.2-03.8
Black or Afr. Am./Non-Hisp	428	306,508	231	51.6	44.7-58.5	67	19.2	12.9-25.5	82	16.3	11.6-21.0	18	6.7	02.8-10.6	30	6.2	03.3-09.1
18-24	118	220,066	67	55.6	44.6-66.6	26	26.2	15.8-36.6	16	11.9	05.2-18.6	3	1.8	00.0-03.8	6	4.5	00.8-08.2
25-34	224	284,446	124	59.9	52.3-67.5	53	21.5	15.4-27.6	33	13.8	08.7-18.9	8	3.0	00.6-05.4	6	1.8	00.0-03.6
35-44	307	328,410	171	57.3	50.2-64.4	74	23.5	17.4-29.6	44	13.9	09.2-18.6	13	4.0	01.1-06.9	5	1.2	00.0-02.6
45-54	525	388,716	254	51.4	45.7-57.1	136	24.8	20.1-29.5	80	12.8	09.3-16.3	30	5.7	03.3-08.1	25	5.3	02.6-08.0
55-64	704	353,562	367	53.2	48.3-58.1	163	24.3	20.2-28.4	104	13.6	10.1-17.1	39	5.2	02.7-07.7	31	3.6	01.8-05.4
65+	988	428,909	625	66.8	62.9-70.7	182	16.6	13.5-19.7	108	9.0	06.8-11.2	24	2.5	01.1-03.9	49	5.0	03.0-07.0
Less Than H.S.	321	310,549	171	52.4	44.6-60.2	41	14.9	08.6-21.2	59	18.5	12.6-24.4	19	5.0	01.9-08.1	31	9.2	04.9-13.5
H.S. or G.E.D.	982	636,654	538	56.3	51.6-61.0	194	22.4	18.3-26.5	161	13.8	10.9-16.7	35	3.5	01.9-05.1	54	4.0	02.6-05.4
Some Post-H.S.	825	631,919	483	62.8	58.3-67.3	172	20.3	16.6-24.0	109	10.5	08.0-13.0	34	3.8	02.0-05.6	27	2.6	01.2-04.0
College Graduate	752	434,061	424	56.0	51.3-60.7	232	31.2	26.9-35.5	57	8.3	05.6-11.0	29	3.5	01.9-05.1	10	0.9	00.3-01.5
Less than \$15,000	415	248,547	190	44.8	37.7-51.9	61	15.5	10.8-20.2	97	24.5	18.2-30.8	33	6.5	03.6-09.4	34	8.7	04.2-13.2
\$15,000- 24,999	492	313,048	272	56.1	49.8-62.4	92	18.9	14.0-23.8	82	17.6	13.1-22.1	23	4.3	02.1-06.5	23	3.1	01.1-05.1
\$25,000- 34,999	274	189,988	148	54.2	46.2-62.2	61	22.7	16.0-29.4	45	15.1	09.6-20.6	10	3.7	00.2-07.2	10	4.3	01.0-07.6
\$35,000- 49,999	289	218,897	157	63.2	55.6-70.8	82	21.9	15.8-28.0	39	10.5	06.2-14.8	8	3.1	00.9-05.3	3	1.3	00.0-02.9
\$50,000- 74,999	259	204,793	152	61.8	53.6-70.0	76	27.8	20.5-35.1	22	6.1	02.8-09.4	5	3.0	00.0-07.1	4	1.3	00.0-02.7
\$75,000+	318	271,289	198	62.4	55.5-69.3	93	29.4	23.1-35.7	16	6.0	02.1-09.9	6	1.3	00.1-02.5	5	0.9	00.0-01.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
 MODULE 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
 TABLE 4: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4500	3,798,620	2056	46.1	43.9-48.3	2134	47.5	45.3-49.7	246	5.2	04.2-06.2	64	1.2	00.8-01.6
Male	1616	1,778,893	750	46.0	42.7-49.3	760	48.0	44.7-51.3	87	4.9	03.5-06.3	19	1.1	00.5-01.7
Female	2884	2,019,727	1306	46.2	43.7-48.7	1374	47.0	44.5-49.5	159	5.5	04.3-06.7	45	1.3	00.7-01.9
White/Non-Hisp	3752	3,002,084	1727	46.8	44.6-49.0	1757	46.9	44.7-49.1	214	5.1	04.1-06.1	54	1.2	00.8-01.6
Black or Afr. Am./Non-Hisp	596	550,472	251	38.2	32.5-43.9	313	55.9	50.0-61.8	22	4.2	02.0-06.4	10	1.8	00.4-03.2
Oth. Race/Non-Hisp.	64	118,229	30	56.6	40.9-72.3	31	36.5	21.8-51.2	3	6.9	00.0-14.7			
18-24	184	418,061	79	42.7	34.3-51.1	97	51.9	43.3-60.5	6	4.5	00.8-08.2	2	1.0	00.0-02.4
25-34	383	588,261	161	44.3	38.0-50.6	194	48.8	42.5-55.1	20	5.7	03.0-08.4	8	1.2	00.2-02.2
35-44	517	620,440	249	50.1	44.4-55.8	235	43.9	38.4-49.4	26	5.1	02.7-07.5	7	0.9	00.1-01.7
45-54	802	734,379	336	42.4	37.9-46.9	388	49.9	45.2-54.6	57	5.2	03.4-07.0	21	2.4	01.0-03.8
55-64	1089	673,669	500	45.5	41.4-49.6	489	44.9	40.8-49.0	81	8.4	05.9-10.9	19	1.3	00.5-02.1
65+	1494	742,537	711	49.7	46.2-53.2	720	47.4	43.9-50.9	56	2.6	01.8-03.4	7	0.3	00.1-00.5
Less Than H.S.	484	570,104	150	28.9	23.2-34.6	274	56.3	50.0-62.6	44	11.8	07.7-15.9	16	2.9	00.9-04.9
H.S. or G.E.D.	1473	1,228,044	611	44.1	40.4-47.8	742	49.7	46.0-53.4	100	5.3	03.7-06.9	20	0.9	00.3-01.5
Some Post-H.S.	1251	1,145,433	570	49.4	45.5-53.3	598	45.8	41.9-49.7	63	3.7	02.5-04.9	20	1.1	00.5-01.7
College Graduate	1279	842,004	719	56.3	52.8-59.8	514	40.4	36.9-43.9	38	2.8	01.4-04.2	8	0.5	00.1-00.9
Less than \$15,000	559	384,691	143	26.2	20.5-31.9	299	49.1	42.8-55.4	81	19.0	13.5-24.5	36	5.7	03.0-08.4
\$15,000- 24,999	742	626,466	246	32.3	27.2-37.4	443	61.4	56.1-66.7	40	5.3	03.1-07.5	13	1.0	00.4-01.6
\$25,000- 34,999	436	366,839	182	41.9	35.4-48.4	224	50.8	44.1-57.5	27	6.0	03.1-08.9	3	1.2	00.0-02.6
\$35,000- 49,999	474	447,424	223	45.8	39.1-52.5	234	50.7	44.0-57.4	16	3.4	01.0-05.8	1	0.1	00.0-00.5
\$50,000- 74,999	465	421,253	272	57.0	50.9-63.1	183	41.5	35.4-47.6	10	1.5	00.3-02.7			
\$75,000+	598	551,181	387	64.2	59.3-69.1	201	33.9	29.0-38.8	10	2.0	00.2-03.8			

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 5: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1616	1,778,893	750	46.0	42.7-49.3	760	48.0	44.7-51.3	87	4.9	03.5-06.3	19	1.1	00.5-01.7
White/Non-Hisp	1392	1,416,629	656	46.9	43.4-50.4	646	47.5	44.0-51.0	74	4.6	03.2-06.0	16	1.0	00.4-01.6
Black or Afr. Am./Non-Hisp	170	248,696	67	36.1	26.3-45.9	94	58.7	48.7-68.7	6	3.2	00.1-06.3	3	1.9	00.0-04.4
18-24	66	197,996	28	41.6	28.5-54.7	34	52.6	39.3-65.9	4	5.8	00.1-11.5			
25-34	158	302,614	67	42.7	33.3-52.1	79	50.8	41.4-60.2	10	5.7	02.0-09.4	2	0.9	00.0-02.3
35-44	209	292,385	104	52.7	44.1-61.3	94	42.6	34.0-51.2	8	3.7	00.8-06.6	3	1.0	00.0-02.4
45-54	278	345,095	118	40.5	33.4-47.6	132	52.2	44.9-59.5	22	4.7	02.3-07.1	6	2.6	00.1-05.1
55-64	390	319,383	180	46.8	40.1-53.5	175	43.9	37.2-50.6	29	8.0	03.9-12.1	6	1.3	00.1-02.5
65+	504	314,005	245	50.4	44.7-56.1	243	47.7	42.0-53.4	14	1.7	00.5-02.9	2	0.2	00.0-00.4
Less Than H.S.	161	257,168	48	25.8	17.2-34.4	97	65.0	55.4-74.6	11	5.8	01.3-10.3	5	3.3	00.0-06.6
H.S. or G.E.D.	492	591,934	193	43.1	37.0-49.2	262	50.6	44.5-56.7	32	5.5	03.0-08.0	5	0.9	00.1-01.7
Some Post-H.S.	428	513,787	201	49.6	43.3-55.9	194	44.4	38.1-50.7	26	5.0	02.6-07.4	7	1.0	00.0-02.0
College Graduate	528	407,750	306	58.7	53.2-64.2	203	37.9	32.4-43.4	17	3.4	01.2-05.6	2	0.1	00.0-00.3
Less than \$15,000	140	134,207	38	26.9	15.7-38.1	71	47.9	35.6-60.2	21	16.7	07.3-26.1	10	8.6	01.9-15.3
\$15,000- 24,999	251	309,915	78	30.0	22.0-38.0	149	63.0	54.6-71.4	20	6.4	02.9-09.9	4	0.6	00.0-01.2
\$25,000- 34,999	161	175,185	65	41.6	31.0-52.2	88	53.4	42.6-64.2	7	4.0	00.9-07.1	1	1.0	00.0-03.0
\$35,000- 49,999	188	230,054	81	43.5	33.3-53.7	99	51.4	41.2-61.6	7	4.8	00.7-08.9	1	0.3	00.0-00.9
\$50,000- 74,999	204	214,552	121	56.3	47.5-65.1	81	43.3	34.5-52.1	2	0.3	00.0-00.9			
\$75,000+	280	279,892	180	63.9	56.6-71.2	91	32.4	25.3-39.5	9	3.7	00.4-07.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013
MODULE 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 6: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2884	2,019,727	1306	46.2	43.7-48.7	1374	47.0	44.5-49.5	159	5.5	04.3-06.7	45	1.3	00.7-01.9
White/Non-Hisp	2360	1,585,455	1071	46.7	44.0-49.4	1111	46.3	43.4-49.2	140	5.6	04.2-07.0	38	1.3	00.7-01.9
Black or Afr. Am./Non-Hisp	426	301,776	184	39.9	33.2-46.6	219	53.6	46.7-60.5	16	4.9	01.8-08.0	7	1.6	00.2-03.0
18-24	118	220,066	51	43.7	32.9-54.5	63	51.2	40.2-62.2	2	3.2	00.0-07.9	2	1.9	00.0-04.6
25-34	225	285,646	94	46.0	37.8-54.2	115	46.7	38.7-54.7	10	5.8	01.7-09.9	6	1.5	00.1-02.9
35-44	308	328,055	145	47.8	40.5-55.1	141	45.1	38.0-52.2	18	6.3	02.8-09.8	4	0.7	00.0-01.5
45-54	524	389,284	218	44.1	38.4-49.8	256	47.9	42.0-53.8	35	5.7	03.2-08.2	15	2.3	00.9-03.7
55-64	699	354,286	320	44.3	39.4-49.2	314	45.7	40.8-50.6	52	8.8	05.5-12.1	13	1.3	00.3-02.3
65+	990	428,533	466	49.1	44.8-53.4	477	47.3	43.0-51.6	42	3.3	01.9-04.7	5	0.3	00.0-00.7
Less Than H.S.	323	312,936	102	31.5	24.2-38.8	177	49.2	41.4-57.0	33	16.7	10.2-23.2	11	2.6	00.4-04.8
H.S. or G.E.D.	981	636,110	418	45.1	40.4-49.8	480	48.8	44.1-53.5	68	5.1	03.5-06.7	15	0.9	00.1-01.7
Some Post-H.S.	823	631,646	369	49.2	44.5-53.9	404	46.9	42.2-51.6	37	2.6	01.4-03.8	13	1.2	00.4-02.0
College Graduate	751	434,253	413	54.1	49.4-58.8	311	42.7	38.0-47.4	21	2.4	01.0-03.8	6	0.8	00.0-01.6
Less than \$15,000	419	250,484	105	25.8	19.3-32.3	228	49.7	42.6-56.8	60	20.2	13.5-26.9	26	4.2	02.0-06.4
\$15,000- 24,999	491	316,551	168	34.6	28.3-40.9	294	59.8	53.5-66.1	20	4.2	01.8-06.6	9	1.4	00.4-02.4
\$25,000- 34,999	275	191,654	117	42.2	34.4-50.0	136	48.4	40.6-56.2	20	7.9	03.2-12.6	2	1.4	00.0-03.6
\$35,000- 49,999	286	217,370	142	48.3	39.7-56.9	135	49.9	41.3-58.5	9	1.9	00.5-03.3			
\$50,000- 74,999	261	206,701	151	57.8	49.2-66.4	102	39.5	31.1-47.9	8	2.7	00.3-05.1			
\$75,000+	318	271,289	207	64.5	57.8-71.2	110	35.3	28.6-42.0	1	0.2	00.0-00.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2013**

End of Module Data Report