

# TENNESSEE

## 2014 Calculated Variables Report

### Behavioral Risk Factor Surveillance System

August 5, 2015



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5128	5,045,748	3705	76.2	74.6-77.8	1423	23.8	22.2-25.4
Male	1877	2,424,217	1370	77.8	75.3-80.3	507	22.2	19.7-24.7
Female	3251	2,621,531	2335	74.8	72.6-77.0	916	25.2	23.0-27.4
White/Non-Hisp	4244	3,839,912	3081	75.9	74.1-77.7	1163	24.1	22.3-25.9
Black or Afr. Am./Non-Hisp	626	796,034	436	77.9	73.6-82.2	190	22.1	17.8-26.4
Oth. Race/Non-Hisp.	97	127,249	67	79.4	70.6-88.2	30	20.6	11.8-29.4
Hispanic	61	147,753	49	74.1	59.4-88.8	12	25.9	11.2-40.6
18-24	205	618,184	184	89.6	84.5-94.7	21	10.4	05.3-15.5
25-34	405	851,588	351	87.1	83.4-90.8	54	12.9	09.2-16.6
35-44	479	826,716	385	79.1	74.4-83.8	94	20.9	16.2-25.6
45-54	817	883,278	587	70.6	66.5-74.7	230	29.4	25.3-33.5
55-64	1157	829,033	800	68.9	65.4-72.4	357	31.1	27.6-34.6
65+	1999	1,001,095	1341	67.3	64.6-70.0	658	32.7	30.0-35.4
Less Than H.S.	646	792,382	299	51.1	45.2-57.0	347	48.9	43.0-54.8
H.S. or G.E.D.	1756	1,676,789	1171	73.0	70.1-75.9	585	27.0	24.1-29.9
Some Post-H.S.	1255	1,460,309	965	83.3	80.8-85.8	290	16.7	14.2-19.2
College Graduate	1430	1,080,013	1241	90.5	88.7-92.3	189	9.5	07.7-11.3
Less than \$15,000	679	591,625	317	54.3	48.8-59.8	362	45.7	40.2-51.2
\$15,000- 24,999	869	825,660	526	63.4	58.7-68.1	343	36.6	31.9-41.3
\$25,000- 34,999	530	505,793	395	76.0	70.7-81.3	135	24.0	18.7-29.3
\$35,000- 49,999	606	632,171	485	83.4	79.9-86.9	121	16.6	13.1-20.1
\$50,000- 74,999	535	575,451	440	84.6	80.5-88.7	95	15.4	11.3-19.5
\$75,000+	835	945,763	772	93.5	91.3-95.7	63	6.5	04.3-08.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1877	2,424,217	1370	77.8	75.3-80.3	507	22.2	19.7-24.7
White/Non-Hisp	1569	1,840,915	1144	77.1	74.4-79.8	425	22.9	20.2-25.6
Black or Afr. Am./Non-Hisp	193	363,669	141	82.9	76.8-89.0	52	17.1	11.0-23.2
18-24	92	310,575	85	92.1	85.6-98.6	7	7.9	01.4-14.4
25-34	165	422,793	142	87.3	81.8-92.8	23	12.7	07.2-18.2
35-44	175	406,472	144	82.0	74.9-89.1	31	18.0	10.9-25.1
45-54	310	435,093	229	73.5	67.4-79.6	81	26.5	20.4-32.6
55-64	451	400,957	301	66.9	61.4-72.4	150	33.1	27.6-38.6
65+	668	439,337	455	68.6	64.1-73.1	213	31.4	26.9-35.9
Less Than H.S.	229	379,250	108	53.7	44.5-62.9	121	46.3	37.1-55.5
H.S. or G.E.D.	620	802,117	414	75.2	70.9-79.5	206	24.8	20.5-29.1
Some Post-H.S.	444	699,816	347	85.0	81.1-88.9	97	15.0	11.1-18.9
College Graduate	573	526,560	493	89.6	86.7-92.5	80	10.4	07.5-13.3
Less than \$15,000	211	242,873	104	58.3	49.1-67.5	107	41.7	32.5-50.9
\$15,000- 24,999	286	363,360	164	64.8	57.2-72.4	122	35.2	27.6-42.8
\$25,000- 34,999	192	252,026	133	75.2	67.2-83.2	59	24.8	16.8-32.8
\$35,000- 49,999	268	349,775	208	82.8	77.5-88.1	60	17.2	11.9-22.5
\$50,000- 74,999	237	306,808	187	81.2	74.5-87.9	50	18.8	12.1-25.5
\$75,000+	380	518,787	348	92.2	88.7-95.7	32	7.8	04.3-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3251	2,621,531	2335	74.8	72.6-77.0	916	25.2	23.0-27.4
White/Non-Hisp	2675	1,998,997	1937	74.9	72.5-77.3	738	25.1	22.7-27.5
Black or Afr. Am./Non-Hisp	433	432,364	295	73.7	67.6-79.8	138	26.3	20.2-32.4
Oth. Race/Non-Hisp.	56	72,595	39	77.3	64.6-90.0	17	22.7	10.0-35.4
18-24	113	307,609	99	87.0	79.2-94.8	14	13.0	05.2-20.8
25-34	240	428,795	209	87.0	82.1-91.9	31	13.0	08.1-17.9
35-44	304	420,244	241	76.3	70.0-82.6	63	23.7	17.4-30.0
45-54	507	448,185	358	67.8	62.5-73.1	149	32.2	26.9-37.5
55-64	706	428,077	499	70.7	66.4-75.0	207	29.3	25.0-33.6
65+	1331	561,758	886	66.2	62.9-69.5	445	33.8	30.5-37.1
Less Than H.S.	417	413,132	191	48.7	41.4-56.0	226	51.3	44.0-58.6
H.S. or G.E.D.	1136	874,672	757	71.0	67.3-74.7	379	29.0	25.3-32.7
Some Post-H.S.	811	760,492	618	81.8	78.5-85.1	193	18.2	14.9-21.5
College Graduate	857	553,453	748	91.4	89.2-93.6	109	8.6	06.4-10.8
Less than \$15,000	468	348,753	213	51.5	44.6-58.4	255	48.5	41.6-55.4
\$15,000- 24,999	583	462,300	362	62.2	56.5-67.9	221	37.8	32.1-43.5
\$25,000- 34,999	338	253,767	262	76.9	69.8-84.0	76	23.1	16.0-30.2
\$35,000- 49,999	338	282,396	277	84.2	79.5-88.9	61	15.8	11.1-20.5
\$50,000- 74,999	298	268,643	253	88.4	84.1-92.7	45	11.6	07.3-15.9
\$75,000+	455	426,976	424	95.1	92.9-97.3	31	4.9	02.7-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3064	4,012,642	2624	82.3	80.3-84.3	440	17.7	15.7-19.7
Male	1192	1,982,676	1006	81.0	77.9-84.1	186	19.0	15.9-22.1
Female	1872	2,029,966	1618	83.6	81.1-86.1	254	16.4	13.9-18.9
White/Non-Hisp	2448	2,961,038	2111	84.0	81.8-86.2	337	16.0	13.8-18.2
Black or Afr. Am./Non-Hisp	442	700,106	376	79.6	73.7-85.5	66	20.4	14.5-26.3
Oth. Race/Non-Hisp.	64	102,864	62	97.6	94.3-0100	2	2.4	00.0-05.7
Hispanic	54	139,601	35	63.6	48.5-78.7	19	36.4	21.3-51.5
18-24	205	623,737	158	74.1	66.8-81.4	47	25.9	18.6-33.2
25-34	404	849,345	311	75.6	70.3-80.9	93	24.4	19.1-29.7
35-44	481	831,703	408	83.8	79.7-87.9	73	16.2	12.1-20.3
45-54	817	878,309	705	86.2	83.3-89.1	112	13.8	10.9-16.7
55-64	1157	829,549	1042	89.8	87.4-92.2	115	10.2	07.8-12.6
Less Than H.S.	309	575,183	222	65.6	57.8-73.4	87	34.4	26.6-42.2
H.S. or G.E.D.	1046	1,342,581	841	78.8	75.5-82.1	205	21.2	17.9-24.5
Some Post-H.S.	776	1,191,271	678	85.5	82.2-88.8	98	14.5	11.2-17.8
College Graduate	915	878,407	869	94.7	92.7-96.7	46	5.3	03.3-07.3
Less than \$15,000	407	484,571	279	65.5	59.2-71.8	128	34.5	28.2-40.8
\$15,000- 24,999	471	625,758	350	69.8	63.9-75.7	121	30.2	24.3-36.1
\$25,000- 34,999	282	376,524	241	80.9	74.2-87.6	41	19.1	12.4-25.8
\$35,000- 49,999	371	503,915	333	85.7	80.0-91.4	38	14.3	08.6-20.0
\$50,000- 74,999	366	486,025	346	92.5	88.6-96.4	20	7.5	03.6-11.4
\$75,000+	663	853,173	655	98.9	98.1-99.7	8	1.1	00.3-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1192	1,982,676	1006	81.0	77.9-84.1	186	19.0	15.9-22.1
White/Non-Hisp	961	1,461,958	823	83.4	80.3-86.5	138	16.6	13.5-19.7
Black or Afr. Am./Non-Hisp	150	333,175	123	78.3	69.1-87.5	27	21.7	12.5-30.9
18-24	93	320,604	71	75.7	65.5-85.9	22	24.3	14.1-34.5
25-34	164	420,550	113	67.8	59.2-76.4	51	32.2	23.6-40.8
35-44	176	410,826	148	83.0	76.5-89.5	28	17.0	10.5-23.5
45-54	308	429,739	262	87.2	82.7-91.7	46	12.8	08.3-17.3
55-64	451	400,957	412	90.3	86.6-94.0	39	9.7	06.0-13.4
Less Than H.S.	126	291,681	87	63.2	51.2-75.2	39	36.8	24.8-48.8
H.S. or G.E.D.	416	672,076	333	79.3	74.4-84.2	83	20.7	15.8-25.6
Some Post-H.S.	291	588,523	249	83.0	77.5-88.5	42	17.0	11.5-22.5
College Graduate	351	417,616	332	93.9	90.8-97.0	19	6.1	03.0-09.2
Less than \$15,000	139	202,224	92	63.0	52.2-73.8	47	37.0	26.2-47.8
\$15,000- 24,999	176	286,289	124	63.9	53.7-74.1	52	36.1	25.9-46.3
\$25,000- 34,999	110	190,151	93	78.7	67.9-89.5	17	21.3	10.5-32.1
\$35,000- 49,999	157	281,320	137	82.7	73.5-91.9	20	17.3	08.1-26.5
\$50,000- 74,999	150	252,289	136	88.1	81.2-95.0	14	11.9	05.0-18.8
\$75,000+	295	466,231	289	98.6	97.2-0100	6	1.4	00.0-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1872	2,029,966	1618	83.6	81.1-86.1	254	16.4	13.9-18.9
White/Non-Hisp	1487	1,499,080	1288	84.6	81.9-87.3	199	15.4	12.7-18.1
Black or Afr. Am./Non-Hisp	292	366,931	253	80.9	73.6-88.2	39	19.1	11.8-26.4
18-24	112	303,133	87	72.4	62.0-82.8	25	27.6	17.2-38.0
25-34	240	428,795	198	83.3	77.8-88.8	42	16.7	11.2-22.2
35-44	305	420,877	260	84.6	79.5-89.7	45	15.4	10.3-20.5
45-54	509	448,570	443	85.3	81.2-89.4	66	14.7	10.6-18.8
55-64	706	428,592	630	89.3	86.4-92.2	76	10.7	07.8-13.6
Less Than H.S.	183	283,502	135	68.1	58.5-77.7	48	31.9	22.3-41.5
H.S. or G.E.D.	630	670,505	508	78.3	73.6-83.0	122	21.7	17.0-26.4
Some Post-H.S.	485	602,747	429	87.8	84.1-91.5	56	12.2	08.5-15.9
College Graduate	564	460,792	537	95.4	93.0-97.8	27	4.6	02.2-07.0
Less than \$15,000	268	282,347	187	67.4	59.8-75.0	81	32.6	25.0-40.2
\$15,000- 24,999	295	339,469	226	74.7	68.0-81.4	69	25.3	18.6-32.0
\$25,000- 34,999	172	186,373	148	83.1	75.7-90.5	24	16.9	09.5-24.3
\$35,000- 49,999	214	222,596	196	89.5	84.2-94.8	18	10.5	05.2-15.8
\$50,000- 74,999	216	233,736	210	97.3	94.6-0100	6	2.7	00.0-05.4
\$75,000+	368	386,942	366	99.4	98.4-0100	2	0.6	00.0-01.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5139	5,060,322	3523	73.2	71.4-75.0	1616	26.8	25.0-28.6
Male	1881	2,439,127	1379	76.9	74.4-79.4	502	23.1	20.6-25.6
Female	3258	2,621,195	2144	69.7	67.5-71.9	1114	30.3	28.1-32.5
White/Non-Hisp	4254	3,858,479	2913	72.2	70.2-74.2	1341	27.8	25.8-29.8
Black or Afr. Am./Non-Hisp	626	791,928	420	76.7	72.4-81.0	206	23.3	19.0-27.6
Oth. Race/Non-Hisp.	97	127,249	72	75.2	63.4-87.0	25	24.8	13.0-36.6
Hispanic	61	147,753	45	77.7	65.2-90.2	16	22.3	09.8-34.8
18-24	206	628,213	172	84.3	78.2-90.4	34	15.7	09.6-21.8
25-34	405	851,588	323	81.4	77.1-85.7	82	18.6	14.3-22.9
35-44	480	826,964	367	79.2	75.1-83.3	113	20.8	16.7-24.9
45-54	820	884,385	556	66.6	62.3-70.9	264	33.4	29.1-37.7
55-64	1158	829,938	776	66.3	62.8-69.8	382	33.7	30.2-37.2
65+	2005	1,003,750	1278	65.6	62.9-68.3	727	34.4	31.7-37.1
Less Than H.S.	650	803,733	330	54.1	48.2-60.0	320	45.9	40.0-51.8
H.S. or G.E.D.	1761	1,678,700	1068	67.9	64.8-71.0	693	32.1	29.0-35.2
Some Post-H.S.	1256	1,460,942	901	79.5	76.8-82.2	355	20.5	17.8-23.2
College Graduate	1432	1,081,060	1197	87.3	85.1-89.5	235	12.7	10.5-14.9
Less than \$15,000	682	592,979	352	57.1	51.6-62.6	330	42.9	37.4-48.4
\$15,000- 24,999	870	826,294	540	65.8	61.3-70.3	330	34.2	29.7-38.7
\$25,000- 34,999	530	505,793	350	70.6	64.9-76.3	180	29.4	23.7-35.1
\$35,000- 49,999	609	642,907	452	77.4	72.7-82.1	157	22.6	17.9-27.3
\$50,000- 74,999	535	575,451	417	80.1	75.4-84.8	118	19.9	15.2-24.6
\$75,000+	835	945,763	733	90.7	88.3-93.1	102	9.3	06.9-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1881	2,439,127	1379	76.9	74.4-79.4	502	23.1	20.6-25.6
White/Non-Hisp	1572	1,855,712	1142	75.6	72.9-78.3	430	24.4	21.7-27.1
Black or Afr. Am./Non-Hisp	193	363,669	142	80.5	73.8-87.2	51	19.5	12.8-26.2
18-24	93	320,604	78	84.7	75.7-93.7	15	15.3	06.3-24.3
25-34	165	422,793	139	85.1	79.0-91.2	26	14.9	08.8-21.0
35-44	176	410,826	144	86.1	80.6-91.6	32	13.9	08.4-19.4
45-54	310	435,093	227	69.1	62.4-75.8	83	30.9	24.2-37.6
55-64	451	400,957	309	67.6	62.1-73.1	142	32.4	26.9-37.9
65+	670	439,864	468	70.7	66.4-75.0	202	29.3	25.0-33.6
Less Than H.S.	231	389,392	140	61.5	52.5-70.5	91	38.5	29.5-47.5
H.S. or G.E.D.	621	806,471	405	70.7	66.0-75.4	216	29.3	24.6-34.0
Some Post-H.S.	444	699,816	336	83.3	79.2-87.4	108	16.7	12.6-20.8
College Graduate	574	526,973	490	89.4	86.5-92.3	84	10.6	07.7-13.5
Less than \$15,000	212	242,986	116	60.6	51.4-69.8	96	39.4	30.2-48.6
\$15,000- 24,999	286	363,360	196	73.6	66.9-80.3	90	26.4	19.7-33.1
\$25,000- 34,999	192	252,026	128	70.3	61.5-79.1	64	29.7	20.9-38.5
\$35,000- 49,999	270	360,218	200	77.1	70.0-84.2	70	22.9	15.8-30.0
\$50,000- 74,999	237	306,808	187	81.6	75.3-87.9	50	18.4	12.1-24.7
\$75,000+	380	518,787	335	92.0	89.1-94.9	45	8.0	05.1-10.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3258	2,621,195	2144	69.7	67.5-71.9	1114	30.3	28.1-32.5
White/Non-Hisp	2682	2,002,767	1771	69.0	66.5-71.5	911	31.0	28.5-33.5
Black or Afr. Am./Non-Hisp	433	428,258	278	73.5	67.8-79.2	155	26.5	20.8-32.2
Oth. Race/Non-Hisp.	56	72,595	39	67.2	50.0-84.4	17	32.8	15.6-50.0
18-24	113	307,609	94	83.9	75.9-91.9	19	16.1	08.1-24.1
25-34	240	428,795	184	77.7	71.6-83.8	56	22.3	16.2-28.4
35-44	304	416,138	223	72.5	66.4-78.6	81	27.5	21.4-33.6
45-54	510	449,292	329	64.2	58.9-69.5	181	35.8	30.5-41.1
55-64	707	428,981	467	65.2	60.7-69.7	240	34.8	30.3-39.3
65+	1335	563,886	810	61.7	58.4-65.0	525	38.3	35.0-41.6
Less Than H.S.	419	414,341	190	47.1	39.8-54.4	229	52.9	45.6-60.2
H.S. or G.E.D.	1140	872,230	663	65.2	61.3-69.1	477	34.8	30.9-38.7
Some Post-H.S.	812	761,126	565	75.9	72.2-79.6	247	24.1	20.4-27.8
College Graduate	858	554,087	707	85.3	82.2-88.4	151	14.7	11.6-17.8
Less than \$15,000	470	349,992	236	54.6	47.9-61.3	234	45.4	38.7-52.1
\$15,000- 24,999	584	462,934	344	59.6	53.9-65.3	240	40.4	34.7-46.1
\$25,000- 34,999	338	253,767	222	70.9	63.8-78.0	116	29.1	22.0-36.2
\$35,000- 49,999	339	282,689	252	77.7	72.2-83.2	87	22.3	16.8-27.8
\$50,000- 74,999	298	268,643	230	78.3	71.0-85.6	68	21.7	14.4-29.0
\$75,000+	455	426,976	398	89.1	85.6-92.6	57	10.9	07.4-14.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
1 MALES AND FEMALES	15
2 MALES ONLY	16
3 FEMALES ONLY	17
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
4 MALES AND FEMALES	18
5 MALES ONLY	19
6 FEMALES ONLY	20
COMPUTED ASTHMA STATUS (_ASTHMS1)	
7 MALES AND FEMALES	21
8 MALES ONLY	22
9 FEMALES ONLY	23
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
10 MALES AND FEMALES	24
11 MALES ONLY	25
12 FEMALES ONLY	26

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5119	5,044,457	4417	85.6	84.2-87.0	702	14.4	13.0-15.8
Male	1873	2,426,315	1674	88.1	85.9-90.3	199	11.9	09.7-14.1
Female	3246	2,618,142	2743	83.3	81.3-85.3	503	16.7	14.7-18.7
White/Non-Hisp	4239	3,844,010	3665	85.9	84.3-87.5	574	14.1	12.5-15.7
Black or Afr. Am./Non-Hisp	624	792,009	544	87.3	83.4-91.2	80	12.7	08.8-16.6
Oth. Race/Non-Hisp.	96	126,960	83	82.4	72.0-92.8	13	17.6	07.2-28.0
Hispanic	61	147,753	51	87.4	79.0-95.8	10	12.6	04.2-21.0
18-24	205	624,002	155	76.4	69.7-83.1	50	23.6	16.9-30.3
25-34	405	851,588	358	88.2	84.5-91.9	47	11.8	08.1-15.5
35-44	480	830,643	408	85.7	81.6-89.8	72	14.3	10.2-18.4
45-54	814	877,063	697	87.3	84.6-90.0	117	12.7	10.0-15.4
55-64	1155	826,833	988	85.5	83.0-88.0	167	14.5	12.0-17.0
65+	1996	998,932	1755	88.0	86.2-89.8	241	12.0	10.2-13.8
Less Than H.S.	647	801,576	511	79.9	75.4-84.4	136	20.1	15.6-24.6
H.S. or G.E.D.	1753	1,671,803	1502	84.4	81.9-86.9	251	15.6	13.1-18.1
Some Post-H.S.	1253	1,458,209	1090	87.1	84.4-89.8	163	12.9	10.2-15.6
College Graduate	1426	1,076,909	1280	90.2	88.2-92.2	146	9.8	07.8-11.8
Less than \$15,000	679	592,210	523	75.8	71.1-80.5	156	24.2	19.5-28.9
\$15,000- 24,999	869	824,694	739	85.4	82.1-88.7	130	14.6	11.3-17.9
\$25,000- 34,999	525	501,249	459	84.7	79.8-89.6	66	15.3	10.4-20.2
\$35,000- 49,999	606	641,571	542	89.2	85.9-92.5	64	10.8	07.5-14.1
\$50,000- 74,999	535	575,451	468	87.2	83.3-91.1	67	12.8	08.9-16.7
\$75,000+	832	942,459	771	91.0	87.5-94.5	61	9.0	05.5-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1873	2,426,315	1674	88.1	85.9-90.3	199	11.9	09.7-14.1
White/Non-Hisp	1565	1,847,111	1403	88.4	86.0-90.8	162	11.6	09.2-14.0
Black or Afr. Am./Non-Hisp	192	359,458	174	88.7	82.0-95.4	18	11.3	04.6-18.0
18-24	92	316,393	71	75.7	65.9-85.5	21	24.3	14.5-34.1
25-34	165	422,793	151	90.7	85.2-96.2	14	9.3	03.8-14.8
35-44	176	410,826	157	89.0	82.7-95.3	19	11.0	04.7-17.3
45-54	308	431,667	276	90.8	86.9-94.7	32	9.2	05.3-13.1
55-64	449	398,141	399	88.6	85.1-92.1	50	11.4	07.9-14.9
65+	667	437,505	606	90.6	87.9-93.3	61	9.4	06.7-12.1
Less Than H.S.	229	387,872	186	83.1	76.4-89.8	43	16.9	10.2-23.6
H.S. or G.E.D.	617	797,871	547	85.8	81.7-89.9	70	14.2	10.1-18.3
Some Post-H.S.	443	698,216	400	89.8	85.5-94.1	43	10.2	05.9-14.5
College Graduate	573	525,880	532	93.4	91.0-95.8	41	6.6	04.2-09.0
Less than \$15,000	211	242,682	175	82.3	75.2-89.4	36	17.7	10.6-24.8
\$15,000- 24,999	285	361,760	249	89.1	84.4-93.8	36	10.9	06.2-15.6
\$25,000- 34,999	191	250,570	166	84.6	77.2-92.0	25	15.4	08.0-22.8
\$35,000- 49,999	270	360,218	244	88.8	83.7-93.9	26	11.2	06.1-16.3
\$50,000- 74,999	237	306,808	217	91.8	87.1-96.5	20	8.2	03.5-12.9
\$75,000+	379	517,694	362	91.8	86.3-97.3	17	8.2	02.7-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3246	2,618,142	2743	83.3	81.3-85.3	503	16.7	14.7-18.7
White/Non-Hisp	2674	1,996,899	2262	83.6	81.6-85.6	412	16.4	14.4-18.4
Black or Afr. Am./Non-Hisp	432	432,552	370	86.2	81.3-91.1	62	13.8	08.9-18.7
Oth. Race/Non-Hisp.	55	72,306	49	85.4	72.7-98.1	6	14.6	01.9-27.3
18-24	113	307,609	84	77.0	68.2-85.8	29	23.0	14.2-31.8
25-34	240	428,795	207	85.7	80.4-91.0	33	14.3	09.0-19.6
35-44	304	419,817	251	82.4	77.1-87.7	53	17.6	12.3-22.9
45-54	506	445,395	421	83.9	80.0-87.8	85	16.1	12.2-20.0
55-64	706	428,692	589	82.7	79.2-86.2	117	17.3	13.8-20.8
65+	1329	561,428	1149	86.0	83.6-88.4	180	14.0	11.6-16.4
Less Than H.S.	418	413,703	325	76.9	70.8-83.0	93	23.1	17.0-29.2
H.S. or G.E.D.	1136	873,932	955	83.1	80.0-86.2	181	16.9	13.8-20.0
Some Post-H.S.	810	759,993	690	84.7	81.2-88.2	120	15.3	11.8-18.8
College Graduate	853	551,029	748	87.2	84.1-90.3	105	12.8	09.7-15.9
Less than \$15,000	468	349,528	348	71.3	65.0-77.6	120	28.7	22.4-35.0
\$15,000- 24,999	584	462,934	490	82.5	77.8-87.2	94	17.5	12.8-22.2
\$25,000- 34,999	334	250,678	293	84.9	78.6-91.2	41	15.1	08.8-21.4
\$35,000- 49,999	336	281,353	298	89.7	85.6-93.8	38	10.3	06.2-14.4
\$50,000- 74,999	298	268,643	251	81.9	75.6-88.2	47	18.1	11.8-24.4
\$75,000+	453	424,765	409	90.0	85.9-94.1	44	10.0	05.9-14.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5098	5,021,929	4616	91.1	89.9-92.3	482	8.9	07.7-10.1
Male	1866	2,412,790	1743	94.1	92.7-95.5	123	5.9	04.5-07.3
Female	3232	2,609,140	2873	88.3	86.7-89.9	359	11.7	10.1-13.3
White/Non-Hisp	4222	3,825,322	3825	91.2	90.0-92.4	397	8.8	07.6-10.0
Black or Afr. Am./Non-Hisp	622	790,618	569	92.5	89.6-95.4	53	7.5	04.6-10.4
Oth. Race/Non-Hisp.	95	126,216	86	91.9	86.2-97.6	9	8.1	02.4-13.8
Hispanic	61	147,753	54	90.8	83.4-98.2	7	9.2	01.8-16.6
18-24	204	621,830	175	87.1	82.0-92.2	29	12.9	07.8-18.0
25-34	402	846,563	375	93.1	90.4-95.8	27	6.9	04.2-09.6
35-44	476	823,713	433	93.0	90.5-95.5	43	7.0	04.5-09.5
45-54	809	872,507	731	92.1	89.9-94.3	78	7.9	05.7-10.1
55-64	1151	824,127	1035	89.9	87.7-92.1	116	10.1	07.9-12.3
65+	1993	998,536	1810	90.5	88.7-92.3	183	9.5	07.7-11.3
Less Than H.S.	643	796,423	538	84.9	81.2-88.6	105	15.1	11.4-18.8
H.S. or G.E.D.	1744	1,661,428	1571	91.0	89.2-92.8	173	9.0	07.2-10.8
Some Post-H.S.	1251	1,456,212	1140	92.1	90.1-94.1	111	7.9	05.9-09.9
College Graduate	1422	1,074,354	1333	94.8	93.2-96.4	89	5.2	03.6-06.8
Less than \$15,000	672	584,518	557	83.1	79.0-87.2	115	16.9	12.8-21.0
\$15,000- 24,999	866	822,751	765	89.4	86.5-92.3	101	10.6	07.7-13.5
\$25,000- 34,999	525	501,249	478	88.9	84.6-93.2	47	11.1	06.8-15.4
\$35,000- 49,999	603	638,358	561	93.8	91.3-96.3	42	6.2	03.7-08.7
\$50,000- 74,999	533	573,725	494	93.6	91.1-96.1	39	6.4	03.9-08.9
\$75,000+	832	942,459	800	96.2	94.2-98.2	32	3.8	01.8-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1866	2,412,790	1743	94.1	92.7-95.5	123	5.9	04.5-07.3
White/Non-Hisp	1560	1,835,697	1458	94.1	92.5-95.7	102	5.9	04.3-07.5
Black or Afr. Am./Non-Hisp	191	359,051	182	95.3	91.4-99.2	9	4.7	00.8-08.6
18-24	92	316,393	83	89.2	82.1-96.3	9	10.8	03.7-17.9
25-34	163	418,569	159	97.4	94.9-99.9	4	2.6	00.1-05.1
35-44	175	406,472	167	97.3	94.9-99.7	8	2.7	00.3-05.1
45-54	307	429,219	286	95.1	92.6-97.6	21	4.9	02.4-07.4
55-64	446	395,642	414	92.2	89.3-95.1	32	7.8	04.9-10.7
65+	667	437,505	620	92.3	89.6-95.0	47	7.7	05.0-10.4
Less Than H.S.	227	385,037	196	88.4	83.3-93.5	31	11.6	06.5-16.7
H.S. or G.E.D.	614	790,675	572	93.6	91.1-96.1	42	6.4	03.9-08.9
Some Post-H.S.	442	696,427	419	96.0	93.6-98.4	23	4.0	01.6-06.4
College Graduate	573	525,880	547	96.4	94.8-98.0	26	3.6	02.0-05.2
Less than \$15,000	208	236,740	186	89.9	84.4-95.4	22	10.1	04.6-15.6
\$15,000- 24,999	284	361,372	257	93.4	90.5-96.3	27	6.6	03.7-09.5
\$25,000- 34,999	191	250,570	175	90.0	83.5-96.5	16	10.0	03.5-16.5
\$35,000- 49,999	269	357,783	253	94.0	90.3-97.7	16	6.0	02.3-09.7
\$50,000- 74,999	237	306,808	227	97.4	95.4-99.4	10	2.6	00.6-04.6
\$75,000+	379	517,694	373	98.4	96.8-0100	6	1.6	00.0-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3232	2,609,140	2873	88.3	86.7-89.9	359	11.7	10.1-13.3
White/Non-Hisp	2662	1,989,625	2367	88.5	86.7-90.3	295	11.5	09.7-13.3
Black or Afr. Am./Non-Hisp	431	431,567	387	90.1	85.8-94.4	44	9.9	05.6-14.2
Oth. Race/Non-Hisp.	54	71,562	50	91.9	83.9-99.9	4	8.1	00.1-16.1
18-24	112	305,437	92	84.9	77.5-92.3	20	15.1	07.7-22.5
25-34	239	427,994	216	88.9	84.0-93.8	23	11.1	06.2-16.0
35-44	301	417,241	266	88.9	84.6-93.2	35	11.1	06.8-15.4
45-54	502	443,289	445	89.3	86.0-92.6	57	10.7	07.4-14.0
55-64	705	428,485	621	87.7	84.6-90.8	84	12.3	09.2-15.4
65+	1326	561,031	1190	89.2	87.0-91.4	136	10.8	08.6-13.0
Less Than H.S.	416	411,386	342	81.6	76.1-87.1	74	18.4	12.9-23.9
H.S. or G.E.D.	1130	870,752	999	88.6	86.1-91.1	131	11.4	08.9-13.9
Some Post-H.S.	809	759,786	721	88.5	85.4-91.6	88	11.5	08.4-14.6
College Graduate	849	548,474	786	93.2	90.8-95.6	63	6.8	04.4-09.2
Less than \$15,000	464	347,778	371	78.4	72.9-83.9	93	21.6	16.1-27.1
\$15,000- 24,999	582	461,378	508	86.2	81.9-90.5	74	13.8	09.5-18.1
\$25,000- 34,999	334	250,678	303	87.8	81.7-93.9	31	12.2	06.1-18.3
\$35,000- 49,999	334	280,575	308	93.5	90.4-96.6	26	6.5	03.4-09.6
\$50,000- 74,999	296	266,916	267	89.2	84.3-94.1	29	10.8	05.9-15.7
\$75,000+	453	424,765	427	93.5	89.8-97.2	26	6.5	02.8-10.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 7: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5098	5,021,929	482	8.9	07.7-10.1	199	5.0	04.0-06.0	4417	86.0	84.6-87.4
Male	1866	2,412,790	123	5.9	04.5-07.3	69	5.5	03.7-07.3	1674	88.6	86.4-90.8
Female	3232	2,609,140	359	11.7	10.1-13.3	130	4.7	03.5-05.9	2743	83.6	81.6-85.6
White/Non-Hisp	4222	3,825,322	397	8.8	07.6-10.0	160	4.8	03.6-06.0	3665	86.3	84.7-87.9
Black or Afr. Am./Non-Hisp	622	790,618	53	7.5	04.6-10.4	25	5.0	02.3-07.7	544	87.5	83.6-91.4
Oth. Race/Non-Hisp.	95	126,216	9	8.1	02.4-13.8	3	9.0	00.0-18.4	83	82.9	72.5-93.3
Hispanic	61	147,753	7	9.2	01.8-16.6	3	3.4	00.0-07.5	51	87.4	79.0-95.8
18-24	204	621,830	29	12.9	07.8-18.0	20	10.5	05.8-15.2	155	76.6	69.9-83.3
25-34	402	846,563	27	6.9	04.2-09.6	17	4.4	01.7-07.1	358	88.7	85.0-92.4
35-44	476	823,713	43	7.0	04.5-09.5	25	6.6	03.3-09.9	408	86.4	82.3-90.5
45-54	809	872,507	78	7.9	05.7-10.1	34	4.4	02.6-06.2	697	87.7	85.0-90.4
55-64	1151	824,127	116	10.1	07.9-12.3	47	4.1	02.7-05.5	988	85.8	83.3-88.3
65+	1993	998,536	183	9.5	07.7-11.3	55	2.5	01.7-03.3	1755	88.0	86.2-89.8
Less Than H.S.	643	796,423	105	15.1	11.4-18.8	27	4.4	01.7-07.1	511	80.4	75.9-84.9
H.S. or G.E.D.	1744	1,661,428	173	9.0	07.2-10.8	69	6.1	04.1-08.1	1502	84.9	82.4-87.4
Some Post-H.S.	1251	1,456,212	111	7.9	05.9-09.9	50	4.9	02.9-06.9	1090	87.2	84.5-89.9
College Graduate	1422	1,074,354	89	5.2	03.6-06.8	53	4.3	02.9-05.7	1280	90.4	88.4-92.4
Less than \$15,000	672	584,518	115	16.9	12.8-21.0	34	6.3	03.4-09.2	523	76.8	72.1-81.5
\$15,000- 24,999	866	822,751	101	10.6	07.7-13.5	26	3.8	01.6-06.0	739	85.6	82.3-88.9
\$25,000- 34,999	525	501,249	47	11.1	06.8-15.4	19	4.1	01.7-06.5	459	84.7	79.8-89.6
\$35,000- 49,999	603	638,358	42	6.2	03.7-08.7	19	4.1	01.7-06.5	542	89.7	86.4-93.0
\$50,000- 74,999	533	573,725	39	6.4	03.9-08.9	26	6.1	03.2-09.0	468	87.4	83.5-91.3
\$75,000+	832	942,459	32	3.8	01.8-05.8	29	5.2	02.3-08.1	771	91.0	87.5-94.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 8: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1866	2,412,790	123	5.9	04.5-07.3	69	5.5	03.7-07.3	1674	88.6	86.4-90.8
White/Non-Hisp	1560	1,835,697	102	5.9	04.3-07.5	55	5.1	03.1-07.1	1403	89.0	86.6-91.4
Black or Afr. Am./Non-Hisp	191	359,051	9	4.7	00.8-08.6	8	6.5	00.8-12.2	174	88.8	82.1-95.5
18-24	92	316,393	9	10.8	03.7-17.9	12	13.5	05.7-21.3	71	75.7	65.9-85.5
25-34	163	418,569	4	2.6	00.1-05.1	8	5.8	00.9-10.7	151	91.6	86.3-96.9
35-44	175	406,472	8	2.7	00.3-05.1	10	7.3	01.4-13.2	157	90.0	83.9-96.1
45-54	307	429,219	21	4.9	02.4-07.4	10	3.8	01.1-06.5	276	91.3	87.6-95.0
55-64	446	395,642	32	7.8	04.9-10.7	15	3.0	01.4-04.6	399	89.2	85.9-92.5
65+	667	437,505	47	7.7	05.0-10.4	14	1.6	00.6-02.6	606	90.6	87.9-93.3
Less Than H.S.	227	385,037	31	11.6	06.5-16.7	10	4.7	00.0-09.4	186	83.7	77.0-90.4
H.S. or G.E.D.	614	790,675	42	6.4	03.9-08.9	25	7.0	03.7-10.3	547	86.6	82.7-90.5
Some Post-H.S.	442	696,427	23	4.0	01.6-06.4	19	6.1	02.4-09.8	400	90.0	85.7-94.3
College Graduate	573	525,880	26	3.6	02.0-05.2	15	3.1	01.3-04.9	532	93.4	91.0-95.8
Less than \$15,000	208	236,740	22	10.1	04.6-15.6	11	5.5	01.4-09.6	175	84.4	77.7-91.1
\$15,000- 24,999	284	361,372	27	6.6	03.7-09.5	8	4.2	00.5-07.9	249	89.2	84.5-93.9
\$25,000- 34,999	191	250,570	16	10.0	03.5-16.5	9	5.4	01.1-09.7	166	84.6	77.2-92.0
\$35,000- 49,999	269	357,783	16	6.0	02.3-09.7	9	4.6	01.3-07.9	244	89.4	84.5-94.3
\$50,000- 74,999	237	306,808	10	2.6	00.6-04.6	10	5.6	01.3-09.9	217	91.8	87.1-96.5
\$75,000+	379	517,694	6	1.6	00.0-03.2	11	6.6	01.3-11.9	362	91.8	86.3-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 9: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3232	2,609,140	359	11.7	10.1-13.3	130	4.7	03.5-05.9	2743	83.6	81.6-85.6
White/Non-Hisp	2662	1,989,625	295	11.5	09.7-13.3	105	4.6	03.4-05.8	2262	83.9	81.9-85.9
Black or Afr. Am./Non-Hisp	431	431,567	44	9.9	05.6-14.2	17	3.7	01.5-05.9	370	86.4	81.5-91.3
Oth. Race/Non-Hisp.	54	71,562	4	8.1	00.1-16.1	1	5.6	00.0-16.2	49	86.3	73.6-99.0
18-24	112	305,437	20	15.1	07.7-22.5	8	7.3	02.0-12.6	84	77.6	68.8-86.4
25-34	239	427,994	23	11.1	06.2-16.0	9	3.0	00.6-05.4	207	85.8	80.5-91.1
35-44	301	417,241	35	11.1	06.8-15.4	15	6.0	02.7-09.3	251	82.9	77.6-88.2
45-54	502	443,289	57	10.7	07.4-14.0	24	5.0	02.6-07.4	421	84.3	80.4-88.2
55-64	705	428,485	84	12.3	09.2-15.4	32	5.0	03.0-07.0	589	82.7	79.2-86.2
65+	1326	561,031	136	10.8	08.6-13.0	41	3.2	02.0-04.4	1149	86.0	83.6-88.4
Less Than H.S.	416	411,386	74	18.4	12.9-23.9	17	4.2	01.3-07.1	325	77.4	71.5-83.3
H.S. or G.E.D.	1130	870,752	131	11.4	08.9-13.9	44	5.2	03.0-07.4	955	83.4	80.3-86.5
Some Post-H.S.	809	759,786	88	11.5	08.4-14.6	31	3.8	02.2-05.4	690	84.7	81.2-88.2
College Graduate	849	548,474	63	6.8	04.4-09.2	38	5.6	03.2-08.0	748	87.6	84.5-90.7
Less than \$15,000	464	347,778	93	21.6	16.1-27.1	23	6.8	02.9-10.7	348	71.7	65.4-78.0
\$15,000- 24,999	582	461,378	74	13.8	09.5-18.1	18	3.4	01.0-05.8	490	82.8	78.1-87.5
\$25,000- 34,999	334	250,678	31	12.2	06.1-18.3	10	2.9	00.7-05.1	293	84.9	78.6-91.2
\$35,000- 49,999	334	280,575	26	6.5	03.4-09.6	10	3.5	00.6-06.4	298	90.0	85.9-94.1
\$50,000- 74,999	296	266,916	29	10.8	05.9-15.7	16	6.8	02.7-10.9	251	82.4	76.1-88.7
\$75,000+	453	424,765	26	6.5	02.8-10.2	18	3.5	01.7-05.3	409	90.0	85.9-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 10: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5117	5,036,513	2204	32.6	30.8-34.4	2913	67.4	65.6-69.2
Male	1872	2,428,182	707	29.1	26.6-31.6	1165	70.9	68.4-73.4
Female	3245	2,608,331	1497	35.9	33.7-38.1	1748	64.1	61.9-66.3
White/Non-Hisp	4236	3,837,502	1865	34.8	32.8-36.8	2371	65.2	63.2-67.2
Black or Afr. Am./Non-Hisp	625	793,164	242	25.8	21.3-30.3	383	74.2	69.7-78.7
Oth. Race/Non-Hisp.	96	126,906	46	36.5	24.7-48.3	50	63.5	51.7-75.3
Hispanic	60	145,318	11	15.1	05.3-24.9	49	84.9	75.1-94.7
18-24	206	628,213	9	6.2	01.7-10.7	197	93.8	89.3-98.3
25-34	404	850,176	57	13.1	09.4-16.8	347	86.9	83.2-90.6
35-44	478	827,075	101	20.3	16.0-24.6	377	79.7	75.4-84.0
45-54	814	871,713	295	36.4	32.1-40.7	519	63.6	59.3-67.9
55-64	1151	824,837	576	50.1	46.4-53.8	575	49.9	46.2-53.6
65+	1999	998,941	1141	58.0	55.3-60.7	858	42.0	39.3-44.7
Less Than H.S.	643	791,091	394	50.1	44.2-56.0	249	49.9	44.0-55.8
H.S. or G.E.D.	1756	1,677,823	808	32.7	29.8-35.6	948	67.3	64.4-70.2
Some Post-H.S.	1251	1,455,476	541	31.2	27.9-34.5	710	68.8	65.5-72.1
College Graduate	1427	1,076,162	445	21.6	19.1-24.1	982	78.4	75.9-80.9
Less than \$15,000	677	586,871	401	47.4	41.9-52.9	276	52.6	47.1-58.1
\$15,000- 24,999	869	824,991	439	38.8	34.1-43.5	430	61.2	56.5-65.9
\$25,000- 34,999	527	498,520	238	33.4	27.9-38.9	289	66.6	61.1-72.1
\$35,000- 49,999	605	638,498	243	30.5	25.6-35.4	362	69.5	64.6-74.4
\$50,000- 74,999	534	575,039	203	30.7	25.4-36.0	331	69.3	64.0-74.6
\$75,000+	834	944,612	232	21.7	18.2-25.2	602	78.3	74.8-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 11: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1872	2,428,182	707	29.1	26.6-31.6	1165	70.9	68.4-73.4
White/Non-Hisp	1565	1,847,545	604	31.2	28.3-34.1	961	68.8	65.9-71.7
Black or Afr. Am./Non-Hisp	193	363,669	63	22.2	15.1-29.3	130	77.8	70.7-84.9
18-24	93	320,604	4	5.8	00.0-12.5	89	94.2	87.5-100.0
25-34	165	422,793	25	13.4	07.7-19.1	140	86.6	80.9-92.3
35-44	176	410,826	30	15.8	09.9-21.7	146	84.2	78.3-90.1
45-54	309	432,659	104	34.1	27.6-40.6	205	65.9	59.4-72.4
55-64	446	396,433	211	47.9	42.2-53.6	235	52.1	46.4-57.8
65+	667	435,878	328	51.8	47.1-56.5	339	48.2	43.5-52.9
Less Than H.S.	227	384,902	123	44.8	35.6-54.0	104	55.2	46.0-64.4
H.S. or G.E.D.	620	805,656	252	28.2	23.9-32.5	368	71.8	67.5-76.1
Some Post-H.S.	443	697,511	166	28.0	22.9-33.1	277	72.0	66.9-77.1
College Graduate	571	523,639	162	20.4	16.5-24.3	409	79.6	75.7-83.5
Less than \$15,000	210	241,030	114	44.5	35.1-53.9	96	55.5	46.1-64.9
\$15,000- 24,999	286	363,360	135	36.5	28.9-44.1	151	63.5	55.9-71.1
\$25,000- 34,999	192	252,026	72	27.8	19.8-35.8	120	72.2	64.2-80.2
\$35,000- 49,999	267	356,102	103	28.0	20.7-35.3	164	72.0	64.7-79.3
\$50,000- 74,999	237	306,808	87	31.0	23.6-38.4	150	69.0	61.6-76.4
\$75,000+	380	518,787	97	20.2	15.3-25.1	283	79.8	74.9-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 12: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3245	2,608,331	1497	35.9	33.7-38.1	1748	64.1	61.9-66.3
White/Non-Hisp	2671	1,989,957	1261	38.2	35.7-40.7	1410	61.8	59.3-64.3
Black or Afr. Am./Non-Hisp	432	429,495	179	28.9	23.2-34.6	253	71.1	65.4-76.8
Oth. Race/Non-Hisp.	56	72,595	27	34.9	19.6-50.2	29	65.1	49.8-80.4
18-24	113	307,609	5	6.6	00.3-12.9	108	93.4	87.1-99.7
25-34	239	427,383	32	12.7	07.8-17.6	207	87.3	82.4-92.2
35-44	302	416,249	71	24.7	18.6-30.8	231	75.3	69.2-81.4
45-54	505	439,054	191	38.7	33.4-44.0	314	61.3	56.0-66.6
55-64	705	428,404	365	52.1	47.4-56.8	340	47.9	43.2-52.6
65+	1332	563,064	813	62.8	59.5-66.1	519	37.2	33.9-40.5
Less Than H.S.	416	406,189	271	55.1	47.8-62.4	145	44.9	37.6-52.2
H.S. or G.E.D.	1136	872,168	556	36.9	33.0-40.8	580	63.1	59.2-67.0
Some Post-H.S.	808	757,965	375	34.1	30.0-38.2	433	65.9	61.8-70.0
College Graduate	856	552,524	283	22.6	19.3-25.9	573	77.4	74.1-80.7
Less than \$15,000	467	345,841	287	49.5	42.6-56.4	180	50.5	43.6-57.4
\$15,000- 24,999	583	461,631	304	40.7	35.0-46.4	279	59.3	53.6-65.0
\$25,000- 34,999	335	246,494	166	39.2	32.1-46.3	169	60.8	53.7-67.9
\$35,000- 49,999	338	282,396	140	33.6	27.3-39.9	198	66.4	60.1-72.7
\$50,000- 74,999	297	268,231	116	30.4	22.8-38.0	181	69.6	62.0-77.2
\$75,000+	454	425,825	135	23.4	18.5-28.3	319	76.6	71.7-81.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 7: ORAL HEALTH CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	28
2	MALES ONLY	29
3	FEMALES ONLY	30
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	31
5	MALES ONLY	32
6	FEMALES ONLY	33
	ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7	MALES AND FEMALES	34
8	MALES ONLY	35
9	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4979	4,943,668	1962	49.8	47.8-51.8	3017	50.2	48.2-52.2
Male	1824	2,381,434	734	50.8	47.7-53.9	1090	49.2	46.1-52.3
Female	3155	2,562,233	1228	48.8	46.3-51.3	1927	51.2	48.7-53.7
White/Non-Hisp	4109	3,756,206	1624	48.6	46.4-50.8	2485	51.4	49.2-53.6
Black or Afr. Am./Non-Hisp	616	779,124	206	47.5	41.6-53.4	410	52.5	46.6-58.4
Oth. Race/Non-Hisp.	97	127,249	47	58.1	45.6-70.6	50	41.9	29.4-54.4
Hispanic	61	147,753	39	72.4	60.1-84.7	22	27.6	15.3-39.9
18-24	204	618,002	176	86.3	80.8-91.8	28	13.7	08.2-19.2
25-34	403	848,370	277	69.1	63.8-74.4	126	30.9	25.6-36.2
35-44	473	810,101	267	55.9	50.2-61.6	206	44.1	38.4-49.8
45-54	807	870,994	385	44.6	40.3-48.9	422	55.4	51.1-59.7
55-64	1117	801,050	355	30.6	27.3-33.9	762	69.4	66.1-72.7
65+	1917	961,696	472	24.9	22.4-27.4	1445	75.1	72.6-77.6
Less Than H.S.	626	777,593	99	27.8	21.5-34.1	527	72.2	65.9-78.5
H.S. or G.E.D.	1700	1,629,481	510	43.4	39.7-47.1	1190	56.6	52.9-60.3
Some Post-H.S.	1217	1,439,008	514	54.3	50.4-58.2	703	45.7	41.8-49.6
College Graduate	1398	1,061,825	821	68.9	65.8-72.0	577	31.1	28.0-34.2
Less than \$15,000	657	573,947	141	32.9	27.0-38.8	516	67.1	61.2-73.0
\$15,000- 24,999	850	809,109	221	37.5	32.4-42.6	629	62.5	57.4-67.6
\$25,000- 34,999	514	499,200	182	46.9	40.4-53.4	332	53.1	46.6-59.6
\$35,000- 49,999	594	630,805	239	50.3	44.6-56.0	355	49.7	44.0-55.4
\$50,000- 74,999	523	564,607	267	57.4	51.5-63.3	256	42.6	36.7-48.5
\$75,000+	821	932,523	521	69.5	65.2-73.8	300	30.5	26.2-34.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1824	2,381,434	734	50.8	47.7-53.9	1090	49.2	46.1-52.3
White/Non-Hisp	1520	1,802,414	607	49.5	46.0-53.0	913	50.5	47.0-54.0
Black or Afr. Am./Non-Hisp	191	360,525	68	49.9	40.3-59.5	123	50.1	40.5-59.7
18-24	93	320,604	79	84.0	75.4-92.6	14	16.0	07.4-24.6
25-34	164	421,921	110	70.4	62.6-78.2	54	29.6	21.8-37.4
35-44	171	398,016	98	57.2	48.0-66.4	73	42.8	33.6-52.0
45-54	306	427,885	144	46.8	39.9-53.7	162	53.2	46.3-60.1
55-64	434	384,824	124	28.0	22.9-33.1	310	72.0	66.9-77.1
65+	642	419,589	172	25.0	20.9-29.1	470	75.0	70.9-79.1
Less Than H.S.	222	380,427	39	33.8	23.2-44.4	183	66.2	55.6-76.8
H.S. or G.E.D.	601	776,488	187	43.6	37.9-49.3	414	56.4	50.7-62.1
Some Post-H.S.	431	690,316	183	55.9	49.6-62.2	248	44.1	37.8-50.4
College Graduate	559	517,730	320	67.2	62.5-71.9	239	32.8	28.1-37.5
Less than \$15,000	206	231,457	44	32.9	22.7-43.1	162	67.1	56.9-77.3
\$15,000- 24,999	280	354,577	74	38.3	29.3-47.3	206	61.7	52.7-70.7
\$25,000- 34,999	186	249,068	66	48.3	38.1-58.5	120	51.7	41.5-61.9
\$35,000- 49,999	264	355,072	96	50.7	42.3-59.1	168	49.3	40.9-57.7
\$50,000- 74,999	231	298,775	115	56.5	48.1-64.9	116	43.5	35.1-51.9
\$75,000+	372	509,009	221	68.0	61.7-74.3	151	32.0	25.7-38.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3155	2,562,233	1228	48.8	46.3-51.3	1927	51.2	48.7-53.7
White/Non-Hisp	2589	1,953,792	1017	47.9	45.2-50.6	1572	52.1	49.4-54.8
Black or Afr. Am./Non-Hisp	425	418,599	138	45.5	38.2-52.8	287	54.5	47.2-61.8
Oth. Race/Non-Hisp.	56	72,595	29	55.8	38.6-73.0	27	44.2	27.0-61.4
18-24	111	297,398	97	88.7	82.4-95.0	14	11.3	05.0-17.6
25-34	239	426,449	167	67.8	60.7-74.9	72	32.2	25.1-39.3
35-44	302	412,085	169	54.6	47.7-61.5	133	45.4	38.5-52.3
45-54	501	443,109	241	42.4	37.1-47.7	260	57.6	52.3-62.9
55-64	683	416,225	231	33.0	28.7-37.3	452	67.0	62.7-71.3
65+	1275	542,107	300	24.8	21.7-27.9	975	75.2	72.1-78.3
Less Than H.S.	404	397,166	60	22.1	15.6-28.6	344	77.9	71.4-84.4
H.S. or G.E.D.	1099	852,993	323	43.2	38.5-47.9	776	56.8	52.1-61.5
Some Post-H.S.	786	748,692	331	52.9	48.2-57.6	455	47.1	42.4-51.8
College Graduate	839	544,095	501	70.4	66.5-74.3	338	29.6	25.7-33.5
Less than \$15,000	451	342,490	97	33.0	25.9-40.1	354	67.0	59.9-74.1
\$15,000- 24,999	570	454,532	147	36.8	30.7-42.9	423	63.2	57.1-69.3
\$25,000- 34,999	328	250,132	116	45.6	38.0-53.2	212	54.4	46.8-62.0
\$35,000- 49,999	330	275,733	143	49.8	42.5-57.1	187	50.2	42.9-57.5
\$50,000- 74,999	292	265,832	152	58.4	50.4-66.4	140	41.6	33.6-49.6
\$75,000+	449	423,514	300	71.2	65.5-76.9	149	28.8	23.1-34.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1917	961,696	1480	77.6	75.1-80.1	437	22.4	19.9-24.9
Male	642	419,589	509	78.1	74.0-82.2	133	21.9	17.8-26.0
Female	1275	542,107	971	77.2	74.3-80.1	304	22.8	19.9-25.7
White/Non-Hisp	1674	823,989	1300	78.3	75.8-80.8	374	21.7	19.2-24.2
Black or Afr. Am./Non-Hisp	176	92,247	130	73.1	64.5-81.7	46	26.9	18.3-35.5
65+	1917	961,696	1480	77.6	75.1-80.1	437	22.4	19.9-24.9
Less Than H.S.	322	215,327	170	58.8	51.7-65.9	152	41.2	34.1-48.3
H.S. or G.E.D.	668	308,370	507	77.1	73.0-81.2	161	22.9	18.8-27.0
Some Post-H.S.	439	248,578	364	83.3	78.8-87.8	75	16.7	12.2-21.2
College Graduate	476	185,748	431	92.4	89.7-95.1	45	7.6	04.9-10.3
Less than \$15,000	256	96,461	141	59.2	51.2-67.2	115	40.8	32.8-48.8
\$15,000- 24,999	378	184,238	275	68.2	61.5-74.9	103	31.8	25.1-38.5
\$25,000- 34,999	235	123,233	178	71.8	63.8-79.8	57	28.2	20.2-36.2
\$35,000- 49,999	226	134,407	199	87.3	81.8-92.8	27	12.7	07.2-18.2
\$50,000- 74,999	161	84,163	148	89.2	82.5-95.9	13	10.8	04.1-17.5
\$75,000+	162	84,139	154	95.9	92.6-99.2	8	4.1	00.8-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	642	419,589	509	78.1	74.0-82.2	133	21.9	17.8-26.0
White/Non-Hisp	571	364,458	450	77.7	73.2-82.2	121	22.3	17.8-26.8
65+	642	419,589	509	78.1	74.0-82.2	133	21.9	17.8-26.0
Less Than H.S.	99	91,816	51	58.6	46.4-70.8	48	41.4	29.2-53.6
H.S. or G.E.D.	191	119,983	151	78.6	71.3-85.9	40	21.4	14.1-28.7
Some Post-H.S.	142	103,027	110	78.2	70.0-86.4	32	21.8	13.6-30.0
College Graduate	208	103,312	195	94.5	91.0-98.0	13	5.5	02.0-09.0
Less than \$15,000	68	33,519	38	55.9	40.4-71.4	30	44.1	28.6-59.6
\$15,000- 24,999	102	65,809	76	70.0	58.0-82.0	26	30.0	18.0-42.0
\$25,000- 34,999	78	59,690	54	64.4	50.5-78.3	24	35.6	21.7-49.5
\$35,000- 49,999	108	76,430	90	83.8	75.4-92.2	18	16.2	07.8-24.6
\$50,000- 74,999	85	52,343	76	87.5	78.3-96.7	9	12.5	03.3-21.7
\$75,000+	81	47,861	75	93.7	88.2-99.2	6	6.3	00.8-11.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1275	542,107	971	77.2	74.3-80.1	304	22.8	19.9-25.7
White/Non-Hisp	1103	459,531	850	78.8	75.7-81.9	253	21.2	18.1-24.3
Black or Afr. Am./Non-Hisp	135	63,930	96	68.8	58.0-79.6	39	31.2	20.4-42.0
65+	1275	542,107	971	77.2	74.3-80.1	304	22.8	19.9-25.7
Less Than H.S.	223	123,512	119	59.0	50.6-67.4	104	41.0	32.6-49.4
H.S. or G.E.D.	477	188,387	356	76.2	71.3-81.1	121	23.8	18.9-28.7
Some Post-H.S.	297	145,551	254	86.8	81.7-91.9	43	13.2	08.1-18.3
College Graduate	268	82,436	236	89.9	85.6-94.2	32	10.1	05.8-14.4
Less than \$15,000	188	62,943	103	61.0	51.8-70.2	85	39.0	29.8-48.2
\$15,000- 24,999	276	118,429	199	67.2	59.6-74.8	77	32.8	25.2-40.4
\$25,000- 34,999	157	63,544	124	78.8	71.2-86.4	33	21.2	13.6-28.8
\$35,000- 49,999	118	57,978	109	92.0	85.7-98.3	9	8.0	01.7-14.3
\$50,000- 74,999	76	31,820	72	92.1	83.3-0100	4	7.9	00.0-16.7
\$75,000+	81	36,278	79	98.8	97.0-0100	2	1.2	00.0-03.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5065	5,005,662	2993	58.3	56.3-60.3	2072	41.7	39.7-43.7
Male	1856	2,413,115	1070	57.3	54.2-60.4	786	42.7	39.6-45.8
Female	3209	2,592,547	1923	59.2	56.7-61.7	1286	40.8	38.3-43.3
White/Non-Hisp	4200	3,818,681	2520	58.8	56.6-61.0	1680	41.2	39.0-43.4
Black or Afr. Am./Non-Hisp	615	786,164	329	57.1	51.4-62.8	286	42.9	37.2-48.6
Oth. Race/Non-Hisp.	95	125,108	56	61.5	49.0-74.0	39	38.5	26.0-51.0
Hispanic	59	144,233	29	46.9	31.4-62.4	30	53.1	37.6-68.6
18-24	200	616,296	124	61.0	53.2-68.8	76	39.0	31.2-46.8
25-34	403	846,650	229	55.2	49.5-60.9	174	44.8	39.1-50.5
35-44	477	827,007	295	60.1	54.4-65.8	182	39.9	34.2-45.6
45-54	817	880,450	467	57.5	53.2-61.8	350	42.5	38.2-46.8
55-64	1140	815,382	672	57.9	54.2-61.6	468	42.1	38.4-45.8
65+	1967	986,771	1161	58.6	55.7-61.5	806	41.4	38.5-44.3
Less Than H.S.	634	787,938	168	28.7	23.2-34.2	466	71.3	65.8-76.8
H.S. or G.E.D.	1732	1,659,186	922	56.8	53.3-60.3	810	43.2	39.7-46.7
Some Post-H.S.	1235	1,445,143	772	61.9	58.0-65.8	463	38.1	34.2-42.0
College Graduate	1426	1,077,889	1109	77.7	74.8-80.6	317	22.3	19.4-25.2
Less than \$15,000	665	584,545	197	32.4	26.7-38.1	468	67.6	61.9-73.3
\$15,000- 24,999	860	817,303	379	39.2	34.3-44.1	481	60.8	55.9-65.7
\$25,000- 34,999	524	497,481	293	52.7	46.4-59.0	231	47.3	41.0-53.6
\$35,000- 49,999	603	634,951	403	65.5	60.0-71.0	200	34.5	29.0-40.0
\$50,000- 74,999	533	573,452	408	74.1	69.0-79.2	125	25.9	20.8-31.0
\$75,000+	835	945,763	707	81.0	76.9-85.1	128	19.0	14.9-23.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 7: ORAL HEALTH**

**TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1856	2,413,115	1070	57.3	54.2-60.4	786	42.7	39.6-45.8
White/Non-Hisp	1555	1,837,218	908	58.4	54.9-61.9	647	41.6	38.1-45.1
Black or Afr. Am./Non-Hisp	188	360,893	98	55.0	45.4-64.6	90	45.0	35.4-54.6
18-24	90	312,235	58	63.4	51.8-75.0	32	36.6	25.0-48.2
25-34	165	422,793	92	53.3	44.5-62.1	73	46.7	37.9-55.5
35-44	176	410,826	101	57.7	48.7-66.7	75	42.3	33.3-51.3
45-54	310	435,093	170	56.9	50.0-63.8	140	43.1	36.2-50.0
55-64	442	391,637	240	54.6	48.7-60.5	202	45.4	39.5-51.3
65+	657	431,540	397	59.4	54.7-64.1	260	40.6	35.9-45.3
Less Than H.S.	227	384,298	61	30.3	21.3-39.3	166	69.7	60.7-78.7
H.S. or G.E.D.	613	796,487	317	56.5	51.0-62.0	296	43.5	38.0-49.0
Some Post-H.S.	435	690,964	254	59.8	53.5-66.1	181	40.2	33.9-46.5
College Graduate	570	524,890	434	76.0	71.3-80.7	136	24.0	19.3-28.7
Less than \$15,000	209	240,870	54	31.6	21.8-41.4	155	68.4	58.6-78.2
\$15,000- 24,999	284	362,257	115	39.1	30.9-47.3	169	60.9	52.7-69.1
\$25,000- 34,999	188	244,878	98	55.2	45.4-65.0	90	44.8	35.0-54.6
\$35,000- 49,999	265	353,332	163	62.3	53.9-70.7	102	37.7	29.3-46.1
\$50,000- 74,999	235	304,809	168	67.3	59.3-75.3	67	32.7	24.7-40.7
\$75,000+	380	518,787	300	74.3	67.6-81.0	80	25.7	19.0-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3209	2,592,547	1923	59.2	56.7-61.7	1286	40.8	38.3-43.3
White/Non-Hisp	2645	1,981,462	1612	59.2	56.5-61.9	1033	40.8	38.1-43.5
Black or Afr. Am./Non-Hisp	427	425,271	231	58.9	52.0-65.8	196	41.1	34.2-48.0
Oth. Race/Non-Hisp.	56	72,595	37	69.5	53.6-85.4	19	30.5	14.6-46.4
18-24	110	304,061	66	58.6	47.6-69.6	44	41.4	30.4-52.4
25-34	238	423,857	137	57.1	49.8-64.4	101	42.9	35.6-50.2
35-44	301	416,181	194	62.5	55.6-69.4	107	37.5	30.6-44.4
45-54	507	445,357	297	58.2	52.7-63.7	210	41.8	36.3-47.3
55-64	698	423,745	432	61.0	56.3-65.7	266	39.0	34.3-43.7
65+	1310	555,231	764	57.9	54.4-61.4	546	42.1	38.6-45.6
Less Than H.S.	407	403,640	107	27.2	20.7-33.7	300	72.8	66.3-79.3
H.S. or G.E.D.	1119	862,698	605	57.0	52.7-61.3	514	43.0	38.7-47.3
Some Post-H.S.	800	754,178	518	63.8	59.3-68.3	282	36.2	31.7-40.7
College Graduate	856	552,999	675	79.3	75.6-83.0	181	20.7	17.0-24.4
Less than \$15,000	456	343,675	143	33.0	26.3-39.7	313	67.0	60.3-73.7
\$15,000- 24,999	576	455,045	264	39.2	33.5-44.9	312	60.8	55.1-66.5
\$25,000- 34,999	336	252,603	195	50.3	42.7-57.9	141	49.7	42.1-57.3
\$35,000- 49,999	338	281,619	240	69.6	63.3-75.9	98	30.4	24.1-36.7
\$50,000- 74,999	298	268,643	240	81.9	76.4-87.4	58	18.1	12.6-23.6
\$75,000+	455	426,976	407	89.2	85.5-92.9	48	10.8	07.1-14.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE1).  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5092	5,020,237	4319	79.6	77.8-81.4	636	16.1	14.5-17.7	58	1.4	0.10-0.18	22	0.8	0.04-0.12	3	0.2	0.00-0.04	54	1.9	0.13-0.25
Male	1860	2,411,184	1603	80.5	77.8-83.2	195	15.3	12.8-17.8	30	1.6	0.08-0.24	8	0.7	0.01-0.13				24	1.9	0.09-0.29
Female	3232	2,609,053	2716	78.8	76.6-81.0	441	16.8	14.8-18.8	28	1.2	0.06-0.18	14	0.9	0.03-0.15	3	0.4	0.00-0.10	30	1.9	0.11-0.27
18-24	204	620,193	153	70.2	62.8-77.6	33	20.6	13.9-27.3	1	0.6	0.00-0.18	2	0.5	0.00-0.13	1	1.0	0.00-0.30	14	7.1	0.34-10.8
25-34	405	851,588	327	77.1	72.0-82.2	59	17.4	12.7-22.1	2	0.7	0.00-0.17	8	2.4	0.06-0.42	1	0.3	0.00-0.09	8	2.0	0.04-0.36
35-44	474	819,040	386	77.1	72.2-82.0	74	19.6	14.9-24.3	6	1.2	0.00-0.24	5	1.2	0.00-0.24				3	0.9	0.00-0.21
45-54	814	876,885	664	78.2	74.3-82.1	133	18.5	14.8-22.2	8	1.7	0.03-0.31	3	0.4	0.00-0.08	1	0.1	0.00-0.03	5	1.0	0.00-0.20
55-64	1153	826,048	973	83.2	80.3-86.1	151	13.8	11.1-16.5	18	1.9	0.09-0.29	2	0.2	0.00-0.04				9	0.9	0.01-0.17
65+	1986	995,910	1770	87.6	85.4-89.8	180	9.6	07.8-11.4	20	1.7	0.07-0.27	1	0.0	0.00-0.00				15	1.2	0.04-0.20
Less Than H.S.	643	798,146	541	82.5	77.8-87.2	81	12.8	08.5-17.1	14	3.0	0.12-0.48				1	0.1	0.00-0.03	6	1.5	0.00-0.31
H.S. or G.E.D.	1750	1,674,056	1484	79.8	76.7-82.9	235	17.4	14.5-20.3	17	1.0	0.04-0.16	1	0.1	0.00-0.03				13	1.8	0.06-0.30
Some Post-H.S.	1243	1,446,178	1043	77.2	73.7-80.7	153	16.8	13.7-19.9	18	1.6	0.06-0.26	7	1.2	0.02-0.22	1	0.4	0.00-0.12	21	2.8	0.14-0.42
College Graduate	1421	1,070,652	1220	80.5	77.4-83.6	165	15.6	12.7-18.5	8	0.6	0.00-0.12	14	2.0	0.08-0.32	1	0.3	0.00-0.09	13	1.1	0.03-0.19
Less than \$15,000	677	589,825	524	71.2	65.9-76.5	125	22.5	17.6-27.4	15	3.0	0.10-0.50	1	0.4	0.00-0.12				12	3.0	0.08-0.52
\$15,000- 24,999	863	818,623	709	73.5	68.6-78.4	127	21.1	16.4-25.8	11	1.8	0.04-0.32	3	0.4	0.00-0.08				13	3.2	0.12-0.52
\$25,000- 34,999	527	503,419	446	78.4	72.9-83.9	73	17.6	12.7-22.5	3	1.8	0.00-0.38	1	0.0	0.00-0.00	1	0.2	0.00-0.06	3	2.0	0.00-0.44
\$35,000- 49,999	606	634,140	516	79.1	74.0-84.2	75	17.6	12.7-22.5	5	0.7	0.00-0.15	3	0.6	0.00-0.14				7	2.0	0.02-0.38
\$50,000- 74,999	533	574,453	462	83.0	78.1-87.9	55	12.8	08.5-17.1	6	1.7	0.01-0.33	3	1.0	0.00-0.24				7	1.6	0.02-0.30
\$75,000+	830	940,322	754	86.9	83.4-90.4	58	9.4	06.5-12.3	5	0.5	0.01-0.09	8	1.8	0.04-0.32	2	1.0	0.00-0.24	3	0.4	0.00-0.08

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE1).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1860	2,411,184	1603	80.5	77.8-83.2	195	15.3	12.8-17.8	30	1.6	00.8-02.4	8	0.7	00.1-01.3	24	1.9	00.9-02.9
18-24	91	312,584	65	69.4	58.8-80.0	20	24.7	14.7-34.7							6	5.9	01.0-10.8
25-34	165	422,793	140	79.7	71.7-87.7	17	15.1	07.5-22.7	1	0.9	00.0-02.7	4	2.1	00.1-04.1	3	2.2	00.0-04.7
35-44	173	402,410	146	80.9	73.6-88.2	21	15.6	08.9-22.3	3	1.5	00.0-03.5	2	1.3	00.0-03.3	1	0.7	00.0-02.1
45-54	307	430,576	262	78.3	71.8-84.8	39	18.3	12.2-24.4	4	2.2	00.0-04.6	1	0.3	00.0-00.9	1	0.9	00.0-02.7
55-64	447	397,241	374	82.3	77.6-87.0	55	14.2	09.9-18.5	12	2.0	00.8-03.2	1	0.2	00.0-00.6	5	1.3	00.0-02.7
65+	664	437,194	604	89.0	85.9-92.1	42	6.9	04.4-09.4	10	2.5	00.7-04.3				8	1.6	00.2-03.0
Less Than H.S.	227	385,293	192	81.7	73.9-89.5	23	13.2	05.9-20.5	8	3.5	00.6-06.4				4	1.5	00.0-03.7
H.S. or G.E.D.	616	800,375	527	80.4	75.7-85.1	77	17.1	12.6-21.6	7	0.8	00.2-01.4				5	1.7	00.1-03.3
Some Post-H.S.	439	690,853	370	77.3	71.8-82.8	47	17.0	11.9-22.1	11	2.3	00.5-04.1	1	0.5	00.0-01.5	10	2.9	00.7-05.1
College Graduate	568	519,893	505	83.9	79.4-88.4	48	12.4	08.1-16.7	4	0.4	00.0-00.8	7	2.4	00.6-04.2	4	0.9	00.0-01.9
Less than \$15,000	209	240,122	166	74.4	65.8-83.0	29	18.4	10.6-26.2	8	3.8	00.3-07.3				6	3.3	00.0-06.8
\$15,000- 24,999	284	358,655	237	75.1	66.7-83.5	35	19.6	11.6-27.6	8	2.7	00.3-05.1				4	2.6	00.0-05.3
\$25,000- 34,999	190	249,970	160	76.8	68.0-85.6	27	18.8	10.8-26.8	1	1.4	00.0-04.1				2	3.0	00.0-07.1
\$35,000- 49,999	267	351,451	236	80.3	72.7-87.9	25	17.0	09.7-24.3	1	0.3	00.0-00.9	1	0.3	00.0-00.9	4	2.1	00.0-04.5
\$50,000- 74,999	236	306,424	200	80.4	73.3-87.5	25	13.2	07.1-19.3	6	3.1	00.2-06.0	1	1.2	00.0-03.6	4	2.1	00.0-04.6
\$75,000+	379	516,083	350	88.7	84.0-93.4	21	8.9	04.4-13.4	2	0.4	00.0-01.0	5	1.8	00.2-03.4	1	0.3	00.0-00.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE1).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3232	2,609,053	2716	78.8	76.6-81.0	441	16.8	14.8-18.8	28	1.2	00.6-01.8	14	0.9	00.3-01.5	3	0.4	00.0-01.0	30	1.9	01.1-02.7
18-24	113	307,609	88	71.1	60.7-81.5	13	16.3	07.5-25.1	1	1.2	00.0-03.6	2	1.1	00.0-02.7	1	2.0	00.0-05.9	8	8.3	02.6-14.0
25-34	240	428,795	187	74.6	67.9-81.3	42	19.6	13.7-25.5	1	0.6	00.0-01.8	4	2.8	00.0-05.9	1	0.7	00.0-02.1	5	1.9	00.0-03.9
35-44	301	416,630	240	73.4	66.7-80.1	53	23.5	17.0-30.0	3	1.0	00.0-02.2	3	1.1	00.0-02.3				2	1.1	00.0-02.9
45-54	507	446,309	402	78.2	73.5-82.9	94	18.6	14.3-22.9	4	1.3	00.0-02.9	2	0.6	00.0-01.4	1	0.2	00.0-00.6	4	1.1	00.0-02.3
55-64	706	428,807	599	84.1	80.6-87.6	96	13.4	10.3-16.5	6	1.8	00.0-03.6	1	0.2	00.0-00.6				4	0.5	00.0-01.1
65+	1322	558,716	1166	86.4	83.7-89.1	138	11.7	09.2-14.2	10	1.1	00.1-02.1	1	0.0	00.0-00.0				7	0.8	00.0-01.6
Less Than H.S.	416	412,853	349	83.3	77.8-88.8	58	12.5	07.6-17.4	6	2.5	00.3-04.7				1	0.3	00.0-00.9	2	1.5	00.0-03.7
H.S. or G.E.D.	1134	873,681	957	79.2	75.1-83.3	158	17.7	14.0-21.4	10	1.1	00.1-02.1	1	0.1	00.0-00.3				8	1.8	00.2-03.4
Some Post-H.S.	804	755,325	673	77.2	72.7-81.7	106	16.6	12.7-20.5	7	0.9	00.0-01.9	6	1.8	00.0-03.6	1	0.8	00.0-02.4	11	2.6	00.8-04.4
College Graduate	853	550,759	715	77.3	73.2-81.4	117	18.6	14.7-22.5	4	0.8	00.0-01.8	7	1.6	00.4-02.8	1	0.5	00.0-01.5	9	1.3	00.3-02.3
Less than \$15,000	468	349,703	358	69.0	62.3-75.7	96	25.2	18.9-31.5	7	2.4	00.2-04.6	1	0.6	00.0-01.8				6	2.7	00.2-05.2
\$15,000- 24,999	579	459,968	472	72.3	66.4-78.2	92	22.3	16.8-27.8	3	1.1	00.0-02.7	3	0.7	00.0-01.5				9	3.6	00.7-06.5
\$25,000- 34,999	337	253,449	286	80.0	73.7-86.3	46	16.4	10.9-21.9	2	2.1	00.0-05.0	1	0.0	00.0-00.0	1	0.4	00.0-01.2	1	1.0	00.0-03.0
\$35,000- 49,999	339	282,689	280	77.6	70.9-84.3	50	18.4	12.1-24.7	4	1.3	00.0-02.7	2	1.0	00.0-02.4				3	1.8	00.0-04.3
\$50,000- 74,999	297	268,029	262	85.9	79.4-92.4	30	12.3	06.0-18.6				2	0.9	00.0-02.1				3	0.9	00.0-02.1
\$75,000+	451	424,239	404	84.8	79.5-90.1	37	10.1	06.2-14.0	3	0.6	00.0-01.4	3	1.9	00.0-04.4	2	2.1	00.0-05.2	2	0.5	00.0-01.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5092	5,020,237	4292	78.6	76.8-80.4	631	15.9	14.3-17.5	52	1.3	00.9-01.7	21	0.7	00.3-01.1	2	0.1	00.0-00.3	94	3.4	02.6-04.2
Male	1860	2,411,184	1592	79.4	76.7-82.1	193	15.1	12.6-17.6	26	1.5	00.7-02.3	7	0.5	00.1-00.9				42	3.5	02.1-04.9
Female	3232	2,609,053	2700	77.8	75.4-80.2	438	16.7	14.7-18.7	26	1.2	00.6-01.8	14	0.9	00.3-01.5	2	0.1	00.0-00.3	52	3.2	02.0-04.4
18-24	204	620,193	149	67.3	59.7-74.9	31	19.5	12.8-26.2	1	0.6	00.0-01.8	2	0.5	00.0-01.3				21	12.1	06.8-17.4
25-34	405	851,588	325	76.5	71.4-81.6	59	17.4	12.7-22.1	2	0.7	00.0-01.7	8	2.4	00.6-04.2	1	0.3	00.0-00.9	10	2.6	00.8-04.4
35-44	474	819,040	383	76.3	71.4-81.2	74	19.6	14.9-24.3	6	1.2	00.0-02.4	4	0.7	00.0-01.5				7	2.1	00.3-03.9
45-54	814	876,885	660	77.6	73.7-81.5	131	18.4	14.7-22.1	7	1.6	00.2-03.0	3	0.4	00.0-00.8	1	0.1	00.0-00.3	12	1.8	00.4-03.2
55-64	1153	826,048	966	81.8	78.7-84.9	150	13.5	11.0-16.0	16	1.7	00.7-02.7	2	0.2	00.0-00.4				19	2.8	01.0-04.6
65+	1986	995,910	1763	87.2	85.0-89.4	180	9.6	07.8-11.4	17	1.6	00.6-02.6	1	0.0	00.0-00.0				25	1.7	00.9-02.5
Less Than H.S.	643	798,146	538	81.3	76.4-86.2	81	12.8	08.5-17.1	13	2.8	01.0-04.6				1	0.1	00.0-00.3	10	3.0	00.5-05.5
H.S. or G.E.D.	1750	1,674,056	1474	78.5	75.4-81.6	233	17.1	14.2-20.0	17	1.0	00.4-01.6	1	0.1	00.0-00.3				25	3.4	01.8-05.0
Some Post-H.S.	1243	1,446,178	1036	76.3	72.8-79.8	153	16.8	13.7-19.9	14	1.4	00.4-02.4	6	1.0	00.0-02.0				34	4.5	02.7-06.3
College Graduate	1421	1,070,652	1213	79.8	76.7-82.9	162	15.3	12.4-18.2	7	0.6	00.0-01.2	14	2.0	00.8-03.2	1	0.3	00.0-00.9	24	2.1	00.9-03.3
Less than \$15,000	677	589,825	520	70.5	65.2-75.8	124	22.4	17.5-27.3	15	3.0	01.0-05.0	1	0.4	00.0-01.2				17	3.7	01.3-06.1
\$15,000- 24,999	863	818,623	703	72.2	67.3-77.1	125	20.8	16.1-25.5	9	1.7	00.3-03.1	3	0.4	00.0-00.8				23	4.9	02.5-07.3
\$25,000- 34,999	527	503,419	443	78.0	72.5-83.5	73	17.6	12.7-22.5	3	1.8	00.0-03.8	1	0.0	00.0-00.0	1	0.2	00.0-00.6	6	2.4	00.0-04.8
\$35,000- 49,999	606	634,140	514	78.2	72.9-83.5	74	16.9	12.0-21.8	3	0.4	00.0-01.0	3	0.6	00.0-01.4				12	3.8	01.3-06.3
\$50,000- 74,999	533	574,453	457	81.2	76.1-86.3	54	12.4	08.1-16.7	4	1.3	00.0-02.9	2	0.4	00.0-01.0				16	4.6	01.9-07.3
\$75,000+	830	940,322	750	86.3	82.8-89.8	58	9.4	06.5-12.3	5	0.5	00.1-00.9	8	1.8	00.4-03.2	1	0.3	00.0-00.9	8	1.6	00.0-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1860	2,411,184	1592	79.4	76.7-82.1	193	15.1	12.6-17.6	26	1.5	00.7-02.3	7	0.5	00.1-00.9	42	3.5	02.1-04.9
18-24	91	312,584	64	66.7	55.7-77.7	19	23.4	13.6-33.2							8	9.9	02.6-17.2
25-34	165	422,793	140	79.7	71.7-87.7	17	15.1	07.5-22.7	1	0.9	00.0-02.7	4	2.1	00.1-04.1	3	2.2	00.0-04.7
35-44	173	402,410	145	80.2	72.9-87.5	21	15.6	08.9-22.3	3	1.5	00.0-03.5	1	0.4	00.0-01.2	3	2.4	00.0-05.1
45-54	307	430,576	260	77.6	71.1-84.1	39	18.3	12.2-24.4	3	1.9	00.0-04.3	1	0.3	00.0-00.9	4	1.9	00.0-04.1
55-64	447	397,241	370	79.7	74.6-84.8	54	13.7	09.4-18.0	11	1.9	00.7-03.1	1	0.2	00.0-00.6	11	4.5	01.2-07.8
65+	664	437,194	601	88.6	85.3-91.9	42	6.9	04.4-09.4	8	2.2	00.4-04.0				13	2.2	00.8-03.6
Less Than H.S.	227	385,293	190	79.5	71.1-87.9	23	13.2	05.9-20.5	8	3.5	00.6-06.4				6	3.8	00.0-08.5
H.S. or G.E.D.	616	800,375	523	79.2	74.3-84.1	75	16.4	11.9-20.9	7	0.8	00.2-01.4				11	3.7	01.3-06.1
Some Post-H.S.	439	690,853	366	76.2	70.5-81.9	47	17.0	11.9-22.1	8	1.9	00.3-03.5				18	4.9	02.2-07.6
College Graduate	568	519,893	504	83.8	79.3-88.3	48	12.4	08.1-16.7	3	0.4	00.0-00.8	7	2.4	00.6-04.2	6	1.1	00.1-02.1
Less than \$15,000	209	240,122	164	74.2	65.6-82.8	29	18.4	10.6-26.2	8	3.8	00.3-07.3				8	3.6	00.1-07.1
\$15,000- 24,999	284	358,655	236	74.4	66.0-82.8	35	19.6	11.6-27.6	6	2.4	00.0-04.8				7	3.6	00.5-06.7
\$25,000- 34,999	190	249,970	159	76.7	67.9-85.5	27	18.8	10.8-26.8	1	1.4	00.0-04.1				3	3.1	00.0-07.2
\$35,000- 49,999	267	351,451	235	79.4	71.8-87.0	24	15.8	08.7-22.9	1	0.3	00.0-00.9	1	0.3	00.0-00.9	6	4.2	00.5-07.9
\$50,000- 74,999	236	306,424	198	78.6	71.3-85.9	24	12.6	06.7-18.5	4	2.5	00.0-05.4				10	6.3	01.8-10.8
\$75,000+	379	516,083	349	88.3	83.4-93.2	21	8.9	04.4-13.4	2	0.4	00.0-01.0	5	1.8	00.2-03.4	2	0.7	00.0-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3232	2,609,053	2700	77.8	75.4-80.2	438	16.7	14.7-18.7	26	1.2	00.6-01.8	14	0.9	00.3-01.5	2	0.1	00.0-00.3	52	3.2	02.0-04.4
18-24	113	307,609	85	67.9	57.3-78.5	12	15.5	06.7-24.3	1	1.2	00.0-03.6	2	1.1	00.0-02.7				13	14.3	06.7-21.9
25-34	240	428,795	185	73.4	66.7-80.1	42	19.6	13.7-25.5	1	0.6	00.0-01.8	4	2.8	00.0-05.9	1	0.7	00.0-02.1	7	3.0	00.5-05.5
35-44	301	416,630	238	72.6	65.9-79.3	53	23.5	17.0-30.0	3	1.0	00.0-02.2	3	1.1	00.0-02.3				4	1.8	00.0-03.8
45-54	507	446,309	400	77.6	72.9-82.3	92	18.5	14.2-22.8	4	1.3	00.0-02.9	2	0.6	00.0-01.4	1	0.2	00.0-00.6	8	1.7	00.3-03.1
55-64	706	428,807	596	83.6	80.1-87.1	96	13.4	10.3-16.5	5	1.5	00.0-03.1	1	0.2	00.0-00.6				8	1.3	00.3-02.3
65+	1322	558,716	1162	86.1	83.4-88.8	138	11.7	09.2-14.2	9	1.1	00.1-02.1	1	0.0	00.0-00.0				12	1.2	00.4-02.0
Less Than H.S.	416	412,853	348	83.0	77.5-88.5	58	12.5	07.6-17.4	5	2.1	00.1-04.1				1	0.3	00.0-00.9	4	2.2	00.0-04.6
H.S. or G.E.D.	1134	873,681	951	78.0	73.9-82.1	158	17.7	14.0-21.4	10	1.1	00.1-02.1	1	0.1	00.0-00.3				14	3.1	01.1-05.1
Some Post-H.S.	804	755,325	670	76.4	71.9-80.9	106	16.6	12.7-20.5	6	0.9	00.0-01.9	6	1.8	00.0-03.6				16	4.2	01.7-06.7
College Graduate	853	550,759	709	76.0	71.7-80.3	114	18.1	14.2-22.0	4	0.8	00.0-01.8	7	1.6	00.4-02.8	1	0.5	00.0-01.5	18	3.1	01.1-05.1
Less than \$15,000	468	349,703	356	67.9	61.2-74.6	95	25.2	18.9-31.5	7	2.4	00.2-04.6	1	0.6	00.0-01.8				9	3.8	00.7-06.9
\$15,000- 24,999	579	459,968	467	70.5	64.6-76.4	90	21.8	16.3-27.3	3	1.1	00.0-02.7	3	0.7	00.0-01.5				16	5.9	02.4-09.4
\$25,000- 34,999	337	253,449	284	79.3	73.0-85.6	46	16.4	10.9-21.9	2	2.1	00.0-05.0	1	0.0	00.0-00.0	1	0.4	00.0-01.2	3	1.7	00.0-03.9
\$35,000- 49,999	339	282,689	279	76.6	69.7-83.5	50	18.4	12.1-24.7	2	0.6	00.0-01.6	2	1.0	00.0-02.4				6	3.4	00.1-06.7
\$50,000- 74,999	297	268,029	259	84.1	77.4-90.8	30	12.3	06.0-18.6				2	0.9	00.0-02.1				6	2.7	00.3-05.1
\$75,000+	451	424,239	401	84.0	78.7-89.3	37	10.1	06.2-14.0	3	0.6	00.0-01.4	3	1.9	00.0-04.4	1	0.7	00.0-02.1	6	2.7	00.0-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (\_RACE).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5028	4,877,160	4255	79.1	77.3-80.9	627	16.3	14.7-17.9	51	1.3	00.9-01.7	20	0.7	00.3-01.1	2	0.1	00.0-00.3	73	2.5	01.7-03.3
Male	1830	2,325,552	1572	79.8	76.9-82.7	193	15.6	13.1-18.1	26	1.5	00.7-02.3	7	0.5	00.1-00.9				32	2.5	01.3-03.7
Female	3198	2,551,608	2683	78.5	76.1-80.9	434	17.0	15.0-19.0	25	1.0	00.4-01.6	13	0.9	00.3-01.5	2	0.2	00.0-00.4	41	2.5	01.5-03.5
18-24	187	566,168	141	69.1	61.1-77.1	31	21.4	14.3-28.5				2	0.6	00.0-01.4				13	9.0	03.9-14.1
25-34	387	807,671	314	76.8	71.5-82.1	58	18.1	13.2-23.0	2	0.8	00.0-02.0	8	2.6	00.6-04.6	1	0.3	00.0-00.9	4	1.4	00.0-02.8
35-44	468	799,906	379	76.3	71.2-81.4	74	20.1	15.2-25.0	6	1.3	00.1-02.5	4	0.7	00.0-01.5				5	1.6	00.2-03.0
45-54	804	862,963	654	78.1	74.2-82.0	130	18.6	14.9-22.3	7	1.6	00.2-03.0	2	0.3	00.0-00.7	1	0.1	00.0-00.3	10	1.3	00.3-02.3
55-64	1150	823,818	964	81.8	78.7-84.9	149	13.5	11.0-16.0	16	1.7	00.7-02.7	2	0.2	00.0-00.4				19	2.8	01.0-04.6
65+	1976	986,060	1757	87.5	85.3-89.7	179	9.7	07.9-11.5	17	1.6	00.6-02.6	1	0.0	00.0-00.0				22	1.3	00.7-01.9
Less Than H.S.	636	770,258	533	81.3	76.2-86.4	81	13.3	08.8-17.8	13	2.9	01.1-04.7				1	0.1	00.0-00.3	8	2.4	00.0-04.8
H.S. or G.E.D.	1727	1,623,919	1459	79.1	76.0-82.2	232	17.6	14.7-20.5	16	0.8	00.4-01.2	1	0.1	00.0-00.3				19	2.5	01.1-03.9
Some Post-H.S.	1222	1,398,869	1028	77.5	74.0-81.0	152	17.2	13.9-20.5	14	1.4	00.4-02.4	5	0.9	00.0-01.9				23	2.9	01.3-04.5
College Graduate	1410	1,057,891	1205	79.8	76.7-82.9	160	15.4	12.5-18.3	7	0.6	00.0-01.2	14	2.0	00.8-03.2	1	0.3	00.0-00.9	23	2.0	00.8-03.2
Less than \$15,000	666	564,745	514	70.7	65.2-76.2	124	23.4	18.3-28.5	15	3.1	01.1-05.1	1	0.4	00.0-01.2				12	2.3	00.3-04.3
\$15,000- 24,999	844	773,598	694	73.5	68.4-78.6	123	21.7	16.8-26.6	8	1.3	00.1-02.5	2	0.3	00.0-00.7				17	3.3	01.3-05.3
\$25,000- 34,999	520	483,874	440	79.3	74.0-84.6	72	18.2	13.1-23.3	3	1.8	00.0-04.0	1	0.0	00.0-00.0	1	0.2	00.0-00.6	3	0.4	00.0-01.0
\$35,000- 49,999	603	627,280	513	78.8	73.7-83.9	74	17.1	12.2-22.0	3	0.5	00.0-01.1	3	0.6	00.0-01.4				10	3.0	00.8-05.2
\$50,000- 74,999	528	564,957	455	81.6	76.5-86.7	54	12.6	08.3-16.9	4	1.4	00.0-03.0	2	0.4	00.0-01.0				13	4.0	01.5-06.5
\$75,000+	826	934,903	746	86.3	82.8-89.8	58	9.5	06.4-12.6	5	0.5	00.1-00.9	8	1.8	00.4-03.2	1	0.3	00.0-00.9	8	1.6	00.0-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (\_RACE).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	2,325,552	1572	79.8	77.1-82.5	193	15.6	13.1-18.1	26	1.5	00.7-02.3	7	0.5	00.1-00.9	32	2.5	01.3-03.7
18-24	81	280,034	59	67.9	56.3-79.5	19	26.1	15.3-36.9							3	6.0	00.0-12.9
25-34	156	396,051	133	79.9	71.7-88.1	17	16.1	08.1-24.1	1	0.9	00.0-02.7	4	2.2	00.0-04.4	1	0.8	00.0-02.4
35-44	171	390,741	143	79.6	72.2-87.0	21	16.1	09.2-23.0	3	1.5	00.0-03.5	1	0.4	00.0-01.2	3	2.5	00.0-05.2
45-54	304	424,061	258	78.2	71.7-84.7	39	18.6	12.5-24.7	3	1.9	00.0-04.3	1	0.3	00.0-00.9	3	1.0	00.0-02.4
55-64	446	396,486	369	79.7	74.6-84.8	54	13.7	09.4-18.0	11	1.9	00.7-03.1	1	0.2	00.0-00.6	11	4.5	01.2-07.8
65+	659	429,793	598	89.1	86.0-92.2	42	7.0	04.5-09.5	8	2.3	00.5-04.1				11	1.6	00.4-02.8
Less Than H.S.	223	367,625	187	78.7	70.1-87.3	23	13.9	06.5-21.3	8	3.6	00.5-06.7				5	3.7	00.0-08.6
H.S. or G.E.D.	609	776,249	519	79.7	74.8-84.6	75	16.9	12.2-21.6	7	0.8	00.0-01.6				8	2.6	00.6-04.6
Some Post-H.S.	428	660,727	360	77.3	71.6-83.0	47	17.8	12.5-23.1	8	2.0	00.2-03.8				13	3.0	00.8-05.2
College Graduate	562	511,163	498	83.5	79.0-88.0	48	12.6	08.3-16.9	3	0.4	00.0-00.8	7	2.4	00.6-04.2	6	1.1	00.0-02.3
Less than \$15,000	204	224,047	162	75.3	66.5-84.1	29	19.7	11.5-27.9	8	4.1	00.4-07.8				5	0.8	00.0-01.6
\$15,000- 24,999	275	330,980	230	74.9	66.3-83.5	35	21.2	12.6-29.8	6	2.6	00.1-05.1				4	1.3	00.0-02.9
\$25,000- 34,999	186	235,769	157	78.4	69.8-87.0	27	19.9	11.5-28.3	1	1.5	00.0-04.4				1	0.1	00.0-00.3
\$35,000- 49,999	266	349,429	235	79.9	72.3-87.5	24	15.9	08.6-23.2	1	0.3	00.0-00.9	1	0.3	00.0-00.9	5	3.6	00.1-07.1
\$50,000- 74,999	234	301,235	197	78.9	71.5-86.3	24	12.8	06.7-18.9	4	2.6	00.0-05.5				9	5.7	01.2-10.2
\$75,000+	376	510,834	346	88.2	83.3-93.1	21	9.0	04.5-13.5	2	0.4	00.0-01.0	5	1.8	00.2-03.4	2	0.7	00.0-01.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (\_RACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3198	2,551,608	2683	78.5	76.3-80.7	434	17.0	15.0-19.0	25	1.0	00.4-01.6	13	0.9	00.3-01.5	2	0.2	00.0-00.4	41	2.5	01.5-03.5
18-24	106	286,134	82	70.2	59.4-81.0	12	16.7	07.3-26.1				2	1.2	00.0-03.0				10	11.9	04.6-19.2
25-34	231	411,620	181	73.9	67.0-80.8	41	20.0	13.9-26.1	1	0.6	00.0-01.8	4	2.9	00.0-06.0	1	0.7	00.0-02.1	3	1.9	00.0-04.1
35-44	297	409,165	236	73.2	66.5-79.9	53	23.9	17.2-30.6	3	1.0	00.0-02.4	3	1.1	00.0-02.3				2	0.8	00.0-02.0
45-54	500	438,902	396	78.0	73.3-82.7	91	18.7	14.4-23.0	4	1.3	00.0-02.9	1	0.3	00.0-00.9	1	0.2	00.0-00.6	7	1.5	00.1-02.9
55-64	704	427,332	595	83.7	80.2-87.2	95	13.3	10.2-16.4	5	1.5	00.0-03.1	1	0.2	00.0-00.6				8	1.3	00.3-02.3
65+	1317	556,268	1159	86.3	83.6-89.0	137	11.7	09.2-14.2	9	1.1	00.1-02.1	1	0.0	00.0-00.0				11	1.0	00.2-01.8
Less Than H.S.	413	402,633	346	83.7	78.2-89.2	58	12.8	07.9-17.7	5	2.1	00.0-04.3				1	0.3	00.0-00.9	3	1.1	00.0-02.5
H.S. or G.E.D.	1118	847,670	940	78.4	74.3-82.5	157	18.2	14.3-22.1	9	0.7	00.1-01.3	1	0.1	00.0-00.3				11	2.5	00.7-04.3
Some Post-H.S.	794	738,142	668	77.7	73.2-82.2	105	16.8	12.9-20.7	6	0.9	00.0-01.9	5	1.7	00.0-03.5				10	2.9	00.5-05.3
College Graduate	848	546,727	707	76.2	71.9-80.5	112	18.0	14.1-21.9	4	0.8	00.0-01.8	7	1.6	00.2-03.0	1	0.5	00.0-01.5	17	2.9	00.9-04.9
Less than \$15,000	462	340,698	352	67.7	60.8-74.6	95	25.9	19.4-32.4	7	2.5	00.1-04.9	1	0.6	00.0-01.8				7	3.3	00.2-06.4
\$15,000- 24,999	569	442,618	464	72.4	66.5-78.3	88	22.0	16.5-27.5	2	0.3	00.0-00.7	2	0.5	00.0-01.1				13	4.8	01.5-08.1
\$25,000- 34,999	334	248,105	283	80.1	74.0-86.2	45	16.6	11.1-22.1	2	2.2	00.0-05.1	1	0.0	00.0-00.0	1	0.4	00.0-01.2	2	0.7	00.0-01.7
\$35,000- 49,999	337	277,850	278	77.5	70.8-84.2	50	18.7	12.2-25.2	2	0.7	00.0-01.7	2	1.0	00.0-02.4				5	2.2	00.0-04.6
\$50,000- 74,999	294	263,722	258	84.6	77.9-91.3	30	12.5	06.0-19.0				2	0.9	00.0-02.3				4	2.0	00.0-04.2
\$75,000+	450	424,070	400	84.0	78.7-89.3	37	10.1	06.2-14.0	3	0.6	00.0-01.4	3	1.9	00.0-04.4	1	0.7	00.0-02.1	6	2.7	00.0-05.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5089	5,024,913	4255	76.8	75.0-78.6	834	23.2	21.4-25.0
Male	1860	2,416,427	1572	76.8	73.9-79.7	288	23.2	20.3-26.1
Female	3229	2,608,485	2683	76.8	74.4-79.2	546	23.2	20.8-25.6
18-24	205	622,170	141	62.8	55.0-70.6	64	37.2	29.4-45.0
25-34	403	849,393	314	73.1	67.6-78.6	89	26.9	21.4-32.4
35-44	477	825,682	379	73.9	68.6-79.2	98	26.1	20.8-31.4
45-54	814	879,833	654	76.6	72.7-80.5	160	23.4	19.5-27.3
55-64	1152	825,292	964	81.6	78.5-84.7	188	18.4	15.3-21.5
65+	1982	991,969	1757	87.0	84.8-89.2	225	13.0	10.8-15.2
Less Than H.S.	643	798,749	533	78.4	72.9-83.9	110	21.6	16.1-27.1
H.S. or G.E.D.	1747	1,676,797	1459	76.6	73.3-79.9	288	23.4	20.1-26.7
Some Post-H.S.	1241	1,443,414	1028	75.1	71.4-78.8	213	24.9	21.2-28.6
College Graduate	1423	1,074,747	1205	78.5	75.4-81.6	218	21.5	18.4-24.6
Less than \$15,000	676	589,665	514	67.7	62.2-73.2	162	32.3	26.8-37.8
\$15,000- 24,999	862	820,037	694	69.3	64.2-74.4	168	30.7	25.6-35.8
\$25,000- 34,999	528	504,622	440	76.0	70.3-81.7	88	24.0	18.3-29.7
\$35,000- 49,999	607	636,575	513	77.7	72.4-83.0	94	22.3	17.0-27.6
\$50,000- 74,999	533	574,453	455	80.2	75.1-85.3	78	19.8	14.7-24.9
\$75,000+	831	941,253	746	85.7	82.0-89.4	85	14.3	10.6-18.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1860	2,416,427	1572	76.8	73.9-79.7	288	23.2	20.3-26.1
18-24	92	314,561	59	60.4	49.0-71.8	33	39.6	28.2-51.0
25-34	164	422,319	133	74.9	66.5-83.3	31	25.1	16.7-33.5
35-44	175	408,122	143	76.2	68.2-84.2	32	23.8	15.8-31.8
45-54	308	433,011	258	76.5	70.0-83.0	50	23.5	17.0-30.0
55-64	446	396,486	369	79.7	74.6-84.8	77	20.3	15.2-25.4
65+	662	433,543	598	88.3	85.0-91.6	64	11.7	08.4-15.0
Less Than H.S.	227	385,896	187	75.0	65.8-84.2	40	25.0	15.8-34.2
H.S. or G.E.D.	616	804,128	519	77.0	71.9-82.1	97	23.0	17.9-28.1
Some Post-H.S.	438	688,576	360	74.2	68.5-79.9	78	25.8	20.1-31.5
College Graduate	569	523,057	498	81.6	76.9-86.3	71	18.4	13.7-23.1
Less than \$15,000	209	240,122	162	70.3	60.9-79.7	47	29.7	20.3-39.1
\$15,000- 24,999	284	361,790	230	68.5	59.5-77.5	54	31.5	22.5-40.5
\$25,000- 34,999	191	251,173	157	73.6	64.4-82.8	34	26.4	17.2-35.6
\$35,000- 49,999	268	353,886	235	78.9	71.3-86.5	33	21.1	13.5-28.7
\$50,000- 74,999	236	306,424	197	77.6	70.2-85.0	39	22.4	15.0-29.8
\$75,000+	379	516,083	346	87.3	82.4-92.2	33	12.7	07.8-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3229	2,608,485	2683	76.8	74.4-79.2	546	23.2	20.8-25.6
18-24	113	307,609	82	65.3	54.7-75.9	31	34.7	24.1-45.3
25-34	239	427,073	181	71.2	64.3-78.1	58	28.8	21.9-35.7
35-44	302	417,560	236	71.7	65.0-78.4	66	28.3	21.6-35.0
45-54	506	446,822	396	76.6	71.7-81.5	110	23.4	18.5-28.3
55-64	706	428,807	595	83.4	79.9-86.9	111	16.6	13.1-20.1
65+	1320	558,426	1159	85.9	83.2-88.6	161	14.1	11.4-16.8
Less Than H.S.	416	412,853	346	81.6	75.7-87.5	70	18.4	12.5-24.3
H.S. or G.E.D.	1131	872,669	940	76.2	72.1-80.3	191	23.8	19.7-27.9
Some Post-H.S.	803	754,838	668	76.0	71.5-80.5	135	24.0	19.5-28.5
College Graduate	854	551,690	707	75.6	71.3-79.9	147	24.4	20.1-28.7
Less than \$15,000	467	349,543	352	66.0	59.1-72.9	115	34.0	27.1-40.9
\$15,000- 24,999	578	458,247	464	69.9	63.8-76.0	114	30.1	24.0-36.2
\$25,000- 34,999	337	253,449	283	78.4	72.1-84.7	54	21.6	15.3-27.9
\$35,000- 49,999	339	282,689	278	76.2	69.3-83.1	61	23.8	16.9-30.7
\$50,000- 74,999	297	268,029	258	83.3	76.4-90.2	39	16.7	09.8-23.6
\$75,000+	452	425,170	400	83.8	78.5-89.1	52	16.2	10.9-21.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS  
 TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5089	5,024,913	4255	76.8	75.0-78.6	627	15.9	14.3-17.5	97	2.5	01.9-03.1	49	1.9	01.1-02.7	61	2.9	02.1-03.7
Male	1860	2,416,427	1572	76.8	73.9-79.7	193	15.0	12.5-17.5	41	2.3	01.5-03.1	24	2.1	00.9-03.3	30	3.8	02.2-05.4
Female	3229	2,608,485	2683	76.8	74.4-79.2	434	16.6	14.6-18.6	56	2.8	01.8-03.8	25	1.6	00.8-02.4	31	2.2	01.2-03.2
18-24	205	622,170	141	62.8	55.0-70.6	31	19.4	12.7-26.1	5	2.3	00.1-04.5	10	6.4	02.1-10.7	18	9.0	04.7-13.3
25-34	403	849,393	314	73.1	67.6-78.6	58	17.2	12.5-21.9	12	3.9	01.5-06.3	3	0.9	00.0-01.9	16	4.9	02.4-07.4
35-44	477	825,682	379	73.9	68.6-79.2	74	19.5	14.8-24.2	10	1.9	00.5-03.3	5	1.6	00.2-03.0	9	3.1	00.4-05.8
45-54	814	879,833	654	76.6	72.7-80.5	130	18.3	14.6-22.0	13	2.4	00.8-04.0	7	0.8	00.0-01.6	10	1.9	00.5-03.3
55-64	1152	825,292	964	81.6	78.5-84.7	149	13.5	11.0-16.0	24	2.3	01.1-03.5	13	2.4	00.8-04.0	2	0.2	00.0-00.4
65+	1982	991,969	1757	87.0	84.8-89.2	179	9.6	07.8-11.4	29	2.2	01.2-03.2	11	0.6	00.2-01.0	6	0.6	00.0-01.2
Less Than H.S.	643	798,749	533	78.4	72.9-83.9	81	12.8	08.5-17.1	17	3.2	01.4-05.0	5	2.0	00.0-04.4	7	3.6	00.5-06.7
H.S. or G.E.D.	1747	1,676,797	1459	76.6	73.3-79.9	232	17.0	14.1-19.9	23	1.5	00.5-02.5	13	1.7	00.7-02.7	20	3.2	01.6-04.8
Some Post-H.S.	1241	1,443,414	1028	75.1	71.4-78.8	152	16.7	13.6-19.8	25	2.8	01.4-04.2	17	2.3	00.9-03.7	19	3.1	01.5-04.7
College Graduate	1423	1,074,747	1205	78.5	75.4-81.6	160	15.1	12.2-18.0	31	3.3	01.9-04.7	14	1.5	00.5-02.5	13	1.6	00.6-02.6
Less than \$15,000	676	589,665	514	67.7	62.2-73.2	124	22.4	17.5-27.3	20	3.8	01.6-06.0	8	1.8	00.0-03.6	10	4.2	01.3-07.1
\$15,000- 24,999	862	820,037	694	69.3	64.2-74.4	123	20.5	15.8-25.2	16	2.6	01.0-04.2	11	2.0	00.4-03.6	18	5.7	02.6-08.8
\$25,000- 34,999	528	504,622	440	76.0	70.3-81.7	72	17.4	12.5-22.3	5	2.0	00.0-04.0	3	0.4	00.0-01.0	8	4.1	01.0-07.2
\$35,000- 49,999	607	636,575	513	77.7	72.4-83.0	74	16.9	12.0-21.8	9	1.3	00.3-02.3	7	2.7	00.5-04.9	4	1.5	00.0-03.1
\$50,000- 74,999	533	574,453	455	80.2	75.1-85.3	54	12.4	08.1-16.7	10	2.6	00.6-04.6	9	3.0	00.6-05.4	5	1.7	00.1-03.3
\$75,000+	831	941,253	746	85.7	82.0-89.4	58	9.4	06.5-12.3	16	2.8	01.2-04.4	6	1.4	00.0-03.0	5	0.7	00.0-01.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1860	2,416,427	1572	76.8	73.9-79.7	193	15.0	12.5-17.5	41	2.3	01.5-03.1	24	2.1	00.9-03.3	30	3.8	02.2-05.4
18-24	92	314,561	59	60.4	49.0-71.8	19	23.2	13.4-33.0				3	5.3	00.0-11.4	11	11.0	03.9-18.1
25-34	164	422,319	133	74.9	66.5-83.3	17	15.1	07.5-22.7	6	3.7	00.6-06.8				8	6.2	01.7-10.7
35-44	175	408,122	143	76.2	68.2-84.2	21	15.4	08.7-22.1	4	1.8	00.0-03.8	3	2.4	00.0-05.1	4	4.3	00.0-09.2
45-54	308	433,011	258	76.5	70.0-83.0	39	18.2	12.1-24.3	4	2.1	00.0-04.5	3	1.0	00.0-02.4	4	2.1	00.0-04.3
55-64	446	396,486	369	79.7	74.6-84.8	54	13.7	09.4-18.0	14	2.4	01.0-03.8	9	4.2	00.9-07.5			
65+	662	433,543	598	88.3	85.0-91.6	42	7.0	04.5-09.5	13	2.9	01.1-04.7	6	0.9	00.0-01.9	3	0.9	00.0-01.9
Less Than H.S.	227	385,896	187	75.0	65.8-84.2	23	13.2	05.9-20.5	10	3.7	00.8-06.6	3	3.3	00.0-08.0	4	4.7	00.0-10.4
H.S. or G.E.D.	616	804,128	519	77.0	71.9-82.1	75	16.3	11.8-20.8	9	1.3	00.3-02.3	6	2.0	00.2-03.8	7	3.5	00.8-06.2
Some Post-H.S.	438	688,576	360	74.2	68.5-79.9	47	17.0	11.9-22.1	10	2.1	00.5-03.7	11	2.7	00.7-04.7	10	4.0	01.5-06.5
College Graduate	569	523,057	498	81.6	76.9-86.3	48	12.3	08.2-16.4	12	3.0	01.0-05.0	4	0.8	00.0-01.8	7	2.3	00.5-04.1
Less than \$15,000	209	240,122	162	70.3	60.9-79.7	29	18.4	10.6-26.2	10	4.2	00.7-07.7	3	0.4	00.0-01.0	5	6.7	00.2-13.2
\$15,000- 24,999	284	361,790	230	68.5	59.5-77.5	35	19.4	11.4-27.4	7	2.6	00.2-05.0	3	0.9	00.0-02.3	9	8.5	02.2-14.8
\$25,000- 34,999	191	251,173	157	73.6	64.4-82.8	27	18.7	10.7-26.7	1	1.4	00.0-04.1	1	0.1	00.0-00.3	5	6.1	00.6-11.6
\$35,000- 49,999	268	353,886	235	78.9	71.3-86.5	24	15.7	08.6-22.8	3	0.7	00.0-01.5	4	3.5	00.0-07.0	2	1.3	00.0-03.1
\$50,000- 74,999	236	306,424	197	77.6	70.2-85.0	24	12.6	06.7-18.5	7	4.0	00.5-07.5	6	4.2	00.3-08.1	2	1.7	00.0-04.1
\$75,000+	379	516,083	346	87.3	82.4-92.2	21	8.9	04.4-13.4	7	2.1	00.3-03.9	2	0.7	00.0-01.7	3	1.0	00.0-02.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3229	2,608,485	2683	76.8	74.4-79.2	434	16.6	14.6-18.6	56	2.8	01.8-03.8	25	1.6	00.8-02.4	31	2.2	01.2-03.2
18-24	113	307,609	82	65.3	54.7-75.9	12	15.5	06.7-24.3	5	4.6	00.3-08.9	7	7.5	01.6-13.4	7	7.0	01.7-12.3
25-34	239	427,073	181	71.2	64.3-78.1	41	19.3	13.4-25.2	6	4.0	00.5-07.5	3	1.9	00.0-04.1	8	3.6	00.9-06.3
35-44	302	417,560	236	71.7	65.0-78.4	53	23.4	16.9-29.9	6	2.1	00.3-03.9	2	0.8	00.0-02.0	5	2.0	00.0-04.0
45-54	506	446,822	396	76.6	71.7-81.5	91	18.3	14.0-22.6	9	2.6	00.6-04.6	4	0.6	00.0-01.6	6	1.8	00.2-03.4
55-64	706	428,807	595	83.4	79.9-86.9	95	13.3	10.2-16.4	10	2.1	00.3-03.9	4	0.8	00.0-01.6	2	0.3	00.0-00.9
65+	1320	558,426	1159	85.9	83.2-88.6	137	11.6	09.1-14.1	16	1.6	00.6-02.6	5	0.4	00.0-00.8	3	0.4	00.0-01.0
Less Than H.S.	416	412,853	346	81.6	75.7-87.5	58	12.5	07.6-17.4	7	2.8	00.6-05.0	2	0.7	00.0-01.7	3	2.5	00.0-05.4
H.S. or G.E.D.	1131	872,669	940	76.2	72.1-80.3	157	17.7	14.0-21.4	14	1.8	00.4-03.2	7	1.5	00.3-02.7	13	2.9	01.1-04.7
Some Post-H.S.	803	754,838	668	76.0	71.5-80.5	105	16.4	12.5-20.3	15	3.4	01.2-05.6	6	2.0	00.0-04.0	9	2.2	00.6-03.8
College Graduate	854	551,690	707	75.6	71.3-79.9	112	17.8	13.9-21.7	19	3.5	01.5-05.5	10	2.2	00.4-04.0	6	0.9	00.1-01.7
Less than \$15,000	467	349,543	352	66.0	59.1-72.9	95	25.2	18.9-31.5	10	3.6	00.9-06.3	5	2.7	00.0-05.6	5	2.5	00.1-04.9
\$15,000- 24,999	578	458,247	464	69.9	63.8-76.0	88	21.3	15.8-26.8	9	2.5	00.1-04.9	8	2.8	00.4-05.2	9	3.4	00.7-06.1
\$25,000- 34,999	337	253,449	283	78.4	72.1-84.7	45	16.2	10.7-21.7	4	2.6	00.0-05.5	2	0.7	00.0-01.7	3	2.1	00.0-04.6
\$35,000- 49,999	339	282,689	278	76.2	69.3-83.1	50	18.4	12.1-24.7	6	2.1	00.3-03.9	3	1.6	00.0-03.8	2	1.7	00.0-04.2
\$50,000- 74,999	297	268,029	258	83.3	76.4-90.2	30	12.3	06.0-18.6	3	1.1	00.0-02.5	3	1.7	00.0-03.9	3	1.6	00.0-03.6
\$75,000+	452	425,170	400	83.8	78.5-89.1	37	10.1	06.4-13.8	9	3.7	00.8-06.6	4	2.2	00.0-05.1	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
 Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5075	5,029,577	392	20.6	18.6-22.6	438	16.3	14.7-17.9	615	16.9	15.3-18.5	1014	18.0	16.6-19.4	1228	14.7	13.7-15.7	1388	13.5	12.5-14.5
Male	1865	2,430,137	178	22.6	19.5-25.7	164	15.7	13.2-18.2	227	17.9	15.2-20.6	391	17.7	15.5-19.9	461	14.3	12.7-15.9	444	11.8	10.4-13.2
Female	3210	2,599,440	214	18.8	16.3-21.3	274	16.9	14.7-19.1	388	15.9	14.1-17.7	623	18.4	16.6-20.2	767	15.0	13.6-16.4	944	15.0	13.8-16.2
White/Non-Hisp	4209	3,832,233	285	18.0	15.8-20.2	337	15.2	13.4-17.0	493	17.0	15.2-18.8	826	18.7	17.1-20.3	1045	16.0	14.8-17.2	1223	15.2	14.0-16.4
Black or Afr. Am./Non-Hisp	621	795,273	55	23.3	17.6-29.0	69	21.0	15.7-26.3	97	19.2	14.9-23.5	141	16.5	12.8-20.2	144	12.0	09.3-14.7	115	8.0	05.8-10.2
Oth. Race/Non-Hisp.	93	124,683	8	17.7	06.3-29.1	15	28.0	15.1-40.9	9	10.8	03.2-18.4	23	22.4	12.0-32.8	20	10.5	04.8-16.2	18	10.5	04.2-16.8
Hispanic	61	147,753	29	58.4	43.5-73.3	9	13.1	04.5-21.7	8	15.9	02.8-29.0	8	8.0	01.1-14.9	2	1.3	00.0-03.1	5	3.3	00.0-06.8
Less Than H.S.	649	801,608	26	14.3	08.6-20.0	35	13.4	08.3-18.5	59	14.5	10.2-18.8	117	20.7	16.4-25.0	149	15.7	12.4-19.0	263	21.4	17.9-24.9
H.S. or G.E.D.	1749	1,677,215	151	25.2	21.5-28.9	128	13.1	10.7-15.5	204	16.4	13.7-19.1	358	18.0	15.6-20.4	410	14.5	12.7-16.3	498	12.9	11.3-14.5
Some Post-H.S.	1239	1,450,068	124	23.0	19.3-26.7	127	19.3	16.0-22.6	142	15.5	12.4-18.6	245	16.8	14.3-19.3	292	14.2	12.2-16.2	309	11.3	09.7-12.9
College Graduate	1406	1,069,484	88	14.9	12.0-17.8	144	19.0	15.9-22.1	203	21.2	18.1-24.3	291	18.2	15.8-20.6	372	15.1	13.1-17.1	308	11.5	09.9-13.1
Less than \$15,000	678	588,939	53	23.0	17.1-28.9	53	16.7	12.0-21.4	79	17.3	13.0-21.6	149	18.6	14.9-22.3	155	12.8	10.1-15.5	189	11.5	09.1-13.9
\$15,000- 24,999	866	824,166	72	20.2	15.7-24.7	70	15.2	10.9-19.5	86	16.0	11.7-20.3	148	16.6	13.5-19.7	203	15.3	12.6-18.0	287	16.6	13.9-19.3
\$25,000- 34,999	529	505,230	45	22.2	15.7-28.7	49	16.4	11.7-21.1	43	10.4	06.7-14.1	87	18.5	13.4-23.6	133	14.8	11.5-18.1	172	17.6	14.1-21.1
\$35,000- 49,999	603	639,429	57	26.8	20.5-33.1	49	13.3	09.4-17.2	77	14.1	10.6-17.6	110	15.4	11.9-18.9	175	18.2	14.7-21.7	135	12.1	09.6-14.6
\$50,000- 74,999	531	573,207	29	15.0	09.5-20.5	57	20.0	14.7-25.3	79	19.7	14.8-24.6	124	20.6	16.3-24.9	132	14.3	11.2-17.4	110	10.4	07.9-12.9
\$75,000+	832	943,447	42	11.7	07.8-15.6	99	20.3	16.0-24.6	168	27.1	22.6-31.6	235	23.1	19.6-26.6	187	12.3	10.1-14.5	101	5.5	04.1-06.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1865	2,430,137	178	22.6	19.5-25.7	164	15.7	13.2-18.2	227	17.9	15.2-20.6	391	17.7	15.5-19.9	461	14.3	12.7-15.9	444	11.8	10.4-13.2
White/Non-Hisp	1560	1,847,631	126	19.2	15.9-22.5	129	15.3	12.6-18.0	194	18.8	15.9-21.7	320	17.8	15.4-20.2	391	15.2	13.4-17.0	400	13.6	11.8-15.4
Black or Afr. Am./Non-Hisp	192	363,364	28	29.2	19.8-38.6	20	17.8	09.4-26.2	26	17.7	10.6-24.8	48	17.9	11.4-24.4	46	12.0	07.3-16.7	24	5.3	02.6-08.0
Less Than H.S.	231	389,392	10	14.6	05.6-23.6	15	16.0	07.2-24.8	21	14.8	07.7-21.9	52	20.2	13.9-26.5	56	15.9	10.6-21.2	77	18.5	13.2-23.8
H.S. or G.E.D.	616	803,952	69	28.0	22.3-33.7	46	11.1	07.6-14.6	84	19.4	14.9-23.9	139	18.3	14.6-22.0	151	13.6	10.9-16.3	127	9.5	07.3-11.7
Some Post-H.S.	441	696,162	61	27.0	20.9-33.1	50	19.3	14.0-24.6	49	15.9	10.4-21.4	82	15.1	11.0-19.2	108	13.6	10.5-16.7	91	9.0	06.6-11.4
College Graduate	566	524,156	35	13.6	09.3-17.9	52	17.7	13.0-22.4	71	20.4	15.5-25.3	116	18.8	15.1-22.5	144	15.2	12.3-18.1	148	14.2	11.5-16.9
Less than \$15,000	210	240,076	20	25.6	15.4-35.8	16	16.2	08.2-24.2	24	15.8	08.9-22.7	62	22.6	15.5-29.7	48	11.8	07.3-16.3	40	8.1	04.8-11.4
\$15,000- 24,999	284	361,717	32	21.6	14.3-28.9	23	14.6	07.2-22.0	33	18.9	10.7-27.1	56	15.6	10.5-20.7	73	16.5	11.6-21.4	67	12.7	08.6-16.8
\$25,000- 34,999	192	252,026	23	29.8	19.2-40.4	15	12.7	06.0-19.4	12	6.3	02.2-10.4	36	19.6	11.8-27.4	51	15.5	10.2-20.8	55	16.0	10.5-21.5
\$35,000- 49,999	267	358,246	33	32.7	23.5-41.9	20	11.1	05.8-16.4	25	11.1	06.4-15.8	45	15.4	10.3-20.5	72	16.2	11.3-21.1	72	13.5	09.6-17.4
\$50,000- 74,999	237	306,808	11	13.1	05.8-20.4	24	18.4	11.3-25.5	36	24.0	16.2-31.8	49	18.5	12.6-24.4	52	12.0	08.1-15.9	65	14.1	09.8-18.4
\$75,000+	380	518,787	19	9.8	05.3-14.3	41	20.3	13.8-26.8	74	29.9	22.8-37.0	100	22.0	16.9-27.1	91	12.0	08.9-15.1	55	6.0	04.0-08.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3210	2,599,440	214	18.8	16.3-21.3	274	16.9	14.7-19.1	388	15.9	14.1-17.7	623	18.4	16.6-20.2	767	15.0	13.6-16.4	944	15.0	13.8-16.2
White/Non-Hisp	2649	1,984,602	159	16.8	14.1-19.5	208	15.1	12.9-17.3	299	15.2	13.2-17.2	506	19.5	17.5-21.5	654	16.7	15.1-18.3	823	16.7	15.3-18.1
Black or Afr. Am./Non-Hisp	429	431,909	27	18.3	11.4-25.2	49	23.7	17.0-30.4	71	20.4	15.1-25.7	93	15.4	11.3-19.5	98	12.0	08.9-15.1	91	10.3	07.2-13.4
Oth. Race/Non-Hisp.	52	70,029	6	22.9	06.2-39.6	7	25.4	07.6-43.2	8	17.9	05.0-30.8	12	19.5	07.2-31.8	9	7.5	01.6-13.4	10	6.8	00.1-13.5
Less Than H.S.	418	412,216	16	14.0	07.1-20.9	20	11.0	05.9-16.1	38	14.2	08.9-19.5	65	21.2	15.1-27.3	93	15.4	11.3-19.5	186	24.1	19.4-28.8
H.S. or G.E.D.	1133	873,263	82	22.6	17.5-27.7	82	14.9	11.6-18.2	120	13.6	10.9-16.3	219	17.6	14.7-20.5	259	15.4	13.0-17.8	371	15.9	13.7-18.1
Some Post-H.S.	798	753,906	63	19.2	14.7-23.7	77	19.4	14.9-23.9	93	15.0	11.7-18.3	163	18.3	15.2-21.4	184	14.7	12.2-17.2	218	13.4	11.0-15.8
College Graduate	840	545,328	53	16.1	12.0-20.2	92	20.2	16.1-24.3	132	22.0	18.1-25.9	175	17.7	14.8-20.6	228	15.0	12.6-17.4	160	9.0	07.2-10.8
Less than \$15,000	468	348,863	33	21.2	14.3-28.1	37	17.0	11.3-22.7	55	18.4	12.7-24.1	87	15.9	11.6-20.2	107	13.5	10.0-17.0	149	13.9	10.8-17.0
\$15,000- 24,999	582	462,449	40	19.1	13.2-25.0	47	15.8	10.9-20.7	53	13.8	09.5-18.1	92	17.4	13.3-21.5	130	14.3	11.2-17.4	220	19.7	16.2-23.2
\$25,000- 34,999	337	253,204	22	14.7	08.6-20.8	34	20.1	13.4-26.8	31	14.5	08.6-20.4	51	17.4	11.1-23.7	82	14.1	10.2-18.0	117	19.2	14.7-23.7
\$35,000- 49,999	336	281,183	24	19.3	11.7-26.9	29	16.0	10.1-21.9	52	18.0	12.7-23.3	65	15.5	11.0-20.0	103	20.8	16.1-25.5	63	10.4	07.3-13.5
\$50,000- 74,999	294	266,399	18	17.2	09.0-25.4	33	21.8	14.0-29.6	43	14.7	09.6-19.8	75	23.0	16.9-29.1	80	17.0	12.3-21.7	45	6.2	03.8-08.6
\$75,000+	452	424,660	23	14.1	07.2-21.0	58	20.1	14.6-25.6	94	23.8	18.7-28.9	135	24.4	19.5-29.3	96	12.7	09.6-15.8	46	4.8	03.0-06.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 19: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5075	5,029,577	3070	80.0	78.8-81.2	2005	20.0	18.8-21.2
Male	1865	2,430,137	1195	81.9	80.1-83.7	670	18.1	16.3-19.9
Female	3210	2,599,440	1875	78.3	76.7-79.9	1335	21.7	20.1-23.3
White/Non-Hisp	4209	3,832,233	2452	77.5	76.1-78.9	1757	22.5	21.1-23.9
Black or Afr. Am./Non-Hisp	621	795,273	442	88.0	85.5-90.5	179	12.0	09.5-14.5
Oth. Race/Non-Hisp.	93	124,683	64	82.5	74.5-90.5	29	17.5	09.5-25.5
Hispanic	61	147,753	55	96.0	92.3-99.7	6	4.0	00.3-07.7
Less Than H.S.	649	801,608	309	71.8	67.7-75.9	340	28.2	24.1-32.3
H.S. or G.E.D.	1749	1,677,215	1051	80.7	78.7-82.7	698	19.3	17.3-21.3
Some Post-H.S.	1239	1,450,068	776	82.2	80.0-84.4	463	17.8	15.6-20.0
College Graduate	1406	1,069,484	915	82.1	80.1-84.1	491	17.9	15.9-19.9
Less than \$15,000	678	588,939	408	82.8	79.9-85.7	270	17.2	14.3-20.1
\$15,000- 24,999	866	824,166	473	76.5	73.4-79.6	393	23.5	20.4-26.6
\$25,000- 34,999	529	505,230	282	74.5	70.2-78.8	247	25.5	21.2-29.8
\$35,000- 49,999	603	639,429	371	78.8	75.3-82.3	232	21.2	17.7-24.7
\$50,000- 74,999	531	573,207	366	84.8	81.9-87.7	165	15.2	12.3-18.1
\$75,000+	832	943,447	663	90.4	88.6-92.2	169	9.6	07.8-11.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 20: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1865	2,430,137	1195	81.9	80.1-83.7	670	18.1	16.3-19.9
White/Non-Hisp	1560	1,847,631	962	79.3	77.1-81.5	598	20.7	18.5-22.9
Black or Afr. Am./Non-Hisp	192	363,364	150	91.7	88.4-95.0	42	8.3	05.0-11.6
Less Than H.S.	231	389,392	126	74.9	68.6-81.2	105	25.1	18.8-31.4
H.S. or G.E.D.	616	803,952	418	84.3	81.6-87.0	198	15.7	13.0-18.4
Some Post-H.S.	441	696,162	291	84.5	81.4-87.6	150	15.5	12.4-18.6
College Graduate	566	524,156	351	79.7	76.4-83.0	215	20.3	17.0-23.6
Less than \$15,000	210	240,076	140	85.4	80.7-90.1	70	14.6	09.9-19.3
\$15,000- 24,999	284	361,717	178	80.5	75.6-85.4	106	19.5	14.6-24.4
\$25,000- 34,999	192	252,026	110	75.4	68.5-82.3	82	24.6	17.7-31.5
\$35,000- 49,999	267	358,246	157	78.5	73.4-83.6	110	21.5	16.4-26.6
\$50,000- 74,999	237	306,808	150	82.2	77.5-86.9	87	17.8	13.1-22.5
\$75,000+	380	518,787	295	89.9	87.2-92.6	85	10.1	07.4-12.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 21: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3210	2,599,440	1875	78.3	76.7-79.9	1335	21.7	20.1-23.3
White/Non-Hisp	2649	1,984,602	1490	75.8	74.0-77.6	1159	24.2	22.4-26.0
Black or Afr. Am./Non-Hisp	429	431,909	292	85.0	81.5-88.5	137	15.0	11.5-18.5
Oth. Race/Non-Hisp.	52	70,029	36	87.0	78.2-95.8	16	13.0	04.2-21.8
Less Than H.S.	418	412,216	183	68.8	63.3-74.3	235	31.2	25.7-36.7
H.S. or G.E.D.	1133	873,263	633	77.4	74.7-80.1	500	22.6	19.9-25.3
Some Post-H.S.	798	753,906	485	79.9	77.0-82.8	313	20.1	17.2-23.0
College Graduate	840	545,328	564	84.5	82.1-86.9	276	15.5	13.1-17.9
Less than \$15,000	468	348,863	268	80.9	77.2-84.6	200	19.1	15.4-22.8
\$15,000- 24,999	582	462,449	295	73.4	69.3-77.5	287	26.6	22.5-30.7
\$25,000- 34,999	337	253,204	172	73.6	68.3-78.9	165	26.4	21.1-31.7
\$35,000- 49,999	336	281,183	214	79.2	74.7-83.7	122	20.8	16.3-25.3
\$50,000- 74,999	294	266,399	216	87.7	84.2-91.2	78	12.3	08.8-15.8
\$75,000+	452	424,660	368	91.1	88.7-93.5	84	8.9	06.5-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Data was weighted using _LLCPWT.																			
	TOTAL	WEIGHTED		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in				
			%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5015	4,963,963	1	0.0	00.0-00.0	252	4.1	03.3-04.9	2440	40.9	38.9-42.9	1913	43.1	41.1-45.1	408	12.0	10.4-13.6	1	0.0	00.0-00.0			
Male	1837	2,379,662				4	0.1	00.0-00.3	153	8.3	06.5-10.1	1283	67.0	63.9-70.1	396	24.6	21.7-27.5	1	0.0	00.0-00.0			
Female	3178	2,584,301	1	0.0	00.0-00.0	248	7.7	06.1-09.3	2287	70.9	68.5-73.3	630	21.0	18.8-23.2	12	0.4	00.2-00.6						
White/Non-Hisp	4159	3,801,951	1	0.0	00.0-00.0	197	3.6	02.8-04.4	2012	40.4	38.2-42.6	1608	44.2	42.0-46.4	340	11.8	10.0-13.6	1	0.0	00.0-00.0			
Black or Afr. Am./Non-Hisp	613	784,711				42	6.4	03.5-09.3	315	41.4	35.9-46.9	209	39.4	33.7-45.1	47	12.9	08.2-17.6						
Oth. Race/Non-Hisp.	94	125,408				8	7.9	00.3-15.5	41	45.3	32.2-58.4	39	36.3	24.3-48.3	6	10.5	01.3-19.7						
Hispanic	56	125,391				3	2.3	00.0-05.4	28	50.6	34.9-66.3	19	32.0	18.1-45.9	6	15.1	00.2-30.0						
18-24	202	612,028				11	6.4	02.1-10.7	85	38.0	30.2-45.8	78	41.7	33.7-49.7	28	13.9	08.2-19.6						
25-34	398	832,811				13	3.1	01.1-05.1	171	38.2	32.7-43.7	165	43.0	37.3-48.7	49	15.7	10.8-20.6						
35-44	471	819,135				17	2.1	00.9-03.3	222	41.0	35.5-46.5	178	40.8	35.1-46.5	54	16.1	11.2-21.0						
45-54	797	865,809				26	2.3	01.1-03.5	376	40.0	35.7-44.3	330	46.3	41.8-50.8	65	11.4	08.3-14.5						
55-64	1133	813,830	1	0.1	00.0-00.3	54	5.1	03.5-06.7	528	40.6	37.1-44.1	447	43.1	39.4-46.8	103	11.1	08.6-13.6						
65+	1961	989,836				127	5.8	04.4-07.2	1031	45.3	42.4-48.2	694	43.0	40.1-45.9	108	5.8	04.4-07.2	1	0.0	00.0-00.0			
Less Than H.S.	639	787,485				48	6.0	03.6-08.4	345	44.2	38.5-49.9	204	37.3	31.6-43.0	42	12.4	06.9-17.9						
H.S. or G.E.D.	1722	1,656,353				85	4.0	02.4-05.6	876	43.0	39.5-46.5	638	42.4	38.9-45.9	123	10.6	08.2-13.0						
Some Post-H.S.	1234	1,443,500	1	0.0	00.0-00.0	67	4.2	02.8-05.6	601	39.9	36.2-43.6	472	43.2	39.3-47.1	93	12.7	09.6-15.8						
College Graduate	1406	1,066,570				51	2.6	01.6-03.6	610	36.5	33.2-39.8	594	47.9	44.4-51.4	150	13.0	10.6-15.4	1	0.0	00.0-00.0			
Less than \$15,000	674	579,776				52	6.8	04.3-09.3	360	46.7	41.0-52.4	219	38.1	32.4-43.8	42	8.4	05.1-11.7	1	0.0	00.0-00.0			
\$15,000- 24,999	863	819,968				58	5.6	03.4-07.8	455	46.2	41.3-51.1	288	35.1	30.4-39.8	62	13.0	08.3-17.7						
\$25,000- 34,999	527	501,284				19	2.1	00.7-03.5	261	40.0	34.1-45.9	203	44.8	38.5-51.1	44	13.1	08.0-18.2						
\$35,000- 49,999	608	642,620				18	1.8	00.8-02.8	260	36.4	31.1-41.7	269	48.5	42.8-54.2	61	13.3	08.6-18.0						
\$50,000- 74,999	530	571,150				16	3.5	00.6-06.4	234	36.0	30.5-41.5	238	49.7	43.8-55.6	42	10.7	06.8-14.6						
\$75,000+	831	943,601	1	0.1	00.0-00.3	26	2.0	01.0-03.0	326	33.2	28.7-37.7	391	50.7	45.8-55.6	87	14.0	10.3-17.7						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1837	2,379,662	4	0.1	00.0-00.3	153	8.3	06.5-10.1	1283	67.0	63.9-70.1	396	24.6	21.7-27.5	1	0.0	00.0-00.0
White/Non-Hisp	1539	1,827,304	4	0.2	00.0-00.4	112	6.7	05.1-08.3	1089	68.9	65.6-72.2	333	24.3	21.2-27.4	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	191	360,394				27	13.2	07.1-19.3	121	59.4	49.8-69.0	43	27.4	18.2-36.6			
18-24	89	304,419				9	9.9	03.2-16.6	53	62.9	51.5-74.3	27	27.2	16.6-37.8			
25-34	163	414,897	1	0.2	00.0-00.6	9	4.6	01.3-07.9	105	64.0	55.0-73.0	48	31.2	22.4-40.0			
35-44	171	401,973				17	11.3	05.6-17.0	101	56.2	46.8-65.6	53	32.5	23.5-41.5			
45-54	304	427,308	1	0.1	00.0-00.3	24	7.3	03.8-10.8	216	69.7	63.2-76.2	63	22.9	16.8-29.0			
55-64	441	389,371				39	9.7	06.2-13.2	299	67.1	61.6-72.6	103	23.2	18.3-28.1			
65+	658	433,895	2	0.4	00.0-01.2	54	7.7	05.2-10.2	499	79.4	75.7-83.1	102	12.5	09.6-15.4	1	0.0	00.0-00.0
Less Than H.S.	226	375,050	1	0.0	00.0-00.0	32	10.5	06.0-15.0	154	64.2	54.4-74.0	39	25.3	15.1-35.5			
H.S. or G.E.D.	608	787,522	1	0.1	00.0-00.3	63	9.5	06.4-12.6	426	68.8	63.7-73.9	118	21.6	16.9-26.3			
Some Post-H.S.	438	690,990	2	0.3	00.0-00.7	36	9.6	05.9-13.3	308	63.7	57.4-70.0	92	26.4	20.5-32.3			
College Graduate	563	520,663				22	3.2	01.4-05.0	393	70.3	65.4-75.2	147	26.4	21.7-31.1	1	0.0	00.0-00.0
Less than \$15,000	208	233,296	2	0.2	00.0-00.6	23	11.9	06.0-17.8	142	67.3	58.5-76.1	40	20.5	12.9-28.1	1	0.1	00.0-00.3
\$15,000- 24,999	282	358,291	1	0.2	00.0-00.6	42	13.9	08.4-19.4	178	56.0	47.2-64.8	61	29.8	20.6-39.0			
\$25,000- 34,999	191	248,130				17	10.1	03.8-16.4	131	64.0	54.0-74.0	43	26.0	16.6-35.4			
\$35,000- 49,999	270	360,218				19	7.6	03.1-12.1	190	68.6	60.4-76.8	61	23.8	16.0-31.6			
\$50,000- 74,999	234	303,590	1	0.5	00.0-01.5	15	7.6	02.7-12.5	177	72.1	64.1-80.1	41	19.8	12.7-26.9			
\$75,000+	379	518,615				14	3.5	01.1-05.9	278	71.0	64.5-77.5	87	25.4	19.1-31.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3178	2,584,301	1	0.0	00.0-00.0	248	7.7	06.1-09.3	2287	70.9	68.5-73.3	630	21.0	18.8-23.2	12	0.4	00.2-00.6	
White/Non-Hisp	2620	1,974,647	1	0.0	00.0-00.0	193	6.7	05.3-08.1	1900	71.6	69.1-74.1	519	21.3	18.9-23.7	7	0.3	00.1-00.5	
Black or Afr. Am./Non-Hisp	422	424,318				42	11.8	06.5-17.1	288	65.4	58.5-72.3	88	22.4	16.5-28.3	4	0.5	00.0-01.1	
Oth. Race/Non-Hisp.	54	71,645				8	13.8	00.9-26.7	35	68.9	52.8-85.0	10	14.4	03.8-25.0	1	2.9	00.0-08.4	
18-24	113	307,609				11	12.7	04.3-21.1	76	65.8	55.2-76.4	25	20.7	12.5-28.9	1	0.8	00.0-02.4	
25-34	235	417,913				12	5.9	02.2-09.6	162	71.6	65.1-78.1	60	22.2	16.3-28.1	1	0.3	00.0-00.9	
35-44	300	417,162				17	4.2	01.8-06.6	205	69.7	63.4-76.0	77	25.9	19.8-32.0	1	0.3	00.0-00.9	
45-54	493	438,501				25	4.5	02.3-06.7	352	71.8	66.7-76.9	114	23.5	18.6-28.4	2	0.2	00.0-00.4	
55-64	692	424,458	1	0.1	00.0-00.3	54	9.7	06.6-12.8	489	69.0	64.7-73.3	148	21.1	17.4-24.8				
65+	1303	555,941				125	10.1	07.9-12.3	977	74.7	71.6-77.8	195	14.6	12.2-17.0	6	0.6	00.0-01.4	
Less Than H.S.	413	412,434				47	11.5	07.2-15.8	313	74.9	68.8-81.0	50	12.9	08.0-17.8	3	0.7	00.0-01.7	
H.S. or G.E.D.	1114	868,831				84	7.5	04.6-10.4	813	73.4	69.5-77.3	212	18.6	15.5-21.7	5	0.5	00.0-01.1	
Some Post-H.S.	796	752,510	1	0.1	00.0-00.3	65	7.9	05.4-10.4	565	67.7	63.0-72.4	164	24.3	20.0-28.6	1	0.1	00.0-00.3	
College Graduate	843	545,907				51	5.0	03.2-06.8	588	68.2	63.9-72.5	201	26.5	22.4-30.6	3	0.2	00.0-00.6	
Less than \$15,000	466	346,480				50	11.2	07.1-15.3	337	70.2	63.9-76.5	77	18.5	13.0-24.0	2	0.2	00.0-00.4	
\$15,000- 24,999	581	461,677				57	9.8	06.1-13.5	413	71.3	66.0-76.6	110	18.9	14.6-23.2	1	0.0	00.0-00.0	
\$25,000- 34,999	336	253,154				19	4.1	01.6-06.6	244	69.3	61.9-76.7	72	26.1	18.8-33.4	1	0.5	00.0-01.5	
\$35,000- 49,999	338	282,403				18	4.1	01.9-06.3	241	73.0	66.7-79.3	79	22.9	16.8-29.0				
\$50,000- 74,999	296	267,560				15	7.0	00.9-13.1	219	68.3	59.9-76.7	61	24.4	17.0-31.8	1	0.4	00.0-01.2	
\$75,000+	452	424,985	1	0.1	00.0-00.3	26	4.5	02.3-06.7	312	69.4	63.5-75.3	113	26.0	20.3-31.7				

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5017	4,971,991	1	0.0	00.0-00.0	253	4.1	03.3-04.9	2440	40.8	38.8-42.8	1913	43.0	41.0-45.0	409	12.1	10.5-13.7	1	0.0	00.0-00.0
Male	1838	2,385,831				4	0.1	00.0-00.3	153	8.3	06.5-10.1	1283	66.8	63.7-69.9	397	24.8	21.9-27.7	1	0.0	00.0-00.0
Female	3179	2,586,160	1	0.0	00.0-00.0	249	7.8	06.2-09.4	2287	70.8	68.4-73.2	630	21.0	18.8-23.2	12	0.4	00.2-00.6			
White/Non-Hisp	4159	3,801,951	1	0.0	00.0-00.0	197	3.6	02.8-04.4	2012	40.4	38.2-42.6	1608	44.2	42.0-46.4	340	11.8	10.0-13.6	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	613	784,711				42	6.4	03.5-09.3	315	41.4	35.9-46.9	209	39.4	33.7-45.1	47	12.9	08.2-17.6			
Oth. Race/Non-Hisp.	94	125,408				8	7.9	00.3-15.5	41	45.3	32.2-58.4	39	36.3	24.3-48.3	6	10.5	01.3-19.7			
Hispanic	58	133,419				4	3.6	00.0-07.5	28	47.5	32.0-63.0	19	30.1	16.8-43.4	7	18.8	03.3-34.3			
18-24	202	612,028				11	6.4	02.1-10.7	85	38.0	30.2-45.8	78	41.7	33.7-49.7	28	13.9	08.2-19.6			
25-34	400	840,839				14	3.3	01.3-05.3	171	37.9	32.4-43.4	165	42.6	36.9-48.3	50	16.3	11.2-21.4			
35-44	471	819,135				17	2.1	00.9-03.3	222	41.0	35.5-46.5	178	40.8	35.1-46.5	54	16.1	11.2-21.0			
45-54	797	865,809				26	2.3	01.1-03.5	376	40.0	35.7-44.3	330	46.3	41.8-50.8	65	11.4	08.3-14.5			
55-64	1133	813,830	1	0.1	00.0-00.3	54	5.1	03.5-06.7	528	40.6	37.1-44.1	447	43.1	39.4-46.8	103	11.1	08.6-13.6			
65+	1961	989,836				127	5.8	04.4-07.2	1031	45.3	42.4-48.2	694	43.0	40.1-45.9	108	5.8	04.4-07.2	1	0.0	00.0-00.0
Less Than H.S.	640	793,654				48	6.0	03.6-08.4	345	43.9	38.2-49.6	204	37.1	31.4-42.8	43	13.1	07.6-18.6			
H.S. or G.E.D.	1723	1,658,212				86	4.1	02.5-05.7	876	43.0	39.5-46.5	638	42.4	38.9-45.9	123	10.5	08.1-12.9			
Some Post-H.S.	1234	1,443,500	1	0.0	00.0-00.0	67	4.2	02.8-05.6	601	39.9	36.2-43.6	472	43.2	39.3-47.1	93	12.7	09.6-15.8			
College Graduate	1406	1,066,570				51	2.6	01.6-03.6	610	36.5	33.2-39.8	594	47.9	44.4-51.4	150	13.0	10.6-15.4	1	0.0	00.0-00.0
Less than \$15,000	676	587,804				53	7.0	04.5-09.5	360	46.1	40.4-51.8	219	37.6	31.9-43.3	43	9.3	05.6-13.0	1	0.0	00.0-00.0
\$15,000- 24,999	863	819,968				58	5.6	03.4-07.8	455	46.2	41.3-51.1	288	35.1	30.4-39.8	62	13.0	08.3-17.7			
\$25,000- 34,999	527	501,284				19	2.1	00.7-03.5	261	40.0	34.1-45.9	203	44.8	38.5-51.1	44	13.1	08.0-18.2			
\$35,000- 49,999	608	642,620				18	1.8	00.8-02.8	260	36.4	31.1-41.7	269	48.5	42.8-54.2	61	13.3	08.6-18.0			
\$50,000- 74,999	530	571,150				16	3.5	00.6-06.4	234	36.0	30.5-41.5	238	49.7	43.8-55.6	42	10.7	06.8-14.6			
\$75,000+	831	943,601	1	0.1	00.0-00.3	26	2.0	01.0-03.0	326	33.2	28.7-37.7	391	50.7	45.8-55.6	87	14.0	10.3-17.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 26: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1838	2,385,831	4	0.1	00.0-00.3	153	8.3	06.5-10.1	1283	66.8	63.7-69.9	397	24.8	21.9-27.7	1	0.0	00.0-00.0
White/Non-Hisp	1539	1,827,304	4	0.2	00.0-00.4	112	6.7	05.1-08.3	1089	68.9	65.6-72.2	333	24.3	21.2-27.4	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	191	360,394				27	13.2	07.1-19.3	121	59.4	49.8-69.0	43	27.4	18.2-36.6			
18-24	89	304,419				9	9.9	03.2-16.6	53	62.9	51.5-74.3	27	27.2	16.6-37.8			
25-34	164	421,067	1	0.2	00.0-00.6	9	4.6	01.5-07.7	105	63.0	54.0-72.0	49	32.2	23.4-41.0			
35-44	171	401,973				17	11.3	05.6-17.0	101	56.2	46.8-65.6	53	32.5	23.5-41.5			
45-54	304	427,308	1	0.1	00.0-00.3	24	7.3	03.8-10.8	216	69.7	63.2-76.2	63	22.9	16.8-29.0			
55-64	441	389,371				39	9.7	06.2-13.2	299	67.1	61.6-72.6	103	23.2	18.3-28.1			
65+	658	433,895	2	0.4	00.0-01.2	54	7.7	05.2-10.2	499	79.4	75.7-83.1	102	12.5	09.6-15.4	1	0.0	00.0-00.0
Less Than H.S.	227	381,220	1	0.0	00.0-00.0	32	10.3	06.0-14.6	154	63.2	53.4-73.0	40	26.5	16.3-36.7			
H.S. or G.E.D.	608	787,522	1	0.1	00.0-00.3	63	9.5	06.4-12.6	426	68.8	63.7-73.9	118	21.6	16.9-26.3			
Some Post-H.S.	438	690,990	2	0.3	00.0-00.7	36	9.6	05.9-13.3	308	63.7	57.4-70.0	92	26.4	20.5-32.3			
College Graduate	563	520,663				22	3.2	01.4-05.0	393	70.3	65.4-75.2	147	26.4	21.7-31.1	1	0.0	00.0-00.0
Less than \$15,000	209	239,465	2	0.2	00.0-00.6	23	11.6	05.9-17.3	142	65.5	56.3-74.7	41	22.6	14.2-31.0	1	0.1	00.0-00.3
\$15,000- 24,999	282	358,291	1	0.2	00.0-00.6	42	13.9	08.4-19.4	178	56.0	47.2-64.8	61	29.8	20.6-39.0			
\$25,000- 34,999	191	248,130				17	10.1	03.8-16.4	131	64.0	54.0-74.0	43	26.0	16.6-35.4			
\$35,000- 49,999	270	360,218				19	7.6	03.1-12.1	190	68.6	60.4-76.8	61	23.8	16.0-31.6			
\$50,000- 74,999	234	303,590	1	0.5	00.0-01.5	15	7.6	02.7-12.5	177	72.1	64.1-80.1	41	19.8	12.7-26.9			
\$75,000+	379	518,615				14	3.5	01.1-05.9	278	71.0	64.5-77.5	87	25.4	19.1-31.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3179	2,586,160	1	0.0	00.0-00.0	249	7.8	06.2-09.4	2287	70.8	68.4-73.2	630	21.0	18.8-23.2	12	0.4	00.2-00.6
White/Non-Hisp	2620	1,974,647	1	0.0	00.0-00.0	193	6.7	05.3-08.1	1900	71.6	69.1-74.1	519	21.3	18.9-23.7	7	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	422	424,318				42	11.8	06.5-17.1	288	65.4	58.5-72.3	88	22.4	16.5-28.3	4	0.5	00.0-01.1
Oth. Race/Non-Hisp.	54	71,645				8	13.8	00.9-26.7	35	68.9	52.8-85.0	10	14.4	03.8-25.0	1	2.9	00.0-08.4
18-24	113	307,609				11	12.7	04.3-21.1	76	65.8	55.2-76.4	25	20.7	12.5-28.9	1	0.8	00.0-02.4
25-34	236	419,772				13	6.3	02.4-10.2	162	71.3	64.8-77.8	60	22.1	16.2-28.0	1	0.3	00.0-00.9
35-44	300	417,162				17	4.2	01.8-06.6	205	69.7	63.4-76.0	77	25.9	19.8-32.0	1	0.3	00.0-00.9
45-54	493	438,501				25	4.5	02.3-06.7	352	71.8	66.7-76.9	114	23.5	18.6-28.4	2	0.2	00.0-00.4
55-64	692	424,458	1	0.1	00.0-00.3	54	9.7	06.6-12.8	489	69.0	64.7-73.3	148	21.1	17.4-24.8			
65+	1303	555,941				125	10.1	07.9-12.3	977	74.7	71.6-77.8	195	14.6	12.2-17.0	6	0.6	00.0-01.4
Less Than H.S.	413	412,434				47	11.5	07.2-15.8	313	74.9	68.8-81.0	50	12.9	08.0-17.8	3	0.7	00.0-01.7
H.S. or G.E.D.	1115	870,690				85	7.7	04.8-10.6	813	73.2	69.3-77.1	212	18.5	15.4-21.6	5	0.5	00.0-01.1
Some Post-H.S.	796	752,510	1	0.1	00.0-00.3	65	7.9	05.4-10.4	565	67.7	63.0-72.4	164	24.3	20.0-28.6	1	0.1	00.0-00.3
College Graduate	843	545,907				51	5.0	03.2-06.8	588	68.2	63.9-72.5	201	26.5	22.4-30.6	3	0.2	00.0-00.6
Less than \$15,000	467	348,339				51	11.6	07.5-15.7	337	69.8	63.5-76.1	77	18.4	12.9-23.9	2	0.2	00.0-00.4
\$15,000- 24,999	581	461,677				57	9.8	06.1-13.5	413	71.3	66.0-76.6	110	18.9	14.6-23.2	1	0.0	00.0-00.0
\$25,000- 34,999	336	253,154				19	4.1	01.6-06.6	244	69.3	61.9-76.7	72	26.1	18.8-33.4	1	0.5	00.0-01.5
\$35,000- 49,999	338	282,403				18	4.1	01.9-06.3	241	73.0	66.7-79.3	79	22.9	16.8-29.0			
\$50,000- 74,999	296	267,560				15	7.0	00.9-13.1	219	68.3	59.9-76.7	61	24.4	17.0-31.8	1	0.4	00.0-01.2
\$75,000+	452	424,985	1	0.1	00.0-00.3	26	4.5	02.3-06.7	312	69.4	63.5-75.3	113	26.0	20.3-31.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4840	4,817,517	60	0.9	00.5-01.3	1481	27.6	25.8-29.4	2110	43.6	41.6-45.6	886	20.5	18.7-22.3	242	5.5	04.5-06.5	61	1.9	01.3-02.5
Male	1827	2,368,771	3	0.0	00.0-00.0	180	10.6	08.6-12.6	897	48.4	45.3-51.5	555	29.9	27.0-32.8	153	8.0	06.4-09.6	39	3.0	01.6-04.4
Female	3013	2,448,746	57	1.6	01.0-02.2	1301	44.0	41.3-46.7	1213	39.0	36.5-41.5	331	11.5	09.9-13.1	89	3.1	02.3-03.9	22	0.8	00.4-01.2
White/Non-Hisp	4010	3,682,687	52	0.8	00.4-01.2	1258	27.8	25.8-29.8	1743	44.0	41.8-46.2	724	20.5	18.5-22.5	188	5.5	04.5-06.5	45	1.4	01.0-01.8
Black or Afr. Am./Non-Hisp	591	754,361	4	0.7	00.0-01.5	141	21.3	16.4-26.2	266	45.2	39.3-51.1	125	23.5	18.2-28.8	41	5.5	03.1-07.9	14	3.8	01.3-06.3
Oth. Race/Non-Hisp.	91	122,224	3	2.5	00.0-05.6	35	45.2	31.7-58.7	37	31.8	20.2-43.4	13	14.9	05.7-24.1	2	2.6	00.0-06.3	1	2.9	00.0-08.6
Hispanic	58	135,382	1	1.6	00.0-04.7	22	35.9	21.6-50.2	20	35.3	20.6-50.0	7	10.5	01.5-19.5	7	9.8	01.8-17.8	1	6.9	00.0-19.6
18-24	197	595,137	2	0.7	00.0-01.7	81	43.3	35.1-51.5	74	36.4	28.6-44.2	32	16.3	10.4-22.2	5	1.9	00.1-03.7	3	1.4	00.0-03.0
25-34	384	811,105	2	0.6	00.0-01.4	129	29.9	24.8-35.0	156	44.2	38.3-50.1	68	18.3	13.2-23.4	22	5.8	03.1-08.5	7	1.2	00.2-02.2
35-44	455	798,965	4	0.9	00.0-01.9	114	19.7	15.6-23.8	186	43.2	37.3-49.1	104	25.9	20.6-31.2	35	6.5	04.0-09.0	12	3.8	00.9-06.7
45-54	768	843,502	11	1.0	00.2-01.8	197	22.6	18.9-26.3	316	42.7	38.2-47.2	166	23.0	19.1-26.9	54	6.8	04.6-09.0	24	4.0	02.0-06.0
55-64	1079	779,998	7	0.4	00.0-00.8	254	19.6	16.9-22.3	508	48.2	44.5-51.9	236	23.6	20.3-26.9	66	7.4	05.2-09.6	8	0.9	00.1-01.7
65+	1920	971,001	33	1.5	00.9-02.1	686	32.4	29.7-35.1	856	45.5	42.6-48.4	278	16.2	14.0-18.4	60	4.1	02.7-05.5	7	0.3	00.1-00.5
Less Than H.S.	629	782,669	18	1.6	00.6-02.6	198	27.7	22.4-33.0	261	40.8	34.9-46.7	106	20.2	14.9-25.5	36	6.7	04.2-09.2	10	3.1	00.4-05.8
H.S. or G.E.D.	1665	1,600,247	22	0.8	00.2-01.4	499	27.3	24.0-30.6	740	44.8	41.3-48.3	294	19.6	16.9-22.3	87	5.9	04.3-07.5	23	1.7	00.7-02.7
Some Post-H.S.	1180	1,390,213	8	0.7	00.1-01.3	369	28.1	24.6-31.6	508	42.8	38.7-46.9	226	21.9	18.4-25.4	53	4.9	03.3-06.5	16	1.6	00.6-02.6
College Graduate	1353	1,033,290	12	0.5	00.1-00.9	408	27.0	23.9-30.1	597	45.2	41.7-48.7	259	20.7	17.8-23.6	65	4.7	03.3-06.1	12	1.8	00.4-03.2
Less than \$15,000	655	558,951	20	2.3	00.9-03.7	200	27.1	22.0-32.2	277	43.3	37.4-49.2	106	19.0	14.5-23.5	38	5.4	03.2-07.6	14	3.0	01.2-04.8
\$15,000- 24,999	844	806,827	10	1.0	00.0-02.0	285	32.3	27.8-36.8	350	37.6	32.7-42.5	151	21.8	17.3-26.3	38	4.7	02.7-06.7	10	2.7	00.2-05.2
\$25,000- 34,999	514	498,883	4	1.2	00.0-02.6	157	25.3	20.0-30.6	217	42.0	35.9-48.1	97	21.4	15.7-27.1	27	6.2	03.3-09.1	12	3.9	01.0-06.8
\$35,000- 49,999	592	631,584	3	0.2	00.0-00.6	126	20.5	16.0-25.0	302	53.0	47.3-58.7	119	19.2	14.9-23.5	35	6.1	03.7-08.5	7	0.9	00.0-01.9
\$50,000- 74,999	508	546,369	7	1.3	00.0-02.7	116	17.4	13.5-21.3	234	52.3	46.2-58.4	119	21.5	16.6-26.4	24	5.4	02.9-07.9	8	2.1	00.3-03.9
\$75,000+	813	929,374	2	0.1	00.0-00.3	243	28.7	24.2-33.2	348	40.8	36.1-45.5	178	25.4	20.9-29.9	37	3.7	02.3-05.1	5	1.4	00.0-02.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1827	2,368,771	3	0.0	00.0-00.0	180	10.6	08.6-12.6	897	48.4	45.3-51.5	555	29.9	27.0-32.8	153	8.0	06.4-09.6	39	3.0	01.6-04.4
White/Non-Hisp	1529	1,813,076	2	0.0	00.0-00.0	145	9.9	07.7-12.1	756	49.6	46.1-53.1	467	30.0	26.9-33.1	130	8.4	06.6-10.2	29	2.0	01.2-02.8
Black or Afr. Am./Non-Hisp	189	348,390				20	10.0	04.3-15.7	85	43.5	34.1-52.9	60	33.2	24.0-42.4	16	6.9	02.4-11.4	8	6.4	01.5-11.3
18-24	88	298,008				20	23.7	13.7-33.7	38	44.7	32.9-56.5	24	26.2	16.2-36.2	3	2.6	00.0-05.7	3	2.8	00.0-05.9
25-34	163	418,313				24	13.7	08.0-19.4	87	53.0	44.0-62.0	35	23.8	15.4-32.2	16	8.9	04.0-13.8	1	0.6	00.0-01.8
35-44	170	397,620				8	4.6	01.1-08.1	73	44.4	35.0-53.8	62	36.1	27.3-44.9	18	7.9	03.6-12.2	9	7.0	01.3-12.7
45-54	305	431,204				28	8.5	04.8-12.2	134	45.1	38.0-52.2	98	31.9	25.4-38.4	31	8.6	05.1-12.1	14	5.9	02.4-09.4
55-64	436	385,746	1	0.1	00.0-00.3	27	4.6	02.4-06.8	205	49.3	43.4-55.2	154	32.9	27.6-38.2	43	11.6	07.7-15.5	6	1.4	00.0-02.8
65+	656	431,553	2	0.1	00.0-00.3	71	11.1	08.0-14.2	354	52.9	48.0-57.8	181	28.0	23.7-32.3	42	7.3	04.6-10.0	6	0.6	00.0-01.2
Less Than H.S.	225	383,487	1	0.0	00.0-00.0	33	12.8	06.9-18.7	105	45.8	36.4-55.2	63	27.7	18.9-36.5	18	9.2	04.3-14.1	5	4.4	00.0-09.5
H.S. or G.E.D.	603	774,039	1	0.1	00.0-00.3	70	11.8	08.3-15.3	303	49.4	43.9-54.9	161	27.3	22.4-32.2	54	8.8	05.9-11.7	14	2.5	00.9-04.1
Some Post-H.S.	436	685,666				39	10.3	06.4-14.2	202	46.7	40.2-53.2	152	33.7	27.6-39.8	32	6.4	03.7-09.1	11	2.8	00.8-04.8
College Graduate	560	517,401	1	0.0	00.0-00.0	37	7.3	04.4-10.2	286	51.2	45.7-56.7	179	30.7	25.8-35.6	48	7.6	05.1-10.1	9	3.2	00.7-05.7
Less than \$15,000	206	236,363	1	0.1	00.0-00.3	43	18.6	11.0-26.2	93	45.9	36.1-55.7	46	23.7	15.7-31.7	17	7.6	03.3-11.9	6	4.0	00.7-07.3
\$15,000- 24,999	284	361,086				36	12.6	07.3-17.9	136	43.8	35.4-52.2	86	32.4	24.2-40.6	20	6.6	02.9-10.3	6	4.6	00.0-10.1
\$25,000- 34,999	191	251,744				15	8.3	02.8-13.8	90	43.8	34.2-53.4	59	31.4	21.8-41.0	19	10.2	04.7-15.7	8	6.4	01.1-11.7
\$35,000- 49,999	269	359,307				20	9.7	04.8-14.6	143	58.1	50.1-66.1	80	24.1	17.6-30.6	22	7.0	03.3-10.7	4	1.1	00.0-02.5
\$50,000- 74,999	234	297,807	1	0.0	00.0-00.0	15	6.1	02.4-09.8	119	55.6	47.2-64.0	71	26.4	19.1-33.7	21	8.4	04.1-12.7	7	3.5	00.4-06.6
\$75,000+	379	518,615				20	7.6	03.5-11.7	189	46.0	38.9-53.1	137	38.4	31.3-45.5	28	5.5	03.3-07.7	5	2.5	00.1-04.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3013	2,448,746	57	1.6	01.0-02.2	1301	44.0	41.3-46.7	1213	39.0	36.5-41.5	331	11.5	09.9-13.1	89	3.1	02.3-03.9	22	0.8	00.4-01.2
White/Non-Hisp	2481	1,869,611	50	1.6	01.0-02.2	1113	45.1	42.2-48.0	987	38.6	35.9-41.3	257	11.3	09.5-13.1	58	2.7	01.9-03.5	16	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	402	405,971	4	1.2	00.0-02.8	121	31.0	23.9-38.1	181	46.7	39.4-54.0	65	15.2	10.3-20.1	25	4.3	01.9-06.7	6	1.6	00.2-03.0
Oth. Race/Non-Hisp.	52	68,882	2	3.6	00.0-08.9	31	70.0	55.3-84.7	15	18.3	06.7-29.9	3	6.1	00.0-13.7	1	2.0	00.0-05.9			
18-24	109	297,129	2	1.4	00.0-03.4	61	62.9	52.3-73.5	36	28.1	18.3-37.9	8	6.4	01.7-11.1	2	1.2	00.0-03.0			
25-34	221	392,792	2	1.2	00.0-03.0	105	47.2	39.6-54.8	69	34.7	27.3-42.1	33	12.4	07.7-17.1	6	2.6	00.2-05.0	6	1.9	00.1-03.7
35-44	285	401,345	4	1.7	00.0-03.7	106	34.7	28.2-41.2	113	41.9	34.8-49.0	42	15.9	10.4-21.4	17	5.2	02.5-07.9	3	0.6	00.0-01.4
45-54	463	412,298	11	2.0	00.4-03.6	169	37.4	31.7-43.1	182	40.2	34.5-45.9	68	13.6	09.9-17.3	23	4.8	02.4-07.2	10	2.0	00.6-03.4
55-64	643	394,251	6	0.6	00.0-01.4	227	34.3	29.6-39.0	303	47.0	42.1-51.9	82	14.5	10.8-18.2	23	3.2	01.6-04.8	2	0.3	00.0-00.7
65+	1264	539,448	31	2.6	01.4-03.8	615	49.5	46.0-53.0	502	39.6	36.1-43.1	97	6.7	04.9-08.5	18	1.6	00.6-02.6	1	0.0	00.0-00.0
Less Than H.S.	404	399,182	17	3.1	01.1-05.1	165	42.0	34.6-49.4	156	36.0	29.1-42.9	43	12.9	07.6-18.2	18	4.3	01.9-06.7	5	1.8	00.2-03.4
H.S. or G.E.D.	1062	826,208	21	1.6	00.6-02.6	429	41.8	37.1-46.5	437	40.4	35.9-44.9	133	12.3	09.8-14.8	33	3.1	01.7-04.5	9	0.9	00.1-01.7
Some Post-H.S.	744	704,547	8	1.4	00.2-02.6	330	45.5	40.6-50.4	306	39.0	34.1-43.9	74	10.3	07.4-13.2	21	3.4	01.6-05.2	5	0.4	00.0-00.8
College Graduate	793	515,889	11	1.1	00.3-01.9	371	46.9	42.2-51.6	311	39.3	34.6-44.0	80	10.6	07.7-13.5	17	1.8	00.8-02.8	3	0.4	00.0-00.8
Less than \$15,000	449	322,588	19	3.9	01.4-06.4	157	33.2	26.3-40.1	184	41.3	34.2-48.4	60	15.5	10.4-20.6	21	3.8	01.8-05.8	8	2.3	00.5-04.1
\$15,000- 24,999	560	445,742	10	1.9	00.3-03.5	249	48.2	42.1-54.3	214	32.5	27.0-38.0	65	13.1	09.0-17.2	18	3.1	01.1-05.1	4	1.1	00.0-02.3
\$25,000- 34,999	323	247,139	4	2.3	00.0-04.8	142	42.7	34.9-50.5	127	40.2	32.6-47.8	38	11.3	06.8-15.8	8	2.1	00.3-03.9	4	1.3	00.0-02.9
\$35,000- 49,999	323	272,276	3	0.6	00.0-01.4	106	34.8	27.4-42.2	159	46.3	39.0-53.6	39	12.7	07.6-17.8	13	5.0	02.1-07.9	3	0.7	00.0-01.5
\$50,000- 74,999	274	248,562	6	2.9	00.2-05.6	101	30.8	23.5-38.1	115	48.4	39.8-57.0	48	15.7	09.6-21.8	3	1.8	00.0-04.2	1	0.4	00.0-01.2
\$75,000+	434	410,758	2	0.2	00.0-00.6	223	55.5	49.0-62.0	159	34.1	28.2-40.0	41	8.9	05.8-12.0	9	1.3	00.3-02.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4793	4,736,174	77	1.2	00.8-01.6	1492	31.8	29.8-33.8	1743	35.9	33.9-37.9	896	19.0	17.2-20.8	585	12.1	10.7-13.5
Male	1819	2,355,439	14	0.4	00.0-00.8	465	27.9	25.0-30.8	767	39.8	36.7-42.9	382	21.0	18.3-23.7	191	10.9	08.9-12.9
Female	2974	2,380,735	63	1.9	01.3-02.5	1027	35.6	33.1-38.1	976	32.0	29.6-34.4	514	17.1	15.1-19.1	394	13.4	11.6-15.2
White/Non-Hisp	3978	3,639,470	65	1.2	00.8-01.6	1278	32.4	30.2-34.6	1474	37.0	34.8-39.2	713	18.4	16.6-20.2	448	11.0	09.6-12.4
Black or Afr. Am./Non-Hisp	584	741,636	7	0.8	00.0-01.8	124	22.9	18.0-27.8	201	35.6	29.9-41.3	139	23.6	18.5-28.7	113	17.1	12.8-21.4
Oth. Race/Non-Hisp.	90	118,208	4	4.4	00.0-09.1	41	50.0	36.7-63.3	27	25.2	14.0-36.4	12	12.0	04.0-20.0	6	8.5	01.1-15.9
Hispanic	54	121,229	1	1.8	00.0-05.3	23	42.5	26.6-58.4	9	16.8	04.8-28.8	12	18.9	07.1-30.7	9	20.0	04.7-35.3
18-24	187	565,295	4	1.8	00.0-03.6	91	50.2	41.8-58.6	57	29.4	21.6-37.2	25	14.7	08.6-20.8	10	3.9	01.4-06.4
25-34	367	773,944	3	0.8	00.0-01.6	150	40.1	34.2-46.0	113	31.3	25.6-37.0	52	16.4	11.3-21.5	49	11.5	08.0-15.0
35-44	454	795,482	3	0.5	00.0-01.3	126	25.7	20.6-30.8	159	37.0	31.3-42.7	89	20.5	15.6-25.4	77	16.3	12.0-20.6
45-54	766	837,513	14	1.0	00.2-01.8	199	25.9	21.8-30.0	249	33.8	29.5-38.1	169	22.4	18.7-26.1	135	16.9	13.6-20.2
55-64	1074	777,777	8	0.6	00.0-01.2	242	19.7	16.8-22.6	425	41.3	37.6-45.0	247	23.4	20.3-26.5	152	15.0	12.3-17.7
65+	1908	968,353	42	2.1	01.3-02.9	667	34.1	31.4-36.8	729	40.0	37.1-42.9	309	16.0	13.8-18.2	161	7.8	06.2-09.4
Less Than H.S.	623	772,320	16	1.6	00.4-02.8	196	31.1	25.4-36.8	188	29.1	23.6-34.6	135	24.4	18.9-29.9	88	13.8	09.9-17.7
H.S. or G.E.D.	1647	1,573,627	25	1.0	00.4-01.6	487	30.6	27.3-33.9	616	36.7	33.2-40.2	300	18.9	16.0-21.8	219	12.9	10.7-15.1
Some Post-H.S.	1167	1,358,124	15	1.1	00.3-01.9	355	32.9	29.0-36.8	414	35.2	31.3-39.1	242	19.3	16.2-22.4	141	11.4	09.0-13.8
College Graduate	1344	1,023,746	20	1.2	00.4-02.0	449	32.5	29.2-35.8	523	40.9	37.4-44.4	216	14.8	12.4-17.2	136	10.5	08.1-12.9
Less than \$15,000	650	551,014	28	3.8	01.6-06.0	186	29.0	23.5-34.5	188	26.7	21.4-32.0	142	23.4	18.3-28.5	106	17.0	13.1-20.9
\$15,000- 24,999	836	791,341	8	0.8	00.0-01.6	277	33.8	28.9-38.7	295	33.2	28.5-37.9	155	19.0	14.7-23.3	101	13.1	09.4-16.8
\$25,000- 34,999	510	490,506	7	1.5	00.1-02.9	153	31.0	25.1-36.9	190	33.5	27.6-39.4	83	19.4	13.7-25.1	77	14.6	10.3-18.9
\$35,000- 49,999	585	617,082	5	1.0	00.0-02.0	156	29.3	23.8-34.8	240	40.9	35.2-46.6	115	17.3	13.4-21.2	69	11.5	08.2-14.8
\$50,000- 74,999	503	538,386	5	0.6	00.0-01.4	139	25.7	20.4-31.0	187	41.5	35.4-47.6	102	19.8	14.7-24.9	70	12.4	08.7-16.1
\$75,000+	810	923,431	4	0.3	00.0-00.7	263	32.6	27.9-37.3	316	40.7	35.8-45.6	162	19.5	15.6-23.4	65	7.0	04.8-09.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >				
				%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1819	2,355,439	14	0.4	00.0-00.8	465	27.9	25.0-30.8	767	39.8	36.7-42.9	382	21.0	18.3-23.7	191	10.9	08.9-12.9			
White/Non-Hisp	1524	1,810,710	12	0.5	00.1-00.9	388	27.4	24.1-30.7	658	41.8	38.3-45.3	311	20.2	17.3-23.1	155	10.1	08.1-12.1			
Black or Afr. Am./Non-Hisp	189	348,390	1	0.2	00.0-00.6	42	25.6	17.0-34.2	69	33.8	24.8-42.8	50	26.5	17.7-35.3	27	13.9	07.6-20.2			
18-24	86	290,938				43	49.5	37.5-61.5	26	31.3	19.9-42.7	13	15.1	06.7-23.5	4	4.1	00.0-08.2			
25-34	163	418,313	1	0.6	00.0-01.8	65	40.2	31.6-48.8	54	30.3	22.3-38.3	26	19.7	11.7-27.7	17	9.2	04.3-14.1			
35-44	170	397,620				32	20.3	12.3-28.3	78	44.3	35.1-53.5	36	22.3	14.5-30.1	24	13.1	06.6-19.6			
45-54	304	427,308	2	0.4	00.0-01.0	61	20.5	15.0-26.0	128	41.0	34.1-47.9	62	21.1	15.6-26.6	51	17.1	12.0-22.2			
55-64	435	384,412	4	0.7	00.0-01.5	69	13.8	10.1-17.5	195	45.9	40.0-51.8	118	27.0	21.9-32.1	49	12.7	08.8-16.6			
65+	652	430,521	6	0.5	00.1-00.9	193	28.6	24.3-32.9	281	43.9	39.2-48.6	126	19.6	15.7-23.5	46	7.3	04.8-09.8			
Less Than H.S.	223	377,825	2	0.3	00.0-00.7	70	30.5	21.7-39.3	74	31.2	22.4-40.0	50	25.3	16.7-33.9	27	12.8	06.5-19.1			
H.S. or G.E.D.	602	773,613	4	0.6	00.0-01.4	163	29.4	24.3-34.5	250	38.6	33.3-43.9	114	19.5	15.0-24.0	71	11.9	08.6-15.2			
Some Post-H.S.	434	681,677	4	0.5	00.0-01.1	91	26.5	20.4-32.6	189	40.8	34.5-47.1	109	23.0	17.7-28.3	41	9.3	05.8-12.8			
College Graduate	558	516,887	4	0.4	00.0-00.8	140	25.5	20.8-30.2	254	46.9	41.4-52.4	109	17.6	13.7-21.5	51	9.6	06.3-12.9			
Less than \$15,000	205	235,938	6	2.0	00.0-04.2	74	36.8	27.0-46.6	57	25.4	16.6-34.2	44	21.9	14.1-29.7	24	13.9	07.8-20.0			
\$15,000- 24,999	281	356,918	1	0.0	00.0-00.0	78	28.8	21.0-36.6	118	35.7	28.1-43.3	55	24.0	16.0-32.0	29	11.5	05.2-17.8			
\$25,000- 34,999	190	247,847				45	24.6	16.2-33.0	81	34.8	25.8-43.8	34	23.0	13.6-32.4	30	17.6	10.2-25.0			
\$35,000- 49,999	269	359,307	2	0.8	00.0-02.2	69	31.6	23.4-39.8	123	45.1	36.7-53.5	51	14.2	09.3-19.1	24	8.3	04.2-12.4			
\$50,000- 74,999	232	297,293	1	0.0	00.0-00.0	50	22.3	14.9-29.7	105	47.4	38.8-56.0	49	18.8	12.3-25.3	27	11.4	06.3-16.5			
\$75,000+	379	518,615	1	0.2	00.0-00.6	75	20.6	14.7-26.5	183	49.2	42.1-56.3	95	24.1	18.0-30.2	25	5.9	03.0-08.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2974	2,380,735	63	1.9	01.3-02.5	1027	35.6	33.1-38.1	976	32.0	29.6-34.4	514	17.1	15.1-19.1	394	13.4	11.6-15.2
White/Non-Hisp	2454	1,828,761	53	1.8	01.2-02.4	890	37.3	34.4-40.2	816	32.3	29.8-34.8	402	16.6	14.4-18.8	293	12.0	10.2-13.8
Black or Afr. Am./Non-Hisp	395	393,246	6	1.4	00.0-03.4	82	20.4	14.9-25.9	132	37.1	29.7-44.5	89	21.0	15.1-26.9	86	20.0	14.3-25.7
Oth. Race/Non-Hisp.	51	64,866	3	7.2	00.0-15.6	25	61.3	44.8-77.8	15	18.4	06.8-30.0	5	7.7	00.0-16.1	3	5.5	00.0-11.8
18-24	101	274,356	4	3.6	00.0-07.3	48	51.0	39.0-63.0	31	27.3	16.9-37.7	12	14.3	05.7-22.9	6	3.8	00.5-07.1
25-34	204	355,631	2	1.0	00.0-02.4	85	39.8	32.2-47.4	59	32.5	24.9-40.1	26	12.5	07.0-18.0	32	14.2	08.9-19.5
35-44	284	397,862	3	1.1	00.0-02.7	94	31.2	24.9-37.5	81	29.7	23.0-36.4	53	18.6	12.9-24.3	53	19.4	13.7-25.1
45-54	462	410,205	12	1.7	00.5-02.9	138	31.5	25.8-37.2	121	26.3	21.4-31.2	107	23.8	18.9-28.7	84	16.7	12.8-20.6
55-64	639	393,365	4	0.5	00.0-01.3	173	25.4	21.1-29.7	230	36.8	32.1-41.5	129	20.0	16.3-23.7	103	17.2	13.3-21.1
65+	1256	537,832	36	3.3	01.9-04.7	474	38.5	35.0-42.0	448	36.9	33.4-40.4	183	13.2	10.8-15.6	115	8.2	06.2-10.2
Less Than H.S.	400	394,496	14	2.9	00.9-04.9	126	31.6	24.3-38.9	114	27.2	20.9-33.5	85	23.6	16.9-30.3	61	14.8	10.1-19.5
H.S. or G.E.D.	1045	800,013	21	1.3	00.5-02.1	324	31.7	27.2-36.2	366	34.9	30.4-39.4	186	18.3	14.8-21.8	148	13.7	10.8-16.6
Some Post-H.S.	733	676,447	11	1.8	00.2-03.4	264	39.5	34.6-44.4	225	29.6	25.1-34.1	133	15.6	12.3-18.9	100	13.6	10.3-16.9
College Graduate	786	506,859	16	2.1	00.7-03.5	309	39.6	35.1-44.1	269	34.8	30.3-39.3	107	11.9	09.0-14.8	85	11.5	08.4-14.6
Less than \$15,000	445	315,076	22	5.2	01.9-08.5	112	23.2	17.1-29.3	131	27.6	21.3-33.9	98	24.6	18.1-31.1	82	19.4	14.3-24.5
\$15,000- 24,999	555	434,423	7	1.5	00.1-02.9	199	38.0	32.1-43.9	177	31.1	25.4-36.8	100	14.9	10.8-19.0	72	14.5	10.2-18.8
\$25,000- 34,999	320	242,659	7	3.0	00.3-05.7	108	37.5	29.7-45.3	109	32.1	24.8-39.4	49	15.7	10.2-21.2	47	11.6	07.3-15.9
\$35,000- 49,999	316	257,774	3	1.2	00.0-02.8	87	26.2	19.9-32.5	117	35.0	27.7-42.3	64	21.7	15.4-28.0	45	15.9	10.6-21.2
\$50,000- 74,999	271	241,093	4	1.3	00.0-03.1	89	29.9	22.6-37.2	82	34.3	25.9-42.7	53	21.1	13.5-28.7	43	13.5	07.8-19.2
\$75,000+	431	404,815	3	0.4	00.0-01.0	188	47.9	41.0-54.8	133	29.7	24.0-35.4	67	13.6	09.5-17.7	40	8.3	05.2-11.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).  
 Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Underweight			Normal Weight			Overweight			Obese		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4793	4,736,174	105	1.8	01.4-02.2	1458	31.1	29.1-33.1	1744	35.9	33.9-37.9	1486	31.2	29.2-33.2
Male	1819	2,355,439	22	0.9	00.3-01.5	454	27.4	24.5-30.3	767	39.7	36.6-42.8	576	32.0	29.1-34.9
Female	2974	2,380,735	83	2.6	01.8-03.4	1004	34.8	32.3-37.3	977	32.1	29.7-34.5	910	30.5	28.1-32.9
White/Non-Hisp	3978	3,639,470	90	1.8	01.2-02.4	1248	31.7	29.5-33.9	1474	37.0	34.8-39.2	1166	29.6	27.6-31.6
Black or Afr. Am./Non-Hisp	584	741,636	10	1.5	00.1-02.9	120	22.2	17.3-27.1	202	35.6	29.9-41.3	252	40.7	34.8-46.6
Oth. Race/Non-Hisp.	90	118,208	4	4.4	00.0-09.1	41	50.0	36.7-63.3	27	25.2	14.0-36.4	18	20.5	10.1-30.9
Hispanic	54	121,229	1	1.8	00.0-05.3	23	42.5	26.6-58.4	9	16.8	04.8-28.8	21	38.9	22.6-55.2
18-24	187	565,295	6	2.7	00.5-04.9	89	49.3	40.9-57.7	57	29.4	21.6-37.2	35	18.6	12.1-25.1
25-34	367	773,944	7	1.5	00.3-02.7	146	39.3	33.4-45.2	113	31.3	25.6-37.0	101	27.9	22.2-33.6
35-44	454	795,482	5	1.0	00.0-02.0	123	25.2	20.1-30.3	158	36.7	31.0-42.4	168	37.1	31.4-42.8
45-54	766	837,513	19	1.7	00.7-02.7	193	25.1	21.2-29.0	250	33.9	29.6-38.2	304	39.3	35.0-43.6
55-64	1074	777,777	12	1.1	00.3-01.9	236	19.0	16.3-21.7	426	41.5	37.8-45.2	400	38.4	34.7-42.1
65+	1908	968,353	53	2.5	01.7-03.3	654	33.6	30.9-36.3	729	40.0	37.1-42.9	472	23.9	21.4-26.4
Less Than H.S.	623	772,320	19	1.8	00.6-03.0	191	30.7	25.0-36.4	190	29.3	23.8-34.8	223	38.2	32.3-44.1
H.S. or G.E.D.	1647	1,573,627	33	1.5	00.7-02.3	478	30.0	26.7-33.3	616	36.7	33.2-40.2	520	31.8	28.5-35.1
Some Post-H.S.	1167	1,358,124	24	1.7	00.7-02.7	346	32.4	28.5-36.3	411	35.0	31.1-38.9	386	30.9	27.2-34.6
College Graduate	1344	1,023,746	28	2.3	01.1-03.5	438	31.2	27.9-34.5	525	41.0	37.5-44.5	353	25.5	22.4-28.6
Less than \$15,000	650	551,014	30	4.0	01.8-06.2	184	28.8	23.3-34.3	187	26.6	21.3-31.9	249	40.5	34.8-46.2
\$15,000- 24,999	836	791,341	16	1.4	00.4-02.4	267	33.1	28.2-38.0	295	33.1	28.4-37.8	258	32.4	27.3-37.5
\$25,000- 34,999	510	490,506	12	2.8	00.8-04.8	148	29.7	23.8-35.6	190	33.5	27.6-39.4	160	34.0	27.7-40.3
\$35,000- 49,999	585	617,082	6	1.1	00.1-02.1	155	29.2	23.7-34.7	240	40.9	35.2-46.6	184	28.8	23.9-33.7
\$50,000- 74,999	503	538,386	8	1.3	00.1-02.5	136	25.0	19.9-30.1	187	41.5	35.4-47.6	172	32.2	26.5-37.9
\$75,000+	810	923,431	9	1.1	00.1-02.1	256	31.5	26.8-36.2	317	40.7	35.8-45.6	228	26.6	22.5-30.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Underweight			Normal Weight			Overweight			Obese		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	2,355,439	22	0.9	00.3-01.5	454	27.4	24.5-30.3	767	39.7	36.6-42.8	576	32.0	29.1-34.9
White/Non-Hisp	1524	1,810,710	18	1.0	00.4-01.6	379	26.8	23.5-30.1	658	41.7	38.2-45.2	469	30.5	27.4-33.6
Black or Afr. Am./Non-Hisp	189	348,390	3	0.9	00.0-02.1	40	24.9	16.3-33.5	69	33.8	24.8-42.8	77	40.4	30.8-50.0
18-24	86	290,938	1	0.6	00.0-01.8	42	48.9	36.9-60.9	26	31.3	19.9-42.7	17	19.2	10.2-28.2
25-34	163	418,313	3	1.8	00.0-03.8	63	39.1	30.5-47.7	54	30.3	22.3-38.3	43	28.8	20.2-37.4
35-44	170	397,620				31	20.1	12.1-28.1	77	43.7	34.5-52.9	62	36.1	27.1-45.1
45-54	304	427,308	3	0.6	00.0-01.4	60	20.2	14.7-25.7	128	41.0	34.1-47.9	113	38.2	31.5-44.9
55-64	435	384,412	6	1.2	00.0-02.4	65	12.8	09.1-16.5	197	46.4	40.5-52.3	167	39.7	34.0-45.4
65+	652	430,521	8	0.7	00.1-01.3	191	28.4	24.1-32.7	280	43.8	39.1-48.5	173	27.1	22.8-31.4
Less Than H.S.	223	377,825	3	0.6	00.0-01.4	69	30.1	21.3-38.9	74	31.2	22.4-40.0	77	38.1	28.7-47.5
H.S. or G.E.D.	602	773,613	6	0.9	00.0-01.9	160	29.0	23.9-34.1	251	38.7	33.4-44.0	185	31.5	26.4-36.6
Some Post-H.S.	434	681,677	5	0.5	00.0-01.1	90	26.5	20.4-32.6	187	40.5	34.2-46.8	152	32.6	26.7-38.5
College Graduate	558	516,887	8	1.7	00.1-03.3	134	23.8	19.3-28.3	255	47.0	41.5-52.5	161	27.5	22.8-32.2
Less than \$15,000	205	235,938	7	2.0	00.0-04.2	73	36.8	27.0-46.6	57	25.4	16.6-34.2	68	35.8	26.6-45.0
\$15,000- 24,999	281	356,918	1	0.0	00.0-00.0	78	28.8	21.0-36.6	117	35.3	27.7-42.9	85	35.9	27.1-44.7
\$25,000- 34,999	190	247,847	1	1.1	00.0-03.3	44	23.5	15.3-31.7	81	34.8	25.8-43.8	64	40.6	30.4-50.8
\$35,000- 49,999	269	359,307	3	1.0	00.0-02.4	68	31.4	23.2-39.6	123	45.1	36.7-53.5	75	22.4	16.3-28.5
\$50,000- 74,999	232	297,293	1	0.0	00.0-00.0	50	22.3	14.9-29.7	105	47.4	38.8-56.0	76	30.3	22.7-37.9
\$75,000+	379	518,615	4	1.0	00.0-02.0	70	19.4	13.7-25.1	184	49.3	42.2-56.4	121	30.3	24.0-36.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Underweight			Normal Weight			Overweight			Obese		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2974	2,380,735	83	2.6	01.8-03.4	1004	34.8	32.3-37.3	977	32.1	29.7-34.5	910	30.5	28.1-32.9
White/Non-Hisp	2454	1,828,761	72	2.6	01.8-03.4	869	36.5	33.6-39.4	816	32.3	29.8-34.8	697	28.6	26.1-31.1
Black or Afr. Am./Non-Hisp	395	393,246	7	2.0	00.0-04.2	80	19.7	14.2-25.2	133	37.3	29.9-44.7	175	41.0	33.7-48.3
Oth. Race/Non-Hisp.	51	64,866	3	7.2	00.0-15.6	25	61.3	44.8-77.8	15	18.4	06.8-30.0	8	13.1	02.7-23.5
18-24	101	274,356	5	4.8	00.5-09.1	47	49.8	37.8-61.8	31	27.3	16.9-37.7	18	18.1	09.1-27.1
25-34	204	355,631	4	1.3	00.0-02.7	83	39.5	31.9-47.1	59	32.5	24.9-40.1	58	26.7	19.6-33.8
35-44	284	397,862	5	2.0	00.0-04.0	92	30.2	24.1-36.3	81	29.7	23.0-36.4	106	38.1	31.0-45.2
45-54	462	410,205	16	2.8	01.0-04.6	133	30.3	24.6-36.0	122	26.5	21.6-31.4	191	40.5	34.8-46.2
55-64	639	393,365	6	1.0	00.0-02.0	171	25.0	20.9-29.1	229	36.8	32.1-41.5	233	37.2	32.5-41.9
65+	1256	537,832	45	3.9	02.5-05.3	463	37.8	34.3-41.3	449	37.0	33.5-40.5	299	21.3	18.6-24.0
Less Than H.S.	400	394,496	16	3.0	00.8-05.2	122	31.2	23.9-38.5	116	27.4	21.1-33.7	146	38.4	31.1-45.7
H.S. or G.E.D.	1045	800,013	27	2.0	01.0-03.0	318	31.0	26.5-35.5	365	34.8	30.3-39.3	335	32.1	27.8-36.4
Some Post-H.S.	733	676,447	19	2.9	01.1-04.7	256	38.4	33.5-43.3	224	29.6	25.1-34.1	234	29.2	24.9-33.5
College Graduate	786	506,859	20	3.0	01.0-05.0	304	38.7	34.2-43.2	270	34.9	30.4-39.4	192	23.4	19.5-27.3
Less than \$15,000	445	315,076	23	5.6	02.1-09.1	111	22.8	16.7-28.9	130	27.6	21.3-33.9	181	44.0	36.9-51.1
\$15,000- 24,999	555	434,423	15	2.6	00.8-04.4	189	36.7	30.8-42.6	178	31.3	25.6-37.0	173	29.5	24.0-35.0
\$25,000- 34,999	320	242,659	11	4.5	01.2-07.8	104	36.0	28.2-43.8	109	32.1	24.8-39.4	96	27.4	20.9-33.9
\$35,000- 49,999	316	257,774	3	1.2	00.0-02.8	87	26.2	19.9-32.5	117	35.0	27.7-42.3	109	37.6	30.3-44.9
\$50,000- 74,999	271	241,093	7	2.8	00.1-05.5	86	28.4	21.3-35.5	82	34.3	25.9-42.7	96	34.5	26.1-42.9
\$75,000+	431	404,815	5	1.3	00.0-02.9	186	47.1	40.2-54.0	133	29.7	24.0-35.4	107	21.9	17.0-26.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4793	4,736,174	1563	32.9	30.9-34.9	3230	67.1	65.1-69.1
Male	1819	2,355,439	476	28.3	25.4-31.2	1343	71.7	68.8-74.6
Female	2974	2,380,735	1087	37.5	35.0-40.0	1887	62.5	60.0-65.0
White/Non-Hisp	3978	3,639,470	1338	33.5	31.3-35.7	2640	66.5	64.3-68.7
Black or Afr. Am./Non-Hisp	584	741,636	130	23.6	18.5-28.7	454	76.4	71.3-81.5
Oth. Race/Non-Hisp.	90	118,208	45	54.4	41.3-67.5	45	45.6	32.5-58.7
Hispanic	54	121,229	24	44.3	28.4-60.2	30	55.7	39.8-71.6
18-24	187	565,295	95	52.0	43.6-60.4	92	48.0	39.6-56.4
25-34	367	773,944	153	40.8	34.9-46.7	214	59.2	53.3-65.1
35-44	454	795,482	128	26.2	21.1-31.3	326	73.8	68.7-78.9
45-54	766	837,513	212	26.8	22.7-30.9	554	73.2	69.1-77.3
55-64	1074	777,777	248	20.0	17.1-22.9	826	80.0	77.1-82.9
65+	1908	968,353	707	36.1	33.4-38.8	1201	63.9	61.2-66.6
Less Than H.S.	623	772,320	210	32.5	26.8-38.2	413	67.5	61.8-73.2
H.S. or G.E.D.	1647	1,573,627	511	31.5	28.2-34.8	1136	68.5	65.2-71.8
Some Post-H.S.	1167	1,358,124	370	34.1	30.2-38.0	797	65.9	62.0-69.8
College Graduate	1344	1,023,746	466	33.5	30.2-36.8	878	66.5	63.2-69.8
Less than \$15,000	650	551,014	214	32.8	27.1-38.5	436	67.2	61.5-72.9
\$15,000- 24,999	836	791,341	283	34.5	29.6-39.4	553	65.5	60.6-70.4
\$25,000- 34,999	510	490,506	160	32.5	26.6-38.4	350	67.5	61.6-73.4
\$35,000- 49,999	585	617,082	161	30.3	24.8-35.8	424	69.7	64.2-75.2
\$50,000- 74,999	503	538,386	144	26.3	21.0-31.6	359	73.7	68.4-79.0
\$75,000+	810	923,431	265	32.7	28.0-37.4	545	67.3	62.6-72.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1819	2,355,439	476	28.3	25.4-31.2	1343	71.7	68.8-74.6
White/Non-Hisp	1524	1,810,710	397	27.8	24.5-31.1	1127	72.2	68.9-75.5
Black or Afr. Am./Non-Hisp	189	348,390	43	25.8	17.2-34.4	146	74.2	65.6-82.8
18-24	86	290,938	43	49.5	37.5-61.5	43	50.5	38.5-62.5
25-34	163	418,313	66	40.8	32.0-49.6	97	59.2	50.4-68.0
35-44	170	397,620	31	20.1	12.1-28.1	139	79.9	71.9-87.9
45-54	304	427,308	63	20.8	15.3-26.3	241	79.2	73.7-84.7
55-64	435	384,412	71	14.0	10.3-17.7	364	86.0	82.3-89.7
65+	652	430,521	199	29.1	24.8-33.4	453	70.9	66.6-75.2
Less Than H.S.	223	377,825	72	30.7	21.9-39.5	151	69.3	60.5-78.1
H.S. or G.E.D.	602	773,613	166	29.9	24.8-35.0	436	70.1	65.0-75.2
Some Post-H.S.	434	681,677	95	26.9	20.8-33.0	339	73.1	67.0-79.2
College Graduate	558	516,887	142	25.5	20.8-30.2	416	74.5	69.8-79.2
Less than \$15,000	205	235,938	80	38.8	29.0-48.6	125	61.2	51.4-71.0
\$15,000- 24,999	281	356,918	79	28.8	21.0-36.6	202	71.2	63.4-79.0
\$25,000- 34,999	190	247,847	45	24.6	16.2-33.0	145	75.4	67.0-83.8
\$35,000- 49,999	269	359,307	71	32.4	24.2-40.6	198	67.6	59.4-75.8
\$50,000- 74,999	232	297,293	51	22.3	14.9-29.7	181	77.7	70.3-85.1
\$75,000+	379	518,615	74	20.4	14.5-26.3	305	79.6	73.7-85.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2974	2,380,735	1087	37.5	35.0-40.0	1887	62.5	60.0-65.0
White/Non-Hisp	2454	1,828,761	941	39.1	36.2-42.0	1513	60.9	58.0-63.8
Black or Afr. Am./Non-Hisp	395	393,246	87	21.7	16.0-27.4	308	78.3	72.6-84.0
Oth. Race/Non-Hisp.	51	64,866	28	68.5	53.4-83.6	23	31.5	16.4-46.6
18-24	101	274,356	52	54.6	42.8-66.4	49	45.4	33.6-57.2
25-34	204	355,631	87	40.8	33.0-48.6	117	59.2	51.4-67.0
35-44	284	397,862	97	32.3	26.0-38.6	187	67.7	61.4-74.0
45-54	462	410,205	149	33.1	27.4-38.8	313	66.9	61.2-72.6
55-64	639	393,365	177	26.0	21.7-30.3	462	74.0	69.7-78.3
65+	1256	537,832	508	41.7	38.2-45.2	748	58.3	54.8-61.8
Less Than H.S.	400	394,496	138	34.2	26.9-41.5	262	65.8	58.5-73.1
H.S. or G.E.D.	1045	800,013	345	33.1	28.6-37.6	700	66.9	62.4-71.4
Some Post-H.S.	733	676,447	275	41.3	36.4-46.2	458	58.7	53.8-63.6
College Graduate	786	506,859	324	41.7	37.0-46.4	462	58.3	53.6-63.0
Less than \$15,000	445	315,076	134	28.4	21.9-34.9	311	71.6	65.1-78.1
\$15,000- 24,999	555	434,423	204	39.3	33.4-45.2	351	60.7	54.8-66.6
\$25,000- 34,999	320	242,659	115	40.5	32.5-48.5	205	59.5	51.5-67.5
\$35,000- 49,999	316	257,774	90	27.4	20.9-33.9	226	72.6	66.1-79.1
\$50,000- 74,999	271	241,093	93	31.2	23.8-38.6	178	68.8	61.4-76.2
\$75,000+	431	404,815	191	48.3	41.4-55.2	240	51.7	44.8-58.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5110	5,036,383	3945	63.5	61.5-65.5	543	16.2	14.6-17.8	394	12.2	10.8-13.6	153	5.2	04.2-06.2	50	2.1	01.3-02.9	25	0.8	00.4-01.2
Male	1873	2,432,320	1466	66.7	63.6-69.8	183	14.9	12.4-17.4	143	11.4	09.2-13.6	51	4.6	03.0-06.2	19	1.8	00.8-02.8	11	0.6	00.2-01.0
Female	3237	2,604,062	2479	60.4	57.9-62.9	360	17.4	15.2-19.6	251	13.0	11.0-15.0	102	5.8	04.2-07.4	31	2.4	01.2-03.6	14	0.9	00.3-01.5
White/Non-Hisp	4229	3,838,471	3330	65.3	63.1-67.5	414	15.5	13.7-17.3	318	12.3	10.7-13.9	110	4.5	03.3-05.7	37	1.8	01.2-02.4	20	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	625	791,403	441	59.4	53.7-65.1	93	17.4	13.1-21.7	49	11.3	07.6-15.0	31	7.6	04.5-10.7	9	3.7	00.6-06.8	2	0.7	00.0-01.7
Oth. Race/Non-Hisp.	97	127,249	67	59.9	47.0-72.8	14	18.4	07.8-29.0	11	15.0	05.0-25.0	2	1.3	00.0-03.1	1	0.8	00.0-02.4	2	4.5	00.0-10.6
Hispanic	60	145,436	32	42.6	27.9-57.3	10	21.9	07.8-36.0	9	16.8	04.5-29.1	8	16.2	04.4-28.0	1	2.6	00.0-07.5			
18-24	205	626,794	123	56.8	48.8-64.8	49	24.1	17.2-31.0	21	10.2	05.3-15.1	10	6.9	02.0-11.8	2	2.1	00.0-05.0			
25-34	400	840,547	139	34.9	29.2-40.6	82	22.2	17.3-27.1	102	23.5	18.8-28.2	53	12.3	08.6-16.0	13	4.3	01.8-06.8	11	2.8	01.0-04.6
35-44	477	827,015	149	35.3	29.6-41.0	121	23.4	18.7-28.1	128	25.2	20.3-30.1	48	9.4	06.3-12.5	23	5.4	02.7-08.1	8	1.3	00.3-02.3
45-54	814	880,747	528	63.1	58.8-67.4	153	20.4	16.7-24.1	95	12.5	09.6-15.4	28	3.1	01.7-04.5	7	0.6	00.0-01.4	3	0.3	00.0-00.7
55-64	1156	828,376	1036	87.7	85.2-90.2	85	8.4	06.2-10.6	21	2.3	01.1-03.5	9	0.9	00.3-01.5	3	0.5	00.0-01.3	2	0.2	00.0-00.6
65+	1997	1,000,688	1918	94.4	92.8-96.0	51	3.4	02.2-04.6	21	1.5	00.7-02.3	4	0.4	00.0-00.8	2	0.2	00.0-00.4	1	0.1	00.0-00.3
Less Than H.S.	649	803,081	532	67.8	61.7-73.9	58	17.1	11.6-22.6	26	6.8	03.7-09.9	22	5.8	02.9-08.7	8	2.0	00.2-03.8	3	0.5	00.0-01.1
H.S. or G.E.D.	1760	1,680,819	1393	64.1	60.6-67.6	157	13.1	10.7-15.5	132	13.2	10.5-15.9	49	5.9	03.7-08.1	15	2.3	00.7-03.9	14	1.4	00.6-02.2
Some Post-H.S.	1254	1,456,921	943	62.7	58.8-66.6	156	18.1	15.0-21.2	106	12.2	09.3-15.1	32	3.9	02.3-05.5	13	2.5	00.9-04.1	4	0.5	00.0-01.1
College Graduate	1429	1,078,654	1061	59.9	56.4-63.4	170	17.9	15.0-20.8	130	14.9	12.2-17.6	50	5.5	03.7-07.3	14	1.4	00.6-02.2	4	0.3	00.0-00.7
Less than \$15,000	682	592,979	556	69.7	64.2-75.2	58	15.7	11.0-20.4	43	8.2	05.3-11.1	17	4.4	01.7-07.1	6	1.6	00.0-03.2	2	0.3	00.0-00.9
\$15,000- 24,999	869	825,041	678	62.5	57.4-67.6	78	15.7	11.6-19.8	65	11.7	08.0-15.4	28	5.7	03.2-08.2	11	2.6	00.8-04.4	9	1.6	00.4-02.8
\$25,000- 34,999	530	505,793	432	75.3	70.0-80.6	51	12.4	08.3-16.5	27	7.0	04.1-09.9	14	3.5	01.3-05.7	4	1.1	00.0-02.3	2	0.6	00.0-01.6
\$35,000- 49,999	609	642,907	461	60.0	54.1-65.9	73	18.0	12.9-23.1	41	11.2	07.5-14.9	22	6.2	03.1-09.3	7	3.3	00.6-06.0	5	1.2	00.0-02.4
\$50,000- 74,999	534	573,135	394	64.7	58.8-70.6	64	13.8	09.7-17.9	52	13.7	09.2-18.2	10	2.4	00.6-04.2	10	4.0	00.9-07.1	4	1.4	00.0-03.0
\$75,000+	833	943,714	545	51.9	47.0-56.8	131	22.0	17.7-26.3	113	18.9	15.0-22.8	37	6.6	03.5-09.7	6	0.5	00.1-00.9	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1873	2,432,320	1466	66.7	63.6-69.8	183	14.9	12.4-17.4	143	11.4	09.2-13.6	51	4.6	03.0-06.2	19	1.8	00.8-02.8	11	0.6	00.2-01.0
White/Non-Hisp	1565	1,849,523	1237	67.6	64.1-71.1	143	14.1	11.4-16.8	122	12.2	09.7-14.7	38	3.8	02.2-05.4	15	1.6	00.6-02.6	10	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	192	363,051	147	69.1	60.3-77.9	24	14.6	08.3-20.9	12	8.3	03.2-13.4	8	6.3	01.6-11.0	1	1.8	00.0-05.3			
18-24	92	319,185	60	63.7	52.3-75.1	20	22.6	12.4-32.8	7	7.8	01.3-14.3	5	5.8	00.3-11.3						
25-34	163	420,859	85	49.7	40.7-58.7	27	18.1	11.0-25.2	31	18.6	12.1-25.1	11	7.6	02.7-12.5	6	4.3	00.4-08.2	3	1.7	00.0-03.7
35-44	176	410,826	70	41.9	32.7-51.1	37	19.9	12.8-27.0	38	21.4	13.6-29.2	18	10.5	05.4-15.6	8	4.7	01.2-08.2	5	1.6	00.0-03.2
45-54	307	433,091	197	62.6	55.7-69.5	51	18.7	13.0-24.4	46	15.2	10.1-20.3	11	3.1	00.9-05.3	1	0.2	00.0-00.6	1	0.2	00.0-00.6
55-64	451	400,957	401	86.6	82.5-90.7	33	8.8	05.3-12.3	10	2.8	00.8-04.8	3	0.6	00.0-01.6	2	0.8	00.0-02.2	2	0.4	00.0-01.0
65+	668	438,413	641	93.9	91.4-96.4	15	3.8	01.6-06.0	8	1.5	00.3-02.7	2	0.5	00.0-01.3	2	0.4	00.0-01.0			
Less Than H.S.	231	389,392	189	69.0	59.2-78.8	18	17.2	07.8-26.6	12	7.1	02.4-11.8	8	5.3	01.0-09.6	3	1.1	00.0-02.5	1	0.3	00.0-00.9
H.S. or G.E.D.	621	806,471	493	68.0	62.5-73.5	48	11.3	08.0-14.6	48	12.1	08.0-16.2	18	5.4	02.5-08.3	5	1.7	00.0-03.7	9	1.7	00.3-03.1
Some Post-H.S.	444	699,816	344	66.6	60.3-72.9	53	16.2	11.5-20.9	33	11.2	06.5-15.9	8	3.3	00.8-05.8	6	2.7	00.5-04.9			
College Graduate	572	525,039	436	62.8	57.3-68.3	63	17.1	12.6-21.6	50	14.0	09.9-18.1	17	4.7	02.2-07.2	5	1.3	00.0-02.7	1	0.2	00.0-00.6
Less than \$15,000	212	242,986	186	81.0	72.2-89.8	12	9.3	02.2-16.4	8	4.7	00.8-08.6	3	2.9	00.0-07.8	2	1.9	00.0-04.6	1	0.1	00.0-00.3
\$15,000- 24,999	286	363,360	230	68.0	59.4-76.6	22	13.3	06.6-20.0	22	12.8	05.9-19.7	4	2.9	00.0-06.0	4	1.8	00.0-04.0	4	1.2	00.0-02.4
\$25,000- 34,999	192	252,026	156	77.5	69.7-85.3	17	12.5	06.0-19.0	9	4.4	01.1-07.7	7	3.8	00.7-06.9	2	1.5	00.0-03.9	1	0.3	00.0-00.9
\$35,000- 49,999	270	360,218	213	62.1	53.5-70.7	26	17.3	10.0-24.6	12	6.7	02.2-11.2	12	7.8	02.9-12.7	4	4.6	00.0-09.3	3	1.5	00.0-03.3
\$50,000- 74,999	237	306,808	185	71.1	63.3-78.9	26	14.0	07.9-20.1	18	8.8	04.1-13.5	3	2.1	00.0-04.6	4	3.0	00.0-06.3	1	1.1	00.0-03.3
\$75,000+	379	517,471	252	52.9	45.8-60.0	59	21.6	15.5-27.7	53	20.1	14.0-26.2	12	5.0	01.7-08.3	3	0.5	00.0-01.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3237	2,604,062	2479	60.4	57.9-62.9	360	17.4	15.2-19.6	251	13.0	11.0-15.0	102	5.8	04.2-07.4	31	2.4	01.2-03.6	14	0.9	00.3-01.5
White/Non-Hisp	2664	1,988,948	2093	63.1	60.2-66.0	271	16.7	14.5-18.9	196	12.3	10.3-14.3	72	5.2	03.4-07.0	22	2.0	01.0-03.0	10	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	433	428,352	294	51.3	44.2-58.4	69	19.7	13.6-25.8	37	13.8	08.7-18.9	23	8.8	04.7-12.9	8	5.2	00.3-10.1	2	1.2	00.0-03.0
Oth. Race/Non-Hisp.	56	72,595	38	54.1	36.5-71.7	8	21.8	05.7-37.9	7	18.4	03.9-32.9	2	2.3	00.0-05.6				1	3.4	00.0-10.1
18-24	113	307,609	63	49.6	38.4-60.8	29	25.5	16.3-34.7	14	12.6	05.2-20.0	5	7.9	00.0-16.1	2	4.3	00.0-10.4			
25-34	237	419,688	54	20.0	14.3-25.7	55	26.4	19.7-33.1	71	28.4	21.9-34.9	42	17.0	11.5-22.5	7	4.3	01.0-07.6	8	3.9	01.2-06.6
35-44	301	416,189	79	28.8	22.3-35.3	84	26.8	20.7-32.9	90	29.0	22.9-35.1	30	8.3	04.8-11.8	15	6.1	02.2-10.0	3	1.0	00.0-02.2
45-54	507	447,656	331	63.6	58.3-68.9	102	22.0	17.3-26.7	49	9.8	06.7-12.9	17	3.1	01.5-04.7	6	1.0	00.0-02.4	2	0.4	00.0-01.0
55-64	705	427,420	635	88.8	85.7-91.9	52	8.1	05.4-10.8	11	1.8	00.6-03.0	6	1.1	00.1-02.1	1	0.3	00.0-00.9			
65+	1329	562,276	1277	94.8	93.0-96.6	36	3.1	01.7-04.5	13	1.5	00.5-02.5	2	0.4	00.0-01.0				1	0.2	00.0-00.6
Less Than H.S.	418	413,689	343	66.5	59.2-73.8	40	17.1	11.0-23.2	14	6.5	02.4-10.6	14	6.3	02.4-10.2	5	2.9	00.0-05.8	2	0.7	00.0-01.7
H.S. or G.E.D.	1139	874,348	900	60.5	55.8-65.2	109	14.8	11.5-18.1	84	14.3	10.8-17.8	31	6.4	03.1-09.7	10	2.9	00.5-05.3	5	1.1	00.1-02.1
Some Post-H.S.	810	757,104	599	59.1	54.2-64.0	103	19.8	15.7-23.9	73	13.2	09.7-16.7	24	4.5	02.3-06.7	7	2.3	00.1-04.5	4	1.0	00.0-02.2
College Graduate	857	553,614	625	57.3	52.6-62.0	107	18.7	14.8-22.6	80	15.8	12.1-19.5	33	6.3	03.9-08.7	9	1.4	00.2-02.6	3	0.5	00.0-01.1
Less than \$15,000	470	349,992	370	61.8	54.9-68.7	46	20.2	14.1-26.3	35	10.7	06.6-14.8	14	5.5	02.4-08.6	4	1.4	00.0-03.2	1	0.4	00.0-01.2
\$15,000- 24,999	583	461,682	448	58.3	52.2-64.4	56	17.7	12.4-23.0	43	10.9	07.0-14.8	24	8.0	04.3-11.7	7	3.2	00.5-05.9	5	2.0	00.0-04.0
\$25,000- 34,999	338	253,767	276	73.1	66.2-80.0	34	12.4	07.5-17.3	18	9.6	04.9-14.3	7	3.3	00.4-06.2	2	0.6	00.0-01.6	1	1.0	00.0-03.0
\$35,000- 49,999	339	282,689	248	57.2	49.8-64.6	47	19.0	12.5-25.5	29	17.0	10.7-23.3	10	4.2	01.5-06.9	3	1.7	00.0-03.9	2	0.8	00.0-02.0
\$50,000- 74,999	297	266,327	209	57.3	48.7-65.9	38	13.6	08.3-18.9	34	19.3	11.5-27.1	7	2.8	00.3-05.3	6	5.1	00.0-10.4	3	1.9	00.0-04.4
\$75,000+	454	426,242	293	50.6	44.1-57.1	72	22.6	16.7-28.5	60	17.4	12.7-22.1	25	8.7	03.0-14.4	3	0.5	00.0-01.3	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5100	5,029,175	650	16.0	14.2-17.8	1762	33.5	31.5-35.5	1256	29.0	27.0-31.0	1432	21.5	20.1-22.9
Male	1870	2,422,653	231	16.1	13.4-18.8	621	33.3	30.4-36.2	444	28.9	26.0-31.8	574	21.8	19.6-24.0
Female	3230	2,606,522	419	15.9	13.9-17.9	1141	33.6	31.2-36.0	812	29.2	26.8-31.6	858	21.3	19.5-23.1
White/Non-Hisp	4225	3,838,174	533	16.3	14.5-18.1	1459	33.5	31.3-35.7	1028	28.2	26.2-30.2	1205	22.0	20.4-23.6
Black or Afr. Am./Non-Hisp	625	791,862	81	12.9	08.6-17.2	232	36.1	30.4-41.8	152	30.5	25.0-36.0	160	20.5	16.4-24.6
Oth. Race/Non-Hisp.	96	126,505	17	20.3	09.9-30.7	23	20.4	09.8-31.0	25	31.7	19.0-44.4	31	27.7	17.1-38.3
Hispanic	59	142,769	7	20.0	04.7-35.3	20	37.0	21.9-52.1	19	31.2	17.7-44.7	13	11.8	04.5-19.1
18-24	204	624,054	16	12.7	06.2-19.2	86	43.8	35.8-51.8	71	33.0	25.7-40.3	31	10.4	06.5-14.3
25-34	401	839,360	27	11.6	06.7-16.5	130	32.4	27.1-37.7	121	33.1	27.6-38.6	123	23.0	18.7-27.3
35-44	478	828,383	39	12.9	08.4-17.4	139	26.2	21.5-30.9	117	30.7	25.0-36.4	183	30.2	25.5-34.9
45-54	812	878,663	94	16.5	12.8-20.2	283	35.6	31.3-39.9	200	25.9	22.0-29.8	235	22.0	18.9-25.1
55-64	1156	827,924	133	17.7	14.4-21.0	413	33.7	30.4-37.0	267	27.3	24.0-30.6	343	21.4	18.9-23.9
65+	1992	999,992	340	22.6	19.9-25.3	698	32.4	29.9-34.9	463	25.9	23.4-28.4	491	19.1	17.1-21.1
Less Than H.S.	650	803,733	650	100.0	0100-0100									
H.S. or G.E.D.	1762	1,683,439				1762	100.0	0100-0100						
Some Post-H.S.	1256	1,460,942							1256	100.0	0100-0100			
College Graduate	1432	1,081,060										1432	100.0	0100-0100
Less than \$15,000	681	591,274	217	35.1	29.6-40.6	296	37.4	32.1-42.7	119	22.8	17.9-27.7	49	4.7	02.7-06.7
\$15,000- 24,999	865	820,744	146	22.9	18.2-27.6	396	41.6	36.7-46.5	234	28.6	23.9-33.3	89	6.9	04.9-08.9
\$25,000- 34,999	530	505,793	51	13.9	08.8-19.0	232	39.6	33.5-45.7	148	32.7	26.8-38.6	99	13.8	10.3-17.3
\$35,000- 49,999	609	642,907	34	9.5	05.4-13.6	196	33.9	28.6-39.2	184	33.0	27.5-38.5	195	23.6	19.5-27.7
\$50,000- 74,999	535	575,451	12	4.5	01.4-07.6	120	27.6	22.1-33.1	163	36.9	31.0-42.8	240	31.1	26.2-36.0
\$75,000+	834	945,029	9	3.8	00.9-06.7	117	17.6	13.5-21.7	168	27.8	23.1-32.5	540	50.8	45.9-55.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1870	2,422,653	231	16.1	13.4-18.8	621	33.3	30.4-36.2	444	28.9	26.0-31.8	574	21.8	19.6-24.0
White/Non-Hisp	1564	1,845,925	187	15.7	13.0-18.4	519	33.5	30.2-36.8	360	27.7	24.4-31.0	498	23.1	20.6-25.6
Black or Afr. Am./Non-Hisp	193	363,669	23	14.0	06.4-21.6	75	36.0	26.8-45.2	47	32.3	23.3-41.3	48	17.7	11.4-24.0
18-24	91	316,445	7	13.3	03.5-23.1	38	43.2	31.6-54.8	35	35.4	24.6-46.2	11	8.1	03.2-13.0
25-34	163	417,356	13	13.1	05.1-21.1	54	33.1	24.9-41.3	46	31.3	23.1-39.5	50	22.5	16.0-29.0
35-44	176	410,826	15	13.2	05.8-20.6	51	24.3	16.9-31.7	48	34.6	25.4-43.8	62	27.8	20.5-35.1
45-54	306	431,371	30	13.0	07.9-18.1	119	41.1	34.2-48.0	64	23.4	17.3-29.5	93	22.4	17.5-27.3
55-64	450	399,253	61	21.1	15.8-26.4	156	31.4	26.3-36.5	98	25.8	20.5-31.1	135	21.8	17.7-25.9
65+	668	438,413	105	22.3	17.8-26.8	198	28.9	24.6-33.2	150	24.6	20.5-28.7	215	24.3	20.8-27.8
Less Than H.S.	231	389,392	231	100.0	0100-0100									
H.S. or G.E.D.	621	806,471				621	100.0	0100-0100						
Some Post-H.S.	444	699,816							444	100.0	0100-0100			
College Graduate	574	526,973										574	100.0	0100-0100
Less than \$15,000	211	241,282	66	33.9	24.5-43.3	88	38.7	29.5-47.9	41	24.0	15.6-32.4	16	3.4	00.5-06.3
\$15,000- 24,999	284	358,376	59	27.5	18.9-36.1	133	40.4	32.4-48.4	63	24.5	16.9-32.1	29	7.6	04.1-11.1
\$25,000- 34,999	192	252,026	27	15.5	07.9-23.1	88	43.7	33.9-53.5	44	28.2	19.0-37.4	33	12.6	07.5-17.7
\$35,000- 49,999	270	360,218	20	12.0	05.3-18.7	98	36.0	28.2-43.8	73	32.0	24.0-40.0	79	19.9	14.4-25.4
\$50,000- 74,999	237	306,808	7	5.6	00.9-10.3	51	27.0	19.2-34.8	75	37.9	29.5-46.3	104	29.6	22.7-36.5
\$75,000+	380	518,787	8	5.7	01.0-10.4	57	17.1	11.6-22.6	74	28.1	21.0-35.2	241	49.1	42.0-56.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3230	2,606,522	419	15.9	13.9-17.9	1141	33.6	31.2-36.0	812	29.2	26.8-31.6	858	21.3	19.5-23.1
White/Non-Hisp	2661	1,992,249	346	16.9	14.5-19.3	940	33.4	30.9-35.9	668	28.8	26.3-31.3	707	20.9	18.9-22.9
Black or Afr. Am./Non-Hisp	432	428,193	58	12.0	07.3-16.7	157	36.1	29.2-43.0	105	29.0	22.5-35.5	112	22.9	17.6-28.2
Oth. Race/Non-Hisp.	55	71,851	7	15.9	03.9-27.9	14	21.3	06.4-36.2	15	35.7	17.9-53.5	19	27.2	13.3-41.1
18-24	113	307,609	9	12.1	03.9-20.3	48	44.4	33.2-55.6	36	30.6	21.0-40.2	20	12.9	06.8-19.0
25-34	238	422,004	14	10.0	04.7-15.3	76	31.8	25.1-38.5	75	34.8	27.5-42.1	73	23.4	17.7-29.1
35-44	302	417,557	24	12.6	07.1-18.1	88	28.0	21.9-34.1	69	26.8	20.3-33.3	121	32.6	26.7-38.5
45-54	506	447,292	64	19.8	14.3-25.3	164	30.2	25.3-35.1	136	28.4	23.7-33.1	142	21.6	17.7-25.5
55-64	706	428,672	72	14.6	10.7-18.5	257	35.8	31.3-40.3	169	28.6	24.3-32.9	208	20.9	17.8-24.0
65+	1324	561,580	235	22.9	19.6-26.2	500	35.1	31.8-38.4	313	26.9	23.8-30.0	276	15.1	13.1-17.1
Less Than H.S.	419	414,341	419	100.0	0100-0100									
H.S. or G.E.D.	1141	876,969				1141	100.0	0100-0100						
Some Post-H.S.	812	761,126							812	100.0	0100-0100			
College Graduate	858	554,087										858	100.0	0100-0100
Less than \$15,000	470	349,992	151	35.9	29.2-42.6	208	36.5	30.2-42.8	78	22.0	15.9-28.1	33	5.6	02.9-08.3
\$15,000- 24,999	581	462,368	87	19.4	14.5-24.3	263	42.5	36.6-48.4	171	31.8	26.1-37.5	60	6.3	04.1-08.5
\$25,000- 34,999	338	253,767	24	12.4	05.7-19.1	144	35.5	28.4-42.6	104	37.1	29.7-44.5	66	15.0	10.3-19.7
\$35,000- 49,999	339	282,689	14	6.2	02.5-09.9	98	31.2	24.1-38.3	111	34.3	27.4-41.2	116	28.3	22.2-34.4
\$50,000- 74,999	298	268,643	5	3.2	00.0-07.1	69	28.2	20.6-35.8	88	35.7	27.7-43.7	136	32.8	25.7-39.9
\$75,000+	454	426,242	1	1.4	00.0-04.1	60	18.3	12.0-24.6	94	27.5	21.6-33.4	299	52.8	46.1-59.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.														
	TOTAL	WEIGHTED	Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4061	4,089,186	682	14.5	12.9-16.1	870	20.2	18.4-22.0	530	12.4	11.0-13.8	609	15.7	14.1-17.3	1370	37.2	35.0-39.4
Male	1577	2,044,185	212	11.9	09.7-14.1	286	17.8	15.1-20.5	192	12.3	09.9-14.7	270	17.6	14.9-20.3	617	40.4	37.1-43.7
Female	2484	2,045,001	470	17.1	14.9-19.3	584	22.6	20.2-25.0	338	12.4	10.6-14.2	339	13.8	11.8-15.8	753	34.0	31.3-36.7
White/Non-Hisp	3362	3,113,270	514	12.8	11.2-14.4	694	18.3	16.5-20.1	440	12.3	10.7-13.9	513	15.9	14.1-17.7	1201	40.7	38.3-43.1
Black or Afr. Am./Non-Hisp	505	655,865	124	20.2	15.5-24.9	123	25.6	19.7-31.5	72	13.4	09.5-17.3	74	16.4	11.5-21.3	112	24.4	19.1-29.7
Oth. Race/Non-Hisp.	76	103,683	20	21.6	10.4-32.8	16	20.4	08.6-32.2	5	9.7	00.3-19.1	9	8.1	02.4-13.8	26	40.2	26.1-54.3
Hispanic	50	117,249	10	21.3	07.6-35.0	18	39.6	22.5-56.7	8	17.7	05.4-30.0	4	7.9	00.0-15.9	10	13.5	04.1-22.9
18-24	143	445,024	26	16.7	10.0-23.4	36	21.6	14.3-28.9	25	16.1	09.4-22.8	29	23.8	15.4-32.2	27	21.8	13.4-30.2
25-34	342	709,377	54	16.0	11.5-20.5	73	20.1	15.0-25.2	48	13.0	08.9-17.1	48	14.5	10.0-19.0	119	36.4	30.3-42.5
35-44	415	721,496	55	12.7	08.8-16.6	73	19.4	14.1-24.7	36	7.8	04.9-10.7	63	12.8	09.3-16.3	188	47.3	41.2-53.4
45-54	701	770,928	114	13.9	10.8-17.0	116	16.2	12.9-19.5	65	10.8	07.5-14.1	87	11.5	08.8-14.2	319	47.6	42.9-52.3
55-64	962	690,739	159	14.6	11.9-17.3	175	18.4	15.3-21.5	108	10.5	08.1-12.9	144	16.5	13.4-19.6	376	39.9	36.0-43.8
65+	1476	736,855	270	13.8	11.6-16.0	393	26.3	23.4-29.2	247	17.5	15.0-20.0	232	18.4	15.9-20.9	334	24.1	21.4-26.8
Less Than H.S.	469	588,864	217	35.2	28.9-41.5	146	32.0	25.5-38.5	51	12.0	07.5-16.5	34	10.4	05.9-14.9	21	10.5	05.2-15.8
H.S. or G.E.D.	1357	1,305,875	296	16.9	14.2-19.6	396	26.1	22.8-29.4	232	15.3	12.6-18.0	196	16.7	13.8-19.6	237	24.9	21.2-28.6
Some Post-H.S.	1016	1,222,169	119	11.0	08.3-13.7	234	19.2	15.9-22.5	148	13.5	10.8-16.2	184	17.4	14.3-20.5	331	38.9	34.6-43.2
College Graduate	1212	964,290	49	2.9	01.7-04.1	89	5.8	04.0-07.6	99	7.3	05.5-09.1	195	15.7	13.0-18.4	780	68.3	65.0-71.6
Less than \$15,000	682	592,979	682	100.0	0100-0100												
\$15,000- 24,999	870	826,294				870	100.0	0100-0100									
\$25,000- 34,999	530	505,793							530	100.0	0100-0100						
\$35,000- 49,999	609	642,907										609	100.0	0100-0100			
\$50,000- 74,999	535	575,451													535	100.0	0100-0100
\$75,000+	835	945,763													835	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	1577	2,044,185	212	11.9	09.7-14.1	286	17.8	15.1-20.5	192	12.3	09.9-14.7	270	17.6	14.9-20.3	617	40.4	37.1-43.7			
White/Non-Hisp	1327	1,568,776	162	10.8	08.4-13.2	230	15.8	13.3-18.3	157	11.8	09.3-14.3	235	17.8	14.9-20.7	543	43.9	40.2-47.6			
Black or Afr. Am./Non-Hisp	160	301,208	29	14.7	08.0-21.4	35	23.3	13.7-32.9	27	15.6	08.5-22.7	24	18.4	10.0-26.8	45	28.0	19.0-37.0			
18-24	68	235,492	10	13.5	04.5-22.5	15	17.5	08.5-26.5	12	20.0	09.2-30.8	20	32.8	19.9-45.7	11	16.3	06.5-26.1			
25-34	138	355,154	19	14.2	07.7-20.7	26	17.8	09.8-25.8	19	13.5	06.8-20.2	22	16.5	09.1-23.9	52	38.0	28.6-47.4			
35-44	153	358,637	13	7.8	02.9-12.7	32	21.6	12.8-30.4	10	4.9	01.6-08.2	21	10.7	05.6-15.8	77	55.0	45.2-64.8			
45-54	278	393,341	41	13.0	08.3-17.7	40	12.3	08.0-16.6	25	11.6	06.5-16.7	32	11.0	06.9-15.1	140	52.1	44.8-59.4			
55-64	393	343,477	57	12.8	08.9-16.7	65	17.8	12.9-22.7	44	9.3	06.0-12.6	62	18.5	13.4-23.6	165	41.6	35.7-47.5			
65+	540	351,558	70	10.0	07.1-12.9	106	20.1	15.8-24.4	82	17.6	13.3-21.9	110	21.9	17.6-26.2	172	30.5	25.8-35.2			
Less Than H.S.	187	309,413	66	26.4	17.8-35.0	59	31.8	21.6-42.0	27	12.6	06.1-19.1	20	14.0	06.2-21.8	15	15.1	06.5-23.7			
H.S. or G.E.D.	515	649,289	88	14.4	10.5-18.3	133	22.3	17.6-27.0	88	17.0	12.5-21.5	98	20.0	15.3-24.7	108	26.4	20.9-31.9			
Some Post-H.S.	370	594,458	41	9.8	05.9-13.7	63	14.8	09.7-19.9	44	12.0	07.5-16.5	73	19.4	13.9-24.9	149	44.1	37.0-51.2			
College Graduate	502	484,337	16	1.7	00.3-03.1	29	5.6	03.1-08.1	33	6.6	03.9-09.3	79	14.8	10.9-18.7	345	71.3	66.2-76.4			
Less than \$15,000	212	242,986	212	100.0	0100-0100															
\$15,000- 24,999	286	363,360				286	100.0	0100-0100												
\$25,000- 34,999	192	252,026							192	100.0	0100-0100									
\$35,000- 49,999	270	360,218										270	100.0	0100-0100						
\$50,000- 74,999	237	306,808													237	100.0	0100-0100			
\$75,000+	380	518,787													380	100.0	0100-0100			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 8: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2484	2,045,001	470	17.1	14.9-19.3	584	22.6	20.2-25.0	338	12.4	10.6-14.2	339	13.8	11.8-15.8	753	34.0	31.3-36.7
White/Non-Hisp	2035	1,544,494	352	14.9	12.7-17.1	464	20.8	18.4-23.2	283	12.9	10.7-15.1	278	13.9	11.9-15.9	658	37.5	34.4-40.6
Black or Afr. Am./Non-Hisp	345	354,657	95	24.9	18.4-31.4	88	27.5	20.4-34.6	45	11.6	07.5-15.7	50	14.7	09.4-20.0	67	21.4	15.1-27.7
18-24	75	209,532	16	20.3	10.3-30.3	21	26.2	15.0-37.4	13	11.9	04.8-19.0	9	13.7	04.3-23.1	16	27.9	14.2-41.6
25-34	204	354,223	35	17.8	11.7-23.9	47	22.4	15.7-29.1	29	12.6	07.7-17.5	26	12.5	07.6-17.4	67	34.8	27.2-42.4
35-44	262	362,859	42	17.5	11.6-23.4	41	17.3	11.4-23.2	26	10.7	06.0-15.4	42	14.8	09.9-19.7	111	39.7	32.6-46.8
45-54	423	377,587	73	15.0	10.9-19.1	76	20.2	15.3-25.1	40	9.9	05.8-14.0	55	12.0	08.5-15.5	179	42.9	37.0-48.8
55-64	569	347,262	102	16.4	12.7-20.1	110	19.1	15.0-23.2	64	11.8	08.3-15.3	82	14.5	11.0-18.0	211	38.3	33.4-43.2
65+	936	385,297	200	17.3	14.4-20.2	287	31.9	28.0-35.8	165	17.3	14.2-20.4	122	15.2	12.3-18.1	162	18.3	15.2-21.4
Less Than H.S.	282	279,452	151	45.0	36.6-53.4	87	32.1	24.3-39.9	24	11.3	05.0-17.6	14	6.3	02.6-10.0	6	5.3	00.0-11.0
H.S. or G.E.D.	842	656,586	208	19.5	15.8-23.2	263	30.0	25.5-34.5	144	13.7	10.8-16.6	98	13.4	09.9-16.9	129	23.4	18.3-28.5
Some Post-H.S.	646	627,711	78	12.2	08.5-15.9	171	23.4	18.9-27.9	104	15.0	11.5-18.5	111	15.4	11.9-18.9	182	33.9	28.8-39.0
College Graduate	710	479,953	33	4.1	02.1-06.1	60	6.0	04.0-08.0	66	8.0	05.5-10.5	116	16.7	13.0-20.4	435	65.2	60.7-69.7
Less than \$15,000	470	349,992	470	100.0	0100-0100												
\$15,000- 24,999	584	462,934				584	100.0	0100-0100									
\$25,000- 34,999	338	253,767							338	100.0	0100-0100						
\$35,000- 49,999	339	282,689										339	100.0	0100-0100			
\$50,000- 74,999	298	268,643													298	100.0	0100-0100
\$75,000+	455	426,976													455	100.0	0100-0100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 9: TOBACCO USE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4851	4,821,308	752	18.7	16.9-20.5	217	5.5	04.3-06.7	1365	24.0	22.4-25.6	2517	51.8	49.6-54.0
Male	1774	2,317,718	320	20.4	17.7-23.1	75	5.6	03.8-07.4	633	28.7	26.0-31.4	746	45.3	42.0-48.6
Female	3077	2,503,590	432	17.2	15.2-19.2	142	5.4	04.0-06.8	732	19.6	17.8-21.4	1771	57.8	55.3-60.3
White/Non-Hisp	4038	3,692,929	642	19.8	17.8-21.8	164	4.8	03.6-06.0	1195	25.6	23.8-27.4	2037	49.7	47.5-51.9
Black or Afr. Am./Non-Hisp	578	749,692	79	15.1	10.4-19.8	37	6.4	03.7-09.1	101	16.3	12.2-20.4	361	62.2	56.3-68.1
Oth. Race/Non-Hisp.	90	118,022	14	14.4	05.2-23.6	5	3.8	00.1-07.5	27	27.6	15.6-39.6	44	54.2	40.9-67.5
Hispanic	57	135,184	8	16.8	02.9-30.7	4	9.3	00.1-18.5	10	20.6	07.3-33.9	35	53.3	37.4-69.2
18-24	198	604,098	32	16.6	10.5-22.7	11	7.8	02.9-12.7	11	5.3	01.8-08.8	144	70.4	62.8-78.0
25-34	385	815,281	88	24.4	18.9-29.9	23	5.5	03.0-08.0	61	17.4	12.9-21.9	213	52.7	46.8-58.6
35-44	456	789,517	92	22.4	17.3-27.5	34	7.7	04.0-11.4	73	14.3	10.6-18.0	257	55.7	49.8-61.6
45-54	767	830,973	157	21.1	17.4-24.8	42	6.2	03.7-08.7	170	24.1	20.0-28.2	398	48.7	44.2-53.2
55-64	1103	792,007	210	19.0	16.1-21.9	48	4.6	02.8-06.4	340	33.4	29.9-36.9	505	43.1	39.4-46.8
65+	1889	959,240	170	10.3	08.3-12.3	54	2.4	01.6-03.2	699	41.6	38.7-44.5	966	45.7	42.8-48.6
Less Than H.S.	618	773,871	147	34.9	28.6-41.2	48	8.7	05.2-12.2	190	25.0	20.5-29.5	233	31.4	25.9-36.9
H.S. or G.E.D.	1658	1,595,676	341	21.7	19.0-24.4	76	5.8	03.8-07.8	452	22.7	20.0-25.4	789	49.8	46.3-53.3
Some Post-H.S.	1194	1,402,935	183	16.2	13.3-19.1	56	5.5	03.3-07.7	376	26.9	23.6-30.2	579	51.4	47.5-55.3
College Graduate	1365	1,036,210	81	5.8	04.0-07.6	37	2.7	01.5-03.9	342	21.4	18.7-24.1	905	70.2	67.1-73.3
Less than \$15,000	660	576,176	186	30.5	25.4-35.6	46	7.7	04.8-10.6	176	20.9	16.4-25.4	252	40.9	35.0-46.8
\$15,000- 24,999	833	788,733	165	26.1	21.2-31.0	57	8.5	05.0-12.0	227	20.1	16.6-23.6	384	45.3	40.2-50.4
\$25,000- 34,999	516	495,003	91	19.2	13.9-24.5	23	7.2	02.9-11.5	153	29.1	23.6-34.6	249	44.5	38.2-50.8
\$35,000- 49,999	594	632,474	85	16.7	12.0-21.4	16	3.4	01.2-05.6	174	26.6	21.7-31.5	319	53.2	47.5-58.9
\$50,000- 74,999	520	554,727	67	17.2	12.3-22.1	22	5.4	02.3-08.5	137	23.1	18.4-27.8	294	54.3	48.4-60.2
\$75,000+	808	924,454	40	5.6	03.1-08.1	20	2.9	00.9-04.9	237	26.7	22.6-30.8	511	64.9	60.2-69.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1774	2,317,718	320	20.4	17.7-23.1	75	5.6	03.8-07.4	633	28.7	26.0-31.4	746	45.3	42.0-48.6
White/Non-Hisp	1488	1,770,032	271	21.3	18.4-24.2	52	4.5	02.5-06.5	551	30.4	27.5-33.3	614	43.9	40.4-47.4
Black or Afr. Am./Non-Hisp	180	345,933	38	18.9	10.3-27.5	13	7.7	02.6-12.8	43	19.9	12.6-27.2	86	53.4	43.6-63.2
18-24	89	305,227	13	17.0	07.4-26.6	4	6.7	00.4-13.0	5	6.7	00.6-12.8	67	69.6	58.2-81.0
25-34	159	413,551	42	29.2	20.4-38.0	11	5.6	02.1-09.1	32	20.3	13.0-27.6	74	44.9	36.1-53.7
35-44	162	384,288	29	18.5	10.7-26.3	14	10.3	03.2-17.4	29	15.0	09.1-20.9	90	56.2	46.6-65.8
45-54	291	409,842	64	21.6	15.7-27.5	12	4.5	01.4-07.6	71	28.3	21.6-35.0	144	45.6	38.5-52.7
55-64	425	376,470	102	23.1	18.2-28.0	20	5.9	02.6-09.2	154	37.6	31.7-43.5	149	33.4	27.9-38.9
65+	636	421,089	68	12.2	08.7-15.7	13	1.2	00.4-02.0	340	58.3	53.6-63.0	215	28.4	24.3-32.5
Less Than H.S.	219	375,715	66	39.2	29.2-49.2	13	4.2	01.5-06.9	92	30.8	23.0-38.6	48	25.8	17.0-34.6
H.S. or G.E.D.	588	762,421	150	23.5	19.0-28.0	24	6.8	03.3-10.3	209	27.8	23.3-32.3	205	41.9	36.2-47.6
Some Post-H.S.	421	668,214	72	17.2	12.3-22.1	19	6.5	02.6-10.4	166	32.0	26.1-37.9	164	44.3	37.8-50.8
College Graduate	543	503,191	32	6.3	03.4-09.2	19	3.7	01.5-05.9	166	24.6	20.3-28.9	326	65.4	60.3-70.5
Less than \$15,000	202	234,194	74	32.3	23.7-40.9	12	6.8	01.9-11.7	57	24.2	15.8-32.6	59	36.6	26.4-46.8
\$15,000- 24,999	271	343,444	65	27.9	19.3-36.5	18	9.6	02.7-16.5	93	22.7	16.6-28.8	95	39.7	31.3-48.1
\$25,000- 34,999	188	246,697	35	18.1	10.1-26.1	6	6.6	00.1-13.1	76	37.4	28.0-46.8	71	37.9	28.1-47.7
\$35,000- 49,999	266	358,521	44	19.1	12.0-26.2	9	3.8	00.9-06.7	106	33.2	25.6-40.8	107	43.9	35.5-52.3
\$50,000- 74,999	227	289,332	40	21.2	13.6-28.8	10	6.8	01.9-11.7	73	28.3	20.9-35.7	104	43.7	35.1-52.3
\$75,000+	368	510,108	14	6.4	02.1-10.7	10	3.9	00.6-07.2	132	29.4	23.5-35.3	212	60.3	53.4-67.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3077	2,503,590	432	17.2	15.2-19.2	142	5.4	04.0-06.8	732	19.6	17.8-21.4	1771	57.8	55.3-60.3
White/Non-Hisp	2550	1,922,898	371	18.5	16.1-20.9	112	5.2	03.6-06.8	644	21.2	19.2-23.2	1423	55.1	52.4-57.8
Black or Afr. Am./Non-Hisp	398	403,759	41	11.9	07.2-16.6	24	5.2	02.5-07.9	58	13.1	08.4-17.8	275	69.8	63.3-76.3
Oth. Race/Non-Hisp.	52	69,122	10	15.3	03.7-26.9	2	3.2	00.0-08.1	11	21.1	05.0-37.2	29	60.4	42.6-78.2
18-24	109	298,871	19	16.1	08.7-23.5	7	8.9	01.6-16.2	6	4.0	00.5-07.5	77	71.1	61.1-81.1
25-34	226	401,730	46	19.5	13.6-25.4	12	5.3	02.0-08.6	29	14.5	08.8-20.2	139	60.7	53.3-68.1
35-44	294	405,229	63	26.1	19.4-32.8	20	5.2	02.7-07.7	44	13.6	09.1-18.1	167	55.1	48.0-62.2
45-54	476	421,130	93	20.5	16.0-25.0	30	7.7	04.0-11.4	99	20.0	15.5-24.5	254	51.8	46.1-57.5
55-64	678	415,537	108	15.3	11.6-19.0	28	3.3	01.5-05.1	186	29.5	25.2-33.8	356	51.9	47.2-56.6
65+	1253	538,151	102	8.8	06.6-11.0	41	3.3	01.9-04.7	359	28.6	25.3-31.9	751	59.2	55.7-62.7
Less Than H.S.	399	398,156	81	30.9	23.6-38.2	35	12.9	06.6-19.2	98	19.5	14.4-24.6	185	36.6	29.9-43.3
H.S. or G.E.D.	1070	833,255	191	19.9	16.4-23.4	52	4.9	02.9-06.9	243	18.1	15.2-21.0	584	57.1	52.8-61.4
Some Post-H.S.	773	734,721	111	15.3	12.0-18.6	37	4.5	02.5-06.5	210	22.3	18.6-26.0	415	57.9	53.2-62.6
College Graduate	822	533,020	49	5.3	03.3-07.3	18	1.7	00.7-02.7	176	18.3	14.8-21.8	579	74.7	70.8-78.6
Less than \$15,000	458	341,982	112	29.2	22.7-35.7	34	8.3	04.6-12.0	119	18.6	13.9-23.3	193	43.9	37.0-50.8
\$15,000- 24,999	562	445,289	100	24.7	19.2-30.2	39	7.6	04.3-10.9	134	18.1	14.0-22.2	289	49.6	43.5-55.7
\$25,000- 34,999	328	248,306	56	20.3	13.6-27.0	17	7.9	02.4-13.4	77	20.8	14.9-26.7	178	51.0	43.2-58.8
\$35,000- 49,999	328	273,953	41	13.6	08.7-18.5	7	3.0	00.1-05.9	68	18.1	13.2-23.0	212	65.4	58.5-72.3
\$50,000- 74,999	293	265,395	27	12.8	06.9-18.7	12	4.0	00.7-07.3	64	17.4	11.9-22.9	190	65.8	58.2-73.4
\$75,000+	440	414,346	26	4.5	02.5-06.5	10	1.6	00.4-02.8	105	23.4	18.1-28.7	299	70.4	64.7-76.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 9: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4851	4,821,308	3882	75.8	73.8-77.8	969	24.2	22.2-26.2
Male	1774	2,317,718	1379	74.0	70.9-77.1	395	26.0	22.9-29.1
Female	3077	2,503,590	2503	77.4	75.0-79.8	574	22.6	20.2-25.0
White/Non-Hisp	4038	3,692,929	3232	75.3	73.1-77.5	806	24.7	22.5-26.9
Black or Afr. Am./Non-Hisp	578	749,692	462	78.5	73.2-83.8	116	21.5	16.2-26.8
Oth. Race/Non-Hisp.	90	118,022	71	81.8	72.2-91.4	19	18.2	08.6-27.8
Hispanic	57	135,184	45	73.9	58.6-89.2	12	26.1	10.8-41.4
18-24	198	604,098	155	75.7	68.4-83.0	43	24.3	17.0-31.6
25-34	385	815,281	274	70.1	64.4-75.8	111	29.9	24.2-35.6
35-44	456	789,517	330	70.0	64.3-75.7	126	30.0	24.3-35.7
45-54	767	830,973	568	72.8	68.7-76.9	199	27.2	23.1-31.3
55-64	1103	792,007	845	76.5	73.2-79.8	258	23.5	20.2-26.8
65+	1889	959,240	1665	87.3	85.3-89.3	224	12.7	10.7-14.7
Less Than H.S.	618	773,871	423	56.4	50.1-62.7	195	43.6	37.3-49.9
H.S. or G.E.D.	1658	1,595,676	1241	72.5	69.4-75.6	417	27.5	24.4-30.6
Some Post-H.S.	1194	1,402,935	955	78.3	75.0-81.6	239	21.7	18.4-25.0
College Graduate	1365	1,036,210	1247	91.6	89.6-93.6	118	8.4	06.4-10.4
Less than \$15,000	660	576,176	428	61.8	56.3-67.3	232	38.2	32.7-43.7
\$15,000- 24,999	833	788,733	611	65.4	60.1-70.7	222	34.6	29.3-39.9
\$25,000- 34,999	516	495,003	402	73.5	67.4-79.6	114	26.5	20.4-32.6
\$35,000- 49,999	594	632,474	493	79.9	75.0-84.8	101	20.1	15.2-25.0
\$50,000- 74,999	520	554,727	431	77.4	72.1-82.7	89	22.6	17.3-27.9
\$75,000+	808	924,454	748	91.6	88.5-94.7	60	8.4	05.3-11.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 9: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1774	2,317,718	1379	74.0	70.9-77.1	395	26.0	22.9-29.1
White/Non-Hisp	1488	1,770,032	1165	74.3	71.0-77.6	323	25.7	22.4-29.0
Black or Afr. Am./Non-Hisp	180	345,933	129	73.4	64.2-82.6	51	26.6	17.4-35.8
18-24	89	305,227	72	76.3	65.5-87.1	17	23.7	12.9-34.5
25-34	159	413,551	106	65.2	56.4-74.0	53	34.8	26.0-43.6
35-44	162	384,288	119	71.3	61.9-80.7	43	28.7	19.3-38.1
45-54	291	409,842	215	73.8	67.5-80.1	76	26.2	19.9-32.5
55-64	425	376,470	303	71.1	65.6-76.6	122	28.9	23.4-34.4
65+	636	421,089	555	86.7	83.2-90.2	81	13.3	09.8-16.8
Less Than H.S.	219	375,715	140	56.6	46.8-66.4	79	43.4	33.6-53.2
H.S. or G.E.D.	588	762,421	414	69.7	64.6-74.8	174	30.3	25.2-35.4
Some Post-H.S.	421	668,214	330	76.3	70.4-82.2	91	23.7	17.8-29.6
College Graduate	543	503,191	492	90.0	86.7-93.3	51	10.0	06.7-13.3
Less than \$15,000	202	234,194	116	60.9	51.7-70.1	86	39.1	29.9-48.3
\$15,000- 24,999	271	343,444	188	62.5	53.1-71.9	83	37.5	28.1-46.9
\$25,000- 34,999	188	246,697	147	75.3	65.9-84.7	41	24.7	15.3-34.1
\$35,000- 49,999	266	358,521	213	77.1	69.7-84.5	53	22.9	15.5-30.3
\$50,000- 74,999	227	289,332	177	72.0	63.8-80.2	50	28.0	19.8-36.2
\$75,000+	368	510,108	344	89.7	84.4-95.0	24	10.3	05.0-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 9: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3077	2,503,590	2503	77.4	75.0-79.8	574	22.6	20.2-25.0
White/Non-Hisp	2550	1,922,898	2067	76.3	73.8-78.8	483	23.7	21.2-26.2
Black or Afr. Am./Non-Hisp	398	403,759	333	82.9	77.6-88.2	65	17.1	11.8-22.4
Oth. Race/Non-Hisp.	52	69,122	40	81.5	69.2-93.8	12	18.5	06.2-30.8
18-24	109	298,871	83	75.1	65.5-84.7	26	24.9	15.3-34.5
25-34	226	401,730	168	75.2	68.7-81.7	58	24.8	18.3-31.3
35-44	294	405,229	211	68.8	62.1-75.5	83	31.2	24.5-37.9
45-54	476	421,130	353	71.8	66.5-77.1	123	28.2	22.9-33.5
55-64	678	415,537	542	81.4	77.5-85.3	136	18.6	14.7-22.5
65+	1253	538,151	1110	87.8	85.4-90.2	143	12.2	09.8-14.6
Less Than H.S.	399	398,156	283	56.1	48.5-63.7	116	43.9	36.3-51.5
H.S. or G.E.D.	1070	833,255	827	75.2	71.5-78.9	243	24.8	21.1-28.5
Some Post-H.S.	773	734,721	625	80.1	76.4-83.8	148	19.9	16.2-23.6
College Graduate	822	533,020	755	93.0	90.8-95.2	67	7.0	04.8-09.2
Less than \$15,000	458	341,982	312	62.5	55.8-69.2	146	37.5	30.8-44.2
\$15,000- 24,999	562	445,289	423	67.7	61.8-73.6	139	32.3	26.4-38.2
\$25,000- 34,999	328	248,306	255	71.8	64.2-79.4	73	28.2	20.6-35.8
\$35,000- 49,999	328	273,953	280	83.5	78.0-89.0	48	16.5	11.0-22.0
\$50,000- 74,999	293	265,395	254	83.2	76.7-89.7	39	16.8	10.3-23.3
\$75,000+	440	414,346	404	93.9	91.5-96.3	36	6.1	03.7-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 10: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE		PAGE
	ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1	MALES AND FEMALES	97
2	MALES ONLY	98
3	FEMALES ONLY	99
	DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4	MALES AND FEMALES	100
5	MALES ONLY	101
6	FEMALES ONLY	102
	BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7	MALES AND FEMALES	103
8	MALES ONLY	104
9	FEMALES ONLY	105
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY4)	
10	MALES AND FEMALES	106
11	MALES ONLY	107
12	FEMALES ONLY	108
	CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO4)	
13	MALES AND FEMALES	109
14	MALES ONLY	110
15	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 10: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV4)	
16 MALES AND FEMALES	112
17 MALES ONLY	113
18 FEMALES ONLY	114
ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN4)	
19 MALES ONLY	115
ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM4)	
20 FEMALES ONLY	116



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4811	4,753,476	1670	40.5	38.5-42.5	3141	59.5	57.5-61.5
Male	1758	2,292,432	762	46.5	43.2-49.8	996	53.5	50.2-56.8
Female	3053	2,461,044	908	35.0	32.5-37.5	2145	65.0	62.5-67.5
White/Non-Hisp	4004	3,636,663	1382	39.9	37.7-42.1	2622	60.1	57.9-62.3
Black or Afr. Am./Non-Hisp	571	737,408	200	43.3	37.2-49.4	371	56.7	50.6-62.8
Oth. Race/Non-Hisp.	90	118,022	28	32.3	19.8-44.8	62	67.7	55.2-80.2
Hispanic	57	135,295	27	44.5	29.2-59.8	30	55.5	40.2-70.8
18-24	195	587,432	93	48.5	40.3-56.7	102	51.5	43.3-59.7
25-34	382	799,991	190	48.7	42.8-54.6	192	51.3	45.4-57.2
35-44	449	780,112	222	48.3	42.4-54.2	227	51.7	45.8-57.6
45-54	762	827,144	327	43.2	38.7-47.7	435	56.8	52.3-61.3
55-64	1089	778,351	393	37.6	33.9-41.3	696	62.4	58.7-66.1
65+	1881	949,608	431	23.0	20.6-25.4	1450	77.0	74.6-79.4
Less Than H.S.	611	750,442	92	22.5	17.0-28.0	519	77.5	72.0-83.0
H.S. or G.E.D.	1646	1,570,845	408	31.6	28.1-35.1	1238	68.4	64.9-71.9
Some Post-H.S.	1185	1,395,689	468	48.1	44.0-52.2	717	51.9	47.8-56.0
College Graduate	1356	1,027,602	702	57.5	54.0-61.0	654	42.5	39.0-46.0
Less than \$15,000	656	570,329	138	29.7	24.2-35.2	518	70.3	64.8-75.8
\$15,000- 24,999	826	773,170	211	30.4	25.7-35.1	615	69.6	64.9-74.3
\$25,000- 34,999	511	489,961	161	38.2	31.7-44.7	350	61.8	55.3-68.3
\$35,000- 49,999	596	633,878	220	39.7	34.0-45.4	376	60.3	54.6-66.0
\$50,000- 74,999	520	556,727	222	47.4	41.3-53.5	298	52.6	46.5-58.7
\$75,000+	797	913,658	495	62.4	57.7-67.1	302	37.6	32.9-42.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1758	2,292,432	762	46.5	43.2-49.8	996	53.5	50.2-56.8
White/Non-Hisp	1473	1,749,326	640	47.2	43.7-50.7	833	52.8	49.3-56.3
Black or Afr. Am./Non-Hisp	178	340,512	83	50.2	40.2-60.2	95	49.8	39.8-59.8
18-24	88	302,238	46	51.5	39.7-63.3	42	48.5	36.7-60.3
25-34	158	405,200	89	55.0	46.0-64.0	69	45.0	36.0-54.0
35-44	160	382,786	85	52.6	43.0-62.2	75	47.4	37.8-57.0
45-54	291	410,503	140	46.3	39.2-53.4	151	53.7	46.6-60.8
55-64	420	370,774	182	44.8	38.9-50.7	238	55.2	49.3-61.1
65+	628	412,689	216	30.8	26.5-35.1	412	69.2	64.9-73.5
Less Than H.S.	216	371,450	56	30.4	21.2-39.6	160	69.6	60.4-78.8
H.S. or G.E.D.	582	748,861	196	36.4	30.9-41.9	386	63.6	58.1-69.1
Some Post-H.S.	417	664,632	200	55.8	49.3-62.3	217	44.2	37.7-50.7
College Graduate	541	502,506	310	61.7	56.4-67.0	231	38.3	33.0-43.6
Less than \$15,000	200	233,897	56	30.5	21.5-39.5	144	69.5	60.5-78.5
\$15,000- 24,999	267	334,121	88	34.7	26.5-42.9	179	65.3	57.1-73.5
\$25,000- 34,999	186	243,588	74	44.2	34.0-54.4	112	55.8	45.6-66.0
\$35,000- 49,999	267	359,311	103	45.3	36.9-53.7	164	54.7	46.3-63.1
\$50,000- 74,999	228	292,094	112	52.7	44.1-61.3	116	47.3	38.7-55.9
\$75,000+	364	506,924	244	66.3	59.6-73.0	120	33.7	27.0-40.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3053	2,461,044	908	35.0	32.5-37.5	2145	65.0	62.5-67.5
White/Non-Hisp	2531	1,887,337	742	33.2	30.5-35.9	1789	66.8	64.1-69.5
Black or Afr. Am./Non-Hisp	393	396,896	117	37.4	30.1-44.7	276	62.6	55.3-69.9
Oth. Race/Non-Hisp.	52	69,122	16	35.6	18.2-53.0	36	64.4	47.0-81.8
18-24	107	285,194	47	45.2	33.8-56.6	60	54.8	43.4-66.2
25-34	224	394,792	101	42.2	34.8-49.6	123	57.8	50.4-65.2
35-44	289	397,326	137	44.3	37.4-51.2	152	55.7	48.8-62.6
45-54	471	416,641	187	40.1	34.6-45.6	284	59.9	54.4-65.4
55-64	669	407,577	211	31.0	26.7-35.3	458	69.0	64.7-73.3
65+	1253	536,919	215	17.1	14.6-19.6	1038	82.9	80.4-85.4
Less Than H.S.	395	378,992	36	14.9	09.6-20.2	359	85.1	79.8-90.4
H.S. or G.E.D.	1064	821,984	212	27.2	22.7-31.7	852	72.8	68.3-77.3
Some Post-H.S.	768	731,057	268	41.0	36.3-45.7	500	59.0	54.3-63.7
College Graduate	815	525,096	392	53.5	49.0-58.0	423	46.5	42.0-51.0
Less than \$15,000	456	336,432	82	29.2	22.3-36.1	374	70.8	63.9-77.7
\$15,000- 24,999	559	439,050	123	27.2	21.7-32.7	436	72.8	67.3-78.3
\$25,000- 34,999	325	246,373	87	32.4	25.1-39.7	238	67.6	60.3-74.9
\$35,000- 49,999	329	274,566	117	32.3	25.8-38.8	212	67.7	61.2-74.2
\$50,000- 74,999	292	264,634	110	41.5	33.3-49.7	182	58.5	50.3-66.7
\$75,000+	433	406,734	251	57.5	51.0-64.0	182	42.5	36.0-49.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 10: ALCOHOL CONSUMPTION  
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4811	4,753,476	1079	26.3	24.3-28.3	295	7.6	06.4-08.8	93	2.1	01.5-02.7	203	4.5	03.5-05.5	3141	59.5	57.5-61.5
Male	1758	2,292,432	422	26.3	23.4-29.2	155	10.4	08.4-12.4	54	3.2	02.0-04.4	131	6.6	05.0-08.2	996	53.5	50.2-56.8
Female	3053	2,461,044	657	26.3	23.9-28.7	140	5.1	03.9-06.3	39	1.2	00.6-01.8	72	2.5	01.7-03.3	2145	65.0	62.5-67.5
White/Non-Hisp	4004	3,636,663	875	24.9	22.9-26.9	235	7.5	06.3-08.7	86	2.4	01.6-03.2	186	5.2	04.2-06.2	2622	60.1	57.9-62.3
Black or Afr. Am./Non-Hisp	571	737,408	144	32.8	26.9-38.7	41	7.9	04.8-11.0	6	1.5	00.0-03.3	9	1.1	00.3-01.9	371	56.7	50.6-62.8
Oth. Race/Non-Hisp.	90	118,022	19	20.8	09.6-32.0	5	8.2	01.1-15.3	4	3.3	00.0-06.6	4	3.3	00.0-06.6	62	67.7	55.2-80.2
Hispanic	57	135,295	17	25.4	12.9-37.9	6	9.4	01.4-17.4	1	3.2	00.0-09.5	3	6.5	00.0-15.5	30	55.5	40.2-70.8
18-24	195	587,432	61	32.3	24.5-40.1	20	10.5	05.8-15.2	7	2.9	00.7-05.1	5	2.8	00.3-05.3	102	51.5	43.3-59.7
25-34	382	799,991	135	34.3	28.8-39.8	37	7.7	05.0-10.4	9	3.6	00.9-06.3	9	3.2	00.8-05.6	192	51.3	45.4-57.2
35-44	449	780,112	153	29.5	24.4-34.6	37	10.5	06.8-14.2	10	2.4	00.6-04.2	22	6.0	02.7-09.3	227	51.7	45.8-57.6
45-54	762	827,144	230	31.3	27.0-35.6	53	6.0	04.0-08.0	14	0.9	00.3-01.5	30	4.9	02.9-06.9	435	56.8	52.3-61.3
55-64	1089	778,351	227	20.5	17.4-23.6	82	9.3	06.9-11.7	29	2.7	01.5-03.9	55	5.1	03.5-06.7	696	62.4	58.7-66.1
65+	1881	949,608	263	13.9	11.9-15.9	64	3.7	02.5-04.9	24	1.0	00.4-01.6	80	4.5	03.3-05.7	1450	77.0	74.6-79.4
Less Than H.S.	611	750,442	57	14.8	10.1-19.5	15	3.1	01.1-05.1	6	1.7	00.0-03.9	14	2.9	00.7-05.1	519	77.5	72.0-83.0
H.S. or G.E.D.	1646	1,570,845	282	21.9	18.6-25.2	54	5.0	03.2-06.8	20	1.3	00.3-02.3	52	3.3	02.1-04.5	1238	68.4	64.9-71.9
Some Post-H.S.	1185	1,395,689	313	31.3	27.6-35.0	89	9.4	07.0-11.8	16	1.7	00.5-02.9	50	5.6	03.4-07.8	717	51.9	47.8-56.0
College Graduate	1356	1,027,602	427	34.8	31.3-38.3	137	12.7	10.2-15.2	51	4.3	02.7-05.9	87	5.8	04.2-07.4	654	42.5	39.0-46.0
Less than \$15,000	656	570,329	93	20.5	15.6-25.4	15	3.9	01.7-06.1	7	0.7	00.1-01.3	23	4.7	02.0-07.4	518	70.3	64.8-75.8
\$15,000- 24,999	826	773,170	134	18.8	14.9-22.7	41	6.7	04.2-09.2	9	1.2	00.2-02.2	27	3.8	01.8-05.8	615	69.6	64.9-74.3
\$25,000- 34,999	511	489,961	110	24.4	18.7-30.1	20	5.1	02.4-07.8	8	4.2	00.5-07.9	23	4.5	02.1-06.9	350	61.8	55.3-68.3
\$35,000- 49,999	596	633,878	154	26.2	20.9-31.5	37	7.5	04.4-10.6	12	2.9	00.5-05.3	17	3.0	00.6-05.4	376	60.3	54.6-66.0
\$50,000- 74,999	520	556,727	153	33.1	27.4-38.8	37	9.5	05.8-13.2	10	0.9	00.3-01.5	22	3.9	01.7-06.1	298	52.6	46.5-58.7
\$75,000+	797	913,658	294	38.7	33.8-43.6	100	12.3	09.2-15.4	39	4.1	02.3-05.9	62	7.3	04.6-10.0	302	37.6	32.9-42.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 10: ALCOHOL CONSUMPTION  
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1758	2,292,432	422	26.3	23.4-29.2	155	10.4	08.4-12.4	54	3.2	02.0-04.4	131	6.6	05.0-08.2	996	53.5	50.2-56.8
White/Non-Hisp	1473	1,749,326	349	25.6	22.3-28.9	118	10.1	07.9-12.3	52	3.6	02.2-05.0	121	8.0	06.0-10.0	833	52.8	49.3-56.3
Black or Afr. Am./Non-Hisp	178	340,512	52	34.6	25.0-44.2	25	13.1	06.8-19.4	1	1.7	00.0-04.8	5	0.8	00.0-01.8	95	49.8	39.8-59.8
18-24	88	302,238	27	31.0	19.8-42.2	11	13.0	05.4-20.6	5	4.0	00.3-07.7	3	3.5	00.0-07.6	42	48.5	36.7-60.3
25-34	158	405,200	57	33.8	25.4-42.2	19	10.0	05.3-14.7	6	5.5	00.6-10.4	7	5.7	01.2-10.2	69	45.0	36.0-54.0
35-44	160	382,786	47	25.7	17.9-33.5	21	15.1	08.2-22.0	6	4.0	00.5-07.5	11	7.8	01.7-13.9	75	47.4	37.8-57.0
45-54	291	410,503	89	32.1	25.2-39.0	25	6.6	03.7-09.5	7	1.0	00.2-01.8	19	6.6	03.3-09.9	151	53.7	46.6-60.8
55-64	420	370,774	83	19.6	14.7-24.5	48	14.0	09.7-18.3	15	3.3	01.1-05.5	36	7.9	05.0-10.8	238	55.2	49.3-61.1
65+	628	412,689	117	16.2	12.9-19.5	31	5.2	03.0-07.4	15	1.7	00.7-02.7	53	7.7	05.2-10.2	412	69.2	64.9-73.5
Less Than H.S.	216	371,450	24	15.5	07.5-23.5	14	6.1	02.4-09.8	5	3.4	00.0-07.7	13	5.4	01.3-09.5	160	69.6	60.4-78.8
H.S. or G.E.D.	582	748,861	121	22.9	18.0-27.8	28	6.9	03.6-10.2	10	1.7	00.0-03.5	37	4.9	02.9-06.9	386	63.6	58.1-69.1
Some Post-H.S.	417	664,632	116	32.1	26.0-38.2	45	12.7	08.4-17.0	10	2.5	00.3-04.7	29	8.5	04.2-12.8	217	44.2	37.7-50.7
College Graduate	541	502,506	161	31.9	26.6-37.2	68	15.8	11.5-20.1	29	6.2	03.5-08.9	52	7.8	05.3-10.3	231	38.3	33.0-43.6
Less than \$15,000	200	233,897	28	15.6	08.7-22.5	7	4.4	00.9-07.9	4	0.9	00.0-02.1	17	9.5	03.0-16.0	144	69.5	60.5-78.5
\$15,000- 24,999	267	334,121	45	18.6	11.9-25.3	21	9.3	04.6-14.0	2	0.8	00.0-02.0	20	6.1	02.6-09.6	179	65.3	57.1-73.5
\$25,000- 34,999	186	243,588	39	22.6	13.6-31.6	14	8.7	03.4-14.0	5	6.8	00.0-14.1	16	6.0	02.1-09.9	112	55.8	45.6-66.0
\$35,000- 49,999	267	359,311	62	26.9	18.9-34.9	20	8.9	04.0-13.8	10	5.0	01.1-08.9	11	4.5	00.6-08.4	164	54.7	46.3-63.1
\$50,000- 74,999	228	292,094	69	32.6	24.4-40.8	24	13.9	07.4-20.4	4	0.5	00.0-01.1	15	5.8	01.9-09.7	116	47.3	38.7-55.9
\$75,000+	364	506,924	129	35.7	28.8-42.6	51	15.3	10.2-20.4	24	5.5	02.6-08.4	40	9.9	05.2-14.6	120	33.7	27.0-40.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 10: ALCOHOL CONSUMPTION  
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3053	2,461,044	657	26.3	23.9-28.7	140	5.1	03.9-06.3	39	1.2	00.6-01.8	72	2.5	01.7-03.3	2145	65.0	62.5-67.5
White/Non-Hisp	2531	1,887,337	526	24.4	21.9-26.9	117	5.0	03.8-06.2	34	1.2	00.6-01.8	65	2.6	01.8-03.4	1789	66.8	64.1-69.5
Black or Afr. Am./Non-Hisp	393	396,896	92	31.2	24.1-38.3	16	3.4	01.2-05.6	5	1.4	00.0-03.0	4	1.3	00.0-02.7	276	62.6	55.3-69.9
Oth. Race/Non-Hisp.	52	69,122	14	29.4	12.5-46.3	2	6.2	00.0-14.6							36	64.4	47.0-81.8
18-24	107	285,194	34	33.6	22.4-44.8	9	7.8	02.5-13.1	2	1.6	00.0-04.0	2	2.1	00.0-05.0	60	54.8	43.4-66.2
25-34	224	394,792	78	34.8	27.5-42.1	18	5.3	02.6-08.0	3	1.6	00.0-03.4	2	0.6	00.0-01.4	123	57.8	50.4-65.2
35-44	289	397,326	106	33.1	26.6-39.6	16	6.0	02.7-09.3	4	0.8	00.0-01.8	11	4.3	01.8-06.8	152	55.7	48.8-62.6
45-54	471	416,641	141	30.6	25.5-35.7	28	5.5	03.0-08.0	7	0.8	00.0-01.6	11	3.2	01.0-05.4	284	59.9	54.4-65.4
55-64	669	407,577	144	21.4	17.5-25.3	34	5.0	03.0-07.0	14	2.0	00.8-03.2	19	2.6	01.2-04.0	458	69.0	64.7-73.3
65+	1253	536,919	146	12.1	09.7-14.5	33	2.5	01.5-03.5	9	0.5	00.1-00.9	27	2.0	01.0-03.0	1038	82.9	80.4-85.4
Less Than H.S.	395	378,992	33	14.2	08.9-19.5	1	0.1	00.0-00.3	1	0.0	00.0-00.0	1	0.6	00.0-01.8	359	85.1	79.8-90.4
H.S. or G.E.D.	1064	821,984	161	21.0	16.5-25.5	26	3.3	01.5-05.1	10	0.9	00.1-01.7	15	1.9	00.7-03.1	852	72.8	68.3-77.3
Some Post-H.S.	768	731,057	197	30.6	26.1-35.1	44	6.3	04.1-08.5	6	1.0	00.0-02.0	21	3.1	01.5-04.7	500	59.0	54.3-63.7
College Graduate	815	525,096	266	37.5	33.0-42.0	69	9.7	06.8-12.6	22	2.5	01.1-03.9	35	3.8	02.2-05.4	423	46.5	42.0-51.0
Less than \$15,000	456	336,432	65	23.9	17.4-30.4	8	3.5	00.6-06.4	3	0.5	00.0-01.1	6	1.3	00.0-02.7	374	70.8	63.9-77.7
\$15,000- 24,999	559	439,050	89	18.9	14.2-23.6	20	4.7	02.0-07.4	7	1.5	00.0-03.1	7	2.0	00.0-04.0	436	72.8	67.3-78.3
\$25,000- 34,999	325	246,373	71	26.2	19.3-33.1	6	1.6	00.0-03.2	3	1.6	00.0-03.6	7	3.0	00.5-05.5	238	67.6	60.3-74.9
\$35,000- 49,999	329	274,566	92	25.2	19.3-31.1	17	5.7	02.6-08.8	2	0.2	00.0-00.6	6	1.1	00.0-02.3	212	67.7	61.2-74.2
\$50,000- 74,999	292	264,634	84	33.7	25.9-41.5	13	4.7	01.4-08.0	6	1.2	00.0-02.4	7	1.8	00.4-03.2	182	58.5	50.3-66.7
\$75,000+	433	406,734	165	42.5	35.6-49.4	49	8.6	05.5-11.7	15	2.5	00.7-04.3	22	4.0	02.0-06.0	182	42.5	36.0-49.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4766	4,710,205	4456	89.4	87.8-91.0	310	10.6	09.0-12.2
Male	1735	2,270,924	1536	84.3	81.6-87.0	199	15.7	13.0-18.4
Female	3031	2,439,281	2920	94.1	92.5-95.7	111	5.9	04.3-07.5
White/Non-Hisp	3969	3,608,513	3721	89.6	87.8-91.4	248	10.4	08.6-12.2
Black or Afr. Am./Non-Hisp	565	730,854	528	90.7	87.0-94.4	37	9.3	05.6-13.0
Oth. Race/Non-Hisp.	89	117,240	84	93.0	84.8-0100	5	7.0	00.0-15.2
Hispanic	55	127,916	43	74.6	60.7-88.5	12	25.4	11.5-39.3
18-24	194	583,770	156	79.8	72.9-86.7	38	20.2	13.3-27.1
25-34	378	792,399	331	86.7	82.4-91.0	47	13.3	09.0-17.6
35-44	447	774,896	395	84.3	79.4-89.2	52	15.7	10.8-20.6
45-54	754	820,168	688	90.6	87.9-93.3	66	9.4	06.7-12.1
55-64	1077	768,052	1002	92.2	90.0-94.4	75	7.8	05.6-10.0
65+	1864	940,864	1832	98.1	97.3-98.9	32	1.9	01.1-02.7
Less Than H.S.	607	746,608	579	91.3	87.0-95.6	28	8.7	04.4-13.0
H.S. or G.E.D.	1628	1,551,790	1543	91.7	89.2-94.2	85	8.3	05.8-10.8
Some Post-H.S.	1172	1,384,005	1073	85.7	82.4-89.0	99	14.3	11.0-17.6
College Graduate	1346	1,018,904	1248	89.5	87.0-92.0	98	10.5	08.0-13.0
Less than \$15,000	646	562,785	618	93.1	89.8-96.4	28	6.9	03.6-10.2
\$15,000- 24,999	818	761,299	764	90.9	88.0-93.8	54	9.1	06.2-12.0
\$25,000- 34,999	506	484,897	474	88.1	83.0-93.2	32	11.9	06.8-17.0
\$35,000- 49,999	592	629,210	556	89.2	84.7-93.7	36	10.8	06.3-15.3
\$50,000- 74,999	518	555,696	475	87.0	82.7-91.3	43	13.0	08.7-17.3
\$75,000+	789	906,607	704	84.8	80.3-89.3	85	15.2	10.7-19.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1735	2,270,924	1536	84.3	81.6-87.0	199	15.7	13.0-18.4
White/Non-Hisp	1453	1,733,757	1292	84.3	81.4-87.2	161	15.7	12.8-18.6
Black or Afr. Am./Non-Hisp	176	338,289	155	85.4	78.1-92.7	21	14.6	07.3-21.9
18-24	88	302,238	69	78.5	68.7-88.3	19	21.5	11.7-31.3
25-34	155	398,817	121	78.8	71.2-86.4	34	21.2	13.6-28.8
35-44	160	382,786	123	74.4	65.8-83.0	37	25.6	17.0-34.2
45-54	288	407,073	250	86.9	82.2-91.6	38	13.1	08.4-17.8
55-64	412	363,973	363	88.0	83.9-92.1	49	12.0	07.9-16.1
65+	619	407,794	597	97.0	95.4-98.6	22	3.0	01.4-04.6
Less Than H.S.	213	369,089	190	83.9	75.7-92.1	23	16.1	07.9-24.3
H.S. or G.E.D.	573	740,371	520	89.3	85.6-93.0	53	10.7	07.0-14.4
Some Post-H.S.	412	658,469	348	78.3	72.4-84.2	64	21.7	15.8-27.6
College Graduate	535	498,011	476	84.8	80.5-89.1	59	15.2	10.9-19.5
Less than \$15,000	195	229,101	178	89.2	82.3-96.1	17	10.8	03.9-17.7
\$15,000- 24,999	263	328,749	230	87.1	81.6-92.6	33	12.9	07.4-18.4
\$25,000- 34,999	184	240,375	160	80.8	71.6-90.0	24	19.2	10.0-28.4
\$35,000- 49,999	265	358,826	242	84.9	77.5-92.3	23	15.1	07.7-22.5
\$50,000- 74,999	226	291,063	196	79.9	72.5-87.3	30	20.1	12.7-27.5
\$75,000+	360	502,586	306	81.3	74.8-87.8	54	18.7	12.2-25.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3031	2,439,281	2920	94.1	92.5-95.7	111	5.9	04.3-07.5
White/Non-Hisp	2516	1,874,756	2429	94.5	92.7-96.3	87	5.5	03.7-07.3
Black or Afr. Am./Non-Hisp	389	392,565	373	95.2	92.7-97.7	16	4.8	02.3-07.3
Oth. Race/Non-Hisp.	51	68,340	50	92.9	79.8-0100	1	7.1	00.0-20.2
18-24	106	281,532	87	81.3	71.5-91.1	19	18.7	08.9-28.5
25-34	223	393,583	210	94.6	91.3-97.9	13	5.4	02.1-08.7
35-44	287	392,111	272	93.9	90.6-97.2	15	6.1	02.8-09.4
45-54	466	413,095	438	94.2	91.7-96.7	28	5.8	03.3-08.3
55-64	665	404,078	639	96.1	94.3-97.9	26	3.9	02.1-05.7
65+	1245	533,070	1235	99.0	98.2-99.8	10	1.0	00.2-01.8
Less Than H.S.	394	377,519	389	98.4	96.8-0100	5	1.6	00.0-03.2
H.S. or G.E.D.	1055	811,419	1023	93.8	90.5-97.1	32	6.2	02.9-09.5
Some Post-H.S.	760	725,537	725	92.4	89.7-95.1	35	7.6	04.9-10.3
College Graduate	811	520,893	772	94.0	91.5-96.5	39	6.0	03.5-08.5
Less than \$15,000	451	333,684	440	95.8	92.9-98.7	11	4.2	01.3-07.1
\$15,000- 24,999	555	432,551	534	93.8	90.5-97.1	21	6.2	02.9-09.5
\$25,000- 34,999	322	244,522	314	95.2	91.7-98.7	8	4.8	01.3-08.3
\$35,000- 49,999	327	270,385	314	94.9	91.8-98.0	13	5.1	02.0-08.2
\$50,000- 74,999	292	264,634	279	94.9	91.4-98.4	13	5.1	01.6-08.6
\$75,000+	429	404,022	398	89.1	82.6-95.6	31	10.9	04.4-17.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4767	4,701,138	1288	30.8	28.8-32.8	248	6.0	05.0-07.0	61	1.9	01.3-02.5	24	1.0	00.4-01.6	5	0.2	00.0-00.4	3141	60.1	58.1-62.1
Male	1736	2,261,889	512	31.6	28.5-34.7	157	9.0	07.2-10.8	48	3.1	01.9-04.3	21	1.9	00.7-03.1	2	0.1	00.0-00.3	996	54.2	50.9-57.5
Female	3031	2,439,250	776	30.0	27.6-32.4	91	3.2	02.4-04.0	13	0.7	00.1-01.3	3	0.2	00.0-00.4	3	0.2	00.0-00.4	2145	65.6	63.1-68.1
White/Non-Hisp	3974	3,601,779	1060	29.8	27.6-32.0	210	6.2	05.0-07.4	53	1.8	01.0-02.6	24	1.3	00.5-02.1	5	0.2	00.0-00.4	2622	60.6	58.4-62.8
Black or Afr. Am./Non-Hisp	565	733,005	169	37.5	31.6-43.4	20	3.7	01.3-06.1	5	1.7	00.0-03.5							371	57.0	50.9-63.1
Oth. Race/Non-Hisp.	88	116,913	19	25.0	13.0-37.0	6	5.9	00.6-11.2	1	0.7	00.0-02.1							62	68.4	55.9-80.9
Hispanic	55	130,077	16	23.2	10.9-35.5	7	11.6	02.4-20.8	2	7.6	00.0-17.8							30	57.7	42.2-73.2
18-24	192	571,372	67	35.7	27.7-43.7	15	6.8	03.1-10.5	6	3.4	00.7-06.1	2	1.1	00.0-02.7				102	53.0	44.8-61.2
25-34	377	790,561	154	38.3	32.6-44.0	24	6.2	03.5-08.9	5	2.9	00.2-05.6	1	0.4	00.0-01.2	1	0.3	00.0-00.9	192	51.9	46.0-57.8
35-44	446	773,715	177	36.0	30.5-41.5	29	7.7	04.4-11.0	6	1.3	00.1-02.5	6	2.7	00.0-05.6	1	0.2	00.0-00.6	227	52.1	46.2-58.0
45-54	755	820,680	260	34.0	29.7-38.3	36	5.3	03.3-07.3	15	1.8	00.6-03.0	7	1.2	00.2-02.2	2	0.5	00.0-01.3	435	57.3	52.8-61.8
55-64	1075	769,000	297	27.7	24.4-31.0	60	6.7	04.7-08.7	16	1.7	00.7-02.7	6	0.7	00.0-01.5				696	63.2	59.5-66.9
65+	1869	944,973	322	17.5	15.3-19.7	81	4.2	03.0-05.4	13	0.7	00.1-01.3	2	0.2	00.0-00.4	1	0.1	00.0-00.3	1450	77.3	74.9-79.7
Less Than H.S.	606	737,566	61	14.1	09.8-18.4	14	3.1	01.1-05.1	5	2.4	00.0-05.1	6	1.4	00.2-02.6	1	0.1	00.0-00.3	519	78.8	73.7-83.9
H.S. or G.E.D.	1631	1,559,943	308	24.3	21.0-27.6	60	4.8	03.0-06.6	14	1.0	00.2-01.8	9	0.7	00.1-01.3	2	0.3	00.0-00.7	1238	68.9	65.4-72.4
Some Post-H.S.	1173	1,379,321	357	35.4	31.5-39.3	72	7.6	05.4-09.8	19	2.6	01.2-04.0	6	1.6	00.0-03.4	2	0.1	00.0-00.3	717	52.6	48.5-56.7
College Graduate	1344	1,015,410	562	46.8	43.3-50.3	102	8.0	06.0-10.0	23	1.8	00.8-02.8	3	0.4	00.0-00.8				654	43.0	39.5-46.5
Less than \$15,000	647	563,782	97	21.8	16.9-26.7	18	3.7	01.7-05.7	6	1.4	00.0-03.6	8	2.0	00.4-03.6				518	71.1	65.6-76.6
\$15,000- 24,999	822	769,624	151	21.2	17.1-25.3	39	5.1	02.9-07.3	13	2.7	00.9-04.5	3	1.0	00.0-02.2	1	0.1	00.0-00.3	615	69.9	65.2-74.6
\$25,000- 34,999	507	485,906	120	26.7	21.0-32.4	23	5.4	02.5-08.3	12	5.4	01.5-09.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	350	62.3	55.8-68.8
\$35,000- 49,999	589	617,102	181	30.8	25.5-36.1	29	6.2	03.1-09.3	2	0.8	00.0-02.2				1	0.3	00.0-00.9	376	62.0	56.5-67.5
\$50,000- 74,999	519	555,369	184	38.5	32.6-44.4	28	6.3	03.4-09.2	6	1.3	00.1-02.5	3	1.2	00.0-02.8				298	52.7	46.6-58.8
\$75,000+	790	906,422	388	48.9	43.8-54.0	74	9.5	06.6-12.4	20	2.0	00.8-03.2	6	1.7	00.0-03.9				302	37.9	33.2-42.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1736	2,261,889	512	31.6	28.5-34.7	157	9.0	07.2-10.8	48	3.1	01.9-04.3	21	1.9	00.7-03.1	2	0.1	00.0-00.3	996	54.2	50.9-57.5
White/Non-Hisp	1456	1,726,133	426	31.3	28.0-34.6	132	9.5	07.3-11.7	42	3.0	01.6-04.4	21	2.5	00.9-04.1	2	0.2	00.0-00.4	833	53.5	50.0-57.0
Black or Afr. Am./Non-Hisp	177	339,154	65	41.3	31.5-51.1	13	5.5	01.2-09.8	4	3.1	00.0-06.8							95	50.0	40.0-60.0
18-24	86	289,608	29	34.3	23.1-45.5	9	8.4	02.5-14.3	4	4.4	00.0-08.9	2	2.3	00.0-05.4				42	50.6	38.8-62.4
25-34	157	403,473	66	39.2	30.4-48.0	15	8.5	03.8-13.2	5	5.8	00.5-11.1	1	0.7	00.0-02.1	1	0.6	00.0-01.8	69	45.2	36.2-54.2
35-44	159	379,871	58	34.1	25.3-42.9	19	12.4	06.1-18.7	3	1.0	00.0-02.2	4	4.7	00.0-10.4				75	47.8	38.2-57.4
45-54	287	406,724	98	33.4	26.5-40.3	22	7.4	03.9-10.9	8	2.3	00.3-04.3	7	2.4	00.4-04.4	1	0.2	00.0-00.6	151	54.2	46.9-61.5
55-64	412	364,317	113	27.7	22.2-33.2	41	11.2	07.3-15.1	15	3.6	01.4-05.8	5	1.3	00.0-03.1				238	56.2	50.1-62.3
65+	622	409,652	146	21.7	17.8-25.6	49	6.4	04.2-08.6	13	1.7	00.3-03.1	2	0.4	00.0-01.0				412	69.7	65.4-74.0
Less Than H.S.	211	358,574	27	14.3	07.2-21.4	12	5.4	01.7-09.1	5	5.0	00.0-10.5	6	2.8	00.3-05.3	1	0.2	00.0-00.6	160	72.1	63.3-80.9
H.S. or G.E.D.	576	745,011	130	25.6	20.5-30.7	40	7.7	04.4-11.0	11	1.1	00.3-01.9	8	1.4	00.2-02.6	1	0.3	00.0-00.9	386	64.0	58.5-69.5
Some Post-H.S.	412	656,927	133	37.1	30.6-43.6	43	10.6	06.7-14.5	13	4.2	01.5-06.9	6	3.4	00.0-06.9				217	44.7	38.2-51.2
College Graduate	535	496,393	222	46.2	40.5-51.9	62	11.8	08.5-15.1	19	3.1	01.3-04.9	1	0.1	00.0-00.3				231	38.8	33.5-44.1
Less than \$15,000	196	231,562	28	15.8	08.7-22.9	12	6.1	02.2-10.0	5	3.4	00.0-08.5	7	4.5	00.6-08.4				144	70.2	61.2-79.2
\$15,000- 24,999	265	332,653	49	21.1	14.0-28.2	22	5.8	02.7-08.9	11	5.0	01.3-08.7	3	2.2	00.0-04.9	1	0.3	00.0-00.9	179	65.6	57.4-73.8
\$25,000- 34,999	184	242,605	45	26.3	17.1-35.5	17	8.5	03.0-14.0	9	9.0	01.6-16.4	1	0.1	00.0-00.3				112	56.1	45.7-66.5
\$35,000- 49,999	264	346,206	77	32.5	24.7-40.3	21	9.4	04.3-14.5	2	1.4	00.0-03.9							164	56.8	48.6-65.0
\$50,000- 74,999	227	290,735	85	39.1	30.5-47.7	18	9.6	04.3-14.9	5	1.5	00.0-03.1	3	2.2	00.0-05.3				116	47.5	38.9-56.1
\$75,000+	359	501,041	168	46.5	39.2-53.8	52	14.5	09.6-19.4	15	2.5	00.9-04.1	4	2.3	00.0-06.2				120	34.1	27.4-40.8

NOTE: % = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (\_DRNKDY4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3031	2,439,250	776	30.0	27.6-32.4	91	3.2	02.4-04.0	13	0.7	00.1-01.3	3	0.2	00.0-00.4	3	0.2	00.0-00.4	2145	65.6	63.1-68.1
White/Non-Hisp	2518	1,875,646	634	28.4	25.9-30.9	78	3.2	02.2-04.2	11	0.7	00.1-01.3	3	0.2	00.0-00.4	3	0.3	00.0-00.7	1789	67.2	64.5-69.9
Black or Afr. Am./Non-Hisp	388	393,851	104	34.2	26.9-41.5	7	2.2	00.4-04.0	1	0.6	00.0-01.8							276	63.0	55.7-70.3
Oth. Race/Non-Hisp.	51	68,175	14	33.9	16.3-51.5	1	0.8	00.0-02.4										36	65.3	47.7-82.9
18-24	106	281,764	38	37.2	25.8-48.6	6	5.0	00.7-09.3	2	2.3	00.0-05.4							60	55.5	44.1-66.9
25-34	220	387,088	88	37.4	30.1-44.7	9	3.7	01.2-06.2										123	58.9	51.5-66.3
35-44	287	393,845	119	37.8	31.1-44.5	10	3.2	01.0-05.4	3	1.6	00.0-03.4	2	0.8	00.0-02.0	1	0.4	00.0-01.2	152	56.2	49.3-63.1
45-54	468	413,955	162	34.6	29.3-39.9	14	3.2	01.2-05.2	7	1.3	00.1-02.5				1	0.7	00.0-02.1	284	60.3	54.8-65.8
55-64	663	404,682	184	27.6	23.3-31.9	19	2.7	01.3-04.1	1	0.0	00.0-00.0	1	0.2	00.0-00.6				458	69.4	65.1-73.7
65+	1247	535,321	176	14.2	11.8-16.6	32	2.5	01.5-03.5							1	0.1	00.0-00.3	1038	83.2	80.7-85.7
Less Than H.S.	395	378,992	34	13.9	08.6-19.2	2	1.0	00.0-02.4										359	85.1	79.8-90.4
H.S. or G.E.D.	1055	814,932	178	23.1	18.6-27.6	20	2.2	01.0-03.4	3	0.8	00.0-02.0	1	0.1	00.0-00.3	1	0.3	00.0-00.9	852	73.4	68.7-78.1
Some Post-H.S.	761	722,394	224	33.9	29.2-38.6	29	4.8	02.6-07.0	6	1.2	00.0-02.4				2	0.3	00.0-00.7	500	59.7	55.0-64.4
College Graduate	809	519,017	340	47.5	42.8-52.2	40	4.3	02.5-06.1	4	0.5	00.0-01.1	2	0.6	00.0-01.6				423	47.0	42.5-51.5
Less than \$15,000	451	332,220	69	26.0	19.3-32.7	6	2.0	00.0-04.0	1	0.0	00.0-00.0	1	0.2	00.0-00.6				374	71.7	64.8-78.6
\$15,000- 24,999	557	436,971	102	21.3	16.4-26.2	17	4.6	01.9-07.3	2	0.9	00.0-02.5							436	73.2	67.7-78.7
\$25,000- 34,999	323	243,301	75	27.0	19.9-34.1	6	2.4	00.2-04.6	3	1.9	00.0-04.1				1	0.2	00.0-00.6	238	68.4	61.1-75.7
\$35,000- 49,999	325	270,896	104	28.6	22.3-34.9	8	2.2	00.2-04.2							1	0.6	00.0-01.8	212	68.6	62.1-75.1
\$50,000- 74,999	292	264,634	99	37.9	29.9-45.9	10	2.6	00.4-04.8	1	1.0	00.0-03.0							182	58.5	50.3-66.7
\$75,000+	431	405,381	220	51.9	45.2-58.6	22	3.2	01.6-04.8	5	1.4	00.0-03.0	2	0.8	00.0-02.0				182	42.7	36.0-49.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 13: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4767	4,701,138	745	17.0	15.4-18.6	350	9.1	07.7-10.5	280	6.4	05.4-07.4	161	4.2	03.4-05.0	90	3.0	02.0-04.0	3141	60.1	58.1-62.1
Male	1736	2,261,889	254	15.1	12.7-17.5	155	10.4	08.2-12.6	148	8.5	06.7-10.3	112	6.7	05.1-08.3	71	5.1	03.3-06.9	996	54.2	50.9-57.5
Female	3031	2,439,250	491	18.8	16.8-20.8	195	8.0	06.4-09.6	132	4.6	03.6-05.6	49	2.0	01.2-02.8	19	1.1	00.5-01.7	2145	65.6	63.1-68.1
White/Non-Hisp	3974	3,601,779	605	16.1	14.5-17.7	292	9.0	07.4-10.6	239	6.6	05.4-07.8	134	4.4	03.4-05.4	82	3.3	02.3-04.3	2622	60.6	58.4-62.8
Black or Afr. Am./Non-Hisp	565	733,005	105	23.0	17.7-28.3	40	10.1	06.2-14.0	28	5.2	02.7-07.7	16	2.9	00.9-04.9	5	1.7	00.0-03.5	371	57.0	50.9-63.1
Oth. Race/Non-Hisp.	88	116,913	13	14.4	04.4-24.4	5	8.6	01.0-16.2	3	4.0	00.0-08.7	4	3.9	00.0-08.4	1	0.7	00.0-02.1	62	68.4	55.9-80.9
Hispanic	55	130,077	7	8.1	00.3-15.9	7	11.4	02.6-20.2	5	7.3	00.2-14.4	4	7.9	00.0-16.1	2	7.6	00.0-17.8	30	57.7	42.2-73.2
18-24	192	571,372	31	16.6	10.5-22.7	27	14.0	07.9-20.1	11	5.9	02.2-09.6	13	6.0	02.5-09.5	8	4.5	01.4-07.6	102	53.0	44.8-61.2
25-34	377	790,561	76	18.5	14.2-22.8	54	15.1	10.8-19.4	28	5.4	03.0-07.8	20	5.5	02.8-08.2	7	3.6	00.7-06.5	192	51.9	46.0-57.8
35-44	446	773,715	110	21.2	16.7-25.7	46	9.8	06.3-13.3	33	7.5	04.6-10.4	17	5.1	02.2-08.0	13	4.2	01.1-07.3	227	52.1	46.2-58.0
45-54	755	820,680	157	20.7	17.0-24.4	67	8.6	05.9-11.3	48	7.1	04.7-09.5	24	2.9	01.5-04.3	24	3.4	01.8-05.0	435	57.3	52.8-61.8
55-64	1075	769,000	162	15.3	12.6-18.0	77	5.9	04.3-07.5	76	8.5	06.1-10.9	42	4.7	02.9-06.5	22	2.4	01.2-03.6	696	63.2	59.5-66.9
65+	1869	944,973	200	10.9	09.1-12.7	77	4.0	02.8-05.2	83	4.5	03.3-05.7	43	2.2	01.4-03.0	16	1.0	00.4-01.6	1450	77.3	74.9-79.7
Less Than H.S.	606	737,566	39	9.8	06.3-13.3	15	3.6	00.9-06.3	13	1.5	00.5-02.5	8	2.4	00.6-04.2	12	4.0	01.1-06.9	519	78.8	73.7-83.9
H.S. or G.E.D.	1631	1,559,943	186	13.7	11.2-16.2	76	6.8	04.4-09.2	62	5.3	03.5-07.1	44	3.4	01.8-05.0	25	2.0	01.0-03.0	1238	68.9	65.4-72.4
Some Post-H.S.	1173	1,379,321	217	19.6	16.5-22.7	92	10.8	08.1-13.5	76	7.4	05.4-09.4	44	5.3	03.3-07.3	27	4.4	02.2-06.6	717	52.6	48.5-56.7
College Graduate	1344	1,015,410	303	24.0	20.9-27.1	167	14.7	12.0-17.4	129	10.6	08.2-13.0	65	5.5	03.9-07.1	26	2.2	01.2-03.2	654	43.0	39.5-46.5
Less than \$15,000	647	563,782	59	13.0	08.9-17.1	24	6.1	03.2-09.0	22	4.5	02.3-06.7	10	2.0	00.4-03.6	14	3.4	00.7-06.1	518	71.1	65.6-76.6
\$15,000- 24,999	822	769,624	88	11.5	08.4-14.6	46	7.2	04.7-09.7	32	4.2	02.2-06.2	24	3.4	01.6-05.2	17	3.8	01.6-06.0	615	69.9	65.2-74.6
\$25,000- 34,999	507	485,906	77	14.2	10.3-18.1	24	6.6	02.7-10.5	26	7.1	03.6-10.6	16	4.2	01.5-06.9	14	5.6	01.7-09.5	350	62.3	55.8-68.8
\$35,000- 49,999	589	617,102	114	17.9	13.8-22.0	38	7.5	04.2-10.8	37	6.5	04.0-09.0	21	5.1	02.2-08.0	3	1.0	00.0-02.6	376	62.0	56.5-67.5
\$50,000- 74,999	519	555,369	109	20.7	16.2-25.2	46	10.7	06.8-14.6	41	9.8	05.9-13.7	16	3.6	01.2-06.0	9	2.4	00.4-04.4	298	52.7	46.6-58.8
\$75,000+	790	906,422	198	24.4	20.3-28.5	124	17.5	13.0-22.0	85	9.0	06.6-11.4	55	7.4	04.7-10.1	26	3.7	01.2-06.2	302	37.9	33.2-42.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 14: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1736	2,261,889	254	15.1	12.7-17.5	155	10.4	08.2-12.6	148	8.5	06.7-10.3	112	6.7	05.1-08.3	71	5.1	03.3-06.9	996	54.2	50.9-57.5
White/Non-Hisp	1456	1,726,133	213	15.1	12.6-17.6	127	9.9	07.5-12.3	123	8.7	06.7-10.7	95	7.1	05.1-09.1	65	5.7	03.7-07.7	833	53.5	50.0-57.0
Black or Afr. Am./Non-Hisp	177	339,154	31	19.8	11.8-27.8	19	15.6	08.2-23.0	19	7.6	03.1-12.1	9	3.8	00.1-07.5	4	3.1	00.0-06.8	95	50.0	40.0-60.0
18-24	86	289,608	16	18.1	09.3-26.9	8	9.4	02.3-16.5	6	7.5	01.0-14.0	8	7.7	02.0-13.4	6	6.7	01.2-12.2	42	50.6	38.8-62.4
25-34	157	403,473	27	15.0	09.1-20.9	26	17.5	10.4-24.6	15	7.1	03.0-11.2	13	8.0	03.3-12.7	7	7.0	01.5-12.5	69	45.2	36.2-54.2
35-44	159	379,871	27	15.0	08.7-21.3	20	12.3	06.2-18.4	17	10.0	05.1-14.9	13	9.3	03.6-15.0	7	5.7	00.0-11.6	75	47.8	38.2-57.4
45-54	287	406,724	52	18.1	12.4-23.8	28	10.4	05.7-15.1	25	8.4	04.5-12.3	15	3.9	01.7-06.1	16	4.9	02.2-07.6	151	54.2	46.9-61.5
55-64	412	364,317	49	12.4	08.5-16.3	34	7.2	04.5-09.9	40	11.2	07.1-15.3	31	8.2	04.9-11.5	20	4.9	02.4-07.4	238	56.2	50.1-62.3
65+	622	409,652	81	12.6	09.5-15.7	39	5.2	03.2-07.2	44	6.6	04.2-09.0	31	3.8	02.0-05.6	15	2.2	00.8-03.6	412	69.7	65.4-74.0
Less Than H.S.	211	358,574	11	7.1	02.2-12.0	11	6.2	01.1-11.3	10	2.1	00.5-03.7	7	4.3	00.8-07.8	12	8.1	02.2-14.0	160	72.1	63.3-80.9
H.S. or G.E.D.	576	745,011	67	12.8	09.1-16.5	34	7.0	03.7-10.3	38	8.0	04.7-11.3	31	5.5	02.6-08.4	20	2.8	01.2-04.4	386	64.0	58.5-69.5
Some Post-H.S.	412	656,927	70	17.7	12.8-22.6	39	13.0	08.3-17.7	37	9.3	05.8-12.8	30	7.6	04.1-11.1	19	7.6	03.3-11.9	217	44.7	38.2-51.2
College Graduate	535	496,393	106	21.3	16.6-26.0	71	15.0	10.7-19.3	63	12.6	08.9-16.3	44	9.1	06.0-12.2	20	3.2	01.4-05.0	231	38.8	33.5-44.1
Less than \$15,000	196	231,562	14	7.1	02.2-12.0	7	6.7	01.6-11.8	12	4.8	01.5-08.1	7	3.2	00.3-06.1	12	7.9	01.6-14.2	144	70.2	61.2-79.2
\$15,000- 24,999	265	332,653	27	12.8	06.9-18.7	17	5.6	02.1-09.1	12	4.5	01.2-07.8	15	4.1	01.4-06.8	15	7.5	03.0-12.0	179	65.6	57.4-73.8
\$25,000- 34,999	184	242,605	18	8.4	03.5-13.3	13	8.9	02.2-15.6	18	10.7	04.4-17.0	13	6.8	01.7-11.9	10	9.1	01.7-16.5	112	56.1	45.7-66.5
\$35,000- 49,999	264	346,206	40	16.1	10.0-22.2	19	9.1	03.6-14.6	23	9.0	04.7-13.3	16	7.7	02.8-12.6	2	1.4	00.0-03.9	164	56.8	48.6-65.0
\$50,000- 74,999	227	290,735	42	15.9	10.2-21.6	26	13.4	07.5-19.3	24	13.9	07.0-20.8	11	5.6	01.5-09.7	8	3.7	00.2-07.2	116	47.5	38.9-56.1
\$75,000+	359	501,041	81	21.2	15.5-26.9	53	17.5	11.4-23.6	46	10.5	06.8-14.2	40	11.9	07.2-16.6	19	4.9	00.8-09.0	120	34.1	27.4-40.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 15: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (\_DRNKMO4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3031	2,439,250	491	18.8	16.8-20.8	195	8.0	06.4-09.6	132	4.6	03.6-05.6	49	2.0	01.2-02.8	19	1.1	00.5-01.7	2145	65.6	63.1-68.1
White/Non-Hisp	2518	1,875,646	392	17.0	15.0-19.0	165	8.2	06.2-10.2	116	4.6	03.6-05.6	39	1.8	01.0-02.6	17	1.1	00.5-01.7	1789	67.2	64.5-69.9
Black or Afr. Am./Non-Hisp	388	393,851	74	25.8	18.9-32.7	21	5.3	02.2-08.4	9	3.2	00.8-05.6	7	2.2	00.4-04.0	1	0.6	00.0-01.8	276	63.0	55.7-70.3
Oth. Race/Non-Hisp.	51	68,175	9	18.7	03.4-34.0	4	11.8	00.2-23.4	1	3.4	00.0-09.9	1	0.8	00.0-02.4				36	65.3	47.7-82.9
18-24	106	281,764	15	15.0	06.8-23.2	19	18.7	08.9-28.5	5	4.3	00.4-08.2	5	4.2	00.3-08.1	2	2.3	00.0-05.4	60	55.5	44.1-66.9
25-34	220	387,088	49	22.0	15.7-28.3	28	12.5	07.6-17.4	13	3.6	01.4-05.8	7	3.0	00.6-05.4				123	58.9	51.5-66.3
35-44	287	393,845	83	27.1	21.0-33.2	26	7.5	04.2-10.8	16	5.1	02.2-08.0	4	1.2	00.0-02.6	6	2.9	00.5-05.3	152	56.2	49.3-63.1
45-54	468	413,955	105	23.3	18.6-28.0	39	6.7	04.2-09.2	23	5.8	02.9-08.7	9	1.8	00.4-03.2	8	2.0	00.2-03.8	284	60.3	54.8-65.8
55-64	663	404,682	113	17.9	14.2-21.6	43	4.7	02.9-06.5	36	6.2	03.8-08.6	11	1.6	00.6-02.6	2	0.2	00.0-00.6	458	69.4	65.1-73.7
65+	1247	535,321	119	9.7	07.5-11.9	38	3.1	01.9-04.3	39	2.9	01.7-04.1	12	1.0	00.4-01.6	1	0.1	00.0-00.3	1038	83.2	80.7-85.7
Less Than H.S.	395	378,992	28	12.3	07.4-17.2	4	1.2	00.0-03.0	3	0.8	00.0-02.0	1	0.6	00.0-01.8				359	85.1	79.8-90.4
H.S. or G.E.D.	1055	814,932	119	14.5	11.0-18.0	42	6.6	03.3-09.9	24	2.8	01.4-04.2	13	1.5	00.5-02.5	5	1.2	00.0-02.6	852	73.4	68.7-78.1
Some Post-H.S.	761	722,394	147	21.3	17.4-25.2	53	8.7	05.8-11.6	39	5.6	03.6-07.6	14	3.2	01.2-05.2	8	1.5	00.3-02.7	500	59.7	55.0-64.4
College Graduate	809	519,017	197	26.7	22.6-30.8	96	14.4	10.9-17.9	66	8.6	05.9-11.3	21	2.1	01.1-03.1	6	1.2	00.0-02.4	423	47.0	42.5-51.5
Less than \$15,000	451	332,220	45	17.1	11.2-23.0	17	5.6	02.1-09.1	10	4.3	01.2-07.4	3	1.1	00.0-02.7	2	0.2	00.0-00.6	374	71.7	64.8-78.6
\$15,000- 24,999	557	436,971	61	10.5	07.2-13.8	29	8.5	04.8-12.2	20	4.0	01.8-06.2	9	2.9	00.5-05.3	2	0.9	00.0-02.5	436	73.2	67.7-78.7
\$25,000- 34,999	323	243,301	59	19.9	13.8-26.0	11	4.3	00.6-08.0	8	3.6	00.5-06.7	3	1.7	00.0-03.7	4	2.1	00.0-04.5	238	68.4	61.1-75.7
\$35,000- 49,999	325	270,896	74	20.3	14.8-25.8	19	5.5	02.4-08.6	14	3.3	01.3-05.3	5	1.6	00.0-03.4	1	0.6	00.0-01.8	212	68.6	62.1-75.1
\$50,000- 74,999	292	264,634	67	25.9	18.8-33.0	20	7.8	02.9-12.7	17	5.2	02.3-08.1	5	1.5	00.0-03.3	1	1.0	00.0-03.0	182	58.5	50.3-66.7
\$75,000+	431	405,381	117	28.5	22.8-34.2	71	17.5	11.0-24.0	39	7.2	04.3-10.1	15	1.9	00.9-02.9	7	2.2	00.2-04.2	182	42.7	36.0-49.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 16: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4767	4,701,138	4628	95.9	94.9-96.9	139	4.1	03.1-05.1
Male	1736	2,261,889	1665	94.9	93.1-96.7	71	5.1	03.3-06.9
Female	3031	2,439,250	2963	96.9	95.9-97.9	68	3.1	02.1-04.1
White/Non-Hisp	3974	3,601,779	3853	95.7	94.5-96.9	121	4.3	03.1-05.5
Black or Afr. Am./Non-Hisp	565	733,005	553	97.1	95.1-99.1	12	2.9	00.9-04.9
Oth. Race/Non-Hisp.	88	116,913	86	98.8	97.0-0100	2	1.2	00.0-03.0
Hispanic	55	130,077	53	92.4	82.2-0100	2	7.6	00.0-17.8
18-24	192	571,372	179	93.4	89.7-97.1	13	6.6	02.9-10.3
25-34	377	790,561	363	94.9	91.8-98.0	14	5.1	02.0-08.2
35-44	446	773,715	429	95.2	92.1-98.3	17	4.8	01.7-07.9
45-54	755	820,680	722	95.6	93.8-97.4	33	4.4	02.6-06.2
55-64	1075	769,000	1042	96.8	95.4-98.2	33	3.2	01.8-04.6
65+	1869	944,973	1841	98.5	97.7-99.3	28	1.5	00.7-02.3
Less Than H.S.	606	737,566	593	95.8	92.9-98.7	13	4.2	01.3-07.1
H.S. or G.E.D.	1631	1,559,943	1593	97.3	96.1-98.5	38	2.7	01.5-03.9
Some Post-H.S.	1173	1,379,321	1132	93.9	91.5-96.3	41	6.1	03.7-08.5
College Graduate	1344	1,015,410	1297	96.8	95.6-98.0	47	3.2	02.0-04.4
Less than \$15,000	647	563,782	630	96.0	93.3-98.7	17	4.0	01.3-06.7
\$15,000- 24,999	822	769,624	796	94.6	92.1-97.1	26	5.4	02.9-07.9
\$25,000- 34,999	507	485,906	490	93.6	89.5-97.7	17	6.4	02.3-10.5
\$35,000- 49,999	589	617,102	581	98.3	96.5-0100	8	1.7	00.0-03.5
\$50,000- 74,999	519	555,369	505	96.9	94.7-99.1	14	3.1	00.9-05.3
\$75,000+	790	906,422	749	95.5	93.0-98.0	41	4.5	02.0-07.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 17: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1736	2,261,889	1665	94.9	93.1-96.7	71	5.1	03.3-06.9
White/Non-Hisp	1456	1,726,133	1391	94.3	92.3-96.3	65	5.7	03.7-07.7
Black or Afr. Am./Non-Hisp	177	339,154	173	96.9	93.2-0100	4	3.1	00.0-06.8
18-24	86	289,608	80	93.3	87.8-98.8	6	6.7	01.2-12.2
25-34	157	403,473	150	93.0	87.5-98.5	7	7.0	01.5-12.5
35-44	159	379,871	152	94.3	88.4-0100	7	5.7	00.0-11.6
45-54	287	406,724	271	95.1	92.4-97.8	16	4.9	02.2-07.6
55-64	412	364,317	392	95.1	92.6-97.6	20	4.9	02.4-07.4
65+	622	409,652	607	97.8	96.4-99.2	15	2.2	00.8-03.6
Less Than H.S.	211	358,574	199	91.9	86.0-97.8	12	8.1	02.2-14.0
H.S. or G.E.D.	576	745,011	556	97.2	95.6-98.8	20	2.8	01.2-04.4
Some Post-H.S.	412	656,927	393	92.4	88.1-96.7	19	7.6	03.3-11.9
College Graduate	535	496,393	515	96.8	95.0-98.6	20	3.2	01.4-05.0
Less than \$15,000	196	231,562	184	92.1	85.8-98.4	12	7.9	01.6-14.2
\$15,000- 24,999	265	332,653	250	92.5	88.0-97.0	15	7.5	03.0-12.0
\$25,000- 34,999	184	242,605	174	90.9	83.5-98.3	10	9.1	01.7-16.5
\$35,000- 49,999	264	346,206	262	98.6	96.1-0100	2	1.4	00.0-03.9
\$50,000- 74,999	227	290,735	219	96.3	92.8-99.8	8	3.7	00.2-07.2
\$75,000+	359	501,041	340	95.1	91.0-99.2	19	4.9	00.8-09.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 18: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRHV4)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3031	2,439,250	2963	96.9	95.9-97.9	68	3.1	02.1-04.1
White/Non-Hisp	2518	1,875,646	2462	97.0	96.0-98.0	56	3.0	02.0-04.0
Black or Afr. Am./Non-Hisp	388	393,851	380	97.3	95.1-99.5	8	2.7	00.5-04.9
Oth. Race/Non-Hisp.	51	68,175	50	99.2	97.6-100	1	0.8	00.0-02.4
18-24	106	281,764	99	93.5	88.6-98.4	7	6.5	01.6-11.4
25-34	220	387,088	213	97.0	94.6-99.4	7	3.0	00.6-05.4
35-44	287	393,845	277	96.0	93.3-98.7	10	4.0	01.3-06.7
45-54	468	413,955	451	96.2	94.0-98.4	17	3.8	01.6-06.0
55-64	663	404,682	650	98.2	97.0-99.4	13	1.8	00.6-03.0
65+	1247	535,321	1234	98.9	98.3-99.5	13	1.1	00.5-01.7
Less Than H.S.	395	378,992	394	99.4	98.2-100	1	0.6	00.0-01.8
H.S. or G.E.D.	1055	814,932	1037	97.3	95.7-98.9	18	2.7	01.1-04.3
Some Post-H.S.	761	722,394	739	95.3	93.1-97.5	22	4.7	02.5-06.9
College Graduate	809	519,017	782	96.7	95.1-98.3	27	3.3	01.7-04.9
Less than \$15,000	451	332,220	446	98.7	97.1-100	5	1.3	00.0-02.9
\$15,000- 24,999	557	436,971	546	96.2	93.3-99.1	11	3.8	00.9-06.7
\$25,000- 34,999	323	243,301	316	96.3	93.4-99.2	7	3.7	00.8-06.6
\$35,000- 49,999	325	270,896	319	97.8	95.6-100	6	2.2	00.0-04.4
\$50,000- 74,999	292	264,634	286	97.5	95.0-100	6	2.5	00.0-05.0
\$75,000+	431	405,381	409	95.9	93.7-98.1	22	4.1	01.9-06.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 19: ADULT MEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (\_RFDRMN4)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1736	2,261,889	1665	94.9	93.1-96.7	71	5.1	03.3-06.9
White/Non-Hisp	1456	1,726,133	1391	94.3	92.3-96.3	65	5.7	03.7-07.7
Black or Afr. Am./Non-Hisp	177	339,154	173	96.9	93.2-0100	4	3.1	00.0-06.8
18-24	86	289,608	80	93.3	87.8-98.8	6	6.7	01.2-12.2
25-34	157	403,473	150	93.0	87.5-98.5	7	7.0	01.5-12.5
35-44	159	379,871	152	94.3	88.4-0100	7	5.7	00.0-11.6
45-54	287	406,724	271	95.1	92.4-97.8	16	4.9	02.2-07.6
55-64	412	364,317	392	95.1	92.6-97.6	20	4.9	02.4-07.4
65+	622	409,652	607	97.8	96.4-99.2	15	2.2	00.8-03.6
Less Than H.S.	211	358,574	199	91.9	86.0-97.8	12	8.1	02.2-14.0
H.S. or G.E.D.	576	745,011	556	97.2	95.6-98.8	20	2.8	01.2-04.4
Some Post-H.S.	412	656,927	393	92.4	88.1-96.7	19	7.6	03.3-11.9
College Graduate	535	496,393	515	96.8	95.0-98.6	20	3.2	01.4-05.0
Less than \$15,000	196	231,562	184	92.1	85.8-98.4	12	7.9	01.6-14.2
\$15,000- 24,999	265	332,653	250	92.5	88.0-97.0	15	7.5	03.0-12.0
\$25,000- 34,999	184	242,605	174	90.9	83.5-98.3	10	9.1	01.7-16.5
\$35,000- 49,999	264	346,206	262	98.6	96.1-0100	2	1.4	00.0-03.9
\$50,000- 74,999	227	290,735	219	96.3	92.8-99.8	8	3.7	00.2-07.2
\$75,000+	359	501,041	340	95.1	91.0-99.2	19	4.9	00.8-09.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 20: ADULT WOMEN WHO ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (\_RFDRWM4)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3031	2,439,250	2963	96.9	95.9-97.9	68	3.1	02.1-04.1
White/Non-Hisp	2518	1,875,646	2462	97.0	96.0-98.0	56	3.0	02.0-04.0
Black or Afr. Am./Non-Hisp	388	393,851	380	97.3	95.1-99.5	8	2.7	00.5-04.9
Oth. Race/Non-Hisp.	51	68,175	50	99.2	97.6-100	1	0.8	00.0-02.4
18-24	106	281,764	99	93.5	88.6-98.4	7	6.5	01.6-11.4
25-34	220	387,088	213	97.0	94.6-99.4	7	3.0	00.6-05.4
35-44	287	393,845	277	96.0	93.3-98.7	10	4.0	01.3-06.7
45-54	468	413,955	451	96.2	94.0-98.4	17	3.8	01.6-06.0
55-64	663	404,682	650	98.2	97.0-99.4	13	1.8	00.6-03.0
65+	1247	535,321	1234	98.9	98.3-99.5	13	1.1	00.5-01.7
Less Than H.S.	395	378,992	394	99.4	98.2-100	1	0.6	00.0-01.8
H.S. or G.E.D.	1055	814,932	1037	97.3	95.7-98.9	18	2.7	01.1-04.3
Some Post-H.S.	761	722,394	739	95.3	93.1-97.5	22	4.7	02.5-06.9
College Graduate	809	519,017	782	96.7	95.1-98.3	27	3.3	01.7-04.9
Less than \$15,000	451	332,220	446	98.7	97.1-100	5	1.3	00.0-02.9
\$15,000- 24,999	557	436,971	546	96.2	93.3-99.1	11	3.8	00.9-06.7
\$25,000- 34,999	323	243,301	316	96.3	93.4-99.2	7	3.7	00.8-06.6
\$35,000- 49,999	325	270,896	319	97.8	95.6-100	6	2.2	00.0-04.4
\$50,000- 74,999	292	264,634	286	97.5	95.0-100	6	2.5	00.0-05.0
\$75,000+	431	405,381	409	95.9	93.7-98.1	22	4.1	01.9-06.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 11: IMMUNIZATION CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	118
2	MALES ONLY	119
3	FEMALES ONLY	120
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	121
5	MALES ONLY	122
6	FEMALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1886	953,599	1278	67.2	64.5-69.9	608	32.8	30.1-35.5
Male	630	413,914	418	67.1	62.4-71.8	212	32.9	28.2-37.6
Female	1256	539,684	860	67.2	63.7-70.7	396	32.8	29.3-36.3
White/Non-Hisp	1659	820,121	1156	70.0	67.1-72.9	503	30.0	27.1-32.9
Black or Afr. Am./Non-Hisp	163	90,630	87	50.0	39.4-60.6	76	50.0	39.4-60.6
65+	1886	953,599	1278	67.2	64.5-69.9	608	32.8	30.1-35.5
Less Than H.S.	322	215,676	211	66.1	59.0-73.2	111	33.9	26.8-41.0
H.S. or G.E.D.	656	307,663	444	67.6	62.9-72.3	212	32.4	27.7-37.1
Some Post-H.S.	438	247,026	301	67.4	61.7-73.1	137	32.6	26.9-38.3
College Graduate	465	182,336	318	67.3	62.0-72.6	147	32.7	27.4-38.0
Less than \$15,000	263	98,386	170	65.9	58.3-73.5	93	34.1	26.5-41.7
\$15,000- 24,999	375	187,054	242	63.4	56.9-69.9	133	36.6	30.1-43.1
\$25,000- 34,999	237	124,407	165	68.5	60.3-76.7	72	31.5	23.3-39.7
\$35,000- 49,999	229	134,749	169	74.9	68.0-81.8	60	25.1	18.2-32.0
\$50,000- 74,999	160	83,560	119	70.7	61.5-79.9	41	29.3	20.1-38.5
\$75,000+	160	86,245	115	70.9	62.5-79.3	45	29.1	20.7-37.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	630	413,914	418	67.1	62.4-71.8	212	32.9	28.2-37.6
White/Non-Hisp	563	360,259	381	69.9	65.2-74.6	182	30.1	25.4-34.8
65+	630	413,914	418	67.1	62.4-71.8	212	32.9	28.2-37.6
Less Than H.S.	100	94,449	67	69.3	57.9-80.7	33	30.7	19.3-42.1
H.S. or G.E.D.	187	118,565	120	63.5	54.7-72.3	67	36.5	27.7-45.3
Some Post-H.S.	142	101,107	94	68.0	58.4-77.6	48	32.0	22.4-41.6
College Graduate	201	99,793	137	68.5	60.9-76.1	64	31.5	23.9-39.1
Less than \$15,000	67	32,778	37	57.2	41.9-72.5	30	42.8	27.5-58.1
\$15,000- 24,999	98	66,798	62	63.1	51.3-74.9	36	36.9	25.1-48.7
\$25,000- 34,999	80	60,564	57	67.9	54.2-81.6	23	32.1	18.4-45.8
\$35,000- 49,999	110	76,926	83	78.8	69.8-87.8	27	21.2	12.2-30.2
\$50,000- 74,999	83	51,307	62	68.3	55.6-81.0	21	31.7	19.0-44.4
\$75,000+	80	49,193	53	67.8	55.6-80.0	27	32.2	20.0-44.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1256	539,684	860	67.2	63.7-70.7	396	32.8	29.3-36.3
White/Non-Hisp	1096	459,862	775	70.0	66.5-73.5	321	30.0	26.5-33.5
Black or Afr. Am./Non-Hisp	124	61,767	67	50.1	37.8-62.4	57	49.9	37.6-62.2
65+	1256	539,684	860	67.2	63.7-70.7	396	32.8	29.3-36.3
Less Than H.S.	222	121,227	144	63.7	54.9-72.5	78	36.3	27.5-45.1
H.S. or G.E.D.	469	189,097	324	70.2	64.9-75.5	145	29.8	24.5-35.1
Some Post-H.S.	296	145,919	207	66.9	60.0-73.8	89	33.1	26.2-40.0
College Graduate	264	82,543	181	65.7	58.6-72.8	83	34.3	27.2-41.4
Less than \$15,000	196	65,608	133	70.2	61.6-78.8	63	29.8	21.2-38.4
\$15,000- 24,999	277	120,256	180	63.6	56.0-71.2	97	36.4	28.8-44.0
\$25,000- 34,999	157	63,842	108	69.2	60.0-78.4	49	30.8	21.6-40.0
\$35,000- 49,999	119	57,823	86	69.7	59.5-79.9	33	30.3	20.1-40.5
\$50,000- 74,999	77	32,253	57	74.5	62.0-87.0	20	25.5	13.0-38.0
\$75,000+	80	37,053	62	75.0	64.0-86.0	18	25.0	14.0-36.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1833	927,596	1314	71.2	68.5-73.9	519	28.8	26.1-31.5
Male	610	401,612	418	68.6	64.1-73.1	192	31.4	26.9-35.9
Female	1223	525,985	896	73.2	69.9-76.5	327	26.8	23.5-30.1
White/Non-Hisp	1615	800,293	1206	75.4	72.7-78.1	409	24.6	21.9-27.3
Black or Afr. Am./Non-Hisp	157	87,306	73	42.4	32.0-52.8	84	57.6	47.2-68.0
65+	1833	927,596	1314	71.2	68.5-73.9	519	28.8	26.1-31.5
Less Than H.S.	313	208,602	225	70.8	63.9-77.7	88	29.2	22.3-36.1
H.S. or G.E.D.	642	300,122	462	73.1	68.8-77.4	180	26.9	22.6-31.2
Some Post-H.S.	430	244,098	308	69.5	63.8-75.2	122	30.5	24.8-36.2
College Graduate	443	173,875	316	71.0	65.9-76.1	127	29.0	23.9-34.1
Less than \$15,000	256	96,796	175	64.3	56.3-72.3	81	35.7	27.7-43.7
\$15,000- 24,999	367	183,872	255	67.0	60.3-73.7	112	33.0	26.3-39.7
\$25,000- 34,999	233	121,631	175	77.0	70.1-83.9	58	23.0	16.1-29.9
\$35,000- 49,999	224	131,171	163	73.5	66.6-80.4	61	26.5	19.6-33.4
\$50,000- 74,999	155	81,019	123	79.1	71.1-87.1	32	20.9	12.9-28.9
\$75,000+	152	82,605	112	73.7	65.7-81.7	40	26.3	18.3-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	610	401,612	418	68.6	64.1-73.1	192	31.4	26.9-35.9
White/Non-Hisp	547	350,932	385	71.7	67.2-76.2	162	28.3	23.8-32.8
65+	610	401,612	418	68.6	64.1-73.1	192	31.4	26.9-35.9
Less Than H.S.	97	92,357	62	66.9	55.5-78.3	35	33.1	21.7-44.5
H.S. or G.E.D.	182	113,627	122	67.7	59.5-75.9	60	32.3	24.1-40.5
Some Post-H.S.	140	100,533	98	70.2	60.8-79.6	42	29.8	20.4-39.2
College Graduate	191	95,094	136	69.6	61.8-77.4	55	30.4	22.6-38.2
Less than \$15,000	66	32,576	36	50.4	34.5-66.3	30	49.6	33.7-65.5
\$15,000- 24,999	97	66,643	63	57.9	45.6-70.2	34	42.1	29.8-54.4
\$25,000- 34,999	77	57,983	55	78.0	67.6-88.4	22	22.0	11.6-32.4
\$35,000- 49,999	106	74,069	82	79.1	70.5-87.7	24	20.9	12.3-29.5
\$50,000- 74,999	79	49,162	60	75.9	64.5-87.3	19	24.1	12.7-35.5
\$75,000+	76	47,044	53	69.6	57.6-81.6	23	30.4	18.4-42.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 11: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1223	525,985	896	73.2	69.9-76.5	327	26.8	23.5-30.1
White/Non-Hisp	1068	449,361	821	78.2	75.1-81.3	247	21.8	18.7-24.9
Black or Afr. Am./Non-Hisp	120	60,621	55	40.5	28.5-52.5	65	59.5	47.5-71.5
65+	1223	525,985	896	73.2	69.9-76.5	327	26.8	23.5-30.1
Less Than H.S.	216	116,245	163	73.9	65.5-82.3	53	26.1	17.7-34.5
H.S. or G.E.D.	460	186,496	340	76.3	71.6-81.0	120	23.7	19.0-28.4
Some Post-H.S.	290	143,565	210	69.0	62.1-75.9	80	31.0	24.1-37.9
College Graduate	252	78,781	180	72.6	66.1-79.1	72	27.4	20.9-33.9
Less than \$15,000	190	64,221	139	71.4	62.8-80.0	51	28.6	20.0-37.2
\$15,000- 24,999	270	117,229	192	72.2	64.9-79.5	78	27.8	20.5-35.1
\$25,000- 34,999	156	63,648	120	76.2	67.6-84.8	36	23.8	15.2-32.4
\$35,000- 49,999	118	57,102	81	66.3	56.1-76.5	37	33.7	23.5-43.9
\$50,000- 74,999	76	31,857	63	84.1	74.3-93.9	13	15.9	06.1-25.7
\$75,000+	76	35,561	59	79.2	69.0-89.4	17	20.8	10.6-31.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 13: SEATBELT USE CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4806	4,771,282	4592	94.3	93.3-95.3	214	5.7	04.7-06.7
Male	1748	2,291,321	1613	91.4	89.4-93.4	135	8.6	06.6-10.6
Female	3058	2,479,961	2979	96.9	95.9-97.9	79	3.1	02.1-04.1
White/Non-Hisp	4001	3,655,247	3820	94.1	92.9-95.3	181	5.9	04.7-07.1
Black or Afr. Am./Non-Hisp	572	741,417	553	96.5	94.3-98.7	19	3.5	01.3-05.7
Oth. Race/Non-Hisp.	86	112,899	81	92.7	84.9-0100	5	7.3	00.0-15.1
Hispanic	58	136,226	53	85.8	72.1-99.5	5	14.2	00.5-27.9
18-24	199	606,350	187	93.9	90.2-97.6	12	6.1	02.4-09.8
25-34	382	804,786	357	92.5	89.4-95.6	25	7.5	04.4-10.6
35-44	455	788,275	426	92.7	89.0-96.4	29	7.3	03.6-11.0
45-54	757	816,448	718	94.3	92.1-96.5	39	5.7	03.5-07.9
55-64	1083	776,151	1041	96.2	94.8-97.6	42	3.8	02.4-05.2
65+	1877	948,870	1810	95.4	94.0-96.8	67	4.6	03.2-06.0
Less Than H.S.	607	753,608	581	95.0	92.1-97.9	26	5.0	02.1-07.9
H.S. or G.E.D.	1639	1,575,548	1534	92.0	90.0-94.0	105	8.0	06.0-10.0
Some Post-H.S.	1184	1,398,788	1136	94.8	92.6-97.0	48	5.2	03.0-07.4
College Graduate	1361	1,031,085	1326	96.4	95.0-97.8	35	3.6	02.2-05.0
Less than \$15,000	652	567,773	618	93.8	91.1-96.5	34	6.2	03.5-08.9
\$15,000- 24,999	821	771,450	779	92.7	89.4-96.0	42	7.3	04.0-10.6
\$25,000- 34,999	509	490,118	481	92.0	88.1-95.9	28	8.0	04.1-11.9
\$35,000- 49,999	594	630,944	572	95.8	93.6-98.0	22	4.2	02.0-06.4
\$50,000- 74,999	515	550,304	492	94.9	92.4-97.4	23	5.1	02.6-07.6
\$75,000+	802	917,843	782	96.3	93.8-98.8	20	3.7	01.2-06.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1748	2,291,321	1613	91.4	89.4-93.4	135	8.6	06.6-10.6
White/Non-Hisp	1466	1,753,566	1350	91.0	88.8-93.2	116	9.0	06.8-11.2
Black or Afr. Am./Non-Hisp	177	338,822	168	95.0	90.9-99.1	9	5.0	00.9-09.1
18-24	89	305,227	83	93.4	87.5-99.3	6	6.6	00.7-12.5
25-34	156	405,285	139	88.5	83.0-94.0	17	11.5	06.0-17.0
35-44	163	386,653	143	88.0	80.7-95.3	20	12.0	04.7-19.3
45-54	286	404,594	265	92.1	88.2-96.0	21	7.9	04.0-11.8
55-64	412	367,114	387	95.3	93.1-97.5	25	4.7	02.5-06.9
65+	629	414,205	583	91.9	89.0-94.8	46	8.1	05.2-11.0
Less Than H.S.	213	366,578	197	93.1	87.6-98.6	16	6.9	01.4-12.4
H.S. or G.E.D.	579	754,560	511	87.8	84.1-91.5	68	12.2	08.5-15.9
Some Post-H.S.	414	665,160	388	92.8	88.7-96.9	26	7.2	03.1-11.3
College Graduate	539	496,847	514	93.8	91.1-96.5	25	6.2	03.5-08.9
Less than \$15,000	200	230,200	180	91.9	87.0-96.8	20	8.1	03.2-13.0
\$15,000- 24,999	263	334,361	243	89.5	82.8-96.2	20	10.5	03.8-17.2
\$25,000- 34,999	185	244,063	163	86.4	79.0-93.8	22	13.6	06.2-21.0
\$35,000- 49,999	268	359,404	250	93.9	90.4-97.4	18	6.1	02.6-09.6
\$50,000- 74,999	227	291,143	209	91.4	86.7-96.1	18	8.6	03.9-13.3
\$75,000+	360	501,375	347	94.4	89.9-98.9	13	5.6	01.1-10.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3058	2,479,961	2979	96.9	95.9-97.9	79	3.1	02.1-04.1
White/Non-Hisp	2535	1,901,682	2470	97.0	96.0-98.0	65	3.0	02.0-04.0
Black or Afr. Am./Non-Hisp	395	402,594	385	97.8	96.0-99.6	10	2.2	00.4-04.0
Oth. Race/Non-Hisp.	51	68,340	50	94.1	83.1-0100	1	5.9	00.0-16.9
18-24	110	301,124	104	94.5	90.0-99.0	6	5.5	01.0-10.0
25-34	226	399,500	218	96.6	94.2-99.0	8	3.4	01.0-05.8
35-44	292	401,621	283	97.3	95.3-99.3	9	2.7	00.7-04.7
45-54	471	411,854	453	96.3	94.3-98.3	18	3.7	01.7-05.7
55-64	671	409,037	654	97.0	95.2-98.8	17	3.0	01.2-04.8
65+	1248	534,665	1227	98.2	97.2-99.2	21	1.8	00.8-02.8
Less Than H.S.	394	387,031	384	96.8	94.6-99.0	10	3.2	01.0-05.4
H.S. or G.E.D.	1060	820,989	1023	95.9	94.1-97.7	37	4.1	02.3-05.9
Some Post-H.S.	770	733,629	748	96.6	94.8-98.4	22	3.4	01.6-05.2
College Graduate	822	534,238	812	98.8	97.8-99.8	10	1.2	00.2-02.2
Less than \$15,000	452	337,573	438	95.1	92.2-98.0	14	4.9	02.0-07.8
\$15,000- 24,999	558	437,090	536	95.1	92.2-98.0	22	4.9	02.0-07.8
\$25,000- 34,999	324	246,055	318	97.5	95.1-99.9	6	2.5	00.1-04.9
\$35,000- 49,999	326	271,540	322	98.3	96.3-0100	4	1.7	00.0-03.7
\$50,000- 74,999	288	259,162	283	98.9	97.7-0100	5	1.1	00.0-02.3
\$75,000+	442	416,467	435	98.7	97.5-99.9	7	1.3	00.1-02.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4806	4,771,282	4276	85.1	83.3-86.9	530	14.9	13.1-16.7
Male	1748	2,291,321	1458	79.5	76.6-82.4	290	20.5	17.6-23.4
Female	3058	2,479,961	2818	90.3	88.7-91.9	240	9.7	08.1-11.3
White/Non-Hisp	4001	3,655,247	3547	84.3	82.3-86.3	454	15.7	13.7-17.7
Black or Afr. Am./Non-Hisp	572	741,417	527	91.1	87.8-94.4	45	8.9	05.6-12.2
Oth. Race/Non-Hisp.	86	112,899	76	87.2	77.4-97.0	10	12.8	03.0-22.6
Hispanic	58	136,226	47	77.8	63.5-92.1	11	22.2	07.9-36.5
18-24	199	606,350	163	79.6	72.9-86.3	36	20.4	13.7-27.1
25-34	382	804,786	320	81.4	76.5-86.3	62	18.6	13.7-23.5
35-44	455	788,275	394	83.6	78.3-88.9	61	16.4	11.1-21.7
45-54	757	816,448	665	85.1	81.8-88.4	92	14.9	11.6-18.2
55-64	1083	776,151	967	88.3	85.8-90.8	116	11.7	09.2-14.2
65+	1877	948,870	1716	90.2	88.4-92.0	161	9.8	08.0-11.6
Less Than H.S.	607	753,608	546	85.1	79.8-90.4	61	14.9	09.6-20.2
H.S. or G.E.D.	1639	1,575,548	1402	80.9	78.0-83.8	237	19.1	16.2-22.0
Some Post-H.S.	1184	1,398,788	1058	86.2	82.9-89.5	126	13.8	10.5-17.1
College Graduate	1361	1,031,085	1257	90.0	87.6-92.4	104	10.0	07.6-12.4
Less than \$15,000	652	567,773	581	87.0	83.1-90.9	71	13.0	09.1-16.9
\$15,000- 24,999	821	771,450	729	85.1	80.6-89.6	92	14.9	10.4-19.4
\$25,000- 34,999	509	490,118	449	82.8	76.9-88.7	60	17.2	11.3-23.1
\$35,000- 49,999	594	630,944	519	84.0	79.3-88.7	75	16.0	11.3-20.7
\$50,000- 74,999	515	550,304	451	84.0	79.5-88.5	64	16.0	11.5-20.5
\$75,000+	802	917,843	732	88.3	84.4-92.2	70	11.7	07.8-15.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 13: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1748	2,291,321	1458	79.5	76.6-82.4	290	20.5	17.6-23.4
White/Non-Hisp	1466	1,753,566	1217	78.5	75.2-81.8	249	21.5	18.2-24.8
Black or Afr. Am./Non-Hisp	177	338,822	155	86.5	80.0-93.0	22	13.5	07.0-20.0
18-24	89	305,227	70	76.3	65.7-86.9	19	23.7	13.1-34.3
25-34	156	405,285	118	73.1	64.9-81.3	38	26.9	18.7-35.1
35-44	163	386,653	127	74.7	65.1-84.3	36	25.3	15.7-34.9
45-54	286	404,594	234	79.2	73.3-85.1	52	20.8	14.9-26.7
55-64	412	367,114	353	87.8	83.9-91.7	59	12.2	08.3-16.1
65+	629	414,205	543	85.3	81.8-88.8	86	14.7	11.2-18.2
Less Than H.S.	213	366,578	182	79.4	69.8-89.0	31	20.6	11.0-30.2
H.S. or G.E.D.	579	754,560	442	73.3	68.2-78.4	137	26.7	21.6-31.8
Some Post-H.S.	414	665,160	355	81.4	75.5-87.3	59	18.6	12.7-24.5
College Graduate	539	496,847	476	86.2	82.3-90.1	63	13.8	09.9-17.7
Less than \$15,000	200	230,200	167	83.6	76.2-91.0	33	16.4	09.0-23.8
\$15,000- 24,999	263	334,361	223	80.7	72.1-89.3	40	19.3	10.7-27.9
\$25,000- 34,999	185	244,063	147	72.8	62.6-83.0	38	27.2	17.0-37.4
\$35,000- 49,999	268	359,404	220	79.9	72.6-87.2	48	20.1	12.8-27.4
\$50,000- 74,999	227	291,143	186	77.2	69.8-84.6	41	22.8	15.4-30.2
\$75,000+	360	501,375	313	83.7	77.2-90.2	47	16.3	09.8-22.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 13: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3058	2,479,961	2818	90.3	88.7-91.9	240	9.7	08.1-11.3
White/Non-Hisp	2535	1,901,682	2330	89.6	87.8-91.4	205	10.4	08.6-12.2
Black or Afr. Am./Non-Hisp	395	402,594	372	95.0	92.5-97.5	23	5.0	02.5-07.5
Oth. Race/Non-Hisp.	51	68,340	46	90.3	78.7-0100	5	9.7	00.0-21.3
18-24	110	301,124	93	83.0	75.0-91.0	17	17.0	09.0-25.0
25-34	226	399,500	202	89.9	85.6-94.2	24	10.1	05.8-14.4
35-44	292	401,621	267	92.1	88.4-95.8	25	7.9	04.2-11.6
45-54	471	411,854	431	90.9	87.8-94.0	40	9.1	06.0-12.2
55-64	671	409,037	614	88.9	85.4-92.4	57	11.1	07.6-14.6
65+	1248	534,665	1173	94.0	92.2-95.8	75	6.0	04.2-07.8
Less Than H.S.	394	387,031	364	90.5	86.4-94.6	30	9.5	05.4-13.6
H.S. or G.E.D.	1060	820,989	960	87.9	85.0-90.8	100	12.1	09.2-15.0
Some Post-H.S.	770	733,629	703	90.7	87.6-93.8	67	9.3	06.2-12.4
College Graduate	822	534,238	781	93.5	90.8-96.2	41	6.5	03.8-09.2
Less than \$15,000	452	337,573	414	89.3	85.0-93.6	38	10.7	06.4-15.0
\$15,000- 24,999	558	437,090	506	88.5	84.4-92.6	52	11.5	07.4-15.6
\$25,000- 34,999	324	246,055	302	92.7	88.8-96.6	22	7.3	03.4-11.2
\$35,000- 49,999	326	271,540	299	89.4	84.5-94.3	27	10.6	05.7-15.5
\$50,000- 74,999	288	259,162	265	91.6	87.3-95.9	23	8.4	04.1-12.7
\$75,000+	442	416,467	419	93.9	90.4-97.4	23	6.1	02.6-09.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 15: BREAST/CERVICAL CANCER SCREENING CONTENTS**

\* NOTE \*\*\*\*\*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
 \*\*\*\*\*

TABLE	PAGE
1 WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	132
2 WOMEN RESPONDENTS AGED 50+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	133
3 WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021) FEMALES ONLY	134
4 WOMEN RESPONDENTS AGED 18+ WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	135
5 WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33) FEMALES ONLY	136

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_RFMAM2Y)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported being less than 40 years old**

**Denominator excludes: Respondents who are male**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2519	1,558,556	1885	72.7	70.2-75.2	634	27.3	24.8-29.8
White/Non-Hisp	2127	1,266,538	1583	72.2	69.5-74.9	544	27.8	25.1-30.5
Black or Afr. Am./Non-Hisp	315	229,474	251	77.6	70.7-84.5	64	22.4	15.5-29.3
40-44	160	215,178	89	52.7	43.3-62.1	71	47.3	37.9-56.7
45-54	468	410,030	343	74.1	69.2-79.0	125	25.9	21.0-30.8
55-64	667	404,244	518	76.0	71.7-80.3	149	24.0	19.7-28.3
65+	1224	529,104	935	77.2	74.1-80.3	289	22.8	19.7-25.9
Less Than H.S.	355	282,830	233	58.3	50.5-66.1	122	41.7	33.9-49.5
H.S. or G.E.D.	882	504,466	654	73.6	69.7-77.5	228	26.4	22.5-30.3
Some Post-H.S.	616	433,825	466	75.8	71.5-80.1	150	24.2	19.9-28.5
College Graduate	660	336,171	528	79.6	75.5-83.7	132	20.4	16.3-24.5
Less than \$15,000	377	204,054	246	60.4	52.8-68.0	131	39.6	32.0-47.2
\$15,000- 24,999	469	277,732	322	64.1	58.0-70.2	147	35.9	29.8-42.0
\$25,000- 34,999	268	159,635	194	69.2	61.0-77.4	74	30.8	22.6-39.0
\$35,000- 49,999	270	172,999	214	77.8	71.3-84.3	56	22.2	15.7-28.7
\$50,000- 74,999	232	153,348	195	85.8	80.3-91.3	37	14.2	08.7-19.7
\$75,000+	358	272,218	291	78.1	72.6-83.6	67	21.9	16.4-27.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: WOMEN RESPONDENTS AGED 50+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_MAM502Y)  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents that reported being less than 50 years old  
 Denominator excludes: Respondents who are male**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2157	1,171,333	1656	77.0	74.6-79.4	501	23.0	20.6-25.4
White/Non-Hisp	1847	981,497	1412	77.2	74.7-79.7	435	22.8	20.3-25.3
Black or Afr. Am./Non-Hisp	250	149,165	202	76.4	68.2-84.6	48	23.6	15.4-31.8
50-54	266	237,985	203	77.9	71.6-84.2	63	22.1	15.8-28.4
55-64	667	404,244	518	76.0	71.7-80.3	149	24.0	19.7-28.3
65+	1224	529,104	935	77.2	74.1-80.3	289	22.8	19.7-25.9
Less Than H.S.	318	224,496	214	64.4	56.6-72.2	104	35.6	27.8-43.4
H.S. or G.E.D.	771	395,078	593	77.9	74.2-81.6	178	22.1	18.4-25.8
Some Post-H.S.	528	329,458	412	80.7	76.8-84.6	116	19.3	15.4-23.2
College Graduate	535	221,403	433	82.4	78.5-86.3	102	17.6	13.7-21.5
Less than \$15,000	323	140,048	218	68.1	61.2-75.0	105	31.9	25.0-38.8
\$15,000- 24,999	419	221,991	297	67.4	61.3-73.5	122	32.6	26.5-38.7
\$25,000- 34,999	237	122,888	178	75.1	67.8-82.4	59	24.9	17.6-32.2
\$35,000- 49,999	221	125,015	183	84.8	79.3-90.3	38	15.2	09.7-20.7
\$50,000- 74,999	192	117,256	163	87.2	81.9-92.5	29	12.8	07.5-18.1
\$75,000+	268	173,112	228	84.2	78.9-89.5	40	15.8	10.5-21.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_MAM5021)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old or greater than 74 years old  
Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1613	944,848	1278	78.8	76.3-81.3	335	21.2	18.7-23.7
White/Non-Hisp	1365	789,224	1078	79.0	76.3-81.7	287	21.0	18.3-23.7
Black or Afr. Am./Non-Hisp	202	122,251	167	78.2	69.6-86.8	35	21.8	13.2-30.4
50-54	266	237,985	203	77.9	71.6-84.2	63	22.1	15.8-28.4
55-64	667	404,244	518	76.0	71.7-80.3	149	24.0	19.7-28.3
65+	680	302,619	557	83.2	79.7-86.7	123	16.8	13.3-20.3
Less Than H.S.	195	160,197	139	68.7	59.3-78.1	56	31.3	21.9-40.7
H.S. or G.E.D.	571	316,854	444	77.7	73.4-82.0	127	22.3	18.0-26.6
Some Post-H.S.	393	271,886	319	82.5	78.2-86.8	74	17.5	13.2-21.8
College Graduate	452	195,490	374	83.5	79.2-87.8	78	16.5	12.2-20.8
Less than \$15,000	232	110,879	163	68.2	60.2-76.2	69	31.8	23.8-39.8
\$15,000- 24,999	290	170,538	214	69.0	61.7-76.3	76	31.0	23.7-38.3
\$25,000- 34,999	170	93,435	129	75.6	67.2-84.0	41	24.4	16.0-32.8
\$35,000- 49,999	181	107,201	154	86.3	80.2-92.4	27	13.7	07.6-19.8
\$50,000- 74,999	171	110,352	148	88.6	83.3-93.9	23	11.4	06.1-16.7
\$75,000+	254	165,653	218	85.0	79.7-90.3	36	15.0	09.7-20.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 4: WOMEN RESPONDENTS AGED 18+ WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (\_RFPAP32)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old or greater than 74 years old  
Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1782	1,699,895	1352	80.3	77.6-83.0	430	19.7	17.0-22.4
White/Non-Hisp	1479	1,278,421	1105	79.3	76.4-82.2	374	20.7	17.8-23.6
Black or Afr. Am./Non-Hisp	225	285,918	183	82.2	74.0-90.4	42	17.8	09.6-26.0
18-24	107	292,728	78	71.7	61.3-82.1	29	28.3	17.9-38.7
25-34	209	366,808	191	92.0	87.7-96.3	18	8.0	03.7-12.3
35-44	244	326,399	212	85.3	79.6-91.0	32	14.7	09.0-20.4
45-54	302	257,320	256	85.2	80.3-90.1	46	14.8	09.9-19.7
55-64	367	222,068	297	81.5	76.8-86.2	70	18.5	13.8-23.2
65+	553	234,572	318	59.2	53.9-64.5	235	40.8	35.5-46.1
Less Than H.S.	177	213,236	111	70.2	60.8-79.6	66	29.8	20.4-39.2
H.S. or G.E.D.	597	562,092	415	73.6	68.1-79.1	182	26.4	20.9-31.9
Some Post-H.S.	449	512,529	351	84.0	79.7-88.3	98	16.0	11.7-20.3
College Graduate	555	411,331	473	90.2	87.3-93.1	82	9.8	06.9-12.7
Less than \$15,000	246	226,996	156	66.6	58.0-75.2	90	33.4	24.8-42.0
\$15,000- 24,999	292	276,816	199	75.8	68.9-82.7	93	24.2	17.3-31.1
\$25,000- 34,999	185	158,081	129	73.5	65.1-81.9	56	26.5	18.1-34.9
\$35,000- 49,999	210	197,190	170	87.6	82.9-92.3	40	12.4	07.7-17.1
\$50,000- 74,999	191	193,852	164	85.8	77.6-94.0	27	14.2	06.0-22.4
\$75,000+	309	319,791	291	95.3	92.6-98.0	18	4.7	02.0-07.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 15: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (\_RFPAP33)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old or greater than 74 years old

Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1210	1,303,937	1022	85.5	82.8-88.2	188	14.5	11.8-17.2
White/Non-Hisp	988	987,806	823	83.8	80.7-86.9	165	16.2	13.1-19.3
Black or Afr. Am./Non-Hisp	165	217,522	148	92.2	87.3-97.1	17	7.8	02.9-12.7
18-24	60	153,273	47	77.3	64.2-90.4	13	22.7	09.6-35.8
25-34	192	329,647	175	92.6	88.7-96.5	17	7.4	03.5-11.3
35-44	242	322,627	211	85.2	79.3-91.1	31	14.8	08.9-20.7
45-54	302	257,320	256	85.2	80.3-90.1	46	14.8	09.9-19.7
55-64	365	221,353	295	81.5	76.8-86.2	70	18.5	13.8-23.2
Less Than H.S.	99	151,216	73	76.7	65.9-87.5	26	23.3	12.5-34.1
H.S. or G.E.D.	364	387,909	286	78.7	72.6-84.8	78	21.3	15.2-27.4
Some Post-H.S.	310	398,444	263	88.8	84.9-92.7	47	11.2	07.3-15.1
College Graduate	436	366,003	400	92.7	89.6-95.8	36	7.3	04.2-10.4
Less than \$15,000	159	172,776	114	71.8	62.6-81.0	45	28.2	19.0-37.4
\$15,000- 24,999	190	213,039	146	80.5	73.2-87.8	44	19.5	12.2-26.8
\$25,000- 34,999	116	122,122	86	75.6	65.6-85.6	30	24.4	14.4-34.4
\$35,000- 49,999	145	145,028	132	92.3	87.2-97.4	13	7.7	02.6-12.8
\$50,000- 74,999	160	172,730	141	86.0	76.8-95.2	19	14.0	04.8-23.2
\$75,000+	261	275,054	253	97.9	96.1-99.7	8	2.1	00.3-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21) MALES ONLY	138

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (\_RFPSA21)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1329	1,305,571	675	41.4	37.9-44.9	654	58.6	55.1-62.1
White/Non-Hisp	1140	1,052,644	584	41.2	37.5-44.9	556	58.8	55.1-62.5
Black or Afr. Am./Non-Hisp	125	166,760	58	41.3	29.5-53.1	67	58.7	46.9-70.5
40-44	82	201,169	13	12.3	04.7-19.9	69	87.7	80.1-95.3
45-54	272	376,729	81	27.9	21.4-34.4	191	72.1	65.6-78.6
55-64	394	347,072	196	48.6	42.5-54.7	198	51.4	45.3-57.5
65+	581	380,600	385	63.7	58.6-68.8	196	36.3	31.2-41.4
Less Than H.S.	169	225,977	57	25.2	17.9-32.5	112	74.8	67.5-82.1
H.S. or G.E.D.	438	432,138	190	38.3	32.2-44.4	248	61.7	55.6-67.8
Some Post-H.S.	285	322,431	163	47.2	38.8-55.6	122	52.8	44.4-61.2
College Graduate	437	325,024	265	51.1	45.0-57.2	172	48.9	42.8-55.0
Less than \$15,000	152	118,751	52	26.7	18.1-35.3	100	73.3	64.7-81.9
\$15,000- 24,999	196	196,071	80	28.3	20.5-36.1	116	71.7	63.9-79.5
\$25,000- 34,999	143	134,153	75	44.3	33.3-55.3	68	55.7	44.7-66.7
\$35,000- 49,999	198	187,252	115	54.3	45.7-62.9	83	45.7	37.1-54.3
\$50,000- 74,999	185	187,027	114	48.8	39.2-58.4	71	51.2	41.6-60.8
\$75,000+	292	332,828	152	40.7	33.1-48.3	140	59.3	51.7-66.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014**

**SECTION 17: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
 IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
 TO THE STATES SURVEY.  
 \* \* \* \* \*

TABLE	PAGE
RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (_RFBlds2)	
1 MALES AND FEMALES	140
2 MALES ONLY	141
3 FEMALES ONLY	142
RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBlds3)	
4 MALES AND FEMALES	143
5 MALES ONLY	144
6 FEMALES ONLY	145
RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2)	
7 MALES AND FEMALES	146
8 MALES ONLY	147
9 FEMALES ONLY	148
RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)	
10 MALES AND FEMALES	149
11 MALES ONLY	150
12 FEMALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (\_RFBIDS2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3254	2,089,587	511	14.1	12.5-15.7	2743	85.9	84.3-87.5
Male	1165	960,022	183	13.6	11.1-16.1	982	86.4	83.9-88.9
Female	2089	1,129,565	328	14.6	12.6-16.6	1761	85.4	83.4-87.4
White/Non-Hisp	2794	1,729,955	448	14.6	13.0-16.2	2346	85.4	83.8-87.0
Black or Afr. Am./Non-Hisp	342	255,472	48	12.2	06.5-17.9	294	87.8	82.1-93.5
Oth. Race/Non-Hisp.	53	44,501	7	13.9	01.0-26.8	46	86.1	73.2-99.0
50-54	418	437,378	30	7.5	04.2-10.8	388	92.5	89.2-95.8
55-64	1057	754,674	150	13.4	10.7-16.1	907	86.6	83.9-89.3
65+	1779	897,536	331	18.0	15.8-20.2	1448	82.0	79.8-84.2
Less Than H.S.	472	406,794	64	12.9	08.8-17.0	408	87.1	83.0-91.2
H.S. or G.E.D.	1118	680,937	176	14.5	11.8-17.2	942	85.5	82.8-88.2
Some Post-H.S.	765	552,061	128	13.9	11.2-16.6	637	86.1	83.4-88.8
College Graduate	894	448,898	143	14.9	12.2-17.6	751	85.1	82.4-87.8
Less than \$15,000	447	226,044	72	14.1	09.8-18.4	375	85.9	81.6-90.2
\$15,000- 24,999	573	347,069	92	13.7	10.2-17.2	481	86.3	82.8-89.8
\$25,000- 34,999	368	245,813	53	13.6	08.1-19.1	315	86.4	80.9-91.9
\$35,000- 49,999	394	275,383	69	15.1	11.0-19.2	325	84.9	80.8-89.0
\$50,000- 74,999	348	247,796	61	15.5	11.2-19.8	287	84.5	80.2-88.8
\$75,000+	490	363,054	70	14.0	10.1-17.9	420	86.0	82.1-89.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (\_RFBIDS2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1165	960,022	183	13.6	11.1-16.1	982	86.4	83.9-88.9
White/Non-Hisp	1001	779,525	164	14.1	11.6-16.6	837	85.9	83.4-88.4
Black or Afr. Am./Non-Hisp	104	113,919	10	13.0	01.6-24.4	94	87.0	75.6-98.4
50-54	158	206,247	13	10.0	03.7-16.3	145	90.0	83.7-96.3
55-64	406	360,163	45	10.2	06.3-14.1	361	89.8	85.9-93.7
65+	601	393,613	125	18.6	14.9-22.3	476	81.4	77.7-85.1
Less Than H.S.	164	190,093	20	12.9	06.0-19.8	144	87.1	80.2-94.0
H.S. or G.E.D.	370	297,607	64	14.9	10.0-19.8	306	85.1	80.2-90.0
Some Post-H.S.	252	235,076	39	11.4	07.3-15.5	213	88.6	84.5-92.7
College Graduate	379	237,247	60	14.7	10.6-18.8	319	85.3	81.2-89.4
Less than \$15,000	136	90,856	19	8.1	03.6-12.6	117	91.9	87.4-96.4
\$15,000- 24,999	171	135,724	31	16.3	09.0-23.6	140	83.7	76.4-91.0
\$25,000- 34,999	137	125,743	19	13.2	04.8-21.6	118	86.8	78.4-95.2
\$35,000- 49,999	180	154,842	31	13.1	07.4-18.8	149	86.9	81.2-92.6
\$50,000- 74,999	160	132,637	29	15.1	09.0-21.2	131	84.9	78.8-91.0
\$75,000+	228	194,183	30	13.6	07.9-19.3	198	86.4	80.7-92.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50+ WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST TWO YEARS (\_RFBIDS2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2089	1,129,565	328	14.6	12.6-16.6	1761	85.4	83.4-87.4
White/Non-Hisp	1793	950,430	284	15.0	13.0-17.0	1509	85.0	83.0-87.0
Black or Afr. Am./Non-Hisp	238	141,553	38	11.6	06.7-16.5	200	88.4	83.5-93.3
50-54	260	231,131	17	5.2	02.5-07.9	243	94.8	92.1-97.5
55-64	651	394,510	105	16.3	12.6-20.0	546	83.7	80.0-87.4
65+	1178	503,924	206	17.5	14.8-20.2	972	82.5	79.8-85.2
Less Than H.S.	308	216,701	44	12.9	08.2-17.6	264	87.1	82.4-91.8
H.S. or G.E.D.	748	383,330	112	14.2	11.1-17.3	636	85.8	82.7-88.9
Some Post-H.S.	513	316,984	89	15.7	12.0-19.4	424	84.3	80.6-88.0
College Graduate	515	211,651	83	15.2	11.5-18.9	432	84.8	81.1-88.5
Less than \$15,000	311	135,188	53	18.2	12.1-24.3	258	81.8	75.7-87.9
\$15,000- 24,999	402	211,346	61	12.1	08.6-15.6	341	87.9	84.4-91.4
\$25,000- 34,999	231	120,070	34	14.0	07.3-20.7	197	86.0	79.3-92.7
\$35,000- 49,999	214	120,541	38	17.7	11.6-23.8	176	82.3	76.2-88.4
\$50,000- 74,999	188	115,159	32	15.8	09.7-21.9	156	84.2	78.1-90.3
\$75,000+	262	168,872	40	14.4	09.5-19.3	222	85.6	80.7-90.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2587	1,774,639	260	8.9	07.5-10.3	2327	91.1	89.7-92.5
Male	965	836,643	96	8.4	06.2-10.6	869	91.6	89.4-93.8
Female	1622	937,996	164	9.3	07.5-11.1	1458	90.7	88.9-92.5
White/Non-Hisp	2199	1,459,378	226	9.3	07.9-10.7	1973	90.7	89.3-92.1
Black or Afr. Am./Non-Hisp	290	222,483	26	7.4	02.7-12.1	264	92.6	87.9-97.3
50-54	418	437,378	17	4.2	01.7-06.7	401	95.8	93.3-98.3
55-64	1057	754,674	99	8.5	06.3-10.7	958	91.5	89.3-93.7
65+	1112	582,588	144	12.9	10.5-15.3	968	87.1	84.7-89.5
Less Than H.S.	325	319,441	33	9.9	05.8-14.0	292	90.1	86.0-94.2
H.S. or G.E.D.	893	584,123	86	8.5	06.1-10.9	807	91.5	89.1-93.9
Some Post-H.S.	607	472,026	62	7.7	05.3-10.1	545	92.3	89.9-94.7
College Graduate	760	398,628	79	10.0	07.5-12.5	681	90.0	87.5-92.5
Less than \$15,000	354	194,828	41	11.2	07.1-15.3	313	88.8	84.7-92.9
\$15,000- 24,999	433	286,920	53	9.7	06.6-12.8	380	90.3	87.2-93.4
\$25,000- 34,999	275	192,561	23	7.5	02.2-12.8	252	92.5	87.2-97.8
\$35,000- 49,999	323	236,785	28	7.6	04.5-10.7	295	92.4	89.3-95.5
\$50,000- 74,999	305	226,450	28	7.1	04.4-09.8	277	92.9	90.2-95.6
\$75,000+	456	346,940	42	8.8	05.9-11.7	414	91.2	88.3-94.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 5: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFBlds3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	965	836,643	96	8.4	06.2-10.6	869	91.6	89.4-93.8
White/Non-Hisp	819	671,193	87	9.3	06.9-11.7	732	90.7	88.3-93.1
Black or Afr. Am./Non-Hisp	93	103,447	4	4.9	00.0-13.3	89	95.1	86.7-0100
50-54	158	206,247	9	6.2	01.1-11.3	149	93.8	88.7-98.9
55-64	406	360,163	29	6.2	03.3-09.1	377	93.8	90.9-96.7
65+	401	270,233	58	13.1	09.2-17.0	343	86.9	83.0-90.8
Less Than H.S.	124	157,434	12	9.4	03.1-15.7	112	90.6	84.3-96.9
H.S. or G.E.D.	312	263,591	32	8.7	04.4-13.0	280	91.3	87.0-95.6
Some Post-H.S.	213	206,611	19	5.9	02.8-09.0	194	94.1	91.0-97.2
College Graduate	316	209,007	33	9.8	06.1-13.5	283	90.2	86.5-93.9
Less than \$15,000	118	82,490	10	5.3	01.4-09.2	108	94.7	90.8-98.6
\$15,000- 24,999	146	120,751	20	10.9	05.4-16.4	126	89.1	83.6-94.6
\$25,000- 34,999	102	99,376	10	11.2	01.2-21.2	92	88.8	78.8-98.8
\$35,000- 49,999	146	133,087	11	4.5	01.2-07.8	135	95.5	92.2-98.8
\$50,000- 74,999	134	117,047	14	7.6	03.5-11.7	120	92.4	88.3-96.5
\$75,000+	206	184,635	20	8.8	04.5-13.1	186	91.2	86.9-95.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1622	937,996	164	9.3	07.5-11.1	1458	90.7	88.9-92.5
White/Non-Hisp	1380	788,186	139	9.4	07.6-11.2	1241	90.6	88.8-92.4
Black or Afr. Am./Non-Hisp	197	119,036	22	9.5	04.4-14.6	175	90.5	85.4-95.6
50-54	260	231,131	8	2.4	00.6-04.2	252	97.6	95.8-99.4
55-64	651	394,510	70	10.6	07.7-13.5	581	89.4	86.5-92.3
65+	711	312,355	86	12.7	09.6-15.8	625	87.3	84.2-90.4
Less Than H.S.	201	162,006	21	10.4	05.3-15.5	180	89.6	84.5-94.7
H.S. or G.E.D.	581	320,533	54	8.3	05.8-10.8	527	91.7	89.2-94.2
Some Post-H.S.	394	265,414	43	9.1	06.0-12.2	351	90.9	87.8-94.0
College Graduate	444	189,621	46	10.3	07.0-13.6	398	89.7	86.4-93.0
Less than \$15,000	236	112,338	31	15.5	09.0-22.0	205	84.5	78.0-91.0
\$15,000- 24,999	287	166,170	33	8.9	05.2-12.6	254	91.1	87.4-94.8
\$25,000- 34,999	173	93,185	13	3.5	01.5-05.5	160	96.5	94.5-98.5
\$35,000- 49,999	177	103,699	17	11.4	05.7-17.1	160	88.6	82.9-94.3
\$50,000- 74,999	171	109,403	14	6.5	02.8-10.2	157	93.5	89.8-97.2
\$75,000+	250	162,304	22	8.9	04.8-13.0	228	91.1	87.0-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 7: RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3339	2,137,018	2421	68.7	66.5-70.9	918	31.3	29.1-33.5
Male	1186	973,836	831	66.7	63.2-70.2	355	33.3	29.8-36.8
Female	2153	1,163,182	1590	70.5	67.8-73.2	563	29.5	26.8-32.2
White/Non-Hisp	2865	1,768,816	2076	68.7	66.3-71.1	789	31.3	28.9-33.7
Black or Afr. Am./Non-Hisp	354	262,298	261	68.1	60.7-75.5	93	31.9	24.5-39.3
Oth. Race/Non-Hisp.	53	44,501	37	71.3	56.6-86.0	16	28.7	14.0-43.4
50-54	420	439,779	214	49.4	43.1-55.7	206	50.6	44.3-56.9
55-64	1070	765,147	744	67.3	63.6-71.0	326	32.7	29.0-36.4
65+	1849	932,093	1463	79.1	76.6-81.6	386	20.9	18.4-23.4
Less Than H.S.	483	416,658	310	54.2	47.9-60.5	173	45.8	39.5-52.1
H.S. or G.E.D.	1144	689,936	786	68.6	65.1-72.1	358	31.4	27.9-34.9
Some Post-H.S.	787	568,436	589	72.3	68.0-76.6	198	27.7	23.4-32.0
College Graduate	920	461,089	731	77.7	74.2-81.2	189	22.3	18.8-25.8
Less than \$15,000	459	227,804	296	60.9	54.6-67.2	163	39.1	32.8-45.4
\$15,000- 24,999	598	364,352	393	56.7	51.4-62.0	205	43.3	38.0-48.6
\$25,000- 34,999	373	246,705	271	65.8	58.2-73.4	102	34.2	26.6-41.8
\$35,000- 49,999	405	282,498	320	76.7	71.2-82.2	85	23.3	17.8-28.8
\$50,000- 74,999	349	248,051	273	73.7	67.2-80.2	76	26.3	19.8-32.8
\$75,000+	499	369,916	391	74.2	68.7-79.7	108	25.8	20.3-31.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 8: RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1186	973,836	831	66.7	63.2-70.2	355	33.3	29.8-36.8
White/Non-Hisp	1019	790,566	716	67.0	63.3-70.7	303	33.0	29.3-36.7
Black or Afr. Am./Non-Hisp	106	115,318	72	63.1	49.8-76.4	34	36.9	23.6-50.2
50-54	160	206,644	78	51.1	41.3-60.9	82	48.9	39.1-58.7
55-64	408	362,079	279	65.2	59.3-71.1	129	34.8	28.9-40.7
65+	618	405,114	474	75.9	71.6-80.2	144	24.1	19.8-28.4
Less Than H.S.	167	192,607	85	46.7	37.5-55.9	82	53.3	44.1-62.5
H.S. or G.E.D.	377	300,002	252	68.4	62.3-74.5	125	31.6	25.5-37.7
Some Post-H.S.	259	241,858	191	69.2	61.4-77.0	68	30.8	23.0-38.6
College Graduate	383	239,369	303	78.0	72.7-83.3	80	22.0	16.7-27.3
Less than \$15,000	136	87,894	68	52.4	41.0-63.8	68	47.6	36.2-59.0
\$15,000- 24,999	178	142,831	104	48.1	38.9-57.3	74	51.9	42.7-61.1
\$25,000- 34,999	137	124,110	94	60.7	49.1-72.3	43	39.3	27.7-50.9
\$35,000- 49,999	185	158,218	145	74.7	66.3-83.1	40	25.3	16.9-33.7
\$50,000- 74,999	159	131,939	125	75.2	66.0-84.4	34	24.8	15.6-34.0
\$75,000+	230	196,457	185	78.1	70.8-85.4	45	21.9	14.6-29.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 9: RESPONDENTS AGED 50 OR OLDER WHO HAVE HAD A SIGMOIDOSCOPY OR COLONOSCOPY (\_RFSIGM2)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2153	1,163,182	1590	70.5	67.8-73.2	563	29.5	26.8-32.2
White/Non-Hisp	1846	978,250	1360	70.1	67.2-73.0	486	29.9	27.0-32.8
Black or Afr. Am./Non-Hisp	248	146,980	189	72.0	64.0-80.0	59	28.0	20.0-36.0
50-54	260	233,135	136	47.9	40.1-55.7	124	52.1	44.3-59.9
55-64	662	403,068	465	69.1	64.8-73.4	197	30.9	26.6-35.2
65+	1231	526,979	989	81.5	78.8-84.2	242	18.5	15.8-21.2
Less Than H.S.	316	224,051	225	60.7	52.3-69.1	91	39.3	30.9-47.7
H.S. or G.E.D.	767	389,934	534	68.8	64.5-73.1	233	31.2	26.9-35.5
Some Post-H.S.	528	326,578	398	74.5	70.0-79.0	130	25.5	21.0-30.0
College Graduate	537	221,720	428	77.3	72.6-82.0	109	22.7	18.0-27.4
Less than \$15,000	323	139,910	228	66.2	58.9-73.5	95	33.8	26.5-41.1
\$15,000- 24,999	420	221,521	289	62.3	55.8-68.8	131	37.7	31.2-44.2
\$25,000- 34,999	236	122,595	177	70.9	61.1-80.7	59	29.1	19.3-38.9
\$35,000- 49,999	220	124,280	175	79.2	72.7-85.7	45	20.8	14.3-27.3
\$50,000- 74,999	190	116,112	148	71.9	63.3-80.5	42	28.1	19.5-36.7
\$75,000+	269	173,459	206	69.8	61.8-77.8	63	30.2	22.2-38.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2554	1,750,044	1750	64.9	62.4-67.4	804	35.1	32.6-37.6
Male	945	814,664	638	64.2	60.1-68.3	307	35.8	31.7-39.9
Female	1609	935,380	1112	65.5	62.4-68.6	497	34.5	31.4-37.6
White/Non-Hisp	2173	1,441,864	1478	64.6	61.9-67.3	695	35.4	32.7-38.1
Black or Afr. Am./Non-Hisp	285	217,343	205	65.1	56.7-73.5	80	34.9	26.5-43.3
50-54	409	426,664	201	47.9	41.6-54.2	208	52.1	45.8-58.4
55-64	1043	747,662	693	64.7	61.0-68.4	350	35.3	31.6-39.0
65+	1102	575,718	856	77.6	74.3-80.9	246	22.4	19.1-25.7
Less Than H.S.	315	311,259	187	51.2	43.8-58.6	128	48.8	41.4-56.2
H.S. or G.E.D.	881	572,435	563	63.1	59.0-67.2	318	36.9	32.8-41.0
Some Post-H.S.	609	474,821	436	68.6	63.7-73.5	173	31.4	26.5-36.3
College Graduate	747	391,108	562	73.8	69.7-77.9	185	26.2	22.1-30.3
Less than \$15,000	347	189,286	215	58.8	51.7-65.9	132	41.2	34.1-48.3
\$15,000- 24,999	434	287,672	258	50.6	44.5-56.7	176	49.4	43.3-55.5
\$25,000- 34,999	266	183,027	178	59.4	50.2-68.6	88	40.6	31.4-49.8
\$35,000- 49,999	321	234,527	240	72.9	66.4-79.4	81	27.1	20.6-33.6
\$50,000- 74,999	300	224,083	217	68.1	61.0-75.2	83	31.9	24.8-39.0
\$75,000+	450	343,862	342	72.2	66.5-77.9	108	27.8	22.1-33.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	945	814,664	638	64.2	60.3-68.1	307	35.8	31.9-39.7
White/Non-Hisp	801	652,543	539	64.4	60.3-68.5	262	35.6	31.5-39.7
Black or Afr. Am./Non-Hisp	91	100,118	62	62.2	47.5-76.9	29	37.8	23.1-52.5
50-54	157	201,646	77	51.3	41.3-61.3	80	48.7	38.7-58.7
55-64	398	353,625	264	63.8	57.9-69.7	134	36.2	30.3-42.1
65+	390	259,393	297	74.7	69.0-80.4	93	25.3	19.6-31.0
Less Than H.S.	120	150,869	59	47.1	36.1-58.1	61	52.9	41.9-63.9
H.S. or G.E.D.	306	255,409	197	65.4	58.5-72.3	109	34.6	27.7-41.5
Some Post-H.S.	213	206,901	154	65.4	56.4-74.4	59	34.6	25.6-43.6
College Graduate	306	201,484	228	74.2	68.1-80.3	78	25.8	19.7-31.9
Less than \$15,000	116	78,034	57	51.6	39.3-63.9	59	48.4	36.1-60.7
\$15,000- 24,999	144	119,483	81	44.2	34.0-54.4	63	55.8	45.6-66.0
\$25,000- 34,999	98	93,062	61	55.7	41.8-69.6	37	44.3	30.4-58.2
\$35,000- 49,999	145	131,019	114	73.9	64.3-83.5	31	26.1	16.5-35.7
\$50,000- 74,999	132	115,420	97	69.7	59.1-80.3	35	30.3	19.7-40.9
\$75,000+	199	180,988	155	76.2	68.4-84.0	44	23.8	16.0-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 17: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1609	935,380	1112	65.5	62.4-68.6	497	34.5	31.4-37.6
White/Non-Hisp	1372	789,321	939	64.9	61.4-68.4	433	35.1	31.6-38.6
Black or Afr. Am./Non-Hisp	194	117,224	143	67.6	58.4-76.8	51	32.4	23.2-41.6
50-54	252	225,018	124	44.9	37.1-52.7	128	55.1	47.3-62.9
55-64	645	394,037	429	65.6	61.1-70.1	216	34.4	29.9-38.9
65+	712	316,325	559	80.0	76.3-83.7	153	20.0	16.3-23.7
Less Than H.S.	195	160,390	128	55.0	44.6-65.4	67	45.0	34.6-55.4
H.S. or G.E.D.	575	317,026	366	61.3	56.2-66.4	209	38.7	33.6-43.8
Some Post-H.S.	396	267,919	282	71.0	65.7-76.3	114	29.0	23.7-34.3
College Graduate	441	189,623	334	73.4	68.1-78.7	107	26.6	21.3-31.9
Less than \$15,000	231	111,252	158	63.8	55.4-72.2	73	36.2	27.8-44.6
\$15,000- 24,999	290	168,189	177	55.1	47.5-62.7	113	44.9	37.3-52.5
\$25,000- 34,999	168	89,964	117	63.2	51.0-75.4	51	36.8	24.6-49.0
\$35,000- 49,999	176	103,508	126	71.7	63.7-79.7	50	28.3	20.3-36.3
\$50,000- 74,999	168	108,663	120	66.3	56.9-75.7	48	33.7	24.3-43.1
\$75,000+	251	162,874	187	67.8	59.6-76.0	64	32.2	24.0-40.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014

SECTION 18: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	153
2	MALES ONLY	154
3	FEMALES ONLY	155



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4420	4,432,164	1387	39.5	37.3-41.7	3033	60.5	58.3-62.7
Male	1605	2,141,540	519	36.9	33.6-40.2	1086	63.1	59.8-66.4
Female	2815	2,290,625	868	41.9	39.2-44.6	1947	58.1	55.4-60.8
White/Non-Hisp	3654	3,363,819	1024	34.5	32.1-36.9	2630	65.5	63.1-67.9
Black or Afr. Am./Non-Hisp	546	715,280	279	62.9	57.2-68.6	267	37.1	31.4-42.8
Oth. Race/Non-Hisp.	81	107,613	28	43.7	29.2-58.2	53	56.3	41.8-70.8
Hispanic	56	130,494	18	28.5	15.2-41.8	38	71.5	58.2-84.8
18-24	186	573,351	77	40.4	32.2-48.6	109	59.6	51.4-67.8
25-34	364	771,956	202	55.9	49.8-62.0	162	44.1	38.0-50.2
35-44	424	736,102	253	57.6	51.5-63.7	171	42.4	36.3-48.5
45-54	703	752,208	296	42.6	37.9-47.3	407	57.4	52.7-62.1
55-64	1010	718,922	291	27.5	24.0-31.0	719	72.5	69.0-76.0
65+	1689	854,784	258	16.3	13.9-18.7	1431	83.7	81.3-86.1
Less Than H.S.	558	699,889	165	39.1	32.6-45.6	393	60.9	54.4-67.4
H.S. or G.E.D.	1500	1,465,085	417	37.6	33.9-41.3	1083	62.4	58.7-66.1
Some Post-H.S.	1088	1,289,201	379	41.1	37.0-45.2	709	58.9	54.8-63.0
College Graduate	1260	968,937	424	40.7	37.0-44.4	836	59.3	55.6-63.0
Less than \$15,000	603	527,389	245	51.8	45.7-57.9	358	48.2	42.1-54.3
\$15,000- 24,999	769	728,492	245	42.4	36.9-47.9	524	57.6	52.1-63.1
\$25,000- 34,999	471	460,316	145	42.1	35.4-48.8	326	57.9	51.2-64.6
\$35,000- 49,999	544	578,358	174	41.6	35.5-47.7	370	58.4	52.3-64.5
\$50,000- 74,999	483	516,967	143	36.3	30.2-42.4	340	63.7	57.6-69.8
\$75,000+	735	861,357	246	36.7	31.6-41.8	489	63.3	58.2-68.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
SECTION 18: HIV/AIDS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1605	2,141,540	519	36.9	33.6-40.2	1086	63.1	59.8-66.4
White/Non-Hisp	1336	1,625,942	395	33.2	29.7-36.7	941	66.8	63.3-70.3
Black or Afr. Am./Non-Hisp	170	326,884	91	59.8	50.2-69.4	79	40.2	30.6-49.8
18-24	83	287,216	28	33.5	21.9-45.1	55	66.5	54.9-78.1
25-34	152	396,081	67	46.3	36.9-55.7	85	53.7	44.3-63.1
35-44	151	363,692	70	46.2	36.4-56.0	81	53.8	44.0-63.6
45-54	267	375,576	108	41.5	34.1-48.9	159	58.5	51.1-65.9
55-64	387	346,929	131	31.1	25.4-36.8	256	68.9	63.2-74.6
65+	553	364,365	111	21.0	16.7-25.3	442	79.0	74.7-83.3
Less Than H.S.	196	344,396	66	38.3	27.9-48.7	130	61.7	51.3-72.1
H.S. or G.E.D.	526	700,769	165	37.4	31.5-43.3	361	62.6	56.7-68.5
Some Post-H.S.	383	625,141	138	38.0	31.3-44.7	245	62.0	55.3-68.7
College Graduate	498	466,251	150	34.1	28.6-39.6	348	65.9	60.4-71.4
Less than \$15,000	185	216,370	83	46.8	36.4-57.2	102	53.2	42.8-63.6
\$15,000- 24,999	247	318,519	85	38.0	28.8-47.2	162	62.0	52.8-71.2
\$25,000- 34,999	174	234,332	51	37.7	27.3-48.1	123	62.3	51.9-72.7
\$35,000- 49,999	243	328,725	82	39.8	30.8-48.8	161	60.2	51.2-69.2
\$50,000- 74,999	214	276,767	69	40.3	31.3-49.3	145	59.7	50.7-68.7
\$75,000+	330	469,665	93	30.7	23.4-38.0	237	69.3	62.0-76.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014  
 SECTION 18: HIV/AIDS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2815	2,290,625	868	41.9	39.2-44.6	1947	58.1	55.4-60.8
White/Non-Hisp	2318	1,737,877	629	35.7	32.8-38.6	1689	64.3	61.4-67.2
Black or Afr. Am./Non-Hisp	376	388,396	188	65.4	58.7-72.1	188	34.6	27.9-41.3
18-24	103	286,136	49	47.4	35.8-59.0	54	52.6	41.0-64.2
25-34	212	375,875	135	65.9	58.5-73.3	77	34.1	26.7-41.5
35-44	273	372,409	183	68.7	62.0-75.4	90	31.3	24.6-38.0
45-54	436	376,632	188	43.8	37.7-49.9	248	56.2	50.1-62.3
55-64	623	371,994	160	24.1	20.0-28.2	463	75.9	71.8-80.0
65+	1136	490,418	147	12.9	10.4-15.4	989	87.1	84.6-89.6
Less Than H.S.	362	355,493	99	40.0	32.0-48.0	263	60.0	52.0-68.0
H.S. or G.E.D.	974	764,316	252	37.7	32.8-42.6	722	62.3	57.4-67.2
Some Post-H.S.	705	664,060	241	44.1	39.0-49.2	464	55.9	50.8-61.0
College Graduate	762	502,686	274	46.8	42.1-51.5	488	53.2	48.5-57.9
Less than \$15,000	418	311,019	162	55.2	48.1-62.3	256	44.8	37.7-51.9
\$15,000- 24,999	522	409,973	160	45.9	39.4-52.4	362	54.1	47.6-60.6
\$25,000- 34,999	297	225,984	94	46.6	38.4-54.8	203	53.4	45.2-61.6
\$35,000- 49,999	301	249,633	92	44.0	36.2-51.8	209	56.0	48.2-63.8
\$50,000- 74,999	269	240,199	74	31.8	23.8-39.8	195	68.2	60.2-76.2
\$75,000+	405	391,691	153	43.9	37.0-50.8	252	56.1	49.2-63.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2014**

End of Calculated Variable Data Report