


TENNESSEE

2018 Calculated Variables Report

Behavioral Risk Factor Surveillance System

May 20, 2019



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH) | |
| 1 | MALES AND FEMALES | 3 |
| 2 | MALES ONLY | 4 |
| 3 | FEMALES ONLY | 5 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Good or Better Health | | | Fair or Poor Health | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5149 | 5,265,670 | 3887 | 77.3 | 75.7-78.9 | 1262 | 22.7 | 21.1-24.3 |
| Male | 2327 | 2,539,533 | 1800 | 78.1 | 75.7-80.5 | 527 | 21.9 | 19.5-24.3 |
| Female | 2822 | 2,726,137 | 2087 | 76.5 | 74.3-78.7 | 735 | 23.5 | 21.3-25.7 |
| White/Non-Hisp | 4135 | 3,965,786 | 3152 | 77.6 | 75.8-79.4 | 983 | 22.4 | 20.6-24.2 |
| Black or Afr. Am./Non-Hisp | 591 | 821,927 | 426 | 75.1 | 70.4-79.8 | 165 | 24.9 | 20.2-29.6 |
| Oth. Race/Non-Hisp. | 123 | 139,328 | 91 | 71.0 | 58.1-83.9 | 32 | 29.0 | 16.1-41.9 |
| MultiRacial/Non-Hisp. | 109 | 48,793 | 77 | 70.6 | 59.0-82.2 | 32 | 29.4 | 17.8-41.0 |
| Hispanic | 119 | 211,419 | 97 | 88.1 | 80.8-95.4 | 22 | 11.9 | 4.6-19.2 |
| 18-24 | 302 | 627,868 | 273 | 89.2 | 84.5-93.9 | 29 | 10.8 | 6.1-15.5 |
| 25-34 | 609 | 900,417 | 537 | 88.1 | 84.8-91.4 | 72 | 11.9 | 8.6-15.2 |
| 35-44 | 679 | 837,957 | 567 | 82.5 | 78.6-86.4 | 112 | 17.5 | 13.6-21.4 |
| 45-54 | 831 | 867,285 | 640 | 76.3 | 72.2-80.4 | 191 | 23.7 | 19.6-27.8 |
| 55-64 | 1084 | 890,254 | 728 | 66.0 | 62.3-69.7 | 356 | 34.0 | 30.3-37.7 |
| 65+ | 1644 | 1,141,890 | 1142 | 67.9 | 64.8-71.0 | 502 | 32.1 | 29.0-35.2 |
| Less Than H.S. | 488 | 712,899 | 230 | 51.5 | 45.6-57.4 | 258 | 48.5 | 42.6-54.4 |
| H.S. or G.E.D. | 1597 | 1,733,440 | 1128 | 74.5 | 71.6-77.4 | 469 | 25.5 | 22.6-28.4 |
| Some Post-H.S. | 1346 | 1,547,305 | 1026 | 81.5 | 79.0-84.0 | 320 | 18.5 | 16.0-21.0 |
| College Graduate | 1698 | 1,253,083 | 1486 | 90.2 | 88.4-92.0 | 212 | 9.8 | 8.0-11.6 |
| Less than \$15,000 | 563 | 542,506 | 265 | 46.9 | 41.0-52.8 | 298 | 53.1 | 47.2-59.0 |
| \$15,000- 24,999 | 820 | 832,939 | 506 | 64.7 | 60.0-69.4 | 314 | 35.3 | 30.6-40.0 |
| \$25,000- 34,999 | 461 | 447,120 | 346 | 74.8 | 69.5-80.1 | 115 | 25.2 | 19.9-30.5 |
| \$35,000- 49,999 | 618 | 627,348 | 504 | 83.3 | 79.4-87.2 | 114 | 16.7 | 12.8-20.6 |
| \$50,000- 74,999 | 631 | 671,123 | 547 | 88.0 | 84.9-91.1 | 84 | 12.0 | 8.9-15.1 |
| \$75,000+ | 1182 | 1,247,596 | 1090 | 92.2 | 90.0-94.4 | 92 | 7.8 | 5.6-10.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Good or Better Health | | | Fair or Poor Health | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2327 | 2,539,533 | 1800 | 78.1 | 75.9-80.3 | 527 | 21.9 | 19.7-24.1 |
| White/Non-Hisp | 1872 | 1,901,950 | 1466 | 78.8 | 76.4-81.2 | 406 | 21.2 | 18.8-23.6 |
| Black or Afr. Am./Non-Hisp | 247 | 387,186 | 181 | 75.1 | 68.0-82.2 | 66 | 24.9 | 17.8-32.0 |
| Oth. Race/Non-Hisp. | 67 | 83,831 | 46 | 61.9 | 43.7-80.1 | 21 | 38.1 | 19.9-56.3 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | 37 | 75.9 | 61.2-90.6 | 16 | 24.1 | 9.4-38.8 |
| Hispanic | 51 | 95,722 | 45 | 92.7 | 85.6-99.8 | 6 | 7.3 | 0.2-14.4 |
| 18-24 | 163 | 318,451 | 149 | 89.6 | 83.1-96.1 | 14 | 10.4 | 3.9-16.9 |
| 25-34 | 297 | 449,743 | 269 | 90.3 | 85.8-94.8 | 28 | 9.7 | 5.2-14.2 |
| 35-44 | 312 | 413,705 | 265 | 84.3 | 78.8-89.8 | 47 | 15.7 | 10.2-21.2 |
| 45-54 | 404 | 429,304 | 304 | 72.1 | 65.8-78.4 | 100 | 27.9 | 21.6-34.2 |
| 55-64 | 473 | 423,634 | 323 | 65.2 | 59.5-70.9 | 150 | 34.8 | 29.1-40.5 |
| 65+ | 678 | 504,696 | 490 | 70.6 | 66.1-75.1 | 188 | 29.4 | 24.9-33.9 |
| Less Than H.S. | 225 | 353,325 | 121 | 57.2 | 48.8-65.6 | 104 | 42.8 | 34.4-51.2 |
| H.S. or G.E.D. | 725 | 864,373 | 540 | 75.9 | 71.8-80.0 | 185 | 24.1 | 20.0-28.2 |
| Some Post-H.S. | 580 | 715,626 | 441 | 80.8 | 76.9-84.7 | 139 | 19.2 | 15.3-23.1 |
| College Graduate | 786 | 594,944 | 688 | 90.0 | 87.5-92.5 | 98 | 10.0 | 7.5-12.5 |
| Less than \$15,000 | 199 | 223,461 | 89 | 44.5 | 34.7-54.3 | 110 | 55.5 | 45.7-65.3 |
| \$15,000- 24,999 | 317 | 351,884 | 192 | 61.0 | 53.6-68.4 | 125 | 39.0 | 31.6-46.4 |
| \$25,000- 34,999 | 207 | 199,824 | 149 | 69.5 | 61.1-77.9 | 58 | 30.5 | 22.1-38.9 |
| \$35,000- 49,999 | 296 | 305,728 | 244 | 84.9 | 80.0-89.8 | 52 | 15.1 | 10.2-20.0 |
| \$50,000- 74,999 | 317 | 364,283 | 274 | 88.2 | 83.7-92.7 | 43 | 11.8 | 7.3-16.3 |
| \$75,000+ | 660 | 723,655 | 604 | 92.3 | 89.8-94.8 | 56 | 7.7 | 5.2-10.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Good or Better Health | | | Fair or Poor Health | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2822 | 2,726,137 | 2087 | 76.5 | 74.3-78.7 | 735 | 23.5 | 21.3-25.7 |
| White/Non-Hisp | 2263 | 2,063,836 | 1686 | 76.5 | 74.1-78.9 | 577 | 23.5 | 21.1-25.9 |
| Black or Afr. Am./Non-Hisp | 344 | 434,742 | 245 | 75.2 | 68.9-81.5 | 99 | 24.8 | 18.5-31.1 |
| Oth. Race/Non-Hisp. | 56 | 55,497 | 45 | 84.7 | 69.4- 100 | 11 | 15.3 | 0.0-30.6 |
| MultiRacial/Non-Hisp. | 56 | 24,370 | 40 | 65.4 | 48.2-82.6 | 16 | 34.6 | 17.4-51.8 |
| Hispanic | 68 | 115,696 | 52 | 84.3 | 72.5-96.1 | 16 | 15.7 | 3.9-27.5 |
| 18-24 | 139 | 309,417 | 124 | 88.8 | 82.1-95.5 | 15 | 11.2 | 4.5-17.9 |
| 25-34 | 312 | 450,674 | 268 | 85.9 | 81.0-90.8 | 44 | 14.1 | 9.2-19.0 |
| 35-44 | 367 | 424,252 | 302 | 80.6 | 74.9-86.3 | 65 | 19.4 | 13.7-25.1 |
| 45-54 | 427 | 437,981 | 336 | 80.4 | 75.1-85.7 | 91 | 19.6 | 14.3-24.9 |
| 55-64 | 611 | 466,620 | 405 | 66.7 | 61.6-71.8 | 206 | 33.3 | 28.2-38.4 |
| 65+ | 966 | 637,193 | 652 | 65.7 | 61.6-69.8 | 314 | 34.3 | 30.2-38.4 |
| Less Than H.S. | 263 | 359,575 | 109 | 45.9 | 37.7-54.1 | 154 | 54.1 | 45.9-62.3 |
| H.S. or G.E.D. | 872 | 869,067 | 588 | 73.1 | 69.2-77.0 | 284 | 26.9 | 23.0-30.8 |
| Some Post-H.S. | 766 | 831,679 | 585 | 82.1 | 78.8-85.4 | 181 | 17.9 | 14.6-21.2 |
| College Graduate | 912 | 658,139 | 798 | 90.5 | 88.0-93.0 | 114 | 9.5 | 7.0-12.0 |
| Less than \$15,000 | 364 | 319,045 | 176 | 48.6 | 41.3-55.9 | 188 | 51.4 | 44.1-58.7 |
| \$15,000- 24,999 | 503 | 481,055 | 314 | 67.4 | 61.5-73.3 | 189 | 32.6 | 26.7-38.5 |
| \$25,000- 34,999 | 254 | 247,295 | 197 | 79.1 | 72.6-85.6 | 57 | 20.9 | 14.4-27.4 |
| \$35,000- 49,999 | 322 | 321,621 | 260 | 81.8 | 75.9-87.7 | 62 | 18.2 | 12.3-24.1 |
| \$50,000- 74,999 | 314 | 306,839 | 273 | 87.6 | 83.1-92.1 | 41 | 12.4 | 7.9-16.9 |
| \$75,000+ | 522 | 523,941 | 486 | 92.0 | 88.5-95.5 | 36 | 8.0 | 4.5-11.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 2: HEALTHY DAYS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D) | |
| 1 | MALES AND FEMALES | 7 |
| 2 | MALES ONLY | 8 |
| 3 | FEMALES ONLY | 9 |
| | 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D) | |
| 4 | MALES AND FEMALES | 10 |
| 5 | MALES ONLY | 11 |
| 6 | FEMALES ONLY | 12 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Zero days when physical health not good | | | 1-13 days when physical health not good | | | 14+ days when physical health not good | | |
|----------------------------|-------------------|-----------|---|------|------------|---|------|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5019 | 5,143,667 | 2937 | 60.9 | 58.9-62.9 | 1183 | 23.1 | 21.5-24.7 | 899 | 16.0 | 14.6-17.4 |
| Male | 2274 | 2,481,456 | 1449 | 64.9 | 62.2-67.6 | 457 | 20.2 | 17.8-22.6 | 368 | 14.9 | 12.9-16.9 |
| Female | 2745 | 2,662,210 | 1488 | 57.1 | 54.4-59.8 | 726 | 25.8 | 23.4-28.2 | 531 | 17.1 | 15.1-19.1 |
| White/Non-Hisp | 4047 | 3,897,498 | 2408 | 61.0 | 58.8-63.2 | 929 | 23.4 | 21.6-25.2 | 710 | 15.7 | 14.3-17.1 |
| Black or Afr. Am./Non-Hisp | 567 | 789,648 | 300 | 57.1 | 51.4-62.8 | 156 | 25.3 | 20.4-30.2 | 111 | 17.6 | 13.5-21.7 |
| Oth. Race/Non-Hisp. | 117 | 130,625 | 66 | 62.1 | 49.2-75.0 | 26 | 14.7 | 5.9-23.5 | 25 | 23.2 | 11.6-34.8 |
| MultiRacial/Non-Hisp. | 106 | 48,327 | 50 | 45.8 | 33.6-58.0 | 34 | 26.4 | 16.4-36.4 | 22 | 27.8 | 15.5-40.1 |
| Hispanic | 113 | 201,350 | 78 | 76.7 | 66.9-86.5 | 21 | 15.0 | 7.0-23.0 | 14 | 8.3 | 2.4-14.2 |
| 18-24 | 300 | 623,704 | 199 | 67.1 | 60.2-74.0 | 84 | 27.5 | 21.0-34.0 | 17 | 5.4 | 2.1- 8.7 |
| 25-34 | 604 | 885,567 | 406 | 69.5 | 65.0-74.0 | 140 | 21.0 | 17.1-24.9 | 58 | 9.5 | 6.6-12.4 |
| 35-44 | 670 | 833,360 | 423 | 64.9 | 60.0-69.8 | 169 | 24.7 | 20.4-29.0 | 78 | 10.3 | 7.4-13.2 |
| 45-54 | 824 | 860,247 | 480 | 56.6 | 51.9-61.3 | 197 | 23.8 | 19.7-27.9 | 147 | 19.6 | 15.7-23.5 |
| 55-64 | 1057 | 857,694 | 536 | 50.6 | 46.7-54.5 | 250 | 22.8 | 19.5-26.1 | 271 | 26.6 | 23.1-30.1 |
| 65+ | 1564 | 1,083,096 | 893 | 58.5 | 55.2-61.8 | 343 | 20.9 | 18.2-23.6 | 328 | 20.6 | 17.9-23.3 |
| Less Than H.S. | 458 | 673,210 | 192 | 46.9 | 40.6-53.2 | 98 | 20.7 | 15.8-25.6 | 168 | 32.4 | 26.9-37.9 |
| H.S. or G.E.D. | 1543 | 1,688,131 | 848 | 58.3 | 54.8-61.8 | 374 | 25.1 | 22.0-28.2 | 321 | 16.7 | 14.3-19.1 |
| Some Post-H.S. | 1320 | 1,523,728 | 779 | 63.1 | 59.6-66.6 | 309 | 22.6 | 19.5-25.7 | 232 | 14.3 | 11.9-16.7 |
| College Graduate | 1678 | 1,239,654 | 1103 | 69.1 | 66.2-72.0 | 401 | 22.7 | 20.2-25.2 | 174 | 8.2 | 6.6- 9.8 |
| Less than \$15,000 | 533 | 513,178 | 190 | 37.6 | 31.7-43.5 | 129 | 25.0 | 19.7-30.3 | 214 | 37.4 | 31.5-43.3 |
| \$15,000- 24,999 | 788 | 802,456 | 353 | 50.8 | 45.7-55.9 | 232 | 28.3 | 23.8-32.8 | 203 | 21.0 | 17.5-24.5 |
| \$25,000- 34,999 | 453 | 442,411 | 267 | 57.9 | 51.6-64.2 | 112 | 25.6 | 19.9-31.3 | 74 | 16.5 | 12.0-21.0 |
| \$35,000- 49,999 | 611 | 623,831 | 389 | 65.9 | 60.8-71.0 | 139 | 21.9 | 17.6-26.2 | 83 | 12.2 | 8.9-15.5 |
| \$50,000- 74,999 | 623 | 663,485 | 418 | 67.5 | 62.4-72.6 | 146 | 23.0 | 18.3-27.7 | 59 | 9.4 | 6.5-12.3 |
| \$75,000+ | 1177 | 1,247,951 | 838 | 71.1 | 67.6-74.6 | 252 | 21.6 | 18.5-24.7 | 87 | 7.4 | 5.2- 9.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Zero days when physical health not good | | | 1-13 days when physical health not good | | | 14+ days when physical health not good | | |
|----------------------------|-------------------|-----------|---|------|------------|---|------|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2274 | 2,481,456 | 1449 | 64.9 | 62.2-67.6 | 457 | 20.2 | 17.8-22.6 | 368 | 14.9 | 12.9-16.9 |
| White/Non-Hisp | 1840 | 1,882,091 | 1187 | 64.3 | 61.4-67.2 | 368 | 20.9 | 18.4-23.4 | 285 | 14.7 | 12.5-16.9 |
| Black or Afr. Am./Non-Hisp | 236 | 366,019 | 138 | 63.0 | 55.0-71.0 | 53 | 21.4 | 14.3-28.5 | 45 | 15.6 | 9.9-21.3 |
| Oth. Race/Non-Hisp. | 61 | 75,128 | 37 | 62.7 | 44.7-80.7 | 10 | 13.0 | 0.0-26.5 | 14 | 24.4 | 8.9-39.9 |
| MultiRacial/Non-Hisp. | 52 | 24,232 | 27 | 53.4 | 35.6-71.2 | 15 | 21.3 | 8.8-33.8 | 10 | 25.3 | 7.3-43.3 |
| 18-24 | 163 | 316,125 | 109 | 67.8 | 59.0-76.6 | 46 | 29.0 | 20.4-37.6 | 8 | 3.3 | 0.6- 6.0 |
| 25-34 | 293 | 436,015 | 226 | 79.5 | 73.8-85.2 | 46 | 15.0 | 9.9-20.1 | 21 | 5.5 | 3.0- 8.0 |
| 35-44 | 306 | 409,279 | 209 | 65.6 | 58.3-72.9 | 68 | 22.8 | 16.5-29.1 | 29 | 11.6 | 6.5-16.7 |
| 45-54 | 400 | 427,436 | 246 | 58.4 | 51.7-65.1 | 81 | 20.4 | 14.7-26.1 | 73 | 21.2 | 15.5-26.9 |
| 55-64 | 459 | 409,502 | 249 | 54.7 | 48.8-60.6 | 100 | 21.2 | 16.3-26.1 | 110 | 24.1 | 19.2-29.0 |
| 65+ | 653 | 483,100 | 410 | 63.5 | 58.6-68.4 | 116 | 16.1 | 12.4-19.8 | 127 | 20.4 | 16.3-24.5 |
| Less Than H.S. | 216 | 339,128 | 97 | 50.5 | 41.9-59.1 | 38 | 17.4 | 10.9-23.9 | 81 | 32.1 | 24.5-39.7 |
| H.S. or G.E.D. | 702 | 841,940 | 437 | 62.1 | 57.2-67.0 | 143 | 23.5 | 19.0-28.0 | 122 | 14.3 | 11.2-17.4 |
| Some Post-H.S. | 571 | 704,832 | 368 | 67.8 | 62.9-72.7 | 119 | 19.6 | 15.5-23.7 | 84 | 12.6 | 9.3-15.9 |
| College Graduate | 774 | 584,291 | 538 | 73.4 | 69.5-77.3 | 157 | 18.2 | 14.7-21.7 | 79 | 8.4 | 6.2-10.6 |
| Less than \$15,000 | 188 | 208,594 | 65 | 38.2 | 28.4-48.0 | 44 | 25.0 | 16.0-34.0 | 79 | 36.8 | 27.2-46.4 |
| \$15,000- 24,999 | 305 | 335,882 | 151 | 55.1 | 47.5-62.7 | 73 | 21.0 | 14.7-27.3 | 81 | 23.9 | 17.8-30.0 |
| \$25,000- 34,999 | 202 | 197,581 | 125 | 61.0 | 52.0-70.0 | 45 | 21.0 | 13.2-28.8 | 32 | 18.0 | 10.9-25.1 |
| \$35,000- 49,999 | 291 | 300,076 | 196 | 70.9 | 64.2-77.6 | 63 | 19.1 | 13.8-24.4 | 32 | 10.0 | 5.3-14.7 |
| \$50,000- 74,999 | 311 | 357,620 | 221 | 69.8 | 62.7-76.9 | 60 | 21.7 | 15.0-28.4 | 30 | 8.5 | 4.8-12.2 |
| \$75,000+ | 658 | 725,435 | 485 | 72.9 | 68.2-77.6 | 119 | 19.1 | 15.0-23.2 | 54 | 8.0 | 5.1-10.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Zero days when physical health not good | | | 1-13 days when physical health not good | | | 14+ days when physical health not good | | |
|----------------------------|-------------------|-----------|---|------|------------|---|------|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2745 | 2,662,210 | 1488 | 57.1 | 54.4-59.8 | 726 | 25.8 | 23.4-28.2 | 531 | 17.1 | 15.1-19.1 |
| White/Non-Hisp | 2207 | 2,015,407 | 1221 | 57.8 | 54.9-60.7 | 561 | 25.6 | 23.1-28.1 | 425 | 16.6 | 14.4-18.8 |
| Black or Afr. Am./Non-Hisp | 331 | 423,629 | 162 | 52.0 | 44.4-59.6 | 103 | 28.7 | 22.0-35.4 | 66 | 19.3 | 13.4-25.2 |
| Oth. Race/Non-Hisp. | 56 | 55,497 | 29 | 61.4 | 43.0-79.8 | 16 | 17.1 | 6.7-27.5 | 11 | 21.5 | 3.9-39.1 |
| MultiRacial/Non-Hisp. | 54 | 24,095 | 23 | 38.2 | 22.1-54.3 | 19 | 31.5 | 16.4-46.6 | 12 | 30.3 | 13.2-47.4 |
| Hispanic | 64 | 112,912 | 38 | 68.0 | 52.3-83.7 | 17 | 21.5 | 8.4-34.6 | 9 | 10.5 | 1.1-19.9 |
| 18-24 | 137 | 307,579 | 90 | 66.4 | 56.0-76.8 | 38 | 26.0 | 16.6-35.4 | 9 | 7.6 | 1.7-13.5 |
| 25-34 | 311 | 449,552 | 180 | 59.9 | 52.8-67.0 | 94 | 26.8 | 20.7-32.9 | 37 | 13.3 | 8.4-18.2 |
| 35-44 | 364 | 424,081 | 214 | 64.3 | 57.8-70.8 | 101 | 26.6 | 20.5-32.7 | 49 | 9.1 | 6.0-12.2 |
| 45-54 | 424 | 432,811 | 234 | 54.8 | 48.3-61.3 | 116 | 27.2 | 21.3-33.1 | 74 | 18.1 | 12.6-23.6 |
| 55-64 | 598 | 448,192 | 287 | 47.0 | 41.7-52.3 | 150 | 24.2 | 19.7-28.7 | 161 | 28.8 | 23.9-33.7 |
| 65+ | 911 | 599,996 | 483 | 54.5 | 50.2-58.8 | 227 | 24.7 | 20.8-28.6 | 201 | 20.8 | 17.1-24.5 |
| Less Than H.S. | 242 | 334,082 | 95 | 43.3 | 34.7-51.9 | 60 | 24.0 | 16.7-31.3 | 87 | 32.7 | 24.7-40.7 |
| H.S. or G.E.D. | 841 | 846,191 | 411 | 54.4 | 49.5-59.3 | 231 | 26.6 | 22.5-30.7 | 199 | 19.0 | 15.5-22.5 |
| Some Post-H.S. | 749 | 818,897 | 411 | 58.9 | 53.8-64.0 | 190 | 25.2 | 20.7-29.7 | 148 | 15.8 | 12.5-19.1 |
| College Graduate | 904 | 655,363 | 565 | 65.3 | 61.2-69.4 | 244 | 26.6 | 22.7-30.5 | 95 | 8.1 | 5.7-10.5 |
| Less than \$15,000 | 345 | 304,584 | 125 | 37.3 | 30.0-44.6 | 85 | 25.0 | 18.7-31.3 | 135 | 37.7 | 30.3-45.1 |
| \$15,000- 24,999 | 483 | 466,574 | 202 | 47.6 | 40.9-54.3 | 159 | 33.5 | 27.2-39.8 | 122 | 18.9 | 14.4-23.4 |
| \$25,000- 34,999 | 251 | 244,830 | 142 | 55.4 | 46.8-64.0 | 67 | 29.3 | 21.3-37.3 | 42 | 15.3 | 9.4-21.2 |
| \$35,000- 49,999 | 320 | 323,755 | 193 | 61.3 | 53.9-68.7 | 76 | 24.5 | 17.8-31.2 | 51 | 14.2 | 9.3-19.1 |
| \$50,000- 74,999 | 312 | 305,865 | 197 | 65.0 | 57.7-72.3 | 86 | 24.6 | 18.1-31.1 | 29 | 10.5 | 6.2-14.8 |
| \$75,000+ | 519 | 522,515 | 353 | 68.5 | 62.8-74.2 | 133 | 24.9 | 19.8-30.0 | 33 | 6.5 | 3.2- 9.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Zero days when mental health not good | | | 1-13 days when mental health not good | | | 14+ days when mental health not good | | |
|----------------------------|-------------------|-----------|---------------------------------------|------|------------|---------------------------------------|------|------------|--------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5076 | 5,207,968 | 3246 | 61.7 | 59.7-63.7 | 1046 | 22.3 | 20.5-24.1 | 784 | 16.0 | 14.6-17.4 |
| Male | 2297 | 2,509,556 | 1631 | 68.3 | 65.6-71.0 | 380 | 18.9 | 16.5-21.3 | 286 | 12.8 | 11.0-14.6 |
| Female | 2779 | 2,698,412 | 1615 | 55.6 | 52.9-58.3 | 666 | 25.4 | 23.0-27.8 | 498 | 19.0 | 16.8-21.2 |
| White/Non-Hisp | 4080 | 3,926,315 | 2648 | 62.4 | 60.2-64.6 | 815 | 21.7 | 19.9-23.5 | 617 | 15.9 | 14.3-17.5 |
| Black or Afr. Am./Non-Hisp | 583 | 812,092 | 366 | 60.7 | 55.0-66.4 | 132 | 24.1 | 19.0-29.2 | 85 | 15.2 | 11.3-19.1 |
| Oth. Race/Non-Hisp. | 119 | 137,620 | 74 | 60.9 | 47.6-74.2 | 26 | 19.7 | 9.9-29.5 | 19 | 19.4 | 7.4-31.4 |
| MultiRacial/Non-Hisp. | 106 | 47,365 | 51 | 45.1 | 32.8-57.4 | 30 | 29.1 | 17.7-40.5 | 25 | 25.8 | 14.8-36.8 |
| Hispanic | 117 | 206,633 | 70 | 64.9 | 52.9-76.9 | 26 | 22.4 | 11.6-33.2 | 21 | 12.7 | 5.3-20.1 |
| 18-24 | 299 | 627,338 | 122 | 43.2 | 35.8-50.6 | 109 | 33.2 | 26.1-40.3 | 68 | 23.6 | 16.9-30.3 |
| 25-34 | 601 | 878,694 | 311 | 52.8 | 47.5-58.1 | 189 | 31.8 | 26.9-36.7 | 101 | 15.3 | 11.6-19.0 |
| 35-44 | 667 | 831,803 | 382 | 60.2 | 55.3-65.1 | 165 | 23.9 | 19.6-28.2 | 120 | 15.9 | 12.6-19.2 |
| 45-54 | 829 | 868,278 | 517 | 62.1 | 57.6-66.6 | 166 | 20.5 | 16.8-24.2 | 146 | 17.4 | 13.9-20.9 |
| 55-64 | 1071 | 881,228 | 682 | 64.8 | 61.1-68.5 | 194 | 18.1 | 15.2-21.0 | 195 | 17.1 | 14.2-20.0 |
| 65+ | 1609 | 1,120,627 | 1232 | 77.6 | 74.9-80.3 | 223 | 12.1 | 10.1-14.1 | 154 | 10.3 | 8.1-12.5 |
| Less Than H.S. | 469 | 694,232 | 266 | 60.5 | 54.6-66.4 | 77 | 17.3 | 12.6-22.0 | 126 | 22.2 | 17.7-26.7 |
| H.S. or G.E.D. | 1575 | 1,721,198 | 1002 | 62.7 | 59.2-66.2 | 286 | 19.0 | 16.1-21.9 | 287 | 18.3 | 15.6-21.0 |
| Some Post-H.S. | 1329 | 1,529,519 | 819 | 59.3 | 55.6-63.0 | 294 | 24.0 | 20.7-27.3 | 216 | 16.7 | 13.8-19.6 |
| College Graduate | 1683 | 1,244,077 | 1145 | 64.1 | 61.0-67.2 | 387 | 27.5 | 24.6-30.4 | 151 | 8.3 | 6.5-10.1 |
| Less than \$15,000 | 547 | 529,852 | 255 | 47.7 | 41.6-53.8 | 91 | 16.2 | 11.5-20.9 | 201 | 36.0 | 30.3-41.7 |
| \$15,000- 24,999 | 801 | 812,805 | 439 | 58.3 | 53.4-63.2 | 182 | 21.1 | 17.2-25.0 | 180 | 20.6 | 16.5-24.7 |
| \$25,000- 34,999 | 458 | 444,849 | 274 | 55.6 | 49.3-61.9 | 111 | 29.1 | 22.8-35.4 | 73 | 15.3 | 10.8-19.8 |
| \$35,000- 49,999 | 611 | 622,351 | 398 | 63.1 | 57.8-68.4 | 136 | 22.3 | 18.0-26.6 | 77 | 14.7 | 10.8-18.6 |
| \$50,000- 74,999 | 624 | 664,352 | 433 | 64.5 | 59.0-70.0 | 128 | 23.5 | 18.6-28.4 | 63 | 12.1 | 8.4-15.8 |
| \$75,000+ | 1177 | 1,246,343 | 864 | 68.8 | 64.9-72.7 | 230 | 22.5 | 19.2-25.8 | 83 | 8.7 | 6.0-11.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Zero days when mental health not good | | | 1-13 days when mental health not good | | | 14+ days when mental health not good | | |
|----------------------------|-------------------|-----------|---------------------------------------|------|------------|---------------------------------------|------|------------|--------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2297 | 2,509,556 | 1631 | 68.3 | 65.6-71.0 | 380 | 18.9 | 16.5-21.3 | 286 | 12.8 | 11.0-14.6 |
| White/Non-Hisp | 1852 | 1,889,727 | 1334 | 68.6 | 65.7-71.5 | 303 | 19.2 | 16.7-21.7 | 215 | 12.2 | 10.2-14.2 |
| Black or Afr. Am./Non-Hisp | 241 | 374,987 | 164 | 68.3 | 60.5-76.1 | 45 | 19.9 | 12.8-27.0 | 32 | 11.8 | 6.9-16.7 |
| Oth. Race/Non-Hisp. | 65 | 83,019 | 47 | 68.0 | 50.0-86.0 | 7 | 5.9 | 0.2-11.6 | 11 | 26.1 | 8.1-44.1 |
| MultiRacial/Non-Hisp. | 52 | 24,024 | 30 | 59.3 | 42.1-76.5 | 11 | 19.8 | 7.5-32.1 | 11 | 20.9 | 5.6-36.2 |
| Hispanic | 50 | 91,377 | 33 | 72.6 | 57.3-87.9 | 9 | 18.4 | 4.3-32.5 | 8 | 9.0 | 1.9-16.1 |
| 18-24 | 161 | 319,956 | 78 | 52.8 | 43.2-62.4 | 55 | 31.5 | 22.7-40.3 | 28 | 15.7 | 9.0-22.4 |
| 25-34 | 290 | 428,131 | 178 | 62.6 | 55.3-69.9 | 71 | 26.1 | 19.2-33.0 | 41 | 11.3 | 7.0-15.6 |
| 35-44 | 309 | 412,275 | 199 | 65.6 | 58.5-72.7 | 61 | 19.0 | 13.1-24.9 | 49 | 15.4 | 10.5-20.3 |
| 45-54 | 400 | 427,040 | 271 | 65.0 | 58.5-71.5 | 70 | 19.7 | 14.2-25.2 | 59 | 15.4 | 10.7-20.1 |
| 55-64 | 470 | 420,645 | 352 | 74.8 | 69.7-79.9 | 62 | 13.6 | 9.7-17.5 | 56 | 11.6 | 7.9-15.3 |
| 65+ | 667 | 501,509 | 553 | 82.8 | 78.9-86.7 | 61 | 8.5 | 5.8-11.2 | 53 | 8.7 | 5.6-11.8 |
| Less Than H.S. | 221 | 346,801 | 140 | 66.2 | 58.4-74.0 | 28 | 14.4 | 7.9-20.9 | 53 | 19.4 | 13.5-25.3 |
| H.S. or G.E.D. | 715 | 856,431 | 515 | 69.3 | 64.6-74.0 | 97 | 15.3 | 11.4-19.2 | 103 | 15.4 | 11.7-19.1 |
| Some Post-H.S. | 574 | 707,090 | 390 | 65.5 | 60.2-70.8 | 109 | 23.1 | 18.2-28.0 | 75 | 11.5 | 8.4-14.6 |
| College Graduate | 776 | 587,969 | 577 | 71.3 | 67.2-75.4 | 145 | 22.0 | 18.1-25.9 | 54 | 6.6 | 4.6- 8.6 |
| Less than \$15,000 | 192 | 218,485 | 94 | 49.9 | 39.9-59.9 | 30 | 16.5 | 8.3-24.7 | 68 | 33.6 | 24.4-42.8 |
| \$15,000- 24,999 | 307 | 334,620 | 185 | 64.8 | 57.5-72.1 | 57 | 19.3 | 13.0-25.6 | 65 | 15.9 | 11.0-20.8 |
| \$25,000- 34,999 | 206 | 199,426 | 142 | 64.4 | 55.4-73.4 | 40 | 23.6 | 15.2-32.0 | 24 | 12.0 | 6.3-17.7 |
| \$35,000- 49,999 | 294 | 305,223 | 207 | 66.4 | 59.0-73.8 | 55 | 19.5 | 13.4-25.6 | 32 | 14.1 | 8.4-19.8 |
| \$50,000- 74,999 | 313 | 359,853 | 241 | 74.4 | 67.3-81.5 | 49 | 17.4 | 11.1-23.7 | 23 | 8.2 | 3.7-12.7 |
| \$75,000+ | 658 | 725,727 | 515 | 74.5 | 70.0-79.0 | 103 | 18.8 | 14.7-22.9 | 40 | 6.6 | 4.2- 9.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 2: HEALTHY DAYS**

TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Zero days when mental health not good | | | 1-13 days when mental health not good | | | 14+ days when mental health not good | | |
|----------------------------|-------------------|-----------|---------------------------------------|------|------------|---------------------------------------|------|------------|--------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2779 | 2,698,412 | 1615 | 55.6 | 52.9-58.3 | 666 | 25.4 | 23.0-27.8 | 498 | 19.0 | 16.8-21.2 |
| White/Non-Hisp | 2228 | 2,036,587 | 1314 | 56.5 | 53.6-59.4 | 512 | 24.0 | 21.5-26.5 | 402 | 19.4 | 16.9-21.9 |
| Black or Afr. Am./Non-Hisp | 342 | 437,104 | 202 | 54.2 | 46.6-61.8 | 87 | 27.7 | 20.4-35.0 | 53 | 18.1 | 12.2-24.0 |
| Oth. Race/Non-Hisp. | 54 | 54,601 | 27 | 50.0 | 30.4-69.6 | 19 | 40.7 | 21.5-59.9 | 8 | 9.2 | 1.9-16.5 |
| MultiRacial/Non-Hisp. | 54 | 23,341 | 21 | 30.4 | 15.9-44.9 | 19 | 38.7 | 21.3-56.1 | 14 | 30.9 | 15.2-46.6 |
| Hispanic | 67 | 115,256 | 37 | 58.9 | 41.3-76.5 | 17 | 25.6 | 9.7-41.5 | 13 | 15.6 | 3.8-27.4 |
| 18-24 | 138 | 307,381 | 44 | 33.3 | 22.1-44.5 | 54 | 34.9 | 24.1-45.7 | 40 | 31.8 | 20.8-42.8 |
| 25-34 | 311 | 450,563 | 133 | 43.5 | 36.2-50.8 | 118 | 37.3 | 30.4-44.2 | 60 | 19.2 | 13.5-24.9 |
| 35-44 | 358 | 419,529 | 183 | 55.0 | 48.1-61.9 | 104 | 28.6 | 22.3-34.9 | 71 | 16.4 | 11.7-21.1 |
| 45-54 | 429 | 441,238 | 246 | 59.3 | 53.0-65.6 | 96 | 21.4 | 16.3-26.5 | 87 | 19.4 | 14.3-24.5 |
| 55-64 | 601 | 460,583 | 330 | 55.6 | 50.3-60.9 | 132 | 22.1 | 17.6-26.6 | 139 | 22.2 | 17.9-26.5 |
| 65+ | 942 | 619,118 | 679 | 73.3 | 69.4-77.2 | 162 | 14.9 | 12.0-17.8 | 101 | 11.7 | 8.8-14.6 |
| Less Than H.S. | 248 | 347,431 | 126 | 54.8 | 46.4-63.2 | 49 | 20.2 | 13.3-27.1 | 73 | 25.0 | 18.1-31.9 |
| H.S. or G.E.D. | 860 | 864,767 | 487 | 56.1 | 51.2-61.0 | 189 | 22.7 | 18.4-27.0 | 184 | 21.2 | 17.3-25.1 |
| Some Post-H.S. | 755 | 822,429 | 429 | 53.9 | 48.6-59.2 | 185 | 24.8 | 20.3-29.3 | 141 | 21.2 | 16.5-25.9 |
| College Graduate | 907 | 656,108 | 568 | 57.7 | 53.2-62.2 | 242 | 32.5 | 28.2-36.8 | 97 | 9.8 | 7.1-12.5 |
| Less than \$15,000 | 355 | 311,367 | 161 | 46.3 | 38.9-53.7 | 61 | 16.0 | 10.5-21.5 | 133 | 37.7 | 30.4-45.0 |
| \$15,000- 24,999 | 494 | 478,185 | 254 | 53.7 | 47.0-60.4 | 125 | 22.4 | 17.3-27.5 | 115 | 24.0 | 18.1-29.9 |
| \$25,000- 34,999 | 252 | 245,423 | 132 | 48.4 | 39.8-57.0 | 71 | 33.6 | 24.8-42.4 | 49 | 17.9 | 11.2-24.6 |
| \$35,000- 49,999 | 317 | 317,128 | 191 | 59.8 | 52.4-67.2 | 81 | 24.9 | 18.6-31.2 | 45 | 15.2 | 9.9-20.5 |
| \$50,000- 74,999 | 311 | 304,499 | 192 | 52.8 | 45.0-60.6 | 79 | 30.6 | 23.2-38.0 | 40 | 16.7 | 10.4-23.0 |
| \$75,000+ | 519 | 520,616 | 349 | 60.8 | 54.5-67.1 | 127 | 27.5 | 22.0-33.0 | 43 | 11.6 | 6.3-16.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651) | |
| 1 | MALES AND FEMALES | 14 |
| 2 | MALES ONLY | 15 |
| 3 | FEMALES ONLY | 16 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Have health care coverage | | | Do not have health care coverage | | |
|----------------------------|-------------------|-----------|---------------------------|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3438 | 4,056,866 | 2967 | 85.1 | 83.3-86.9 | 471 | 14.9 | 13.1-16.7 |
| Male | 1610 | 1,992,647 | 1370 | 84.3 | 81.8-86.8 | 240 | 15.7 | 13.2-18.2 |
| Female | 1828 | 2,064,219 | 1597 | 85.9 | 83.4-88.4 | 231 | 14.1 | 11.6-16.6 |
| White/Non-Hisp | 2695 | 2,935,992 | 2367 | 87.7 | 85.9-89.5 | 328 | 12.3 | 10.5-14.1 |
| Black or Afr. Am./Non-Hisp | 435 | 699,056 | 375 | 85.9 | 81.4-90.4 | 60 | 14.1 | 9.6-18.6 |
| Oth. Race/Non-Hisp. | 90 | 119,413 | 73 | 83.9 | 73.9-93.9 | 17 | 16.1 | 6.1-26.1 |
| MultiRacial/Non-Hisp. | 74 | 36,524 | 64 | 87.9 | 80.1-95.7 | 10 | 12.1 | 4.3-19.9 |
| Hispanic | 110 | 212,965 | 66 | 53.7 | 40.6-66.8 | 44 | 46.3 | 33.2-59.4 |
| 18-24 | 297 | 623,910 | 256 | 85.7 | 80.2-91.2 | 41 | 14.3 | 8.8-19.8 |
| 25-34 | 606 | 899,067 | 509 | 83.1 | 79.2-87.0 | 97 | 16.9 | 13.0-20.8 |
| 35-44 | 673 | 826,105 | 562 | 80.9 | 76.6-85.2 | 111 | 19.1 | 14.8-23.4 |
| 45-54 | 788 | 825,935 | 676 | 85.0 | 81.5-88.5 | 112 | 15.0 | 11.5-18.5 |
| 55-64 | 1074 | 881,850 | 964 | 90.9 | 88.7-93.1 | 110 | 9.1 | 6.9-11.3 |
| Less Than H.S. | 284 | 460,473 | 200 | 66.8 | 59.2-74.4 | 84 | 33.2 | 25.6-40.8 |
| H.S. or G.E.D. | 1048 | 1,343,265 | 846 | 81.2 | 77.9-84.5 | 202 | 18.8 | 15.5-22.1 |
| Some Post-H.S. | 925 | 1,242,507 | 825 | 90.0 | 87.5-92.5 | 100 | 10.0 | 7.5-12.5 |
| College Graduate | 1173 | 1,002,673 | 1091 | 92.8 | 90.6-95.0 | 82 | 7.2 | 5.0- 9.4 |
| Less than \$15,000 | 386 | 406,549 | 280 | 75.6 | 69.7-81.5 | 106 | 24.4 | 18.5-30.3 |
| \$15,000- 24,999 | 514 | 627,312 | 386 | 71.5 | 65.6-77.4 | 128 | 28.5 | 22.6-34.4 |
| \$25,000- 34,999 | 286 | 322,170 | 234 | 79.7 | 73.2-86.2 | 52 | 20.3 | 13.8-26.8 |
| \$35,000- 49,999 | 412 | 494,548 | 364 | 87.4 | 83.1-91.7 | 48 | 12.6 | 8.3-16.9 |
| \$50,000- 74,999 | 473 | 568,369 | 443 | 93.9 | 91.2-96.6 | 30 | 6.1 | 3.4- 8.8 |
| \$75,000+ | 911 | 1,040,816 | 876 | 95.9 | 94.1-97.7 | 35 | 4.1 | 2.3- 5.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Have health care coverage | | | Do not have health care coverage | | |
|----------------------------|-------------------|-----------|---------------------------|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1610 | 1,992,647 | 1370 | 84.3 | 81.8-86.8 | 240 | 15.7 | 13.2-18.2 |
| White/Non-Hisp | 1266 | 1,438,565 | 1105 | 87.5 | 85.1-89.9 | 161 | 12.5 | 10.1-14.9 |
| Black or Afr. Am./Non-Hisp | 189 | 331,794 | 155 | 81.6 | 74.0-89.2 | 34 | 18.4 | 10.8-26.0 |
| 18-24 | 159 | 315,038 | 137 | 88.0 | 82.3-93.7 | 22 | 12.0 | 6.3-17.7 |
| 25-34 | 295 | 447,607 | 243 | 81.9 | 76.2-87.6 | 52 | 18.1 | 12.4-23.8 |
| 35-44 | 308 | 405,405 | 249 | 79.6 | 73.3-85.9 | 59 | 20.4 | 14.1-26.7 |
| 45-54 | 378 | 401,954 | 318 | 80.5 | 74.4-86.6 | 60 | 19.5 | 13.4-25.6 |
| 55-64 | 470 | 422,643 | 423 | 92.3 | 89.8-94.8 | 47 | 7.7 | 5.2-10.2 |
| Less Than H.S. | 151 | 251,189 | 103 | 67.4 | 57.4-77.4 | 48 | 32.6 | 22.6-42.6 |
| H.S. or G.E.D. | 524 | 700,843 | 423 | 82.1 | 78.0-86.2 | 101 | 17.9 | 13.8-22.0 |
| Some Post-H.S. | 411 | 579,526 | 369 | 89.7 | 86.0-93.4 | 42 | 10.3 | 6.6-14.0 |
| College Graduate | 520 | 457,169 | 473 | 90.4 | 86.9-93.9 | 47 | 9.6 | 6.1-13.1 |
| Less than \$15,000 | 150 | 181,619 | 98 | 67.3 | 56.7-77.9 | 52 | 32.7 | 22.1-43.3 |
| \$15,000- 24,999 | 205 | 264,978 | 153 | 70.2 | 61.0-79.4 | 52 | 29.8 | 20.6-39.0 |
| \$25,000- 34,999 | 125 | 142,046 | 95 | 75.2 | 65.6-84.8 | 30 | 24.8 | 15.2-34.4 |
| \$35,000- 49,999 | 194 | 238,948 | 164 | 86.6 | 80.9-92.3 | 30 | 13.4 | 7.7-19.1 |
| \$50,000- 74,999 | 234 | 308,362 | 217 | 93.0 | 89.5-96.5 | 17 | 7.0 | 3.5-10.5 |
| \$75,000+ | 500 | 591,203 | 475 | 94.5 | 91.8-97.2 | 25 | 5.5 | 2.8- 8.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Have health care coverage | | | Do not have health care coverage | | |
|----------------------------|-------------------|-----------|---------------------------|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1828 | 2,064,219 | 1597 | 85.9 | 83.4-88.4 | 231 | 14.1 | 11.6-16.6 |
| White/Non-Hisp | 1429 | 1,497,427 | 1262 | 88.0 | 85.5-90.5 | 167 | 12.0 | 9.5-14.5 |
| Black or Afr. Am./Non-Hisp | 246 | 367,262 | 220 | 89.7 | 84.6-94.8 | 26 | 10.3 | 5.2-15.4 |
| Hispanic | 63 | 118,710 | 40 | 51.7 | 33.3-70.1 | 23 | 48.3 | 29.9-66.7 |
| 18-24 | 138 | 308,871 | 119 | 83.4 | 74.0-92.8 | 19 | 16.6 | 7.2-26.0 |
| 25-34 | 311 | 451,460 | 266 | 84.2 | 78.7-89.7 | 45 | 15.8 | 10.3-21.3 |
| 35-44 | 365 | 420,700 | 313 | 82.2 | 76.1-88.3 | 52 | 17.8 | 11.7-23.9 |
| 45-54 | 410 | 423,981 | 358 | 89.3 | 85.6-93.0 | 52 | 10.7 | 7.0-14.4 |
| 55-64 | 604 | 459,207 | 541 | 89.5 | 86.2-92.8 | 63 | 10.5 | 7.2-13.8 |
| Less Than H.S. | 133 | 209,285 | 97 | 66.1 | 54.1-78.1 | 36 | 33.9 | 21.9-45.9 |
| H.S. or G.E.D. | 524 | 642,422 | 423 | 80.3 | 75.2-85.4 | 101 | 19.7 | 14.6-24.8 |
| Some Post-H.S. | 514 | 662,981 | 456 | 90.3 | 87.0-93.6 | 58 | 9.7 | 6.4-13.0 |
| College Graduate | 653 | 545,504 | 618 | 94.9 | 92.5-97.3 | 35 | 5.1 | 2.7- 7.5 |
| Less than \$15,000 | 236 | 224,930 | 182 | 82.4 | 76.3-88.5 | 54 | 17.6 | 11.5-23.7 |
| \$15,000- 24,999 | 309 | 362,334 | 233 | 72.5 | 65.1-79.9 | 76 | 27.5 | 20.1-34.9 |
| \$25,000- 34,999 | 161 | 180,124 | 139 | 83.3 | 74.5-92.1 | 22 | 16.7 | 7.9-25.5 |
| \$35,000- 49,999 | 218 | 255,599 | 200 | 88.1 | 81.4-94.8 | 18 | 11.9 | 5.2-18.6 |
| \$50,000- 74,999 | 239 | 260,007 | 226 | 95.0 | 91.1-98.9 | 13 | 5.0 | 1.1- 8.9 |
| \$75,000+ | 411 | 449,613 | 401 | 97.7 | 95.9-99.5 | 10 | 2.3 | 0.5- 4.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA) | |
| 1 | MALES AND FEMALES | 18 |
| 2 | MALES ONLY | 19 |
| 3 | FEMALES ONLY | 20 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, had physical activity or exercise | | | No physical activity or exercise | | |
|----------------------------|-------------------|-----------|--|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5155 | 5,280,614 | 3510 | 69.1 | 67.3-70.9 | 1645 | 30.9 | 29.1-32.7 |
| Male | 2328 | 2,540,499 | 1680 | 72.6 | 70.1-75.1 | 648 | 27.4 | 24.9-29.9 |
| Female | 2827 | 2,740,115 | 1830 | 65.9 | 63.4-68.4 | 997 | 34.1 | 31.6-36.6 |
| White/Non-Hisp | 4138 | 3,969,888 | 2853 | 70.5 | 68.5-72.5 | 1285 | 29.5 | 27.5-31.5 |
| Black or Afr. Am./Non-Hisp | 593 | 826,324 | 377 | 67.7 | 62.6-72.8 | 216 | 32.3 | 27.2-37.4 |
| Oth. Race/Non-Hisp. | 123 | 139,328 | 87 | 67.2 | 54.5-79.9 | 36 | 32.8 | 20.1-45.5 |
| MultiRacial/Non-Hisp. | 109 | 48,793 | 78 | 67.1 | 55.5-78.7 | 31 | 32.9 | 21.3-44.5 |
| Hispanic | 120 | 217,863 | 76 | 56.5 | 43.6-69.4 | 44 | 43.5 | 30.6-56.4 |
| 18-24 | 303 | 631,887 | 253 | 81.2 | 74.9-87.5 | 50 | 18.8 | 12.5-25.1 |
| 25-34 | 608 | 897,954 | 493 | 81.9 | 78.2-85.6 | 115 | 18.1 | 14.4-21.8 |
| 35-44 | 681 | 841,149 | 496 | 71.2 | 66.5-75.9 | 185 | 28.8 | 24.1-33.5 |
| 45-54 | 835 | 877,336 | 596 | 69.1 | 64.6-73.6 | 239 | 30.9 | 26.4-35.4 |
| 55-64 | 1084 | 890,254 | 671 | 58.9 | 55.0-62.8 | 413 | 41.1 | 37.2-45.0 |
| 65+ | 1644 | 1,142,033 | 1001 | 58.8 | 55.5-62.1 | 643 | 41.2 | 37.9-44.5 |
| Less Than H.S. | 488 | 718,812 | 217 | 43.6 | 37.7-49.5 | 271 | 56.4 | 50.5-62.3 |
| H.S. or G.E.D. | 1600 | 1,738,863 | 936 | 62.0 | 58.7-65.3 | 664 | 38.0 | 34.7-41.3 |
| Some Post-H.S. | 1348 | 1,550,531 | 941 | 75.0 | 72.1-77.9 | 407 | 25.0 | 22.1-27.9 |
| College Graduate | 1699 | 1,253,463 | 1405 | 86.4 | 84.4-88.4 | 294 | 13.6 | 11.6-15.6 |
| Less than \$15,000 | 564 | 542,717 | 270 | 45.6 | 39.7-51.5 | 294 | 54.4 | 48.5-60.3 |
| \$15,000- 24,999 | 820 | 830,205 | 477 | 60.7 | 55.8-65.6 | 343 | 39.3 | 34.4-44.2 |
| \$25,000- 34,999 | 461 | 447,120 | 298 | 64.0 | 58.1-69.9 | 163 | 36.0 | 30.1-41.9 |
| \$35,000- 49,999 | 618 | 629,832 | 425 | 69.9 | 65.0-74.8 | 193 | 30.1 | 25.2-35.0 |
| \$50,000- 74,999 | 631 | 671,123 | 496 | 80.3 | 76.0-84.6 | 135 | 19.7 | 15.4-24.0 |
| \$75,000+ | 1183 | 1,251,616 | 1008 | 85.2 | 82.5-87.9 | 175 | 14.8 | 12.1-17.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, had physical activity or exercise | | | No physical activity or exercise | | |
|----------------------------|-------------------|-----------|--|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2328 | 2,540,499 | 1680 | 72.6 | 70.1-75.1 | 648 | 27.4 | 24.9-29.9 |
| White/Non-Hisp | 1873 | 1,902,916 | 1362 | 72.8 | 70.1-75.5 | 511 | 27.2 | 24.5-29.9 |
| Black or Afr. Am./Non-Hisp | 247 | 387,186 | 172 | 73.2 | 66.3-80.1 | 75 | 26.8 | 19.9-33.7 |
| Oth. Race/Non-Hisp. | 67 | 83,831 | 48 | 66.3 | 48.9-83.7 | 19 | 33.7 | 16.3-51.1 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | 38 | 73.3 | 59.0-87.6 | 15 | 26.7 | 12.4-41.0 |
| Hispanic | 51 | 95,722 | 37 | 73.6 | 58.3-88.9 | 14 | 26.4 | 11.1-41.7 |
| 18-24 | 164 | 322,470 | 143 | 86.1 | 79.2-93.0 | 21 | 13.9 | 7.0-20.8 |
| 25-34 | 296 | 444,534 | 246 | 83.9 | 79.0-88.8 | 50 | 16.1 | 11.2-21.0 |
| 35-44 | 312 | 413,705 | 233 | 75.3 | 68.8-81.8 | 79 | 24.7 | 18.2-31.2 |
| 45-54 | 404 | 429,304 | 283 | 65.2 | 58.5-71.9 | 121 | 34.8 | 28.1-41.5 |
| 55-64 | 473 | 423,634 | 314 | 63.7 | 58.0-69.4 | 159 | 36.3 | 30.6-42.0 |
| 65+ | 679 | 506,852 | 461 | 65.3 | 60.4-70.2 | 218 | 34.7 | 29.8-39.6 |
| Less Than H.S. | 224 | 352,793 | 112 | 51.9 | 43.3-60.5 | 112 | 48.1 | 39.5-56.7 |
| H.S. or G.E.D. | 727 | 865,870 | 462 | 65.1 | 60.4-69.8 | 265 | 34.9 | 30.2-39.6 |
| Some Post-H.S. | 580 | 715,626 | 430 | 79.8 | 75.9-83.7 | 150 | 20.2 | 16.3-24.1 |
| College Graduate | 786 | 594,944 | 670 | 87.1 | 84.2-90.0 | 116 | 12.9 | 10.0-15.8 |
| Less than \$15,000 | 199 | 223,461 | 103 | 50.0 | 40.0-60.0 | 96 | 50.0 | 40.0-60.0 |
| \$15,000- 24,999 | 316 | 346,674 | 189 | 61.9 | 54.6-69.2 | 127 | 38.1 | 30.8-45.4 |
| \$25,000- 34,999 | 207 | 199,824 | 136 | 62.6 | 53.8-71.4 | 71 | 37.4 | 28.6-46.2 |
| \$35,000- 49,999 | 295 | 305,196 | 208 | 73.9 | 67.4-80.4 | 87 | 26.1 | 19.6-32.6 |
| \$50,000- 74,999 | 317 | 364,283 | 253 | 79.7 | 73.4-86.0 | 64 | 20.3 | 14.0-26.6 |
| \$75,000+ | 661 | 727,674 | 571 | 84.0 | 80.1-87.9 | 90 | 16.0 | 12.1-19.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, had physical activity or exercise | | | No physical activity or exercise | | |
|----------------------------|-------------------|-----------|--|------|------------|----------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2827 | 2,740,115 | 1830 | 65.9 | 63.4-68.4 | 997 | 34.1 | 31.6-36.6 |
| White/Non-Hisp | 2265 | 2,066,972 | 1491 | 68.3 | 65.8-70.8 | 774 | 31.7 | 29.2-34.2 |
| Black or Afr. Am./Non-Hisp | 346 | 439,139 | 205 | 63.0 | 55.7-70.3 | 141 | 37.0 | 29.7-44.3 |
| Oth. Race/Non-Hisp. | 56 | 55,497 | 39 | 68.6 | 50.8-86.4 | 17 | 31.4 | 13.6-49.2 |
| MultiRacial/Non-Hisp. | 56 | 24,370 | 40 | 60.8 | 43.6-78.0 | 16 | 39.2 | 22.0-56.4 |
| Hispanic | 69 | 122,141 | 39 | 43.0 | 25.8-60.2 | 30 | 57.0 | 39.8-74.2 |
| 18-24 | 139 | 309,417 | 110 | 76.0 | 65.6-86.4 | 29 | 24.0 | 13.6-34.4 |
| 25-34 | 312 | 453,421 | 247 | 79.9 | 74.2-85.6 | 65 | 20.1 | 14.4-25.8 |
| 35-44 | 369 | 427,444 | 263 | 67.1 | 60.2-74.0 | 106 | 32.9 | 26.0-39.8 |
| 45-54 | 431 | 448,032 | 313 | 72.8 | 66.9-78.7 | 118 | 27.2 | 21.3-33.1 |
| 55-64 | 611 | 466,620 | 357 | 54.6 | 49.3-59.9 | 254 | 45.4 | 40.1-50.7 |
| 65+ | 965 | 635,181 | 540 | 53.6 | 49.3-57.9 | 425 | 46.4 | 42.1-50.7 |
| Less Than H.S. | 264 | 366,019 | 105 | 35.6 | 28.0-43.2 | 159 | 64.4 | 56.8-72.0 |
| H.S. or G.E.D. | 873 | 872,993 | 474 | 59.0 | 54.3-63.7 | 399 | 41.0 | 36.3-45.7 |
| Some Post-H.S. | 768 | 834,906 | 511 | 70.9 | 66.4-75.4 | 257 | 29.1 | 24.6-33.6 |
| College Graduate | 913 | 658,519 | 735 | 85.7 | 83.0-88.4 | 178 | 14.3 | 11.6-17.0 |
| Less than \$15,000 | 365 | 319,256 | 167 | 42.5 | 35.2-49.8 | 198 | 57.5 | 50.2-64.8 |
| \$15,000- 24,999 | 504 | 483,531 | 288 | 59.8 | 53.5-66.1 | 216 | 40.2 | 33.9-46.5 |
| \$25,000- 34,999 | 254 | 247,295 | 162 | 65.2 | 57.2-73.2 | 92 | 34.8 | 26.8-42.8 |
| \$35,000- 49,999 | 323 | 324,636 | 217 | 66.2 | 58.9-73.5 | 106 | 33.8 | 26.5-41.1 |
| \$50,000- 74,999 | 314 | 306,839 | 243 | 81.0 | 75.5-86.5 | 71 | 19.0 | 13.5-24.5 |
| \$75,000+ | 522 | 523,941 | 437 | 86.9 | 83.2-90.6 | 85 | 13.1 | 9.4-16.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD) | |
| 1 MALES AND FEMALES | 22 |
| 2 MALES ONLY | 23 |
| 3 FEMALES ONLY | 24 |
| ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1) | |
| 4 MALES AND FEMALES | 25 |
| 5 MALES ONLY | 26 |
| 6 FEMALES ONLY | 27 |
| ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1) | |
| 7 MALES AND FEMALES | 28 |
| 8 MALES ONLY | 29 |
| 9 FEMALES ONLY | 30 |
| COMPUTED ASTHMA STATUS (_ASTHMS1) | |
| 10 MALES AND FEMALES | 31 |
| 11 MALES ONLY | 32 |
| 12 FEMALES ONLY | 33 |
| RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1) | |
| 13 MALES AND FEMALES | 34 |
| 14 MALES ONLY | 35 |
| 15 FEMALES ONLY | 36 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5108 | 5,239,494 | 590 | 9.1 | 8.1-10.1 | 4518 | 90.9 | 89.9-91.9 |
| Male | 2308 | 2,523,585 | 325 | 11.0 | 9.4-12.6 | 1983 | 89.0 | 87.4-90.6 |
| Female | 2800 | 2,715,909 | 265 | 7.4 | 6.0- 8.8 | 2535 | 92.6 | 91.2-94.0 |
| White/Non-Hisp | 4113 | 3,948,112 | 473 | 9.8 | 8.6-11.0 | 3640 | 90.2 | 89.0-91.4 |
| Black or Afr. Am./Non-Hisp | 582 | 812,798 | 65 | 7.4 | 4.7-10.1 | 517 | 92.6 | 89.9-95.3 |
| Oth. Race/Non-Hisp. | 120 | 138,072 | 16 | 9.0 | 1.7-16.3 | 104 | 91.0 | 83.7-98.3 |
| MultiRacial/Non-Hisp. | 107 | 48,068 | 17 | 12.9 | 4.7-21.1 | 90 | 87.1 | 78.9-95.3 |
| Hispanic | 118 | 215,415 | 6 | 0.7 | 0.1- 1.3 | 112 | 99.3 | 98.7-99.9 |
| 18-24 | 302 | 630,773 | 2 | 0.5 | 0.0- 1.3 | 300 | 99.5 | 98.7- 100 |
| 25-34 | 606 | 897,981 | 4 | 0.3 | 0.0- 0.7 | 602 | 99.7 | 99.3- 100 |
| 35-44 | 678 | 839,772 | 24 | 3.9 | 1.9- 5.9 | 654 | 96.1 | 94.1-98.1 |
| 45-54 | 830 | 867,304 | 70 | 9.4 | 6.5-12.3 | 760 | 90.6 | 87.7-93.5 |
| 55-64 | 1068 | 875,366 | 148 | 14.7 | 11.8-17.6 | 920 | 85.3 | 82.4-88.2 |
| 65+ | 1624 | 1,128,298 | 342 | 20.2 | 17.5-22.9 | 1282 | 79.8 | 77.1-82.5 |
| Less Than H.S. | 477 | 705,595 | 104 | 19.1 | 14.6-23.6 | 373 | 80.9 | 76.4-85.4 |
| H.S. or G.E.D. | 1589 | 1,733,619 | 193 | 9.4 | 7.6-11.2 | 1396 | 90.6 | 88.8-92.4 |
| Some Post-H.S. | 1333 | 1,533,026 | 146 | 7.1 | 5.5- 8.7 | 1187 | 92.9 | 91.3-94.5 |
| College Graduate | 1690 | 1,248,660 | 145 | 5.5 | 4.3- 6.7 | 1545 | 94.5 | 93.3-95.7 |
| Less than \$15,000 | 551 | 527,173 | 120 | 22.0 | 17.1-26.9 | 431 | 78.0 | 73.1-82.9 |
| \$15,000- 24,999 | 809 | 826,151 | 135 | 12.4 | 9.5-15.3 | 674 | 87.6 | 84.7-90.5 |
| \$25,000- 34,999 | 458 | 444,605 | 53 | 9.6 | 5.9-13.3 | 405 | 90.4 | 86.7-94.1 |
| \$35,000- 49,999 | 616 | 627,814 | 67 | 8.4 | 5.9-10.9 | 549 | 91.6 | 89.1-94.1 |
| \$50,000- 74,999 | 626 | 666,401 | 45 | 6.1 | 3.6- 8.6 | 581 | 93.9 | 91.4-96.4 |
| \$75,000+ | 1179 | 1,246,157 | 75 | 4.5 | 3.1- 5.9 | 1104 | 95.5 | 94.1-96.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2308 | 2,523,585 | 325 | 11.0 | 9.4-12.6 | 1983 | 89.0 | 87.4-90.6 |
| White/Non-Hisp | 1861 | 1,893,265 | 264 | 12.1 | 10.3-13.9 | 1597 | 87.9 | 86.1-89.7 |
| Black or Afr. Am./Non-Hisp | 243 | 382,802 | 34 | 9.1 | 4.6-13.6 | 209 | 90.9 | 86.4-95.4 |
| Oth. Race/Non-Hisp. | 66 | 83,018 | 9 | 5.1 | 0.2-10.0 | 57 | 94.9 | 90.0-99.8 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | 12 | 13.6 | 4.4-22.8 | 41 | 86.4 | 77.2-95.6 |
| Hispanic | 50 | 94,608 | | | | 50 | 100.0 | 100.0- 100 |
| 18-24 | 163 | 321,356 | 1 | 0.3 | 0.0- 0.9 | 162 | 99.7 | 99.1- 100 |
| 25-34 | 295 | 448,641 | 3 | 0.5 | 0.0- 1.1 | 292 | 99.5 | 98.9- 100 |
| 35-44 | 312 | 413,705 | 13 | 4.2 | 1.3- 7.1 | 299 | 95.8 | 92.9-98.7 |
| 45-54 | 400 | 420,418 | 34 | 9.2 | 5.1-13.3 | 366 | 90.8 | 86.7-94.9 |
| 55-64 | 467 | 417,275 | 86 | 19.5 | 14.8-24.2 | 381 | 80.5 | 75.8-85.2 |
| 65+ | 671 | 502,190 | 188 | 27.2 | 22.7-31.7 | 483 | 72.8 | 68.3-77.3 |
| Less Than H.S. | 220 | 343,243 | 46 | 18.6 | 12.5-24.7 | 174 | 81.4 | 75.3-87.5 |
| H.S. or G.E.D. | 722 | 866,041 | 102 | 10.3 | 7.6-13.0 | 620 | 89.7 | 87.0-92.4 |
| Some Post-H.S. | 576 | 711,746 | 76 | 10.1 | 7.4-12.8 | 500 | 89.9 | 87.2-92.6 |
| College Graduate | 780 | 591,639 | 100 | 8.7 | 6.5-10.9 | 680 | 91.3 | 89.1-93.5 |
| Less than \$15,000 | 195 | 213,577 | 49 | 21.9 | 14.5-29.3 | 146 | 78.1 | 70.7-85.5 |
| \$15,000- 24,999 | 311 | 347,132 | 64 | 16.8 | 11.3-22.3 | 247 | 83.2 | 77.7-88.7 |
| \$25,000- 34,999 | 207 | 199,824 | 39 | 16.5 | 10.0-23.0 | 168 | 83.5 | 77.0-90.0 |
| \$35,000- 49,999 | 295 | 305,329 | 41 | 11.5 | 7.4-15.6 | 254 | 88.5 | 84.4-92.6 |
| \$50,000- 74,999 | 316 | 364,113 | 34 | 7.2 | 4.1-10.3 | 282 | 92.8 | 89.7-95.9 |
| \$75,000+ | 658 | 724,325 | 55 | 6.0 | 3.8- 8.2 | 603 | 94.0 | 91.8-96.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2800 | 2,715,909 | 265 | 7.4 | 6.0- 8.8 | 2535 | 92.6 | 91.2-94.0 |
| White/Non-Hisp | 2252 | 2,054,847 | 209 | 7.7 | 6.1- 9.3 | 2043 | 92.3 | 90.7-93.9 |
| Black or Afr. Am./Non-Hisp | 339 | 429,996 | 31 | 6.0 | 2.7- 9.3 | 308 | 94.0 | 90.7-97.3 |
| Oth. Race/Non-Hisp. | 54 | 55,055 | 7 | 14.8 | 0.0-30.5 | 47 | 85.2 | 69.5- 100 |
| MultiRacial/Non-Hisp. | 54 | 23,646 | 5 | 12.2 | 0.0-25.9 | 49 | 87.8 | 74.1- 100 |
| Hispanic | 68 | 120,806 | 6 | 1.2 | 0.0- 2.4 | 62 | 98.8 | 97.6- 100 |
| 18-24 | 139 | 309,417 | 1 | 0.7 | 0.0- 2.1 | 138 | 99.3 | 97.9- 100 |
| 25-34 | 311 | 449,340 | 1 | 0.1 | 0.0- 0.3 | 310 | 99.9 | 99.7- 100 |
| 35-44 | 366 | 426,067 | 11 | 3.7 | 1.0- 6.4 | 355 | 96.3 | 93.6-99.0 |
| 45-54 | 430 | 446,886 | 36 | 9.6 | 5.3-13.9 | 394 | 90.4 | 86.1-94.7 |
| 55-64 | 601 | 458,090 | 62 | 10.3 | 7.0-13.6 | 539 | 89.7 | 86.4-93.0 |
| 65+ | 953 | 626,109 | 154 | 14.7 | 11.6-17.8 | 799 | 85.3 | 82.2-88.4 |
| Less Than H.S. | 257 | 362,352 | 58 | 19.5 | 13.0-26.0 | 199 | 80.5 | 74.0-87.0 |
| H.S. or G.E.D. | 867 | 867,578 | 91 | 8.5 | 6.1-10.9 | 776 | 91.5 | 89.1-93.9 |
| Some Post-H.S. | 757 | 821,280 | 70 | 4.6 | 3.2- 6.0 | 687 | 95.4 | 94.0-96.8 |
| College Graduate | 910 | 657,022 | 45 | 2.6 | 1.4- 3.8 | 865 | 97.4 | 96.2-98.6 |
| Less than \$15,000 | 356 | 313,596 | 71 | 22.1 | 15.4-28.8 | 285 | 77.9 | 71.2-84.6 |
| \$15,000- 24,999 | 498 | 479,019 | 71 | 9.2 | 6.5-11.9 | 427 | 90.8 | 88.1-93.5 |
| \$25,000- 34,999 | 251 | 244,781 | 14 | 4.0 | 0.3- 7.7 | 237 | 96.0 | 92.3-99.7 |
| \$35,000- 49,999 | 321 | 322,485 | 26 | 5.5 | 2.8- 8.2 | 295 | 94.5 | 91.8-97.2 |
| \$50,000- 74,999 | 310 | 302,288 | 11 | 4.8 | 0.9- 8.7 | 299 | 95.2 | 91.3-99.1 |
| \$75,000+ | 521 | 521,832 | 20 | 2.5 | 0.9- 4.1 | 501 | 97.5 | 95.9-99.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5147 | 5,274,685 | 4337 | 85.0 | 83.6-86.4 | 810 | 15.0 | 13.6-16.4 |
| Male | 2324 | 2,540,680 | 2041 | 88.9 | 87.3-90.5 | 283 | 11.1 | 9.5-12.7 |
| Female | 2823 | 2,734,005 | 2296 | 81.3 | 79.1-83.5 | 527 | 18.7 | 16.5-20.9 |
| White/Non-Hisp | 4129 | 3,961,879 | 3497 | 85.5 | 84.1-86.9 | 632 | 14.5 | 13.1-15.9 |
| Black or Afr. Am./Non-Hisp | 594 | 828,404 | 493 | 82.6 | 78.5-86.7 | 101 | 17.4 | 13.3-21.5 |
| Oth. Race/Non-Hisp. | 123 | 139,328 | 101 | 85.2 | 76.4-94.0 | 22 | 14.8 | 6.0-23.6 |
| MultiRacial/Non-Hisp. | 109 | 48,793 | 83 | 72.5 | 60.9-84.1 | 26 | 27.5 | 15.9-39.1 |
| Hispanic | 120 | 217,863 | 101 | 85.0 | 75.8-94.2 | 19 | 15.0 | 5.8-24.2 |
| 18-24 | 300 | 626,818 | 255 | 86.2 | 81.3-91.1 | 45 | 13.8 | 8.9-18.7 |
| 25-34 | 609 | 903,297 | 492 | 82.0 | 78.3-85.7 | 117 | 18.0 | 14.3-21.7 |
| 35-44 | 680 | 839,051 | 579 | 86.0 | 82.5-89.5 | 101 | 14.0 | 10.5-17.5 |
| 45-54 | 832 | 873,458 | 700 | 84.3 | 81.0-87.6 | 132 | 15.7 | 12.4-19.0 |
| 55-64 | 1083 | 889,152 | 900 | 84.2 | 81.5-86.9 | 183 | 15.8 | 13.1-18.5 |
| 65+ | 1643 | 1,142,909 | 1411 | 87.2 | 85.0-89.4 | 232 | 12.8 | 10.6-15.0 |
| Less Than H.S. | 488 | 717,764 | 370 | 78.1 | 73.4-82.8 | 118 | 21.9 | 17.2-26.6 |
| H.S. or G.E.D. | 1596 | 1,736,181 | 1344 | 85.4 | 83.0-87.8 | 252 | 14.6 | 12.2-17.0 |
| Some Post-H.S. | 1347 | 1,549,962 | 1144 | 87.5 | 85.1-89.9 | 203 | 12.5 | 10.1-14.9 |
| College Graduate | 1696 | 1,251,835 | 1460 | 85.2 | 82.8-87.6 | 236 | 14.8 | 12.4-17.2 |
| Less than \$15,000 | 563 | 540,619 | 412 | 74.8 | 69.7-79.9 | 151 | 25.2 | 20.1-30.3 |
| \$15,000- 24,999 | 818 | 830,442 | 660 | 83.8 | 80.7-86.9 | 158 | 16.2 | 13.1-19.3 |
| \$25,000- 34,999 | 461 | 447,120 | 389 | 80.4 | 74.9-85.9 | 72 | 19.6 | 14.1-25.1 |
| \$35,000- 49,999 | 618 | 628,783 | 545 | 87.1 | 83.6-90.6 | 73 | 12.9 | 9.4-16.4 |
| \$50,000- 74,999 | 631 | 671,123 | 550 | 86.4 | 82.5-90.3 | 81 | 13.6 | 9.7-17.5 |
| \$75,000+ | 1182 | 1,250,552 | 1047 | 89.8 | 87.4-92.2 | 135 | 10.2 | 7.8-12.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2324 | 2,540,680 | 2041 | 88.9 | 87.3-90.5 | 283 | 11.1 | 9.5-12.7 |
| White/Non-Hisp | 1869 | 1,903,097 | 1648 | 89.1 | 87.3-90.9 | 221 | 10.9 | 9.1-12.7 |
| Black or Afr. Am./Non-Hisp | 247 | 387,186 | 213 | 88.2 | 83.3-93.1 | 34 | 11.8 | 6.9-16.7 |
| Oth. Race/Non-Hisp. | 67 | 83,831 | 58 | 90.2 | 81.2-99.2 | 9 | 9.8 | 0.8-18.8 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | 43 | 80.1 | 64.2-96.0 | 10 | 19.9 | 4.0-35.8 |
| Hispanic | 51 | 95,722 | 45 | 87.1 | 76.1-98.1 | 6 | 12.9 | 1.9-23.9 |
| 18-24 | 163 | 321,272 | 139 | 89.7 | 85.0-94.4 | 24 | 10.3 | 5.6-15.0 |
| 25-34 | 297 | 449,743 | 243 | 84.0 | 78.9-89.1 | 54 | 16.0 | 10.9-21.1 |
| 35-44 | 312 | 413,705 | 282 | 91.5 | 87.8-95.2 | 30 | 8.5 | 4.8-12.2 |
| 45-54 | 402 | 426,660 | 357 | 90.4 | 87.1-93.7 | 45 | 9.6 | 6.3-12.9 |
| 55-64 | 473 | 423,634 | 411 | 87.4 | 83.7-91.1 | 62 | 12.6 | 8.9-16.3 |
| 65+ | 677 | 505,665 | 609 | 90.9 | 88.2-93.6 | 68 | 9.1 | 6.4-11.8 |
| Less Than H.S. | 224 | 351,745 | 181 | 82.9 | 77.0-88.8 | 43 | 17.1 | 11.2-23.0 |
| H.S. or G.E.D. | 726 | 869,008 | 636 | 89.4 | 86.7-92.1 | 90 | 10.6 | 7.9-13.3 |
| Some Post-H.S. | 579 | 715,056 | 515 | 91.3 | 88.8-93.8 | 64 | 8.7 | 6.2-11.2 |
| College Graduate | 784 | 593,605 | 698 | 88.9 | 86.0-91.8 | 86 | 11.1 | 8.2-14.0 |
| Less than \$15,000 | 199 | 223,461 | 154 | 82.0 | 75.3-88.7 | 45 | 18.0 | 11.3-24.7 |
| \$15,000- 24,999 | 317 | 351,884 | 274 | 86.8 | 82.1-91.5 | 43 | 13.2 | 8.5-17.9 |
| \$25,000- 34,999 | 207 | 199,824 | 174 | 81.0 | 73.7-88.3 | 33 | 19.0 | 11.7-26.3 |
| \$35,000- 49,999 | 295 | 304,148 | 265 | 91.1 | 87.2-95.0 | 30 | 8.9 | 5.0-12.8 |
| \$50,000- 74,999 | 317 | 364,283 | 286 | 91.9 | 88.2-95.6 | 31 | 8.1 | 4.4-11.8 |
| \$75,000+ | 660 | 726,611 | 603 | 92.5 | 90.0-95.0 | 57 | 7.5 | 5.0-10.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2823 | 2,734,005 | 2296 | 81.3 | 79.1-83.5 | 527 | 18.7 | 16.5-20.9 |
| White/Non-Hisp | 2260 | 2,058,782 | 1849 | 82.2 | 80.0-84.4 | 411 | 17.8 | 15.6-20.0 |
| Black or Afr. Am./Non-Hisp | 347 | 441,218 | 280 | 77.7 | 71.4-84.0 | 67 | 22.3 | 16.0-28.6 |
| Oth. Race/Non-Hisp. | 56 | 55,497 | 43 | 77.6 | 61.1-94.1 | 13 | 22.4 | 5.9-38.9 |
| MultiRacial/Non-Hisp. | 56 | 24,370 | 40 | 64.8 | 48.1-81.5 | 16 | 35.2 | 18.5-51.9 |
| Hispanic | 69 | 122,141 | 56 | 83.4 | 69.7-97.1 | 13 | 16.6 | 2.9-30.3 |
| 18-24 | 137 | 305,545 | 116 | 82.5 | 73.9-91.1 | 21 | 17.5 | 8.9-26.1 |
| 25-34 | 312 | 453,554 | 249 | 80.0 | 74.5-85.5 | 63 | 20.0 | 14.5-25.5 |
| 35-44 | 368 | 425,346 | 297 | 80.7 | 75.0-86.4 | 71 | 19.3 | 13.6-25.0 |
| 45-54 | 430 | 446,798 | 343 | 78.5 | 72.8-84.2 | 87 | 21.5 | 15.8-27.2 |
| 55-64 | 610 | 465,518 | 489 | 81.3 | 77.4-85.2 | 121 | 18.7 | 14.8-22.6 |
| 65+ | 966 | 637,243 | 802 | 84.2 | 81.3-87.1 | 164 | 15.8 | 12.9-18.7 |
| Less Than H.S. | 264 | 366,019 | 189 | 73.5 | 66.2-80.8 | 75 | 26.5 | 19.2-33.8 |
| H.S. or G.E.D. | 870 | 867,173 | 708 | 81.4 | 77.7-85.1 | 162 | 18.6 | 14.9-22.3 |
| Some Post-H.S. | 768 | 834,906 | 629 | 84.3 | 80.8-87.8 | 139 | 15.7 | 12.2-19.2 |
| College Graduate | 912 | 658,229 | 762 | 81.8 | 78.3-85.3 | 150 | 18.2 | 14.7-21.7 |
| Less than \$15,000 | 364 | 317,158 | 258 | 69.7 | 62.6-76.8 | 106 | 30.3 | 23.2-37.4 |
| \$15,000- 24,999 | 501 | 478,558 | 386 | 81.7 | 77.2-86.2 | 115 | 18.3 | 13.8-22.8 |
| \$25,000- 34,999 | 254 | 247,295 | 215 | 80.0 | 72.0-88.0 | 39 | 20.0 | 12.0-28.0 |
| \$35,000- 49,999 | 323 | 324,636 | 280 | 83.4 | 77.5-89.3 | 43 | 16.6 | 10.7-22.5 |
| \$50,000- 74,999 | 314 | 306,839 | 264 | 79.9 | 72.8-87.0 | 50 | 20.1 | 13.0-27.2 |
| \$75,000+ | 522 | 523,941 | 444 | 86.0 | 81.9-90.1 | 78 | 14.0 | 9.9-18.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5121 | 5,242,096 | 4579 | 90.2 | 89.0-91.4 | 542 | 9.8 | 8.6-11.0 |
| Male | 2313 | 2,531,384 | 2154 | 93.7 | 92.5-94.9 | 159 | 6.3 | 5.1- 7.5 |
| Female | 2808 | 2,710,713 | 2425 | 87.0 | 85.2-88.8 | 383 | 13.0 | 11.2-14.8 |
| White/Non-Hisp | 4110 | 3,936,961 | 3684 | 90.3 | 89.1-91.5 | 426 | 9.7 | 8.5-10.9 |
| Black or Afr. Am./Non-Hisp | 589 | 821,904 | 523 | 89.3 | 86.2-92.4 | 66 | 10.7 | 7.6-13.8 |
| Oth. Race/Non-Hisp. | 123 | 139,328 | 109 | 90.9 | 84.6-97.2 | 14 | 9.1 | 2.8-15.4 |
| MultiRacial/Non-Hisp. | 109 | 48,793 | 90 | 82.7 | 73.1-92.3 | 19 | 17.3 | 7.7-26.9 |
| Hispanic | 120 | 217,863 | 109 | 91.4 | 83.4-99.4 | 11 | 8.6 | 0.6-16.6 |
| 18-24 | 296 | 615,031 | 277 | 93.0 | 89.1-96.9 | 19 | 7.0 | 3.1-10.9 |
| 25-34 | 601 | 890,042 | 544 | 90.6 | 87.7-93.5 | 57 | 9.4 | 6.5-12.3 |
| 35-44 | 675 | 836,307 | 610 | 91.7 | 89.0-94.4 | 65 | 8.3 | 5.6-11.0 |
| 45-54 | 831 | 872,797 | 743 | 89.7 | 86.8-92.6 | 88 | 10.3 | 7.4-13.2 |
| 55-64 | 1081 | 887,795 | 936 | 86.9 | 84.4-89.4 | 145 | 13.1 | 10.6-15.6 |
| 65+ | 1637 | 1,140,124 | 1469 | 90.2 | 88.2-92.2 | 168 | 9.8 | 7.8-11.8 |
| Less Than H.S. | 484 | 715,330 | 394 | 83.5 | 79.2-87.8 | 90 | 16.5 | 12.2-20.8 |
| H.S. or G.E.D. | 1587 | 1,720,094 | 1419 | 91.1 | 89.3-92.9 | 168 | 8.9 | 7.1-10.7 |
| Some Post-H.S. | 1341 | 1,543,330 | 1205 | 91.8 | 89.8-93.8 | 136 | 8.2 | 6.2-10.2 |
| College Graduate | 1689 | 1,244,398 | 1542 | 90.8 | 88.8-92.8 | 147 | 9.2 | 7.2-11.2 |
| Less than \$15,000 | 556 | 534,552 | 444 | 81.1 | 76.6-85.6 | 112 | 18.9 | 14.4-23.4 |
| \$15,000- 24,999 | 811 | 823,483 | 700 | 89.2 | 86.7-91.7 | 111 | 10.8 | 8.3-13.3 |
| \$25,000- 34,999 | 459 | 442,453 | 410 | 87.7 | 83.0-92.4 | 49 | 12.3 | 7.6-17.0 |
| \$35,000- 49,999 | 615 | 624,435 | 576 | 93.8 | 91.3-96.3 | 39 | 6.2 | 3.7- 8.7 |
| \$50,000- 74,999 | 629 | 669,716 | 576 | 91.4 | 88.1-94.7 | 53 | 8.6 | 5.3-11.9 |
| \$75,000+ | 1180 | 1,245,068 | 1100 | 93.9 | 91.9-95.9 | 80 | 6.1 | 4.1- 8.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2313 | 2,531,384 | 2154 | 93.7 | 92.5-94.9 | 159 | 6.3 | 5.1- 7.5 |
| White/Non-Hisp | 1862 | 1,897,463 | 1739 | 94.0 | 92.6-95.4 | 123 | 6.0 | 4.6- 7.4 |
| Black or Afr. Am./Non-Hisp | 244 | 384,219 | 222 | 91.6 | 87.3-95.9 | 22 | 8.4 | 4.1-12.7 |
| Oth. Race/Non-Hisp. | 67 | 83,831 | 62 | 91.7 | 82.9- 100 | 5 | 8.3 | 0.0-17.1 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | 46 | 84.2 | 68.7-99.7 | 7 | 15.8 | 0.3-31.3 |
| Hispanic | 51 | 95,722 | 50 | 98.8 | 96.4- 100 | 1 | 1.2 | 0.0- 3.6 |
| 18-24 | 161 | 318,164 | 154 | 96.1 | 92.8-99.4 | 7 | 3.9 | 0.6- 7.2 |
| 25-34 | 294 | 446,564 | 272 | 93.0 | 89.3-96.7 | 22 | 7.0 | 3.3-10.7 |
| 35-44 | 311 | 413,232 | 296 | 96.4 | 94.2-98.6 | 15 | 3.6 | 1.4- 5.8 |
| 45-54 | 401 | 426,000 | 373 | 93.9 | 91.2-96.6 | 28 | 6.1 | 3.4- 8.8 |
| 55-64 | 473 | 423,634 | 428 | 89.8 | 86.3-93.3 | 45 | 10.2 | 6.7-13.7 |
| 65+ | 673 | 503,789 | 631 | 93.8 | 91.4-96.2 | 42 | 6.2 | 3.8- 8.6 |
| Less Than H.S. | 221 | 349,786 | 195 | 88.1 | 82.8-93.4 | 26 | 11.9 | 6.6-17.2 |
| H.S. or G.E.D. | 722 | 864,547 | 672 | 94.1 | 92.1-96.1 | 50 | 5.9 | 3.9- 7.9 |
| Some Post-H.S. | 578 | 713,960 | 543 | 95.4 | 93.4-97.4 | 35 | 4.6 | 2.6- 6.6 |
| College Graduate | 781 | 591,825 | 733 | 94.2 | 92.0-96.4 | 48 | 5.8 | 3.6- 8.0 |
| Less than \$15,000 | 194 | 219,231 | 171 | 89.2 | 83.9-94.5 | 23 | 10.8 | 5.5-16.1 |
| \$15,000- 24,999 | 316 | 351,150 | 285 | 90.7 | 86.8-94.6 | 31 | 9.3 | 5.4-13.2 |
| \$25,000- 34,999 | 206 | 198,728 | 185 | 88.5 | 82.4-94.6 | 21 | 11.5 | 5.4-17.6 |
| \$35,000- 49,999 | 294 | 302,945 | 282 | 97.9 | 96.5-99.3 | 12 | 2.1 | 0.7- 3.5 |
| \$50,000- 74,999 | 316 | 363,403 | 300 | 95.7 | 93.0-98.4 | 16 | 4.3 | 1.6- 7.0 |
| \$75,000+ | 660 | 726,611 | 628 | 95.6 | 93.4-97.8 | 32 | 4.4 | 2.2- 6.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2808 | 2,710,713 | 2425 | 87.0 | 85.2-88.8 | 383 | 13.0 | 11.2-14.8 |
| White/Non-Hisp | 2248 | 2,039,498 | 1945 | 86.9 | 84.9-88.9 | 303 | 13.1 | 11.1-15.1 |
| Black or Afr. Am./Non-Hisp | 345 | 437,685 | 301 | 87.4 | 82.7-92.1 | 44 | 12.6 | 7.9-17.3 |
| Oth. Race/Non-Hisp. | 56 | 55,497 | 47 | 89.6 | 81.0-98.2 | 9 | 10.4 | 1.8-19.0 |
| MultiRacial/Non-Hisp. | 56 | 24,370 | 44 | 81.2 | 69.4-93.0 | 12 | 18.8 | 7.0-30.6 |
| Hispanic | 69 | 122,141 | 59 | 85.6 | 72.1-99.1 | 10 | 14.4 | 0.9-27.9 |
| 18-24 | 135 | 296,867 | 123 | 89.8 | 82.7-96.9 | 12 | 10.2 | 3.1-17.3 |
| 25-34 | 307 | 443,478 | 272 | 88.3 | 83.6-93.0 | 35 | 11.7 | 7.0-16.4 |
| 35-44 | 364 | 423,075 | 314 | 87.1 | 82.4-91.8 | 50 | 12.9 | 8.2-17.6 |
| 45-54 | 430 | 446,798 | 370 | 85.7 | 80.8-90.6 | 60 | 14.3 | 9.4-19.2 |
| 55-64 | 608 | 464,161 | 508 | 84.3 | 80.6-88.0 | 100 | 15.7 | 12.0-19.4 |
| 65+ | 964 | 636,335 | 838 | 87.4 | 84.7-90.1 | 126 | 12.6 | 9.9-15.3 |
| Less Than H.S. | 263 | 365,545 | 199 | 79.1 | 72.4-85.8 | 64 | 20.9 | 14.2-27.6 |
| H.S. or G.E.D. | 865 | 855,547 | 747 | 88.1 | 85.4-90.8 | 118 | 11.9 | 9.2-14.6 |
| Some Post-H.S. | 763 | 829,370 | 662 | 88.6 | 85.5-91.7 | 101 | 11.4 | 8.3-14.5 |
| College Graduate | 908 | 652,573 | 809 | 87.7 | 84.6-90.8 | 99 | 12.3 | 9.2-15.4 |
| Less than \$15,000 | 362 | 315,321 | 273 | 75.4 | 68.9-81.9 | 89 | 24.6 | 18.1-31.1 |
| \$15,000- 24,999 | 495 | 472,332 | 415 | 88.1 | 84.6-91.6 | 80 | 11.9 | 8.4-15.4 |
| \$25,000- 34,999 | 253 | 243,724 | 225 | 87.1 | 80.0-94.2 | 28 | 12.9 | 5.8-20.0 |
| \$35,000- 49,999 | 321 | 321,490 | 294 | 89.9 | 85.4-94.4 | 27 | 10.1 | 5.6-14.6 |
| \$50,000- 74,999 | 313 | 306,313 | 276 | 86.4 | 80.1-92.7 | 37 | 13.6 | 7.3-19.9 |
| \$75,000+ | 520 | 518,457 | 472 | 91.4 | 88.1-94.7 | 48 | 8.6 | 5.3-11.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Current | | | Former | | | Never | | |
|----------------------------|-------------------|-----------|---------|------|------------|--------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5121 | 5,242,096 | 542 | 9.8 | 8.6-11.0 | 242 | 4.7 | 3.9- 5.5 | 4337 | 85.5 | 84.1-86.9 |
| Male | 2313 | 2,531,384 | 159 | 6.3 | 5.1- 7.5 | 113 | 4.4 | 3.4- 5.4 | 2041 | 89.3 | 87.7-90.9 |
| Female | 2808 | 2,710,713 | 383 | 13.0 | 11.2-14.8 | 129 | 4.9 | 3.7- 6.1 | 2296 | 82.0 | 80.0-84.0 |
| White/Non-Hisp | 4110 | 3,936,961 | 426 | 9.7 | 8.5-10.9 | 187 | 4.3 | 3.5- 5.1 | 3497 | 86.0 | 84.6-87.4 |
| Black or Afr. Am./Non-Hisp | 589 | 821,904 | 66 | 10.7 | 7.6-13.8 | 30 | 6.0 | 3.3- 8.7 | 493 | 83.3 | 79.2-87.4 |
| Oth. Race/Non-Hisp. | 123 | 139,328 | 14 | 9.1 | 2.8-15.4 | 8 | 5.7 | 0.0-12.4 | 101 | 85.2 | 76.4-94.0 |
| MultiRacial/Non-Hisp. | 109 | 48,793 | 19 | 17.3 | 7.7-26.9 | 7 | 10.2 | 1.8-18.6 | 83 | 72.5 | 60.9-84.1 |
| Hispanic | 120 | 217,863 | 11 | 8.6 | 0.6-16.6 | 8 | 6.4 | 1.3-11.5 | 101 | 85.0 | 75.8-94.2 |
| 18-24 | 296 | 615,031 | 19 | 7.0 | 3.1-10.9 | 22 | 5.2 | 2.5- 7.9 | 255 | 87.9 | 83.2-92.6 |
| 25-34 | 601 | 890,042 | 57 | 9.4 | 6.5-12.3 | 52 | 7.4 | 5.0- 9.8 | 492 | 83.2 | 79.5-86.9 |
| 35-44 | 675 | 836,307 | 65 | 8.3 | 5.6-11.0 | 31 | 5.4 | 3.0- 7.8 | 579 | 86.3 | 82.8-89.8 |
| 45-54 | 831 | 872,797 | 88 | 10.3 | 7.4-13.2 | 43 | 5.4 | 3.2- 7.6 | 700 | 84.3 | 81.0-87.6 |
| 55-64 | 1081 | 887,795 | 145 | 13.1 | 10.6-15.6 | 36 | 2.6 | 1.4- 3.8 | 900 | 84.3 | 81.6-87.0 |
| 65+ | 1637 | 1,140,124 | 168 | 9.8 | 7.8-11.8 | 58 | 2.8 | 1.8- 3.8 | 1411 | 87.4 | 85.2-89.6 |
| Less Than H.S. | 484 | 715,330 | 90 | 16.5 | 12.2-20.8 | 24 | 5.1 | 2.6- 7.6 | 370 | 78.4 | 73.7-83.1 |
| H.S. or G.E.D. | 1587 | 1,720,094 | 168 | 8.9 | 7.1-10.7 | 75 | 5.0 | 3.4- 6.6 | 1344 | 86.2 | 84.0-88.4 |
| Some Post-H.S. | 1341 | 1,543,330 | 136 | 8.2 | 6.2-10.2 | 61 | 3.8 | 2.6- 5.0 | 1144 | 87.9 | 85.5-90.3 |
| College Graduate | 1689 | 1,244,398 | 147 | 9.2 | 7.2-11.2 | 82 | 5.1 | 3.7- 6.5 | 1460 | 85.7 | 83.3-88.1 |
| Less than \$15,000 | 556 | 534,552 | 112 | 18.9 | 14.4-23.4 | 32 | 5.4 | 2.5- 8.3 | 412 | 75.7 | 70.6-80.8 |
| \$15,000- 24,999 | 811 | 823,483 | 111 | 10.8 | 8.3-13.3 | 40 | 4.7 | 2.7- 6.7 | 660 | 84.5 | 81.4-87.6 |
| \$25,000- 34,999 | 459 | 442,453 | 49 | 12.3 | 7.6-17.0 | 21 | 6.4 | 3.1- 9.7 | 389 | 81.3 | 75.8-86.8 |
| \$35,000- 49,999 | 615 | 624,435 | 39 | 6.2 | 3.7- 8.7 | 31 | 6.1 | 3.6- 8.6 | 545 | 87.7 | 84.2-91.2 |
| \$50,000- 74,999 | 629 | 669,716 | 53 | 8.6 | 5.3-11.9 | 26 | 4.9 | 2.4- 7.4 | 550 | 86.6 | 82.7-90.5 |
| \$75,000+ | 1180 | 1,245,068 | 80 | 6.1 | 4.1- 8.1 | 53 | 3.7 | 2.5- 4.9 | 1047 | 90.2 | 88.0-92.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Current | | | Former | | | Never | | |
|----------------------------|-------------------|-----------|---------|------|------------|--------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2313 | 2,531,384 | 159 | 6.3 | 5.1- 7.5 | 113 | 4.4 | 3.4- 5.4 | 2041 | 89.3 | 87.7-90.9 |
| White/Non-Hisp | 1862 | 1,897,463 | 123 | 6.0 | 4.6- 7.4 | 91 | 4.6 | 3.4- 5.8 | 1648 | 89.3 | 87.5-91.1 |
| Black or Afr. Am./Non-Hisp | 244 | 384,219 | 22 | 8.4 | 4.1-12.7 | 9 | 2.6 | 0.4- 4.8 | 213 | 88.9 | 84.0-93.8 |
| Oth. Race/Non-Hisp. | 67 | 83,831 | 5 | 8.3 | 0.0-17.1 | 4 | 1.5 | 0.0- 3.1 | 58 | 90.2 | 81.2-99.2 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | 7 | 15.8 | 0.3-31.3 | 3 | 4.1 | 0.0- 9.0 | 43 | 80.1 | 64.2-96.0 |
| Hispanic | 51 | 95,722 | 1 | 1.2 | 0.0- 3.6 | 5 | 11.7 | 1.1-22.3 | 45 | 87.1 | 76.1-98.1 |
| 18-24 | 161 | 318,164 | 7 | 3.9 | 0.6- 7.2 | 15 | 5.5 | 2.2- 8.8 | 139 | 90.6 | 86.1-95.1 |
| 25-34 | 294 | 446,564 | 22 | 7.0 | 3.3-10.7 | 29 | 8.4 | 4.9-11.9 | 243 | 84.6 | 79.7-89.5 |
| 35-44 | 311 | 413,232 | 15 | 3.6 | 1.4- 5.8 | 14 | 4.8 | 1.9- 7.7 | 282 | 91.6 | 87.9-95.3 |
| 45-54 | 401 | 426,000 | 28 | 6.1 | 3.4- 8.8 | 16 | 3.4 | 1.4- 5.4 | 357 | 90.5 | 87.2-93.8 |
| 55-64 | 473 | 423,634 | 45 | 10.2 | 6.7-13.7 | 17 | 2.4 | 1.0- 3.8 | 411 | 87.4 | 83.7-91.1 |
| 65+ | 673 | 503,789 | 42 | 6.2 | 3.8- 8.6 | 22 | 2.5 | 1.1- 3.9 | 609 | 91.3 | 88.6-94.0 |
| Less Than H.S. | 221 | 349,786 | 26 | 11.9 | 6.6-17.2 | 14 | 4.7 | 1.6- 7.8 | 181 | 83.4 | 77.3-89.5 |
| H.S. or G.E.D. | 722 | 864,547 | 50 | 5.9 | 3.9- 7.9 | 36 | 4.3 | 2.5- 6.1 | 636 | 89.8 | 87.3-92.3 |
| Some Post-H.S. | 578 | 713,960 | 35 | 4.6 | 2.6- 6.6 | 28 | 4.0 | 2.2- 5.8 | 515 | 91.5 | 89.0-94.0 |
| College Graduate | 781 | 591,825 | 48 | 5.8 | 3.6- 8.0 | 35 | 5.0 | 2.8- 7.2 | 698 | 89.1 | 86.2-92.0 |
| Less than \$15,000 | 194 | 219,231 | 23 | 10.8 | 5.5-16.1 | 17 | 5.6 | 1.9- 9.3 | 154 | 83.6 | 77.1-90.1 |
| \$15,000- 24,999 | 316 | 351,150 | 31 | 9.3 | 5.4-13.2 | 11 | 3.8 | 0.9- 6.7 | 274 | 87.0 | 82.3-91.7 |
| \$25,000- 34,999 | 206 | 198,728 | 21 | 11.5 | 5.4-17.6 | 11 | 7.1 | 2.2-12.0 | 174 | 81.4 | 74.1-88.7 |
| \$35,000- 49,999 | 294 | 302,945 | 12 | 2.1 | 0.7- 3.5 | 17 | 6.5 | 3.0-10.0 | 265 | 91.4 | 87.5-95.3 |
| \$50,000- 74,999 | 316 | 363,403 | 16 | 4.3 | 1.6- 7.0 | 14 | 3.6 | 1.2- 6.0 | 286 | 92.1 | 88.6-95.6 |
| \$75,000+ | 660 | 726,611 | 32 | 4.4 | 2.2- 6.6 | 25 | 3.2 | 1.6- 4.8 | 603 | 92.5 | 90.0-95.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 6: CHRONIC HEALTH CONDITIONS
 TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Current | | | Former | | | Never | | |
|----------------------------|-------------------|-----------|---------|------|------------|--------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2808 | 2,710,713 | 383 | 13.0 | 11.2-14.8 | 129 | 4.9 | 3.7- 6.1 | 2296 | 82.0 | 80.0-84.0 |
| White/Non-Hisp | 2248 | 2,039,498 | 303 | 13.1 | 11.1-15.1 | 96 | 3.9 | 2.9- 4.9 | 1849 | 83.0 | 80.8-85.2 |
| Black or Afr. Am./Non-Hisp | 345 | 437,685 | 44 | 12.6 | 7.9-17.3 | 21 | 9.0 | 4.1-13.9 | 280 | 78.4 | 72.1-84.7 |
| Oth. Race/Non-Hisp. | 56 | 55,497 | 9 | 10.4 | 1.8-19.0 | 4 | 12.1 | 0.0-27.6 | 43 | 77.6 | 61.1-94.1 |
| MultiRacial/Non-Hisp. | 56 | 24,370 | 12 | 18.8 | 7.0-30.6 | 4 | 16.3 | 1.0-31.6 | 40 | 64.8 | 48.1-81.5 |
| Hispanic | 69 | 122,141 | 10 | 14.4 | 0.9-27.9 | 3 | 2.2 | 0.0- 4.9 | 56 | 83.4 | 69.7-97.1 |
| 18-24 | 135 | 296,867 | 12 | 10.2 | 3.1-17.3 | 7 | 4.8 | 0.1- 9.5 | 116 | 84.9 | 76.7-93.1 |
| 25-34 | 307 | 443,478 | 35 | 11.7 | 7.0-16.4 | 23 | 6.5 | 3.6- 9.4 | 249 | 81.8 | 76.5-87.1 |
| 35-44 | 364 | 423,075 | 50 | 12.9 | 8.2-17.6 | 17 | 6.0 | 2.3- 9.7 | 297 | 81.1 | 75.4-86.8 |
| 45-54 | 430 | 446,798 | 60 | 14.3 | 9.4-19.2 | 27 | 7.2 | 3.7-10.7 | 343 | 78.5 | 72.8-84.2 |
| 55-64 | 608 | 464,161 | 100 | 15.7 | 12.0-19.4 | 19 | 2.8 | 1.2- 4.4 | 489 | 81.5 | 77.6-85.4 |
| 65+ | 964 | 636,335 | 126 | 12.6 | 9.9-15.3 | 36 | 3.1 | 1.7- 4.5 | 802 | 84.3 | 81.4-87.2 |
| Less Than H.S. | 263 | 365,545 | 64 | 20.9 | 14.2-27.6 | 10 | 5.5 | 1.6- 9.4 | 189 | 73.6 | 66.3-80.9 |
| H.S. or G.E.D. | 865 | 855,547 | 118 | 11.9 | 9.2-14.6 | 39 | 5.6 | 3.1- 8.1 | 708 | 82.5 | 79.0-86.0 |
| Some Post-H.S. | 763 | 829,370 | 101 | 11.4 | 8.3-14.5 | 33 | 3.8 | 2.0- 5.6 | 629 | 84.9 | 81.4-88.4 |
| College Graduate | 908 | 652,573 | 99 | 12.3 | 9.2-15.4 | 47 | 5.2 | 3.4- 7.0 | 762 | 82.5 | 79.0-86.0 |
| Less than \$15,000 | 362 | 315,321 | 89 | 24.6 | 18.1-31.1 | 15 | 5.3 | 1.2- 9.4 | 258 | 70.1 | 63.0-77.2 |
| \$15,000- 24,999 | 495 | 472,332 | 80 | 11.9 | 8.4-15.4 | 29 | 5.3 | 2.6- 8.0 | 386 | 82.7 | 78.4-87.0 |
| \$25,000- 34,999 | 253 | 243,724 | 28 | 12.9 | 5.8-20.0 | 10 | 5.9 | 1.2-10.6 | 215 | 81.2 | 73.4-89.0 |
| \$35,000- 49,999 | 321 | 321,490 | 27 | 10.1 | 5.6-14.6 | 14 | 5.7 | 1.8- 9.6 | 280 | 84.2 | 78.5-89.9 |
| \$50,000- 74,999 | 313 | 306,313 | 37 | 13.6 | 7.3-19.9 | 12 | 6.4 | 1.9-10.9 | 264 | 80.0 | 72.7-87.3 |
| \$75,000+ | 520 | 518,457 | 48 | 8.6 | 5.3-11.9 | 28 | 4.4 | 2.4- 6.4 | 444 | 86.9 | 83.2-90.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Diagnosed with arthritis | | | Not Diagnosed with arthritis | | |
|----------------------------|-------------------|-----------|--------------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5126 | 5,260,474 | 2023 | 32.5 | 30.7-34.3 | 3103 | 67.5 | 65.7-69.3 |
| Male | 2315 | 2,529,984 | 783 | 28.2 | 25.8-30.6 | 1532 | 71.8 | 69.4-74.2 |
| Female | 2811 | 2,730,490 | 1240 | 36.4 | 34.0-38.8 | 1571 | 63.6 | 61.2-66.0 |
| White/Non-Hisp | 4115 | 3,955,694 | 1642 | 34.4 | 32.4-36.4 | 2473 | 65.6 | 63.6-67.6 |
| Black or Afr. Am./Non-Hisp | 589 | 821,882 | 224 | 28.1 | 23.4-32.8 | 365 | 71.9 | 67.2-76.6 |
| Oth. Race/Non-Hisp. | 122 | 138,559 | 45 | 25.5 | 14.3-36.7 | 77 | 74.5 | 63.3-85.7 |
| MultiRacial/Non-Hisp. | 108 | 48,057 | 52 | 40.9 | 28.9-52.9 | 56 | 59.1 | 47.1-71.1 |
| Hispanic | 120 | 217,863 | 26 | 13.8 | 5.8-21.8 | 94 | 86.2 | 78.2-94.2 |
| 18-24 | 303 | 631,887 | 13 | 4.0 | 1.1- 6.9 | 290 | 96.0 | 93.1-98.9 |
| 25-34 | 606 | 900,694 | 74 | 11.6 | 8.3-14.9 | 532 | 88.4 | 85.1-91.7 |
| 35-44 | 678 | 835,629 | 143 | 18.8 | 14.9-22.7 | 535 | 81.2 | 77.3-85.1 |
| 45-54 | 830 | 873,344 | 300 | 36.6 | 32.1-41.1 | 530 | 63.4 | 58.9-67.9 |
| 55-64 | 1075 | 882,400 | 548 | 51.2 | 47.3-55.1 | 527 | 48.8 | 44.9-52.7 |
| 65+ | 1634 | 1,136,519 | 945 | 57.1 | 53.8-60.4 | 689 | 42.9 | 39.6-46.2 |
| Less Than H.S. | 489 | 719,344 | 277 | 48.1 | 42.2-54.0 | 212 | 51.9 | 46.0-57.8 |
| H.S. or G.E.D. | 1593 | 1,737,971 | 706 | 36.3 | 33.2-39.4 | 887 | 63.7 | 60.6-66.8 |
| Some Post-H.S. | 1341 | 1,543,300 | 515 | 28.1 | 25.2-31.0 | 826 | 71.9 | 69.0-74.8 |
| College Graduate | 1683 | 1,240,915 | 519 | 23.3 | 20.8-25.8 | 1164 | 76.7 | 74.2-79.2 |
| Less than \$15,000 | 559 | 539,685 | 326 | 49.4 | 43.5-55.3 | 233 | 50.6 | 44.7-56.5 |
| \$15,000- 24,999 | 818 | 829,249 | 405 | 40.1 | 35.4-44.8 | 413 | 59.9 | 55.2-64.6 |
| \$25,000- 34,999 | 458 | 445,341 | 179 | 31.4 | 25.7-37.1 | 279 | 68.6 | 62.9-74.3 |
| \$35,000- 49,999 | 614 | 626,048 | 226 | 31.8 | 26.9-36.7 | 388 | 68.2 | 63.3-73.1 |
| \$50,000- 74,999 | 626 | 667,336 | 199 | 27.7 | 23.2-32.2 | 427 | 72.3 | 67.8-76.8 |
| \$75,000+ | 1179 | 1,247,811 | 316 | 21.8 | 18.9-24.7 | 863 | 78.2 | 75.3-81.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Diagnosed with arthritis | | | Not Diagnosed with arthritis | | |
|----------------------------|-------------------|-----------|--------------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2315 | 2,529,984 | 783 | 28.2 | 25.8-30.6 | 1532 | 71.8 | 69.4-74.2 |
| White/Non-Hisp | 1865 | 1,897,610 | 636 | 30.3 | 27.8-32.8 | 1229 | 69.7 | 67.2-72.2 |
| Black or Afr. Am./Non-Hisp | 243 | 382,712 | 82 | 24.9 | 18.0-31.8 | 161 | 75.1 | 68.2-82.0 |
| Oth. Race/Non-Hisp. | 67 | 83,831 | 25 | 25.2 | 10.5-39.9 | 42 | 74.8 | 60.1-89.5 |
| MultiRacial/Non-Hisp. | 52 | 23,687 | 22 | 35.3 | 18.6-52.0 | 30 | 64.7 | 48.0-81.4 |
| Hispanic | 51 | 95,722 | 3 | 1.8 | 0.0- 4.2 | 48 | 98.2 | 95.8- 100 |
| 18-24 | 164 | 322,470 | 4 | 2.8 | 0.0- 6.5 | 160 | 97.2 | 93.5- 100 |
| 25-34 | 294 | 447,246 | 26 | 8.5 | 4.4-12.6 | 268 | 91.5 | 87.4-95.6 |
| 35-44 | 309 | 408,185 | 55 | 17.9 | 12.0-23.8 | 254 | 82.1 | 76.2-88.0 |
| 45-54 | 402 | 426,721 | 143 | 34.1 | 27.8-40.4 | 259 | 65.9 | 59.6-72.2 |
| 55-64 | 471 | 421,113 | 219 | 47.4 | 41.5-53.3 | 252 | 52.6 | 46.7-58.5 |
| 65+ | 675 | 504,249 | 336 | 49.3 | 44.4-54.2 | 339 | 50.7 | 45.8-55.6 |
| Less Than H.S. | 225 | 353,325 | 115 | 40.7 | 32.9-48.5 | 110 | 59.3 | 51.5-67.1 |
| H.S. or G.E.D. | 724 | 865,737 | 256 | 30.6 | 26.3-34.9 | 468 | 69.4 | 65.1-73.7 |
| Some Post-H.S. | 577 | 713,269 | 186 | 23.8 | 19.7-27.9 | 391 | 76.2 | 72.1-80.3 |
| College Graduate | 778 | 586,388 | 222 | 22.1 | 18.6-25.6 | 556 | 77.9 | 74.4-81.4 |
| Less than \$15,000 | 199 | 223,461 | 107 | 42.0 | 32.8-51.2 | 92 | 58.0 | 48.8-67.2 |
| \$15,000- 24,999 | 313 | 345,027 | 148 | 38.0 | 30.9-45.1 | 165 | 62.0 | 54.9-69.1 |
| \$25,000- 34,999 | 205 | 198,580 | 81 | 30.8 | 22.6-39.0 | 124 | 69.2 | 61.0-77.4 |
| \$35,000- 49,999 | 293 | 302,616 | 88 | 28.4 | 21.5-35.3 | 205 | 71.6 | 64.7-78.5 |
| \$50,000- 74,999 | 316 | 362,409 | 97 | 27.1 | 20.6-33.6 | 219 | 72.9 | 66.4-79.4 |
| \$75,000+ | 659 | 726,112 | 165 | 20.8 | 16.9-24.7 | 494 | 79.2 | 75.3-83.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Diagnosed with arthritis | | | Not Diagnosed with arthritis | | |
|----------------------------|-------------------|-----------|--------------------------|------|------------|------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2811 | 2,730,490 | 1240 | 36.4 | 34.0-38.8 | 1571 | 63.6 | 61.2-66.0 |
| White/Non-Hisp | 2250 | 2,058,084 | 1006 | 38.2 | 35.5-40.9 | 1244 | 61.8 | 59.1-64.5 |
| Black or Afr. Am./Non-Hisp | 346 | 439,170 | 142 | 30.8 | 24.3-37.3 | 204 | 69.2 | 62.7-75.7 |
| Oth. Race/Non-Hisp. | 55 | 54,729 | 20 | 26.1 | 9.6-42.6 | 35 | 73.9 | 57.4-90.4 |
| MultiRacial/Non-Hisp. | 56 | 24,370 | 30 | 46.3 | 29.6-63.0 | 26 | 53.7 | 37.0-70.4 |
| Hispanic | 69 | 122,141 | 23 | 23.3 | 9.4-37.2 | 46 | 76.7 | 62.8-90.6 |
| 18-24 | 139 | 309,417 | 9 | 5.4 | 0.7-10.1 | 130 | 94.6 | 89.9-99.3 |
| 25-34 | 312 | 453,449 | 48 | 14.6 | 9.7-19.5 | 264 | 85.4 | 80.5-90.3 |
| 35-44 | 369 | 427,444 | 88 | 19.6 | 14.3-24.9 | 281 | 80.4 | 75.1-85.7 |
| 45-54 | 428 | 446,623 | 157 | 38.9 | 32.2-45.6 | 271 | 61.1 | 54.4-67.8 |
| 55-64 | 604 | 461,286 | 329 | 54.6 | 49.3-59.9 | 275 | 45.4 | 40.1-50.7 |
| 65+ | 959 | 632,270 | 609 | 63.4 | 59.3-67.5 | 350 | 36.6 | 32.5-40.7 |
| Less Than H.S. | 264 | 366,019 | 162 | 55.2 | 47.0-63.4 | 102 | 44.8 | 36.6-53.0 |
| H.S. or G.E.D. | 869 | 872,234 | 450 | 42.0 | 37.5-46.5 | 419 | 58.0 | 53.5-62.5 |
| Some Post-H.S. | 764 | 830,032 | 329 | 31.8 | 27.5-36.1 | 435 | 68.2 | 63.9-72.5 |
| College Graduate | 905 | 654,527 | 297 | 24.4 | 20.9-27.9 | 608 | 75.6 | 72.1-79.1 |
| Less than \$15,000 | 360 | 316,224 | 219 | 54.6 | 47.2-62.0 | 141 | 45.4 | 38.0-52.8 |
| \$15,000- 24,999 | 505 | 484,222 | 257 | 41.6 | 35.3-47.9 | 248 | 58.4 | 52.1-64.7 |
| \$25,000- 34,999 | 253 | 246,762 | 98 | 31.9 | 24.3-39.5 | 155 | 68.1 | 60.5-75.7 |
| \$35,000- 49,999 | 321 | 323,432 | 138 | 35.0 | 27.9-42.1 | 183 | 65.0 | 57.9-72.1 |
| \$50,000- 74,999 | 310 | 304,927 | 102 | 28.3 | 21.8-34.8 | 208 | 71.7 | 65.2-78.2 |
| \$75,000+ | 520 | 521,699 | 151 | 23.2 | 18.5-27.9 | 369 | 76.8 | 72.1-81.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 7: ORAL HEALTH CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|---|------|
| ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3) | |
| 1 MALES AND FEMALES | 38 |
| 2 MALES ONLY | 39 |
| 3 FEMALES ONLY | 40 |
| ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3) | |
| 4 MALES AND FEMALES | 41 |
| 5 MALES ONLY | 42 |
| 6 FEMALES ONLY | 43 |
| ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3) | |
| 7 MALES AND FEMALES | 44 |
| 8 MALES ONLY | 45 |
| 9 FEMALES ONLY | 46 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4986 | 5,138,381 | 2396 | 54.0 | 52.0-56.0 | 2590 | 46.0 | 44.0-48.0 |
| Male | 2255 | 2,470,695 | 1125 | 56.1 | 53.4-58.8 | 1130 | 43.9 | 41.2-46.6 |
| Female | 2731 | 2,667,686 | 1271 | 52.0 | 49.3-54.7 | 1460 | 48.0 | 45.3-50.7 |
| White/Non-Hisp | 4007 | 3,860,778 | 1948 | 53.7 | 51.5-55.9 | 2059 | 46.3 | 44.1-48.5 |
| Black or Afr. Am./Non-Hisp | 570 | 806,029 | 253 | 53.6 | 47.9-59.3 | 317 | 46.4 | 40.7-52.1 |
| Oth. Race/Non-Hisp. | 119 | 136,931 | 46 | 54.9 | 41.8-68.0 | 73 | 45.1 | 32.0-58.2 |
| MultiRacial/Non-Hisp. | 105 | 46,785 | 53 | 55.2 | 42.9-67.5 | 52 | 44.8 | 32.5-57.1 |
| Hispanic | 117 | 211,843 | 74 | 65.0 | 52.7-77.3 | 43 | 35.0 | 22.7-47.3 |
| 18-24 | 302 | 631,174 | 278 | 91.1 | 86.4-95.8 | 24 | 8.9 | 4.2-13.6 |
| 25-34 | 605 | 895,833 | 443 | 72.1 | 67.4-76.8 | 162 | 27.9 | 23.2-32.6 |
| 35-44 | 676 | 835,087 | 422 | 60.9 | 56.0-65.8 | 254 | 39.1 | 34.2-44.0 |
| 45-54 | 809 | 851,277 | 428 | 51.4 | 46.7-56.1 | 381 | 48.6 | 43.9-53.3 |
| 55-64 | 1044 | 859,955 | 388 | 38.0 | 34.1-41.9 | 656 | 62.0 | 58.1-65.9 |
| 65+ | 1550 | 1,065,055 | 437 | 26.3 | 23.4-29.2 | 1113 | 73.7 | 70.8-76.6 |
| Less Than H.S. | 455 | 683,525 | 100 | 27.1 | 21.2-33.0 | 355 | 72.9 | 67.0-78.8 |
| H.S. or G.E.D. | 1537 | 1,688,661 | 570 | 48.1 | 44.6-51.6 | 967 | 51.9 | 48.4-55.4 |
| Some Post-H.S. | 1310 | 1,516,328 | 631 | 56.6 | 52.9-60.3 | 679 | 43.4 | 39.7-47.1 |
| College Graduate | 1666 | 1,234,215 | 1085 | 73.5 | 71.0-76.0 | 581 | 26.5 | 24.0-29.0 |
| Less than \$15,000 | 540 | 524,824 | 140 | 30.9 | 25.0-36.8 | 400 | 69.1 | 63.2-75.0 |
| \$15,000- 24,999 | 784 | 799,100 | 268 | 42.3 | 37.0-47.6 | 516 | 57.7 | 52.4-63.0 |
| \$25,000- 34,999 | 447 | 436,836 | 174 | 47.1 | 40.8-53.4 | 273 | 52.9 | 46.6-59.2 |
| \$35,000- 49,999 | 598 | 614,382 | 265 | 50.5 | 45.0-56.0 | 333 | 49.5 | 44.0-55.0 |
| \$50,000- 74,999 | 621 | 659,922 | 331 | 56.7 | 51.4-62.0 | 290 | 43.3 | 38.0-48.6 |
| \$75,000+ | 1174 | 1,242,291 | 824 | 73.5 | 70.2-76.8 | 350 | 26.5 | 23.2-29.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2255 | 2,470,695 | 1125 | 56.1 | 53.4-58.8 | 1130 | 43.9 | 41.2-46.6 |
| White/Non-Hisp | 1816 | 1,849,741 | 907 | 54.9 | 52.0-57.8 | 909 | 45.1 | 42.2-48.0 |
| Black or Afr. Am./Non-Hisp | 238 | 375,816 | 120 | 59.8 | 51.6-68.0 | 118 | 40.2 | 32.0-48.4 |
| Oth. Race/Non-Hisp. | 65 | 83,250 | 26 | 64.7 | 49.2-80.2 | 39 | 35.3 | 19.8-50.8 |
| MultiRacial/Non-Hisp. | 50 | 22,614 | 26 | 59.3 | 41.5-77.1 | 24 | 40.7 | 22.9-58.5 |
| Hispanic | 50 | 93,183 | 31 | 57.9 | 39.9-75.9 | 19 | 42.1 | 24.1-60.1 |
| 18-24 | 163 | 321,757 | 153 | 94.7 | 91.2-98.2 | 10 | 5.3 | 1.8- 8.8 |
| 25-34 | 293 | 443,865 | 226 | 75.5 | 68.8-82.2 | 67 | 24.5 | 17.8-31.2 |
| 35-44 | 309 | 409,623 | 190 | 59.2 | 51.8-66.6 | 119 | 40.8 | 33.4-48.2 |
| 45-54 | 390 | 412,513 | 205 | 52.3 | 45.4-59.2 | 185 | 47.7 | 40.8-54.6 |
| 55-64 | 459 | 409,393 | 169 | 39.1 | 33.2-45.0 | 290 | 60.9 | 55.0-66.8 |
| 65+ | 641 | 473,544 | 182 | 27.1 | 22.6-31.6 | 459 | 72.9 | 68.4-77.4 |
| Less Than H.S. | 210 | 334,543 | 53 | 31.6 | 22.8-40.4 | 157 | 68.4 | 59.6-77.2 |
| H.S. or G.E.D. | 706 | 845,704 | 298 | 54.0 | 49.1-58.9 | 408 | 46.0 | 41.1-50.9 |
| Some Post-H.S. | 561 | 698,061 | 287 | 58.5 | 53.2-63.8 | 274 | 41.5 | 36.2-46.8 |
| College Graduate | 768 | 583,866 | 480 | 70.0 | 66.1-73.9 | 288 | 30.0 | 26.1-33.9 |
| Less than \$15,000 | 191 | 214,193 | 49 | 35.5 | 25.3-45.7 | 142 | 64.5 | 54.3-74.7 |
| \$15,000- 24,999 | 306 | 339,719 | 110 | 41.7 | 33.7-49.7 | 196 | 58.3 | 50.3-66.3 |
| \$25,000- 34,999 | 199 | 192,524 | 81 | 45.9 | 36.7-55.1 | 118 | 54.1 | 44.9-63.3 |
| \$35,000- 49,999 | 284 | 294,535 | 123 | 52.0 | 44.2-59.8 | 161 | 48.0 | 40.2-55.8 |
| \$50,000- 74,999 | 312 | 358,914 | 153 | 58.1 | 50.8-65.4 | 159 | 41.9 | 34.6-49.2 |
| \$75,000+ | 656 | 721,661 | 445 | 70.8 | 66.1-75.5 | 211 | 29.2 | 24.5-33.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2731 | 2,667,686 | 1271 | 52.0 | 49.3-54.7 | 1460 | 48.0 | 45.3-50.7 |
| White/Non-Hisp | 2191 | 2,011,037 | 1041 | 52.6 | 49.7-55.5 | 1150 | 47.4 | 44.5-50.3 |
| Black or Afr. Am./Non-Hisp | 332 | 430,213 | 133 | 48.2 | 40.6-55.8 | 199 | 51.8 | 44.2-59.4 |
| Oth. Race/Non-Hisp. | 54 | 53,681 | 20 | 39.8 | 20.6-59.0 | 34 | 60.2 | 41.0-79.4 |
| MultiRacial/Non-Hisp. | 55 | 24,171 | 27 | 51.4 | 34.5-68.3 | 28 | 48.6 | 31.7-65.5 |
| Hispanic | 67 | 118,660 | 43 | 70.5 | 54.0-87.0 | 24 | 29.5 | 13.0-46.0 |
| 18-24 | 139 | 309,417 | 125 | 87.3 | 78.5-96.1 | 14 | 12.7 | 3.9-21.5 |
| 25-34 | 312 | 451,968 | 217 | 68.8 | 61.9-75.7 | 95 | 31.2 | 24.3-38.1 |
| 35-44 | 367 | 425,464 | 232 | 62.5 | 55.8-69.2 | 135 | 37.5 | 30.8-44.2 |
| 45-54 | 419 | 438,764 | 223 | 50.6 | 44.1-57.1 | 196 | 49.4 | 42.9-55.9 |
| 55-64 | 585 | 450,561 | 219 | 37.1 | 31.8-42.4 | 366 | 62.9 | 57.6-68.2 |
| 65+ | 909 | 591,512 | 255 | 25.7 | 22.0-29.4 | 654 | 74.3 | 70.6-78.0 |
| Less Than H.S. | 245 | 348,983 | 47 | 22.8 | 15.2-30.4 | 198 | 77.2 | 69.6-84.8 |
| H.S. or G.E.D. | 831 | 842,957 | 272 | 42.3 | 37.2-47.4 | 559 | 57.7 | 52.6-62.8 |
| Some Post-H.S. | 749 | 818,267 | 344 | 55.0 | 49.9-60.1 | 405 | 45.0 | 39.9-50.1 |
| College Graduate | 898 | 650,348 | 605 | 76.7 | 73.4-80.0 | 293 | 23.3 | 20.0-26.6 |
| Less than \$15,000 | 349 | 310,630 | 91 | 27.7 | 20.8-34.6 | 258 | 72.3 | 65.4-79.2 |
| \$15,000- 24,999 | 478 | 459,381 | 158 | 42.8 | 35.9-49.7 | 320 | 57.2 | 50.3-64.1 |
| \$25,000- 34,999 | 248 | 244,312 | 93 | 48.1 | 39.3-56.9 | 155 | 51.9 | 43.1-60.7 |
| \$35,000- 49,999 | 314 | 319,847 | 142 | 49.1 | 41.3-56.9 | 172 | 50.9 | 43.1-58.7 |
| \$50,000- 74,999 | 309 | 301,009 | 178 | 55.1 | 47.3-62.9 | 131 | 44.9 | 37.1-52.7 |
| \$75,000+ | 518 | 520,630 | 379 | 77.2 | 72.7-81.7 | 139 | 22.8 | 18.3-27.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 7: ORAL HEALTH

TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1530 | 1,053,783 | 1248 | 78.0 | 74.9-81.1 | 282 | 22.0 | 18.9-25.1 |
| Male | 638 | 469,408 | 531 | 79.2 | 74.7-83.7 | 107 | 20.8 | 16.3-25.3 |
| Female | 892 | 584,375 | 717 | 77.0 | 72.9-81.1 | 175 | 23.0 | 18.9-27.1 |
| White/Non-Hisp | 1301 | 905,569 | 1074 | 78.8 | 75.5-82.1 | 227 | 21.2 | 17.9-24.5 |
| Black or Afr. Am./Non-Hisp | 138 | 105,021 | 111 | 75.4 | 65.2-85.6 | 27 | 24.6 | 14.4-34.8 |
| 65+ | 1530 | 1,053,783 | 1248 | 78.0 | 74.9-81.1 | 282 | 22.0 | 18.9-25.1 |
| Less Than H.S. | 186 | 231,714 | 108 | 55.3 | 46.1-64.5 | 78 | 44.7 | 35.5-53.9 |
| H.S. or G.E.D. | 493 | 340,958 | 371 | 76.6 | 72.1-81.1 | 122 | 23.4 | 18.9-27.9 |
| Some Post-H.S. | 375 | 266,413 | 322 | 86.6 | 82.3-90.9 | 53 | 13.4 | 9.1-17.7 |
| College Graduate | 471 | 211,461 | 445 | 94.8 | 92.3-97.3 | 26 | 5.2 | 2.7- 7.7 |
| Less than \$15,000 | 165 | 126,348 | 104 | 68.3 | 58.9-77.7 | 61 | 31.7 | 22.3-41.1 |
| \$15,000- 24,999 | 283 | 186,307 | 204 | 67.4 | 59.2-75.6 | 79 | 32.6 | 24.4-40.8 |
| \$25,000- 34,999 | 160 | 114,348 | 138 | 79.8 | 69.4-90.2 | 22 | 20.2 | 9.8-30.6 |
| \$35,000- 49,999 | 190 | 124,544 | 164 | 83.2 | 75.9-90.5 | 26 | 16.8 | 9.5-24.1 |
| \$50,000- 74,999 | 149 | 92,857 | 137 | 89.0 | 81.6-96.4 | 12 | 11.0 | 3.6-18.4 |
| \$75,000+ | 252 | 174,069 | 241 | 96.1 | 93.6-98.6 | 11 | 3.9 | 1.4- 6.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 7: ORAL HEALTH

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 638 | 469,408 | 531 | 79.2 | 74.9-83.5 | 107 | 20.8 | 16.5-25.1 |
| White/Non-Hisp | 544 | 405,332 | 455 | 79.8 | 75.3-84.3 | 89 | 20.2 | 15.7-24.7 |
| Black or Afr. Am./Non-Hisp | 54 | 45,432 | 45 | 76.3 | 60.2-92.4 | 9 | 23.7 | 7.6-39.8 |
| 65+ | 638 | 469,408 | 531 | 79.2 | 74.9-83.5 | 107 | 20.8 | 16.5-25.1 |
| Less Than H.S. | 67 | 88,198 | 38 | 53.9 | 40.0-67.8 | 29 | 46.1 | 32.2-60.0 |
| H.S. or G.E.D. | 178 | 138,342 | 138 | 78.7 | 71.3-86.1 | 40 | 21.3 | 13.9-28.7 |
| Some Post-H.S. | 147 | 116,946 | 122 | 82.2 | 74.2-90.2 | 25 | 17.8 | 9.8-25.8 |
| College Graduate | 243 | 124,192 | 231 | 94.9 | 91.6-98.2 | 12 | 5.1 | 1.8- 8.4 |
| \$15,000- 24,999 | 104 | 79,513 | 74 | 64.8 | 52.3-77.3 | 30 | 35.2 | 22.7-47.7 |
| \$25,000- 34,999 | 73 | 50,071 | 61 | 73.0 | 56.9-89.1 | 12 | 27.0 | 10.9-43.1 |
| \$35,000- 49,999 | 91 | 59,274 | 76 | 81.5 | 70.9-92.1 | 15 | 18.5 | 7.9-29.1 |
| \$50,000- 74,999 | 80 | 54,585 | 72 | 84.0 | 72.2-95.8 | 8 | 16.0 | 4.2-27.8 |
| \$75,000+ | 150 | 112,829 | 146 | 97.8 | 95.6- 100 | 4 | 2.2 | 0.0- 4.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 892 | 584,375 | 717 | 77.0 | 72.9-81.1 | 175 | 23.0 | 18.9-27.1 |
| White/Non-Hisp | 757 | 500,237 | 619 | 78.0 | 73.5-82.5 | 138 | 22.0 | 17.5-26.5 |
| Black or Afr. Am./Non-Hisp | 84 | 59,590 | 66 | 74.7 | 61.4-88.0 | 18 | 25.3 | 12.0-38.6 |
| 65+ | 892 | 584,375 | 717 | 77.0 | 72.9-81.1 | 175 | 23.0 | 18.9-27.1 |
| Less Than H.S. | 119 | 143,516 | 70 | 56.1 | 44.3-67.9 | 49 | 43.9 | 32.1-55.7 |
| H.S. or G.E.D. | 315 | 202,616 | 233 | 75.2 | 69.5-80.9 | 82 | 24.8 | 19.1-30.5 |
| Some Post-H.S. | 228 | 149,467 | 200 | 90.0 | 85.5-94.5 | 28 | 10.0 | 5.5-14.5 |
| College Graduate | 228 | 87,268 | 214 | 94.7 | 91.0-98.4 | 14 | 5.3 | 1.6- 9.0 |
| Less than \$15,000 | 117 | 87,044 | 75 | 69.0 | 58.2-79.8 | 42 | 31.0 | 20.2-41.8 |
| \$15,000- 24,999 | 179 | 106,794 | 130 | 69.4 | 58.4-80.4 | 49 | 30.6 | 19.6-41.6 |
| \$25,000- 34,999 | 87 | 64,277 | 77 | 85.0 | 72.1-97.9 | 10 | 15.0 | 2.1-27.9 |
| \$35,000- 49,999 | 99 | 65,270 | 88 | 84.7 | 74.9-94.5 | 11 | 15.3 | 5.5-25.1 |
| \$50,000- 74,999 | 69 | 38,271 | 65 | 96.0 | 91.3- 100 | 4 | 4.0 | 0.0- 8.7 |
| \$75,000+ | 102 | 61,240 | 95 | 92.9 | 87.2-98.6 | 7 | 7.1 | 1.4-12.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5067 | 5,182,117 | 3003 | 58.3 | 56.3-60.3 | 2064 | 41.7 | 39.7-43.7 |
| Male | 2284 | 2,493,891 | 1323 | 56.3 | 53.6-59.0 | 961 | 43.7 | 41.0-46.4 |
| Female | 2783 | 2,688,226 | 1680 | 60.1 | 57.6-62.6 | 1103 | 39.9 | 37.4-42.4 |
| White/Non-Hisp | 4078 | 3,915,578 | 2498 | 60.2 | 58.0-62.4 | 1580 | 39.8 | 37.6-42.0 |
| Black or Afr. Am./Non-Hisp | 577 | 803,339 | 312 | 56.8 | 51.1-62.5 | 265 | 43.2 | 37.5-48.9 |
| Oth. Race/Non-Hisp. | 119 | 129,740 | 57 | 54.6 | 41.3-67.9 | 62 | 45.4 | 32.1-58.7 |
| MultiRacial/Non-Hisp. | 105 | 47,117 | 47 | 37.5 | 26.1-48.9 | 58 | 62.5 | 51.1-73.9 |
| Hispanic | 116 | 207,926 | 59 | 42.8 | 30.3-55.3 | 57 | 57.2 | 44.7-69.7 |
| 18-24 | 297 | 616,840 | 183 | 60.9 | 53.5-68.3 | 114 | 39.1 | 31.7-46.5 |
| 25-34 | 599 | 884,151 | 333 | 57.7 | 52.6-62.8 | 266 | 42.3 | 37.2-47.4 |
| 35-44 | 671 | 829,497 | 385 | 54.6 | 49.5-59.7 | 286 | 45.4 | 40.3-50.5 |
| 45-54 | 826 | 869,352 | 465 | 58.9 | 54.4-63.4 | 361 | 41.1 | 36.6-45.6 |
| 55-64 | 1065 | 867,781 | 641 | 60.1 | 56.2-64.0 | 424 | 39.9 | 36.0-43.8 |
| 65+ | 1609 | 1,114,496 | 996 | 58.3 | 55.0-61.6 | 613 | 41.7 | 38.4-45.0 |
| Less Than H.S. | 475 | 699,917 | 132 | 30.5 | 25.0-36.0 | 343 | 69.5 | 64.0-75.0 |
| H.S. or G.E.D. | 1553 | 1,685,714 | 765 | 51.1 | 47.6-54.6 | 788 | 48.9 | 45.4-52.4 |
| Some Post-H.S. | 1332 | 1,531,407 | 785 | 64.0 | 60.5-67.5 | 547 | 36.0 | 32.5-39.5 |
| College Graduate | 1688 | 1,246,501 | 1309 | 76.4 | 73.7-79.1 | 379 | 23.6 | 20.9-26.3 |
| Less than \$15,000 | 548 | 528,220 | 167 | 31.6 | 25.7-37.5 | 381 | 68.4 | 62.5-74.3 |
| \$15,000- 24,999 | 808 | 814,701 | 329 | 42.1 | 37.0-47.2 | 479 | 57.9 | 52.8-63.0 |
| \$25,000- 34,999 | 453 | 438,841 | 233 | 48.9 | 42.6-55.2 | 220 | 51.1 | 44.8-57.4 |
| \$35,000- 49,999 | 612 | 621,636 | 382 | 61.8 | 56.5-67.1 | 230 | 38.2 | 32.9-43.5 |
| \$50,000- 74,999 | 624 | 664,026 | 425 | 67.7 | 62.6-72.8 | 199 | 32.3 | 27.2-37.4 |
| \$75,000+ | 1178 | 1,244,021 | 959 | 79.2 | 76.1-82.3 | 219 | 20.8 | 17.7-23.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2284 | 2,493,891 | 1323 | 56.3 | 53.6-59.0 | 961 | 43.7 | 41.0-46.4 |
| White/Non-Hisp | 1842 | 1,879,533 | 1098 | 57.6 | 54.5-60.7 | 744 | 42.4 | 39.3-45.5 |
| Black or Afr. Am./Non-Hisp | 242 | 377,422 | 127 | 54.7 | 46.3-63.1 | 115 | 45.3 | 36.9-53.7 |
| Oth. Race/Non-Hisp. | 64 | 74,750 | 31 | 57.8 | 39.8-75.8 | 33 | 42.2 | 24.2-60.2 |
| MultiRacial/Non-Hisp. | 50 | 22,946 | 23 | 36.7 | 20.6-52.8 | 27 | 63.3 | 47.2-79.4 |
| 18-24 | 160 | 315,620 | 100 | 62.9 | 53.5-72.3 | 60 | 37.1 | 27.7-46.5 |
| 25-34 | 289 | 438,382 | 166 | 58.6 | 51.3-65.9 | 123 | 41.4 | 34.1-48.7 |
| 35-44 | 308 | 408,907 | 157 | 46.5 | 39.2-53.8 | 151 | 53.5 | 46.2-60.8 |
| 45-54 | 400 | 426,042 | 217 | 53.3 | 46.6-60.0 | 183 | 46.7 | 40.0-53.4 |
| 55-64 | 463 | 411,864 | 269 | 57.9 | 52.2-63.6 | 194 | 42.1 | 36.4-47.8 |
| 65+ | 664 | 493,076 | 414 | 59.5 | 54.6-64.4 | 250 | 40.5 | 35.6-45.4 |
| Less Than H.S. | 221 | 347,352 | 58 | 30.2 | 22.2-38.2 | 163 | 69.8 | 61.8-77.8 |
| H.S. or G.E.D. | 699 | 832,148 | 342 | 49.9 | 44.8-55.0 | 357 | 50.1 | 45.0-55.2 |
| Some Post-H.S. | 572 | 710,814 | 325 | 61.9 | 56.8-67.0 | 247 | 38.1 | 33.0-43.2 |
| College Graduate | 782 | 592,676 | 591 | 73.5 | 69.4-77.6 | 191 | 26.5 | 22.4-30.6 |
| Less than \$15,000 | 192 | 214,520 | 52 | 28.3 | 18.9-37.7 | 140 | 71.7 | 62.3-81.1 |
| \$15,000- 24,999 | 313 | 347,394 | 111 | 37.6 | 30.0-45.2 | 202 | 62.4 | 54.8-70.0 |
| \$25,000- 34,999 | 203 | 197,335 | 94 | 40.1 | 31.3-48.9 | 109 | 59.9 | 51.1-68.7 |
| \$35,000- 49,999 | 293 | 301,380 | 160 | 52.4 | 44.6-60.2 | 133 | 47.6 | 39.8-55.4 |
| \$50,000- 74,999 | 312 | 359,090 | 202 | 63.2 | 55.8-70.6 | 110 | 36.8 | 29.4-44.2 |
| \$75,000+ | 658 | 721,451 | 512 | 75.1 | 70.8-79.4 | 146 | 24.9 | 20.6-29.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 7: ORAL HEALTH**

TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2783 | 2,688,226 | 1680 | 60.1 | 57.6-62.6 | 1103 | 39.9 | 37.4-42.4 |
| White/Non-Hisp | 2236 | 2,036,045 | 1400 | 62.7 | 60.0-65.4 | 836 | 37.3 | 34.6-40.0 |
| Black or Afr. Am./Non-Hisp | 335 | 425,916 | 185 | 58.7 | 51.3-66.1 | 150 | 41.3 | 33.9-48.7 |
| Oth. Race/Non-Hisp. | 55 | 54,989 | 26 | 50.3 | 30.9-69.7 | 29 | 49.7 | 30.3-69.1 |
| MultiRacial/Non-Hisp. | 55 | 24,171 | 24 | 38.3 | 22.2-54.4 | 31 | 61.7 | 45.6-77.8 |
| Hispanic | 67 | 115,109 | 32 | 37.8 | 21.3-54.3 | 35 | 62.2 | 45.7-78.7 |
| 18-24 | 137 | 301,220 | 83 | 58.8 | 47.2-70.4 | 54 | 41.2 | 29.6-52.8 |
| 25-34 | 310 | 445,769 | 167 | 56.8 | 49.5-64.1 | 143 | 43.2 | 35.9-50.5 |
| 35-44 | 363 | 420,590 | 228 | 62.4 | 55.5-69.3 | 135 | 37.6 | 30.7-44.5 |
| 45-54 | 426 | 443,311 | 248 | 64.2 | 58.3-70.1 | 178 | 35.8 | 29.9-41.7 |
| 55-64 | 602 | 455,917 | 372 | 62.1 | 56.8-67.4 | 230 | 37.9 | 32.6-43.2 |
| 65+ | 945 | 621,420 | 582 | 57.3 | 53.0-61.6 | 363 | 42.7 | 38.4-47.0 |
| Less Than H.S. | 254 | 352,565 | 74 | 30.8 | 23.0-38.6 | 180 | 69.2 | 61.4-77.0 |
| H.S. or G.E.D. | 854 | 853,566 | 423 | 52.3 | 47.4-57.2 | 431 | 47.7 | 42.8-52.6 |
| Some Post-H.S. | 760 | 820,593 | 460 | 65.8 | 61.1-70.5 | 300 | 34.2 | 29.5-38.9 |
| College Graduate | 906 | 653,825 | 718 | 79.1 | 75.4-82.8 | 188 | 20.9 | 17.2-24.6 |
| Less than \$15,000 | 356 | 313,700 | 115 | 33.8 | 26.4-41.2 | 241 | 66.2 | 58.8-73.6 |
| \$15,000- 24,999 | 495 | 467,307 | 218 | 45.4 | 38.7-52.1 | 277 | 54.6 | 47.9-61.3 |
| \$25,000- 34,999 | 250 | 241,507 | 139 | 56.1 | 47.7-64.5 | 111 | 43.9 | 35.5-52.3 |
| \$35,000- 49,999 | 319 | 320,256 | 222 | 70.7 | 63.8-77.6 | 97 | 29.3 | 22.4-36.2 |
| \$50,000- 74,999 | 312 | 304,935 | 223 | 72.9 | 66.0-79.8 | 89 | 27.1 | 20.2-34.0 |
| \$75,000+ | 520 | 522,570 | 447 | 84.8 | 80.3-89.3 | 73 | 15.2 | 10.7-19.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|---|------|
| PREFERRED RACE CATEGORY (_PRACE1). | |
| 1 MALES AND FEMALES | 50 |
| 2 MALES ONLY | 51 |
| 3 FEMALES ONLY | 52 |
| MULTIRACIAL RACE CATEGORIZATION (_MRACE1). | |
| 4 MALES AND FEMALES | 53 |
| 5 MALES ONLY | 54 |
| 6 FEMALES ONLY | 55 |
| RACE/ETHNICITY CATEGORIES (_RACE). | |
| 7 MALES AND FEMALES | 56 |
| 8 MALES ONLY | 57 |
| 9 FEMALES ONLY | 58 |
| WHITE/HISPANIC RACE GROUP (_RACEG21). | |
| 10 MALES AND FEMALES | 59 |
| 11 MALES ONLY | 60 |
| 12 FEMALES ONLY | 61 |
| FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.) | |
| 13 MALES AND FEMALES | 62 |
| 14 MALES ONLY | 63 |
| 15 FEMALES ONLY | 64 |
| ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR). | |
| 16 MALES AND FEMALES | 65 |
| 17 MALES ONLY | 66 |
| 18 FEMALES ONLY | 67 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| TWO-LEVEL AGE CATEGORY (_AGE65YR). | |
| 19 MALES AND FEMALES | 68 |
| 20 MALES ONLY | 69 |
| 21 FEMALES ONLY | 70 |
| REPORTED HEIGHT IN INCHES (HTIN4). | |
| 22 MALES AND FEMALES | 71 |
| 23 MALES ONLY | 72 |
| 24 FEMALES ONLY | 73 |
| REPORTED HEIGHT IN METERS (HTM4). | |
| 25 MALES AND FEMALES | 74 |
| 26 MALES ONLY | 75 |
| 27 FEMALES ONLY | 76 |
| REPORTED WEIGHT IN KILOGRAMS (WTKG3). | |
| 28 MALES AND FEMALES | 77 |
| 29 MALES ONLY | 78 |
| 30 FEMALES ONLY | 79 |
| BODY MASS INDEX (kilograms per meter-squared) (_BMI5). | |
| 31 MALES AND FEMALES | 80 |
| 32 MALES ONLY | 81 |
| 33 FEMALES ONLY | 82 |
| THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT). | |
| 34 MALES AND FEMALES | 83 |
| 35 MALES ONLY | 84 |
| 36 FEMALES ONLY | 85 |
| RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5). | |
| 37 MALES AND FEMALES | 86 |
| 38 MALES ONLY | 87 |
| 39 FEMALES ONLY | 88 |

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 8: DEMOGRAPHICS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|--|------|
| | RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) . | |
| 40 | MALES AND FEMALES | 89 |
| 41 | MALES ONLY | 90 |
| 42 | FEMALES ONLY | 91 |
| | RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) . | |
| 43 | MALES AND FEMALES | 92 |
| 44 | MALES ONLY | 93 |
| 45 | FEMALES ONLY | 94 |
| | RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) . | |
| 46 | MALES AND FEMALES | 95 |
| 47 | MALES ONLY | 96 |
| 48 | FEMALES ONLY | 97 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black | | | American Indian or Alaskan Native | | | Asian | | | Native Hawaiian or Pacific Islander only | | | Other Race, No Preferred Race, Multiracial | | |
|--------------------|-------------------|-----------|-------|------|------------|-------|------|------------|-----------------------------------|-----|------------|-------|-----|------------|--|-----|------------|--|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5106 | 5,206,658 | 4307 | 79.7 | 78.1-81.3 | 623 | 16.3 | 14.7-17.9 | 67 | 1.4 | 0.8- 2.0 | 36 | 1.2 | 0.6- 1.8 | 7 | 0.2 | 0.0- 0.4 | 66 | 1.2 | 0.6- 1.8 |
| Male | 2303 | 2,502,964 | 1950 | 79.4 | 76.9-81.9 | 258 | 15.7 | 13.5-17.9 | 36 | 1.6 | 0.8- 2.4 | 21 | 1.6 | 0.8- 2.4 | 5 | 0.3 | 0.1- 0.5 | 33 | 1.5 | 0.7- 2.3 |
| Female | 2803 | 2,703,694 | 2357 | 80.0 | 77.6-82.4 | 365 | 16.8 | 14.6-19.0 | 31 | 1.2 | 0.6- 1.8 | 15 | 0.9 | 0.3- 1.5 | 2 | 0.1 | 0.0- 0.3 | 33 | 1.0 | 0.4- 1.6 |
| 18-24 | 294 | 605,719 | 237 | 74.6 | 67.5-81.7 | 42 | 17.9 | 11.6-24.2 | 3 | 1.6 | 0.0- 3.8 | 6 | 3.7 | 0.6- 6.8 | 4 | 1.1 | 0.0- 2.3 | 2 | 1.0 | 0.0- 2.8 |
| 25-34 | 601 | 886,113 | 479 | 75.7 | 71.2-80.2 | 102 | 21.6 | 17.3-25.9 | 3 | 0.4 | 0.0- 0.8 | 6 | 0.7 | 0.0- 1.5 | 3 | 0.3 | 0.0- 0.7 | 8 | 1.3 | 0.1- 2.5 |
| 35-44 | 673 | 826,109 | 538 | 72.3 | 67.4-77.2 | 100 | 21.9 | 17.2-26.6 | 12 | 2.3 | 0.5- 4.1 | 10 | 1.7 | 0.5- 2.9 | | | | 13 | 1.9 | 0.5- 3.3 |
| 45-54 | 824 | 865,972 | 713 | 80.9 | 76.6-85.2 | 76 | 13.2 | 9.7-16.7 | 16 | 2.2 | 0.4- 4.0 | 6 | 1.3 | 0.1- 2.5 | | | | 13 | 2.4 | 0.2- 4.6 |
| 55-64 | 1077 | 884,179 | 905 | 82.7 | 79.6-85.8 | 139 | 15.0 | 12.1-17.9 | 12 | 0.9 | 0.1- 1.7 | 4 | 0.5 | 0.0- 1.1 | | | | 17 | 0.9 | 0.3- 1.5 |
| 65+ | 1637 | 1,138,565 | 1435 | 87.6 | 85.4-89.8 | 164 | 10.5 | 8.3-12.7 | 21 | 1.2 | 0.4- 2.0 | 4 | 0.3 | 0.0- 0.7 | | | | 13 | 0.3 | 0.1- 0.5 |
| Less Than H.S. | 479 | 696,895 | 390 | 77.2 | 71.7-82.7 | 65 | 15.5 | 11.0-20.0 | 11 | 3.0 | 0.8- 5.2 | 1 | 0.1 | 0.0- 0.3 | 1 | 0.1 | 0.0- 0.3 | 11 | 4.1 | 1.0- 7.2 |
| H.S. or G.E.D. | 1594 | 1,730,774 | 1313 | 76.9 | 73.8-80.0 | 230 | 19.1 | 16.2-22.0 | 22 | 1.6 | 0.6- 2.6 | 8 | 1.2 | 0.2- 2.2 | 1 | 0.1 | 0.0- 0.3 | 20 | 1.1 | 0.3- 1.9 |
| Some Post-H.S. | 1338 | 1,534,076 | 1125 | 80.7 | 77.6-83.8 | 170 | 16.7 | 13.8-19.6 | 16 | 0.9 | 0.3- 1.5 | 5 | 0.6 | 0.0- 1.2 | 4 | 0.4 | 0.0- 0.8 | 18 | 0.8 | 0.2- 1.4 |
| College Graduate | 1684 | 1,235,437 | 1471 | 83.8 | 81.1-86.5 | 157 | 12.4 | 9.9-14.9 | 17 | 0.7 | 0.1- 1.3 | 21 | 2.6 | 1.2- 4.0 | 1 | 0.1 | 0.0- 0.3 | 17 | 0.4 | 0.2- 0.6 |
| Less than \$15,000 | 554 | 522,240 | 413 | 68.1 | 62.2-74.0 | 114 | 25.9 | 20.4-31.4 | 15 | 4.0 | 0.9- 7.1 | 2 | 0.8 | 0.0- 2.2 | 1 | 0.1 | 0.0- 0.3 | 9 | 1.1 | 0.1- 2.1 |
| \$15,000- 24,999 | 810 | 812,492 | 647 | 73.1 | 68.4-77.8 | 128 | 21.9 | 17.4-26.4 | 14 | 1.8 | 0.4- 3.2 | 2 | 0.4 | 0.0- 0.8 | | | | 19 | 2.8 | 0.6- 5.0 |
| \$25,000- 34,999 | 459 | 445,719 | 372 | 80.3 | 75.0-85.6 | 67 | 16.6 | 11.5-21.7 | 12 | 2.2 | 0.4- 4.0 | 4 | 0.5 | 0.0- 1.1 | 1 | 0.2 | 0.0- 0.6 | 3 | 0.1 | 0.0- 0.3 |
| \$35,000- 49,999 | 618 | 629,298 | 545 | 84.1 | 79.6-88.6 | 57 | 13.2 | 8.9-17.5 | 4 | 0.4 | 0.0- 0.8 | 6 | 1.6 | 0.0- 3.2 | 2 | 0.5 | 0.0- 1.3 | 4 | 0.2 | 0.0- 0.4 |
| \$50,000- 74,999 | 629 | 667,902 | 552 | 82.9 | 78.2-87.6 | 62 | 14.3 | 10.0-18.6 | 8 | 1.9 | 0.0- 3.9 | 1 | 0.1 | 0.0- 0.3 | | | | 6 | 0.7 | 0.0- 1.7 |
| \$75,000+ | 1177 | 1,243,943 | 1075 | 87.3 | 84.4-90.2 | 73 | 10.1 | 7.4-12.8 | 6 | 0.5 | 0.0- 1.1 | 10 | 1.5 | 0.3- 2.7 | 1 | 0.1 | 0.0- 0.3 | 12 | 0.5 | 0.1- 0.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black | | | American Indian or Alaskan Native | | | Asian | | | Native Hawaiian or Pacific Islander only | | | Other Race, No Preferred Race, Multiracial | | |
|--------------------|-------------------|-----------|-------|------|------------|-------|------|------------|-----------------------------------|-----|------------|-------|-----|------------|--|-----|------------|--|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2303 | 2,502,964 | 1950 | 79.4 | 77.0-81.8 | 258 | 15.7 | 13.5-17.9 | 36 | 1.6 | 0.8- 2.4 | 21 | 1.6 | 0.8- 2.4 | 5 | 0.3 | 0.1- 0.5 | 33 | 1.5 | 0.7- 2.3 |
| 18-24 | 158 | 307,188 | 124 | 69.0 | 59.2-78.8 | 25 | 20.0 | 11.8-28.2 | 2 | 2.7 | 0.0- 6.8 | 3 | 4.8 | 0.0-10.1 | 3 | 1.7 | 0.0- 3.7 | 1 | 1.8 | 0.0- 5.3 |
| 25-34 | 293 | 439,260 | 234 | 75.9 | 69.2-82.6 | 47 | 20.6 | 14.3-26.9 | 1 | 0.4 | 0.0- 1.2 | 5 | 0.9 | 0.1- 1.7 | 2 | 0.3 | 0.0- 0.7 | 4 | 2.0 | 0.0- 4.4 |
| 35-44 | 310 | 409,781 | 256 | 74.5 | 67.2-81.8 | 36 | 19.6 | 12.7-26.5 | 5 | 1.2 | 0.0- 3.0 | 7 | 2.6 | 0.4- 4.8 | | | | 6 | 2.2 | 0.0- 4.4 |
| 45-54 | 394 | 418,481 | 343 | 82.3 | 76.4-88.2 | 34 | 12.0 | 7.1-16.9 | 8 | 2.6 | 0.0- 5.3 | 3 | 1.6 | 0.0- 3.6 | | | | 6 | 1.6 | 0.0- 4.0 |
| 55-64 | 472 | 423,257 | 397 | 82.1 | 77.4-86.8 | 55 | 14.4 | 9.9-18.9 | 6 | 1.3 | 0.0- 2.9 | 2 | 0.7 | 0.0- 1.7 | | | | 12 | 1.5 | 0.3- 2.7 |
| 65+ | 676 | 504,998 | 596 | 88.1 | 84.8-91.4 | 61 | 10.0 | 6.7-13.3 | 14 | 1.6 | 0.6- 2.6 | 1 | 0.1 | 0.0- 0.3 | | | | 4 | 0.2 | 0.0- 0.4 |
| Less Than H.S. | 222 | 348,787 | 180 | 74.6 | 66.6-82.6 | 29 | 18.2 | 10.9-25.5 | 6 | 2.3 | 0.1- 4.5 | | | | 1 | 0.2 | 0.0- 0.6 | 6 | 4.8 | 0.1- 9.5 |
| H.S. or G.E.D. | 721 | 857,754 | 593 | 76.5 | 71.8-81.2 | 102 | 17.9 | 13.8-22.0 | 11 | 2.1 | 0.1- 4.1 | 5 | 2.1 | 0.1- 4.1 | 1 | 0.2 | 0.0- 0.6 | 9 | 1.2 | 0.2- 2.2 |
| Some Post-H.S. | 575 | 705,227 | 482 | 80.3 | 75.6-85.0 | 71 | 16.0 | 11.7-20.3 | 8 | 1.3 | 0.0- 2.7 | 3 | 0.8 | 0.0- 2.0 | 2 | 0.5 | 0.0- 1.3 | 9 | 1.1 | 0.1- 2.1 |
| College Graduate | 778 | 584,797 | 690 | 85.5 | 81.6-89.4 | 55 | 10.9 | 7.2-14.6 | 11 | 0.6 | 0.2- 1.0 | 12 | 2.3 | 0.7- 3.9 | 1 | 0.1 | 0.0- 0.3 | 9 | 0.6 | 0.2- 1.0 |
| Less than \$15,000 | 194 | 208,750 | 141 | 72.0 | 62.8-81.2 | 41 | 22.1 | 14.1-30.1 | 8 | 5.0 | 0.0-10.9 | | | | 1 | 0.3 | 0.0- 0.9 | 3 | 0.6 | 0.0- 1.6 |
| \$15,000- 24,999 | 311 | 340,057 | 254 | 69.7 | 61.7-77.7 | 42 | 23.7 | 16.1-31.3 | 7 | 1.4 | 0.0- 2.8 | 2 | 0.8 | 0.0- 2.0 | | | | 6 | 4.5 | 0.0- 9.0 |
| \$25,000- 34,999 | 206 | 199,522 | 171 | 84.6 | 77.3-91.9 | 26 | 12.1 | 5.4-18.8 | 5 | 2.2 | 0.0- 5.3 | 2 | 0.5 | 0.0- 1.3 | 1 | 0.5 | 0.0- 1.5 | 1 | 0.0 | 0.0- 0.0 |
| \$35,000- 49,999 | 296 | 305,728 | 264 | 84.9 | 78.6-91.2 | 24 | 12.3 | 6.2-18.4 | 2 | 0.4 | 0.0- 1.2 | 3 | 1.5 | 0.0- 3.9 | 1 | 0.6 | 0.0- 1.8 | 2 | 0.3 | 0.0- 0.7 |
| \$50,000- 74,999 | 316 | 363,119 | 273 | 81.8 | 75.1-88.5 | 30 | 13.4 | 7.5-19.3 | 7 | 3.4 | 0.0- 6.9 | | | | | | | 6 | 1.3 | 0.0- 3.3 |
| \$75,000+ | 657 | 722,389 | 599 | 86.0 | 81.9-90.1 | 39 | 10.8 | 6.9-14.7 | 3 | 0.4 | 0.0- 1.0 | 7 | 2.1 | 0.3- 3.9 | 1 | 0.1 | 0.0- 0.3 | 8 | 0.6 | 0.0- 1.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White | | | Black | | | American Indian or Alaskan Native | | | Asian | | | Native Hawaiian or Pacific Islander only | | | Other Race, No Preferred Race, Multiracial | | |
|--------------------|-------------------|-----------|-------|------|------------|-------|------|------------|-----------------------------------|-----|------------|-------|-----|------------|--|-----|------------|--|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2803 | 2,703,694 | 2357 | 80.0 | 77.8-82.2 | 365 | 16.8 | 14.6-19.0 | 31 | 1.2 | 0.6- 1.8 | 15 | 0.9 | 0.3- 1.5 | 2 | 0.1 | 0.0- 0.3 | 33 | 1.0 | 0.4- 1.6 |
| 18-24 | 136 | 298,531 | 113 | 80.4 | 70.4-90.4 | 17 | 15.9 | 6.3-25.5 | 1 | 0.4 | 0.0- 1.2 | 3 | 2.6 | 0.0- 5.9 | 1 | 0.4 | 0.0- 1.2 | 1 | 0.2 | 0.0- 0.6 |
| 25-34 | 308 | 446,853 | 245 | 75.5 | 69.2-81.8 | 55 | 22.7 | 16.4-29.0 | 2 | 0.3 | 0.0- 0.7 | 1 | 0.6 | 0.0- 1.8 | 1 | 0.3 | 0.0- 0.9 | 4 | 0.6 | 0.0- 1.4 |
| 35-44 | 363 | 416,328 | 282 | 70.2 | 63.5-76.9 | 64 | 24.0 | 17.5-30.5 | 7 | 3.3 | 0.4- 6.2 | 3 | 0.9 | 0.0- 2.1 | | | | 7 | 1.6 | 0.0- 3.4 |
| 45-54 | 430 | 447,491 | 370 | 79.7 | 73.6-85.8 | 42 | 14.3 | 9.2-19.4 | 8 | 1.9 | 0.0- 4.1 | 3 | 1.0 | 0.0- 2.4 | | | | 7 | 3.1 | 0.0- 6.4 |
| 55-64 | 605 | 460,923 | 508 | 83.3 | 79.2-87.4 | 84 | 15.6 | 11.5-19.7 | 6 | 0.5 | 0.1- 0.9 | 2 | 0.4 | 0.0- 1.0 | | | | 5 | 0.3 | 0.0- 0.7 |
| 65+ | 961 | 633,567 | 839 | 87.2 | 84.3-90.1 | 103 | 10.9 | 8.2-13.6 | 7 | 0.9 | 0.0- 1.9 | 3 | 0.6 | 0.0- 1.4 | | | | 9 | 0.3 | 0.1- 0.5 |
| Less Than H.S. | 257 | 348,108 | 210 | 79.8 | 72.7-86.9 | 36 | 12.9 | 7.4-18.4 | 5 | 3.7 | 0.0- 7.4 | 1 | 0.2 | 0.0- 0.6 | | | | 5 | 3.4 | 0.0- 7.7 |
| H.S. or G.E.D. | 873 | 873,020 | 720 | 77.4 | 73.1-81.7 | 128 | 20.2 | 15.9-24.5 | 11 | 1.1 | 0.1- 2.1 | 3 | 0.3 | 0.0- 0.7 | | | | 11 | 1.0 | 0.0- 2.0 |
| Some Post-H.S. | 763 | 828,849 | 643 | 81.0 | 76.9-85.1 | 99 | 17.3 | 13.2-21.4 | 8 | 0.5 | 0.1- 0.9 | 2 | 0.3 | 0.0- 0.9 | 2 | 0.3 | 0.0- 0.7 | 9 | 0.6 | 0.2- 1.0 |
| College Graduate | 906 | 650,640 | 781 | 82.4 | 78.7-86.1 | 102 | 13.8 | 10.5-17.1 | 6 | 0.8 | 0.0- 1.6 | 9 | 2.7 | 0.7- 4.7 | | | | 8 | 0.2 | 0.0- 0.4 |
| Less than \$15,000 | 360 | 313,490 | 272 | 65.4 | 57.8-73.0 | 73 | 28.4 | 21.1-35.7 | 7 | 3.4 | 0.0- 6.9 | 2 | 1.3 | 0.0- 3.5 | | | | 6 | 1.4 | 0.0- 2.8 |
| \$15,000- 24,999 | 499 | 472,434 | 393 | 75.6 | 70.1-81.1 | 86 | 20.6 | 15.3-25.9 | 7 | 2.1 | 0.0- 4.3 | | | | | | | 13 | 1.6 | 0.0- 3.2 |
| \$25,000- 34,999 | 253 | 246,197 | 201 | 76.8 | 69.4-84.2 | 41 | 20.2 | 12.9-27.5 | 7 | 2.2 | 0.4- 4.0 | 2 | 0.5 | 0.0- 1.3 | | | | 2 | 0.2 | 0.0- 0.6 |
| \$35,000- 49,999 | 322 | 323,570 | 281 | 83.4 | 76.7-90.1 | 33 | 14.0 | 7.5-20.5 | 2 | 0.3 | 0.0- 0.9 | 3 | 1.7 | 0.0- 3.9 | 1 | 0.4 | 0.0- 1.2 | 2 | 0.2 | 0.0- 0.6 |
| \$50,000- 74,999 | 313 | 304,783 | 279 | 84.3 | 78.0-90.6 | 32 | 15.3 | 9.0-21.6 | 1 | 0.2 | 0.0- 0.6 | 1 | 0.2 | 0.0- 0.6 | | | | | | |
| \$75,000+ | 520 | 521,554 | 476 | 89.2 | 85.1-93.3 | 34 | 9.0 | 5.1-12.9 | 3 | 0.7 | 0.0- 1.7 | 3 | 0.8 | 0.0- 1.8 | | | | 4 | 0.4 | 0.0- 1.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | American Indian or Alaska Native only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | Other Race only Multiracial | | |
|--------------------|-------------------|-----------|------------|------|------------|------------|------|------------|---------------------------------------|-----|------------|------------|-----|------------|--|-----|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5106 | 5,206,658 | 4238 | 79.1 | 77.5-80.7 | 605 | 16.1 | 14.5-17.7 | 54 | 1.3 | 0.7- 1.9 | 34 | 1.2 | 0.6- 1.8 | 6 | 0.2 | 0.0- 0.4 | 169 | 2.1 | 1.5- 2.7 |
| Male | 2303 | 2,502,964 | 1917 | 78.7 | 76.2-81.2 | 250 | 15.6 | 13.4-17.8 | 28 | 1.5 | 0.7- 2.3 | 19 | 1.5 | 0.7- 2.3 | 4 | 0.2 | 0.0- 0.4 | 85 | 2.4 | 1.6- 3.2 |
| Female | 2803 | 2,703,694 | 2321 | 79.5 | 77.1-81.9 | 355 | 16.6 | 14.4-18.8 | 26 | 1.1 | 0.5- 1.7 | 15 | 0.9 | 0.3- 1.5 | 2 | 0.1 | 0.0- 0.3 | 84 | 1.8 | 1.0- 2.6 |
| 18-24 | 294 | 605,719 | 228 | 73.9 | 66.8-81.0 | 39 | 17.7 | 11.4-24.0 | 2 | 1.4 | 0.0- 3.6 | 6 | 3.7 | 0.6- 6.8 | 4 | 1.1 | 0.0- 2.3 | 15 | 2.2 | 0.2- 4.2 |
| 25-34 | 601 | 886,113 | 470 | 75.1 | 70.6-79.6 | 98 | 21.5 | 17.2-25.8 | 2 | 0.3 | 0.0- 0.7 | 4 | 0.6 | 0.0- 1.4 | 2 | 0.2 | 0.0- 0.6 | 25 | 2.3 | 0.9- 3.7 |
| 35-44 | 673 | 826,109 | 530 | 71.6 | 66.7-76.5 | 94 | 21.5 | 16.8-26.2 | 7 | 2.0 | 0.2- 3.8 | 10 | 1.7 | 0.5- 2.9 | | | | 32 | 3.2 | 1.6- 4.8 |
| 45-54 | 824 | 865,972 | 701 | 80.4 | 76.1-84.7 | 76 | 13.2 | 9.7-16.7 | 14 | 2.1 | 0.3- 3.9 | 6 | 1.3 | 0.1- 2.5 | | | | 27 | 3.1 | 0.9- 5.3 |
| 55-64 | 1077 | 884,179 | 896 | 82.4 | 79.3-85.5 | 139 | 15.0 | 12.1-17.9 | 11 | 0.8 | 0.0- 1.6 | 4 | 0.5 | 0.0- 1.1 | | | | 27 | 1.2 | 0.6- 1.8 |
| 65+ | 1637 | 1,138,565 | 1413 | 86.9 | 84.7-89.1 | 159 | 10.5 | 8.3-12.7 | 18 | 1.1 | 0.3- 1.9 | 4 | 0.3 | 0.0- 0.7 | | | | 43 | 1.1 | 0.5- 1.7 |
| Less Than H.S. | 479 | 696,895 | 383 | 76.6 | 71.1-82.1 | 63 | 15.5 | 11.0-20.0 | 11 | 3.0 | 0.8- 5.2 | 1 | 0.1 | 0.0- 0.3 | | | | 21 | 4.9 | 1.6- 8.2 |
| H.S. or G.E.D. | 1594 | 1,730,774 | 1289 | 76.3 | 73.2-79.4 | 227 | 19.0 | 16.1-21.9 | 16 | 1.4 | 0.4- 2.4 | 8 | 1.2 | 0.2- 2.2 | 1 | 0.1 | 0.0- 0.3 | 53 | 2.0 | 1.2- 2.8 |
| Some Post-H.S. | 1338 | 1,534,076 | 1102 | 80.0 | 76.9-83.1 | 165 | 16.6 | 13.7-19.5 | 14 | 0.8 | 0.2- 1.4 | 4 | 0.5 | 0.0- 1.1 | 4 | 0.4 | 0.0- 0.8 | 49 | 1.8 | 1.2- 2.4 |
| College Graduate | 1684 | 1,235,437 | 1456 | 83.5 | 80.8-86.2 | 149 | 12.2 | 9.8-14.6 | 12 | 0.6 | 0.2- 1.0 | 20 | 2.5 | 1.1- 3.9 | 1 | 0.1 | 0.0- 0.3 | 46 | 1.2 | 0.8- 1.6 |
| Less than \$15,000 | 554 | 522,240 | 404 | 67.8 | 61.9-73.7 | 110 | 25.6 | 20.1-31.1 | 13 | 3.7 | 0.6- 6.8 | 2 | 0.8 | 0.0- 2.2 | | | | 25 | 2.1 | 0.9- 3.3 |
| \$15,000- 24,999 | 810 | 812,492 | 629 | 71.9 | 67.2-76.6 | 126 | 21.8 | 17.3-26.3 | 11 | 1.6 | 0.2- 3.0 | 2 | 0.4 | 0.0- 0.8 | | | | 42 | 4.3 | 2.1- 6.5 |
| \$25,000- 34,999 | 459 | 445,719 | 365 | 79.3 | 74.0-84.6 | 66 | 16.5 | 11.4-21.6 | 8 | 1.8 | 0.0- 3.6 | 4 | 0.5 | 0.0- 1.1 | 1 | 0.2 | 0.0- 0.6 | 15 | 1.7 | 0.7- 2.7 |
| \$35,000- 49,999 | 618 | 629,298 | 538 | 83.6 | 79.1-88.1 | 52 | 12.9 | 8.6-17.2 | 4 | 0.4 | 0.0- 0.8 | 4 | 1.4 | 0.0- 3.0 | 2 | 0.5 | 0.0- 1.3 | 18 | 1.2 | 0.4- 2.0 |
| \$50,000- 74,999 | 629 | 667,902 | 546 | 82.6 | 77.9-87.3 | 59 | 14.2 | 9.9-18.5 | 4 | 1.7 | 0.0- 3.7 | 1 | 0.1 | 0.0- 0.3 | | | | 19 | 1.4 | 0.2- 2.6 |
| \$75,000+ | 1177 | 1,243,943 | 1067 | 87.1 | 84.2-90.0 | 72 | 10.0 | 7.3-12.7 | 6 | 0.5 | 0.0- 1.1 | 10 | 1.5 | 0.3- 2.7 | 1 | 0.1 | 0.0- 0.3 | 21 | 0.7 | 0.3- 1.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | American Indian or Alaska Native only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | Other Race only Multiracial | | |
|--------------------|-------------------|-----------|------------|------|------------|------------|------|------------|---------------------------------------|-----|------------|------------|-----|------------|--|-----|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2303 | 2,502,964 | 1917 | 78.7 | 76.3-81.1 | 250 | 15.6 | 13.4-17.8 | 28 | 1.5 | 0.7- 2.3 | 19 | 1.5 | 0.7- 2.3 | 4 | 0.2 | 0.0- 0.4 | 85 | 2.4 | 1.6- 3.2 |
| 18-24 | 158 | 307,188 | 118 | 68.2 | 58.4-78.0 | 24 | 19.8 | 11.6-28.0 | 2 | 2.7 | 0.0- 6.8 | 3 | 4.8 | 0.0-10.1 | 3 | 1.7 | 0.0- 3.7 | 8 | 2.8 | 0.0- 6.3 |
| 25-34 | 293 | 439,260 | 230 | 75.3 | 68.6-82.0 | 45 | 20.4 | 14.1-26.7 | 1 | 0.4 | 0.0- 1.2 | 3 | 0.6 | 0.0- 1.4 | 1 | 0.2 | 0.0- 0.6 | 13 | 3.1 | 0.7- 5.5 |
| 35-44 | 310 | 409,781 | 251 | 73.3 | 66.0-80.6 | 34 | 19.5 | 12.6-26.4 | 2 | 1.1 | 0.0- 2.9 | 7 | 2.6 | 0.4- 4.8 | | | | 16 | 3.7 | 1.2- 6.2 |
| 45-54 | 394 | 418,481 | 337 | 81.8 | 75.9-87.7 | 34 | 12.0 | 7.1-16.9 | 7 | 2.4 | 0.0- 4.9 | 3 | 1.6 | 0.0- 3.6 | | | | 13 | 2.2 | 0.0- 4.6 |
| 55-64 | 472 | 423,257 | 393 | 81.7 | 77.0-86.4 | 55 | 14.4 | 9.9-18.9 | 5 | 1.2 | 0.0- 2.8 | 2 | 0.7 | 0.0- 1.7 | | | | 17 | 2.0 | 0.8- 3.2 |
| 65+ | 676 | 504,998 | 588 | 87.4 | 84.1-90.7 | 58 | 10.0 | 6.7-13.3 | 11 | 1.4 | 0.4- 2.4 | 1 | 0.1 | 0.0- 0.3 | | | | 18 | 1.2 | 0.4- 2.0 |
| Less Than H.S. | 222 | 348,787 | 179 | 74.3 | 66.3-82.3 | 27 | 18.0 | 10.7-25.3 | 6 | 2.3 | 0.1- 4.5 | | | | | | | 10 | 5.4 | 0.7-10.1 |
| H.S. or G.E.D. | 721 | 857,754 | 580 | 75.7 | 71.0-80.4 | 101 | 17.9 | 13.8-22.0 | 8 | 1.9 | 0.0- 3.9 | 5 | 2.1 | 0.1- 4.1 | 1 | 0.2 | 0.0- 0.6 | 26 | 2.2 | 1.0- 3.4 |
| Some Post-H.S. | 575 | 705,227 | 468 | 79.3 | 74.6-84.0 | 67 | 15.8 | 11.5-20.1 | 7 | 1.3 | 0.0- 2.7 | 2 | 0.7 | 0.0- 1.9 | 2 | 0.5 | 0.0- 1.3 | 29 | 2.3 | 1.1- 3.5 |
| College Graduate | 778 | 584,797 | 685 | 85.1 | 81.2-89.0 | 54 | 10.8 | 7.1-14.5 | 7 | 0.5 | 0.1- 0.9 | 11 | 2.3 | 0.7- 3.9 | 1 | 0.1 | 0.0- 0.3 | 20 | 1.2 | 0.6- 1.8 |
| Less than \$15,000 | 194 | 208,750 | 137 | 71.6 | 62.4-80.8 | 40 | 22.0 | 14.0-30.0 | 7 | 4.9 | 0.0-10.8 | | | | | | | 10 | 1.5 | 0.3- 2.7 |
| \$15,000- 24,999 | 311 | 340,057 | 247 | 68.1 | 60.1-76.1 | 41 | 23.6 | 16.0-31.2 | 6 | 1.3 | 0.0- 2.7 | 2 | 0.8 | 0.0- 2.0 | | | | 15 | 6.1 | 1.4-10.8 |
| \$25,000- 34,999 | 206 | 199,522 | 168 | 83.1 | 75.8-90.4 | 25 | 11.9 | 5.2-18.6 | 3 | 1.8 | 0.0- 4.9 | 2 | 0.5 | 0.0- 1.3 | 1 | 0.5 | 0.0- 1.5 | 7 | 2.2 | 0.2- 4.2 |
| \$35,000- 49,999 | 296 | 305,728 | 259 | 84.1 | 77.8-90.4 | 23 | 12.2 | 6.1-18.3 | 2 | 0.4 | 0.0- 1.2 | 1 | 1.1 | 0.0- 3.3 | 1 | 0.6 | 0.0- 1.8 | 10 | 1.5 | 0.5- 2.5 |
| \$50,000- 74,999 | 316 | 363,119 | 270 | 81.5 | 74.8-88.2 | 29 | 13.3 | 7.4-19.2 | 3 | 3.1 | 0.0- 6.6 | | | | | | | 14 | 2.1 | 0.1- 4.1 |
| \$75,000+ | 657 | 722,389 | 593 | 85.7 | 81.6-89.8 | 38 | 10.8 | 6.9-14.7 | 3 | 0.4 | 0.0- 1.0 | 7 | 2.1 | 0.3- 3.9 | 1 | 0.1 | 0.0- 0.3 | 15 | 0.9 | 0.3- 1.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only | | | Black only | | | American Indian or Alaska Native only | | | Asian only | | | Native Hawaiian or Pacific Islander only | | | Other Race only Multiracial | | |
|--------------------|-------------------|-----------|------------|------|------------|------------|------|------------|---------------------------------------|-----|------------|------------|-----|------------|--|-----|------------|-----------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2803 | 2,703,694 | 2321 | 79.5 | 77.3-81.7 | 355 | 16.6 | 14.4-18.8 | 26 | 1.1 | 0.5- 1.7 | 15 | 0.9 | 0.3- 1.5 | 2 | 0.1 | 0.0- 0.3 | 84 | 1.8 | 1.0- 2.6 |
| 18-24 | 136 | 298,531 | 110 | 79.8 | 69.8-89.8 | 15 | 15.5 | 5.9-25.1 | | | | 3 | 2.6 | 0.0- 5.9 | 1 | 0.4 | 0.0- 1.2 | 7 | 1.6 | 0.2- 3.0 |
| 25-34 | 308 | 446,853 | 240 | 75.0 | 68.7-81.3 | 53 | 22.5 | 16.2-28.8 | 1 | 0.2 | 0.0- 0.6 | 1 | 0.6 | 0.0- 1.8 | 1 | 0.3 | 0.0- 0.9 | 12 | 1.5 | 0.5- 2.5 |
| 35-44 | 363 | 416,328 | 279 | 69.9 | 63.2-76.6 | 60 | 23.4 | 17.1-29.7 | 5 | 3.0 | 0.3- 5.7 | 3 | 0.9 | 0.0- 2.1 | | | | 16 | 2.8 | 0.8- 4.8 |
| 45-54 | 430 | 447,491 | 364 | 79.1 | 73.0-85.2 | 42 | 14.3 | 9.2-19.4 | 7 | 1.8 | 0.0- 4.0 | 3 | 1.0 | 0.0- 2.4 | | | | 14 | 3.9 | 0.6- 7.2 |
| 55-64 | 605 | 460,923 | 503 | 83.0 | 78.9-87.1 | 84 | 15.6 | 11.5-19.7 | 6 | 0.5 | 0.1- 0.9 | 2 | 0.4 | 0.0- 1.0 | | | | 10 | 0.5 | 0.1- 0.9 |
| 65+ | 961 | 633,567 | 825 | 86.5 | 83.6-89.4 | 101 | 10.9 | 8.2-13.6 | 7 | 0.9 | 0.0- 1.9 | 3 | 0.6 | 0.0- 1.4 | | | | 25 | 1.1 | 0.3- 1.9 |
| Less Than H.S. | 257 | 348,108 | 204 | 78.8 | 71.5-86.1 | 36 | 12.9 | 7.4-18.4 | 5 | 3.7 | 0.0- 7.4 | 1 | 0.2 | 0.0- 0.6 | | | | 11 | 4.4 | 0.1- 8.7 |
| H.S. or G.E.D. | 873 | 873,020 | 709 | 76.9 | 72.6-81.2 | 126 | 20.0 | 15.7-24.3 | 8 | 1.0 | 0.2- 1.8 | 3 | 0.3 | 0.0- 0.7 | | | | 27 | 1.8 | 0.8- 2.8 |
| Some Post-H.S. | 763 | 828,849 | 634 | 80.5 | 76.4-84.6 | 98 | 17.2 | 13.1-21.3 | 7 | 0.4 | 0.0- 0.8 | 2 | 0.3 | 0.0- 0.9 | 2 | 0.3 | 0.0- 0.7 | 20 | 1.3 | 0.7- 1.9 |
| College Graduate | 906 | 650,640 | 771 | 82.0 | 78.3-85.7 | 95 | 13.4 | 10.1-16.7 | 5 | 0.6 | 0.0- 1.4 | 9 | 2.7 | 0.7- 4.7 | | | | 26 | 1.2 | 0.4- 2.0 |
| Less than \$15,000 | 360 | 313,490 | 267 | 65.2 | 57.8-72.6 | 70 | 28.0 | 20.7-35.3 | 6 | 3.0 | 0.0- 6.5 | 2 | 1.3 | 0.0- 3.5 | | | | 15 | 2.5 | 0.7- 4.3 |
| \$15,000- 24,999 | 499 | 472,434 | 382 | 74.7 | 69.0-80.4 | 85 | 20.5 | 15.2-25.8 | 5 | 1.9 | 0.0- 4.1 | | | | | | | 27 | 3.0 | 1.2- 4.8 |
| \$25,000- 34,999 | 253 | 246,197 | 197 | 76.2 | 68.8-83.6 | 41 | 20.2 | 12.9-27.5 | 5 | 1.7 | 0.0- 3.5 | 2 | 0.5 | 0.0- 1.3 | | | | 8 | 1.3 | 0.3- 2.3 |
| \$35,000- 49,999 | 322 | 323,570 | 279 | 83.2 | 76.5-89.9 | 29 | 13.5 | 7.2-19.8 | 2 | 0.3 | 0.0- 0.9 | 3 | 1.7 | 0.0- 3.9 | 1 | 0.4 | 0.0- 1.2 | 8 | 0.9 | 0.0- 1.9 |
| \$50,000- 74,999 | 313 | 304,783 | 276 | 83.9 | 77.6-90.2 | 30 | 15.1 | 8.8-21.4 | 1 | 0.2 | 0.0- 0.6 | 1 | 0.2 | 0.0- 0.6 | | | | 5 | 0.5 | 0.0- 1.1 |
| \$75,000+ | 520 | 521,554 | 474 | 89.1 | 85.0-93.2 | 34 | 9.0 | 5.1-12.9 | 3 | 0.7 | 0.0- 1.7 | 3 | 0.8 | 0.0- 1.8 | | | | 6 | 0.5 | 0.0- 1.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White NH | | | Black NH | | | American Indian or Native Hawaiian only NH | | | Asian only NH | | | Other Race only Multiracial only NH | | | Hispanic | | |
|--------------------|-------------------|-----------|----------|------|------------|----------|------|------------|--|-----|------------|---------------|-----|------------|-------------------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5088 | 5,210,980 | 4142 | 76.3 | 74.5-78.1 | 594 | 15.9 | 14.3-17.5 | 53 | 1.2 | 0.6- 1.8 | 33 | 1.2 | 0.6- 1.8 | 146 | 1.2 | 1.0- 1.4 | 120 | 4.2 | 3.2- 5.2 |
| Male | 2293 | 2,499,818 | 1875 | 76.4 | 73.9-78.9 | 247 | 15.5 | 13.3-17.7 | 28 | 1.5 | 0.7- 2.3 | 19 | 1.5 | 0.7- 2.3 | 73 | 1.3 | 0.9- 1.7 | 51 | 3.8 | 2.4- 5.2 |
| Female | 2795 | 2,711,162 | 2267 | 76.3 | 73.8-78.8 | 347 | 16.3 | 14.1-18.5 | 25 | 0.9 | 0.3- 1.5 | 14 | 0.9 | 0.3- 1.5 | 73 | 1.1 | 0.7- 1.5 | 69 | 4.5 | 2.9- 6.1 |
| 18-24 | 297 | 614,140 | 215 | 65.7 | 58.1-73.3 | 38 | 16.8 | 10.7-22.9 | 3 | 1.6 | 0.0- 3.8 | 6 | 3.7 | 0.6- 6.8 | 14 | 1.3 | 0.5- 2.1 | 21 | 10.9 | 5.2-16.6 |
| 25-34 | 606 | 897,955 | 444 | 69.0 | 64.1-73.9 | 94 | 20.6 | 16.3-24.9 | 3 | 0.4 | 0.0- 1.0 | 4 | 0.6 | 0.0- 1.4 | 19 | 1.2 | 0.6- 1.8 | 42 | 8.2 | 5.1-11.3 |
| 35-44 | 674 | 833,927 | 516 | 69.0 | 64.1-73.9 | 94 | 21.3 | 16.6-26.0 | 6 | 1.7 | 0.1- 3.3 | 10 | 1.7 | 0.5- 2.9 | 27 | 1.9 | 0.9- 2.9 | 21 | 4.5 | 2.1- 6.9 |
| 45-54 | 819 | 861,833 | 688 | 79.4 | 75.1-83.7 | 76 | 13.2 | 9.7-16.7 | 13 | 2.0 | 0.2- 3.8 | 6 | 1.3 | 0.1- 2.5 | 23 | 1.2 | 0.6- 1.8 | 13 | 2.9 | 0.7- 5.1 |
| 55-64 | 1072 | 876,182 | 882 | 81.2 | 77.9-84.5 | 138 | 15.1 | 12.2-18.0 | 11 | 0.8 | 0.0- 1.6 | 4 | 0.5 | 0.0- 1.1 | 23 | 0.9 | 0.3- 1.5 | 14 | 1.4 | 0.4- 2.4 |
| 65+ | 1620 | 1,126,943 | 1397 | 87.2 | 85.0-89.4 | 154 | 10.4 | 8.2-12.6 | 17 | 0.9 | 0.3- 1.5 | 3 | 0.3 | 0.0- 0.7 | 40 | 1.1 | 0.5- 1.7 | 9 | 0.3 | 0.1- 0.5 |
| Less Than H.S. | 471 | 701,542 | 367 | 72.0 | 66.1-77.9 | 61 | 15.3 | 10.8-19.8 | 10 | 2.5 | 0.5- 4.5 | 1 | 0.1 | 0.0- 0.3 | 13 | 0.9 | 0.3- 1.5 | 19 | 9.3 | 4.8-13.8 |
| H.S. or G.E.D. | 1588 | 1,729,854 | 1262 | 73.7 | 70.4-77.0 | 225 | 18.8 | 15.9-21.7 | 15 | 1.4 | 0.4- 2.4 | 8 | 1.2 | 0.2- 2.2 | 47 | 1.3 | 0.9- 1.7 | 31 | 3.6 | 1.8- 5.4 |
| Some Post-H.S. | 1337 | 1,534,632 | 1080 | 77.2 | 73.9-80.5 | 162 | 16.1 | 13.2-19.0 | 16 | 1.0 | 0.2- 1.8 | 4 | 0.5 | 0.0- 1.1 | 45 | 1.4 | 0.8- 2.0 | 30 | 3.8 | 1.8- 5.8 |
| College Graduate | 1680 | 1,234,759 | 1426 | 81.4 | 78.7-84.1 | 145 | 12.0 | 9.6-14.4 | 11 | 0.4 | 0.2- 0.6 | 19 | 2.5 | 1.1- 3.9 | 41 | 1.1 | 0.7- 1.5 | 38 | 2.6 | 1.4- 3.8 |
| Less than \$15,000 | 547 | 516,365 | 394 | 66.7 | 60.8-72.6 | 108 | 25.6 | 20.1-31.1 | 12 | 3.1 | 0.2- 6.0 | 2 | 0.8 | 0.0- 2.2 | 21 | 1.5 | 0.5- 2.5 | 10 | 2.2 | 0.6- 3.8 |
| \$15,000- 24,999 | 810 | 827,833 | 607 | 67.2 | 62.3-72.1 | 124 | 21.3 | 17.0-25.6 | 11 | 1.6 | 0.2- 3.0 | 2 | 0.3 | 0.0- 0.7 | 34 | 2.0 | 1.2- 2.8 | 32 | 7.6 | 4.3-10.9 |
| \$25,000- 34,999 | 457 | 443,048 | 355 | 77.8 | 72.5-83.1 | 66 | 16.6 | 11.5-21.7 | 8 | 1.8 | 0.0- 3.6 | 3 | 0.4 | 0.0- 0.8 | 15 | 1.7 | 0.7- 2.7 | 10 | 1.8 | 0.4- 3.2 |
| \$35,000- 49,999 | 619 | 630,363 | 530 | 80.7 | 75.8-85.6 | 51 | 12.4 | 8.1-16.7 | 5 | 0.6 | 0.0- 1.2 | 4 | 1.4 | 0.0- 3.0 | 17 | 1.1 | 0.5- 1.7 | 12 | 3.9 | 1.0- 6.8 |
| \$50,000- 74,999 | 629 | 668,870 | 536 | 79.5 | 74.4-84.6 | 57 | 14.0 | 9.7-18.3 | 4 | 1.7 | 0.0- 3.7 | 1 | 0.1 | 0.0- 0.3 | 18 | 0.9 | 0.5- 1.3 | 13 | 3.8 | 0.9- 6.7 |
| \$75,000+ | 1173 | 1,239,494 | 1048 | 85.3 | 82.2-88.4 | 71 | 10.0 | 7.3-12.7 | 4 | 0.3 | 0.0- 0.7 | 10 | 1.6 | 0.4- 2.8 | 19 | 0.6 | 0.2- 1.0 | 21 | 2.2 | 0.8- 3.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White NH | | | Black NH | | | American Indian or Native Hawaiian only NH | | | Asian only NH | | | Other Race only Multiracial only NH | | | Hispanic | | |
|--------------------|-------------------|-----------|----------|------|------------|----------|------|------------|--|-----|------------|---------------|-----|------------|-------------------------------------|-----|------------|----------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2293 | 2,499,818 | 1875 | 76.4 | 73.9-78.9 | 247 | 15.5 | 13.3-17.7 | 28 | 1.5 | 0.7- 2.3 | 19 | 1.5 | 0.7- 2.3 | 73 | 1.3 | 0.9- 1.7 | 51 | 3.8 | 2.4- 5.2 |
| 18-24 | 159 | 306,989 | 113 | 64.0 | 54.0-74.0 | 24 | 19.9 | 11.7-28.1 | 2 | 2.7 | 0.0- 6.8 | 3 | 4.8 | 0.0-10.1 | 7 | 1.0 | 0.2- 1.8 | 10 | 7.7 | 1.8-13.6 |
| 25-34 | 294 | 444,941 | 217 | 68.6 | 61.5-75.7 | 44 | 19.5 | 13.4-25.6 | 1 | 0.4 | 0.0- 1.2 | 3 | 0.6 | 0.0- 1.4 | 10 | 1.4 | 0.4- 2.4 | 19 | 9.5 | 4.6-14.4 |
| 35-44 | 308 | 409,111 | 244 | 72.1 | 64.8-79.4 | 34 | 19.5 | 12.6-26.4 | 2 | 1.1 | 0.0- 2.9 | 7 | 2.6 | 0.4- 4.8 | 14 | 2.2 | 0.6- 3.8 | 7 | 2.6 | 0.1- 5.1 |
| 45-54 | 390 | 414,680 | 330 | 80.4 | 74.3-86.5 | 34 | 12.1 | 7.2-17.0 | 7 | 2.4 | 0.0- 5.1 | 3 | 1.6 | 0.0- 3.6 | 11 | 0.9 | 0.3- 1.5 | 5 | 2.5 | 0.0- 5.2 |
| 55-64 | 470 | 422,083 | 390 | 80.7 | 75.8-85.6 | 54 | 14.3 | 9.8-18.8 | 5 | 1.2 | 0.0- 2.8 | 2 | 0.7 | 0.0- 1.7 | 13 | 1.3 | 0.3- 2.3 | 6 | 1.7 | 0.1- 3.3 |
| 65+ | 672 | 502,015 | 581 | 87.2 | 83.7-90.7 | 57 | 9.9 | 6.6-13.2 | 11 | 1.4 | 0.4- 2.4 | 1 | 0.1 | 0.0- 0.3 | 18 | 1.2 | 0.4- 2.0 | 4 | 0.3 | 0.0- 0.7 |
| Less Than H.S. | 219 | 349,346 | 172 | 71.2 | 63.0-79.4 | 27 | 18.0 | 10.7-25.3 | 6 | 2.3 | 0.1- 4.5 | | | | 5 | 0.6 | 0.0- 1.2 | 9 | 8.0 | 2.5-13.5 |
| H.S. or G.E.D. | 718 | 857,833 | 569 | 73.5 | 68.6-78.4 | 101 | 17.9 | 13.8-22.0 | 8 | 1.9 | 0.0- 3.9 | 5 | 2.1 | 0.1- 4.1 | 23 | 1.4 | 0.6- 2.2 | 12 | 3.2 | 1.0- 5.4 |
| Some Post-H.S. | 574 | 702,905 | 460 | 77.3 | 72.4-82.2 | 66 | 15.5 | 11.2-19.8 | 7 | 1.3 | 0.0- 2.7 | 2 | 0.7 | 0.0- 1.9 | 27 | 1.8 | 0.8- 2.8 | 12 | 3.3 | 0.9- 5.7 |
| College Graduate | 775 | 583,335 | 670 | 82.6 | 78.5-86.7 | 52 | 10.6 | 6.9-14.3 | 7 | 0.5 | 0.1- 0.9 | 11 | 2.3 | 0.7- 3.9 | 18 | 1.1 | 0.5- 1.7 | 17 | 2.8 | 1.0- 4.6 |
| Less than \$15,000 | 191 | 206,605 | 133 | 70.4 | 61.2-79.6 | 40 | 22.2 | 14.0-30.4 | 7 | 4.9 | 0.0-11.0 | | | | 8 | 0.8 | 0.2- 1.4 | 3 | 1.7 | 0.0- 3.9 |
| \$15,000- 24,999 | 313 | 347,027 | 242 | 64.3 | 56.3-72.3 | 41 | 23.2 | 15.6-30.8 | 6 | 1.3 | 0.0- 2.7 | 2 | 0.8 | 0.0- 2.0 | 11 | 1.9 | 0.3- 3.5 | 11 | 8.6 | 3.1-14.1 |
| \$25,000- 34,999 | 206 | 199,522 | 164 | 81.3 | 73.9-88.7 | 25 | 11.9 | 5.2-18.6 | 3 | 1.8 | 0.0- 4.9 | 2 | 0.5 | 0.0- 1.3 | 7 | 2.2 | 0.2- 4.2 | 5 | 2.3 | 0.0- 4.7 |
| \$35,000- 49,999 | 296 | 305,728 | 254 | 80.4 | 73.1-87.7 | 22 | 11.2 | 5.3-17.1 | 2 | 0.4 | 0.0- 1.2 | 1 | 1.1 | 0.0- 3.3 | 9 | 1.4 | 0.4- 2.4 | 8 | 5.5 | 0.8-10.2 |
| \$50,000- 74,999 | 315 | 362,031 | 265 | 79.6 | 72.5-86.7 | 29 | 13.4 | 7.5-19.3 | 3 | 3.1 | 0.0- 6.6 | | | | 13 | 1.1 | 0.3- 1.9 | 5 | 2.9 | 0.0- 6.2 |
| \$75,000+ | 654 | 718,769 | 580 | 83.7 | 79.2-88.2 | 37 | 10.8 | 6.9-14.7 | 3 | 0.4 | 0.0- 1.0 | 7 | 2.1 | 0.3- 3.9 | 14 | 0.9 | 0.3- 1.5 | 13 | 2.2 | 0.4- 4.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White NH | | | Black NH | | | American Indian or Native Hawaiian only NH | | | Asian only NH | | | Other Race only Multiracial only NH | | | Hispanic | | |
|--------------------|-------------------|-----------|----------|------|------------|----------|------|------------|--|-----|------------|---------------|-----|------------|-------------------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2795 | 2,711,162 | 2267 | 76.3 | 73.9-78.7 | 347 | 16.3 | 14.1-18.5 | 25 | 0.9 | 0.3- 1.5 | 14 | 0.9 | 0.3- 1.5 | 73 | 1.1 | 0.7- 1.5 | 69 | 4.5 | 2.9- 6.1 |
| 18-24 | 138 | 307,152 | 102 | 67.5 | 55.9-79.1 | 14 | 13.8 | 4.6-23.0 | 1 | 0.4 | 0.0- 1.2 | 3 | 2.6 | 0.0- 5.7 | 7 | 1.6 | 0.2- 3.0 | 11 | 14.2 | 4.8-23.6 |
| 25-34 | 312 | 453,014 | 227 | 69.4 | 62.7-76.1 | 50 | 21.7 | 15.6-27.8 | 2 | 0.4 | 0.0- 1.0 | 1 | 0.6 | 0.0- 1.8 | 9 | 0.9 | 0.1- 1.7 | 23 | 6.9 | 3.2-10.6 |
| 35-44 | 366 | 424,816 | 272 | 66.0 | 59.1-72.9 | 60 | 23.0 | 16.7-29.3 | 4 | 2.4 | 0.0- 4.9 | 3 | 0.8 | 0.0- 2.0 | 13 | 1.5 | 0.5- 2.5 | 14 | 6.3 | 2.2-10.4 |
| 45-54 | 429 | 447,153 | 358 | 78.5 | 72.4-84.6 | 42 | 14.3 | 9.2-19.4 | 6 | 1.6 | 0.0- 3.6 | 3 | 1.0 | 0.0- 2.4 | 12 | 1.5 | 0.5- 2.5 | 8 | 3.2 | 0.0- 6.5 |
| 55-64 | 602 | 454,099 | 492 | 81.7 | 77.4-86.0 | 84 | 15.8 | 11.7-19.9 | 6 | 0.5 | 0.1- 0.9 | 2 | 0.4 | 0.0- 1.0 | 10 | 0.5 | 0.1- 0.9 | 8 | 1.1 | 0.0- 2.3 |
| 65+ | 948 | 624,928 | 816 | 87.1 | 84.2-90.0 | 97 | 10.7 | 8.0-13.4 | 6 | 0.4 | 0.0- 0.8 | 2 | 0.5 | 0.0- 1.3 | 22 | 1.0 | 0.4- 1.6 | 5 | 0.2 | 0.0- 0.4 |
| Less Than H.S. | 252 | 352,196 | 195 | 72.8 | 64.6-81.0 | 34 | 12.5 | 7.0-18.0 | 4 | 2.7 | 0.0- 6.0 | 1 | 0.2 | 0.0- 0.6 | 8 | 1.2 | 0.0- 2.4 | 10 | 10.5 | 3.4-17.6 |
| H.S. or G.E.D. | 870 | 872,021 | 693 | 74.0 | 69.3-78.7 | 124 | 19.8 | 15.5-24.1 | 7 | 0.9 | 0.1- 1.7 | 3 | 0.3 | 0.0- 0.7 | 24 | 1.2 | 0.6- 1.8 | 19 | 3.9 | 1.4- 6.4 |
| Some Post-H.S. | 763 | 831,727 | 620 | 77.1 | 72.4-81.8 | 96 | 16.6 | 12.5-20.7 | 9 | 0.7 | 0.1- 1.3 | 2 | 0.3 | 0.0- 0.9 | 18 | 1.0 | 0.4- 1.6 | 18 | 4.2 | 1.5- 6.9 |
| College Graduate | 905 | 651,423 | 756 | 80.3 | 76.4-84.2 | 93 | 13.2 | 9.9-16.5 | 4 | 0.3 | 0.0- 0.7 | 8 | 2.7 | 0.7- 4.7 | 23 | 1.1 | 0.5- 1.7 | 21 | 2.4 | 1.0- 3.8 |
| Less than \$15,000 | 356 | 309,761 | 261 | 64.3 | 56.7-71.9 | 68 | 27.9 | 20.5-35.3 | 5 | 2.0 | 0.0- 4.9 | 2 | 1.4 | 0.0- 3.6 | 13 | 2.0 | 0.6- 3.4 | 7 | 2.6 | 0.4- 4.8 |
| \$15,000- 24,999 | 497 | 480,806 | 365 | 69.3 | 63.0-75.6 | 83 | 20.0 | 14.9-25.1 | 5 | 1.8 | 0.0- 4.0 | | | | 23 | 2.0 | 1.0- 3.0 | 21 | 6.8 | 2.5-11.1 |
| \$25,000- 34,999 | 251 | 243,526 | 191 | 74.9 | 67.3-82.5 | 41 | 20.5 | 13.1-27.9 | 5 | 1.7 | 0.0- 3.5 | 1 | 0.3 | 0.0- 0.9 | 8 | 1.3 | 0.3- 2.3 | 5 | 1.3 | 0.0- 2.7 |
| \$35,000- 49,999 | 323 | 324,636 | 276 | 80.9 | 73.8-88.0 | 29 | 13.4 | 7.1-19.7 | 3 | 0.7 | 0.0- 1.7 | 3 | 1.7 | 0.0- 3.9 | 8 | 0.9 | 0.0- 1.9 | 4 | 2.4 | 0.0- 5.5 |
| \$50,000- 74,999 | 314 | 306,839 | 271 | 79.5 | 72.1-86.9 | 28 | 14.7 | 8.4-21.0 | 1 | 0.2 | 0.0- 0.6 | 1 | 0.2 | 0.0- 0.6 | 5 | 0.5 | 0.0- 1.1 | 8 | 4.9 | 0.0-10.2 |
| \$75,000+ | 519 | 520,725 | 468 | 87.6 | 83.1-92.1 | 34 | 9.0 | 5.1-12.9 | 1 | 0.1 | 0.0- 0.3 | 3 | 0.8 | 0.0- 1.8 | 5 | 0.2 | 0.0- 0.4 | 8 | 2.3 | 0.0- 4.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Non-White, Multiracial or Hispanic | | |
|--------------------|-------------------|-----------|--------------------------|------|------------|------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5088 | 5,210,980 | 4142 | 76.3 | 74.5-78.1 | 946 | 23.7 | 21.9-25.5 |
| Male | 2293 | 2,499,818 | 1875 | 76.4 | 73.9-78.9 | 418 | 23.6 | 21.1-26.1 |
| Female | 2795 | 2,711,162 | 2267 | 76.3 | 73.8-78.8 | 528 | 23.7 | 21.2-26.2 |
| 18-24 | 297 | 614,140 | 215 | 65.7 | 58.1-73.3 | 82 | 34.3 | 26.7-41.9 |
| 25-34 | 606 | 897,955 | 444 | 69.0 | 64.1-73.9 | 162 | 31.0 | 26.1-35.9 |
| 35-44 | 674 | 833,927 | 516 | 69.0 | 64.1-73.9 | 158 | 31.0 | 26.1-35.9 |
| 45-54 | 819 | 861,833 | 688 | 79.4 | 75.1-83.7 | 131 | 20.6 | 16.3-24.9 |
| 55-64 | 1072 | 876,182 | 882 | 81.2 | 77.9-84.5 | 190 | 18.8 | 15.5-22.1 |
| 65+ | 1620 | 1,126,943 | 1397 | 87.2 | 85.0-89.4 | 223 | 12.8 | 10.6-15.0 |
| Less Than H.S. | 471 | 701,542 | 367 | 72.0 | 66.1-77.9 | 104 | 28.0 | 22.1-33.9 |
| H.S. or G.E.D. | 1588 | 1,729,854 | 1262 | 73.7 | 70.4-77.0 | 326 | 26.3 | 23.0-29.6 |
| Some Post-H.S. | 1337 | 1,534,632 | 1080 | 77.2 | 73.9-80.5 | 257 | 22.8 | 19.5-26.1 |
| College Graduate | 1680 | 1,234,759 | 1426 | 81.4 | 78.7-84.1 | 254 | 18.6 | 15.9-21.3 |
| Less than \$15,000 | 547 | 516,365 | 394 | 66.7 | 60.8-72.6 | 153 | 33.3 | 27.4-39.2 |
| \$15,000- 24,999 | 810 | 827,833 | 607 | 67.2 | 62.3-72.1 | 203 | 32.8 | 27.9-37.7 |
| \$25,000- 34,999 | 457 | 443,048 | 355 | 77.8 | 72.5-83.1 | 102 | 22.2 | 16.9-27.5 |
| \$35,000- 49,999 | 619 | 630,363 | 530 | 80.7 | 75.8-85.6 | 89 | 19.3 | 14.4-24.2 |
| \$50,000- 74,999 | 629 | 668,870 | 536 | 79.5 | 74.4-84.6 | 93 | 20.5 | 15.4-25.6 |
| \$75,000+ | 1173 | 1,239,494 | 1048 | 85.3 | 82.2-88.4 | 125 | 14.7 | 11.6-17.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Non-White, Multiracial or Hispanic | | |
|--------------------|-------------------|-----------|--------------------------|------|------------|------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2293 | 2,499,818 | 1875 | 76.4 | 73.9-78.9 | 418 | 23.6 | 21.1-26.1 |
| 18-24 | 159 | 306,989 | 113 | 64.0 | 54.0-74.0 | 46 | 36.0 | 26.0-46.0 |
| 25-34 | 294 | 444,941 | 217 | 68.6 | 61.5-75.7 | 77 | 31.4 | 24.3-38.5 |
| 35-44 | 308 | 409,111 | 244 | 72.1 | 64.8-79.4 | 64 | 27.9 | 20.6-35.2 |
| 45-54 | 390 | 414,680 | 330 | 80.4 | 74.3-86.5 | 60 | 19.6 | 13.5-25.7 |
| 55-64 | 470 | 422,083 | 390 | 80.7 | 75.8-85.6 | 80 | 19.3 | 14.4-24.2 |
| 65+ | 672 | 502,015 | 581 | 87.2 | 83.7-90.7 | 91 | 12.8 | 9.3-16.3 |
| Less Than H.S. | 219 | 349,346 | 172 | 71.2 | 63.0-79.4 | 47 | 28.8 | 20.6-37.0 |
| H.S. or G.E.D. | 718 | 857,833 | 569 | 73.5 | 68.6-78.4 | 149 | 26.5 | 21.6-31.4 |
| Some Post-H.S. | 574 | 702,905 | 460 | 77.3 | 72.4-82.2 | 114 | 22.7 | 17.8-27.6 |
| College Graduate | 775 | 583,335 | 670 | 82.6 | 78.5-86.7 | 105 | 17.4 | 13.3-21.5 |
| Less than \$15,000 | 191 | 206,605 | 133 | 70.4 | 61.2-79.6 | 58 | 29.6 | 20.4-38.8 |
| \$15,000- 24,999 | 313 | 347,027 | 242 | 64.3 | 56.3-72.3 | 71 | 35.7 | 27.7-43.7 |
| \$25,000- 34,999 | 206 | 199,522 | 164 | 81.3 | 73.9-88.7 | 42 | 18.7 | 11.3-26.1 |
| \$35,000- 49,999 | 296 | 305,728 | 254 | 80.4 | 73.1-87.7 | 42 | 19.6 | 12.3-26.9 |
| \$50,000- 74,999 | 315 | 362,031 | 265 | 79.6 | 72.5-86.7 | 50 | 20.4 | 13.3-27.5 |
| \$75,000+ | 654 | 718,769 | 580 | 83.7 | 79.2-88.2 | 74 | 16.3 | 11.8-20.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Non-White, Multiracial or Hispanic | | |
|--------------------|-------------------|-----------|--------------------------|------|------------|------------------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2795 | 2,711,162 | 2267 | 76.3 | 73.9-78.7 | 528 | 23.7 | 21.3-26.1 |
| 18-24 | 138 | 307,152 | 102 | 67.5 | 55.9-79.1 | 36 | 32.5 | 20.9-44.1 |
| 25-34 | 312 | 453,014 | 227 | 69.4 | 62.7-76.1 | 85 | 30.6 | 23.9-37.3 |
| 35-44 | 366 | 424,816 | 272 | 66.0 | 59.1-72.9 | 94 | 34.0 | 27.1-40.9 |
| 45-54 | 429 | 447,153 | 358 | 78.5 | 72.4-84.6 | 71 | 21.5 | 15.4-27.6 |
| 55-64 | 602 | 454,099 | 492 | 81.7 | 77.4-86.0 | 110 | 18.3 | 14.0-22.6 |
| 65+ | 948 | 624,928 | 816 | 87.1 | 84.2-90.0 | 132 | 12.9 | 10.0-15.8 |
| Less Than H.S. | 252 | 352,196 | 195 | 72.8 | 64.6-81.0 | 57 | 27.2 | 19.0-35.4 |
| H.S. or G.E.D. | 870 | 872,021 | 693 | 74.0 | 69.3-78.7 | 177 | 26.0 | 21.3-30.7 |
| Some Post-H.S. | 763 | 831,727 | 620 | 77.1 | 72.4-81.8 | 143 | 22.9 | 18.2-27.6 |
| College Graduate | 905 | 651,423 | 756 | 80.3 | 76.4-84.2 | 149 | 19.7 | 15.8-23.6 |
| Less than \$15,000 | 356 | 309,761 | 261 | 64.3 | 56.7-71.9 | 95 | 35.7 | 28.1-43.3 |
| \$15,000- 24,999 | 497 | 480,806 | 365 | 69.3 | 63.0-75.6 | 132 | 30.7 | 24.4-37.0 |
| \$25,000- 34,999 | 251 | 243,526 | 191 | 74.9 | 67.3-82.5 | 60 | 25.1 | 17.5-32.7 |
| \$35,000- 49,999 | 323 | 324,636 | 276 | 80.9 | 73.8-88.0 | 47 | 19.1 | 12.0-26.2 |
| \$50,000- 74,999 | 314 | 306,839 | 271 | 79.5 | 72.1-86.9 | 43 | 20.5 | 13.1-27.9 |
| \$75,000+ | 519 | 520,725 | 468 | 87.6 | 83.1-92.1 | 51 | 12.4 | 7.9-16.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Black only, Non-Hispanic | | | Other Race only, Non-Hispanic | | | Multiracial, Non-Hispanic | | | Hispanic | | |
|--------------------|-------------------|-----------|--------------------------|------|------------|--------------------------|------|------------|-------------------------------|-----|------------|---------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5088 | 5,210,980 | 4142 | 76.3 | 74.5-78.1 | 594 | 15.9 | 14.3-17.5 | 123 | 2.7 | 1.9- 3.5 | 109 | 0.9 | 0.7- 1.1 | 120 | 4.2 | 3.2- 5.2 |
| Male | 2293 | 2,499,818 | 1875 | 76.4 | 73.9-78.9 | 247 | 15.5 | 13.3-17.7 | 67 | 3.4 | 2.2- 4.6 | 53 | 1.0 | 0.6- 1.4 | 51 | 3.8 | 2.4- 5.2 |
| Female | 2795 | 2,711,162 | 2267 | 76.3 | 73.8-78.8 | 347 | 16.3 | 14.1-18.5 | 56 | 2.0 | 1.2- 2.8 | 56 | 0.9 | 0.5- 1.3 | 69 | 4.5 | 2.9- 6.1 |
| 18-24 | 297 | 614,140 | 215 | 65.7 | 58.1-73.3 | 38 | 16.8 | 10.7-22.9 | 10 | 5.3 | 1.6- 9.0 | 13 | 1.2 | 0.4- 2.0 | 21 | 10.9 | 5.2-16.6 |
| 25-34 | 606 | 897,955 | 444 | 69.0 | 64.1-73.9 | 94 | 20.6 | 16.3-24.9 | 9 | 1.2 | 0.2- 2.2 | 17 | 1.1 | 0.5- 1.7 | 42 | 8.2 | 5.1-11.3 |
| 35-44 | 674 | 833,927 | 516 | 69.0 | 64.1-73.9 | 94 | 21.3 | 16.6-26.0 | 22 | 3.8 | 1.8- 5.8 | 21 | 1.5 | 0.7- 2.3 | 21 | 4.5 | 2.1- 6.9 |
| 45-54 | 819 | 861,833 | 688 | 79.4 | 75.1-83.7 | 76 | 13.2 | 9.7-16.7 | 26 | 3.7 | 1.7- 5.7 | 16 | 0.8 | 0.4- 1.2 | 13 | 2.9 | 0.7- 5.1 |
| 55-64 | 1072 | 876,182 | 882 | 81.2 | 77.9-84.5 | 138 | 15.1 | 12.2-18.0 | 27 | 2.0 | 1.0- 3.0 | 11 | 0.3 | 0.1- 0.5 | 14 | 1.4 | 0.4- 2.4 |
| 65+ | 1620 | 1,126,943 | 1397 | 87.2 | 85.0-89.4 | 154 | 10.4 | 8.2-12.6 | 29 | 1.3 | 0.7- 1.9 | 31 | 0.9 | 0.5- 1.3 | 9 | 0.3 | 0.1- 0.5 |
| Less Than H.S. | 471 | 701,542 | 367 | 72.0 | 66.1-77.9 | 61 | 15.3 | 10.8-19.8 | 14 | 2.8 | 0.8- 4.8 | 10 | 0.7 | 0.1- 1.3 | 19 | 9.3 | 4.8-13.8 |
| H.S. or G.E.D. | 1588 | 1,729,854 | 1262 | 73.7 | 70.4-77.0 | 225 | 18.8 | 15.9-21.7 | 34 | 2.9 | 1.5- 4.3 | 36 | 1.0 | 0.6- 1.4 | 31 | 3.6 | 1.8- 5.4 |
| Some Post-H.S. | 1337 | 1,534,632 | 1080 | 77.2 | 73.9-80.5 | 162 | 16.1 | 13.2-19.0 | 33 | 1.9 | 0.9- 2.9 | 32 | 1.0 | 0.6- 1.4 | 30 | 3.8 | 1.8- 5.8 |
| College Graduate | 1680 | 1,234,759 | 1426 | 81.4 | 78.7-84.1 | 145 | 12.0 | 9.6-14.4 | 40 | 3.1 | 1.7- 4.5 | 31 | 0.9 | 0.5- 1.3 | 38 | 2.6 | 1.4- 3.8 |
| Less than \$15,000 | 547 | 516,365 | 394 | 66.7 | 60.8-72.6 | 108 | 25.6 | 20.1-31.1 | 19 | 4.4 | 1.1- 7.7 | 16 | 1.0 | 0.2- 1.8 | 10 | 2.2 | 0.6- 3.8 |
| \$15,000- 24,999 | 810 | 827,833 | 607 | 67.2 | 62.3-72.1 | 124 | 21.3 | 17.0-25.6 | 22 | 2.4 | 0.8- 4.0 | 25 | 1.5 | 0.7- 2.3 | 32 | 7.6 | 4.3-10.9 |
| \$25,000- 34,999 | 457 | 443,048 | 355 | 77.8 | 72.5-83.1 | 66 | 16.6 | 11.5-21.7 | 14 | 2.3 | 0.5- 4.1 | 12 | 1.6 | 0.6- 2.6 | 10 | 1.8 | 0.4- 3.2 |
| \$35,000- 49,999 | 619 | 630,363 | 530 | 80.7 | 75.8-85.6 | 51 | 12.4 | 8.1-16.7 | 11 | 2.0 | 0.4- 3.6 | 15 | 1.1 | 0.5- 1.7 | 12 | 3.9 | 1.0- 6.8 |
| \$50,000- 74,999 | 629 | 668,870 | 536 | 79.5 | 74.4-84.6 | 57 | 14.0 | 9.7-18.3 | 10 | 2.0 | 0.0- 4.0 | 13 | 0.7 | 0.3- 1.1 | 13 | 3.8 | 0.9- 6.7 |
| \$75,000+ | 1173 | 1,239,494 | 1048 | 85.3 | 82.2-88.4 | 71 | 10.0 | 7.3-12.7 | 22 | 2.2 | 1.0- 3.4 | 11 | 0.3 | 0.1- 0.5 | 21 | 2.2 | 0.8- 3.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Black only, Non-Hispanic | | | Other Race only, Non-Hispanic | | | Multiracial, Non-Hispanic | | | Hispanic | | |
|--------------------|-------------------|-----------|--------------------------|------|------------|--------------------------|------|------------|-------------------------------|-----|------------|---------------------------|-----|------------|----------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2293 | 2,499,818 | 1875 | 76.4 | 73.9-78.9 | 247 | 15.5 | 13.3-17.7 | 67 | 3.4 | 2.2- 4.6 | 53 | 1.0 | 0.6- 1.4 | 51 | 3.8 | 2.4- 5.2 |
| 18-24 | 159 | 306,989 | 113 | 64.0 | 54.0-74.0 | 24 | 19.9 | 11.7-28.1 | 5 | 7.5 | 1.0-14.0 | 7 | 1.0 | 0.2- 1.8 | 10 | 7.7 | 1.8-13.6 |
| 25-34 | 294 | 444,941 | 217 | 68.6 | 61.5-75.7 | 44 | 19.5 | 13.4-25.6 | 5 | 1.1 | 0.0- 2.3 | 9 | 1.4 | 0.4- 2.4 | 19 | 9.5 | 4.6-14.4 |
| 35-44 | 308 | 409,111 | 244 | 72.1 | 64.8-79.4 | 34 | 19.5 | 12.6-26.4 | 12 | 4.2 | 1.3- 7.1 | 11 | 1.6 | 0.2- 3.0 | 7 | 2.6 | 0.1- 5.1 |
| 45-54 | 390 | 414,680 | 330 | 80.4 | 74.3-86.5 | 34 | 12.1 | 7.2-17.0 | 14 | 4.4 | 1.1- 7.7 | 7 | 0.6 | 0.0- 1.2 | 5 | 2.5 | 0.0- 5.2 |
| 55-64 | 470 | 422,083 | 390 | 80.7 | 75.8-85.6 | 54 | 14.3 | 9.8-18.8 | 15 | 2.9 | 0.9- 4.9 | 5 | 0.4 | 0.0- 0.8 | 6 | 1.7 | 0.1- 3.3 |
| 65+ | 672 | 502,015 | 581 | 87.2 | 83.7-90.7 | 57 | 9.9 | 6.6-13.2 | 16 | 1.7 | 0.7- 2.7 | 14 | 0.9 | 0.3- 1.5 | 4 | 0.3 | 0.0- 0.7 |
| Less Than H.S. | 219 | 349,346 | 172 | 71.2 | 63.0-79.4 | 27 | 18.0 | 10.7-25.3 | 8 | 2.4 | 0.2- 4.6 | 3 | 0.4 | 0.0- 1.0 | 9 | 8.0 | 2.5-13.5 |
| H.S. or G.E.D. | 718 | 857,833 | 569 | 73.5 | 68.6-78.4 | 101 | 17.9 | 13.8-22.0 | 18 | 4.3 | 1.6- 7.0 | 18 | 1.2 | 0.4- 2.0 | 12 | 3.2 | 1.0- 5.4 |
| Some Post-H.S. | 574 | 702,905 | 460 | 77.3 | 72.4-82.2 | 66 | 15.5 | 11.2-19.8 | 16 | 2.6 | 0.6- 4.6 | 20 | 1.2 | 0.4- 2.0 | 12 | 3.3 | 0.9- 5.7 |
| College Graduate | 775 | 583,335 | 670 | 82.6 | 78.5-86.7 | 52 | 10.6 | 6.9-14.3 | 24 | 3.2 | 1.6- 4.8 | 12 | 0.7 | 0.3- 1.1 | 17 | 2.8 | 1.0- 4.6 |
| Less than \$15,000 | 191 | 206,605 | 133 | 70.4 | 61.2-79.6 | 40 | 22.2 | 14.0-30.4 | 9 | 5.1 | 0.0-11.2 | 6 | 0.6 | 0.0- 1.2 | 3 | 1.7 | 0.0- 3.9 |
| \$15,000- 24,999 | 313 | 347,027 | 242 | 64.3 | 56.3-72.3 | 41 | 23.2 | 15.6-30.8 | 10 | 2.4 | 0.6- 4.2 | 9 | 1.6 | 0.2- 3.0 | 11 | 8.6 | 3.1-14.1 |
| \$25,000- 34,999 | 206 | 199,522 | 164 | 81.3 | 73.9-88.7 | 25 | 11.9 | 5.2-18.6 | 6 | 2.4 | 0.0- 5.5 | 6 | 2.1 | 0.1- 4.1 | 5 | 2.3 | 0.0- 4.7 |
| \$35,000- 49,999 | 296 | 305,728 | 254 | 80.4 | 73.1-87.7 | 22 | 11.2 | 5.3-17.1 | 4 | 1.6 | 0.0- 4.0 | 8 | 1.3 | 0.3- 2.3 | 8 | 5.5 | 0.8-10.2 |
| \$50,000- 74,999 | 315 | 362,031 | 265 | 79.6 | 72.5-86.7 | 29 | 13.4 | 7.5-19.3 | 8 | 3.4 | 0.0- 6.9 | 8 | 0.8 | 0.2- 1.4 | 5 | 2.9 | 0.0- 6.2 |
| \$75,000+ | 654 | 718,769 | 580 | 83.7 | 79.2-88.2 | 37 | 10.8 | 6.9-14.7 | 16 | 3.0 | 1.0- 5.0 | 8 | 0.4 | 0.2- 0.6 | 13 | 2.2 | 0.4- 4.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | White only, Non-Hispanic | | | Black only, Non-Hispanic | | | Other Race only, Non-Hispanic | | | Multiracial, Non-Hispanic | | | Hispanic | | |
|--------------------|-------------------|-----------|--------------------------|------|------------|--------------------------|------|------------|-------------------------------|-----|------------|---------------------------|-----|------------|----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2795 | 2,711,162 | 2267 | 76.3 | 73.9-78.7 | 347 | 16.3 | 14.1-18.5 | 56 | 2.0 | 1.2- 2.8 | 56 | 0.9 | 0.5- 1.3 | 69 | 4.5 | 2.9- 6.1 |
| 18-24 | 138 | 307,152 | 102 | 67.5 | 55.9-79.1 | 14 | 13.8 | 4.6-23.0 | 5 | 3.2 | 0.0- 6.5 | 6 | 1.3 | 0.1- 2.5 | 11 | 14.2 | 4.8-23.6 |
| 25-34 | 312 | 453,014 | 227 | 69.4 | 62.7-76.1 | 50 | 21.7 | 15.6-27.8 | 4 | 1.2 | 0.0- 2.6 | 8 | 0.8 | 0.2- 1.4 | 23 | 6.9 | 3.2-10.6 |
| 35-44 | 366 | 424,816 | 272 | 66.0 | 59.1-72.9 | 60 | 23.0 | 16.7-29.3 | 10 | 3.4 | 0.7- 6.1 | 10 | 1.3 | 0.3- 2.3 | 14 | 6.3 | 2.2-10.4 |
| 45-54 | 429 | 447,153 | 358 | 78.5 | 72.4-84.6 | 42 | 14.3 | 9.2-19.4 | 12 | 3.0 | 0.5- 5.5 | 9 | 1.0 | 0.2- 1.8 | 8 | 3.2 | 0.0- 6.5 |
| 55-64 | 602 | 454,099 | 492 | 81.7 | 77.4-86.0 | 84 | 15.8 | 11.7-19.9 | 12 | 1.2 | 0.4- 2.0 | 6 | 0.2 | 0.0- 0.4 | 8 | 1.1 | 0.0- 2.3 |
| 65+ | 948 | 624,928 | 816 | 87.1 | 84.2-90.0 | 97 | 10.7 | 8.0-13.4 | 13 | 1.1 | 0.3- 1.9 | 17 | 0.9 | 0.3- 1.5 | 5 | 0.2 | 0.0- 0.4 |
| Less Than H.S. | 252 | 352,196 | 195 | 72.8 | 64.6-81.0 | 34 | 12.5 | 7.0-18.0 | 6 | 3.1 | 0.0- 6.4 | 7 | 1.0 | 0.0- 2.2 | 10 | 10.5 | 3.4-17.6 |
| H.S. or G.E.D. | 870 | 872,021 | 693 | 74.0 | 69.3-78.7 | 124 | 19.8 | 15.5-24.1 | 16 | 1.5 | 0.5- 2.5 | 18 | 0.9 | 0.3- 1.5 | 19 | 3.9 | 1.4- 6.4 |
| Some Post-H.S. | 763 | 831,727 | 620 | 77.1 | 72.4-81.8 | 96 | 16.6 | 12.5-20.7 | 17 | 1.3 | 0.5- 2.1 | 12 | 0.8 | 0.4- 1.2 | 18 | 4.2 | 1.5- 6.9 |
| College Graduate | 905 | 651,423 | 756 | 80.3 | 76.4-84.2 | 93 | 13.2 | 9.9-16.5 | 16 | 3.1 | 1.1- 5.1 | 19 | 1.0 | 0.4- 1.6 | 21 | 2.4 | 1.0- 3.8 |
| Less than \$15,000 | 356 | 309,761 | 261 | 64.3 | 56.7-71.9 | 68 | 27.9 | 20.5-35.3 | 10 | 4.0 | 0.3- 7.7 | 10 | 1.3 | 0.1- 2.5 | 7 | 2.6 | 0.4- 4.8 |
| \$15,000- 24,999 | 497 | 480,806 | 365 | 69.3 | 63.0-75.6 | 83 | 20.0 | 14.9-25.1 | 12 | 2.4 | 0.2- 4.6 | 16 | 1.4 | 0.6- 2.2 | 21 | 6.8 | 2.5-11.1 |
| \$25,000- 34,999 | 251 | 243,526 | 191 | 74.9 | 67.3-82.5 | 41 | 20.5 | 13.1-27.9 | 8 | 2.3 | 0.3- 4.3 | 6 | 1.1 | 0.1- 2.1 | 5 | 1.3 | 0.0- 2.7 |
| \$35,000- 49,999 | 323 | 324,636 | 276 | 80.9 | 73.8-88.0 | 29 | 13.4 | 7.1-19.7 | 7 | 2.4 | 0.0- 4.8 | 7 | 0.9 | 0.0- 1.9 | 4 | 2.4 | 0.0- 5.5 |
| \$50,000- 74,999 | 314 | 306,839 | 271 | 79.5 | 72.1-86.9 | 28 | 14.7 | 8.4-21.0 | 2 | 0.4 | 0.0- 1.0 | 5 | 0.5 | 0.0- 1.1 | 8 | 4.9 | 0.0-10.2 |
| \$75,000+ | 519 | 520,725 | 468 | 87.6 | 83.1-92.1 | 34 | 9.0 | 5.1-12.9 | 6 | 1.0 | 0.0- 2.0 | 3 | 0.1 | 0.0- 0.3 | 8 | 2.3 | 0.0- 4.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
 Denominator excludes: Respondents with do not know/refused/missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | 18-29yrs | | | 30-39yrs | | | 40-49yrs | | | 50-59yrs | | | 60-69yrs | | | 70+yrs | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5081 | 5,210,801 | 596 | 19.8 | 18.0-21.6 | 662 | 17.4 | 15.8-19.0 | 692 | 15.2 | 13.8-16.6 | 952 | 17.3 | 15.9-18.7 | 1086 | 15.7 | 14.5-16.9 | 1093 | 14.6 | 13.4-15.8 |
| Male | 2300 | 2,514,729 | 312 | 20.6 | 18.1-23.1 | 307 | 17.4 | 15.0-19.8 | 335 | 16.5 | 14.3-18.7 | 409 | 16.6 | 14.6-18.6 | 494 | 16.4 | 14.6-18.2 | 443 | 12.5 | 10.9-14.1 |
| Female | 2781 | 2,696,073 | 284 | 19.0 | 16.3-21.7 | 355 | 17.4 | 15.2-19.6 | 357 | 14.1 | 12.3-15.9 | 543 | 17.9 | 15.9-19.9 | 592 | 15.1 | 13.5-16.7 | 650 | 16.5 | 14.9-18.1 |
| White/Non-Hisp | 4093 | 3,922,373 | 443 | 17.8 | 15.8-19.8 | 475 | 14.9 | 13.3-16.5 | 563 | 15.5 | 13.9-17.1 | 784 | 17.9 | 16.3-19.5 | 892 | 17.1 | 15.7-18.5 | 936 | 16.8 | 15.4-18.2 |
| Black or Afr. Am./Non-Hisp | 582 | 818,827 | 75 | 20.5 | 15.4-25.6 | 105 | 26.2 | 21.1-31.3 | 72 | 14.3 | 10.4-18.2 | 104 | 16.5 | 12.6-20.4 | 136 | 13.9 | 10.8-17.0 | 90 | 8.5 | 6.1-10.9 |
| Oth. Race/Non-Hisp. | 120 | 136,097 | 14 | 25.9 | 12.0-39.8 | 15 | 15.8 | 6.8-24.8 | 22 | 22.9 | 11.3-34.5 | 28 | 19.5 | 9.5-29.5 | 19 | 7.4 | 3.3-11.5 | 22 | 8.5 | 3.4-13.6 |
| MultiRacial/Non-Hisp. | 107 | 47,588 | 19 | 20.5 | 11.1-29.9 | 22 | 25.3 | 14.5-36.1 | 18 | 23.0 | 11.4-34.6 | 8 | 5.0 | 1.1- 8.9 | 21 | 12.0 | 5.1-18.9 | 19 | 14.2 | 5.4-23.0 |
| Hispanic | 119 | 215,786 | 39 | 46.1 | 33.0-59.2 | 38 | 29.9 | 18.7-41.1 | 12 | 10.0 | 2.2-17.8 | 15 | 9.4 | 2.7-16.1 | 8 | 3.6 | 0.1- 7.1 | 7 | 0.9 | 0.1- 1.7 |
| Less Than H.S. | 488 | 718,299 | 21 | 6.7 | 3.2-10.2 | 40 | 12.9 | 8.4-17.4 | 57 | 15.4 | 10.5-20.3 | 106 | 20.1 | 15.4-24.8 | 116 | 19.9 | 15.6-24.2 | 148 | 25.0 | 20.3-29.7 |
| H.S. or G.E.D. | 1588 | 1,725,660 | 187 | 21.6 | 18.1-25.1 | 195 | 16.6 | 13.9-19.3 | 188 | 14.0 | 11.6-16.4 | 305 | 17.1 | 14.7-19.5 | 338 | 15.8 | 13.6-18.0 | 375 | 15.0 | 13.0-17.0 |
| Some Post-H.S. | 1327 | 1,531,841 | 198 | 25.3 | 21.6-29.0 | 178 | 17.9 | 14.8-21.0 | 174 | 14.6 | 12.1-17.1 | 240 | 15.3 | 12.9-17.7 | 282 | 15.0 | 12.8-17.2 | 255 | 11.9 | 10.1-13.7 |
| College Graduate | 1664 | 1,222,267 | 189 | 18.0 | 15.1-20.9 | 246 | 20.4 | 17.7-23.1 | 270 | 17.7 | 15.2-20.2 | 300 | 18.6 | 16.1-21.1 | 349 | 14.2 | 12.4-16.0 | 310 | 11.1 | 9.5-12.7 |
| Less than \$15,000 | 562 | 542,118 | 56 | 16.0 | 10.9-21.1 | 48 | 10.5 | 6.8-14.2 | 62 | 13.8 | 9.3-18.3 | 138 | 23.3 | 18.4-28.2 | 140 | 19.6 | 15.5-23.7 | 118 | 16.8 | 12.9-20.7 |
| \$15,000- 24,999 | 819 | 835,313 | 103 | 23.7 | 18.6-28.8 | 101 | 17.6 | 13.5-21.7 | 80 | 9.8 | 7.1-12.5 | 139 | 14.9 | 11.6-18.2 | 191 | 17.1 | 14.0-20.2 | 205 | 16.8 | 13.7-19.9 |
| \$25,000- 34,999 | 459 | 446,127 | 68 | 21.4 | 15.9-26.9 | 71 | 18.0 | 13.1-22.9 | 49 | 11.9 | 7.4-16.4 | 58 | 13.1 | 9.0-17.2 | 91 | 14.9 | 11.0-18.8 | 122 | 20.7 | 16.0-25.4 |
| \$35,000- 49,999 | 614 | 625,770 | 79 | 18.2 | 13.5-22.9 | 79 | 16.6 | 12.3-20.9 | 90 | 18.4 | 13.9-22.9 | 101 | 17.8 | 13.7-21.9 | 129 | 15.6 | 12.3-18.9 | 136 | 13.5 | 10.8-16.2 |
| \$50,000- 74,999 | 627 | 665,072 | 80 | 18.8 | 13.9-23.7 | 97 | 21.5 | 16.8-26.2 | 102 | 19.5 | 15.0-24.0 | 121 | 17.5 | 13.8-21.2 | 135 | 14.0 | 11.1-16.9 | 92 | 8.8 | 6.4-11.2 |
| \$75,000+ | 1169 | 1,229,781 | 118 | 17.0 | 13.3-20.7 | 168 | 18.9 | 15.6-22.2 | 245 | 21.9 | 18.8-25.0 | 267 | 21.0 | 17.9-24.1 | 222 | 12.9 | 10.7-15.1 | 149 | 8.2 | 6.4-10.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | 18-29yrs | | | 30-39yrs | | | 40-49yrs | | | 50-59yrs | | | 60-69yrs | | | 70+yrs | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2300 | 2,514,729 | 312 | 20.6 | 18.1-23.1 | 307 | 17.4 | 15.0-19.8 | 335 | 16.5 | 14.3-18.7 | 409 | 16.6 | 14.6-18.6 | 494 | 16.4 | 14.6-18.2 | 443 | 12.5 | 10.9-14.1 |
| White/Non-Hisp | 1853 | 1,882,735 | 230 | 18.0 | 15.5-20.5 | 222 | 15.2 | 12.8-17.6 | 278 | 17.0 | 14.6-19.4 | 330 | 17.1 | 14.9-19.3 | 407 | 18.1 | 15.9-20.3 | 386 | 14.7 | 12.9-16.5 |
| Black or Afr. Am./Non-Hisp | 247 | 387,186 | 40 | 22.8 | 15.4-30.2 | 46 | 25.8 | 18.0-33.6 | 29 | 15.2 | 8.9-21.5 | 44 | 15.6 | 9.7-21.5 | 58 | 14.5 | 9.6-19.4 | 30 | 6.2 | 3.5- 8.9 |
| Oth. Race/Non-Hisp. | 66 | 83,614 | 7 | 28.6 | 9.0-48.2 | 9 | 13.1 | 3.9-22.3 | 12 | 26.7 | 10.0-43.4 | 16 | 16.4 | 5.0-27.8 | 10 | 7.5 | 1.8-13.2 | 12 | 7.7 | 2.0-13.4 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | 11 | 19.7 | 8.1-31.3 | 9 | 22.2 | 7.1-37.3 | 11 | 27.9 | 9.9-45.9 | 3 | 3.7 | 0.0- 8.0 | 12 | 17.8 | 5.5-30.1 | 7 | 8.8 | 0.4-17.2 |
| Hispanic | 51 | 95,722 | 19 | 47.0 | 28.8-65.2 | 16 | 32.1 | 15.8-48.4 | 2 | 1.4 | 0.0- 3.6 | 7 | 13.5 | 1.7-25.3 | 5 | 5.3 | 0.0-11.8 | 2 | 0.7 | 0.0- 1.9 |
| Less Than H.S. | 225 | 353,325 | 11 | 6.3 | 2.0-10.6 | 20 | 13.8 | 7.1-20.5 | 38 | 21.5 | 13.7-29.3 | 52 | 21.3 | 14.4-28.2 | 57 | 20.1 | 14.0-26.2 | 47 | 17.0 | 11.3-22.7 |
| H.S. or G.E.D. | 722 | 861,035 | 102 | 23.1 | 18.2-28.0 | 98 | 17.1 | 13.2-21.0 | 103 | 16.3 | 12.6-20.0 | 148 | 17.2 | 13.7-20.7 | 142 | 15.6 | 12.5-18.7 | 129 | 10.7 | 8.3-13.1 |
| Some Post-H.S. | 572 | 707,307 | 107 | 26.9 | 21.6-32.2 | 79 | 18.8 | 14.1-23.5 | 78 | 14.6 | 10.9-18.3 | 88 | 13.2 | 9.9-16.5 | 117 | 15.1 | 11.8-18.4 | 103 | 11.4 | 8.7-14.1 |
| College Graduate | 773 | 585,862 | 92 | 18.0 | 13.9-22.1 | 107 | 18.0 | 14.3-21.7 | 115 | 16.2 | 12.7-19.7 | 121 | 17.4 | 13.9-20.9 | 177 | 16.9 | 14.0-19.8 | 161 | 13.5 | 11.0-16.0 |
| Less than \$15,000 | 199 | 223,461 | 26 | 21.5 | 12.1-30.9 | 13 | 5.4 | 1.9- 8.9 | 20 | 15.7 | 6.7-24.7 | 52 | 24.4 | 16.8-32.0 | 57 | 21.9 | 14.6-29.2 | 31 | 10.9 | 6.0-15.8 |
| \$15,000- 24,999 | 316 | 351,519 | 37 | 19.9 | 12.6-27.2 | 34 | 16.7 | 10.0-23.4 | 37 | 11.9 | 7.2-16.6 | 58 | 15.8 | 9.9-21.7 | 83 | 22.2 | 16.5-27.9 | 67 | 13.5 | 9.4-17.6 |
| \$25,000- 34,999 | 206 | 199,418 | 32 | 21.1 | 13.5-28.7 | 26 | 13.6 | 7.3-19.9 | 25 | 16.0 | 8.7-23.3 | 27 | 13.9 | 7.4-20.4 | 38 | 14.3 | 8.6-20.0 | 58 | 21.2 | 14.5-27.9 |
| \$35,000- 49,999 | 293 | 302,788 | 48 | 23.3 | 15.7-30.9 | 37 | 15.1 | 9.4-20.8 | 43 | 18.6 | 12.1-25.1 | 36 | 12.1 | 7.6-16.6 | 59 | 17.1 | 11.8-22.4 | 70 | 13.8 | 9.9-17.7 |
| \$50,000- 74,999 | 316 | 363,985 | 44 | 18.1 | 12.0-24.2 | 47 | 21.4 | 14.7-28.1 | 54 | 21.7 | 15.2-28.2 | 56 | 15.8 | 10.9-20.7 | 65 | 13.4 | 9.3-17.5 | 50 | 9.5 | 6.2-12.8 |
| \$75,000+ | 655 | 718,560 | 76 | 17.5 | 13.0-22.0 | 97 | 19.0 | 14.7-23.3 | 128 | 19.7 | 15.6-23.8 | 137 | 20.9 | 16.8-25.0 | 130 | 13.9 | 10.8-17.0 | 87 | 8.9 | 6.4-11.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|----------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | 18-29yrs | | | 30-39yrs | | | 40-49yrs | | | 50-59yrs | | | 60-69yrs | | | 70+yrs | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2781 | 2,696,073 | 284 | 19.0 | 16.3-21.7 | 355 | 17.4 | 15.2-19.6 | 357 | 14.1 | 12.1-16.1 | 543 | 17.9 | 15.9-19.9 | 592 | 15.1 | 13.5-16.7 | 650 | 16.5 | 14.9-18.1 |
| White/Non-Hisp | 2240 | 2,039,639 | 213 | 17.7 | 14.8-20.6 | 253 | 14.7 | 12.5-16.9 | 285 | 14.1 | 12.1-16.1 | 454 | 18.6 | 16.4-20.8 | 485 | 16.3 | 14.5-18.1 | 550 | 18.7 | 16.7-20.7 |
| Black or Afr. Am./Non-Hisp | 335 | 431,641 | 35 | 18.5 | 11.2-25.8 | 59 | 26.6 | 19.7-33.5 | 43 | 13.5 | 8.4-18.6 | 60 | 17.3 | 11.8-22.8 | 78 | 13.5 | 9.4-17.6 | 60 | 10.6 | 7.1-14.1 |
| Oth. Race/Non-Hisp. | 54 | 52,483 | 7 | 21.6 | 4.4-38.8 | 6 | 20.1 | 2.7-37.5 | 10 | 16.8 | 3.1-30.5 | 12 | 24.3 | 6.3-42.3 | 9 | 7.3 | 1.8-12.8 | 10 | 9.8 | 0.2-19.4 |
| MultiRacial/Non-Hisp. | 54 | 23,166 | 8 | 21.4 | 6.7-36.1 | 13 | 28.5 | 12.8-44.2 | 7 | 17.8 | 4.9-30.7 | 5 | 6.5 | 0.0-13.2 | 9 | 5.8 | 1.1-10.5 | 12 | 20.0 | 4.7-35.3 |
| Hispanic | 68 | 120,063 | 20 | 45.4 | 26.8-64.0 | 22 | 28.2 | 13.1-43.3 | 10 | 16.9 | 3.4-30.4 | 8 | 6.2 | 0.0-13.5 | 3 | 2.3 | 0.0- 6.0 | 5 | 1.1 | 0.0- 2.3 |
| Less Than H.S. | 263 | 364,974 | 10 | 7.1 | 1.6-12.6 | 20 | 12.0 | 6.1-17.9 | 19 | 9.6 | 3.9-15.3 | 54 | 19.0 | 12.5-25.5 | 59 | 19.6 | 13.7-25.5 | 101 | 32.7 | 25.4-40.0 |
| H.S. or G.E.D. | 866 | 864,625 | 85 | 20.1 | 15.0-25.2 | 97 | 16.1 | 12.4-19.8 | 85 | 11.7 | 8.6-14.8 | 157 | 16.9 | 13.6-20.2 | 196 | 16.0 | 13.1-18.9 | 246 | 19.2 | 16.3-22.1 |
| Some Post-H.S. | 755 | 824,534 | 91 | 23.9 | 18.4-29.4 | 99 | 17.1 | 13.0-21.2 | 96 | 14.7 | 11.2-18.2 | 152 | 17.1 | 13.6-20.6 | 165 | 14.9 | 12.0-17.8 | 152 | 12.3 | 9.8-14.8 |
| College Graduate | 891 | 636,405 | 97 | 18.0 | 14.1-21.9 | 139 | 22.6 | 18.7-26.5 | 155 | 19.1 | 15.6-22.6 | 179 | 19.7 | 16.4-23.0 | 172 | 11.7 | 9.3-14.1 | 149 | 8.9 | 7.1-10.7 |
| Less than \$15,000 | 363 | 318,657 | 30 | 12.1 | 6.8-17.4 | 35 | 14.0 | 8.3-19.7 | 42 | 12.4 | 7.7-17.1 | 86 | 22.6 | 16.3-28.9 | 83 | 18.0 | 12.9-23.1 | 87 | 20.9 | 15.4-26.4 |
| \$15,000- 24,999 | 503 | 483,794 | 66 | 26.5 | 19.6-33.4 | 67 | 18.3 | 13.0-23.6 | 43 | 8.3 | 4.8-11.8 | 81 | 14.3 | 10.4-18.2 | 108 | 13.4 | 9.9-16.9 | 138 | 19.2 | 14.9-23.5 |
| \$25,000- 34,999 | 253 | 246,709 | 36 | 21.7 | 13.9-29.5 | 45 | 21.6 | 14.2-29.0 | 24 | 8.7 | 3.2-14.2 | 31 | 12.5 | 7.2-17.8 | 53 | 15.3 | 10.0-20.6 | 64 | 20.2 | 13.9-26.5 |
| \$35,000- 49,999 | 321 | 322,982 | 31 | 13.3 | 7.8-18.8 | 42 | 18.0 | 11.5-24.5 | 47 | 18.1 | 11.6-24.6 | 65 | 23.2 | 16.5-29.9 | 70 | 14.2 | 9.7-18.7 | 66 | 13.2 | 9.1-17.3 |
| \$50,000- 74,999 | 311 | 301,088 | 36 | 19.6 | 12.0-27.2 | 50 | 21.6 | 14.9-28.3 | 48 | 16.7 | 11.2-22.2 | 65 | 19.6 | 13.9-25.3 | 70 | 14.6 | 10.3-18.9 | 42 | 7.9 | 5.0-10.8 |
| \$75,000+ | 514 | 511,221 | 42 | 16.3 | 10.0-22.6 | 71 | 18.8 | 13.7-23.9 | 117 | 25.0 | 19.7-30.3 | 130 | 21.1 | 16.6-25.6 | 92 | 11.6 | 8.7-14.5 | 62 | 7.2 | 4.8- 9.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <65yrs | | | ≥65yrs | | |
|----------------------------|-------------------|-----------|--------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5081 | 5,210,801 | 3454 | 78.2 | 76.8-79.6 | 1627 | 21.8 | 20.4-23.2 |
| Male | 2300 | 2,514,729 | 1623 | 80.0 | 78.0-82.0 | 677 | 20.0 | 18.0-22.0 |
| Female | 2781 | 2,696,073 | 1831 | 76.6 | 74.6-78.6 | 950 | 23.4 | 21.4-25.4 |
| White/Non-Hisp | 4093 | 3,922,373 | 2706 | 75.1 | 73.5-76.7 | 1387 | 24.9 | 23.3-26.5 |
| Black or Afr. Am./Non-Hisp | 582 | 818,827 | 437 | 86.1 | 83.2-89.0 | 145 | 13.9 | 11.0-16.8 |
| Oth. Race/Non-Hisp. | 120 | 136,097 | 91 | 88.9 | 83.2-94.6 | 29 | 11.1 | 5.4-16.8 |
| MultiRacial/Non-Hisp. | 107 | 47,588 | 76 | 78.8 | 68.8-88.8 | 31 | 21.2 | 11.2-31.2 |
| Hispanic | 119 | 215,786 | 110 | 98.7 | 97.7-99.7 | 9 | 1.3 | 0.3- 2.3 |
| Less Than H.S. | 488 | 718,299 | 286 | 65.1 | 59.8-70.4 | 202 | 34.9 | 29.6-40.2 |
| H.S. or G.E.D. | 1588 | 1,725,660 | 1055 | 78.3 | 75.9-80.7 | 533 | 21.7 | 19.3-24.1 |
| Some Post-H.S. | 1327 | 1,531,841 | 930 | 81.3 | 78.9-83.7 | 397 | 18.7 | 16.3-21.1 |
| College Graduate | 1664 | 1,222,267 | 1174 | 82.1 | 80.1-84.1 | 490 | 17.9 | 15.9-19.9 |
| Less than \$15,000 | 562 | 542,118 | 388 | 75.2 | 70.5-79.9 | 174 | 24.8 | 20.1-29.5 |
| \$15,000- 24,999 | 819 | 835,313 | 515 | 75.3 | 71.6-79.0 | 304 | 24.7 | 21.0-28.4 |
| \$25,000- 34,999 | 459 | 446,127 | 286 | 72.2 | 67.1-77.3 | 173 | 27.8 | 22.7-32.9 |
| \$35,000- 49,999 | 614 | 625,770 | 412 | 79.0 | 75.5-82.5 | 202 | 21.0 | 17.5-24.5 |
| \$50,000- 74,999 | 627 | 665,072 | 475 | 85.6 | 82.7-88.5 | 152 | 14.4 | 11.5-17.3 |
| \$75,000+ | 1169 | 1,229,781 | 915 | 85.6 | 83.2-88.0 | 254 | 14.4 | 12.0-16.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <65yrs | | | ≥65yrs | | |
|----------------------------|-------------------|-----------|--------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2300 | 2,514,729 | 1623 | 80.0 | 78.2-81.8 | 677 | 20.0 | 18.2-21.8 |
| White/Non-Hisp | 1853 | 1,882,735 | 1275 | 77.0 | 74.8-79.2 | 578 | 23.0 | 20.8-25.2 |
| Black or Afr. Am./Non-Hisp | 247 | 387,186 | 190 | 87.2 | 82.7-91.7 | 57 | 12.8 | 8.3-17.3 |
| Oth. Race/Non-Hisp. | 66 | 83,614 | 50 | 89.9 | 83.4-96.4 | 16 | 10.1 | 3.6-16.6 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | 39 | 80.7 | 68.0-93.4 | 14 | 19.3 | 6.6-32.0 |
| Hispanic | 51 | 95,722 | 47 | 98.5 | 96.7- 100 | 4 | 1.5 | 0.0- 3.3 |
| Less Than H.S. | 225 | 353,325 | 153 | 73.2 | 66.1-80.3 | 72 | 26.8 | 19.7-33.9 |
| H.S. or G.E.D. | 722 | 861,035 | 531 | 82.4 | 79.3-85.5 | 191 | 17.6 | 14.5-20.7 |
| Some Post-H.S. | 572 | 707,307 | 414 | 82.1 | 78.8-85.4 | 158 | 17.9 | 14.6-21.2 |
| College Graduate | 773 | 585,862 | 520 | 78.0 | 74.9-81.1 | 253 | 22.0 | 18.9-25.1 |
| Less than \$15,000 | 199 | 223,461 | 150 | 81.3 | 74.4-88.2 | 49 | 18.7 | 11.8-25.6 |
| \$15,000- 24,999 | 316 | 351,519 | 206 | 75.8 | 70.1-81.5 | 110 | 24.2 | 18.5-29.9 |
| \$25,000- 34,999 | 206 | 199,418 | 125 | 71.2 | 63.8-78.6 | 81 | 28.8 | 21.4-36.2 |
| \$35,000- 49,999 | 293 | 302,788 | 194 | 78.9 | 73.8-84.0 | 99 | 21.1 | 16.0-26.2 |
| \$50,000- 74,999 | 316 | 363,985 | 236 | 85.0 | 80.7-89.3 | 80 | 15.0 | 10.7-19.3 |
| \$75,000+ | 655 | 718,560 | 504 | 83.8 | 80.5-87.1 | 151 | 16.2 | 12.9-19.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <65yrs | | | ≥65yrs | | |
|----------------------------|-------------------|-----------|--------|------|------------|--------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2781 | 2,696,073 | 1831 | 76.6 | 74.8-78.4 | 950 | 23.4 | 21.6-25.2 |
| White/Non-Hisp | 2240 | 2,039,639 | 1431 | 73.5 | 71.3-75.7 | 809 | 26.5 | 24.3-28.7 |
| Black or Afr. Am./Non-Hisp | 335 | 431,641 | 247 | 85.2 | 81.1-89.3 | 88 | 14.8 | 10.7-18.9 |
| Oth. Race/Non-Hisp. | 54 | 52,483 | 41 | 87.3 | 77.1-97.5 | 13 | 12.7 | 2.5-22.9 |
| MultiRacial/Non-Hisp. | 54 | 23,166 | 37 | 76.7 | 61.4-92.0 | 17 | 23.3 | 8.0-38.6 |
| Hispanic | 68 | 120,063 | 63 | 98.9 | 97.7- 100 | 5 | 1.1 | 0.0- 2.3 |
| Less Than H.S. | 263 | 364,974 | 133 | 57.3 | 49.5-65.1 | 130 | 42.7 | 34.9-50.5 |
| H.S. or G.E.D. | 866 | 864,625 | 524 | 74.3 | 71.0-77.6 | 342 | 25.7 | 22.4-29.0 |
| Some Post-H.S. | 755 | 824,534 | 516 | 80.5 | 77.4-83.6 | 239 | 19.5 | 16.4-22.6 |
| College Graduate | 891 | 636,405 | 654 | 85.8 | 83.4-88.2 | 237 | 14.2 | 11.8-16.6 |
| Less than \$15,000 | 363 | 318,657 | 238 | 70.9 | 64.8-77.0 | 125 | 29.1 | 23.0-35.2 |
| \$15,000- 24,999 | 503 | 483,794 | 309 | 74.9 | 70.2-79.6 | 194 | 25.1 | 20.4-29.8 |
| \$25,000- 34,999 | 253 | 246,709 | 161 | 73.0 | 66.1-79.9 | 92 | 27.0 | 20.1-33.9 |
| \$35,000- 49,999 | 321 | 322,982 | 218 | 79.1 | 74.0-84.2 | 103 | 20.9 | 15.8-26.0 |
| \$50,000- 74,999 | 311 | 301,088 | 239 | 86.4 | 82.5-90.3 | 72 | 13.6 | 9.7-17.5 |
| \$75,000+ | 514 | 511,221 | 411 | 87.9 | 85.0-90.8 | 103 | 12.1 | 9.2-15.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >48in, <=60in | | | >60in, <=66in | | | >66in, <=72in | | | >72in, <=84in | | |
|----------------------------|-------------------|-----------|---------------|------|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4946 | 5,023,037 | 221 | 4.9 | 3.9- 5.9 | 2024 | 37.4 | 35.4-39.4 | 2147 | 45.4 | 43.4-47.4 | 554 | 12.2 | 10.8-13.6 |
| Male | 2248 | 2,428,039 | 1 | 0.1 | 0.0- 0.3 | 176 | 8.0 | 6.4- 9.6 | 1529 | 67.1 | 64.4-69.8 | 542 | 24.8 | 22.4-27.2 |
| Female | 2698 | 2,594,999 | 220 | 9.5 | 7.7-11.3 | 1848 | 64.9 | 62.2-67.6 | 618 | 25.2 | 22.7-27.7 | 12 | 0.4 | 0.0- 0.8 |
| White/Non-Hisp | 3991 | 3,812,190 | 176 | 4.6 | 3.6- 5.6 | 1604 | 36.1 | 34.1-38.1 | 1770 | 46.7 | 44.5-48.9 | 441 | 12.6 | 11.2-14.0 |
| Black or Afr. Am./Non-Hisp | 566 | 788,844 | 23 | 4.6 | 1.9- 7.3 | 252 | 41.7 | 36.0-47.4 | 222 | 40.7 | 35.0-46.4 | 69 | 12.9 | 9.2-16.6 |
| Oth. Race/Non-Hisp. | 117 | 132,222 | 4 | 4.3 | 0.0- 8.8 | 44 | 27.4 | 16.4-38.4 | 55 | 55.3 | 42.0-68.6 | 14 | 13.0 | 5.2-20.8 |
| MultiRacial/Non-Hisp. | 108 | 48,348 | 3 | 4.1 | 0.0- 9.6 | 46 | 38.1 | 26.5-49.7 | 43 | 46.9 | 34.6-59.2 | 16 | 10.9 | 4.8-17.0 |
| Hispanic | 104 | 174,358 | 13 | 14.7 | 4.1-25.3 | 50 | 53.8 | 39.9-67.7 | 33 | 27.4 | 15.8-39.0 | 8 | 4.1 | 0.8- 7.4 |
| 18-24 | 288 | 592,451 | 12 | 7.8 | 2.7-12.9 | 93 | 32.0 | 24.9-39.1 | 132 | 45.0 | 37.4-52.6 | 51 | 15.2 | 10.3-20.1 |
| 25-34 | 587 | 847,359 | 17 | 2.6 | 1.2- 4.0 | 200 | 33.2 | 28.3-38.1 | 281 | 47.7 | 42.4-53.0 | 89 | 16.4 | 12.5-20.3 |
| 35-44 | 659 | 810,661 | 18 | 3.5 | 1.3- 5.7 | 273 | 37.4 | 32.5-42.3 | 277 | 44.7 | 39.6-49.8 | 91 | 14.3 | 10.8-17.8 |
| 45-54 | 785 | 823,401 | 29 | 4.2 | 2.0- 6.4 | 309 | 37.9 | 33.4-42.4 | 360 | 47.3 | 42.4-52.2 | 87 | 10.5 | 7.8-13.2 |
| 55-64 | 1045 | 860,357 | 44 | 4.4 | 2.8- 6.0 | 442 | 39.8 | 35.9-43.7 | 460 | 46.0 | 42.1-49.9 | 99 | 9.9 | 7.5-12.3 |
| 65+ | 1582 | 1,088,807 | 101 | 7.1 | 5.1- 9.1 | 707 | 41.4 | 38.3-44.5 | 637 | 42.5 | 39.2-45.8 | 137 | 8.9 | 7.1-10.7 |
| Less Than H.S. | 464 | 662,487 | 40 | 7.7 | 4.6-10.8 | 200 | 40.2 | 34.3-46.1 | 190 | 45.3 | 39.2-51.4 | 34 | 6.8 | 4.1- 9.5 |
| H.S. or G.E.D. | 1527 | 1,654,224 | 76 | 4.9 | 3.3- 6.5 | 620 | 35.9 | 32.6-39.2 | 666 | 46.2 | 42.7-49.7 | 165 | 13.0 | 10.6-15.4 |
| Some Post-H.S. | 1302 | 1,494,392 | 53 | 5.5 | 3.3- 7.7 | 576 | 37.5 | 34.0-41.0 | 526 | 44.4 | 40.7-48.1 | 147 | 12.7 | 10.2-15.2 |
| College Graduate | 1643 | 1,204,917 | 52 | 2.8 | 1.8- 3.8 | 622 | 37.7 | 34.6-40.8 | 761 | 45.9 | 42.6-49.2 | 208 | 13.7 | 11.3-16.1 |
| Less than \$15,000 | 553 | 530,482 | 45 | 7.8 | 4.3-11.3 | 264 | 40.6 | 34.9-46.3 | 213 | 44.4 | 38.3-50.5 | 31 | 7.1 | 4.0-10.2 |
| \$15,000- 24,999 | 804 | 793,754 | 46 | 5.8 | 3.4- 8.2 | 387 | 42.1 | 37.2-47.0 | 306 | 43.6 | 38.5-48.7 | 65 | 8.5 | 5.8-11.2 |
| \$25,000- 34,999 | 459 | 443,117 | 22 | 4.6 | 2.1- 7.1 | 195 | 44.0 | 37.7-50.3 | 203 | 43.4 | 37.3-49.5 | 39 | 8.0 | 4.7-11.3 |
| \$35,000- 49,999 | 610 | 619,892 | 20 | 4.8 | 2.1- 7.5 | 243 | 38.0 | 32.7-43.3 | 284 | 44.6 | 39.1-50.1 | 63 | 12.6 | 8.7-16.5 |
| \$50,000- 74,999 | 626 | 667,490 | 18 | 4.3 | 1.4- 7.2 | 225 | 32.5 | 27.6-37.4 | 292 | 46.5 | 41.0-52.0 | 91 | 16.7 | 12.6-20.8 |
| \$75,000+ | 1172 | 1,239,333 | 28 | 2.7 | 1.3- 4.1 | 374 | 29.4 | 25.9-32.9 | 585 | 51.5 | 47.6-55.4 | 185 | 16.4 | 13.5-19.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >48in, <=60in | | | >60in, <=66in | | | >66in, <=72in | | | >72in, <=84in | | |
|----------------------------|-------------------|-----------|---------------|-----|------------|---------------|------|------------|---------------|------|------------|---------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2248 | 2,428,039 | 1 | 0.1 | 0.0- 0.3 | 176 | 8.0 | 6.4- 9.6 | 1529 | 67.1 | 64.4-69.8 | 542 | 24.8 | 22.4-27.2 |
| White/Non-Hisp | 1820 | 1,839,495 | 1 | 0.1 | 0.0- 0.3 | 119 | 6.1 | 4.7- 7.5 | 1263 | 68.0 | 65.1-70.9 | 437 | 25.8 | 23.1-28.5 |
| Black or Afr. Am./Non-Hisp | 238 | 371,821 | | | | 30 | 11.6 | 6.1-17.1 | 146 | 62.5 | 54.3-70.7 | 62 | 26.0 | 18.7-33.3 |
| Oth. Race/Non-Hisp. | 66 | 82,281 | | | | 6 | 9.0 | 0.0-18.4 | 47 | 71.6 | 56.7-86.5 | 13 | 19.3 | 7.0-31.6 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | | | | 5 | 7.9 | 0.1-15.7 | 32 | 70.5 | 56.4-84.6 | 16 | 21.5 | 9.5-33.5 |
| 18-24 | 159 | 302,196 | | | | 11 | 8.2 | 3.1-13.3 | 98 | 62.7 | 53.3-72.1 | 50 | 29.1 | 20.3-37.9 |
| 25-34 | 284 | 416,289 | | | | 15 | 6.7 | 2.6-10.8 | 182 | 60.5 | 53.1-67.9 | 87 | 32.8 | 25.7-39.9 |
| 35-44 | 305 | 407,137 | | | | 27 | 9.4 | 4.9-13.9 | 188 | 62.7 | 55.4-70.0 | 90 | 27.8 | 21.3-34.3 |
| 45-54 | 376 | 393,616 | 1 | 0.6 | 0.0- 1.8 | 34 | 7.4 | 4.3-10.5 | 254 | 70.0 | 64.1-75.9 | 87 | 22.1 | 16.6-27.6 |
| 55-64 | 461 | 415,322 | | | | 45 | 10.6 | 6.7-14.5 | 317 | 68.9 | 63.4-74.4 | 99 | 20.5 | 15.8-25.2 |
| 65+ | 663 | 493,478 | | | | 44 | 6.1 | 4.1- 8.1 | 490 | 75.1 | 71.0-79.2 | 129 | 18.8 | 15.1-22.5 |
| Less Than H.S. | 218 | 335,648 | | | | 34 | 15.1 | 9.0-21.2 | 150 | 71.5 | 63.9-79.1 | 34 | 13.4 | 8.1-18.7 |
| H.S. or G.E.D. | 701 | 826,454 | 1 | 0.3 | 0.0- 0.9 | 55 | 6.6 | 4.2- 9.0 | 484 | 67.9 | 63.2-72.6 | 161 | 25.3 | 20.8-29.8 |
| Some Post-H.S. | 562 | 690,831 | | | | 46 | 7.7 | 4.8-10.6 | 370 | 65.1 | 59.8-70.4 | 146 | 27.2 | 22.3-32.1 |
| College Graduate | 762 | 572,905 | | | | 40 | 6.2 | 3.8- 8.6 | 521 | 65.7 | 61.2-70.2 | 201 | 28.1 | 23.6-32.6 |
| Less than \$15,000 | 197 | 219,787 | | | | 28 | 11.0 | 5.9-16.1 | 138 | 71.9 | 63.5-80.3 | 31 | 17.2 | 9.9-24.5 |
| \$15,000- 24,999 | 308 | 324,806 | | | | 34 | 11.0 | 6.5-15.5 | 210 | 69.2 | 62.3-76.1 | 64 | 19.8 | 13.9-25.7 |
| \$25,000- 34,999 | 206 | 196,408 | | | | 20 | 8.7 | 3.6-13.8 | 147 | 73.2 | 65.2-81.2 | 39 | 18.1 | 11.2-25.0 |
| \$35,000- 49,999 | 291 | 297,110 | 1 | 0.7 | 0.0- 2.1 | 20 | 7.5 | 3.2-11.8 | 210 | 66.6 | 59.0-74.2 | 60 | 25.1 | 17.8-32.4 |
| \$50,000- 74,999 | 315 | 363,145 | | | | 17 | 5.8 | 2.5- 9.1 | 207 | 63.5 | 56.2-70.8 | 91 | 30.7 | 23.6-37.8 |
| \$75,000+ | 657 | 722,632 | | | | 37 | 5.9 | 3.4- 8.4 | 436 | 66.3 | 61.4-71.2 | 184 | 27.8 | 23.1-32.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >48in, <=60in | | | >60in, <=66in | | | >66in, <=72in | | | >72in, <=84in | | |
|----------------------------|-------------------|-----------|---------------|------|------------|---------------|------|------------|---------------|------|------------|---------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2698 | 2,594,999 | 220 | 9.5 | 7.7-11.3 | 1848 | 64.9 | 62.2-67.6 | 618 | 25.2 | 22.7-27.7 | 12 | 0.4 | 0.0- 0.8 |
| White/Non-Hisp | 2171 | 1,972,695 | 175 | 8.8 | 7.0-10.6 | 1485 | 64.2 | 61.3-67.1 | 507 | 26.8 | 23.9-29.7 | 4 | 0.3 | 0.1- 0.5 |
| Black or Afr. Am./Non-Hisp | 328 | 417,024 | 23 | 8.8 | 3.7-13.9 | 222 | 68.6 | 61.0-76.2 | 76 | 21.3 | 14.4-28.2 | 7 | 1.3 | 0.0- 2.7 |
| Oth. Race/Non-Hisp. | 51 | 49,942 | 4 | 11.5 | 0.0-23.3 | 38 | 57.7 | 36.5-78.9 | 8 | 28.3 | 6.5-50.1 | 1 | 2.5 | 0.0- 7.4 |
| MultiRacial/Non-Hisp. | 55 | 23,925 | 3 | 8.2 | 0.0-19.0 | 41 | 69.0 | 52.5-85.5 | 11 | 22.8 | 8.1-37.5 | | | |
| Hispanic | 61 | 101,744 | 13 | 25.1 | 7.9-42.3 | 38 | 66.8 | 49.2-84.4 | 10 | 8.1 | 1.8-14.4 | | | |
| 18-24 | 129 | 290,255 | 12 | 16.0 | 6.2-25.8 | 82 | 56.7 | 44.5-68.9 | 34 | 26.7 | 15.3-38.1 | 1 | 0.6 | 0.0- 1.8 |
| 25-34 | 303 | 431,070 | 17 | 5.2 | 2.5- 7.9 | 185 | 58.8 | 51.4-66.2 | 99 | 35.3 | 28.0-42.6 | 2 | 0.7 | 0.0- 1.7 |
| 35-44 | 354 | 403,524 | 18 | 7.0 | 2.9-11.1 | 246 | 65.7 | 58.8-72.6 | 89 | 26.6 | 20.3-32.9 | 1 | 0.7 | 0.0- 2.1 |
| 45-54 | 409 | 429,785 | 28 | 7.6 | 3.9-11.3 | 275 | 65.9 | 59.4-72.4 | 106 | 26.6 | 20.5-32.7 | | | |
| 55-64 | 584 | 445,035 | 44 | 8.5 | 5.4-11.6 | 397 | 67.0 | 61.9-72.1 | 143 | 24.6 | 20.1-29.1 | | | |
| 65+ | 919 | 595,329 | 101 | 13.1 | 9.8-16.4 | 663 | 70.7 | 66.6-74.8 | 147 | 15.5 | 12.4-18.6 | 8 | 0.7 | 0.1- 1.3 |
| Less Than H.S. | 246 | 326,839 | 40 | 15.7 | 9.6-21.8 | 166 | 66.0 | 57.8-74.2 | 40 | 18.3 | 11.2-25.4 | | | |
| H.S. or G.E.D. | 826 | 827,769 | 75 | 9.6 | 6.5-12.7 | 565 | 65.1 | 60.2-70.0 | 182 | 24.6 | 20.1-29.1 | 4 | 0.7 | 0.0- 1.5 |
| Some Post-H.S. | 740 | 803,562 | 53 | 10.1 | 6.4-13.8 | 530 | 63.1 | 57.6-68.6 | 156 | 26.6 | 21.5-31.7 | 1 | 0.2 | 0.0- 0.6 |
| College Graduate | 881 | 632,012 | 52 | 5.3 | 3.3- 7.3 | 582 | 66.2 | 61.9-70.5 | 240 | 27.8 | 23.7-31.9 | 7 | 0.7 | 0.0- 1.5 |
| Less than \$15,000 | 356 | 310,695 | 45 | 13.4 | 7.7-19.1 | 236 | 61.6 | 54.2-69.0 | 75 | 25.0 | 18.1-31.9 | | | |
| \$15,000- 24,999 | 496 | 468,948 | 46 | 9.8 | 5.9-13.7 | 353 | 63.7 | 57.0-70.4 | 96 | 25.9 | 19.6-32.2 | 1 | 0.6 | 0.0- 1.8 |
| \$25,000- 34,999 | 253 | 246,709 | 22 | 8.3 | 3.8-12.8 | 175 | 72.1 | 64.7-79.5 | 56 | 19.6 | 12.9-26.3 | | | |
| \$35,000- 49,999 | 319 | 322,783 | 19 | 8.5 | 3.6-13.4 | 223 | 66.0 | 58.6-73.4 | 74 | 24.4 | 17.5-31.3 | 3 | 1.1 | 0.0- 2.5 |
| \$50,000- 74,999 | 311 | 304,345 | 18 | 9.3 | 3.0-15.6 | 208 | 64.3 | 56.5-72.1 | 85 | 26.3 | 19.8-32.8 | | | |
| \$75,000+ | 515 | 516,701 | 28 | 6.4 | 3.5- 9.3 | 337 | 62.3 | 56.0-68.6 | 149 | 30.9 | 24.6-37.2 | 1 | 0.4 | 0.0- 1.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >1.22m, <=1.53m (~60in) | | | >1.53m, <=1.68m (~66in) | | | >1.68m, <=1.83m (~72in) | | | >1.83m, <=2.14m (~84in) | | |
|----------------------------|-------------------|-----------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4951 | 5,037,447 | 222 | 5.0 | 4.0- 6.0 | 2026 | 37.4 | 35.4-39.4 | 2148 | 45.4 | 43.4-47.4 | 555 | 12.2 | 10.8-13.6 |
| Male | 2250 | 2,435,903 | 1 | 0.1 | 0.0- 0.3 | 177 | 8.2 | 6.6- 9.8 | 1530 | 67.0 | 64.3-69.7 | 542 | 24.7 | 22.3-27.1 |
| Female | 2701 | 2,601,544 | 221 | 9.6 | 7.8-11.4 | 1849 | 64.8 | 62.1-67.5 | 618 | 25.1 | 22.6-27.6 | 13 | 0.5 | 0.1- 0.9 |
| White/Non-Hisp | 3992 | 3,812,638 | 176 | 4.6 | 3.6- 5.6 | 1604 | 36.1 | 34.1-38.1 | 1770 | 46.7 | 44.5-48.9 | 442 | 12.6 | 11.2-14.0 |
| Black or Afr. Am./Non-Hisp | 566 | 788,844 | 23 | 4.6 | 1.9- 7.3 | 252 | 41.7 | 36.0-47.4 | 222 | 40.7 | 35.0-46.4 | 69 | 12.9 | 9.2-16.6 |
| Oth. Race/Non-Hisp. | 118 | 133,156 | 4 | 4.3 | 0.0- 8.8 | 45 | 27.9 | 16.9-38.9 | 55 | 54.9 | 41.6-68.2 | 14 | 12.9 | 5.1-20.7 |
| MultiRacial/Non-Hisp. | 108 | 48,348 | 3 | 4.1 | 0.0- 9.6 | 46 | 38.1 | 26.5-49.7 | 43 | 46.9 | 34.6-59.2 | 16 | 10.9 | 4.8-17.0 |
| Hispanic | 107 | 187,385 | 14 | 16.4 | 5.4-27.4 | 51 | 52.7 | 39.2-66.2 | 34 | 27.0 | 15.8-38.2 | 8 | 3.8 | 0.7- 6.9 |
| 18-24 | 289 | 593,385 | 12 | 7.8 | 2.7-12.9 | 94 | 32.1 | 25.0-39.2 | 132 | 45.0 | 37.4-52.6 | 51 | 15.2 | 10.3-20.1 |
| 25-34 | 588 | 850,342 | 17 | 2.6 | 1.2- 4.0 | 200 | 33.1 | 28.2-38.0 | 282 | 47.9 | 42.6-53.2 | 89 | 16.4 | 12.5-20.3 |
| 35-44 | 660 | 815,825 | 19 | 4.1 | 1.7- 6.5 | 273 | 37.2 | 32.3-42.1 | 277 | 44.5 | 39.4-49.6 | 91 | 14.2 | 10.7-17.7 |
| 45-54 | 786 | 828,282 | 29 | 4.2 | 2.2- 6.2 | 310 | 38.3 | 33.6-43.0 | 360 | 47.0 | 42.1-51.9 | 87 | 10.5 | 7.8-13.2 |
| 55-64 | 1046 | 860,806 | 44 | 4.4 | 2.8- 6.0 | 442 | 39.7 | 35.8-43.6 | 460 | 45.9 | 42.0-49.8 | 100 | 9.9 | 7.5-12.3 |
| 65+ | 1582 | 1,088,807 | 101 | 7.1 | 5.1- 9.1 | 707 | 41.4 | 38.3-44.5 | 637 | 42.5 | 39.2-45.8 | 137 | 8.9 | 7.1-10.7 |
| Less Than H.S. | 466 | 672,531 | 41 | 8.4 | 5.1-11.7 | 201 | 40.3 | 34.4-46.2 | 190 | 44.6 | 38.5-50.7 | 34 | 6.7 | 4.0- 9.4 |
| H.S. or G.E.D. | 1529 | 1,655,606 | 76 | 4.9 | 3.3- 6.5 | 621 | 35.9 | 32.6-39.2 | 666 | 46.2 | 42.7-49.7 | 166 | 13.0 | 10.6-15.4 |
| Some Post-H.S. | 1302 | 1,494,392 | 53 | 5.5 | 3.3- 7.7 | 576 | 37.5 | 34.0-41.0 | 526 | 44.4 | 40.7-48.1 | 147 | 12.7 | 10.2-15.2 |
| College Graduate | 1644 | 1,207,901 | 52 | 2.8 | 1.8- 3.8 | 622 | 37.6 | 34.5-40.7 | 762 | 46.0 | 42.7-49.3 | 208 | 13.7 | 11.3-16.1 |
| Less than \$15,000 | 554 | 531,415 | 45 | 7.8 | 4.3-11.3 | 265 | 40.7 | 35.0-46.4 | 213 | 44.3 | 38.2-50.4 | 31 | 7.1 | 4.0-10.2 |
| \$15,000- 24,999 | 806 | 803,798 | 47 | 6.4 | 3.7- 9.1 | 388 | 42.2 | 37.3-47.1 | 306 | 43.1 | 38.0-48.2 | 65 | 8.4 | 5.9-10.9 |
| \$25,000- 34,999 | 459 | 443,117 | 22 | 4.6 | 2.1- 7.1 | 195 | 44.0 | 37.7-50.3 | 203 | 43.4 | 37.3-49.5 | 39 | 8.0 | 4.7-11.3 |
| \$35,000- 49,999 | 611 | 620,341 | 20 | 4.8 | 2.1- 7.5 | 243 | 37.9 | 32.6-43.2 | 284 | 44.6 | 39.1-50.1 | 64 | 12.7 | 8.8-16.6 |
| \$50,000- 74,999 | 626 | 667,490 | 18 | 4.3 | 1.4- 7.2 | 225 | 32.5 | 27.6-37.4 | 292 | 46.5 | 41.0-52.0 | 91 | 16.7 | 12.6-20.8 |
| \$75,000+ | 1172 | 1,239,333 | 28 | 2.7 | 1.3- 4.1 | 374 | 29.4 | 25.9-32.9 | 585 | 51.5 | 47.6-55.4 | 185 | 16.4 | 13.5-19.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >1.22m, <=1.53m (~60in) | | | >1.53m, <=1.68m (~66in) | | | >1.68m, <=1.83m (~72in) | | | >1.83m, <=2.14m (~84in) | | |
|----------------------------|-------------------|-----------|-------------------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2250 | 2,435,903 | 1 | 0.1 | 0.0- 0.3 | 177 | 8.2 | 6.6- 9.8 | 1530 | 67.0 | 64.3-69.7 | 542 | 24.7 | 22.3-27.1 |
| White/Non-Hisp | 1820 | 1,839,495 | 1 | 0.1 | 0.0- 0.3 | 119 | 6.1 | 4.7- 7.5 | 1263 | 68.0 | 65.1-70.9 | 437 | 25.8 | 23.1-28.5 |
| Black or Afr. Am./Non-Hisp | 238 | 371,821 | | | | 30 | 11.6 | 6.1-17.1 | 146 | 62.5 | 54.3-70.7 | 62 | 26.0 | 18.7-33.3 |
| Oth. Race/Non-Hisp. | 66 | 82,281 | | | | 6 | 9.0 | 0.0-18.4 | 47 | 71.6 | 56.7-86.5 | 13 | 19.3 | 7.0-31.6 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | | | | 5 | 7.9 | 0.1-15.7 | 32 | 70.5 | 56.4-84.6 | 16 | 21.5 | 9.5-33.5 |
| 18-24 | 159 | 302,196 | | | | 11 | 8.2 | 3.1-13.3 | 98 | 62.7 | 53.3-72.1 | 50 | 29.1 | 20.3-37.9 |
| 25-34 | 285 | 419,272 | | | | 15 | 6.6 | 2.5-10.7 | 183 | 60.8 | 53.4-68.2 | 87 | 32.5 | 25.4-39.6 |
| 35-44 | 305 | 407,137 | | | | 27 | 9.4 | 4.9-13.9 | 188 | 62.7 | 55.4-70.0 | 90 | 27.8 | 21.3-34.3 |
| 45-54 | 377 | 398,496 | 1 | 0.6 | 0.0- 1.8 | 35 | 8.5 | 4.8-12.2 | 254 | 69.1 | 63.0-75.2 | 87 | 21.8 | 16.5-27.1 |
| 55-64 | 461 | 415,322 | | | | 45 | 10.6 | 6.7-14.5 | 317 | 68.9 | 63.4-74.4 | 99 | 20.5 | 15.8-25.2 |
| 65+ | 663 | 493,478 | | | | 44 | 6.1 | 4.1- 8.1 | 490 | 75.1 | 71.0-79.2 | 129 | 18.8 | 15.1-22.5 |
| Less Than H.S. | 219 | 340,529 | | | | 35 | 16.3 | 9.8-22.8 | 150 | 70.5 | 62.9-78.1 | 34 | 13.2 | 7.9-18.5 |
| H.S. or G.E.D. | 701 | 826,454 | 1 | 0.3 | 0.0- 0.9 | 55 | 6.6 | 4.2- 9.0 | 484 | 67.9 | 63.2-72.6 | 161 | 25.3 | 20.8-29.8 |
| Some Post-H.S. | 562 | 690,831 | | | | 46 | 7.7 | 4.8-10.6 | 370 | 65.1 | 59.8-70.4 | 146 | 27.2 | 22.3-32.1 |
| College Graduate | 763 | 575,889 | | | | 40 | 6.2 | 3.8- 8.6 | 522 | 65.9 | 61.4-70.4 | 201 | 27.9 | 23.6-32.2 |
| Less than \$15,000 | 197 | 219,787 | | | | 28 | 11.0 | 5.9-16.1 | 138 | 71.9 | 63.5-80.3 | 31 | 17.2 | 9.9-24.5 |
| \$15,000- 24,999 | 309 | 329,686 | | | | 35 | 12.3 | 7.2-17.4 | 210 | 68.2 | 61.1-75.3 | 64 | 19.5 | 13.6-25.4 |
| \$25,000- 34,999 | 206 | 196,408 | | | | 20 | 8.7 | 3.6-13.8 | 147 | 73.2 | 65.2-81.2 | 39 | 18.1 | 11.2-25.0 |
| \$35,000- 49,999 | 291 | 297,110 | 1 | 0.7 | 0.0- 2.1 | 20 | 7.5 | 3.2-11.8 | 210 | 66.6 | 59.0-74.2 | 60 | 25.1 | 17.8-32.4 |
| \$50,000- 74,999 | 315 | 363,145 | | | | 17 | 5.8 | 2.5- 9.1 | 207 | 63.5 | 56.2-70.8 | 91 | 30.7 | 23.6-37.8 |
| \$75,000+ | 657 | 722,632 | | | | 37 | 5.9 | 3.4- 8.4 | 436 | 66.3 | 61.4-71.2 | 184 | 27.8 | 23.1-32.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >1.22m, <=1.53m (~60in) | | | >1.53m, <=1.68m (~66in) | | | >1.68m, <=1.83m (~72in) | | | >1.83m, <=2.14m (~84in) | | |
|----------------------------|-------------------|-----------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|------|------------|-------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2701 | 2,601,544 | 221 | 9.6 | 7.8-11.4 | 1849 | 64.8 | 62.1-67.5 | 618 | 25.1 | 22.6-27.6 | 13 | 0.5 | 0.1- 0.9 |
| White/Non-Hisp | 2172 | 1,973,143 | 175 | 8.8 | 7.0-10.6 | 1485 | 64.1 | 61.2-67.0 | 507 | 26.8 | 23.9-29.7 | 5 | 0.3 | 0.1- 0.5 |
| Black or Afr. Am./Non-Hisp | 328 | 417,024 | 23 | 8.8 | 3.7-13.9 | 222 | 68.6 | 61.0-76.2 | 76 | 21.3 | 14.4-28.2 | 7 | 1.3 | 0.0- 2.7 |
| Oth. Race/Non-Hisp. | 52 | 50,875 | 4 | 11.3 | 0.0-22.9 | 39 | 58.4 | 37.4-79.4 | 8 | 27.8 | 6.2-49.4 | 1 | 2.5 | 0.0- 7.4 |
| MultiRacial/Non-Hisp. | 55 | 23,925 | 3 | 8.2 | 0.0-19.0 | 41 | 69.0 | 52.5-85.5 | 11 | 22.8 | 8.1-37.5 | | | |
| Hispanic | 62 | 106,908 | 14 | 28.7 | 11.1-46.3 | 38 | 63.6 | 45.6-81.6 | 10 | 7.7 | 1.6-13.8 | | | |
| 18-24 | 130 | 291,188 | 12 | 16.0 | 6.2-25.8 | 83 | 56.8 | 44.6-69.0 | 34 | 26.6 | 15.2-38.0 | 1 | 0.6 | 0.0- 1.8 |
| 25-34 | 303 | 431,070 | 17 | 5.2 | 2.5- 7.9 | 185 | 58.8 | 51.4-66.2 | 99 | 35.3 | 28.0-42.6 | 2 | 0.7 | 0.0- 1.7 |
| 35-44 | 355 | 408,688 | 19 | 8.2 | 3.5-12.9 | 246 | 64.9 | 58.0-71.8 | 89 | 26.2 | 19.9-32.5 | 1 | 0.7 | 0.0- 2.1 |
| 45-54 | 409 | 429,785 | 28 | 7.6 | 3.9-11.3 | 275 | 65.9 | 59.4-72.4 | 106 | 26.6 | 20.5-32.7 | | | |
| 55-64 | 585 | 445,484 | 44 | 8.5 | 5.4-11.6 | 397 | 66.9 | 61.8-72.0 | 143 | 24.5 | 20.0-29.0 | 1 | 0.1 | 0.0- 0.3 |
| 65+ | 919 | 595,329 | 101 | 13.1 | 9.8-16.4 | 663 | 70.7 | 66.6-74.8 | 147 | 15.5 | 12.4-18.6 | 8 | 0.7 | 0.1- 1.3 |
| Less Than H.S. | 247 | 332,002 | 41 | 17.0 | 10.5-23.5 | 166 | 64.9 | 56.5-73.3 | 40 | 18.0 | 10.9-25.1 | | | |
| H.S. or G.E.D. | 828 | 829,151 | 75 | 9.5 | 6.4-12.6 | 566 | 65.1 | 60.2-70.0 | 182 | 24.5 | 20.0-29.0 | 5 | 0.8 | 0.0- 1.6 |
| Some Post-H.S. | 740 | 803,562 | 53 | 10.1 | 6.4-13.8 | 530 | 63.1 | 57.6-68.6 | 156 | 26.6 | 21.5-31.7 | 1 | 0.2 | 0.0- 0.6 |
| College Graduate | 881 | 632,012 | 52 | 5.3 | 3.3- 7.3 | 582 | 66.2 | 61.9-70.5 | 240 | 27.8 | 23.7-31.9 | 7 | 0.7 | 0.0- 1.5 |
| Less than \$15,000 | 357 | 311,628 | 45 | 13.3 | 7.6-19.0 | 237 | 61.8 | 54.4-69.2 | 75 | 24.9 | 18.2-31.6 | | | |
| \$15,000- 24,999 | 497 | 474,112 | 47 | 10.8 | 6.5-15.1 | 353 | 63.0 | 56.3-69.7 | 96 | 25.6 | 19.3-31.9 | 1 | 0.6 | 0.0- 1.8 |
| \$25,000- 34,999 | 253 | 246,709 | 22 | 8.3 | 3.8-12.8 | 175 | 72.1 | 64.7-79.5 | 56 | 19.6 | 12.9-26.3 | | | |
| \$35,000- 49,999 | 320 | 323,231 | 19 | 8.5 | 3.6-13.4 | 223 | 65.9 | 58.5-73.3 | 74 | 24.3 | 17.4-31.2 | 4 | 1.3 | 0.0- 2.7 |
| \$50,000- 74,999 | 311 | 304,345 | 18 | 9.3 | 3.0-15.6 | 208 | 64.3 | 56.5-72.1 | 85 | 26.3 | 19.8-32.8 | | | |
| \$75,000+ | 515 | 516,701 | 28 | 6.4 | 3.5- 9.3 | 337 | 62.3 | 56.0-68.6 | 149 | 30.9 | 24.6-37.2 | 1 | 0.4 | 0.0- 1.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <46kg (~100lbs) | | | >46kg, <=69kg (~150lbs) | | | >69kg, <=91kg (~200lbs) | | | >91kg, <=114kg (~250lbs) | | | >114kg, <=137kg (~300lbs) | | | >137kg (~300lbs) | | |
|----------------------------|-------------------|-----------|-----------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|--------------------------|------|------------|---------------------------|------|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4810 | 4,901,315 | 37 | 0.7 | 0.3- 1.1 | 1210 | 25.8 | 24.0-27.6 | 2093 | 43.1 | 41.1-45.1 | 1055 | 21.4 | 19.8-23.0 | 334 | 7.1 | 6.1- 8.1 | 81 | 1.8 | 1.2- 2.4 |
| Male | 2241 | 2,422,708 | | | | 216 | 11.9 | 9.9-13.9 | 1055 | 46.4 | 43.7-49.1 | 691 | 28.6 | 26.1-31.1 | 226 | 10.3 | 8.5-12.1 | 53 | 2.8 | 1.8- 3.8 |
| Female | 2569 | 2,478,608 | 37 | 1.5 | 0.9- 2.1 | 994 | 39.4 | 36.7-42.1 | 1038 | 39.9 | 37.2-42.6 | 364 | 14.3 | 12.3-16.3 | 108 | 4.0 | 3.0- 5.0 | 28 | 0.8 | 0.4- 1.2 |
| White/Non-Hisp | 3882 | 3,702,204 | 31 | 0.8 | 0.4- 1.2 | 1006 | 25.6 | 23.6-27.6 | 1658 | 42.9 | 40.7-45.1 | 855 | 21.8 | 20.0-23.6 | 271 | 7.3 | 6.1- 8.5 | 61 | 1.5 | 0.9- 2.1 |
| Black or Afr. Am./Non-Hisp | 541 | 762,217 | 3 | 0.4 | 0.0- 1.0 | 102 | 21.8 | 16.5-27.1 | 254 | 44.5 | 38.6-50.4 | 127 | 23.1 | 18.2-28.0 | 42 | 7.4 | 4.5-10.3 | 13 | 2.9 | 0.9- 4.9 |
| Oth. Race/Non-Hisp. | 115 | 124,651 | 1 | 0.7 | 0.0- 2.3 | 33 | 39.2 | 25.3-53.1 | 52 | 39.9 | 26.8-53.0 | 21 | 11.5 | 5.2-17.8 | 4 | 3.5 | 0.0- 7.4 | 4 | 5.1 | 0.0-12.9 |
| MultiRacial/Non-Hisp. | 102 | 45,396 | | | | 15 | 15.1 | 5.7-24.5 | 59 | 59.7 | 47.2-72.2 | 17 | 15.2 | 5.2-25.2 | 9 | 8.5 | 2.4-14.6 | 2 | 1.5 | 0.0- 3.7 |
| Hispanic | 114 | 202,608 | 2 | 1.0 | 0.0- 2.6 | 33 | 34.8 | 21.9-47.7 | 49 | 42.3 | 29.4-55.2 | 24 | 17.0 | 7.8-26.2 | 5 | 4.5 | 0.0- 9.8 | 1 | 0.5 | 0.0- 1.5 |
| 18-24 | 282 | 579,262 | 3 | 0.7 | 0.0- 1.5 | 98 | 41.9 | 33.9-49.9 | 121 | 36.8 | 29.5-44.1 | 40 | 15.5 | 10.2-20.8 | 15 | 4.2 | 1.7- 6.7 | 5 | 0.8 | 0.0- 1.6 |
| 25-34 | 579 | 833,287 | 3 | 0.7 | 0.0- 1.7 | 142 | 24.1 | 19.6-28.6 | 249 | 45.5 | 40.2-50.8 | 134 | 21.5 | 17.2-25.8 | 42 | 6.8 | 4.1- 9.5 | 9 | 1.3 | 0.3- 2.3 |
| 35-44 | 639 | 784,646 | 2 | 0.3 | 0.0- 0.9 | 146 | 22.9 | 18.6-27.2 | 262 | 43.2 | 37.9-48.5 | 146 | 20.1 | 16.2-24.0 | 59 | 9.2 | 6.3-12.1 | 24 | 4.4 | 1.9- 6.9 |
| 45-54 | 760 | 806,525 | 3 | 0.5 | 0.0- 1.1 | 162 | 22.0 | 17.9-26.1 | 308 | 38.9 | 34.2-43.6 | 197 | 26.0 | 21.7-30.3 | 67 | 9.2 | 6.5-11.9 | 23 | 3.4 | 1.4- 5.4 |
| 55-64 | 1015 | 833,678 | 5 | 0.5 | 0.0- 1.1 | 213 | 19.3 | 16.2-22.4 | 453 | 46.4 | 42.3-50.5 | 255 | 25.7 | 22.2-29.2 | 75 | 7.2 | 5.0- 9.4 | 14 | 0.9 | 0.3- 1.5 |
| 65+ | 1535 | 1,063,916 | 21 | 1.5 | 0.5- 2.5 | 449 | 28.5 | 25.6-31.4 | 700 | 45.2 | 41.9-48.5 | 283 | 18.6 | 15.9-21.3 | 76 | 5.8 | 4.2- 7.4 | 6 | 0.3 | 0.1- 0.5 |
| Less Than H.S. | 462 | 682,463 | 8 | 1.5 | 0.1- 2.9 | 132 | 28.7 | 23.2-34.2 | 200 | 46.2 | 40.1-52.3 | 86 | 16.2 | 11.9-20.5 | 28 | 5.5 | 3.1- 7.9 | 8 | 1.9 | 0.0- 3.9 |
| H.S. or G.E.D. | 1485 | 1,587,654 | 12 | 0.8 | 0.2- 1.4 | 349 | 23.3 | 20.0-26.6 | 652 | 42.1 | 38.6-45.6 | 331 | 22.6 | 19.7-25.5 | 114 | 9.3 | 7.1-11.5 | 27 | 1.8 | 0.8- 2.8 |
| Some Post-H.S. | 1259 | 1,453,993 | 7 | 0.4 | 0.0- 0.8 | 304 | 25.3 | 21.8-28.8 | 550 | 42.7 | 39.0-46.4 | 284 | 22.9 | 19.8-26.0 | 90 | 7.0 | 5.2- 8.8 | 24 | 1.8 | 0.8- 2.8 |
| College Graduate | 1592 | 1,167,299 | 10 | 0.6 | 0.0- 1.2 | 422 | 28.1 | 25.0-31.2 | 687 | 43.5 | 40.2-46.8 | 349 | 20.7 | 18.2-23.2 | 102 | 5.4 | 4.0- 6.8 | 22 | 1.7 | 0.7- 2.7 |
| Less than \$15,000 | 540 | 520,242 | 8 | 0.8 | 0.2- 1.4 | 157 | 31.5 | 25.8-37.2 | 216 | 37.1 | 31.4-42.8 | 108 | 21.1 | 16.0-26.2 | 36 | 6.5 | 3.8- 9.2 | 15 | 3.0 | 0.5- 5.5 |
| \$15,000- 24,999 | 789 | 795,072 | 7 | 1.3 | 0.0- 2.7 | 214 | 25.3 | 20.8-29.8 | 337 | 44.5 | 39.4-49.6 | 162 | 20.1 | 16.0-24.2 | 53 | 7.1 | 4.4- 9.8 | 16 | 1.6 | 0.6- 2.6 |
| \$25,000- 34,999 | 449 | 435,521 | 5 | 1.5 | 0.0- 3.1 | 105 | 25.5 | 19.6-31.4 | 206 | 44.9 | 38.6-51.2 | 83 | 16.9 | 12.0-21.8 | 41 | 9.5 | 5.8-13.2 | 9 | 1.7 | 0.3- 3.1 |
| \$35,000- 49,999 | 598 | 605,569 | 2 | 0.2 | 0.0- 0.4 | 138 | 22.6 | 17.9-27.3 | 272 | 44.7 | 39.2-50.2 | 138 | 23.1 | 18.4-27.8 | 44 | 8.2 | 5.1-11.3 | 4 | 1.1 | 0.0- 2.7 |
| \$50,000- 74,999 | 610 | 645,739 | | | | 128 | 20.4 | 15.9-24.9 | 265 | 41.7 | 36.4-47.0 | 162 | 26.3 | 21.6-31.0 | 47 | 9.5 | 6.0-13.0 | 8 | 2.0 | 0.0- 4.0 |
| \$75,000+ | 1156 | 1,221,854 | 5 | 0.4 | 0.0- 0.8 | 260 | 25.3 | 21.6-29.0 | 500 | 42.1 | 38.2-46.0 | 292 | 24.3 | 21.0-27.6 | 78 | 6.1 | 4.3- 7.9 | 21 | 1.8 | 0.8- 2.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|-------------------------|------|------------|--------------------------|------|------------|---------------------------|------|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | >46kg, <=69kg (~150lbs) | | | >69kg, <=91kg (~200lbs) | | | >91kg, <=114kg (~250lbs) | | | >114kg, <=137kg (~300lbs) | | | >137kg (~300lbs) | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2241 | 2,422,708 | 216 | 11.9 | 9.9-13.9 | 1055 | 46.4 | 43.7-49.1 | 691 | 28.6 | 26.1-31.1 | 226 | 10.3 | 8.5-12.1 | 53 | 2.8 | 1.8- 3.8 |
| White/Non-Hisp | 1810 | 1,820,208 | 162 | 10.2 | 8.2-12.2 | 842 | 45.9 | 42.8-49.0 | 578 | 30.6 | 27.9-33.3 | 187 | 10.9 | 8.9-12.9 | 41 | 2.5 | 1.3- 3.7 |
| Black or Afr. Am./Non-Hisp | 238 | 373,130 | 26 | 12.7 | 6.8-18.6 | 116 | 49.4 | 40.8-58.0 | 62 | 23.3 | 16.2-30.4 | 25 | 10.5 | 5.4-15.6 | 9 | 4.1 | 0.6- 7.6 |
| Oth. Race/Non-Hisp. | 66 | 77,485 | 9 | 28.2 | 9.8-46.6 | 35 | 44.7 | 27.3-62.1 | 17 | 16.1 | 6.5-25.7 | 2 | 3.1 | 0.0- 8.4 | 3 | 7.8 | 0.0-20.1 |
| MultiRacial/Non-Hisp. | 51 | 23,773 | 7 | 12.5 | 2.1-22.9 | 26 | 58.9 | 41.5-76.3 | 12 | 20.1 | 4.4-35.8 | 6 | 8.6 | 0.8-16.4 | | | |
| 18-24 | 157 | 293,951 | 39 | 32.6 | 22.8-42.4 | 77 | 40.9 | 31.5-50.3 | 26 | 18.3 | 10.7-25.9 | 11 | 7.0 | 2.1-11.9 | 4 | 1.2 | 0.0- 2.4 |
| 25-34 | 286 | 418,434 | 31 | 9.6 | 5.5-13.7 | 143 | 54.1 | 46.7-61.5 | 89 | 28.0 | 21.5-34.5 | 20 | 7.5 | 3.2-11.8 | 3 | 0.8 | 0.0- 1.8 |
| 35-44 | 306 | 409,712 | 29 | 9.3 | 5.2-13.4 | 129 | 44.4 | 37.0-51.8 | 93 | 25.2 | 19.3-31.1 | 40 | 13.8 | 8.7-18.9 | 15 | 7.2 | 2.5-11.9 |
| 45-54 | 376 | 398,457 | 29 | 10.3 | 5.2-15.4 | 148 | 35.0 | 28.7-41.3 | 130 | 34.0 | 27.5-40.5 | 49 | 14.6 | 9.7-19.5 | 20 | 6.1 | 2.4- 9.8 |
| 55-64 | 458 | 411,454 | 38 | 8.9 | 5.6-12.2 | 207 | 47.5 | 41.6-53.4 | 157 | 33.5 | 27.8-39.2 | 48 | 9.2 | 5.9-12.5 | 8 | 0.9 | 0.1- 1.7 |
| 65+ | 658 | 490,699 | 50 | 7.4 | 4.7-10.1 | 351 | 53.0 | 47.9-58.1 | 196 | 29.8 | 25.1-34.5 | 58 | 9.5 | 6.4-12.6 | 3 | 0.4 | 0.0- 1.0 |
| Less Than H.S. | 216 | 344,448 | 42 | 20.4 | 13.3-27.5 | 102 | 47.8 | 39.2-56.4 | 51 | 21.6 | 14.7-28.5 | 17 | 7.5 | 3.6-11.4 | 4 | 2.7 | 0.0- 6.4 |
| H.S. or G.E.D. | 700 | 811,315 | 66 | 12.3 | 8.6-16.0 | 331 | 43.9 | 39.0-48.8 | 203 | 26.3 | 22.0-30.6 | 80 | 14.4 | 10.5-18.3 | 20 | 3.0 | 1.2- 4.8 |
| Some Post-H.S. | 560 | 690,401 | 52 | 10.2 | 6.7-13.7 | 255 | 45.7 | 40.2-51.2 | 183 | 32.0 | 26.9-37.1 | 54 | 8.8 | 5.9-11.7 | 16 | 3.2 | 1.0- 5.4 |
| College Graduate | 759 | 572,173 | 56 | 8.3 | 5.4-11.2 | 365 | 50.0 | 45.3-54.7 | 250 | 31.7 | 27.4-36.0 | 75 | 8.3 | 5.8-10.8 | 13 | 1.8 | 0.6- 3.0 |
| Less than \$15,000 | 193 | 212,311 | 38 | 21.7 | 13.5-29.9 | 89 | 41.0 | 31.6-50.4 | 39 | 22.6 | 13.8-31.4 | 21 | 9.8 | 4.3-15.3 | 6 | 4.9 | 0.0-11.0 |
| \$15,000- 24,999 | 311 | 339,549 | 41 | 13.3 | 8.0-18.6 | 146 | 49.5 | 41.7-57.3 | 81 | 23.5 | 17.0-30.0 | 32 | 10.5 | 5.8-15.2 | 11 | 3.2 | 0.8- 5.6 |
| \$25,000- 34,999 | 206 | 196,408 | 21 | 11.0 | 5.7-16.3 | 101 | 50.9 | 41.9-59.9 | 51 | 22.1 | 14.7-29.5 | 27 | 14.1 | 7.4-20.8 | 6 | 1.8 | 0.0- 3.6 |
| \$35,000- 49,999 | 293 | 301,053 | 30 | 12.4 | 6.9-17.9 | 141 | 43.9 | 36.3-51.5 | 92 | 31.1 | 23.8-38.4 | 28 | 10.9 | 5.8-16.0 | 2 | 1.7 | 0.0- 4.8 |
| \$50,000- 74,999 | 313 | 355,468 | 20 | 7.9 | 3.6-12.2 | 139 | 44.6 | 37.2-52.0 | 112 | 30.0 | 23.7-36.3 | 36 | 14.8 | 8.9-20.7 | 6 | 2.7 | 0.0- 5.8 |
| \$75,000+ | 657 | 721,189 | 40 | 10.0 | 6.1-13.9 | 293 | 42.9 | 37.8-48.0 | 242 | 35.4 | 30.5-40.3 | 64 | 8.8 | 6.1-11.5 | 18 | 3.0 | 1.2- 4.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | <46kg (~100lbs) | | | >46kg, <=69kg (~150lbs) | | | >69kg, <=91kg (~200lbs) | | | >91kg, <=114kg (~250lbs) | | | >114kg, <=137kg (~300lbs) | | | >137kg (~300lbs) | | |
|----------------------------|-------------------|-----------|-----------------|-----|------------|-------------------------|------|------------|-------------------------|------|------------|--------------------------|------|------------|---------------------------|-----|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2569 | 2,478,608 | 37 | 1.5 | 0.9- 2.1 | 994 | 39.4 | 36.7-42.1 | 1038 | 39.9 | 37.2-42.6 | 364 | 14.3 | 12.3-16.3 | 108 | 4.0 | 3.0- 5.0 | 28 | 0.8 | 0.4- 1.2 |
| White/Non-Hisp | 2072 | 1,881,996 | 31 | 1.6 | 0.8- 2.4 | 844 | 40.5 | 37.6-43.4 | 816 | 40.1 | 37.2-43.0 | 277 | 13.2 | 11.0-15.4 | 84 | 3.9 | 2.7- 5.1 | 20 | 0.6 | 0.2- 1.0 |
| Black or Afr. Am./Non-Hisp | 303 | 389,086 | 3 | 0.8 | 0.0- 2.0 | 76 | 30.4 | 22.4-38.4 | 138 | 39.8 | 32.2-47.4 | 65 | 22.9 | 15.8-30.0 | 17 | 4.4 | 1.7- 7.1 | 4 | 1.7 | 0.0- 3.7 |
| MultiRacial/Non-Hisp. | 51 | 21,623 | | | | 8 | 18.0 | 2.3-33.7 | 33 | 60.6 | 42.6-78.6 | 5 | 9.8 | 0.0-21.6 | 3 | 8.4 | 0.0-18.0 | 2 | 3.2 | 0.0- 7.7 |
| Hispanic | 65 | 110,795 | 2 | 1.7 | 0.0- 4.4 | 26 | 47.0 | 28.2-65.8 | 25 | 39.0 | 20.8-57.2 | 10 | 10.4 | 1.0-19.8 | 1 | 1.0 | 0.0- 3.0 | 1 | 0.9 | 0.0- 2.7 |
| 18-24 | 125 | 285,311 | 3 | 1.5 | 0.0- 3.3 | 59 | 51.5 | 39.3-63.7 | 44 | 32.6 | 21.6-43.6 | 14 | 12.6 | 5.2-20.0 | 4 | 1.4 | 0.0- 3.0 | 1 | 0.3 | 0.0- 0.9 |
| 25-34 | 293 | 414,853 | 3 | 1.4 | 0.0- 3.4 | 111 | 38.7 | 31.4-46.0 | 106 | 36.9 | 29.6-44.2 | 45 | 15.0 | 9.1-20.9 | 22 | 6.2 | 2.9- 9.5 | 6 | 1.7 | 0.0- 3.5 |
| 35-44 | 333 | 374,934 | 2 | 0.6 | 0.0- 1.8 | 117 | 37.6 | 30.5-44.7 | 133 | 41.9 | 34.6-49.2 | 53 | 14.4 | 9.5-19.3 | 19 | 4.1 | 1.6- 6.6 | 9 | 1.3 | 0.3- 2.3 |
| 45-54 | 384 | 408,068 | 3 | 1.0 | 0.0- 2.4 | 133 | 33.4 | 27.1-39.7 | 160 | 42.7 | 35.8-49.6 | 67 | 18.2 | 12.9-23.5 | 18 | 3.9 | 1.5- 6.3 | 3 | 0.7 | 0.0- 1.5 |
| 55-64 | 557 | 422,224 | 5 | 1.0 | 0.0- 2.2 | 175 | 29.5 | 24.4-34.6 | 246 | 45.3 | 39.6-51.0 | 98 | 18.2 | 13.9-22.5 | 27 | 5.2 | 2.5- 7.9 | 6 | 0.8 | 0.0- 1.6 |
| 65+ | 877 | 573,218 | 21 | 2.7 | 0.9- 4.5 | 399 | 46.6 | 42.1-51.1 | 349 | 38.6 | 34.3-42.9 | 87 | 9.1 | 6.6-11.6 | 18 | 2.7 | 1.1- 4.3 | 3 | 0.2 | 0.0- 0.4 |
| Less Than H.S. | 246 | 338,016 | 8 | 3.0 | 0.1- 5.9 | 90 | 37.1 | 28.9-45.3 | 98 | 44.6 | 36.0-53.2 | 35 | 10.7 | 6.0-15.4 | 11 | 3.5 | 0.8- 6.2 | 4 | 1.1 | 0.0- 2.3 |
| H.S. or G.E.D. | 785 | 776,339 | 12 | 1.7 | 0.3- 3.1 | 283 | 34.8 | 29.7-39.9 | 321 | 40.1 | 35.2-45.0 | 128 | 18.8 | 14.7-22.9 | 34 | 3.9 | 2.1- 5.7 | 7 | 0.5 | 0.1- 0.9 |
| Some Post-H.S. | 699 | 763,592 | 7 | 0.8 | 0.0- 1.6 | 252 | 38.8 | 33.3-44.3 | 295 | 39.9 | 34.6-45.2 | 101 | 14.7 | 11.0-18.4 | 36 | 5.3 | 2.9- 7.7 | 8 | 0.5 | 0.1- 0.9 |
| College Graduate | 833 | 595,126 | 10 | 1.1 | 0.1- 2.1 | 366 | 47.2 | 42.5-51.9 | 322 | 37.2 | 32.7-41.7 | 99 | 10.1 | 7.4-12.8 | 27 | 2.7 | 1.5- 3.9 | 9 | 1.6 | 0.2- 3.0 |
| Less than \$15,000 | 347 | 307,932 | 8 | 1.4 | 0.4- 2.4 | 119 | 38.2 | 30.8-45.6 | 127 | 34.4 | 27.3-41.5 | 69 | 20.0 | 13.9-26.1 | 15 | 4.3 | 1.6- 7.0 | 9 | 1.7 | 0.5- 2.9 |
| \$15,000- 24,999 | 478 | 455,523 | 7 | 2.3 | 0.1- 4.5 | 173 | 34.3 | 27.8-40.8 | 191 | 40.7 | 34.0-47.4 | 81 | 17.6 | 12.3-22.9 | 21 | 4.6 | 1.7- 7.5 | 5 | 0.5 | 0.1- 0.9 |
| \$25,000- 34,999 | 243 | 239,112 | 5 | 2.8 | 0.1- 5.5 | 84 | 37.4 | 28.6-46.2 | 105 | 39.9 | 31.5-48.3 | 32 | 12.6 | 6.3-18.9 | 14 | 5.7 | 2.2- 9.2 | 3 | 1.6 | 0.0- 3.6 |
| \$35,000- 49,999 | 305 | 304,516 | 2 | 0.4 | 0.0- 1.0 | 108 | 32.7 | 25.4-40.0 | 131 | 45.5 | 37.5-53.5 | 46 | 15.3 | 9.6-21.0 | 16 | 5.6 | 2.1- 9.1 | 2 | 0.6 | 0.0- 1.6 |
| \$50,000- 74,999 | 297 | 290,271 | | | | 108 | 35.7 | 27.9-43.5 | 126 | 38.3 | 30.9-45.7 | 50 | 21.9 | 14.8-29.0 | 11 | 3.0 | 1.0- 5.0 | 2 | 1.2 | 0.0- 3.2 |
| \$75,000+ | 499 | 500,665 | 5 | 1.1 | 0.0- 2.3 | 220 | 47.3 | 41.0-53.6 | 207 | 41.0 | 34.7-47.3 | 50 | 8.3 | 5.0-11.6 | 14 | 2.3 | 0.7- 3.9 | 3 | 0.2 | 0.0- 0.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | < 18 | | | | | | > 18, <= 25 | | | 25 >, <= 30 | | | 30 >, <= 35 | | | 35 > | | | | |
|----------------------------|-------------------|-----------|------|-----|------------|--|------|------|-------------|--|------|-------------|------------|--|-------------|------|------------|------|-----|------|------------|--|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | | N | % | C.I. (95%) | | N | % | C.I. (95%) | | N | % | C.I. (95%) | | N | % | C.I. (95%) | |
| TOTAL | 4756 | 4,813,335 | 49 | 1.1 | 0.7- 1.5 | | 1423 | 31.1 | 29.1-33.1 | | 1607 | 33.4 | 31.4-35.4 | | 955 | 19.2 | 17.6-20.8 | | 722 | 15.2 | 13.8-16.6 | |
| Male | 2231 | 2,401,937 | 21 | 1.1 | 0.3- 1.9 | | 574 | 27.9 | 25.4-30.4 | | 874 | 37.6 | 34.9-40.3 | | 482 | 20.2 | 18.0-22.4 | | 280 | 13.2 | 11.2-15.2 | |
| Female | 2525 | 2,411,398 | 28 | 1.1 | 0.5- 1.7 | | 849 | 34.3 | 31.6-37.0 | | 733 | 29.2 | 26.7-31.7 | | 473 | 18.2 | 16.0-20.4 | | 442 | 17.1 | 14.9-19.3 | |
| White/Non-Hisp | 3849 | 3,657,853 | 39 | 1.2 | 0.6- 1.8 | | 1201 | 32.3 | 30.1-34.5 | | 1290 | 33.2 | 31.2-35.2 | | 763 | 18.8 | 17.2-20.4 | | 556 | 14.4 | 12.8-16.0 | |
| Black or Afr. Am./Non-Hisp | 534 | 740,343 | 3 | 0.7 | 0.0- 1.7 | | 110 | 23.6 | 18.3-28.9 | | 191 | 33.0 | 27.7-38.3 | | 116 | 21.9 | 17.0-26.8 | | 114 | 20.8 | 16.1-25.5 | |
| Oth. Race/Non-Hisp. | 112 | 122,598 | 1 | 0.6 | 0.0- 1.8 | | 40 | 45.9 | 32.0-59.8 | | 42 | 34.6 | 21.7-47.5 | | 18 | 9.1 | 3.6-14.6 | | 11 | 9.8 | 1.0-18.6 | |
| MultiRacial/Non-Hisp. | 101 | 45,272 | 2 | 1.3 | 0.0- 3.1 | | 24 | 23.1 | 12.7-33.5 | | 29 | 29.9 | 17.9-41.9 | | 28 | 28.2 | 16.4-40.0 | | 18 | 17.6 | 8.6-26.6 | |
| Hispanic | 106 | 185,241 | 2 | 1.0 | 0.0- 2.8 | | 30 | 28.5 | 16.2-40.8 | | 35 | 36.6 | 23.1-50.1 | | 22 | 21.2 | 9.6-32.8 | | 17 | 12.7 | 4.7-20.7 | |
| 18-24 | 275 | 554,364 | 6 | 1.6 | 0.2- 3.0 | | 135 | 50.4 | 42.6-58.2 | | 66 | 22.9 | 16.4-29.4 | | 40 | 17.9 | 11.8-24.0 | | 28 | 7.2 | 3.9-10.5 | |
| 25-34 | 559 | 801,701 | 6 | 0.9 | 0.0- 1.9 | | 178 | 32.1 | 27.0-37.2 | | 196 | 37.8 | 32.5-43.1 | | 97 | 15.2 | 11.7-18.7 | | 82 | 14.0 | 10.1-17.9 | |
| 35-44 | 629 | 773,059 | 4 | 0.7 | 0.0- 1.5 | | 192 | 31.3 | 26.4-36.2 | | 180 | 29.6 | 24.7-34.5 | | 129 | 18.0 | 14.3-21.7 | | 124 | 20.4 | 16.1-24.7 | |
| 45-54 | 758 | 804,408 | 6 | 1.8 | 0.0- 3.8 | | 184 | 23.8 | 19.7-27.9 | | 256 | 32.5 | 28.0-37.0 | | 152 | 19.6 | 15.5-23.7 | | 160 | 22.2 | 18.1-26.3 | |
| 55-64 | 1012 | 829,270 | 9 | 0.9 | 0.1- 1.7 | | 257 | 24.5 | 21.0-28.0 | | 341 | 35.5 | 31.6-39.4 | | 236 | 23.9 | 20.4-27.4 | | 169 | 15.2 | 12.5-17.9 | |
| 65+ | 1523 | 1,050,534 | 18 | 1.0 | 0.4- 1.6 | | 477 | 31.0 | 27.9-34.1 | | 568 | 37.4 | 34.1-40.7 | | 301 | 19.6 | 16.9-22.3 | | 159 | 11.1 | 8.9-13.3 | |
| Less Than H.S. | 448 | 653,594 | 10 | 2.6 | 0.2- 5.0 | | 132 | 30.0 | 24.3-35.7 | | 137 | 32.9 | 27.0-38.8 | | 91 | 19.3 | 14.6-24.0 | | 78 | 15.3 | 11.2-19.4 | |
| H.S. or G.E.D. | 1469 | 1,559,502 | 11 | 0.9 | 0.1- 1.7 | | 407 | 28.3 | 25.0-31.6 | | 509 | 33.3 | 30.0-36.6 | | 299 | 19.8 | 17.1-22.5 | | 243 | 17.7 | 15.0-20.4 | |
| Some Post-H.S. | 1251 | 1,439,455 | 13 | 0.9 | 0.3- 1.5 | | 354 | 31.4 | 27.7-35.1 | | 412 | 32.5 | 29.0-36.0 | | 266 | 19.5 | 16.6-22.4 | | 206 | 15.7 | 13.0-18.4 | |
| College Graduate | 1579 | 1,154,116 | 15 | 0.9 | 0.3- 1.5 | | 526 | 35.2 | 32.1-38.3 | | 548 | 35.1 | 32.0-38.2 | | 295 | 17.6 | 15.1-20.1 | | 195 | 11.3 | 9.3-13.3 | |
| Less than \$15,000 | 533 | 510,038 | 10 | 1.9 | 0.5- 3.3 | | 154 | 32.0 | 26.1-37.9 | | 154 | 26.8 | 21.9-31.7 | | 102 | 19.3 | 14.4-24.2 | | 113 | 20.0 | 15.1-24.9 | |
| \$15,000- 24,999 | 772 | 764,674 | 13 | 1.9 | 0.5- 3.3 | | 219 | 30.0 | 25.1-34.9 | | 235 | 30.1 | 25.2-35.0 | | 162 | 20.2 | 16.1-24.3 | | 143 | 17.9 | 14.0-21.8 | |
| \$25,000- 34,999 | 446 | 433,852 | 4 | 1.6 | 0.0- 3.2 | | 133 | 31.3 | 25.2-37.4 | | 150 | 33.9 | 28.0-39.8 | | 80 | 15.4 | 11.3-19.5 | | 79 | 17.7 | 12.6-22.8 | |
| \$35,000- 49,999 | 593 | 600,191 | 5 | 0.4 | 0.0- 0.8 | | 173 | 28.8 | 23.9-33.7 | | 209 | 34.8 | 29.5-40.1 | | 120 | 20.1 | 15.4-24.8 | | 86 | 15.8 | 11.5-20.1 | |
| \$50,000- 74,999 | 608 | 639,437 | 4 | 0.4 | 0.0- 0.8 | | 166 | 27.5 | 22.6-32.4 | | 202 | 32.9 | 27.8-38.0 | | 144 | 20.7 | 16.6-24.8 | | 92 | 18.6 | 14.1-23.1 | |
| \$75,000+ | 1149 | 1,214,339 | 7 | 1.3 | 0.0- 2.7 | | 341 | 32.1 | 28.2-36.0 | | 440 | 36.5 | 32.8-40.2 | | 230 | 18.6 | 15.7-21.5 | | 131 | 11.4 | 8.9-13.9 | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|-----|------------|-------------|------|------------|-------------|------|------------|-------------|------|------------|------|------|------------|--|--|--|
| | TOTAL | WEIGHTED | < 18 | | | > 18, <= 25 | | | 25 >, <= 30 | | | 30 >, <= 35 | | | 35 > | | | | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Male | 2231 | 2,401,937 | 21 | 1.1 | 0.3- 1.9 | 574 | 27.9 | 25.4-30.4 | 874 | 37.6 | 34.9-40.3 | 482 | 20.2 | 18.0-22.4 | 280 | 13.2 | 11.2-15.2 | | | |
| White/Non-Hisp | 1807 | 1,816,000 | 16 | 1.2 | 0.2- 2.2 | 466 | 27.4 | 24.7-30.1 | 696 | 36.7 | 33.8-39.6 | 397 | 21.2 | 18.7-23.7 | 232 | 13.4 | 11.2-15.6 | | | |
| Black or Afr. Am./Non-Hisp | 237 | 370,424 | 1 | 0.6 | 0.0- 1.8 | 57 | 28.0 | 20.0-36.0 | 96 | 39.2 | 31.0-47.4 | 50 | 17.8 | 11.3-24.3 | 33 | 14.3 | 8.2-20.4 | | | |
| Oth. Race/Non-Hisp. | 65 | 75,936 | 1 | 1.0 | 0.0- 3.0 | 18 | 37.9 | 19.5-56.3 | 30 | 40.1 | 22.9-57.3 | 11 | 9.9 | 2.3-17.5 | 5 | 11.2 | 0.0-24.5 | | | |
| MultiRacial/Non-Hisp. | 51 | 23,773 | 2 | 2.4 | 0.0- 5.9 | 14 | 24.9 | 11.2-38.6 | 19 | 43.6 | 25.6-61.6 | 13 | 25.5 | 8.8-42.2 | 3 | 3.5 | 0.0- 7.6 | | | |
| 18-24 | 156 | 288,370 | 4 | 1.9 | 0.0- 4.1 | 81 | 54.8 | 45.0-64.6 | 41 | 23.1 | 15.5-30.7 | 18 | 15.1 | 7.5-22.7 | 12 | 5.1 | 2.0- 8.2 | | | |
| 25-34 | 283 | 410,812 | 2 | 0.2 | 0.0- 0.6 | 84 | 31.0 | 23.7-38.3 | 119 | 44.0 | 36.6-51.4 | 53 | 15.6 | 10.5-20.7 | 25 | 9.2 | 4.7-13.7 | | | |
| 35-44 | 304 | 406,683 | 3 | 0.8 | 0.0- 2.0 | 90 | 29.3 | 22.6-36.0 | 93 | 32.0 | 24.9-39.1 | 71 | 18.5 | 13.6-23.4 | 47 | 19.4 | 12.9-25.9 | | | |
| 45-54 | 375 | 397,486 | 3 | 2.5 | 0.0- 6.2 | 60 | 14.3 | 9.8-18.8 | 147 | 37.9 | 31.4-44.4 | 85 | 22.2 | 16.1-28.3 | 80 | 23.0 | 17.1-28.9 | | | |
| 55-64 | 457 | 411,166 | 4 | 0.8 | 0.0- 1.6 | 93 | 21.9 | 17.0-26.8 | 197 | 43.2 | 37.3-49.1 | 105 | 23.0 | 18.1-27.9 | 58 | 11.2 | 7.5-14.9 | | | |
| 65+ | 656 | 487,419 | 5 | 0.7 | 0.0- 1.5 | 166 | 24.6 | 20.3-28.9 | 277 | 40.3 | 35.4-45.2 | 150 | 24.3 | 19.8-28.8 | 58 | 10.0 | 6.9-13.1 | | | |
| Less Than H.S. | 213 | 334,005 | 6 | 3.7 | 0.0- 8.2 | 68 | 30.6 | 22.8-38.4 | 73 | 34.1 | 25.7-42.5 | 42 | 19.4 | 12.7-26.1 | 24 | 12.3 | 6.4-18.2 | | | |
| H.S. or G.E.D. | 698 | 807,295 | 4 | 0.7 | 0.0- 1.5 | 172 | 27.2 | 22.5-31.9 | 272 | 35.7 | 31.0-40.4 | 150 | 19.9 | 16.0-23.8 | 100 | 16.6 | 12.7-20.5 | | | |
| Some Post-H.S. | 559 | 689,828 | 5 | 0.8 | 0.0- 1.6 | 141 | 28.5 | 23.4-33.6 | 210 | 37.2 | 31.9-42.5 | 133 | 21.2 | 16.9-25.5 | 70 | 12.4 | 8.9-15.9 | | | |
| College Graduate | 757 | 568,959 | 6 | 0.6 | 0.2- 1.0 | 193 | 26.9 | 22.6-31.2 | 318 | 42.8 | 38.1-47.5 | 154 | 19.6 | 15.9-23.3 | 86 | 10.2 | 7.5-12.9 | | | |
| Less than \$15,000 | 192 | 209,604 | 6 | 3.6 | 0.5- 6.7 | 62 | 32.3 | 22.9-41.7 | 63 | 29.7 | 21.3-38.1 | 33 | 19.9 | 11.3-28.5 | 28 | 14.6 | 7.2-22.0 | | | |
| \$15,000- 24,999 | 308 | 329,491 | 4 | 0.8 | 0.0- 1.6 | 95 | 34.5 | 26.9-42.1 | 104 | 30.1 | 23.0-37.2 | 64 | 21.7 | 14.8-28.6 | 41 | 13.0 | 8.3-17.7 | | | |
| \$25,000- 34,999 | 206 | 196,408 | 1 | 0.9 | 0.0- 2.7 | 54 | 27.2 | 19.4-35.0 | 79 | 38.3 | 29.5-47.1 | 40 | 16.9 | 10.4-23.4 | 32 | 16.7 | 9.4-24.0 | | | |
| \$35,000- 49,999 | 290 | 296,845 | 2 | 0.3 | 0.0- 0.7 | 76 | 27.4 | 20.5-34.3 | 115 | 38.4 | 30.8-46.0 | 65 | 19.7 | 13.6-25.8 | 32 | 14.2 | 8.1-20.3 | | | |
| \$50,000- 74,999 | 313 | 355,468 | 3 | 0.5 | 0.0- 1.1 | 71 | 25.5 | 18.8-32.2 | 115 | 34.8 | 27.7-41.9 | 83 | 22.9 | 17.0-28.8 | 41 | 16.3 | 10.2-22.4 | | | |
| \$75,000+ | 656 | 720,902 | 4 | 1.6 | 0.0- 3.8 | 136 | 23.6 | 18.9-28.3 | 285 | 41.2 | 36.1-46.3 | 148 | 20.6 | 16.7-24.5 | 83 | 12.9 | 9.6-16.2 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|-----|------------|-------------|------|------------|-------------|------|------------|-------------|------|------------|------|------|------------|--|--|--|
| | TOTAL | WEIGHTED | < 18 | | | > 18, <= 25 | | | 25 >, <= 30 | | | 30 >, <= 35 | | | 35 > | | | | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Female | 2525 | 2,411,398 | 28 | 1.1 | 0.5- 1.7 | 849 | 34.3 | 31.6-37.0 | 733 | 29.2 | 26.7-31.7 | 473 | 18.2 | 16.0-20.4 | 442 | 17.1 | 14.9-19.3 | | | |
| White/Non-Hisp | 2042 | 1,841,853 | 23 | 1.2 | 0.6- 1.8 | 735 | 37.2 | 34.3-40.1 | 594 | 29.8 | 27.1-32.5 | 366 | 16.4 | 14.2-18.6 | 324 | 15.4 | 13.2-17.6 | | | |
| Black or Afr. Am./Non-Hisp | 297 | 369,919 | 2 | 0.7 | 0.0- 2.1 | 53 | 19.3 | 12.6-26.0 | 95 | 26.8 | 20.3-33.3 | 66 | 26.0 | 18.7-33.3 | 81 | 27.3 | 20.0-34.6 | | | |
| MultiRacial/Non-Hisp. | 50 | 21,499 | | | | 10 | 21.1 | 5.0-37.2 | 10 | 14.6 | 3.6-25.6 | 15 | 31.1 | 14.4-47.8 | 15 | 33.2 | 16.5-49.9 | | | |
| Hispanic | 61 | 104,764 | 2 | 1.8 | 0.0- 4.7 | 17 | 29.1 | 11.3-46.9 | 16 | 32.9 | 13.3-52.5 | 14 | 24.1 | 7.8-40.4 | 12 | 12.0 | 3.2-20.8 | | | |
| 18-24 | 119 | 265,994 | 2 | 1.3 | 0.0- 3.1 | 54 | 45.7 | 33.2-58.2 | 25 | 22.7 | 12.3-33.1 | 22 | 20.8 | 11.0-30.6 | 16 | 9.5 | 3.2-15.8 | | | |
| 25-34 | 276 | 390,888 | 4 | 1.5 | 0.0- 3.7 | 94 | 33.3 | 26.2-40.4 | 77 | 31.3 | 23.9-38.7 | 44 | 14.8 | 9.7-19.9 | 57 | 19.1 | 12.8-25.4 | | | |
| 35-44 | 325 | 366,376 | 1 | 0.6 | 0.0- 1.8 | 102 | 33.6 | 26.5-40.7 | 87 | 27.0 | 20.5-33.5 | 58 | 17.4 | 11.5-23.3 | 77 | 21.4 | 15.3-27.5 | | | |
| 45-54 | 383 | 406,922 | 3 | 1.1 | 0.0- 2.5 | 124 | 33.0 | 26.5-39.5 | 109 | 27.3 | 21.2-33.4 | 67 | 17.1 | 11.6-22.6 | 80 | 21.5 | 16.0-27.0 | | | |
| 55-64 | 555 | 418,104 | 5 | 1.0 | 0.0- 2.2 | 164 | 27.1 | 22.2-32.0 | 144 | 27.9 | 22.8-33.0 | 131 | 24.9 | 19.8-30.0 | 111 | 19.2 | 14.9-23.5 | | | |
| 65+ | 867 | 563,114 | 13 | 1.3 | 0.3- 2.3 | 311 | 36.4 | 32.1-40.7 | 291 | 34.8 | 30.5-39.1 | 151 | 15.5 | 12.4-18.6 | 101 | 12.0 | 8.9-15.1 | | | |
| Less Than H.S. | 235 | 319,590 | 4 | 1.5 | 0.0- 3.3 | 64 | 29.3 | 21.1-37.5 | 64 | 31.6 | 23.0-40.2 | 49 | 19.3 | 12.8-25.8 | 54 | 18.4 | 12.3-24.5 | | | |
| H.S. or G.E.D. | 771 | 752,207 | 7 | 1.2 | 0.0- 2.4 | 235 | 29.4 | 24.7-34.1 | 237 | 30.7 | 26.0-35.4 | 149 | 19.7 | 15.6-23.8 | 143 | 18.9 | 14.8-23.0 | | | |
| Some Post-H.S. | 692 | 749,628 | 8 | 0.9 | 0.1- 1.7 | 213 | 34.1 | 28.6-39.6 | 202 | 28.2 | 23.5-32.9 | 133 | 18.0 | 13.7-22.3 | 136 | 18.7 | 14.6-22.8 | | | |
| College Graduate | 822 | 585,158 | 9 | 1.1 | 0.1- 2.1 | 333 | 43.2 | 38.5-47.9 | 230 | 27.6 | 23.5-31.7 | 141 | 15.8 | 12.3-19.3 | 109 | 12.3 | 9.4-15.2 | | | |
| Less than \$15,000 | 341 | 300,433 | 4 | 0.6 | 0.0- 1.2 | 92 | 31.8 | 24.0-39.6 | 91 | 24.8 | 18.7-30.9 | 69 | 18.8 | 13.1-24.5 | 85 | 23.9 | 17.6-30.2 | | | |
| \$15,000- 24,999 | 464 | 435,183 | 9 | 2.7 | 0.3- 5.1 | 124 | 26.6 | 20.3-32.9 | 131 | 30.1 | 23.6-36.6 | 98 | 19.0 | 13.9-24.1 | 102 | 21.7 | 16.2-27.2 | | | |
| \$25,000- 34,999 | 240 | 237,444 | 3 | 2.2 | 0.0- 4.7 | 79 | 34.8 | 26.0-43.6 | 71 | 30.3 | 22.3-38.3 | 40 | 14.2 | 8.9-19.5 | 47 | 18.6 | 11.7-25.5 | | | |
| \$35,000- 49,999 | 303 | 303,346 | 3 | 0.6 | 0.0- 1.4 | 97 | 30.2 | 22.9-37.5 | 94 | 31.3 | 24.2-38.4 | 55 | 20.5 | 13.2-27.8 | 54 | 17.3 | 11.2-23.4 | | | |
| \$50,000- 74,999 | 295 | 283,969 | 1 | 0.3 | 0.0- 0.9 | 95 | 29.9 | 23.2-36.6 | 87 | 30.4 | 22.8-38.0 | 61 | 18.0 | 11.9-24.1 | 51 | 21.4 | 14.7-28.1 | | | |
| \$75,000+ | 493 | 493,438 | 3 | 0.9 | 0.0- 2.1 | 205 | 44.6 | 38.1-51.1 | 155 | 29.7 | 24.2-35.2 | 82 | 15.5 | 11.0-20.0 | 48 | 9.3 | 5.6-13.0 | | | |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Underweight | | | Normal Weight | | | Overweight | | | Obese | | |
|----------------------------|-------------------|-----------|-------------|-----|------------|---------------|------|------------|------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4756 | 4,813,335 | 72 | 1.6 | 1.0- 2.2 | 1395 | 30.6 | 28.6-32.6 | 1609 | 33.5 | 31.5-35.5 | 1680 | 34.4 | 32.4-36.4 |
| Male | 2231 | 2,401,937 | 24 | 1.2 | 0.4- 2.0 | 569 | 27.8 | 25.3-30.3 | 875 | 37.6 | 34.9-40.3 | 763 | 33.4 | 30.7-36.1 |
| Female | 2525 | 2,411,398 | 48 | 1.9 | 1.1- 2.7 | 826 | 33.3 | 30.6-36.0 | 734 | 29.4 | 26.9-31.9 | 917 | 35.3 | 32.6-38.0 |
| White/Non-Hisp | 3849 | 3,657,853 | 58 | 1.7 | 1.1- 2.3 | 1178 | 31.8 | 29.6-34.0 | 1291 | 33.3 | 31.3-35.3 | 1322 | 33.3 | 31.3-35.3 |
| Black or Afr. Am./Non-Hisp | 534 | 740,343 | 4 | 0.8 | 0.0- 1.8 | 108 | 23.2 | 17.9-28.5 | 192 | 33.4 | 28.1-38.7 | 230 | 42.7 | 36.8-48.6 |
| Oth. Race/Non-Hisp. | 112 | 122,598 | 3 | 4.0 | 0.0- 9.5 | 38 | 42.5 | 28.6-56.4 | 42 | 34.6 | 21.7-47.5 | 29 | 18.9 | 8.9-28.9 |
| MultiRacial/Non-Hisp. | 101 | 45,272 | 3 | 1.5 | 0.0- 3.3 | 23 | 22.9 | 12.5-33.3 | 29 | 29.9 | 17.9-41.9 | 46 | 45.8 | 33.1-58.5 |
| Hispanic | 106 | 185,241 | 2 | 1.0 | 0.0- 2.8 | 30 | 28.5 | 16.2-40.8 | 35 | 36.6 | 23.1-50.1 | 39 | 33.9 | 21.0-46.8 |
| 18-24 | 275 | 554,364 | 9 | 2.6 | 0.6- 4.6 | 132 | 49.5 | 41.7-57.3 | 65 | 22.8 | 16.3-29.3 | 69 | 25.2 | 18.5-31.9 |
| 25-34 | 559 | 801,701 | 12 | 1.7 | 0.5- 2.9 | 171 | 31.2 | 26.1-36.3 | 197 | 37.9 | 32.6-43.2 | 179 | 29.2 | 24.3-34.1 |
| 35-44 | 629 | 773,059 | 7 | 0.8 | 0.0- 1.6 | 189 | 31.3 | 26.4-36.2 | 179 | 29.5 | 24.6-34.4 | 254 | 38.4 | 33.3-43.5 |
| 45-54 | 758 | 804,408 | 9 | 2.3 | 0.3- 4.3 | 181 | 23.3 | 19.2-27.4 | 256 | 32.5 | 28.0-37.0 | 312 | 41.9 | 37.0-46.8 |
| 55-64 | 1012 | 829,270 | 11 | 1.0 | 0.2- 1.8 | 252 | 23.9 | 20.6-27.2 | 344 | 36.0 | 32.1-39.9 | 405 | 39.1 | 35.2-43.0 |
| 65+ | 1523 | 1,050,534 | 24 | 1.5 | 0.7- 2.3 | 470 | 30.4 | 27.3-33.5 | 568 | 37.4 | 34.1-40.7 | 461 | 30.7 | 27.6-33.8 |
| Less Than H.S. | 448 | 653,594 | 11 | 2.8 | 0.3- 5.3 | 131 | 29.8 | 24.1-35.5 | 137 | 32.9 | 27.0-38.8 | 169 | 34.6 | 28.9-40.3 |
| H.S. or G.E.D. | 1469 | 1,559,502 | 19 | 1.4 | 0.6- 2.2 | 399 | 27.8 | 24.5-31.1 | 508 | 33.3 | 30.0-36.6 | 543 | 37.5 | 34.0-41.0 |
| Some Post-H.S. | 1251 | 1,439,455 | 15 | 1.0 | 0.4- 1.6 | 350 | 31.1 | 27.4-34.8 | 413 | 32.7 | 29.2-36.2 | 473 | 35.3 | 31.6-39.0 |
| College Graduate | 1579 | 1,154,116 | 27 | 1.8 | 0.8- 2.8 | 511 | 34.0 | 30.9-37.1 | 550 | 35.2 | 32.1-38.3 | 491 | 29.0 | 26.1-31.9 |
| Less than \$15,000 | 533 | 510,038 | 14 | 3.0 | 1.0- 5.0 | 150 | 30.9 | 25.0-36.8 | 154 | 26.8 | 21.9-31.7 | 215 | 39.3 | 33.4-45.2 |
| \$15,000- 24,999 | 772 | 764,674 | 15 | 2.1 | 0.7- 3.5 | 217 | 29.8 | 24.9-34.7 | 234 | 30.0 | 25.1-34.9 | 306 | 38.1 | 33.2-43.0 |
| \$25,000- 34,999 | 446 | 433,852 | 6 | 1.7 | 0.1- 3.3 | 131 | 31.3 | 25.2-37.4 | 150 | 33.9 | 28.0-39.8 | 159 | 33.1 | 27.2-39.0 |
| \$35,000- 49,999 | 593 | 600,191 | 10 | 0.8 | 0.2- 1.4 | 167 | 28.4 | 23.5-33.3 | 210 | 34.9 | 29.6-40.2 | 206 | 35.9 | 30.4-41.4 |
| \$50,000- 74,999 | 608 | 639,437 | 4 | 0.4 | 0.0- 0.8 | 165 | 27.0 | 22.3-31.7 | 203 | 33.3 | 28.2-38.4 | 236 | 39.3 | 34.0-44.6 |
| \$75,000+ | 1149 | 1,214,339 | 10 | 1.6 | 0.2- 3.0 | 335 | 31.6 | 27.7-35.5 | 441 | 36.7 | 33.0-40.4 | 363 | 30.1 | 26.6-33.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Underweight | | | Normal Weight | | | Overweight | | | Obese | | |
|----------------------------|-------------------|-----------|-------------|-----|------------|---------------|------|------------|------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2231 | 2,401,937 | 24 | 1.2 | 0.4- 2.0 | 569 | 27.8 | 25.3-30.3 | 875 | 37.6 | 34.9-40.3 | 763 | 33.4 | 30.7-36.1 |
| White/Non-Hisp | 1807 | 1,816,000 | 19 | 1.3 | 0.3- 2.3 | 461 | 27.2 | 24.5-29.9 | 697 | 36.7 | 33.8-39.6 | 630 | 34.7 | 31.8-37.6 |
| Black or Afr. Am./Non-Hisp | 237 | 370,424 | 1 | 0.6 | 0.0- 1.8 | 57 | 28.0 | 20.0-36.0 | 96 | 39.2 | 31.0-47.4 | 83 | 32.1 | 24.1-40.1 |
| Oth. Race/Non-Hisp. | 65 | 75,936 | 1 | 1.0 | 0.0- 3.0 | 18 | 37.9 | 19.5-56.3 | 30 | 40.1 | 22.9-57.3 | 16 | 21.1 | 6.6-35.6 |
| MultiRacial/Non-Hisp. | 51 | 23,773 | 2 | 2.4 | 0.0- 5.9 | 14 | 24.9 | 11.2-38.6 | 19 | 43.6 | 25.6-61.6 | 16 | 29.0 | 12.3-45.7 |
| 18-24 | 156 | 288,370 | 4 | 1.9 | 0.0- 4.1 | 81 | 54.8 | 45.0-64.6 | 41 | 23.1 | 15.5-30.7 | 30 | 20.2 | 12.2-28.2 |
| 25-34 | 283 | 410,812 | 5 | 0.8 | 0.0- 1.6 | 80 | 30.2 | 22.9-37.5 | 120 | 44.2 | 36.8-51.6 | 78 | 24.8 | 18.5-31.1 |
| 35-44 | 304 | 406,683 | 3 | 0.8 | 0.0- 2.0 | 90 | 29.3 | 22.6-36.0 | 92 | 31.8 | 24.7-38.9 | 119 | 38.1 | 30.8-45.4 |
| 45-54 | 375 | 397,486 | 3 | 2.5 | 0.0- 6.2 | 60 | 14.3 | 9.8-18.8 | 147 | 37.9 | 31.4-44.4 | 165 | 45.2 | 38.3-52.1 |
| 55-64 | 457 | 411,166 | 4 | 0.8 | 0.0- 1.6 | 92 | 21.8 | 16.9-26.7 | 198 | 43.3 | 37.4-49.2 | 163 | 34.2 | 28.5-39.9 |
| 65+ | 656 | 487,419 | 5 | 0.7 | 0.0- 1.5 | 166 | 24.6 | 20.3-28.9 | 277 | 40.3 | 35.4-45.2 | 208 | 34.3 | 29.4-39.2 |
| Less Than H.S. | 213 | 334,005 | 7 | 4.0 | 0.0- 8.5 | 67 | 30.3 | 22.5-38.1 | 73 | 34.1 | 25.7-42.5 | 66 | 31.7 | 23.7-39.7 |
| H.S. or G.E.D. | 698 | 807,295 | 4 | 0.7 | 0.0- 1.5 | 172 | 27.2 | 22.5-31.9 | 272 | 35.7 | 31.0-40.4 | 250 | 36.5 | 31.6-41.4 |
| Some Post-H.S. | 559 | 689,828 | 6 | 0.9 | 0.1- 1.7 | 139 | 28.3 | 23.2-33.4 | 210 | 37.2 | 31.9-42.5 | 204 | 33.7 | 28.6-38.8 |
| College Graduate | 757 | 568,959 | 7 | 0.7 | 0.1- 1.3 | 191 | 26.8 | 22.5-31.1 | 319 | 42.9 | 38.2-47.6 | 240 | 29.7 | 25.6-33.8 |
| Less than \$15,000 | 192 | 209,604 | 7 | 3.9 | 0.6- 7.2 | 61 | 32.0 | 22.6-41.4 | 63 | 29.7 | 21.3-38.1 | 61 | 34.4 | 24.4-44.4 |
| \$15,000- 24,999 | 308 | 329,491 | 4 | 0.8 | 0.0- 1.6 | 95 | 34.5 | 26.9-42.1 | 104 | 30.1 | 23.0-37.2 | 105 | 34.7 | 27.1-42.3 |
| \$25,000- 34,999 | 206 | 196,408 | 1 | 0.9 | 0.0- 2.7 | 54 | 27.2 | 19.4-35.0 | 79 | 38.3 | 29.5-47.1 | 72 | 33.6 | 25.0-42.2 |
| \$35,000- 49,999 | 290 | 296,845 | 3 | 0.4 | 0.0- 0.8 | 75 | 27.3 | 20.4-34.2 | 115 | 38.4 | 30.8-46.0 | 97 | 34.0 | 26.6-41.4 |
| \$50,000- 74,999 | 313 | 355,468 | 3 | 0.5 | 0.0- 1.1 | 71 | 25.5 | 18.8-32.2 | 115 | 34.8 | 27.7-41.9 | 124 | 39.2 | 31.9-46.5 |
| \$75,000+ | 656 | 720,902 | 4 | 1.6 | 0.0- 3.8 | 134 | 23.4 | 18.7-28.1 | 286 | 41.3 | 36.2-46.4 | 232 | 33.6 | 28.9-38.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Underweight | | | Normal Weight | | | Overweight | | | Obese | | |
|----------------------------|-------------------|-----------|-------------|-----|------------|---------------|------|------------|------------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2525 | 2,411,398 | 48 | 1.9 | 1.1- 2.7 | 826 | 33.3 | 30.6-36.0 | 734 | 29.4 | 26.9-31.9 | 917 | 35.3 | 32.6-38.0 |
| White/Non-Hisp | 2042 | 1,841,853 | 39 | 2.0 | 1.2- 2.8 | 717 | 36.3 | 33.4-39.2 | 594 | 29.8 | 27.1-32.5 | 692 | 31.9 | 29.2-34.6 |
| Black or Afr. Am./Non-Hisp | 297 | 369,919 | 3 | 0.9 | 0.0- 2.3 | 51 | 18.3 | 11.6-25.0 | 96 | 27.5 | 20.8-34.2 | 147 | 53.2 | 45.2-61.2 |
| MultiRacial/Non-Hisp. | 50 | 21,499 | 1 | 0.4 | 0.0- 1.2 | 9 | 20.7 | 4.6-36.8 | 10 | 14.6 | 3.6-25.6 | 30 | 64.3 | 47.1-81.5 |
| Hispanic | 61 | 104,764 | 2 | 1.8 | 0.0- 4.7 | 17 | 29.1 | 11.3-46.9 | 16 | 32.9 | 13.3-52.5 | 26 | 36.1 | 18.5-53.7 |
| 18-24 | 119 | 265,994 | 5 | 3.3 | 0.2- 6.4 | 51 | 43.6 | 31.1-56.1 | 24 | 22.5 | 12.1-32.9 | 39 | 30.6 | 19.6-41.6 |
| 25-34 | 276 | 390,888 | 7 | 2.6 | 0.1- 5.1 | 91 | 32.3 | 25.2-39.4 | 77 | 31.3 | 23.9-38.7 | 101 | 33.9 | 26.6-41.2 |
| 35-44 | 325 | 366,376 | 4 | 0.7 | 0.0- 1.9 | 99 | 33.5 | 26.4-40.6 | 87 | 27.0 | 20.5-33.5 | 135 | 38.8 | 31.5-46.1 |
| 45-54 | 383 | 406,922 | 6 | 2.0 | 0.2- 3.8 | 121 | 32.2 | 25.9-38.5 | 109 | 27.3 | 21.2-33.4 | 147 | 38.6 | 31.9-45.3 |
| 55-64 | 555 | 418,104 | 7 | 1.2 | 0.0- 2.4 | 160 | 25.9 | 21.2-30.6 | 146 | 28.9 | 23.8-34.0 | 242 | 44.0 | 38.3-49.7 |
| 65+ | 867 | 563,114 | 19 | 2.2 | 1.0- 3.4 | 304 | 35.5 | 31.2-39.8 | 291 | 34.8 | 30.5-39.1 | 253 | 27.6 | 23.5-31.7 |
| Less Than H.S. | 235 | 319,590 | 4 | 1.5 | 0.0- 3.3 | 64 | 29.3 | 21.1-37.5 | 64 | 31.6 | 23.0-40.2 | 103 | 37.6 | 29.4-45.8 |
| H.S. or G.E.D. | 771 | 752,207 | 15 | 2.2 | 0.8- 3.6 | 227 | 28.5 | 23.8-33.2 | 236 | 30.7 | 26.0-35.4 | 293 | 38.6 | 33.7-43.5 |
| Some Post-H.S. | 692 | 749,628 | 9 | 1.1 | 0.3- 1.9 | 211 | 33.7 | 28.2-39.2 | 203 | 28.5 | 23.8-33.2 | 269 | 36.7 | 31.4-42.0 |
| College Graduate | 822 | 585,158 | 20 | 3.0 | 1.2- 4.8 | 320 | 41.0 | 36.5-45.5 | 231 | 27.8 | 23.7-31.9 | 251 | 28.2 | 24.1-32.3 |
| Less than \$15,000 | 341 | 300,433 | 7 | 2.3 | 0.0- 4.7 | 89 | 30.2 | 22.6-37.8 | 91 | 24.8 | 18.7-30.9 | 154 | 42.7 | 35.3-50.1 |
| \$15,000- 24,999 | 464 | 435,183 | 11 | 3.1 | 0.7- 5.5 | 122 | 26.2 | 19.9-32.5 | 130 | 30.0 | 23.5-36.5 | 201 | 40.7 | 34.0-47.4 |
| \$25,000- 34,999 | 240 | 237,444 | 5 | 2.3 | 0.0- 4.8 | 77 | 34.6 | 25.8-43.4 | 71 | 30.3 | 22.3-38.3 | 87 | 32.7 | 24.7-40.7 |
| \$35,000- 49,999 | 303 | 303,346 | 7 | 1.2 | 0.0- 2.4 | 92 | 29.4 | 22.3-36.5 | 95 | 31.5 | 24.4-38.6 | 109 | 37.8 | 29.8-45.8 |
| \$50,000- 74,999 | 295 | 283,969 | 1 | 0.3 | 0.0- 0.9 | 94 | 28.9 | 22.2-35.6 | 88 | 31.3 | 23.5-39.1 | 112 | 39.5 | 31.7-47.3 |
| \$75,000+ | 493 | 493,438 | 6 | 1.6 | 0.2- 3.0 | 201 | 43.6 | 37.1-50.1 | 155 | 29.9 | 24.2-35.6 | 131 | 25.0 | 19.5-30.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4756 | 4,813,335 | 1467 | 32.1 | 30.1-34.1 | 3289 | 67.9 | 65.9-69.9 |
| Male | 2231 | 2,401,937 | 593 | 29.0 | 26.3-31.7 | 1638 | 71.0 | 68.3-73.7 |
| Female | 2525 | 2,411,398 | 874 | 35.3 | 32.6-38.0 | 1651 | 64.7 | 62.0-67.4 |
| White/Non-Hisp | 3849 | 3,657,853 | 1236 | 33.5 | 31.3-35.7 | 2613 | 66.5 | 64.3-68.7 |
| Black or Afr. Am./Non-Hisp | 534 | 740,343 | 112 | 23.9 | 18.6-29.2 | 422 | 76.1 | 70.8-81.4 |
| Oth. Race/Non-Hisp. | 112 | 122,598 | 41 | 46.5 | 32.6-60.4 | 71 | 53.5 | 39.6-67.4 |
| MultiRacial/Non-Hisp. | 101 | 45,272 | 26 | 24.4 | 13.8-35.0 | 75 | 75.6 | 65.0-86.2 |
| Hispanic | 106 | 185,241 | 32 | 29.5 | 17.0-42.0 | 74 | 70.5 | 58.0-83.0 |
| 18-24 | 275 | 554,364 | 141 | 52.0 | 44.2-59.8 | 134 | 48.0 | 40.2-55.8 |
| 25-34 | 559 | 801,701 | 183 | 32.9 | 27.8-38.0 | 376 | 67.1 | 62.0-72.2 |
| 35-44 | 629 | 773,059 | 196 | 32.0 | 27.1-36.9 | 433 | 68.0 | 63.1-72.9 |
| 45-54 | 758 | 804,408 | 190 | 25.6 | 21.3-29.9 | 568 | 74.4 | 70.1-78.7 |
| 55-64 | 1012 | 829,270 | 263 | 24.8 | 21.3-28.3 | 749 | 75.2 | 71.7-78.7 |
| 65+ | 1523 | 1,050,534 | 494 | 31.9 | 28.8-35.0 | 1029 | 68.1 | 65.0-71.2 |
| Less Than H.S. | 448 | 653,594 | 142 | 32.6 | 26.7-38.5 | 306 | 67.4 | 61.5-73.3 |
| H.S. or G.E.D. | 1469 | 1,559,502 | 418 | 29.2 | 25.9-32.5 | 1051 | 70.8 | 67.5-74.1 |
| Some Post-H.S. | 1251 | 1,439,455 | 365 | 32.0 | 28.3-35.7 | 886 | 68.0 | 64.3-71.7 |
| College Graduate | 1579 | 1,154,116 | 538 | 35.8 | 32.5-39.1 | 1041 | 64.2 | 60.9-67.5 |
| Less than \$15,000 | 533 | 510,038 | 164 | 33.9 | 27.8-40.0 | 369 | 66.1 | 60.0-72.2 |
| \$15,000- 24,999 | 772 | 764,674 | 232 | 31.9 | 27.0-36.8 | 540 | 68.1 | 63.2-73.0 |
| \$25,000- 34,999 | 446 | 433,852 | 137 | 32.9 | 26.8-39.0 | 309 | 67.1 | 61.0-73.2 |
| \$35,000- 49,999 | 593 | 600,191 | 177 | 29.2 | 24.3-34.1 | 416 | 70.8 | 65.9-75.7 |
| \$50,000- 74,999 | 608 | 639,437 | 169 | 27.4 | 22.7-32.1 | 439 | 72.6 | 67.9-77.3 |
| \$75,000+ | 1149 | 1,214,339 | 345 | 33.2 | 29.1-37.3 | 804 | 66.8 | 62.7-70.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2231 | 2,401,937 | 593 | 29.0 | 26.3-31.7 | 1638 | 71.0 | 68.3-73.7 |
| White/Non-Hisp | 1807 | 1,816,000 | 480 | 28.6 | 25.9-31.3 | 1327 | 71.4 | 68.7-74.1 |
| Black or Afr. Am./Non-Hisp | 237 | 370,424 | 58 | 28.6 | 20.6-36.6 | 179 | 71.4 | 63.4-79.4 |
| Oth. Race/Non-Hisp. | 65 | 75,936 | 19 | 38.9 | 20.5-57.3 | 46 | 61.1 | 42.7-79.5 |
| MultiRacial/Non-Hisp. | 51 | 23,773 | 16 | 27.4 | 13.3-41.5 | 35 | 72.6 | 58.5-86.7 |
| 18-24 | 156 | 288,370 | 85 | 56.7 | 47.1-66.3 | 71 | 43.3 | 33.7-52.9 |
| 25-34 | 283 | 410,812 | 85 | 31.0 | 23.7-38.3 | 198 | 69.0 | 61.7-76.3 |
| 35-44 | 304 | 406,683 | 93 | 30.1 | 23.4-36.8 | 211 | 69.9 | 63.2-76.6 |
| 45-54 | 375 | 397,486 | 63 | 16.8 | 11.3-22.3 | 312 | 83.2 | 77.7-88.7 |
| 55-64 | 457 | 411,166 | 96 | 22.5 | 17.6-27.4 | 361 | 77.5 | 72.6-82.4 |
| 65+ | 656 | 487,419 | 171 | 25.3 | 21.0-29.6 | 485 | 74.7 | 70.4-79.0 |
| Less Than H.S. | 213 | 334,005 | 74 | 34.3 | 26.1-42.5 | 139 | 65.7 | 57.5-73.9 |
| H.S. or G.E.D. | 698 | 807,295 | 176 | 27.9 | 23.2-32.6 | 522 | 72.1 | 67.4-76.8 |
| Some Post-H.S. | 559 | 689,828 | 145 | 29.1 | 24.0-34.2 | 414 | 70.9 | 65.8-76.0 |
| College Graduate | 757 | 568,959 | 198 | 27.4 | 23.1-31.7 | 559 | 72.6 | 68.3-76.9 |
| Less than \$15,000 | 192 | 209,604 | 68 | 35.9 | 26.3-45.5 | 124 | 64.1 | 54.5-73.7 |
| \$15,000- 24,999 | 308 | 329,491 | 99 | 35.2 | 27.6-42.8 | 209 | 64.8 | 57.2-72.4 |
| \$25,000- 34,999 | 206 | 196,408 | 55 | 28.1 | 20.3-35.9 | 151 | 71.9 | 64.1-79.7 |
| \$35,000- 49,999 | 290 | 296,845 | 78 | 27.6 | 20.7-34.5 | 212 | 72.4 | 65.5-79.3 |
| \$50,000- 74,999 | 313 | 355,468 | 74 | 26.0 | 19.3-32.7 | 239 | 74.0 | 67.3-80.7 |
| \$75,000+ | 656 | 720,902 | 138 | 25.1 | 20.2-30.0 | 518 | 74.9 | 70.0-79.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 8: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2525 | 2,411,398 | 874 | 35.3 | 32.6-38.0 | 1651 | 64.7 | 62.0-67.4 |
| White/Non-Hisp | 2042 | 1,841,853 | 756 | 38.3 | 35.2-41.4 | 1286 | 61.7 | 58.6-64.8 |
| Black or Afr. Am./Non-Hisp | 297 | 369,919 | 54 | 19.2 | 12.5-25.9 | 243 | 80.8 | 74.1-87.5 |
| MultiRacial/Non-Hisp. | 50 | 21,499 | 10 | 21.1 | 5.0-37.2 | 40 | 78.9 | 62.8-95.0 |
| Hispanic | 61 | 104,764 | 19 | 31.0 | 13.0-49.0 | 42 | 69.0 | 51.0-87.0 |
| 18-24 | 119 | 265,994 | 56 | 46.9 | 34.6-59.2 | 63 | 53.1 | 40.8-65.4 |
| 25-34 | 276 | 390,888 | 98 | 34.9 | 27.6-42.2 | 178 | 65.1 | 57.8-72.4 |
| 35-44 | 325 | 366,376 | 103 | 34.2 | 27.1-41.3 | 222 | 65.8 | 58.7-72.9 |
| 45-54 | 383 | 406,922 | 127 | 34.1 | 27.6-40.6 | 256 | 65.9 | 59.4-72.4 |
| 55-64 | 555 | 418,104 | 167 | 27.1 | 22.2-32.0 | 388 | 72.9 | 68.0-77.8 |
| 65+ | 867 | 563,114 | 323 | 37.7 | 33.4-42.0 | 544 | 62.3 | 58.0-66.6 |
| Less Than H.S. | 235 | 319,590 | 68 | 30.8 | 22.4-39.2 | 167 | 69.2 | 60.8-77.6 |
| H.S. or G.E.D. | 771 | 752,207 | 242 | 30.7 | 26.0-35.4 | 529 | 69.3 | 64.6-74.0 |
| Some Post-H.S. | 692 | 749,628 | 220 | 34.7 | 29.2-40.2 | 472 | 65.3 | 59.8-70.8 |
| College Graduate | 822 | 585,158 | 340 | 44.0 | 39.3-48.7 | 482 | 56.0 | 51.3-60.7 |
| Less than \$15,000 | 341 | 300,433 | 96 | 32.5 | 24.9-40.1 | 245 | 67.5 | 59.9-75.1 |
| \$15,000- 24,999 | 464 | 435,183 | 133 | 29.3 | 22.8-35.8 | 331 | 70.7 | 64.2-77.2 |
| \$25,000- 34,999 | 240 | 237,444 | 82 | 36.9 | 28.1-45.7 | 158 | 63.1 | 54.3-71.9 |
| \$35,000- 49,999 | 303 | 303,346 | 99 | 30.7 | 23.4-38.0 | 204 | 69.3 | 62.0-76.6 |
| \$50,000- 74,999 | 295 | 283,969 | 95 | 29.2 | 22.5-35.9 | 200 | 70.8 | 64.1-77.5 |
| \$75,000+ | 493 | 493,438 | 207 | 45.1 | 38.6-51.6 | 286 | 54.9 | 48.4-61.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 8: DEMOGRAPHICS

TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No Children Household | | | One Children | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|--------------|------|------------|--------------|------|------------|----------------|------|------------|---------------|------|------------|-----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5074 | 5,195,467 | 3665 | 65.4 | 63.4-67.4 | 626 | 14.7 | 13.3-16.1 | 460 | 11.5 | 10.1-12.9 | 214 | 5.3 | 4.3- 6.3 | 66 | 1.9 | 1.3- 2.5 | 43 | 1.2 | 0.6- 1.8 |
| Male | 2287 | 2,494,954 | 1707 | 70.5 | 67.8-73.2 | 256 | 12.9 | 10.9-14.9 | 217 | 11.3 | 9.3-13.3 | 68 | 3.1 | 2.1- 4.1 | 25 | 1.5 | 0.7- 2.3 | 14 | 0.8 | 0.2- 1.4 |
| Female | 2787 | 2,700,512 | 1958 | 60.8 | 58.1-63.5 | 370 | 16.3 | 14.1-18.5 | 243 | 11.8 | 9.8-13.8 | 146 | 7.3 | 5.7- 8.9 | 41 | 2.3 | 1.1- 3.5 | 29 | 1.5 | 0.7- 2.3 |
| White/Non-Hisp | 4080 | 3,907,777 | 3003 | 67.9 | 65.7-70.1 | 495 | 14.4 | 12.8-16.0 | 356 | 11.0 | 9.6-12.4 | 148 | 4.3 | 3.3- 5.3 | 45 | 1.6 | 1.0- 2.2 | 33 | 0.9 | 0.5- 1.3 |
| Black or Afr. Am./Non-Hisp | 585 | 815,694 | 406 | 61.1 | 55.4-66.8 | 68 | 14.5 | 10.4-18.6 | 55 | 12.9 | 8.6-17.2 | 41 | 8.4 | 5.5-11.3 | 8 | 1.1 | 0.1- 2.1 | 7 | 1.9 | 0.1- 3.7 |
| Oth. Race/Non-Hisp. | 121 | 137,805 | 80 | 65.8 | 53.6-78.0 | 21 | 17.8 | 8.2-27.4 | 14 | 10.8 | 3.9-17.7 | 2 | 4.3 | 0.0-10.6 | 3 | 1.2 | 0.0- 2.6 | 1 | 0.1 | 0.0- 0.3 |
| MultiRacial/Non-Hisp. | 105 | 47,366 | 66 | 62.5 | 50.7-74.3 | 18 | 17.5 | 8.7-26.3 | 12 | 9.3 | 3.2-15.4 | 8 | 10.3 | 1.9-18.7 | 1 | 0.4 | 0.0- 1.2 | | | |
| Hispanic | 118 | 215,436 | 58 | 36.3 | 24.5-48.1 | 16 | 16.2 | 7.0-25.4 | 19 | 19.0 | 8.0-30.0 | 14 | 12.7 | 5.1-20.3 | 9 | 11.9 | 2.5-21.3 | 2 | 3.9 | 0.0-10.8 |
| 18-24 | 294 | 615,204 | 202 | 63.7 | 56.1-71.3 | 55 | 18.7 | 13.0-24.4 | 21 | 8.6 | 3.5-13.7 | 11 | 4.6 | 1.1- 8.1 | 3 | 2.6 | 0.0- 5.9 | 2 | 1.8 | 0.0- 4.5 |
| 25-34 | 601 | 885,552 | 258 | 40.9 | 35.8-46.0 | 134 | 21.4 | 17.3-25.5 | 120 | 22.9 | 18.2-27.6 | 61 | 9.2 | 6.3-12.1 | 15 | 3.3 | 1.1- 5.5 | 13 | 2.3 | 0.7- 3.9 |
| 35-44 | 669 | 827,216 | 217 | 33.8 | 28.9-38.7 | 135 | 20.7 | 16.6-24.8 | 172 | 23.7 | 19.6-27.8 | 97 | 14.7 | 11.2-18.2 | 32 | 5.3 | 2.9- 7.7 | 16 | 1.8 | 0.6- 3.0 |
| 45-54 | 809 | 853,047 | 508 | 63.1 | 58.6-67.6 | 169 | 20.1 | 16.2-24.0 | 93 | 11.8 | 8.7-14.9 | 27 | 3.0 | 1.6- 4.4 | 5 | 0.7 | 0.0- 1.5 | 7 | 1.4 | 0.2- 2.6 |
| 55-64 | 1070 | 882,309 | 927 | 86.8 | 84.1-89.5 | 83 | 7.6 | 5.4- 9.8 | 31 | 3.0 | 1.4- 4.6 | 16 | 2.1 | 0.9- 3.3 | 10 | 0.4 | 0.0- 0.8 | 3 | 0.2 | 0.0- 0.4 |
| 65+ | 1631 | 1,132,139 | 1553 | 93.7 | 91.9-95.5 | 50 | 4.4 | 2.8- 6.0 | 23 | 1.7 | 0.7- 2.7 | 2 | 0.1 | 0.1- 0.1 | 1 | 0.0 | 0.0- 0.0 | 2 | 0.1 | 0.1- 0.1 |
| Less Than H.S. | 488 | 718,231 | 389 | 72.3 | 66.6-78.0 | 41 | 11.2 | 7.1-15.3 | 32 | 8.9 | 5.0-12.8 | 18 | 4.9 | 2.4- 7.4 | 7 | 2.4 | 0.0- 4.8 | 1 | 0.2 | 0.0- 0.6 |
| H.S. or G.E.D. | 1572 | 1,703,934 | 1142 | 64.4 | 60.9-67.9 | 198 | 15.4 | 12.9-17.9 | 133 | 11.4 | 8.7-14.1 | 65 | 5.7 | 3.9- 7.5 | 21 | 2.0 | 0.8- 3.2 | 13 | 1.1 | 0.3- 1.9 |
| Some Post-H.S. | 1327 | 1,525,922 | 923 | 61.8 | 58.1-65.5 | 187 | 17.5 | 14.6-20.4 | 125 | 12.2 | 9.7-14.7 | 57 | 4.9 | 3.1- 6.7 | 19 | 2.0 | 0.6- 3.4 | 16 | 1.7 | 0.5- 2.9 |
| College Graduate | 1670 | 1,230,736 | 1197 | 67.0 | 63.9-70.1 | 200 | 12.4 | 10.2-14.6 | 168 | 12.4 | 10.2-14.6 | 74 | 5.6 | 4.0- 7.2 | 18 | 1.4 | 0.6- 2.2 | 13 | 1.2 | 0.4- 2.0 |
| Less than \$15,000 | 564 | 542,717 | 452 | 74.5 | 69.0-80.0 | 50 | 12.7 | 8.0-17.4 | 32 | 5.6 | 3.2- 8.0 | 21 | 4.6 | 2.1- 7.1 | 5 | 1.0 | 0.0- 2.0 | 4 | 1.7 | 0.0- 3.9 |
| \$15,000- 24,999 | 820 | 834,735 | 603 | 65.6 | 60.5-70.7 | 93 | 12.7 | 9.6-15.8 | 68 | 11.6 | 7.9-15.3 | 35 | 5.9 | 3.4- 8.4 | 16 | 3.8 | 0.9- 6.7 | 5 | 0.4 | 0.0- 0.8 |
| \$25,000- 34,999 | 460 | 445,552 | 332 | 64.9 | 58.6-71.2 | 55 | 14.9 | 10.0-19.8 | 38 | 10.2 | 6.1-14.3 | 19 | 4.8 | 2.3- 7.3 | 7 | 2.2 | 0.0- 4.7 | 9 | 3.0 | 0.6- 5.4 |
| \$35,000- 49,999 | 618 | 627,781 | 447 | 66.8 | 61.5-72.1 | 71 | 13.5 | 9.6-17.4 | 55 | 10.4 | 6.9-13.9 | 28 | 5.5 | 2.8- 8.2 | 10 | 2.5 | 0.3- 4.7 | 7 | 1.2 | 0.2- 2.2 |
| \$50,000- 74,999 | 630 | 670,836 | 437 | 62.1 | 56.8-67.4 | 102 | 19.8 | 15.5-24.1 | 57 | 11.6 | 8.1-15.1 | 24 | 4.1 | 1.9- 6.3 | 4 | 0.7 | 0.0- 1.7 | 6 | 1.8 | 0.0- 4.2 |
| \$75,000+ | 1179 | 1,248,517 | 754 | 59.4 | 55.5-63.3 | 182 | 17.7 | 14.4-21.0 | 157 | 15.1 | 12.4-17.8 | 63 | 5.4 | 3.8- 7.0 | 16 | 1.7 | 0.7- 2.7 | 7 | 0.7 | 0.1- 1.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No Children Household | | | One Children | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|--------------|------|------------|--------------|------|------------|----------------|------|------------|---------------|-----|------------|-----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2287 | 2,494,954 | 1707 | 70.5 | 67.8-73.2 | 256 | 12.9 | 10.9-14.9 | 217 | 11.3 | 9.5-13.1 | 68 | 3.1 | 2.1- 4.1 | 25 | 1.5 | 0.7- 2.3 | 14 | 0.8 | 0.2- 1.4 |
| White/Non-Hisp | 1844 | 1,869,661 | 1384 | 71.2 | 68.3-74.1 | 202 | 12.5 | 10.3-14.7 | 177 | 11.7 | 9.5-13.9 | 53 | 2.7 | 1.7- 3.7 | 17 | 1.2 | 0.4- 2.0 | 11 | 0.7 | 0.1- 1.3 |
| Black or Afr. Am./Non-Hisp | 243 | 381,662 | 187 | 72.7 | 65.1-80.3 | 20 | 10.5 | 5.0-16.0 | 23 | 10.8 | 5.3-16.3 | 8 | 3.4 | 0.9- 5.9 | 3 | 1.0 | 0.0- 2.6 | 2 | 1.6 | 0.0- 3.8 |
| Oth. Race/Non-Hisp. | 67 | 83,831 | 44 | 64.2 | 47.5-80.9 | 14 | 23.1 | 8.4-37.8 | 7 | 9.8 | 0.6-19.0 | 1 | 2.2 | 0.0- 6.5 | 1 | 0.7 | 0.0- 2.1 | | | |
| MultiRacial/Non-Hisp. | 51 | 23,675 | 34 | 66.8 | 50.3-83.3 | 10 | 16.3 | 5.5-27.1 | 3 | 4.9 | 0.0-11.4 | 3 | 11.1 | 0.0-24.8 | 1 | 0.8 | 0.0- 2.4 | | | |
| Hispanic | 51 | 95,722 | 32 | 52.2 | 34.2-70.2 | 7 | 19.7 | 4.8-34.6 | 5 | 9.1 | 0.0-18.9 | 3 | 9.7 | 0.0-20.3 | 3 | 8.7 | 0.0-21.2 | 1 | 0.6 | 0.0- 1.8 |
| 18-24 | 162 | 314,749 | 123 | 75.6 | 67.2-84.0 | 26 | 16.3 | 9.0-23.6 | 8 | 3.2 | 0.8- 5.6 | 2 | 1.3 | 0.0- 3.7 | 2 | 2.5 | 0.0- 6.4 | 1 | 1.0 | 0.0- 3.0 |
| 25-34 | 292 | 440,696 | 158 | 51.0 | 43.6-58.4 | 65 | 21.1 | 15.0-27.2 | 49 | 20.8 | 14.1-27.5 | 13 | 4.2 | 1.5- 6.9 | 5 | 2.1 | 0.0- 4.3 | 2 | 0.8 | 0.0- 2.2 |
| 35-44 | 306 | 407,959 | 114 | 42.4 | 35.0-49.8 | 52 | 18.5 | 12.6-24.4 | 84 | 24.6 | 18.5-30.7 | 34 | 8.8 | 5.3-12.3 | 13 | 3.7 | 1.2- 6.2 | 9 | 2.1 | 0.5- 3.7 |
| 45-54 | 385 | 408,516 | 246 | 64.4 | 57.9-70.9 | 71 | 17.8 | 12.3-23.3 | 55 | 13.9 | 9.4-18.4 | 9 | 2.1 | 0.3- 3.9 | 2 | 0.7 | 0.0- 1.7 | 2 | 1.1 | 0.0- 2.7 |
| 55-64 | 469 | 421,438 | 417 | 89.8 | 86.5-93.1 | 30 | 5.3 | 2.9- 7.7 | 12 | 2.6 | 0.6- 4.6 | 8 | 2.2 | 0.6- 3.8 | 2 | 0.1 | 0.0- 0.3 | | | |
| 65+ | 673 | 501,597 | 649 | 95.9 | 93.9-97.9 | 12 | 1.7 | 0.5- 2.9 | 9 | 2.1 | 0.5- 3.7 | 2 | 0.1 | 0.0- 0.3 | 1 | 0.1 | 0.0- 0.3 | | | |
| Less Than H.S. | 224 | 352,212 | 178 | 75.8 | 68.2-83.4 | 19 | 9.4 | 4.1-14.7 | 17 | 10.3 | 4.6-16.0 | 8 | 3.7 | 0.8- 6.6 | 1 | 0.3 | 0.0- 0.9 | 1 | 0.4 | 0.0- 1.2 |
| H.S. or G.E.D. | 714 | 849,953 | 539 | 72.0 | 67.3-76.7 | 81 | 12.9 | 9.4-16.4 | 61 | 9.9 | 6.8-13.0 | 20 | 2.7 | 1.3- 4.1 | 8 | 2.0 | 0.2- 3.8 | 5 | 0.6 | 0.0- 1.2 |
| Some Post-H.S. | 569 | 700,996 | 414 | 66.0 | 60.5-71.5 | 74 | 16.9 | 12.4-21.4 | 60 | 12.8 | 9.1-16.5 | 11 | 1.9 | 0.3- 3.5 | 8 | 1.8 | 0.2- 3.4 | 2 | 0.6 | 0.0- 1.6 |
| College Graduate | 772 | 582,828 | 569 | 69.9 | 65.6-74.2 | 82 | 10.7 | 8.0-13.4 | 79 | 12.2 | 9.1-15.3 | 29 | 4.8 | 2.6- 7.0 | 7 | 0.9 | 0.1- 1.7 | 6 | 1.5 | 0.0- 3.1 |
| Less than \$15,000 | 199 | 223,461 | 174 | 87.1 | 80.2-94.0 | 13 | 9.3 | 2.6-16.0 | 8 | 2.5 | 0.7- 4.3 | 1 | 0.2 | 0.0- 0.6 | 2 | 0.6 | 0.0- 1.6 | 1 | 0.2 | 0.0- 0.6 |
| \$15,000- 24,999 | 315 | 350,514 | 260 | 79.5 | 72.8-86.2 | 23 | 8.4 | 3.7-13.1 | 20 | 7.5 | 3.0-12.0 | 8 | 4.1 | 1.0- 7.2 | 2 | 0.2 | 0.0- 0.6 | 2 | 0.3 | 0.0- 0.7 |
| \$25,000- 34,999 | 207 | 199,824 | 168 | 76.7 | 68.5-84.9 | 18 | 11.0 | 4.3-17.7 | 12 | 7.4 | 2.3-12.5 | 5 | 2.4 | 0.0- 4.8 | 2 | 0.6 | 0.0- 1.6 | 2 | 2.0 | 0.0- 5.1 |
| \$35,000- 49,999 | 296 | 305,728 | 218 | 69.8 | 62.4-77.2 | 26 | 9.4 | 4.7-14.1 | 30 | 11.3 | 6.2-16.4 | 12 | 4.1 | 1.0- 7.2 | 7 | 4.4 | 0.0- 8.9 | 3 | 1.1 | 0.0- 2.3 |
| \$50,000- 74,999 | 317 | 364,283 | 225 | 65.0 | 57.7-72.3 | 49 | 19.1 | 13.0-25.2 | 31 | 12.2 | 7.5-16.9 | 9 | 2.6 | 0.4- 4.8 | 2 | 0.9 | 0.0- 2.5 | 1 | 0.2 | 0.0- 0.6 |
| \$75,000+ | 658 | 724,810 | 427 | 60.4 | 55.3-65.5 | 100 | 17.8 | 13.5-22.1 | 94 | 15.8 | 12.1-19.5 | 26 | 3.3 | 1.7- 4.9 | 8 | 1.7 | 0.3- 3.1 | 3 | 0.9 | 0.0- 2.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No Children Household | | | One Children | | | Two Children | | | Three Children | | | Four Children | | | Five or More Children | | |
|----------------------------|-------------------|-----------|-----------------------|------|------------|--------------|------|------------|--------------|------|------------|----------------|------|------------|---------------|------|------------|-----------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2787 | 2,700,512 | 1958 | 60.8 | 58.1-63.5 | 370 | 16.3 | 14.1-18.5 | 243 | 11.8 | 9.8-13.8 | 146 | 7.3 | 5.7- 8.9 | 41 | 2.3 | 1.1- 3.5 | 29 | 1.5 | 0.7- 2.3 |
| White/Non-Hisp | 2236 | 2,038,116 | 1619 | 64.8 | 61.9-67.7 | 293 | 16.1 | 13.7-18.5 | 179 | 10.3 | 8.3-12.3 | 95 | 5.7 | 4.1- 7.3 | 28 | 1.9 | 0.7- 3.1 | 22 | 1.1 | 0.5- 1.7 |
| Black or Afr. Am./Non-Hisp | 342 | 434,033 | 219 | 50.8 | 43.4-58.2 | 48 | 18.0 | 11.9-24.1 | 32 | 14.8 | 8.3-21.3 | 33 | 12.9 | 8.0-17.8 | 5 | 1.2 | 0.0- 2.6 | 5 | 2.2 | 0.0- 4.7 |
| Oth. Race/Non-Hisp. | 54 | 53,974 | 36 | 68.3 | 51.1-85.5 | 7 | 9.5 | 1.9-17.1 | 7 | 12.4 | 2.2-22.6 | 1 | 7.6 | 0.0-21.5 | 2 | 1.9 | 0.0- 4.6 | 1 | 0.3 | 0.0- 0.9 |
| MultiRacial/Non-Hisp. | 54 | 23,691 | 32 | 58.3 | 41.4-75.2 | 8 | 18.6 | 4.9-32.3 | 9 | 13.7 | 3.3-24.1 | 5 | 9.4 | 0.0-19.2 | | | | | | |
| Hispanic | 67 | 119,714 | 26 | 23.6 | 9.5-37.7 | 9 | 13.5 | 1.9-25.1 | 14 | 26.9 | 9.7-44.1 | 11 | 15.1 | 4.1-26.1 | 6 | 14.4 | 0.7-28.1 | 1 | 6.5 | 0.0-18.7 |
| 18-24 | 132 | 300,455 | 79 | 51.2 | 39.2-63.2 | 29 | 21.2 | 12.4-30.0 | 13 | 14.2 | 4.4-24.0 | 9 | 8.0 | 1.3-14.7 | 1 | 2.7 | 0.0- 8.0 | 1 | 2.6 | 0.0- 7.7 |
| 25-34 | 309 | 444,857 | 100 | 31.0 | 24.5-37.5 | 69 | 21.7 | 16.0-27.4 | 71 | 24.9 | 18.2-31.6 | 48 | 14.2 | 9.3-19.1 | 10 | 4.4 | 0.5- 8.3 | 11 | 3.8 | 1.1- 6.5 |
| 35-44 | 363 | 419,258 | 103 | 25.5 | 19.4-31.6 | 83 | 22.9 | 17.0-28.8 | 88 | 22.9 | 17.4-28.4 | 63 | 20.4 | 14.7-26.1 | 19 | 6.8 | 2.9-10.7 | 7 | 1.5 | 0.0- 3.1 |
| 45-54 | 424 | 444,531 | 262 | 61.8 | 55.5-68.1 | 98 | 22.2 | 16.7-27.7 | 38 | 9.8 | 5.7-13.9 | 18 | 3.7 | 1.3- 6.1 | 3 | 0.8 | 0.0- 1.8 | 5 | 1.6 | 0.0- 3.4 |
| 55-64 | 601 | 460,870 | 510 | 84.0 | 79.9-88.1 | 53 | 9.6 | 6.3-12.9 | 19 | 3.3 | 0.9- 5.7 | 8 | 2.0 | 0.4- 3.6 | 8 | 0.7 | 0.1- 1.3 | 3 | 0.4 | 0.0- 0.8 |
| 65+ | 958 | 630,541 | 904 | 92.1 | 89.2-95.0 | 38 | 6.4 | 3.7- 9.1 | 14 | 1.4 | 0.4- 2.4 | | | | | | | 2 | 0.1 | 0.0- 0.3 |
| Less Than H.S. | 264 | 366,019 | 211 | 69.0 | 60.6-77.4 | 22 | 12.9 | 6.6-19.2 | 15 | 7.6 | 2.3-12.9 | 10 | 6.0 | 1.9-10.1 | 6 | 4.5 | 0.0- 9.0 | | | |
| H.S. or G.E.D. | 858 | 853,981 | 603 | 56.9 | 51.8-62.0 | 117 | 18.0 | 14.1-21.9 | 72 | 12.9 | 8.6-17.2 | 45 | 8.7 | 5.4-12.0 | 13 | 2.0 | 0.2- 3.8 | 8 | 1.5 | 0.1- 2.9 |
| Some Post-H.S. | 758 | 824,926 | 509 | 58.1 | 52.8-63.4 | 113 | 18.0 | 14.1-21.9 | 65 | 11.7 | 8.2-15.2 | 46 | 7.4 | 4.7-10.1 | 11 | 2.2 | 0.0- 4.4 | 14 | 2.6 | 0.4- 4.8 |
| College Graduate | 898 | 647,908 | 628 | 64.4 | 60.1-68.7 | 118 | 14.0 | 10.9-17.1 | 89 | 12.6 | 9.5-15.7 | 45 | 6.3 | 3.9- 8.7 | 11 | 1.8 | 0.4- 3.2 | 7 | 0.9 | 0.1- 1.7 |
| Less than \$15,000 | 365 | 319,256 | 278 | 65.6 | 58.2-73.0 | 37 | 15.0 | 8.5-21.5 | 24 | 7.8 | 3.9-11.7 | 20 | 7.6 | 3.5-11.7 | 3 | 1.2 | 0.0- 2.6 | 3 | 2.8 | 0.0- 6.5 |
| \$15,000- 24,999 | 505 | 484,222 | 343 | 55.5 | 48.8-62.2 | 70 | 15.9 | 11.4-20.4 | 48 | 14.5 | 9.0-20.0 | 27 | 7.3 | 3.6-11.0 | 14 | 6.3 | 1.6-11.0 | 3 | 0.6 | 0.0- 1.2 |
| \$25,000- 34,999 | 253 | 245,727 | 164 | 55.4 | 46.6-64.2 | 37 | 18.1 | 11.2-25.0 | 26 | 12.4 | 6.1-18.7 | 14 | 6.7 | 2.4-11.0 | 5 | 3.6 | 0.0- 8.3 | 7 | 3.8 | 0.5- 7.1 |
| \$35,000- 49,999 | 322 | 322,053 | 229 | 64.0 | 56.4-71.6 | 45 | 17.5 | 11.2-23.8 | 25 | 9.6 | 4.5-14.7 | 16 | 6.9 | 2.4-11.4 | 3 | 0.6 | 0.0- 1.6 | 4 | 1.3 | 0.0- 2.9 |
| \$50,000- 74,999 | 313 | 306,552 | 212 | 58.7 | 50.9-66.5 | 53 | 20.6 | 14.3-26.9 | 26 | 10.9 | 5.6-16.2 | 15 | 5.9 | 2.0- 9.8 | 2 | 0.4 | 0.0- 1.0 | 5 | 3.6 | 0.0- 8.7 |
| \$75,000+ | 521 | 523,707 | 327 | 58.0 | 51.9-64.1 | 82 | 17.6 | 12.9-22.3 | 63 | 14.2 | 10.1-18.3 | 37 | 8.2 | 5.1-11.3 | 8 | 1.6 | 0.2- 3.0 | 4 | 0.4 | 0.0- 0.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Did not Graduate High School | | | Graduated High School | | | Attended College Tech School | | | Graduated College Tech School | | |
|----------------------------|-------------------|-----------|------------------------------|-------|------------|-----------------------|-------|------------|------------------------------|-------|------------|-------------------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5140 | 5,270,454 | 489 | 13.6 | 12.0-15.2 | 1604 | 33.1 | 31.3-34.9 | 1348 | 29.4 | 27.6-31.2 | 1699 | 23.8 | 22.4-25.2 |
| Male | 2319 | 2,534,974 | 225 | 13.9 | 11.7-16.1 | 728 | 34.4 | 31.7-37.1 | 580 | 28.2 | 25.7-30.7 | 786 | 23.5 | 21.5-25.5 |
| Female | 2821 | 2,735,480 | 264 | 13.4 | 11.4-15.4 | 876 | 32.0 | 29.5-34.5 | 768 | 30.5 | 28.0-33.0 | 913 | 24.1 | 22.1-26.1 |
| White/Non-Hisp | 4135 | 3,969,987 | 367 | 12.7 | 11.1-14.3 | 1262 | 32.1 | 30.1-34.1 | 1080 | 29.8 | 27.8-31.8 | 1426 | 25.3 | 23.7-26.9 |
| Black or Afr. Am./Non-Hisp | 593 | 828,058 | 61 | 12.9 | 9.0-16.8 | 225 | 39.3 | 33.8-44.8 | 162 | 29.8 | 24.7-34.9 | 145 | 17.9 | 14.2-21.6 |
| Oth. Race/Non-Hisp. | 121 | 137,169 | 14 | 14.2 | 4.4-24.0 | 34 | 36.0 | 22.1-49.9 | 33 | 21.5 | 11.3-31.7 | 40 | 28.2 | 17.2-39.2 |
| MultiRacial/Non-Hisp. | 109 | 48,793 | 10 | 10.3 | 1.9-18.7 | 36 | 37.1 | 25.3-48.9 | 32 | 31.0 | 19.8-42.2 | 31 | 21.6 | 12.2-31.0 |
| Hispanic | 118 | 216,780 | 19 | 30.0 | 17.5-42.5 | 31 | 28.4 | 16.8-40.0 | 30 | 26.9 | 15.3-38.5 | 38 | 14.7 | 8.0-21.4 |
| 18-24 | 302 | 629,622 | 11 | 5.1 | 1.6- 8.6 | 111 | 41.8 | 34.2-49.4 | 117 | 38.9 | 31.5-46.3 | 63 | 14.2 | 9.9-18.5 |
| 25-34 | 609 | 901,385 | 29 | 6.3 | 3.4- 9.2 | 173 | 30.0 | 25.1-34.9 | 165 | 34.0 | 28.9-39.1 | 242 | 29.7 | 25.4-34.0 |
| 35-44 | 678 | 838,516 | 47 | 13.7 | 9.4-18.0 | 192 | 31.0 | 26.3-35.7 | 174 | 26.5 | 22.0-31.0 | 265 | 28.8 | 24.7-32.9 |
| 45-54 | 829 | 871,963 | 73 | 13.6 | 9.7-17.5 | 228 | 29.2 | 24.9-33.5 | 226 | 29.6 | 25.5-33.7 | 302 | 27.6 | 23.9-31.3 |
| 55-64 | 1081 | 888,344 | 127 | 16.5 | 13.4-19.6 | 363 | 36.4 | 32.5-40.3 | 266 | 25.8 | 22.3-29.3 | 325 | 21.4 | 18.7-24.1 |
| 65+ | 1641 | 1,140,625 | 202 | 22.0 | 18.7-25.3 | 537 | 32.9 | 30.0-35.8 | 400 | 25.4 | 22.7-28.1 | 502 | 19.7 | 17.5-21.9 |
| Less Than H.S. | 489 | 719,344 | 489 | 100.0 | 100.0- 100 | | | | | | | | | |
| H.S. or G.E.D. | 1604 | 1,747,116 | | | | 1604 | 100.0 | 100.0- 100 | | | | | | |
| Some Post-H.S. | 1348 | 1,550,531 | | | | | | | 1348 | 100.0 | 100.0- 100 | | | |
| College Graduate | 1699 | 1,253,463 | | | | | | | | | | 1699 | 100.0 | 100.0- 100 |
| Less than \$15,000 | 564 | 542,717 | 171 | 39.6 | 33.7-45.5 | 231 | 36.8 | 31.1-42.5 | 122 | 19.4 | 15.1-23.7 | 40 | 4.2 | 2.4- 6.0 |
| \$15,000- 24,999 | 819 | 832,760 | 122 | 22.2 | 17.7-26.7 | 338 | 40.5 | 35.6-45.4 | 241 | 29.0 | 24.5-33.5 | 118 | 8.4 | 6.2-10.6 |
| \$25,000- 34,999 | 460 | 446,754 | 39 | 12.2 | 7.5-16.9 | 171 | 42.4 | 36.1-48.7 | 149 | 33.9 | 28.0-39.8 | 101 | 11.5 | 8.6-14.4 |
| \$35,000- 49,999 | 618 | 630,057 | 28 | 6.2 | 3.7- 8.7 | 217 | 39.6 | 34.1-45.1 | 184 | 33.4 | 28.1-38.7 | 189 | 20.7 | 17.0-24.4 |
| \$50,000- 74,999 | 630 | 670,609 | 13 | 3.1 | 0.7- 5.5 | 158 | 28.7 | 23.8-33.6 | 186 | 35.9 | 30.4-41.4 | 273 | 32.4 | 27.7-37.1 |
| \$75,000+ | 1183 | 1,251,616 | 19 | 3.6 | 1.6- 5.6 | 170 | 19.7 | 16.4-23.0 | 252 | 28.6 | 24.7-32.5 | 742 | 48.2 | 44.3-52.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Did not Graduate High School | | | Graduated High School | | | Attended College Tech School | | | Graduated College Tech School | | |
|----------------------------|-------------------|-----------|------------------------------|-------|------------|-----------------------|-------|------------|------------------------------|-------|------------|-------------------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2319 | 2,534,974 | 225 | 13.9 | 11.7-16.1 | 728 | 34.4 | 31.7-37.1 | 580 | 28.2 | 25.7-30.7 | 786 | 23.5 | 21.5-25.5 |
| White/Non-Hisp | 1871 | 1,904,519 | 172 | 13.1 | 10.7-15.5 | 569 | 33.1 | 30.2-36.0 | 460 | 28.5 | 25.8-31.2 | 670 | 25.3 | 22.9-27.7 |
| Black or Afr. Am./Non-Hisp | 246 | 386,840 | 27 | 16.2 | 9.5-22.9 | 101 | 39.6 | 31.4-47.8 | 66 | 28.1 | 20.5-35.7 | 52 | 16.0 | 10.3-21.7 |
| Oth. Race/Non-Hisp. | 66 | 82,281 | 8 | 10.4 | 1.2-19.6 | 18 | 44.4 | 25.4-63.4 | 16 | 22.4 | 7.9-36.9 | 24 | 22.9 | 10.7-35.1 |
| MultiRacial/Non-Hisp. | 53 | 24,422 | 3 | 6.0 | 0.0-14.0 | 18 | 41.9 | 24.3-59.5 | 20 | 35.9 | 18.8-53.0 | 12 | 16.1 | 5.5-26.7 |
| Hispanic | 50 | 95,357 | 9 | 29.2 | 12.0-46.4 | 12 | 28.9 | 12.2-45.6 | 12 | 24.6 | 8.9-40.3 | 17 | 17.4 | 6.6-28.2 |
| 18-24 | 164 | 322,470 | 6 | 5.0 | 0.7- 9.3 | 66 | 45.7 | 36.1-55.3 | 68 | 37.7 | 28.5-46.9 | 24 | 11.6 | 5.9-17.3 |
| 25-34 | 296 | 447,273 | 15 | 6.4 | 2.5-10.3 | 85 | 30.0 | 23.1-36.9 | 79 | 36.0 | 28.6-43.4 | 117 | 27.5 | 21.6-33.4 |
| 35-44 | 310 | 411,790 | 29 | 17.2 | 10.3-24.1 | 100 | 34.6 | 27.5-41.7 | 75 | 24.5 | 18.4-30.6 | 106 | 23.7 | 18.2-29.2 |
| 45-54 | 400 | 424,985 | 40 | 15.6 | 9.5-21.7 | 118 | 32.7 | 26.2-39.2 | 100 | 24.1 | 18.8-29.4 | 142 | 27.6 | 22.3-32.9 |
| 55-64 | 472 | 422,801 | 63 | 18.1 | 13.4-22.8 | 168 | 36.9 | 31.2-42.6 | 98 | 23.7 | 18.6-28.8 | 143 | 21.3 | 17.2-25.4 |
| 65+ | 677 | 505,655 | 72 | 18.7 | 14.0-23.4 | 191 | 30.0 | 25.3-34.7 | 160 | 25.6 | 21.3-29.9 | 254 | 25.7 | 22.0-29.4 |
| Less Than H.S. | 225 | 353,325 | 225 | 100.0 | 100.0- 100 | | | | | | | | | |
| H.S. or G.E.D. | 728 | 871,080 | | | | 728 | 100.0 | 100.0- 100 | | | | | | |
| Some Post-H.S. | 580 | 715,626 | | | | | | | 580 | 100.0 | 100.0- 100 | | | |
| College Graduate | 786 | 594,944 | | | | | | | | | | 786 | 100.0 | 100.0- 100 |
| Less than \$15,000 | 199 | 223,461 | 68 | 41.5 | 31.7-51.3 | 79 | 36.2 | 26.8-45.6 | 35 | 18.1 | 10.5-25.7 | 17 | 4.3 | 1.8- 6.8 |
| \$15,000- 24,999 | 315 | 349,256 | 60 | 27.3 | 19.9-34.7 | 115 | 36.4 | 28.8-44.0 | 87 | 25.6 | 18.9-32.3 | 53 | 10.7 | 6.8-14.6 |
| \$25,000- 34,999 | 206 | 199,459 | 23 | 15.7 | 8.4-23.0 | 78 | 40.1 | 31.1-49.1 | 61 | 32.9 | 24.3-41.5 | 44 | 11.3 | 7.0-15.6 |
| \$35,000- 49,999 | 295 | 305,422 | 22 | 9.4 | 5.3-13.5 | 109 | 43.1 | 35.3-50.9 | 87 | 30.1 | 22.8-37.4 | 77 | 17.4 | 12.7-22.1 |
| \$50,000- 74,999 | 317 | 364,283 | 10 | 4.9 | 0.8- 9.0 | 100 | 33.6 | 26.5-40.7 | 92 | 35.5 | 28.1-42.9 | 115 | 26.1 | 20.4-31.8 |
| \$75,000+ | 661 | 727,674 | 13 | 4.9 | 1.8- 8.0 | 122 | 25.2 | 20.3-30.1 | 140 | 27.3 | 22.6-32.0 | 386 | 42.6 | 37.7-47.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Did not Graduate High School | | | Graduated High School | | | Attended College Tech School | | | Graduated College Tech School | | |
|----------------------------|-------------------|-----------|------------------------------|-------|------------|-----------------------|-------|------------|------------------------------|-------|------------|-------------------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2821 | 2,735,480 | 264 | 13.4 | 11.4-15.4 | 876 | 32.0 | 29.5-34.5 | 768 | 30.5 | 28.0-33.0 | 913 | 24.1 | 22.1-26.1 |
| White/Non-Hisp | 2264 | 2,065,468 | 195 | 12.4 | 10.2-14.6 | 693 | 31.2 | 28.5-33.9 | 620 | 31.0 | 28.1-33.9 | 756 | 25.3 | 23.1-27.5 |
| Black or Afr. Am./Non-Hisp | 347 | 441,218 | 34 | 10.0 | 5.5-14.5 | 124 | 39.1 | 31.5-46.7 | 96 | 31.4 | 24.3-38.5 | 93 | 19.6 | 14.5-24.7 |
| Oth. Race/Non-Hisp. | 55 | 54,888 | 6 | 20.0 | 1.0-39.0 | 16 | 23.5 | 9.0-38.0 | 17 | 20.3 | 7.6-33.0 | 16 | 36.2 | 17.2-55.2 |
| MultiRacial/Non-Hisp. | 56 | 24,370 | 7 | 14.7 | 0.4-29.0 | 18 | 32.2 | 17.1-47.3 | 12 | 26.1 | 12.0-40.2 | 19 | 27.0 | 12.1-41.9 |
| Hispanic | 68 | 121,423 | 10 | 30.6 | 12.8-48.4 | 19 | 28.0 | 11.7-44.3 | 18 | 28.8 | 12.3-45.3 | 21 | 12.6 | 4.8-20.4 |
| 18-24 | 138 | 307,152 | 5 | 5.2 | 0.0-10.5 | 45 | 37.6 | 26.0-49.2 | 49 | 40.1 | 28.5-51.7 | 39 | 17.0 | 10.1-23.9 |
| 25-34 | 313 | 454,112 | 14 | 6.1 | 1.8-10.4 | 88 | 30.0 | 23.1-36.9 | 86 | 32.1 | 25.0-39.2 | 125 | 31.9 | 25.8-38.0 |
| 35-44 | 368 | 426,726 | 18 | 10.3 | 5.0-15.6 | 92 | 27.6 | 21.5-33.7 | 99 | 28.5 | 22.0-35.0 | 159 | 33.7 | 27.8-39.6 |
| 45-54 | 429 | 446,978 | 33 | 11.7 | 6.4-17.0 | 110 | 25.9 | 20.2-31.6 | 126 | 34.7 | 28.4-41.0 | 160 | 27.6 | 22.5-32.7 |
| 55-64 | 609 | 465,543 | 64 | 15.1 | 10.8-19.4 | 195 | 35.9 | 30.6-41.2 | 168 | 27.6 | 22.9-32.3 | 182 | 21.5 | 17.6-25.4 |
| 65+ | 964 | 634,970 | 130 | 24.5 | 20.0-29.0 | 346 | 35.2 | 31.3-39.1 | 240 | 25.3 | 21.8-28.8 | 248 | 14.9 | 12.5-17.3 |
| Less Than H.S. | 264 | 366,019 | 264 | 100.0 | 100.0- 100 | | | | | | | | | |
| H.S. or G.E.D. | 876 | 876,036 | | | | 876 | 100.0 | 100.0- 100 | | | | | | |
| Some Post-H.S. | 768 | 834,906 | | | | | | | 768 | 100.0 | 100.0- 100 | | | |
| College Graduate | 913 | 658,519 | | | | | | | | | | 913 | 100.0 | 100.0- 100 |
| Less than \$15,000 | 365 | 319,256 | 103 | 38.3 | 30.9-45.7 | 152 | 37.2 | 30.1-44.3 | 87 | 20.4 | 15.1-25.7 | 23 | 4.1 | 1.6- 6.6 |
| \$15,000- 24,999 | 504 | 483,504 | 62 | 18.4 | 12.7-24.1 | 223 | 43.5 | 37.0-50.0 | 154 | 31.4 | 25.3-37.5 | 65 | 6.7 | 4.3- 9.1 |
| \$25,000- 34,999 | 254 | 247,295 | 16 | 9.4 | 3.1-15.7 | 93 | 44.3 | 35.7-52.9 | 88 | 34.7 | 26.9-42.5 | 57 | 11.6 | 7.7-15.5 |
| \$35,000- 49,999 | 323 | 324,636 | 6 | 3.3 | 0.4- 6.2 | 108 | 36.3 | 28.9-43.7 | 97 | 36.6 | 28.8-44.4 | 112 | 23.8 | 17.9-29.7 |
| \$50,000- 74,999 | 313 | 306,326 | 3 | 1.0 | 0.0- 2.2 | 58 | 22.9 | 16.6-29.2 | 94 | 36.3 | 28.3-44.3 | 158 | 39.8 | 32.5-47.1 |
| \$75,000+ | 522 | 523,941 | 6 | 1.8 | 0.2- 3.4 | 48 | 11.9 | 7.6-16.2 | 112 | 30.4 | 23.9-36.9 | 356 | 55.9 | 49.4-62.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less Than 15,000 | | | \$15,000 It 25,000 | | | \$25,000 It 35,000 | | | \$35,000 It 50,000 | | | \$50,000 or More | | |
|----------------------------|-------------------|-----------|------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4280 | 4,379,044 | 564 | 12.4 | 11.0-13.8 | 822 | 19.1 | 17.3-20.9 | 461 | 10.2 | 9.0-11.4 | 619 | 14.4 | 13.0-15.8 | 1814 | 43.9 | 41.7-46.1 |
| Male | 1997 | 2,172,854 | 199 | 10.3 | 8.3-12.3 | 317 | 16.2 | 13.8-18.6 | 207 | 9.2 | 7.6-10.8 | 296 | 14.1 | 12.1-16.1 | 978 | 50.3 | 47.4-53.2 |
| Female | 2283 | 2,206,190 | 365 | 14.5 | 12.5-16.5 | 505 | 21.9 | 19.4-24.4 | 254 | 11.2 | 9.4-13.0 | 323 | 14.7 | 12.5-16.9 | 836 | 37.7 | 34.8-40.6 |
| White/Non-Hisp | 3470 | 3,343,485 | 394 | 10.3 | 8.9-11.7 | 607 | 16.6 | 14.8-18.4 | 355 | 10.3 | 8.9-11.7 | 530 | 15.2 | 13.6-16.8 | 1584 | 47.5 | 45.1-49.9 |
| Black or Afr. Am./Non-Hisp | 477 | 677,828 | 108 | 19.5 | 14.8-24.2 | 124 | 26.0 | 20.5-31.5 | 66 | 10.8 | 7.3-14.3 | 51 | 11.5 | 7.4-15.6 | 128 | 32.1 | 26.2-38.0 |
| Oth. Race/Non-Hisp. | 98 | 106,447 | 19 | 21.4 | 7.5-35.3 | 22 | 18.7 | 7.9-29.5 | 14 | 9.6 | 2.3-16.9 | 11 | 12.0 | 2.8-21.2 | 32 | 38.2 | 23.3-53.1 |
| MultiRacial/Non-Hisp. | 92 | 38,762 | 16 | 13.6 | 4.8-22.4 | 25 | 31.6 | 18.5-44.7 | 12 | 17.8 | 7.0-28.6 | 15 | 17.6 | 7.6-27.6 | 24 | 19.4 | 11.0-27.8 |
| Hispanic | 98 | 159,452 | 10 | 7.2 | 2.3-12.1 | 32 | 39.3 | 25.2-53.4 | 10 | 4.9 | 1.2- 8.6 | 12 | 15.3 | 4.7-25.9 | 34 | 33.3 | 19.6-47.0 |
| 18-24 | 238 | 468,585 | 39 | 14.8 | 8.9-20.7 | 56 | 24.9 | 17.6-32.2 | 24 | 7.9 | 4.2-11.6 | 30 | 11.3 | 6.4-16.2 | 89 | 41.1 | 32.7-49.5 |
| 25-34 | 530 | 771,674 | 35 | 5.2 | 3.0- 7.4 | 91 | 20.2 | 15.3-25.1 | 75 | 13.4 | 9.7-17.1 | 87 | 14.3 | 10.6-18.0 | 242 | 46.9 | 41.4-52.4 |
| 35-44 | 605 | 751,456 | 59 | 9.4 | 6.3-12.5 | 94 | 15.3 | 11.4-19.2 | 67 | 9.3 | 6.2-12.4 | 94 | 17.9 | 13.6-22.2 | 291 | 48.0 | 42.7-53.3 |
| 45-54 | 722 | 770,070 | 90 | 12.6 | 9.1-16.1 | 96 | 13.6 | 10.1-17.1 | 49 | 5.7 | 3.7- 7.7 | 85 | 12.4 | 9.1-15.7 | 402 | 55.8 | 50.9-60.7 |
| 55-64 | 921 | 744,269 | 166 | 17.6 | 14.5-20.7 | 179 | 18.4 | 15.3-21.5 | 73 | 9.2 | 6.7-11.7 | 120 | 14.1 | 11.0-17.2 | 383 | 40.7 | 36.6-44.8 |
| 65+ | 1264 | 872,991 | 175 | 15.4 | 12.5-18.3 | 306 | 23.7 | 20.6-26.8 | 173 | 14.2 | 11.7-16.7 | 203 | 15.2 | 12.7-17.7 | 407 | 31.5 | 28.2-34.8 |
| Less Than H.S. | 392 | 559,277 | 171 | 38.5 | 32.2-44.8 | 122 | 33.0 | 26.5-39.5 | 39 | 9.8 | 5.9-13.7 | 28 | 7.0 | 4.1- 9.9 | 32 | 11.8 | 6.7-16.9 |
| H.S. or G.E.D. | 1285 | 1,414,438 | 231 | 14.1 | 11.6-16.6 | 338 | 23.9 | 20.6-27.2 | 171 | 13.4 | 10.9-15.9 | 217 | 17.7 | 14.8-20.6 | 328 | 31.0 | 27.5-34.5 |
| Some Post-H.S. | 1134 | 1,306,831 | 122 | 8.1 | 6.1-10.1 | 241 | 18.5 | 15.4-21.6 | 149 | 11.6 | 9.2-14.0 | 184 | 16.1 | 13.2-19.0 | 438 | 45.8 | 41.7-49.9 |
| College Graduate | 1463 | 1,093,968 | 40 | 2.1 | 1.1- 3.1 | 118 | 6.4 | 4.8- 8.0 | 101 | 4.7 | 3.5- 5.9 | 189 | 11.9 | 9.7-14.1 | 1015 | 74.9 | 72.2-77.6 |
| Less than \$15,000 | 564 | 542,717 | 564 | 100.0 | 100.0- 100 | | | | | | | | | | | | |
| \$15,000- 24,999 | 822 | 836,105 | | | | 822 | 100.0 | 100.0- 100 | | | | | | | | | |
| \$25,000- 34,999 | 461 | 447,120 | | | | | | | 461 | 100.0 | 100.0- 100 | | | | | | |
| \$35,000- 49,999 | 619 | 630,363 | | | | | | | | | | 619 | 100.0 | 100.0- 100 | | | |
| \$50,000- 74,999 | 631 | 671,123 | | | | | | | | | | | | | 631 | 100.0 | 100.0- 100 |
| \$75,000+ | 1183 | 1,251,616 | | | | | | | | | | | | | 1183 | 100.0 | 100.0- 100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less Than 15,000 | | | \$15,000 It 25,000 | | | \$25,000 It 35,000 | | | \$35,000 It 50,000 | | | \$50,000 or More | | |
|----------------------------|-------------------|-----------|------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1997 | 2,172,854 | 199 | 10.3 | 8.3-12.3 | 317 | 16.2 | 13.8-18.6 | 207 | 9.2 | 7.6-10.8 | 296 | 14.1 | 12.1-16.1 | 978 | 50.3 | 47.4-53.2 |
| White/Non-Hisp | 1638 | 1,666,040 | 133 | 8.7 | 6.7-10.7 | 242 | 13.4 | 11.2-15.6 | 164 | 9.7 | 7.9-11.5 | 254 | 14.8 | 12.6-17.0 | 845 | 53.4 | 50.3-56.5 |
| Black or Afr. Am./Non-Hisp | 194 | 310,111 | 40 | 14.8 | 8.9-20.7 | 41 | 25.9 | 17.1-34.7 | 25 | 7.6 | 3.1-12.1 | 22 | 11.1 | 5.2-17.0 | 66 | 40.6 | 31.2-50.0 |
| Oth. Race/Non-Hisp. | 53 | 62,640 | 9 | 16.7 | 0.0-34.7 | 10 | 13.2 | 3.2-23.2 | 6 | 7.6 | 0.0-17.4 | 4 | 7.9 | 0.0-18.9 | 24 | 54.6 | 34.0-75.2 |
| 18-24 | 128 | 247,344 | 20 | 17.1 | 8.3-25.9 | 25 | 20.4 | 11.2-29.6 | 11 | 5.8 | 1.9- 9.7 | 19 | 14.5 | 6.9-22.1 | 53 | 42.2 | 31.2-53.2 |
| 25-34 | 252 | 371,762 | 10 | 2.4 | 0.8- 4.0 | 24 | 12.1 | 6.4-17.8 | 32 | 11.8 | 7.1-16.5 | 45 | 15.7 | 9.8-21.6 | 141 | 58.0 | 50.2-65.8 |
| 35-44 | 281 | 382,148 | 16 | 6.5 | 2.2-10.8 | 36 | 12.9 | 7.4-18.4 | 30 | 8.7 | 4.8-12.6 | 46 | 17.4 | 11.5-23.3 | 153 | 54.5 | 46.9-62.1 |
| 45-54 | 349 | 373,765 | 38 | 12.3 | 7.2-17.4 | 45 | 14.7 | 9.0-20.4 | 19 | 4.3 | 1.9- 6.7 | 36 | 7.8 | 4.9-10.7 | 211 | 60.9 | 53.8-68.0 |
| 55-64 | 415 | 376,101 | 66 | 15.8 | 11.3-20.3 | 77 | 17.9 | 13.4-22.4 | 34 | 9.3 | 5.4-13.2 | 50 | 13.5 | 9.2-17.8 | 188 | 43.5 | 37.4-49.6 |
| 65+ | 572 | 421,735 | 49 | 9.9 | 6.4-13.4 | 110 | 20.2 | 15.7-24.7 | 81 | 13.6 | 9.9-17.3 | 100 | 15.4 | 11.9-18.9 | 232 | 40.9 | 35.6-46.2 |
| Less Than H.S. | 196 | 301,568 | 68 | 30.7 | 22.5-38.9 | 60 | 31.6 | 23.2-40.0 | 23 | 10.4 | 5.3-15.5 | 22 | 9.5 | 5.2-13.8 | 23 | 17.7 | 9.3-26.1 |
| H.S. or G.E.D. | 603 | 725,361 | 79 | 11.1 | 7.8-14.4 | 115 | 17.5 | 13.2-21.8 | 78 | 11.0 | 7.9-14.1 | 109 | 18.2 | 13.9-22.5 | 222 | 42.1 | 36.6-47.6 |
| Some Post-H.S. | 502 | 614,843 | 35 | 6.6 | 3.7- 9.5 | 87 | 14.6 | 10.5-18.7 | 61 | 10.7 | 7.4-14.0 | 87 | 14.9 | 11.0-18.8 | 232 | 53.3 | 47.6-59.0 |
| College Graduate | 692 | 527,783 | 17 | 1.8 | 0.8- 2.8 | 53 | 7.1 | 4.6- 9.6 | 44 | 4.3 | 2.7- 5.9 | 77 | 10.1 | 7.4-12.8 | 501 | 76.8 | 72.9-80.7 |
| Less than \$15,000 | 199 | 223,461 | 199 | 100.0 | 100.0- 100 | | | | | | | | | | | | |
| \$15,000- 24,999 | 317 | 351,884 | | | | 317 | 100.0 | 100.0- 100 | | | | | | | | | |
| \$25,000- 34,999 | 207 | 199,824 | | | | | | | 207 | 100.0 | 100.0- 100 | | | | | | |
| \$35,000- 49,999 | 296 | 305,728 | | | | | | | | | | 296 | 100.0 | 100.0- 100 | | | |
| \$50,000- 74,999 | 317 | 364,283 | | | | | | | | | | | | | 317 | 100.0 | 100.0- 100 |
| \$75,000+ | 661 | 727,674 | | | | | | | | | | | | | 661 | 100.0 | 100.0- 100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 8: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less Than 15,000 | | | \$15,000 It 25,000 | | | \$25,000 It 35,000 | | | \$35,000 It 50,000 | | | \$50,000 or More | | |
|----------------------------|-------------------|-----------|------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|--------------------|-------|------------|------------------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2283 | 2,206,190 | 365 | 14.5 | 12.5-16.5 | 505 | 21.9 | 19.4-24.4 | 254 | 11.2 | 9.4-13.0 | 323 | 14.7 | 12.5-16.9 | 836 | 37.7 | 34.8-40.6 |
| White/Non-Hisp | 1832 | 1,677,445 | 261 | 11.9 | 10.1-13.7 | 365 | 19.9 | 17.2-22.6 | 191 | 10.9 | 8.9-12.9 | 276 | 15.7 | 13.3-18.1 | 739 | 41.7 | 38.6-44.8 |
| Black or Afr. Am./Non-Hisp | 283 | 367,717 | 68 | 23.5 | 16.4-30.6 | 83 | 26.1 | 19.2-33.0 | 41 | 13.5 | 8.2-18.8 | 29 | 11.8 | 5.9-17.7 | 62 | 25.0 | 17.9-32.1 |
| Hispanic | 53 | 78,808 | 7 | 10.2 | 1.8-18.6 | 21 | 41.7 | 21.1-62.3 | 5 | 4.0 | 0.0-8.5 | 4 | 9.7 | 0.0-22.4 | 16 | 34.4 | 14.0-54.8 |
| 18-24 | 110 | 221,241 | 19 | 12.2 | 4.8-19.6 | 31 | 29.9 | 18.1-41.7 | 13 | 10.3 | 3.6-17.0 | 11 | 7.7 | 2.2-13.2 | 36 | 39.9 | 26.6-53.2 |
| 25-34 | 278 | 399,912 | 25 | 7.8 | 4.1-11.5 | 67 | 27.8 | 20.4-35.2 | 43 | 14.9 | 9.4-20.4 | 42 | 13.0 | 8.5-17.5 | 101 | 36.6 | 29.2-44.0 |
| 35-44 | 324 | 369,308 | 43 | 12.5 | 7.8-17.2 | 58 | 17.9 | 12.2-23.6 | 37 | 9.9 | 5.2-14.6 | 48 | 18.4 | 11.9-24.9 | 138 | 41.4 | 34.3-48.5 |
| 45-54 | 373 | 396,306 | 52 | 12.8 | 7.9-17.7 | 51 | 12.5 | 8.6-16.4 | 30 | 7.0 | 3.7-10.3 | 49 | 16.8 | 11.1-22.5 | 191 | 50.9 | 44.0-57.8 |
| 55-64 | 506 | 368,168 | 100 | 19.5 | 14.8-24.2 | 102 | 18.9 | 14.4-23.4 | 39 | 9.2 | 5.7-12.7 | 70 | 14.7 | 10.4-19.0 | 195 | 37.7 | 32.2-43.2 |
| 65+ | 692 | 451,256 | 126 | 20.5 | 16.2-24.8 | 196 | 27.0 | 22.5-31.5 | 92 | 14.8 | 11.1-18.5 | 103 | 14.9 | 11.4-18.4 | 175 | 22.8 | 18.9-26.7 |
| Less Than H.S. | 196 | 257,709 | 103 | 47.5 | 37.9-57.1 | 62 | 34.6 | 25.0-44.2 | 16 | 9.0 | 2.9-15.1 | 6 | 4.1 | 0.4-7.8 | 9 | 4.8 | 1.3-8.3 |
| H.S. or G.E.D. | 682 | 689,077 | 152 | 17.2 | 13.5-20.9 | 223 | 30.5 | 25.6-35.4 | 93 | 15.9 | 12.0-19.8 | 108 | 17.1 | 13.2-21.0 | 106 | 19.3 | 15.0-23.6 |
| Some Post-H.S. | 632 | 691,987 | 87 | 9.4 | 6.9-11.9 | 154 | 21.9 | 17.2-26.6 | 88 | 12.4 | 9.3-15.5 | 97 | 17.2 | 12.9-21.5 | 206 | 39.1 | 33.2-45.0 |
| College Graduate | 771 | 566,185 | 23 | 2.3 | 0.7-3.9 | 65 | 5.7 | 3.7-7.7 | 57 | 5.1 | 3.3-6.9 | 112 | 13.7 | 10.4-17.0 | 514 | 73.2 | 69.1-77.3 |
| Less than \$15,000 | 365 | 319,256 | 365 | 100.0 | 100.0-100 | | | | | | | | | | | | |
| \$15,000- 24,999 | 505 | 484,222 | | | | 505 | 100.0 | 100.0-100 | | | | | | | | | |
| \$25,000- 34,999 | 254 | 247,295 | | | | | | | 254 | 100.0 | 100.0-100 | | | | | | |
| \$35,000- 49,999 | 323 | 324,636 | | | | | | | | | | 323 | 100.0 | 100.0-100 | | | |
| \$50,000- 74,999 | 314 | 306,839 | | | | | | | | | | | | | 314 | 100.0 | 100.0-100 |
| \$75,000+ | 522 | 523,941 | | | | | | | | | | | | | 522 | 100.0 | 100.0-100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 9: TOBACCO USE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3) | |
| 1 | MALES AND FEMALES | 99 |
| 2 | MALES ONLY | 100 |
| 3 | FEMALES ONLY | 101 |
| | ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3) | |
| 4 | MALES AND FEMALES | 102 |
| 5 | MALES ONLY | 103 |
| 6 | FEMALES ONLY | 104 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
|----------------------------|-------------------|-----------|----------------|------|------------|-----------------|-----|------------|---------------|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4909 | 5,020,510 | 761 | 15.7 | 14.3-17.1 | 241 | 5.0 | 4.2- 5.8 | 1340 | 24.8 | 23.2-26.4 | 2567 | 54.6 | 52.6-56.6 |
| Male | 2212 | 2,416,903 | 340 | 15.7 | 13.5-17.9 | 115 | 5.8 | 4.4- 7.2 | 718 | 29.6 | 27.1-32.1 | 1039 | 48.9 | 46.0-51.8 |
| Female | 2697 | 2,603,607 | 421 | 15.6 | 13.6-17.6 | 126 | 4.3 | 3.3- 5.3 | 622 | 20.2 | 18.0-22.4 | 1528 | 59.9 | 57.4-62.4 |
| White/Non-Hisp | 3949 | 3,778,229 | 615 | 16.3 | 14.7-17.9 | 171 | 4.7 | 3.7- 5.7 | 1136 | 27.6 | 25.6-29.6 | 2027 | 51.4 | 49.2-53.6 |
| Black or Afr. Am./Non-Hisp | 560 | 783,507 | 75 | 13.9 | 9.8-18.0 | 47 | 6.9 | 4.4- 9.4 | 101 | 13.0 | 9.5-16.5 | 337 | 66.2 | 60.9-71.5 |
| Oth. Race/Non-Hisp. | 116 | 132,832 | 19 | 17.0 | 5.6-28.4 | 9 | 2.8 | 0.4- 5.2 | 33 | 22.3 | 12.1-32.5 | 55 | 57.8 | 44.5-71.1 |
| MultiRacial/Non-Hisp. | 105 | 46,581 | 30 | 27.7 | 16.9-38.5 | 4 | 6.1 | 0.0-14.5 | 24 | 18.0 | 8.8-27.2 | 47 | 48.2 | 35.7-60.7 |
| Hispanic | 115 | 208,871 | 11 | 5.7 | 2.0- 9.4 | 7 | 3.5 | 0.4- 6.6 | 28 | 18.5 | 9.1-27.9 | 69 | 72.2 | 61.8-82.6 |
| 18-24 | 285 | 595,060 | 24 | 7.5 | 3.6-11.4 | 13 | 3.7 | 1.5- 5.9 | 28 | 9.4 | 5.1-13.7 | 220 | 79.4 | 73.5-85.3 |
| 25-34 | 579 | 843,046 | 96 | 15.7 | 11.8-19.6 | 37 | 6.3 | 3.9- 8.7 | 120 | 22.2 | 17.7-26.7 | 326 | 55.8 | 50.5-61.1 |
| 35-44 | 652 | 810,267 | 139 | 21.2 | 16.9-25.5 | 26 | 4.0 | 2.0- 6.0 | 144 | 20.7 | 16.8-24.6 | 343 | 54.1 | 49.0-59.2 |
| 45-54 | 790 | 830,252 | 161 | 18.8 | 15.3-22.3 | 43 | 4.6 | 2.8- 6.4 | 170 | 21.6 | 17.5-25.7 | 416 | 54.9 | 50.2-59.6 |
| 55-64 | 1037 | 855,068 | 206 | 20.9 | 17.6-24.2 | 70 | 7.7 | 5.5- 9.9 | 279 | 26.1 | 22.6-29.6 | 482 | 45.3 | 41.4-49.2 |
| 65+ | 1566 | 1,086,818 | 135 | 9.4 | 7.2-11.6 | 52 | 3.6 | 2.2- 5.0 | 599 | 39.5 | 36.2-42.8 | 780 | 47.5 | 44.2-50.8 |
| Less Than H.S. | 474 | 694,583 | 142 | 29.5 | 23.8-35.2 | 43 | 7.6 | 4.9-10.3 | 137 | 26.4 | 21.3-31.5 | 152 | 36.5 | 30.4-42.6 |
| H.S. or G.E.D. | 1507 | 1,638,413 | 310 | 18.9 | 16.2-21.6 | 93 | 5.6 | 4.2- 7.0 | 449 | 26.3 | 23.4-29.2 | 655 | 49.3 | 45.8-52.8 |
| Some Post-H.S. | 1285 | 1,480,501 | 211 | 14.5 | 12.0-17.0 | 66 | 5.3 | 3.7- 6.9 | 336 | 24.0 | 20.9-27.1 | 672 | 56.2 | 52.5-59.9 |
| College Graduate | 1627 | 1,192,218 | 97 | 4.7 | 3.5- 5.9 | 38 | 2.1 | 1.3- 2.9 | 411 | 22.3 | 19.8-24.8 | 1081 | 70.9 | 68.2-73.6 |
| Less than \$15,000 | 557 | 539,448 | 163 | 28.1 | 22.8-33.4 | 51 | 8.2 | 5.3-11.1 | 147 | 25.3 | 20.2-30.4 | 196 | 38.4 | 32.5-44.3 |
| \$15,000- 24,999 | 793 | 792,604 | 164 | 22.7 | 18.4-27.0 | 50 | 6.2 | 4.0- 8.4 | 215 | 22.5 | 18.6-26.4 | 364 | 48.6 | 43.5-53.7 |
| \$25,000- 34,999 | 455 | 440,607 | 91 | 20.9 | 15.6-26.2 | 29 | 6.4 | 3.5- 9.3 | 124 | 24.2 | 18.9-29.5 | 211 | 48.5 | 42.2-54.8 |
| \$35,000- 49,999 | 605 | 618,655 | 103 | 17.3 | 13.2-21.4 | 23 | 4.0 | 1.8- 6.2 | 181 | 27.1 | 22.4-31.8 | 298 | 51.6 | 46.1-57.1 |
| \$50,000- 74,999 | 615 | 653,065 | 86 | 16.0 | 11.9-20.1 | 18 | 3.2 | 1.0- 5.4 | 172 | 25.3 | 20.6-30.0 | 339 | 55.4 | 49.9-60.9 |
| \$75,000+ | 1154 | 1,226,629 | 73 | 6.3 | 4.3- 8.3 | 28 | 2.5 | 1.3- 3.7 | 306 | 26.3 | 22.8-29.8 | 747 | 64.9 | 61.2-68.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
|----------------------------|-------------------|-----------|----------------|------|------------|-----------------|------|------------|---------------|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2212 | 2,416,903 | 340 | 15.7 | 13.5-17.9 | 115 | 5.8 | 4.4- 7.2 | 718 | 29.6 | 27.1-32.1 | 1039 | 48.9 | 46.0-51.8 |
| White/Non-Hisp | 1782 | 1,811,032 | 270 | 16.0 | 13.6-18.4 | 78 | 5.5 | 4.1- 6.9 | 613 | 33.1 | 30.2-36.0 | 821 | 45.4 | 42.3-48.5 |
| Black or Afr. Am./Non-Hisp | 232 | 368,604 | 33 | 15.7 | 9.0-22.4 | 25 | 8.9 | 4.8-13.0 | 43 | 11.4 | 6.5-16.3 | 131 | 64.1 | 55.9-72.3 |
| Oth. Race/Non-Hisp. | 66 | 82,741 | 9 | 14.6 | 0.0-29.3 | 7 | 2.8 | 0.1- 5.5 | 19 | 23.5 | 9.8-37.2 | 31 | 59.1 | 41.5-76.7 |
| MultiRacial/Non-Hisp. | 52 | 24,227 | 18 | 28.4 | 14.1-42.7 | 2 | 9.0 | 0.0-23.9 | 15 | 28.6 | 12.7-44.5 | 17 | 34.1 | 17.6-50.6 |
| 18-24 | 158 | 304,413 | 10 | 5.4 | 0.9- 9.9 | 7 | 3.7 | 0.6- 6.8 | 17 | 12.8 | 5.7-19.9 | 124 | 78.1 | 69.7-86.5 |
| 25-34 | 280 | 419,302 | 39 | 13.5 | 8.0-19.0 | 22 | 8.2 | 4.3-12.1 | 74 | 26.8 | 19.9-33.7 | 145 | 51.5 | 43.9-59.1 |
| 35-44 | 298 | 401,714 | 68 | 23.1 | 16.2-30.0 | 13 | 5.0 | 1.7- 8.3 | 78 | 23.8 | 17.9-29.7 | 139 | 48.1 | 40.7-55.5 |
| 45-54 | 375 | 395,059 | 72 | 18.7 | 13.6-23.8 | 23 | 5.4 | 2.9- 7.9 | 96 | 27.3 | 20.8-33.8 | 184 | 48.7 | 41.8-55.6 |
| 55-64 | 453 | 409,563 | 90 | 20.8 | 15.9-25.7 | 32 | 8.5 | 5.2-11.8 | 137 | 30.8 | 25.3-36.3 | 194 | 39.9 | 34.0-45.8 |
| 65+ | 648 | 486,852 | 61 | 11.2 | 7.7-14.7 | 18 | 3.8 | 1.4- 6.2 | 316 | 48.4 | 43.3-53.5 | 253 | 36.6 | 31.7-41.5 |
| Less Than H.S. | 218 | 341,414 | 78 | 33.1 | 24.7-41.5 | 22 | 9.8 | 5.3-14.3 | 68 | 27.5 | 20.1-34.9 | 50 | 29.6 | 21.4-37.8 |
| H.S. or G.E.D. | 685 | 818,003 | 126 | 16.6 | 12.9-20.3 | 48 | 6.5 | 4.1- 8.9 | 245 | 30.4 | 25.9-34.9 | 266 | 46.5 | 41.4-51.6 |
| Some Post-H.S. | 554 | 685,312 | 86 | 14.8 | 11.1-18.5 | 30 | 6.2 | 3.7- 8.7 | 176 | 29.9 | 24.8-35.0 | 262 | 49.1 | 43.6-54.6 |
| College Graduate | 748 | 565,056 | 49 | 4.9 | 3.3- 6.5 | 15 | 1.9 | 0.7- 3.1 | 225 | 29.1 | 24.8-33.4 | 459 | 64.1 | 59.6-68.6 |
| Less than \$15,000 | 198 | 223,115 | 62 | 30.3 | 21.1-39.5 | 25 | 11.1 | 5.6-16.6 | 62 | 29.8 | 21.0-38.6 | 49 | 28.8 | 19.2-38.4 |
| \$15,000- 24,999 | 302 | 329,053 | 65 | 23.3 | 16.2-30.4 | 20 | 8.0 | 3.9-12.1 | 99 | 28.3 | 21.6-35.0 | 118 | 40.4 | 32.4-48.4 |
| \$25,000- 34,999 | 203 | 194,729 | 41 | 19.5 | 12.8-26.2 | 15 | 8.3 | 3.0-13.6 | 69 | 30.3 | 22.3-38.3 | 78 | 41.9 | 32.7-51.1 |
| \$35,000- 49,999 | 289 | 297,320 | 49 | 18.0 | 11.9-24.1 | 15 | 6.5 | 2.4-10.6 | 99 | 30.3 | 23.6-37.0 | 126 | 45.3 | 37.5-53.1 |
| \$50,000- 74,999 | 308 | 355,570 | 53 | 19.0 | 12.7-25.3 | 9 | 2.2 | 0.6- 3.8 | 105 | 30.4 | 23.5-37.3 | 141 | 48.4 | 40.8-56.0 |
| \$75,000+ | 639 | 708,042 | 39 | 6.8 | 4.1- 9.5 | 14 | 2.3 | 0.9- 3.7 | 199 | 31.1 | 26.2-36.0 | 387 | 59.8 | 54.7-64.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke everyday | | | Smoke some days | | | Former smoker | | | Never smoked | | |
|----------------------------|-------------------|-----------|----------------|------|------------|-----------------|-----|------------|---------------|------|------------|--------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2697 | 2,603,607 | 421 | 15.6 | 13.6-17.6 | 126 | 4.3 | 3.3- 5.3 | 622 | 20.2 | 18.0-22.4 | 1528 | 59.9 | 57.4-62.4 |
| White/Non-Hisp | 2167 | 1,967,197 | 345 | 16.5 | 14.3-18.7 | 93 | 4.1 | 3.1- 5.1 | 523 | 22.4 | 19.9-24.9 | 1206 | 57.0 | 54.1-59.9 |
| Black or Afr. Am./Non-Hisp | 328 | 414,903 | 42 | 12.2 | 7.1-17.3 | 22 | 5.2 | 2.3- 8.1 | 58 | 14.4 | 9.5-19.3 | 206 | 68.2 | 61.3-75.1 |
| Oth. Race/Non-Hisp. | 50 | 50,091 | 10 | 20.9 | 3.5-38.3 | 2 | 2.9 | 0.0- 7.4 | 14 | 20.4 | 5.7-35.1 | 24 | 55.9 | 35.9-75.9 |
| MultiRacial/Non-Hisp. | 53 | 22,353 | 12 | 27.0 | 10.9-43.1 | 2 | 3.0 | 0.0- 8.3 | 9 | 6.6 | 0.7-12.5 | 30 | 63.4 | 46.7-80.1 |
| Hispanic | 66 | 118,316 | 9 | 7.6 | 1.9-13.3 | 5 | 3.8 | 0.0- 7.7 | 11 | 5.2 | 0.9- 9.5 | 41 | 83.5 | 74.9-92.1 |
| 18-24 | 127 | 290,647 | 14 | 9.8 | 3.5-16.1 | 6 | 3.6 | 0.5- 6.7 | 11 | 5.9 | 1.8-10.0 | 96 | 80.7 | 72.7-88.7 |
| 25-34 | 299 | 423,744 | 57 | 17.8 | 12.3-23.3 | 15 | 4.5 | 1.8- 7.2 | 46 | 17.7 | 11.6-23.8 | 181 | 60.0 | 52.7-67.3 |
| 35-44 | 354 | 408,553 | 71 | 19.3 | 13.8-24.8 | 13 | 3.0 | 0.5- 5.5 | 66 | 17.7 | 12.2-23.2 | 204 | 60.0 | 53.1-66.9 |
| 45-54 | 415 | 435,193 | 89 | 18.9 | 14.2-23.6 | 20 | 4.0 | 1.6- 6.4 | 74 | 16.5 | 11.6-21.4 | 232 | 60.6 | 54.3-66.9 |
| 55-64 | 584 | 445,505 | 116 | 21.1 | 16.4-25.8 | 38 | 6.9 | 4.2- 9.6 | 142 | 21.7 | 17.4-26.0 | 288 | 50.3 | 44.8-55.8 |
| 65+ | 918 | 599,966 | 74 | 7.9 | 5.4-10.4 | 34 | 3.5 | 1.9- 5.1 | 283 | 32.3 | 28.0-36.6 | 527 | 56.3 | 51.8-60.8 |
| Less Than H.S. | 256 | 353,169 | 64 | 26.1 | 18.7-33.5 | 21 | 5.4 | 2.7- 8.1 | 69 | 25.4 | 18.3-32.5 | 102 | 43.1 | 34.7-51.5 |
| H.S. or G.E.D. | 822 | 820,410 | 184 | 21.1 | 17.2-25.0 | 45 | 4.7 | 2.9- 6.5 | 204 | 22.2 | 18.3-26.1 | 389 | 52.0 | 47.1-56.9 |
| Some Post-H.S. | 731 | 795,188 | 125 | 14.2 | 11.1-17.3 | 36 | 4.6 | 2.4- 6.8 | 160 | 19.0 | 15.1-22.9 | 410 | 62.3 | 57.4-67.2 |
| College Graduate | 879 | 627,162 | 48 | 4.5 | 2.7- 6.3 | 23 | 2.2 | 1.0- 3.4 | 186 | 16.3 | 13.2-19.4 | 622 | 77.0 | 73.5-80.5 |
| Less than \$15,000 | 359 | 316,333 | 101 | 26.6 | 20.3-32.9 | 26 | 6.1 | 3.0- 9.2 | 85 | 22.2 | 16.1-28.3 | 147 | 45.2 | 37.8-52.6 |
| \$15,000- 24,999 | 491 | 463,551 | 99 | 22.2 | 16.5-27.9 | 30 | 4.9 | 2.5- 7.3 | 116 | 18.4 | 13.7-23.1 | 246 | 54.5 | 47.8-61.2 |
| \$25,000- 34,999 | 252 | 245,878 | 50 | 22.0 | 14.4-29.6 | 14 | 4.8 | 1.9- 7.7 | 55 | 19.3 | 12.0-26.6 | 133 | 53.8 | 45.2-62.4 |
| \$35,000- 49,999 | 316 | 321,335 | 54 | 16.7 | 11.0-22.4 | 8 | 1.8 | 0.4- 3.2 | 82 | 24.1 | 17.4-30.8 | 172 | 57.4 | 49.8-65.0 |
| \$50,000- 74,999 | 307 | 297,495 | 33 | 12.4 | 7.3-17.5 | 9 | 4.4 | 0.3- 8.5 | 67 | 19.3 | 13.8-24.8 | 198 | 63.8 | 56.4-71.2 |
| \$75,000+ | 515 | 518,587 | 34 | 5.6 | 3.1- 8.1 | 14 | 2.7 | 0.9- 4.5 | 107 | 19.8 | 14.9-24.7 | 360 | 71.9 | 66.6-77.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4909 | 5,020,510 | 3907 | 79.3 | 77.7-80.9 | 1002 | 20.7 | 19.1-22.3 |
| Male | 2212 | 2,416,903 | 1757 | 78.5 | 76.1-80.9 | 455 | 21.5 | 19.1-23.9 |
| Female | 2697 | 2,603,607 | 2150 | 80.1 | 77.9-82.3 | 547 | 19.9 | 17.7-22.1 |
| White/Non-Hisp | 3949 | 3,778,229 | 3163 | 79.0 | 77.2-80.8 | 786 | 21.0 | 19.2-22.8 |
| Black or Afr. Am./Non-Hisp | 560 | 783,507 | 438 | 79.2 | 74.5-83.9 | 122 | 20.8 | 16.1-25.5 |
| Oth. Race/Non-Hisp. | 116 | 132,832 | 88 | 80.2 | 68.8-91.6 | 28 | 19.8 | 8.4-31.2 |
| MultiRacial/Non-Hisp. | 105 | 46,581 | 71 | 66.2 | 54.2-78.2 | 34 | 33.8 | 21.8-45.8 |
| Hispanic | 115 | 208,871 | 97 | 90.7 | 85.8-95.6 | 18 | 9.3 | 4.4-14.2 |
| 18-24 | 285 | 595,060 | 248 | 88.8 | 84.5-93.1 | 37 | 11.2 | 6.9-15.5 |
| 25-34 | 579 | 843,046 | 446 | 78.0 | 73.7-82.3 | 133 | 22.0 | 17.7-26.3 |
| 35-44 | 652 | 810,267 | 487 | 74.8 | 70.1-79.5 | 165 | 25.2 | 20.5-29.9 |
| 45-54 | 790 | 830,252 | 586 | 76.6 | 72.9-80.3 | 204 | 23.4 | 19.7-27.1 |
| 55-64 | 1037 | 855,068 | 761 | 71.4 | 67.7-75.1 | 276 | 28.6 | 24.9-32.3 |
| 65+ | 1566 | 1,086,818 | 1379 | 87.0 | 84.6-89.4 | 187 | 13.0 | 10.6-15.4 |
| Less Than H.S. | 474 | 694,583 | 289 | 62.9 | 57.0-68.8 | 185 | 37.1 | 31.2-43.0 |
| H.S. or G.E.D. | 1507 | 1,638,413 | 1104 | 75.5 | 72.6-78.4 | 403 | 24.5 | 21.6-27.4 |
| Some Post-H.S. | 1285 | 1,480,501 | 1008 | 80.2 | 77.3-83.1 | 277 | 19.8 | 16.9-22.7 |
| College Graduate | 1627 | 1,192,218 | 1492 | 93.2 | 91.8-94.6 | 135 | 6.8 | 5.4- 8.2 |
| Less than \$15,000 | 557 | 539,448 | 343 | 63.7 | 58.0-69.4 | 214 | 36.3 | 30.6-42.0 |
| \$15,000- 24,999 | 793 | 792,604 | 579 | 71.1 | 66.4-75.8 | 214 | 28.9 | 24.2-33.6 |
| \$25,000- 34,999 | 455 | 440,607 | 335 | 72.8 | 67.1-78.5 | 120 | 27.2 | 21.5-32.9 |
| \$35,000- 49,999 | 605 | 618,655 | 479 | 78.7 | 74.2-83.2 | 126 | 21.3 | 16.8-25.8 |
| \$50,000- 74,999 | 615 | 653,065 | 511 | 80.7 | 76.2-85.2 | 104 | 19.3 | 14.8-23.8 |
| \$75,000+ | 1154 | 1,226,629 | 1053 | 91.2 | 89.0-93.4 | 101 | 8.8 | 6.6-11.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2212 | 2,416,903 | 1757 | 78.5 | 76.1-80.9 | 455 | 21.5 | 19.1-23.9 |
| White/Non-Hisp | 1782 | 1,811,032 | 1434 | 78.5 | 76.0-81.0 | 348 | 21.5 | 19.0-24.0 |
| Black or Afr. Am./Non-Hisp | 232 | 368,604 | 174 | 75.5 | 68.1-82.9 | 58 | 24.5 | 17.1-31.9 |
| Oth. Race/Non-Hisp. | 66 | 82,741 | 50 | 82.6 | 67.7-97.5 | 16 | 17.4 | 2.5-32.3 |
| MultiRacial/Non-Hisp. | 52 | 24,227 | 32 | 62.6 | 45.2-80.0 | 20 | 37.4 | 20.0-54.8 |
| 18-24 | 158 | 304,413 | 141 | 90.9 | 85.4-96.4 | 17 | 9.1 | 3.6-14.6 |
| 25-34 | 280 | 419,302 | 219 | 78.3 | 71.8-84.8 | 61 | 21.7 | 15.2-28.2 |
| 35-44 | 298 | 401,714 | 217 | 71.9 | 64.8-79.0 | 81 | 28.1 | 21.0-35.2 |
| 45-54 | 375 | 395,059 | 280 | 76.0 | 70.5-81.5 | 95 | 24.0 | 18.5-29.5 |
| 55-64 | 453 | 409,563 | 331 | 70.7 | 65.2-76.2 | 122 | 29.3 | 23.8-34.8 |
| 65+ | 648 | 486,852 | 569 | 84.9 | 80.8-89.0 | 79 | 15.1 | 11.0-19.2 |
| Less Than H.S. | 218 | 341,414 | 118 | 57.1 | 48.5-65.7 | 100 | 42.9 | 34.3-51.5 |
| H.S. or G.E.D. | 685 | 818,003 | 511 | 76.8 | 72.9-80.7 | 174 | 23.2 | 19.3-27.1 |
| Some Post-H.S. | 554 | 685,312 | 438 | 79.0 | 74.7-83.3 | 116 | 21.0 | 16.7-25.3 |
| College Graduate | 748 | 565,056 | 684 | 93.2 | 91.2-95.2 | 64 | 6.8 | 4.8- 8.8 |
| Less than \$15,000 | 198 | 223,115 | 111 | 58.6 | 49.0-68.2 | 87 | 41.4 | 31.8-51.0 |
| \$15,000- 24,999 | 302 | 329,053 | 217 | 68.7 | 61.3-76.1 | 85 | 31.3 | 23.9-38.7 |
| \$25,000- 34,999 | 203 | 194,729 | 147 | 72.2 | 64.4-80.0 | 56 | 27.8 | 20.0-35.6 |
| \$35,000- 49,999 | 289 | 297,320 | 225 | 75.6 | 68.7-82.5 | 64 | 24.4 | 17.5-31.3 |
| \$50,000- 74,999 | 308 | 355,570 | 246 | 78.7 | 72.4-85.0 | 62 | 21.3 | 15.0-27.6 |
| \$75,000+ | 639 | 708,042 | 586 | 90.9 | 87.8-94.0 | 53 | 9.1 | 6.0-12.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 9: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2697 | 2,603,607 | 2150 | 80.1 | 77.9-82.3 | 547 | 19.9 | 17.7-22.1 |
| White/Non-Hisp | 2167 | 1,967,197 | 1729 | 79.4 | 77.0-81.8 | 438 | 20.6 | 18.2-23.0 |
| Black or Afr. Am./Non-Hisp | 328 | 414,903 | 264 | 82.6 | 76.9-88.3 | 64 | 17.4 | 11.7-23.1 |
| Oth. Race/Non-Hisp. | 50 | 50,091 | 38 | 76.2 | 58.6-93.8 | 12 | 23.8 | 6.2-41.4 |
| MultiRacial/Non-Hisp. | 53 | 22,353 | 39 | 70.0 | 53.7-86.3 | 14 | 30.0 | 13.7-46.3 |
| Hispanic | 66 | 118,316 | 52 | 88.6 | 81.5-95.7 | 14 | 11.4 | 4.3-18.5 |
| 18-24 | 127 | 290,647 | 107 | 86.6 | 79.5-93.7 | 20 | 13.4 | 6.3-20.5 |
| 25-34 | 299 | 423,744 | 227 | 77.7 | 71.8-83.6 | 72 | 22.3 | 16.4-28.2 |
| 35-44 | 354 | 408,553 | 270 | 77.7 | 71.8-83.6 | 84 | 22.3 | 16.4-28.2 |
| 45-54 | 415 | 435,193 | 306 | 77.1 | 72.0-82.2 | 109 | 22.9 | 17.8-28.0 |
| 55-64 | 584 | 445,505 | 430 | 72.0 | 66.9-77.1 | 154 | 28.0 | 22.9-33.1 |
| 65+ | 918 | 599,966 | 810 | 88.6 | 85.9-91.3 | 108 | 11.4 | 8.7-14.1 |
| Less Than H.S. | 256 | 353,169 | 171 | 68.5 | 60.7-76.3 | 85 | 31.5 | 23.7-39.3 |
| H.S. or G.E.D. | 822 | 820,410 | 593 | 74.2 | 70.1-78.3 | 229 | 25.8 | 21.7-29.9 |
| Some Post-H.S. | 731 | 795,188 | 570 | 81.2 | 77.5-84.9 | 161 | 18.8 | 15.1-22.5 |
| College Graduate | 879 | 627,162 | 808 | 93.2 | 91.2-95.2 | 71 | 6.8 | 4.8- 8.8 |
| Less than \$15,000 | 359 | 316,333 | 232 | 67.3 | 60.6-74.0 | 127 | 32.7 | 26.0-39.4 |
| \$15,000- 24,999 | 491 | 463,551 | 362 | 72.8 | 66.9-78.7 | 129 | 27.2 | 21.3-33.1 |
| \$25,000- 34,999 | 252 | 245,878 | 188 | 73.2 | 65.2-81.2 | 64 | 26.8 | 18.8-34.8 |
| \$35,000- 49,999 | 316 | 321,335 | 254 | 81.5 | 75.8-87.2 | 62 | 18.5 | 12.8-24.2 |
| \$50,000- 74,999 | 307 | 297,495 | 265 | 83.1 | 76.8-89.4 | 42 | 16.9 | 10.6-23.2 |
| \$75,000+ | 515 | 518,587 | 467 | 91.7 | 88.8-94.6 | 48 | 8.3 | 5.4-11.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 10: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5) | |
| 1 MALES AND FEMALES | 106 |
| 2 MALES ONLY | 107 |
| 3 FEMALES ONLY | 108 |
| DRINK-OCCASIONS-PER-DAY (DROCDY3_) | |
| 4 MALES AND FEMALES | 109 |
| 5 MALES ONLY | 110 |
| 6 FEMALES ONLY | 111 |
| BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5) | |
| 7 MALES AND FEMALES | 112 |
| 8 MALES ONLY | 113 |
| 9 FEMALES ONLY | 114 |
| CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK) | |
| 10 MALES AND FEMALES | 115 |
| 11 MALES ONLY | 116 |
| 12 FEMALES ONLY | 117 |
| HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV6) | |
| 13 MALES AND FEMALES | 118 |
| 14 MALES ONLY | 119 |
| 15 FEMALES ONLY | 120 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4870 | 4,964,986 | 2052 | 45.0 | 43.0-47.0 | 2818 | 55.0 | 53.0-57.0 |
| Male | 2190 | 2,385,873 | 1062 | 49.2 | 46.3-52.1 | 1128 | 50.8 | 47.9-53.7 |
| Female | 2680 | 2,579,113 | 990 | 41.1 | 38.4-43.8 | 1690 | 58.9 | 56.2-61.6 |
| White/Non-Hisp | 3927 | 3,749,298 | 1662 | 45.5 | 43.3-47.7 | 2265 | 54.5 | 52.3-56.7 |
| Black or Afr. Am./Non-Hisp | 552 | 767,758 | 236 | 46.9 | 41.0-52.8 | 316 | 53.1 | 47.2-59.0 |
| Oth. Race/Non-Hisp. | 114 | 131,837 | 43 | 47.4 | 33.5-61.3 | 71 | 52.6 | 38.7-66.5 |
| MultiRacial/Non-Hisp. | 104 | 45,748 | 39 | 41.5 | 29.2-53.8 | 65 | 58.5 | 46.2-70.8 |
| Hispanic | 112 | 199,447 | 50 | 29.4 | 18.2-40.6 | 62 | 70.6 | 59.4-81.8 |
| 18-24 | 281 | 583,850 | 154 | 50.6 | 42.8-58.4 | 127 | 49.4 | 41.6-57.2 |
| 25-34 | 569 | 828,301 | 336 | 60.6 | 55.3-65.9 | 233 | 39.4 | 34.1-44.7 |
| 35-44 | 647 | 803,620 | 336 | 52.1 | 47.0-57.2 | 311 | 47.9 | 42.8-53.0 |
| 45-54 | 778 | 814,468 | 385 | 49.1 | 44.4-53.8 | 393 | 50.9 | 46.2-55.6 |
| 55-64 | 1030 | 850,122 | 391 | 38.3 | 34.4-42.2 | 639 | 61.7 | 57.8-65.6 |
| 65+ | 1565 | 1,084,625 | 450 | 26.9 | 24.0-29.8 | 1115 | 73.1 | 70.2-76.0 |
| Less Than H.S. | 469 | 682,144 | 97 | 23.2 | 17.9-28.5 | 372 | 76.8 | 71.5-82.1 |
| H.S. or G.E.D. | 1488 | 1,611,680 | 476 | 38.4 | 34.9-41.9 | 1012 | 61.6 | 58.1-65.1 |
| Some Post-H.S. | 1275 | 1,461,167 | 553 | 48.8 | 45.1-52.5 | 722 | 51.2 | 47.5-54.9 |
| College Graduate | 1622 | 1,193,564 | 918 | 61.5 | 58.4-64.6 | 704 | 38.5 | 35.4-41.6 |
| Less than \$15,000 | 556 | 538,757 | 129 | 26.6 | 21.1-32.1 | 427 | 73.4 | 67.9-78.9 |
| \$15,000- 24,999 | 787 | 785,778 | 242 | 33.8 | 28.9-38.7 | 545 | 66.2 | 61.3-71.1 |
| \$25,000- 34,999 | 449 | 432,741 | 170 | 38.8 | 32.5-45.1 | 279 | 61.2 | 54.9-67.5 |
| \$35,000- 49,999 | 602 | 611,002 | 250 | 45.1 | 39.6-50.6 | 352 | 54.9 | 49.4-60.4 |
| \$50,000- 74,999 | 610 | 646,016 | 319 | 60.6 | 55.5-65.7 | 291 | 39.4 | 34.3-44.5 |
| \$75,000+ | 1148 | 1,212,293 | 726 | 62.5 | 58.6-66.4 | 422 | 37.5 | 33.6-41.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2190 | 2,385,873 | 1062 | 49.2 | 46.3-52.1 | 1128 | 50.8 | 47.9-53.7 |
| White/Non-Hisp | 1774 | 1,797,056 | 880 | 51.6 | 48.5-54.7 | 894 | 48.4 | 45.3-51.5 |
| Black or Afr. Am./Non-Hisp | 226 | 358,149 | 98 | 42.4 | 33.8-51.0 | 128 | 57.6 | 49.0-66.2 |
| Oth. Race/Non-Hisp. | 65 | 82,155 | 23 | 44.0 | 25.4-62.6 | 42 | 56.0 | 37.4-74.6 |
| MultiRacial/Non-Hisp. | 51 | 23,394 | 21 | 40.7 | 23.3-58.1 | 30 | 59.3 | 41.9-76.7 |
| 18-24 | 156 | 299,453 | 84 | 49.6 | 39.6-59.6 | 72 | 50.4 | 40.4-60.4 |
| 25-34 | 271 | 403,786 | 176 | 63.4 | 55.8-71.0 | 95 | 36.6 | 29.0-44.2 |
| 35-44 | 297 | 400,515 | 166 | 55.3 | 47.7-62.9 | 131 | 44.7 | 37.1-52.3 |
| 45-54 | 369 | 390,881 | 189 | 49.4 | 42.5-56.3 | 180 | 50.6 | 43.7-57.5 |
| 55-64 | 450 | 407,885 | 204 | 44.5 | 38.6-50.4 | 246 | 55.5 | 49.6-61.4 |
| 65+ | 647 | 483,354 | 243 | 35.8 | 30.9-40.7 | 404 | 64.2 | 59.3-69.1 |
| Less Than H.S. | 212 | 329,174 | 58 | 27.9 | 19.9-35.9 | 154 | 72.1 | 64.1-80.1 |
| H.S. or G.E.D. | 673 | 804,070 | 271 | 44.1 | 38.8-49.4 | 402 | 55.9 | 50.6-61.2 |
| Some Post-H.S. | 554 | 680,200 | 285 | 53.8 | 48.3-59.3 | 269 | 46.2 | 40.7-51.7 |
| College Graduate | 744 | 563,676 | 444 | 63.2 | 58.5-67.9 | 300 | 36.8 | 32.1-41.5 |
| Less than \$15,000 | 197 | 222,567 | 62 | 31.8 | 22.4-41.2 | 135 | 68.2 | 58.8-77.6 |
| \$15,000- 24,999 | 300 | 323,586 | 102 | 34.6 | 27.0-42.2 | 198 | 65.4 | 57.8-73.0 |
| \$25,000- 34,999 | 200 | 191,650 | 81 | 37.0 | 28.4-45.6 | 119 | 63.0 | 54.4-71.6 |
| \$35,000- 49,999 | 288 | 297,004 | 132 | 47.8 | 40.0-55.6 | 156 | 52.2 | 44.4-60.0 |
| \$50,000- 74,999 | 305 | 351,148 | 166 | 62.5 | 55.4-69.6 | 139 | 37.5 | 30.4-44.6 |
| \$75,000+ | 635 | 703,995 | 420 | 64.1 | 58.8-69.4 | 215 | 35.9 | 30.6-41.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2680 | 2,579,113 | 990 | 41.1 | 38.4-43.8 | 1690 | 58.9 | 56.2-61.6 |
| White/Non-Hisp | 2153 | 1,952,242 | 782 | 40.0 | 37.1-42.9 | 1371 | 60.0 | 57.1-62.9 |
| Black or Afr. Am./Non-Hisp | 326 | 409,610 | 138 | 50.9 | 43.3-58.5 | 188 | 49.1 | 41.5-56.7 |
| MultiRacial/Non-Hisp. | 53 | 22,353 | 18 | 42.4 | 24.8-60.0 | 35 | 57.6 | 40.0-75.2 |
| Hispanic | 66 | 114,304 | 24 | 25.1 | 10.0-40.2 | 42 | 74.9 | 59.8-90.0 |
| 18-24 | 125 | 284,398 | 70 | 51.7 | 39.4-64.0 | 55 | 48.3 | 36.0-60.6 |
| 25-34 | 298 | 424,514 | 160 | 58.0 | 50.7-65.3 | 138 | 42.0 | 34.7-49.3 |
| 35-44 | 350 | 403,105 | 170 | 48.8 | 41.7-55.9 | 180 | 51.2 | 44.1-58.3 |
| 45-54 | 409 | 423,587 | 196 | 48.8 | 42.1-55.5 | 213 | 51.2 | 44.5-57.9 |
| 55-64 | 580 | 442,237 | 187 | 32.6 | 27.5-37.7 | 393 | 67.4 | 62.3-72.5 |
| 65+ | 918 | 601,271 | 207 | 19.7 | 16.2-23.2 | 711 | 80.3 | 76.8-83.8 |
| Less Than H.S. | 257 | 352,970 | 39 | 18.7 | 11.6-25.8 | 218 | 81.3 | 74.2-88.4 |
| H.S. or G.E.D. | 815 | 807,610 | 205 | 32.7 | 27.8-37.6 | 610 | 67.3 | 62.4-72.2 |
| Some Post-H.S. | 721 | 780,967 | 268 | 44.4 | 39.1-49.7 | 453 | 55.6 | 50.3-60.9 |
| College Graduate | 878 | 629,888 | 474 | 60.1 | 55.8-64.4 | 404 | 39.9 | 35.6-44.2 |
| Less than \$15,000 | 359 | 316,190 | 67 | 23.0 | 16.3-29.7 | 292 | 77.0 | 70.3-83.7 |
| \$15,000- 24,999 | 487 | 462,191 | 140 | 33.3 | 26.8-39.8 | 347 | 66.7 | 60.2-73.2 |
| \$25,000- 34,999 | 249 | 241,091 | 89 | 40.4 | 31.8-49.0 | 160 | 59.6 | 51.0-68.2 |
| \$35,000- 49,999 | 314 | 313,998 | 118 | 42.5 | 34.7-50.3 | 196 | 57.5 | 49.7-65.3 |
| \$50,000- 74,999 | 305 | 294,868 | 153 | 58.3 | 50.9-65.7 | 152 | 41.7 | 34.3-49.1 |
| \$75,000+ | 513 | 508,297 | 306 | 60.2 | 54.1-66.3 | 207 | 39.8 | 33.7-45.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=0.25 | | | >0.25, <=0.50 | | | >0.50, <=0.75 | | | >0.75, <=1.0 | | | None | | |
|----------------------------|-------------------|-----------|------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4870 | 4,964,986 | 1198 | 26.2 | 24.4-28.0 | 435 | 10.3 | 9.1-11.5 | 167 | 3.6 | 2.8- 4.4 | 252 | 4.9 | 4.1- 5.7 | 2818 | 55.0 | 53.0-57.0 |
| Male | 2190 | 2,385,873 | 538 | 24.9 | 22.4-27.4 | 247 | 12.4 | 10.4-14.4 | 104 | 4.9 | 3.7- 6.1 | 173 | 7.0 | 5.6- 8.4 | 1128 | 50.8 | 47.9-53.7 |
| Female | 2680 | 2,579,113 | 660 | 27.4 | 24.9-29.9 | 188 | 8.3 | 6.7- 9.9 | 63 | 2.4 | 1.6- 3.2 | 79 | 2.9 | 2.1- 3.7 | 1690 | 58.9 | 56.2-61.6 |
| White/Non-Hisp | 3927 | 3,749,298 | 943 | 26.0 | 24.0-28.0 | 358 | 10.2 | 8.8-11.6 | 143 | 3.9 | 3.1- 4.7 | 218 | 5.4 | 4.4- 6.4 | 2265 | 54.5 | 52.3-56.7 |
| Black or Afr. Am./Non-Hisp | 552 | 767,758 | 161 | 29.8 | 24.5-35.1 | 48 | 11.7 | 7.4-16.0 | 15 | 3.0 | 1.0- 5.0 | 12 | 2.4 | 0.4- 4.4 | 316 | 53.1 | 47.2-59.0 |
| Oth. Race/Non-Hisp. | 114 | 131,837 | 25 | 26.4 | 13.5-39.3 | 9 | 13.8 | 3.2-24.4 | 3 | 0.7 | 0.0- 1.7 | 6 | 6.5 | 0.0-13.4 | 71 | 52.6 | 38.7-66.5 |
| MultiRacial/Non-Hisp. | 104 | 45,748 | 26 | 31.2 | 19.2-43.2 | 8 | 5.6 | 1.5- 9.7 | 2 | 1.3 | 0.0- 3.1 | 3 | 3.4 | 0.0- 7.7 | 65 | 58.5 | 46.2-70.8 |
| Hispanic | 112 | 199,447 | 33 | 18.6 | 9.4-27.8 | 7 | 5.2 | 0.5- 9.9 | 3 | 3.3 | 0.0- 8.6 | 7 | 2.4 | 0.0- 4.8 | 62 | 70.6 | 59.4-81.8 |
| 18-24 | 281 | 583,850 | 108 | 35.8 | 28.5-43.1 | 32 | 10.5 | 5.6-15.4 | 9 | 2.7 | 0.5- 4.9 | 5 | 1.6 | 0.0- 3.4 | 127 | 49.4 | 41.6-57.2 |
| 25-34 | 569 | 828,301 | 209 | 36.8 | 31.7-41.9 | 76 | 14.5 | 10.8-18.2 | 25 | 4.9 | 2.5- 7.3 | 26 | 4.4 | 2.2- 6.6 | 233 | 39.4 | 34.1-44.7 |
| 35-44 | 647 | 803,620 | 187 | 26.9 | 22.6-31.2 | 77 | 13.2 | 9.7-16.7 | 28 | 5.3 | 2.9- 7.7 | 44 | 6.6 | 4.1- 9.1 | 311 | 47.9 | 42.8-53.0 |
| 45-54 | 778 | 814,468 | 221 | 28.7 | 24.4-33.0 | 96 | 12.6 | 9.5-15.7 | 29 | 3.3 | 1.7- 4.9 | 39 | 4.5 | 2.7- 6.3 | 393 | 50.9 | 46.2-55.6 |
| 55-64 | 1030 | 850,122 | 240 | 21.7 | 18.6-24.8 | 72 | 7.8 | 5.4-10.2 | 29 | 2.8 | 1.4- 4.2 | 50 | 6.0 | 4.0- 8.0 | 639 | 61.7 | 57.8-65.6 |
| 65+ | 1565 | 1,084,625 | 233 | 14.1 | 11.7-16.5 | 82 | 4.9 | 3.5- 6.3 | 47 | 2.9 | 1.9- 3.9 | 88 | 5.1 | 3.7- 6.5 | 1115 | 73.1 | 70.2-76.0 |
| Less Than H.S. | 469 | 682,144 | 53 | 13.8 | 9.5-18.1 | 15 | 4.0 | 1.5- 6.5 | 5 | 0.9 | 0.0- 1.9 | 24 | 4.5 | 2.0- 7.0 | 372 | 76.8 | 71.5-82.1 |
| H.S. or G.E.D. | 1488 | 1,611,680 | 295 | 23.1 | 20.0-26.2 | 96 | 9.3 | 6.9-11.7 | 26 | 1.9 | 0.9- 2.9 | 59 | 4.1 | 2.7- 5.5 | 1012 | 61.6 | 58.1-65.1 |
| Some Post-H.S. | 1275 | 1,461,167 | 336 | 29.1 | 25.6-32.6 | 114 | 10.8 | 8.3-13.3 | 43 | 3.9 | 2.3- 5.5 | 60 | 5.0 | 3.4- 6.6 | 722 | 51.2 | 47.5-54.9 |
| College Graduate | 1622 | 1,193,564 | 510 | 34.1 | 31.0-37.2 | 207 | 14.2 | 11.8-16.6 | 92 | 7.1 | 5.3- 8.9 | 109 | 6.1 | 4.7- 7.5 | 704 | 38.5 | 35.4-41.6 |
| Less than \$15,000 | 556 | 538,757 | 83 | 17.1 | 12.2-22.0 | 25 | 4.9 | 2.4- 7.4 | 3 | 0.4 | 0.0- 1.0 | 18 | 4.1 | 1.6- 6.6 | 427 | 73.4 | 67.9-78.9 |
| \$15,000- 24,999 | 787 | 785,778 | 160 | 22.6 | 18.1-27.1 | 47 | 6.9 | 4.2- 9.6 | 18 | 2.8 | 1.2- 4.4 | 17 | 1.6 | 0.6- 2.6 | 545 | 66.2 | 61.3-71.1 |
| \$25,000- 34,999 | 449 | 432,741 | 100 | 25.9 | 20.0-31.8 | 35 | 7.1 | 4.0-10.2 | 12 | 1.7 | 0.5- 2.9 | 23 | 4.1 | 1.9- 6.3 | 279 | 61.2 | 54.9-67.5 |
| \$35,000- 49,999 | 602 | 611,002 | 146 | 25.0 | 20.1-29.9 | 42 | 8.5 | 5.4-11.6 | 19 | 3.0 | 1.2- 4.8 | 43 | 8.6 | 5.7-11.5 | 352 | 54.9 | 49.4-60.4 |
| \$50,000- 74,999 | 610 | 646,016 | 179 | 31.6 | 26.5-36.7 | 76 | 15.8 | 11.5-20.1 | 32 | 7.1 | 4.0-10.2 | 32 | 6.1 | 3.2- 9.0 | 291 | 39.4 | 34.3-44.5 |
| \$75,000+ | 1148 | 1,212,293 | 396 | 34.3 | 30.4-38.2 | 173 | 15.7 | 13.0-18.4 | 66 | 5.9 | 4.1- 7.7 | 91 | 6.6 | 4.8- 8.4 | 422 | 37.5 | 33.6-41.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=0.25 | | | >0.25, <=0.50 | | | >0.50, <=0.75 | | | >0.75, <=1.0 | | | None | | |
|----------------------------|-------------------|-----------|------------|------|------------|---------------|------|------------|---------------|------|------------|--------------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2190 | 2,385,873 | 538 | 24.9 | 22.4-27.4 | 247 | 12.4 | 10.4-14.4 | 104 | 4.9 | 3.7- 6.1 | 173 | 7.0 | 5.6- 8.4 | 1128 | 50.8 | 47.9-53.7 |
| White/Non-Hisp | 1774 | 1,797,056 | 443 | 26.0 | 23.3-28.7 | 201 | 12.4 | 10.2-14.6 | 86 | 5.2 | 3.8- 6.6 | 150 | 7.9 | 6.3- 9.5 | 894 | 48.4 | 45.3-51.5 |
| Black or Afr. Am./Non-Hisp | 226 | 358,149 | 54 | 22.1 | 15.0-29.2 | 27 | 14.1 | 7.8-20.4 | 11 | 4.8 | 1.3- 8.3 | 6 | 1.3 | 0.1- 2.5 | 128 | 57.6 | 49.0-66.2 |
| Oth. Race/Non-Hisp. | 65 | 82,155 | 14 | 23.6 | 6.9-40.3 | 3 | 10.6 | 0.0-23.3 | 2 | 1.0 | 0.0- 2.6 | 4 | 8.8 | 0.0-19.4 | 42 | 56.0 | 37.4-74.6 |
| MultiRacial/Non-Hisp. | 51 | 23,394 | 10 | 23.7 | 8.0-39.4 | 7 | 10.1 | 2.1-18.1 | 2 | 2.6 | 0.0- 6.1 | 2 | 4.3 | 0.0-11.4 | 30 | 59.3 | 41.9-76.7 |
| 18-24 | 156 | 299,453 | 57 | 34.7 | 25.3-44.1 | 18 | 10.4 | 4.7-16.1 | 6 | 3.0 | 0.0- 6.1 | 3 | 1.4 | 0.0- 3.2 | 72 | 50.4 | 40.4-60.4 |
| 25-34 | 271 | 403,786 | 93 | 31.8 | 24.7-38.9 | 49 | 19.2 | 13.1-25.3 | 16 | 7.3 | 3.0-11.6 | 18 | 5.2 | 2.5- 7.9 | 95 | 36.6 | 29.0-44.2 |
| 35-44 | 297 | 400,515 | 76 | 22.6 | 16.9-28.3 | 38 | 15.0 | 9.5-20.5 | 16 | 5.6 | 2.5- 8.7 | 36 | 12.0 | 6.9-17.1 | 131 | 44.7 | 37.1-52.3 |
| 45-54 | 369 | 390,881 | 95 | 25.7 | 19.6-31.8 | 51 | 13.8 | 9.1-18.5 | 16 | 4.0 | 1.5- 6.5 | 27 | 5.9 | 3.2- 8.6 | 180 | 50.6 | 43.7-57.5 |
| 55-64 | 450 | 407,885 | 110 | 22.6 | 17.9-27.3 | 45 | 9.8 | 6.1-13.5 | 21 | 4.5 | 2.0- 7.0 | 28 | 7.6 | 4.3-10.9 | 246 | 55.5 | 49.6-61.4 |
| 65+ | 647 | 483,354 | 107 | 16.2 | 12.5-19.9 | 46 | 6.8 | 4.3- 9.3 | 29 | 4.7 | 2.5- 6.9 | 61 | 8.1 | 5.6-10.6 | 404 | 64.2 | 59.3-69.1 |
| Less Than H.S. | 212 | 329,174 | 25 | 13.8 | 7.9-19.7 | 12 | 6.0 | 1.5-10.5 | 3 | 0.5 | 0.0- 1.1 | 18 | 7.6 | 2.7-12.5 | 154 | 72.1 | 64.1-80.1 |
| H.S. or G.E.D. | 673 | 804,070 | 146 | 24.0 | 19.3-28.7 | 60 | 11.1 | 7.8-14.4 | 17 | 2.5 | 1.1- 3.9 | 48 | 6.5 | 4.1- 8.9 | 402 | 55.9 | 50.6-61.2 |
| Some Post-H.S. | 554 | 680,200 | 149 | 26.6 | 21.9-31.3 | 73 | 14.8 | 10.7-18.9 | 29 | 6.4 | 3.5- 9.3 | 34 | 6.0 | 3.6- 8.4 | 269 | 46.2 | 40.7-51.7 |
| College Graduate | 744 | 563,676 | 216 | 30.7 | 26.4-35.0 | 100 | 14.5 | 11.2-17.8 | 55 | 9.5 | 6.6-12.4 | 73 | 8.6 | 6.2-11.0 | 300 | 36.8 | 32.1-41.5 |
| Less than \$15,000 | 197 | 222,567 | 38 | 20.9 | 12.5-29.3 | 13 | 6.0 | 1.7-10.3 | 1 | 0.4 | 0.0- 1.2 | 10 | 4.5 | 0.8- 8.2 | 135 | 68.2 | 58.8-77.6 |
| \$15,000- 24,999 | 300 | 323,586 | 55 | 19.2 | 12.9-25.5 | 26 | 9.8 | 4.7-14.9 | 11 | 4.1 | 1.0- 7.2 | 10 | 1.4 | 0.4- 2.4 | 198 | 65.4 | 57.8-73.0 |
| \$25,000- 34,999 | 200 | 191,650 | 39 | 19.2 | 12.5-25.9 | 22 | 9.9 | 4.2-15.6 | 7 | 1.7 | 0.3- 3.1 | 13 | 6.1 | 2.0-10.2 | 119 | 63.0 | 54.4-71.6 |
| \$35,000- 49,999 | 288 | 297,004 | 63 | 19.9 | 13.8-26.0 | 25 | 11.1 | 6.0-16.2 | 11 | 4.2 | 1.3- 7.1 | 33 | 12.7 | 7.6-17.8 | 156 | 52.2 | 44.4-60.0 |
| \$50,000- 74,999 | 305 | 351,148 | 77 | 26.7 | 20.0-33.4 | 47 | 17.5 | 11.4-23.6 | 22 | 10.3 | 5.0-15.6 | 20 | 7.9 | 3.0-12.8 | 139 | 37.5 | 30.4-44.6 |
| \$75,000+ | 635 | 703,995 | 210 | 32.6 | 27.7-37.5 | 100 | 16.6 | 12.7-20.5 | 41 | 6.1 | 3.7- 8.5 | 69 | 8.8 | 6.3-11.3 | 215 | 35.9 | 30.6-41.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 10: ALCOHOL CONSUMPTION
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | >0, <=0.25 | | | >0.25, <=0.50 | | | >0.50, <=0.75 | | | >0.75, <=1.0 | | | None | | |
|----------------------------|-------------------|-----------|------------|------|------------|---------------|------|------------|---------------|-----|------------|--------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2680 | 2,579,113 | 660 | 27.4 | 24.9-29.9 | 188 | 8.3 | 6.7- 9.9 | 63 | 2.4 | 1.6- 3.2 | 79 | 2.9 | 2.1- 3.7 | 1690 | 58.9 | 56.2-61.6 |
| White/Non-Hisp | 2153 | 1,952,242 | 500 | 25.9 | 23.2-28.6 | 157 | 8.2 | 6.6- 9.8 | 57 | 2.8 | 1.8- 3.8 | 68 | 3.0 | 2.0- 4.0 | 1371 | 60.0 | 57.1-62.9 |
| Black or Afr. Am./Non-Hisp | 326 | 409,610 | 107 | 36.6 | 29.2-44.0 | 21 | 9.6 | 3.3-15.9 | 4 | 1.4 | 0.0- 3.6 | 6 | 3.3 | 0.0- 6.6 | 188 | 49.1 | 41.5-56.7 |
| MultiRacial/Non-Hisp. | 53 | 22,353 | 16 | 39.1 | 21.5-56.7 | 1 | 0.8 | 0.0- 2.4 | | | | 1 | 2.5 | 0.0- 7.4 | 35 | 57.6 | 40.0-75.2 |
| Hispanic | 66 | 114,304 | 21 | 20.5 | 6.6-34.4 | 2 | 4.2 | 0.0-11.1 | | | | 1 | 0.3 | 0.0- 0.9 | 42 | 74.9 | 59.8-90.0 |
| 18-24 | 125 | 284,398 | 51 | 36.8 | 25.4-48.2 | 14 | 10.7 | 2.5-18.9 | 3 | 2.4 | 0.0- 5.3 | 2 | 1.8 | 0.0- 5.1 | 55 | 48.3 | 36.0-60.6 |
| 25-34 | 298 | 424,514 | 116 | 41.5 | 34.1-48.9 | 27 | 10.0 | 5.7-14.3 | 9 | 2.7 | 0.5- 4.9 | 8 | 3.7 | 0.6- 6.8 | 138 | 42.0 | 34.7-49.3 |
| 35-44 | 350 | 403,105 | 111 | 31.0 | 24.5-37.5 | 39 | 11.5 | 7.0-16.0 | 12 | 5.0 | 1.7- 8.3 | 8 | 1.3 | 0.3- 2.3 | 180 | 51.2 | 44.1-58.3 |
| 45-54 | 409 | 423,587 | 126 | 31.6 | 25.3-37.9 | 45 | 11.5 | 7.4-15.6 | 13 | 2.5 | 0.5- 4.5 | 12 | 3.2 | 1.0- 5.4 | 213 | 51.2 | 44.5-57.9 |
| 55-64 | 580 | 442,237 | 130 | 20.9 | 16.8-25.0 | 27 | 5.9 | 3.0- 8.8 | 8 | 1.3 | 0.1- 2.5 | 22 | 4.5 | 2.3- 6.7 | 393 | 67.4 | 62.3-72.5 |
| 65+ | 918 | 601,271 | 126 | 12.3 | 9.4-15.2 | 36 | 3.4 | 2.0- 4.8 | 18 | 1.4 | 0.6- 2.2 | 27 | 2.7 | 1.5- 3.9 | 711 | 80.3 | 76.8-83.8 |
| Less Than H.S. | 257 | 352,970 | 28 | 13.8 | 7.3-20.3 | 3 | 2.1 | 0.0- 4.8 | 2 | 1.3 | 0.0- 3.1 | 6 | 1.5 | 0.1- 2.9 | 218 | 81.3 | 74.2-88.4 |
| H.S. or G.E.D. | 815 | 807,610 | 149 | 22.1 | 17.8-26.4 | 36 | 7.6 | 4.1-11.1 | 9 | 1.4 | 0.2- 2.6 | 11 | 1.6 | 0.2- 3.0 | 610 | 67.3 | 62.4-72.2 |
| Some Post-H.S. | 721 | 780,967 | 187 | 31.3 | 26.2-36.4 | 41 | 7.3 | 4.6-10.0 | 14 | 1.7 | 0.5- 2.9 | 26 | 4.2 | 2.2- 6.2 | 453 | 55.6 | 50.3-60.9 |
| College Graduate | 878 | 629,888 | 294 | 37.1 | 32.8-41.4 | 107 | 14.0 | 10.9-17.1 | 37 | 5.0 | 2.6- 7.4 | 36 | 3.9 | 2.3- 5.5 | 404 | 39.9 | 35.6-44.2 |
| Less than \$15,000 | 359 | 316,190 | 45 | 14.5 | 9.0-20.0 | 12 | 4.2 | 1.1- 7.3 | 2 | 0.5 | 0.0- 1.1 | 8 | 3.9 | 0.4- 7.4 | 292 | 77.0 | 70.3-83.7 |
| \$15,000- 24,999 | 487 | 462,191 | 105 | 25.0 | 18.9-31.1 | 21 | 4.8 | 1.9- 7.7 | 7 | 1.8 | 0.2- 3.4 | 7 | 1.7 | 0.1- 3.3 | 347 | 66.7 | 60.2-73.2 |
| \$25,000- 34,999 | 249 | 241,091 | 61 | 31.3 | 22.7-39.9 | 13 | 4.8 | 1.9- 7.7 | 5 | 1.7 | 0.0- 3.5 | 10 | 2.6 | 0.6- 4.6 | 160 | 59.6 | 51.0-68.2 |
| \$35,000- 49,999 | 314 | 313,998 | 83 | 29.8 | 22.4-37.2 | 17 | 6.0 | 2.1- 9.9 | 8 | 1.9 | 0.0- 4.3 | 10 | 4.7 | 1.6- 7.8 | 196 | 57.5 | 49.7-65.3 |
| \$50,000- 74,999 | 305 | 294,868 | 102 | 37.5 | 29.7-45.3 | 29 | 13.6 | 7.7-19.5 | 10 | 3.2 | 0.3- 6.1 | 12 | 3.9 | 1.2- 6.6 | 152 | 41.7 | 34.3-49.1 |
| \$75,000+ | 513 | 508,297 | 186 | 36.6 | 30.5-42.7 | 73 | 14.4 | 10.5-18.3 | 25 | 5.7 | 3.0- 8.4 | 22 | 3.4 | 1.2- 5.6 | 207 | 39.8 | 33.7-45.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4835 | 4,921,671 | 4295 | 85.7 | 84.1-87.3 | 540 | 14.3 | 12.7-15.9 |
| Male | 2170 | 2,359,706 | 1834 | 80.9 | 78.5-83.3 | 336 | 19.1 | 16.7-21.5 |
| Female | 2665 | 2,561,965 | 2461 | 90.1 | 88.3-91.9 | 204 | 9.9 | 8.1-11.7 |
| White/Non-Hisp | 3905 | 3,726,490 | 3477 | 85.7 | 84.1-87.3 | 428 | 14.3 | 12.7-15.9 |
| Black or Afr. Am./Non-Hisp | 543 | 754,746 | 483 | 84.6 | 79.7-89.5 | 60 | 15.4 | 10.5-20.3 |
| Oth. Race/Non-Hisp. | 112 | 127,900 | 98 | 82.3 | 70.1-94.5 | 14 | 17.7 | 5.5-29.9 |
| MultiRacial/Non-Hisp. | 104 | 45,748 | 86 | 79.4 | 69.2-89.6 | 18 | 20.6 | 10.4-30.8 |
| Hispanic | 112 | 199,447 | 99 | 93.2 | 87.3-99.1 | 13 | 6.8 | 0.9-12.7 |
| 18-24 | 281 | 583,850 | 201 | 74.5 | 67.8-81.2 | 80 | 25.5 | 18.8-32.2 |
| 25-34 | 563 | 820,794 | 442 | 75.8 | 71.1-80.5 | 121 | 24.2 | 19.5-28.9 |
| 35-44 | 643 | 797,057 | 522 | 79.6 | 75.3-83.9 | 121 | 20.4 | 16.1-24.7 |
| 45-54 | 767 | 802,584 | 679 | 88.7 | 86.0-91.4 | 88 | 11.3 | 8.6-14.0 |
| 55-64 | 1023 | 839,680 | 942 | 91.7 | 89.3-94.1 | 81 | 8.3 | 5.9-10.7 |
| 65+ | 1558 | 1,077,705 | 1509 | 96.8 | 95.6-98.0 | 49 | 3.2 | 2.0- 4.4 |
| Less Than H.S. | 463 | 673,693 | 431 | 92.4 | 89.1-95.7 | 32 | 7.6 | 4.3-10.9 |
| H.S. or G.E.D. | 1474 | 1,592,857 | 1314 | 85.3 | 82.4-88.2 | 160 | 14.7 | 11.8-17.6 |
| Some Post-H.S. | 1264 | 1,449,938 | 1107 | 83.9 | 81.0-86.8 | 157 | 16.1 | 13.2-19.0 |
| College Graduate | 1619 | 1,191,221 | 1429 | 84.7 | 82.2-87.2 | 190 | 15.3 | 12.8-17.8 |
| Less than \$15,000 | 551 | 533,404 | 505 | 90.8 | 87.3-94.3 | 46 | 9.2 | 5.7-12.7 |
| \$15,000- 24,999 | 783 | 780,287 | 701 | 86.8 | 83.3-90.3 | 82 | 13.2 | 9.7-16.7 |
| \$25,000- 34,999 | 446 | 427,836 | 401 | 89.0 | 84.9-93.1 | 45 | 11.0 | 6.9-15.1 |
| \$35,000- 49,999 | 595 | 600,797 | 514 | 81.7 | 77.2-86.2 | 81 | 18.3 | 13.8-22.8 |
| \$50,000- 74,999 | 607 | 644,236 | 515 | 77.5 | 72.4-82.6 | 92 | 22.5 | 17.4-27.6 |
| \$75,000+ | 1142 | 1,205,137 | 986 | 84.3 | 81.4-87.2 | 156 | 15.7 | 12.8-18.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2170 | 2,359,706 | 1834 | 80.9 | 78.5-83.3 | 336 | 19.1 | 16.7-21.5 |
| White/Non-Hisp | 1764 | 1,786,082 | 1493 | 80.7 | 78.2-83.2 | 271 | 19.3 | 16.8-21.8 |
| Black or Afr. Am./Non-Hisp | 220 | 350,449 | 187 | 81.5 | 74.4-88.6 | 33 | 18.5 | 11.4-25.6 |
| Oth. Race/Non-Hisp. | 63 | 78,219 | 54 | 75.3 | 57.1-93.5 | 9 | 24.7 | 6.5-42.9 |
| MultiRacial/Non-Hisp. | 51 | 23,394 | 41 | 81.6 | 68.7-94.5 | 10 | 18.4 | 5.5-31.3 |
| 18-24 | 156 | 299,453 | 112 | 72.8 | 64.0-81.6 | 44 | 27.2 | 18.4-36.0 |
| 25-34 | 268 | 399,283 | 199 | 70.2 | 62.9-77.5 | 69 | 29.8 | 22.5-37.1 |
| 35-44 | 295 | 397,176 | 214 | 70.0 | 62.9-77.1 | 81 | 30.0 | 22.9-37.1 |
| 45-54 | 363 | 383,462 | 306 | 84.3 | 79.6-89.0 | 57 | 15.7 | 11.0-20.4 |
| 55-64 | 445 | 400,619 | 394 | 88.9 | 85.2-92.6 | 51 | 11.1 | 7.4-14.8 |
| 65+ | 643 | 479,714 | 609 | 94.5 | 92.0-97.0 | 34 | 5.5 | 3.0- 8.0 |
| Less Than H.S. | 207 | 321,073 | 180 | 86.7 | 80.2-93.2 | 27 | 13.3 | 6.8-19.8 |
| H.S. or G.E.D. | 664 | 792,513 | 563 | 80.9 | 76.6-85.2 | 101 | 19.1 | 14.8-23.4 |
| Some Post-H.S. | 550 | 676,330 | 451 | 76.8 | 71.9-81.7 | 99 | 23.2 | 18.3-28.1 |
| College Graduate | 743 | 563,505 | 634 | 82.3 | 78.6-86.0 | 109 | 17.7 | 14.0-21.4 |
| Less than \$15,000 | 195 | 220,275 | 168 | 85.1 | 77.7-92.5 | 27 | 14.9 | 7.5-22.3 |
| \$15,000- 24,999 | 299 | 321,669 | 253 | 80.7 | 74.0-87.4 | 46 | 19.3 | 12.6-26.0 |
| \$25,000- 34,999 | 197 | 186,745 | 174 | 87.9 | 81.8-94.0 | 23 | 12.1 | 6.0-18.2 |
| \$35,000- 49,999 | 286 | 294,302 | 232 | 74.6 | 67.3-81.9 | 54 | 25.4 | 18.1-32.7 |
| \$50,000- 74,999 | 302 | 349,368 | 238 | 70.7 | 63.1-78.3 | 64 | 29.3 | 21.7-36.9 |
| \$75,000+ | 631 | 698,452 | 529 | 82.1 | 78.2-86.0 | 102 | 17.9 | 14.0-21.8 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2665 | 2,561,965 | 2461 | 90.1 | 88.3-91.9 | 204 | 9.9 | 8.1-11.7 |
| White/Non-Hisp | 2141 | 1,940,407 | 1984 | 90.3 | 88.5-92.1 | 157 | 9.7 | 7.9-11.5 |
| Black or Afr. Am./Non-Hisp | 323 | 404,297 | 296 | 87.2 | 80.3-94.1 | 27 | 12.8 | 5.9-19.7 |
| MultiRacial/Non-Hisp. | 53 | 22,353 | 45 | 77.1 | 61.4-92.8 | 8 | 22.9 | 7.2-38.6 |
| Hispanic | 66 | 114,304 | 62 | 98.1 | 95.6- 100 | 4 | 1.9 | 0.0- 4.4 |
| 18-24 | 125 | 284,398 | 89 | 76.3 | 66.3-86.3 | 36 | 23.7 | 13.7-33.7 |
| 25-34 | 295 | 421,511 | 243 | 81.2 | 75.5-86.9 | 52 | 18.8 | 13.1-24.5 |
| 35-44 | 348 | 399,882 | 308 | 89.1 | 84.8-93.4 | 40 | 10.9 | 6.6-15.2 |
| 45-54 | 404 | 419,122 | 373 | 92.7 | 89.6-95.8 | 31 | 7.3 | 4.2-10.4 |
| 55-64 | 578 | 439,062 | 548 | 94.2 | 91.5-96.9 | 30 | 5.8 | 3.1- 8.5 |
| 65+ | 915 | 597,991 | 900 | 98.7 | 97.9-99.5 | 15 | 1.3 | 0.5- 2.1 |
| Less Than H.S. | 256 | 352,620 | 251 | 97.5 | 95.1-99.9 | 5 | 2.5 | 0.1- 4.9 |
| H.S. or G.E.D. | 810 | 800,344 | 751 | 89.6 | 85.9-93.3 | 59 | 10.4 | 6.7-14.1 |
| Some Post-H.S. | 714 | 773,608 | 656 | 90.0 | 86.7-93.3 | 58 | 10.0 | 6.7-13.3 |
| College Graduate | 876 | 627,716 | 795 | 86.9 | 83.4-90.4 | 81 | 13.1 | 9.6-16.6 |
| Less than \$15,000 | 356 | 313,130 | 337 | 94.9 | 92.2-97.6 | 19 | 5.1 | 2.4- 7.8 |
| \$15,000- 24,999 | 484 | 458,618 | 448 | 91.0 | 87.3-94.7 | 36 | 9.0 | 5.3-12.7 |
| \$25,000- 34,999 | 249 | 241,091 | 227 | 89.9 | 84.4-95.4 | 22 | 10.1 | 4.6-15.6 |
| \$35,000- 49,999 | 309 | 306,495 | 282 | 88.4 | 83.3-93.5 | 27 | 11.6 | 6.5-16.7 |
| \$50,000- 74,999 | 305 | 294,868 | 277 | 85.6 | 79.5-91.7 | 28 | 14.4 | 8.3-20.5 |
| \$75,000+ | 511 | 506,685 | 457 | 87.4 | 83.1-91.7 | 54 | 12.6 | 8.3-16.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|---------|------|------------|---------|------|------------|----------|------|------------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | >0, <=1 | | | >1, <=2 | | | >2, <=5 | | | >5, <=10 | | | >10 | | | None | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4816 | 4,896,641 | 718 | 15.2 | 13.8-16.6 | 273 | 6.0 | 5.0- 7.0 | 415 | 9.1 | 7.9-10.3 | 303 | 7.0 | 6.0- 8.0 | 289 | 6.9 | 5.7- 8.1 | 2818 | 55.8 | 53.8-57.8 |
| Male | 2155 | 2,338,598 | 284 | 12.8 | 10.8-14.8 | 114 | 5.2 | 4.0- 6.4 | 234 | 10.5 | 8.7-12.3 | 192 | 9.7 | 7.9-11.5 | 203 | 10.0 | 8.2-11.8 | 1128 | 51.8 | 48.9-54.7 |
| Female | 2661 | 2,558,043 | 434 | 17.5 | 15.3-19.7 | 159 | 6.8 | 5.2- 8.4 | 181 | 7.8 | 6.4- 9.2 | 111 | 4.5 | 3.3- 5.7 | 86 | 4.1 | 2.7- 5.5 | 1690 | 59.4 | 56.7-62.1 |
| White/Non-Hisp | 3892 | 3,708,176 | 564 | 15.2 | 13.6-16.8 | 215 | 5.9 | 4.9- 6.9 | 355 | 9.7 | 8.5-10.9 | 256 | 7.1 | 5.9- 8.3 | 237 | 7.0 | 5.8- 8.2 | 2265 | 55.1 | 52.9-57.3 |
| Black or Afr. Am./Non-Hisp | 540 | 748,718 | 103 | 19.1 | 14.6-23.6 | 29 | 5.0 | 2.5- 7.5 | 37 | 6.7 | 4.0- 9.4 | 34 | 8.7 | 5.2-12.2 | 21 | 6.0 | 2.3- 9.7 | 316 | 54.4 | 48.5-60.3 |
| Oth. Race/Non-Hisp. | 113 | 131,404 | 17 | 10.9 | 3.8-18.0 | 6 | 7.0 | 0.0-14.6 | 8 | 18.5 | 5.0-32.0 | 2 | 2.7 | 0.0- 6.4 | 9 | 8.0 | 0.9-15.1 | 71 | 52.8 | 38.7-66.9 |
| MultiRacial/Non-Hisp. | 103 | 45,390 | 12 | 12.8 | 4.4-21.2 | 9 | 10.7 | 2.9-18.5 | 5 | 4.3 | 0.0- 8.8 | 7 | 9.9 | 1.7-18.1 | 5 | 3.3 | 0.2- 6.4 | 65 | 58.9 | 46.4-71.4 |
| Hispanic | 111 | 198,333 | 15 | 6.1 | 2.4- 9.8 | 13 | 10.4 | 2.0-18.8 | 7 | 3.5 | 0.6- 6.4 | 3 | 2.6 | 0.0- 6.5 | 11 | 6.4 | 0.5-12.3 | 62 | 71.0 | 59.8-82.2 |
| 18-24 | 277 | 577,198 | 46 | 15.3 | 10.2-20.4 | 23 | 8.1 | 3.6-12.6 | 35 | 10.7 | 6.4-15.0 | 26 | 8.5 | 4.6-12.4 | 20 | 7.4 | 2.7-12.1 | 127 | 49.9 | 42.1-57.7 |
| 25-34 | 560 | 815,788 | 108 | 20.4 | 15.9-24.9 | 44 | 6.1 | 3.7- 8.5 | 75 | 15.3 | 11.4-19.2 | 57 | 9.7 | 6.6-12.8 | 43 | 8.6 | 5.5-11.7 | 233 | 40.0 | 34.7-45.3 |
| 35-44 | 638 | 788,755 | 106 | 14.8 | 11.3-18.3 | 46 | 7.7 | 5.0-10.4 | 65 | 10.0 | 7.1-12.9 | 50 | 8.9 | 5.8-12.0 | 60 | 9.7 | 6.6-12.8 | 311 | 48.9 | 43.6-54.2 |
| 45-54 | 773 | 805,131 | 143 | 18.8 | 15.1-22.5 | 47 | 7.0 | 4.5- 9.5 | 75 | 8.2 | 5.7-10.7 | 60 | 7.6 | 5.2-10.0 | 55 | 6.9 | 4.7- 9.1 | 393 | 51.5 | 46.8-56.2 |
| 55-64 | 1015 | 835,717 | 153 | 13.7 | 11.2-16.2 | 58 | 5.6 | 3.8- 7.4 | 69 | 6.5 | 4.5- 8.5 | 46 | 5.2 | 3.2- 7.2 | 50 | 6.4 | 4.2- 8.6 | 639 | 62.7 | 58.8-66.6 |
| 65+ | 1553 | 1,074,051 | 162 | 10.2 | 8.0-12.4 | 55 | 3.2 | 2.0- 4.4 | 96 | 5.5 | 4.1- 6.9 | 64 | 3.7 | 2.5- 4.9 | 61 | 3.6 | 2.4- 4.8 | 1115 | 73.8 | 70.9-76.7 |
| Less Than H.S. | 462 | 675,117 | 29 | 7.9 | 4.2-11.6 | 13 | 3.5 | 1.3- 5.7 | 12 | 2.7 | 0.9- 4.5 | 11 | 3.0 | 0.6- 5.4 | 25 | 5.2 | 2.5- 7.9 | 372 | 77.6 | 72.3-82.9 |
| H.S. or G.E.D. | 1471 | 1,583,640 | 164 | 12.6 | 10.1-15.1 | 65 | 4.3 | 2.9- 5.7 | 90 | 7.7 | 5.7- 9.7 | 67 | 6.2 | 4.4- 8.0 | 73 | 6.4 | 4.2- 8.6 | 1012 | 62.7 | 59.2-66.2 |
| Some Post-H.S. | 1257 | 1,440,207 | 200 | 16.4 | 13.7-19.1 | 70 | 7.2 | 4.8- 9.6 | 100 | 9.4 | 7.0-11.8 | 87 | 7.5 | 5.5- 9.5 | 78 | 7.6 | 5.6- 9.6 | 722 | 51.9 | 48.0-55.8 |
| College Graduate | 1611 | 1,183,716 | 321 | 21.5 | 18.8-24.2 | 125 | 8.4 | 6.6-10.2 | 211 | 14.0 | 11.6-16.4 | 137 | 9.6 | 7.6-11.6 | 113 | 7.7 | 5.9- 9.5 | 704 | 38.8 | 35.7-41.9 |
| Less than \$15,000 | 551 | 534,141 | 53 | 10.9 | 7.0-14.8 | 17 | 3.9 | 1.4- 6.4 | 19 | 4.1 | 1.2- 7.0 | 10 | 2.3 | 0.5- 4.1 | 25 | 4.9 | 2.4- 7.4 | 427 | 74.0 | 68.5-79.5 |
| \$15,000- 24,999 | 780 | 770,405 | 93 | 12.4 | 8.9-15.9 | 37 | 4.2 | 2.2- 6.2 | 39 | 5.8 | 3.3- 8.3 | 32 | 6.0 | 3.3- 8.7 | 34 | 4.1 | 2.3- 5.9 | 545 | 67.5 | 62.6-72.4 |
| \$25,000- 34,999 | 440 | 420,314 | 56 | 15.1 | 10.0-20.2 | 19 | 5.7 | 2.4- 9.0 | 37 | 8.1 | 5.0-11.2 | 26 | 3.9 | 2.1- 5.7 | 23 | 4.2 | 2.0- 6.4 | 279 | 63.0 | 56.9-69.1 |
| \$35,000- 49,999 | 597 | 604,827 | 83 | 11.5 | 8.4-14.6 | 32 | 6.8 | 3.5-10.1 | 53 | 9.8 | 6.5-13.1 | 34 | 7.2 | 3.9-10.5 | 43 | 9.1 | 6.0-12.2 | 352 | 55.5 | 50.0-61.0 |
| \$50,000- 74,999 | 604 | 640,401 | 106 | 18.4 | 14.3-22.5 | 43 | 7.6 | 4.3-10.9 | 65 | 10.9 | 7.8-14.0 | 53 | 11.1 | 7.4-14.8 | 46 | 12.3 | 8.0-16.6 | 291 | 39.8 | 34.7-44.9 |
| \$75,000+ | 1140 | 1,203,855 | 236 | 20.6 | 17.3-23.9 | 104 | 8.8 | 6.6-11.0 | 159 | 14.1 | 11.4-16.8 | 126 | 11.1 | 8.7-13.5 | 93 | 7.7 | 5.7- 9.7 | 422 | 37.8 | 33.9-41.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|---------|-----|------------|---------|------|------------|----------|------|------------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | >0, <=1 | | | >1, <=2 | | | >2, <=5 | | | >5, <=10 | | | >10 | | | None | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2155 | 2,338,598 | 284 | 12.8 | 10.8-14.8 | 114 | 5.2 | 4.0- 6.4 | 234 | 10.5 | 8.7-12.3 | 192 | 9.7 | 7.9-11.5 | 203 | 10.0 | 8.2-11.8 | 1128 | 51.8 | 48.9-54.7 |
| White/Non-Hisp | 1752 | 1,769,669 | 238 | 13.9 | 11.7-16.1 | 87 | 5.0 | 3.8- 6.2 | 210 | 11.7 | 9.7-13.7 | 158 | 9.6 | 7.6-11.6 | 165 | 10.5 | 8.5-12.5 | 894 | 49.2 | 46.1-52.3 |
| Black or Afr. Am./Non-Hisp | 219 | 346,011 | 26 | 10.8 | 5.5-16.1 | 13 | 4.8 | 1.7- 7.9 | 16 | 5.8 | 2.3- 9.3 | 24 | 13.7 | 7.4-20.0 | 12 | 5.2 | 1.5- 8.9 | 128 | 59.6 | 51.0-68.2 |
| Oth. Race/Non-Hisp. | 65 | 82,155 | 9 | 6.6 | 1.1-12.1 | 2 | 3.1 | 0.0- 7.8 | 3 | 19.2 | 0.6-37.8 | 2 | 4.3 | 0.0-10.2 | 7 | 10.8 | 0.0-21.8 | 42 | 56.0 | 37.4-74.6 |
| MultiRacial/Non-Hisp. | 50 | 23,037 | 4 | 10.1 | 0.0-20.9 | 4 | 6.9 | 0.0-14.0 | 3 | 3.7 | 0.0- 8.2 | 5 | 15.0 | 0.7-29.3 | 4 | 4.1 | 0.0- 8.4 | 30 | 60.2 | 42.8-77.6 |
| 18-24 | 152 | 292,800 | 21 | 13.5 | 6.8-20.2 | 9 | 4.1 | 1.0- 7.2 | 22 | 12.7 | 6.0-19.4 | 14 | 10.1 | 4.0-16.2 | 14 | 8.0 | 2.7-13.3 | 72 | 51.6 | 41.6-61.6 |
| 25-34 | 264 | 393,703 | 44 | 14.9 | 9.4-20.4 | 16 | 4.9 | 2.2- 7.6 | 38 | 14.5 | 9.2-19.8 | 44 | 16.2 | 10.5-21.9 | 27 | 11.9 | 6.8-17.0 | 95 | 37.6 | 30.0-45.2 |
| 35-44 | 291 | 391,297 | 33 | 10.0 | 5.9-14.1 | 20 | 6.7 | 3.4-10.0 | 35 | 10.7 | 6.6-14.8 | 26 | 11.3 | 6.2-16.4 | 46 | 15.5 | 9.8-21.2 | 131 | 45.7 | 38.1-53.3 |
| 45-54 | 365 | 382,876 | 57 | 15.1 | 10.4-19.8 | 19 | 6.0 | 2.9- 9.1 | 40 | 9.6 | 5.7-13.5 | 32 | 8.1 | 4.6-11.6 | 37 | 9.5 | 5.8-13.2 | 180 | 51.6 | 44.7-58.5 |
| 55-64 | 441 | 400,672 | 56 | 12.6 | 8.7-16.5 | 31 | 6.1 | 3.6- 8.6 | 44 | 8.3 | 5.0-11.6 | 32 | 7.5 | 4.2-10.8 | 32 | 9.1 | 5.4-12.8 | 246 | 56.5 | 50.4-62.6 |
| 65+ | 642 | 477,250 | 73 | 11.3 | 8.0-14.6 | 19 | 3.5 | 1.5- 5.5 | 55 | 8.3 | 5.6-11.0 | 44 | 5.8 | 3.8- 7.8 | 47 | 6.2 | 3.8- 8.6 | 404 | 65.0 | 60.1-69.9 |
| Less Than H.S. | 206 | 323,576 | 10 | 6.9 | 2.0-11.8 | 7 | 3.2 | 0.7- 5.7 | 9 | 3.7 | 1.0- 6.4 | 9 | 5.3 | 0.8- 9.8 | 17 | 7.7 | 2.6-12.8 | 154 | 73.3 | 65.3-81.3 |
| H.S. or G.E.D. | 661 | 786,426 | 67 | 11.6 | 8.1-15.1 | 34 | 4.6 | 2.6- 6.6 | 53 | 8.3 | 5.2-11.4 | 52 | 9.9 | 6.6-13.2 | 53 | 8.4 | 5.5-11.3 | 402 | 57.2 | 51.9-62.5 |
| Some Post-H.S. | 542 | 664,930 | 78 | 13.1 | 9.6-16.6 | 29 | 5.4 | 3.0- 7.8 | 60 | 12.2 | 8.5-15.9 | 53 | 10.3 | 7.0-13.6 | 53 | 11.8 | 8.1-15.5 | 269 | 47.2 | 41.7-52.7 |
| College Graduate | 740 | 557,383 | 127 | 17.6 | 14.1-21.1 | 44 | 7.0 | 4.5- 9.5 | 112 | 15.7 | 12.4-19.0 | 77 | 11.0 | 8.1-13.9 | 80 | 11.5 | 8.4-14.6 | 300 | 37.2 | 32.5-41.9 |
| Less than \$15,000 | 192 | 217,951 | 20 | 13.3 | 6.2-20.4 | 6 | 2.2 | 0.2- 4.2 | 13 | 6.4 | 0.3-12.5 | 4 | 2.5 | 0.0- 5.6 | 14 | 6.0 | 1.9-10.1 | 135 | 69.7 | 60.3-79.1 |
| \$15,000- 24,999 | 298 | 315,375 | 30 | 8.1 | 4.8-11.4 | 11 | 3.6 | 0.9- 6.3 | 15 | 4.4 | 1.3- 7.5 | 24 | 11.5 | 5.6-17.4 | 20 | 5.3 | 2.2- 8.4 | 198 | 67.1 | 59.7-74.5 |
| \$25,000- 34,999 | 193 | 182,332 | 20 | 10.0 | 4.5-15.5 | 8 | 4.9 | 1.0- 8.8 | 18 | 8.5 | 3.8-13.2 | 14 | 4.6 | 1.9- 7.3 | 14 | 5.7 | 1.6- 9.8 | 119 | 66.3 | 57.9-74.7 |
| \$35,000- 49,999 | 286 | 295,300 | 29 | 6.8 | 3.9- 9.7 | 17 | 6.4 | 2.7-10.1 | 28 | 9.1 | 5.0-13.2 | 23 | 10.6 | 4.9-16.3 | 33 | 14.7 | 9.2-20.2 | 156 | 52.5 | 44.7-60.3 |
| \$50,000- 74,999 | 300 | 345,971 | 36 | 14.2 | 8.9-19.5 | 16 | 3.6 | 1.2- 6.0 | 38 | 10.9 | 6.6-15.2 | 37 | 15.1 | 9.4-20.8 | 34 | 18.2 | 11.1-25.3 | 139 | 38.1 | 31.0-45.2 |
| \$75,000+ | 632 | 699,922 | 117 | 18.2 | 14.1-22.3 | 49 | 7.6 | 5.1-10.1 | 100 | 15.7 | 12.0-19.4 | 79 | 12.0 | 8.9-15.1 | 72 | 10.3 | 7.4-13.2 | 215 | 36.1 | 30.8-41.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Data was weighted using _LLCPWT. | | | | | | | | | | | | | | | | | |
|----------------------------|-------------------|-----------|----------------------------------|------|------------|---------|------|------------|---------|------|------------|----------|-----|------------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | >0, <=1 | | | >1, <=2 | | | >2, <=5 | | | >5, <=10 | | | >10 | | | None | | |
| | | | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2661 | 2,558,043 | 434 | 17.5 | 15.3-19.7 | 159 | 6.8 | 5.2- 8.4 | 181 | 7.8 | 6.4- 9.2 | 111 | 4.5 | 3.3- 5.7 | 86 | 4.1 | 2.7- 5.5 | 1690 | 59.4 | 56.7-62.1 |
| White/Non-Hisp | 2140 | 1,938,507 | 326 | 16.4 | 14.0-18.8 | 128 | 6.8 | 5.0- 8.6 | 145 | 7.8 | 6.2- 9.4 | 98 | 4.8 | 3.6- 6.0 | 72 | 3.8 | 2.8- 4.8 | 1371 | 60.5 | 57.6-63.4 |
| Black or Afr. Am./Non-Hisp | 321 | 402,707 | 77 | 26.3 | 19.4-33.2 | 16 | 5.1 | 1.4- 8.8 | 21 | 7.4 | 3.5-11.3 | 10 | 4.4 | 1.1- 7.7 | 9 | 6.8 | 0.5-13.1 | 188 | 50.0 | 42.2-57.8 |
| MultiRacial/Non-Hisp. | 53 | 22,353 | 8 | 15.6 | 2.7-28.5 | 5 | 14.7 | 0.8-28.6 | 2 | 5.0 | 0.0-12.8 | 2 | 4.6 | 0.0-12.0 | 1 | 2.5 | 0.0- 7.4 | 35 | 57.6 | 40.0-75.2 |
| Hispanic | 66 | 114,304 | 11 | 7.3 | 1.6-13.0 | 6 | 10.0 | 0.0-22.9 | 5 | 4.0 | 0.1- 7.9 | 1 | 3.5 | 0.0-10.2 | 1 | 0.3 | 0.0- 0.9 | 42 | 74.9 | 59.8-90.0 |
| 18-24 | 125 | 284,398 | 25 | 17.2 | 9.4-25.0 | 14 | 12.3 | 3.7-20.9 | 13 | 8.6 | 3.3-13.9 | 12 | 6.8 | 2.1-11.5 | 6 | 6.8 | 0.0-14.6 | 55 | 48.3 | 36.0-60.6 |
| 25-34 | 296 | 422,085 | 64 | 25.5 | 18.6-32.4 | 28 | 7.2 | 3.7-10.7 | 37 | 16.0 | 10.3-21.7 | 13 | 3.6 | 1.2- 6.0 | 16 | 5.5 | 2.0- 9.0 | 138 | 42.2 | 34.9-49.5 |
| 35-44 | 347 | 397,458 | 73 | 19.5 | 14.0-25.0 | 26 | 8.6 | 4.3-12.9 | 30 | 9.4 | 5.3-13.5 | 24 | 6.5 | 3.2- 9.8 | 14 | 4.0 | 1.1- 6.9 | 180 | 51.9 | 44.8-59.0 |
| 45-54 | 408 | 422,255 | 86 | 22.1 | 16.6-27.6 | 28 | 7.8 | 3.9-11.7 | 35 | 7.0 | 3.9-10.1 | 28 | 7.2 | 3.9-10.5 | 18 | 4.6 | 2.1- 7.1 | 213 | 51.4 | 44.7-58.1 |
| 55-64 | 574 | 435,045 | 97 | 14.7 | 11.2-18.2 | 27 | 5.0 | 2.5- 7.5 | 25 | 4.8 | 2.4- 7.2 | 14 | 3.1 | 0.9- 5.3 | 18 | 3.9 | 1.7- 6.1 | 393 | 68.5 | 63.6-73.4 |
| 65+ | 911 | 596,801 | 89 | 9.3 | 6.6-12.0 | 36 | 3.0 | 1.6- 4.4 | 41 | 3.3 | 1.9- 4.7 | 20 | 2.0 | 0.8- 3.2 | 14 | 1.5 | 0.5- 2.5 | 711 | 80.9 | 77.4-84.4 |
| Less Than H.S. | 256 | 351,542 | 19 | 8.9 | 3.4-14.4 | 6 | 3.8 | 0.3- 7.3 | 3 | 1.9 | 0.0- 4.4 | 2 | 0.9 | 0.0- 2.3 | 8 | 2.9 | 0.5- 5.3 | 218 | 81.6 | 74.5-88.7 |
| H.S. or G.E.D. | 810 | 797,214 | 97 | 13.7 | 10.2-17.2 | 31 | 4.0 | 1.8- 6.2 | 37 | 7.1 | 4.6- 9.6 | 15 | 2.6 | 1.0- 4.2 | 20 | 4.4 | 1.3- 7.5 | 610 | 68.2 | 63.3-73.1 |
| Some Post-H.S. | 715 | 775,277 | 122 | 19.1 | 15.0-23.2 | 41 | 8.7 | 4.8-12.6 | 40 | 7.0 | 4.3- 9.7 | 34 | 5.1 | 2.7- 7.5 | 25 | 4.0 | 2.0- 6.0 | 453 | 56.0 | 50.7-61.3 |
| College Graduate | 871 | 626,333 | 194 | 25.1 | 21.0-29.2 | 81 | 9.6 | 7.1-12.1 | 99 | 12.5 | 9.4-15.6 | 60 | 8.3 | 5.8-10.8 | 33 | 4.3 | 2.3- 6.3 | 404 | 40.2 | 35.9-44.5 |
| Less than \$15,000 | 359 | 316,190 | 33 | 9.3 | 5.0-13.6 | 11 | 5.0 | 1.1- 8.9 | 6 | 2.4 | 0.0- 4.9 | 6 | 2.1 | 0.1- 4.1 | 11 | 4.1 | 0.6- 7.6 | 292 | 77.0 | 70.3-83.7 |
| \$15,000- 24,999 | 482 | 455,030 | 63 | 15.4 | 10.1-20.7 | 26 | 4.6 | 1.7- 7.5 | 24 | 6.8 | 3.3-10.3 | 8 | 2.2 | 0.4- 4.0 | 14 | 3.2 | 1.2- 5.2 | 347 | 67.8 | 61.3-74.3 |
| \$25,000- 34,999 | 247 | 237,982 | 36 | 19.1 | 11.5-26.7 | 11 | 6.2 | 1.3-11.1 | 19 | 7.9 | 3.8-12.0 | 12 | 3.4 | 1.0- 5.8 | 9 | 3.0 | 0.6- 5.4 | 160 | 60.4 | 51.8-69.0 |
| \$35,000- 49,999 | 311 | 309,527 | 54 | 16.0 | 10.5-21.5 | 15 | 7.2 | 1.7-12.7 | 25 | 10.5 | 5.4-15.6 | 11 | 4.0 | 0.9- 7.1 | 10 | 3.8 | 1.1- 6.5 | 196 | 58.4 | 50.6-66.2 |
| \$50,000- 74,999 | 304 | 294,430 | 70 | 23.4 | 16.9-29.9 | 27 | 12.3 | 5.8-18.8 | 27 | 10.8 | 6.1-15.5 | 16 | 6.4 | 2.1-10.7 | 12 | 5.3 | 1.4- 9.2 | 152 | 41.8 | 34.4-49.2 |
| \$75,000+ | 508 | 503,932 | 119 | 23.8 | 18.5-29.1 | 55 | 10.3 | 6.2-14.4 | 59 | 11.8 | 7.9-15.7 | 47 | 9.8 | 6.5-13.1 | 21 | 4.2 | 1.7- 6.7 | 207 | 40.1 | 34.0-46.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV6)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4813 | 4,893,562 | 4560 | 94.0 | 93.0-95.0 | 253 | 6.0 | 5.0- 7.0 |
| Male | 2152 | 2,335,519 | 2026 | 93.9 | 92.5-95.3 | 126 | 6.1 | 4.7- 7.5 |
| Female | 2661 | 2,558,043 | 2534 | 94.1 | 92.5-95.7 | 127 | 5.9 | 4.3- 7.5 |
| White/Non-Hisp | 3892 | 3,708,176 | 3684 | 93.8 | 92.8-94.8 | 208 | 6.2 | 5.2- 7.2 |
| Black or Afr. Am./Non-Hisp | 540 | 748,718 | 520 | 94.9 | 91.4-98.4 | 20 | 5.1 | 1.6- 8.6 |
| Oth. Race/Non-Hisp. | 112 | 129,857 | 104 | 92.1 | 84.8-99.4 | 8 | 7.9 | 0.6-15.2 |
| MultiRacial/Non-Hisp. | 103 | 45,390 | 96 | 94.4 | 89.5-99.3 | 7 | 5.6 | 0.7-10.5 |
| Hispanic | 111 | 198,333 | 104 | 96.4 | 92.3- 100 | 7 | 3.6 | 0.0- 7.7 |
| 18-24 | 276 | 576,268 | 256 | 93.1 | 88.6-97.6 | 20 | 6.9 | 2.4-11.4 |
| 25-34 | 559 | 815,186 | 521 | 93.0 | 90.3-95.7 | 38 | 7.0 | 4.3- 9.7 |
| 35-44 | 637 | 787,208 | 580 | 91.0 | 88.1-93.9 | 57 | 9.0 | 6.1-11.9 |
| 45-54 | 773 | 805,131 | 721 | 93.3 | 90.9-95.7 | 52 | 6.7 | 4.3- 9.1 |
| 55-64 | 1015 | 835,717 | 966 | 93.9 | 91.9-95.9 | 49 | 6.1 | 4.1- 8.1 |
| 65+ | 1553 | 1,074,051 | 1516 | 98.0 | 97.2-98.8 | 37 | 2.0 | 1.2- 2.8 |
| Less Than H.S. | 461 | 674,515 | 438 | 94.8 | 92.1-97.5 | 23 | 5.2 | 2.5- 7.9 |
| H.S. or G.E.D. | 1471 | 1,583,640 | 1408 | 94.4 | 92.4-96.4 | 63 | 5.6 | 3.6- 7.6 |
| Some Post-H.S. | 1256 | 1,438,659 | 1186 | 94.3 | 92.5-96.1 | 70 | 5.7 | 3.9- 7.5 |
| College Graduate | 1610 | 1,182,786 | 1513 | 92.5 | 90.5-94.5 | 97 | 7.5 | 5.5- 9.5 |
| Less than \$15,000 | 549 | 532,609 | 524 | 95.2 | 92.7-97.7 | 25 | 4.8 | 2.3- 7.3 |
| \$15,000- 24,999 | 780 | 770,405 | 749 | 96.2 | 94.4-98.0 | 31 | 3.8 | 2.0- 5.6 |
| \$25,000- 34,999 | 440 | 420,314 | 417 | 95.8 | 93.6-98.0 | 23 | 4.2 | 2.0- 6.4 |
| \$35,000- 49,999 | 597 | 604,827 | 559 | 91.6 | 88.5-94.7 | 38 | 8.4 | 5.3-11.5 |
| \$50,000- 74,999 | 604 | 640,401 | 566 | 92.7 | 89.6-95.8 | 38 | 7.3 | 4.2-10.4 |
| \$75,000+ | 1139 | 1,202,307 | 1065 | 92.9 | 90.9-94.9 | 74 | 7.1 | 5.1- 9.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2152 | 2,335,519 | 2026 | 93.9 | 92.5-95.3 | 126 | 6.1 | 4.7- 7.5 |
| White/Non-Hisp | 1752 | 1,769,669 | 1650 | 93.3 | 91.7-94.9 | 102 | 6.7 | 5.1- 8.3 |
| Black or Afr. Am./Non-Hisp | 219 | 346,011 | 212 | 98.2 | 96.4- 100 | 7 | 1.8 | 0.0- 3.6 |
| Oth. Race/Non-Hisp. | 64 | 80,608 | 58 | 89.3 | 78.1- 100 | 6 | 10.7 | 0.0-21.9 |
| MultiRacial/Non-Hisp. | 50 | 23,037 | 46 | 95.9 | 91.6- 100 | 4 | 4.1 | 0.0- 8.4 |
| 18-24 | 151 | 291,870 | 145 | 97.7 | 95.7-99.7 | 6 | 2.3 | 0.3- 4.3 |
| 25-34 | 263 | 393,101 | 244 | 92.7 | 89.0-96.4 | 19 | 7.3 | 3.6-11.0 |
| 35-44 | 290 | 389,750 | 257 | 88.6 | 83.5-93.7 | 33 | 11.4 | 6.3-16.5 |
| 45-54 | 365 | 382,876 | 339 | 92.9 | 89.6-96.2 | 26 | 7.1 | 3.8-10.4 |
| 55-64 | 441 | 400,672 | 417 | 93.5 | 90.4-96.6 | 24 | 6.5 | 3.4- 9.6 |
| 65+ | 642 | 477,250 | 624 | 98.1 | 97.1-99.1 | 18 | 1.9 | 0.9- 2.9 |
| Less Than H.S. | 205 | 322,973 | 191 | 93.0 | 87.9-98.1 | 14 | 7.0 | 1.9-12.1 |
| H.S. or G.E.D. | 661 | 786,426 | 623 | 94.5 | 92.3-96.7 | 38 | 5.5 | 3.3- 7.7 |
| Some Post-H.S. | 541 | 663,382 | 511 | 94.9 | 92.7-97.1 | 30 | 5.1 | 2.9- 7.3 |
| College Graduate | 739 | 556,453 | 695 | 92.4 | 89.7-95.1 | 44 | 7.6 | 4.9-10.3 |
| Less than \$15,000 | 190 | 216,419 | 180 | 95.3 | 91.4-99.2 | 10 | 4.7 | 0.8- 8.6 |
| \$15,000- 24,999 | 298 | 315,375 | 283 | 96.3 | 93.9-98.7 | 15 | 3.7 | 1.3- 6.1 |
| \$25,000- 34,999 | 193 | 182,332 | 183 | 95.5 | 91.6-99.4 | 10 | 4.5 | 0.6- 8.4 |
| \$35,000- 49,999 | 286 | 295,300 | 262 | 89.1 | 84.2-94.0 | 24 | 10.9 | 6.0-15.8 |
| \$50,000- 74,999 | 300 | 345,971 | 278 | 91.5 | 86.6-96.4 | 22 | 8.5 | 3.6-13.4 |
| \$75,000+ | 631 | 698,375 | 597 | 94.5 | 92.3-96.7 | 34 | 5.5 | 3.3- 7.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 10: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | No | | | Yes | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2661 | 2,558,043 | 2534 | 94.1 | 92.5-95.7 | 127 | 5.9 | 4.3- 7.5 |
| White/Non-Hisp | 2140 | 1,938,507 | 2034 | 94.3 | 92.9-95.7 | 106 | 5.7 | 4.3- 7.1 |
| Black or Afr. Am./Non-Hisp | 321 | 402,707 | 308 | 92.1 | 85.6-98.6 | 13 | 7.9 | 1.4-14.4 |
| MultiRacial/Non-Hisp. | 53 | 22,353 | 50 | 92.9 | 84.1- 100 | 3 | 7.1 | 0.0-15.9 |
| Hispanic | 66 | 114,304 | 64 | 96.2 | 89.5- 100 | 2 | 3.8 | 0.0-10.5 |
| 18-24 | 125 | 284,398 | 111 | 88.4 | 79.8-97.0 | 14 | 11.6 | 3.0-20.2 |
| 25-34 | 296 | 422,085 | 277 | 93.4 | 89.7-97.1 | 19 | 6.6 | 2.9-10.3 |
| 35-44 | 347 | 397,458 | 323 | 93.4 | 90.1-96.7 | 24 | 6.6 | 3.3- 9.9 |
| 45-54 | 408 | 422,255 | 382 | 93.6 | 90.7-96.5 | 26 | 6.4 | 3.5- 9.3 |
| 55-64 | 574 | 435,045 | 549 | 94.2 | 91.5-96.9 | 25 | 5.8 | 3.1- 8.5 |
| 65+ | 911 | 596,801 | 892 | 97.9 | 96.7-99.1 | 19 | 2.1 | 0.9- 3.3 |
| Less Than H.S. | 256 | 351,542 | 247 | 96.4 | 93.7-99.1 | 9 | 3.6 | 0.9- 6.3 |
| H.S. or G.E.D. | 810 | 797,214 | 785 | 94.3 | 91.0-97.6 | 25 | 5.7 | 2.4- 9.0 |
| Some Post-H.S. | 715 | 775,277 | 675 | 93.9 | 91.4-96.4 | 40 | 6.1 | 3.6- 8.6 |
| College Graduate | 871 | 626,333 | 818 | 92.5 | 90.0-95.0 | 53 | 7.5 | 5.0-10.0 |
| Less than \$15,000 | 359 | 316,190 | 344 | 95.2 | 91.7-98.7 | 15 | 4.8 | 1.3- 8.3 |
| \$15,000- 24,999 | 482 | 455,030 | 466 | 96.1 | 93.7-98.5 | 16 | 3.9 | 1.5- 6.3 |
| \$25,000- 34,999 | 247 | 237,982 | 234 | 96.1 | 93.7-98.5 | 13 | 3.9 | 1.5- 6.3 |
| \$35,000- 49,999 | 311 | 309,527 | 297 | 93.9 | 90.0-97.8 | 14 | 6.1 | 2.2-10.0 |
| \$50,000- 74,999 | 304 | 294,430 | 288 | 94.2 | 90.3-98.1 | 16 | 5.8 | 1.9- 9.7 |
| \$75,000+ | 508 | 503,932 | 468 | 90.8 | 87.3-94.3 | 40 | 9.2 | 5.7-12.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 11: IMMUNIZATION CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6) | |
| 1 | MALES AND FEMALES | 122 |
| 2 | MALES ONLY | 123 |
| 3 | FEMALES ONLY | 124 |
| | ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3) | |
| 4 | MALES AND FEMALES | 125 |
| 5 | MALES ONLY | 126 |
| 6 | FEMALES ONLY | 127 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 11: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
 Denominator excludes: Respondents with do not know/refused/missing responses
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1549 | 1,077,510 | 752 | 48.1 | 44.8-51.4 | 797 | 51.9 | 48.6-55.2 |
| Male | 649 | 484,632 | 326 | 48.9 | 43.8-54.0 | 323 | 51.1 | 46.0-56.2 |
| Female | 900 | 592,878 | 426 | 47.5 | 43.0-52.0 | 474 | 52.5 | 48.0-57.0 |
| White/Non-Hisp | 1316 | 922,730 | 652 | 48.9 | 45.4-52.4 | 664 | 51.1 | 47.6-54.6 |
| Black or Afr. Am./Non-Hisp | 140 | 111,326 | 55 | 36.3 | 25.1-47.5 | 85 | 63.7 | 52.5-74.9 |
| 65+ | 1549 | 1,077,510 | 752 | 48.1 | 44.8-51.4 | 797 | 51.9 | 48.6-55.2 |
| Less Than H.S. | 191 | 236,633 | 95 | 51.0 | 42.0-60.0 | 96 | 49.0 | 40.0-58.0 |
| H.S. or G.E.D. | 491 | 346,614 | 236 | 46.9 | 41.2-52.6 | 255 | 53.1 | 47.4-58.8 |
| Some Post-H.S. | 387 | 279,375 | 167 | 45.1 | 38.8-51.4 | 220 | 54.9 | 48.6-61.2 |
| College Graduate | 476 | 212,729 | 253 | 51.1 | 45.4-56.8 | 223 | 48.9 | 43.2-54.6 |
| Less than \$15,000 | 169 | 131,797 | 87 | 54.8 | 44.8-64.8 | 82 | 45.2 | 35.2-55.2 |
| \$15,000- 24,999 | 293 | 197,120 | 142 | 50.3 | 42.3-58.3 | 151 | 49.7 | 41.7-57.7 |
| \$25,000- 34,999 | 171 | 122,823 | 82 | 46.1 | 36.1-56.1 | 89 | 53.9 | 43.9-63.9 |
| \$35,000- 49,999 | 197 | 128,850 | 97 | 46.4 | 37.6-55.2 | 100 | 53.6 | 44.8-62.4 |
| \$50,000- 74,999 | 149 | 94,099 | 73 | 49.7 | 39.5-59.9 | 76 | 50.3 | 40.1-60.5 |
| \$75,000+ | 249 | 174,146 | 117 | 43.7 | 35.5-51.9 | 132 | 56.3 | 48.1-64.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 649 | 484,632 | 326 | 48.9 | 43.8-54.0 | 323 | 51.1 | 46.0-56.2 |
| White/Non-Hisp | 551 | 416,126 | 276 | 47.8 | 42.3-53.3 | 275 | 52.2 | 46.7-57.7 |
| Black or Afr. Am./Non-Hisp | 57 | 49,578 | 30 | 54.9 | 36.9-72.9 | 27 | 45.1 | 27.1-63.1 |
| 65+ | 649 | 484,632 | 326 | 48.9 | 43.8-54.0 | 323 | 51.1 | 46.0-56.2 |
| Less Than H.S. | 69 | 92,123 | 35 | 50.1 | 36.4-63.8 | 34 | 49.9 | 36.2-63.6 |
| H.S. or G.E.D. | 180 | 144,046 | 90 | 48.6 | 39.0-58.2 | 90 | 51.4 | 41.8-61.0 |
| Some Post-H.S. | 154 | 123,359 | 67 | 46.0 | 36.0-56.0 | 87 | 54.0 | 44.0-64.0 |
| College Graduate | 244 | 124,451 | 133 | 51.1 | 43.3-58.9 | 111 | 48.9 | 41.1-56.7 |
| \$15,000- 24,999 | 105 | 81,397 | 48 | 50.5 | 37.8-63.2 | 57 | 49.5 | 36.8-62.2 |
| \$25,000- 34,999 | 80 | 56,660 | 42 | 47.0 | 32.9-61.1 | 38 | 53.0 | 38.9-67.1 |
| \$35,000- 49,999 | 98 | 63,626 | 53 | 46.5 | 34.5-58.5 | 45 | 53.5 | 41.5-65.5 |
| \$50,000- 74,999 | 78 | 53,471 | 42 | 51.4 | 36.9-65.9 | 36 | 48.6 | 34.1-63.1 |
| \$75,000+ | 148 | 114,169 | 70 | 43.1 | 32.3-53.9 | 78 | 56.9 | 46.1-67.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 11: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 900 | 592,878 | 426 | 47.5 | 43.2-51.8 | 474 | 52.5 | 48.2-56.8 |
| White/Non-Hisp | 765 | 506,604 | 376 | 49.8 | 45.1-54.5 | 389 | 50.2 | 45.5-54.9 |
| Black or Afr. Am./Non-Hisp | 83 | 61,748 | 25 | 21.3 | 9.7-32.9 | 58 | 78.7 | 67.1-90.3 |
| 65+ | 900 | 592,878 | 426 | 47.5 | 43.2-51.8 | 474 | 52.5 | 48.2-56.8 |
| Less Than H.S. | 122 | 144,510 | 60 | 51.5 | 39.9-63.1 | 62 | 48.5 | 36.9-60.1 |
| H.S. or G.E.D. | 311 | 202,568 | 146 | 45.7 | 38.8-52.6 | 165 | 54.3 | 47.4-61.2 |
| Some Post-H.S. | 233 | 156,016 | 100 | 44.3 | 36.3-52.3 | 133 | 55.7 | 47.7-63.7 |
| College Graduate | 232 | 88,277 | 120 | 51.2 | 43.0-59.4 | 112 | 48.8 | 40.6-57.0 |
| Less than \$15,000 | 121 | 90,763 | 61 | 48.7 | 36.5-60.9 | 60 | 51.3 | 39.1-63.5 |
| \$15,000- 24,999 | 188 | 115,723 | 94 | 50.2 | 40.0-60.4 | 94 | 49.8 | 39.6-60.0 |
| \$25,000- 34,999 | 91 | 66,163 | 40 | 45.2 | 31.1-59.3 | 51 | 54.8 | 40.7-68.9 |
| \$35,000- 49,999 | 99 | 65,224 | 44 | 46.3 | 33.4-59.2 | 55 | 53.7 | 40.8-66.6 |
| \$50,000- 74,999 | 71 | 40,628 | 31 | 47.4 | 33.5-61.3 | 40 | 52.6 | 38.7-66.5 |
| \$75,000+ | 101 | 59,977 | 47 | 44.7 | 32.4-57.0 | 54 | 55.3 | 43.0-67.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1514 | 1,050,637 | 1110 | 74.5 | 71.6-77.4 | 404 | 25.5 | 22.6-28.4 |
| Male | 627 | 468,453 | 460 | 74.8 | 70.3-79.3 | 167 | 25.2 | 20.7-29.7 |
| Female | 887 | 582,184 | 650 | 74.3 | 70.6-78.0 | 237 | 25.7 | 22.0-29.4 |
| White/Non-Hisp | 1284 | 897,564 | 956 | 75.8 | 72.9-78.7 | 328 | 24.2 | 21.3-27.1 |
| Black or Afr. Am./Non-Hisp | 140 | 111,326 | 97 | 69.3 | 58.9-79.7 | 43 | 30.7 | 20.3-41.1 |
| 65+ | 1514 | 1,050,637 | 1110 | 74.5 | 71.6-77.4 | 404 | 25.5 | 22.6-28.4 |
| Less Than H.S. | 188 | 232,449 | 135 | 78.7 | 72.0-85.4 | 53 | 21.3 | 14.6-28.0 |
| H.S. or G.E.D. | 474 | 332,902 | 338 | 70.6 | 65.3-75.9 | 136 | 29.4 | 24.1-34.7 |
| Some Post-H.S. | 379 | 273,912 | 279 | 73.4 | 67.7-79.1 | 100 | 26.6 | 20.9-32.3 |
| College Graduate | 469 | 209,215 | 355 | 77.8 | 73.3-82.3 | 114 | 22.2 | 17.7-26.7 |
| Less than \$15,000 | 168 | 132,041 | 116 | 77.0 | 69.4-84.6 | 52 | 23.0 | 15.4-30.6 |
| \$15,000- 24,999 | 286 | 194,385 | 213 | 76.6 | 70.1-83.1 | 73 | 23.4 | 16.9-29.9 |
| \$25,000- 34,999 | 168 | 120,672 | 125 | 73.7 | 65.3-82.1 | 43 | 26.3 | 17.9-34.7 |
| \$35,000- 49,999 | 191 | 124,301 | 137 | 67.0 | 58.2-75.8 | 54 | 33.0 | 24.2-41.8 |
| \$50,000- 74,999 | 145 | 90,986 | 105 | 73.2 | 63.6-82.8 | 40 | 26.8 | 17.2-36.4 |
| \$75,000+ | 244 | 169,420 | 183 | 76.7 | 69.6-83.8 | 61 | 23.3 | 16.2-30.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 627 | 468,453 | 460 | 74.8 | 70.3-79.3 | 167 | 25.2 | 20.7-29.7 |
| White/Non-Hisp | 529 | 399,947 | 394 | 76.0 | 71.3-80.7 | 135 | 24.0 | 19.3-28.7 |
| Black or Afr. Am./Non-Hisp | 57 | 49,578 | 40 | 71.4 | 55.3-87.5 | 17 | 28.6 | 12.5-44.7 |
| 65+ | 627 | 468,453 | 460 | 74.8 | 70.3-79.3 | 167 | 25.2 | 20.7-29.7 |
| Less Than H.S. | 69 | 92,123 | 45 | 76.1 | 65.1-87.1 | 24 | 23.9 | 12.9-34.9 |
| H.S. or G.E.D. | 169 | 134,138 | 126 | 74.9 | 66.7-83.1 | 43 | 25.1 | 16.9-33.3 |
| Some Post-H.S. | 148 | 119,319 | 106 | 70.7 | 60.9-80.5 | 42 | 29.3 | 19.5-39.1 |
| College Graduate | 239 | 122,220 | 181 | 77.6 | 71.1-84.1 | 58 | 22.4 | 15.9-28.9 |
| \$15,000- 24,999 | 101 | 79,617 | 72 | 76.9 | 66.3-87.5 | 29 | 23.1 | 12.5-33.7 |
| \$25,000- 34,999 | 77 | 55,275 | 63 | 79.7 | 68.7-90.7 | 14 | 20.3 | 9.3-31.3 |
| \$35,000- 49,999 | 94 | 60,599 | 66 | 65.9 | 53.9-77.9 | 28 | 34.1 | 22.1-46.1 |
| \$50,000- 74,999 | 75 | 50,666 | 59 | 76.5 | 62.2-90.8 | 16 | 23.5 | 9.2-37.8 |
| \$75,000+ | 143 | 109,443 | 106 | 75.9 | 66.3-85.5 | 37 | 24.1 | 14.5-33.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 11: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 887 | 582,184 | 650 | 74.3 | 70.6-78.0 | 237 | 25.7 | 22.0-29.4 |
| White/Non-Hisp | 755 | 497,617 | 562 | 75.6 | 71.9-79.3 | 193 | 24.4 | 20.7-28.1 |
| Black or Afr. Am./Non-Hisp | 83 | 61,748 | 57 | 67.6 | 54.1-81.1 | 26 | 32.4 | 18.9-45.9 |
| 65+ | 887 | 582,184 | 650 | 74.3 | 70.6-78.0 | 237 | 25.7 | 22.0-29.4 |
| Less Than H.S. | 119 | 140,325 | 90 | 80.4 | 72.2-88.6 | 29 | 19.6 | 11.4-27.8 |
| H.S. or G.E.D. | 305 | 198,763 | 212 | 67.6 | 60.9-74.3 | 93 | 32.4 | 25.7-39.1 |
| Some Post-H.S. | 231 | 154,593 | 173 | 75.4 | 68.5-82.3 | 58 | 24.6 | 17.7-31.5 |
| College Graduate | 230 | 86,995 | 174 | 78.0 | 71.7-84.3 | 56 | 22.0 | 15.7-28.3 |
| Less than \$15,000 | 120 | 90,407 | 87 | 79.5 | 71.3-87.7 | 33 | 20.5 | 12.3-28.7 |
| \$15,000- 24,999 | 185 | 114,768 | 141 | 76.4 | 68.4-84.4 | 44 | 23.6 | 15.6-31.6 |
| \$25,000- 34,999 | 91 | 65,396 | 62 | 68.6 | 56.3-80.9 | 29 | 31.4 | 19.1-43.7 |
| \$35,000- 49,999 | 97 | 63,702 | 71 | 68.0 | 55.1-80.9 | 26 | 32.0 | 19.1-44.9 |
| \$50,000- 74,999 | 70 | 40,320 | 46 | 69.0 | 56.5-81.5 | 24 | 31.0 | 18.5-43.5 |
| \$75,000+ | 101 | 59,977 | 77 | 78.2 | 68.6-87.8 | 24 | 21.8 | 12.2-31.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 13: SEATBELT USE CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|--|------|
| | ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2) | |
| 1 | MALES AND FEMALES | 129 |
| 2 | MALES ONLY | 130 |
| 3 | FEMALES ONLY | 131 |
| | ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3) | |
| 4 | MALES AND FEMALES | 132 |
| 5 | MALES ONLY | 133 |
| 6 | FEMALES ONLY | 134 |
| | DRINKING AND DRIVING (_DRNKDRV) | |
| 7 | MALES AND FEMALES | 135 |
| 8 | MALES ONLY | 136 |
| 9 | FEMALES ONLY | 137 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4858 | 4,951,788 | 4600 | 93.9 | 92.9-94.9 | 258 | 6.1 | 5.1- 7.1 |
| Male | 2191 | 2,387,072 | 2011 | 90.7 | 88.9-92.5 | 180 | 9.3 | 7.5-11.1 |
| Female | 2667 | 2,564,716 | 2589 | 96.8 | 95.8-97.8 | 78 | 3.2 | 2.2- 4.2 |
| White/Non-Hisp | 3913 | 3,734,903 | 3709 | 94.2 | 93.2-95.2 | 204 | 5.8 | 4.8- 6.8 |
| Black or Afr. Am./Non-Hisp | 552 | 767,489 | 519 | 92.1 | 89.0-95.2 | 33 | 7.9 | 4.8-11.0 |
| Oth. Race/Non-Hisp. | 113 | 124,201 | 106 | 91.2 | 81.2- 100 | 7 | 8.8 | 0.0-18.8 |
| MultiRacial/Non-Hisp. | 104 | 45,433 | 100 | 95.8 | 91.5- 100 | 4 | 4.2 | 0.0- 8.5 |
| Hispanic | 115 | 209,751 | 110 | 95.5 | 90.8- 100 | 5 | 4.5 | 0.0- 9.2 |
| 18-24 | 280 | 580,997 | 255 | 92.1 | 88.2-96.0 | 25 | 7.9 | 4.0-11.8 |
| 25-34 | 573 | 836,264 | 531 | 91.8 | 88.9-94.7 | 42 | 8.2 | 5.3-11.1 |
| 35-44 | 646 | 796,854 | 603 | 93.6 | 91.2-96.0 | 43 | 6.4 | 4.0- 8.8 |
| 45-54 | 773 | 811,827 | 742 | 96.4 | 94.8-98.0 | 31 | 3.6 | 2.0- 5.2 |
| 55-64 | 1027 | 844,452 | 968 | 93.5 | 91.3-95.7 | 59 | 6.5 | 4.3- 8.7 |
| 65+ | 1559 | 1,081,396 | 1501 | 95.0 | 93.2-96.8 | 58 | 5.0 | 3.2- 6.8 |
| Less Than H.S. | 470 | 687,135 | 428 | 90.9 | 87.8-94.0 | 42 | 9.1 | 6.0-12.2 |
| H.S. or G.E.D. | 1483 | 1,603,097 | 1380 | 91.3 | 89.1-93.5 | 103 | 8.7 | 6.5-10.9 |
| Some Post-H.S. | 1273 | 1,464,809 | 1209 | 95.2 | 93.8-96.6 | 64 | 4.8 | 3.4- 6.2 |
| College Graduate | 1616 | 1,179,828 | 1568 | 97.4 | 96.4-98.4 | 48 | 2.6 | 1.6- 3.6 |
| Less than \$15,000 | 551 | 531,700 | 515 | 92.3 | 89.0-95.6 | 36 | 7.7 | 4.4-11.0 |
| \$15,000- 24,999 | 786 | 785,294 | 742 | 93.7 | 91.2-96.2 | 44 | 6.3 | 3.8- 8.8 |
| \$25,000- 34,999 | 448 | 426,127 | 427 | 94.6 | 91.7-97.5 | 21 | 5.4 | 2.5- 8.3 |
| \$35,000- 49,999 | 598 | 613,063 | 571 | 94.9 | 92.5-97.3 | 27 | 5.1 | 2.7- 7.5 |
| \$50,000- 74,999 | 607 | 645,509 | 563 | 91.8 | 88.7-94.9 | 44 | 8.2 | 5.1-11.3 |
| \$75,000+ | 1145 | 1,204,973 | 1094 | 94.8 | 93.0-96.6 | 51 | 5.2 | 3.4- 7.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2191 | 2,387,072 | 2011 | 90.7 | 88.9-92.5 | 180 | 9.3 | 7.5-11.1 |
| White/Non-Hisp | 1773 | 1,798,270 | 1629 | 91.3 | 89.5-93.1 | 144 | 8.7 | 6.9-10.5 |
| Black or Afr. Am./Non-Hisp | 226 | 361,182 | 203 | 87.8 | 82.1-93.5 | 23 | 12.2 | 6.5-17.9 |
| Oth. Race/Non-Hisp. | 64 | 74,403 | 58 | 86.1 | 70.2- 100 | 6 | 13.9 | 0.0-29.8 |
| MultiRacial/Non-Hisp. | 51 | 23,079 | 50 | 96.8 | 90.7- 100 | 1 | 3.2 | 0.0- 9.3 |
| 18-24 | 155 | 294,556 | 134 | 87.7 | 81.4-94.0 | 21 | 12.3 | 6.0-18.6 |
| 25-34 | 277 | 415,728 | 251 | 89.5 | 84.6-94.4 | 26 | 10.5 | 5.6-15.4 |
| 35-44 | 296 | 398,920 | 265 | 90.1 | 86.0-94.2 | 31 | 9.9 | 5.8-14.0 |
| 45-54 | 369 | 390,357 | 349 | 94.6 | 91.9-97.3 | 20 | 5.4 | 2.7- 8.1 |
| 55-64 | 449 | 403,749 | 409 | 90.5 | 86.8-94.2 | 40 | 9.5 | 5.8-13.2 |
| 65+ | 645 | 483,761 | 603 | 91.0 | 87.5-94.5 | 42 | 9.0 | 5.5-12.5 |
| Less Than H.S. | 217 | 337,874 | 185 | 85.5 | 79.6-91.4 | 32 | 14.5 | 8.6-20.4 |
| H.S. or G.E.D. | 671 | 796,372 | 596 | 86.9 | 83.2-90.6 | 75 | 13.1 | 9.4-16.8 |
| Some Post-H.S. | 554 | 684,905 | 513 | 92.7 | 90.0-95.4 | 41 | 7.3 | 4.6-10.0 |
| College Graduate | 742 | 558,681 | 710 | 96.6 | 95.2-98.0 | 32 | 3.4 | 2.0- 4.8 |
| Less than \$15,000 | 196 | 221,014 | 177 | 88.6 | 81.5-95.7 | 19 | 11.4 | 4.3-18.5 |
| \$15,000- 24,999 | 301 | 326,332 | 273 | 91.6 | 87.9-95.3 | 28 | 8.4 | 4.7-12.1 |
| \$25,000- 34,999 | 201 | 189,959 | 189 | 92.5 | 87.0-98.0 | 12 | 7.5 | 2.0-13.0 |
| \$35,000- 49,999 | 285 | 295,331 | 262 | 90.2 | 85.3-95.1 | 23 | 9.8 | 4.9-14.7 |
| \$50,000- 74,999 | 306 | 353,180 | 274 | 87.4 | 82.1-92.7 | 32 | 12.6 | 7.3-17.9 |
| \$75,000+ | 634 | 695,188 | 589 | 92.2 | 89.5-94.9 | 45 | 7.8 | 5.1-10.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2667 | 2,564,716 | 2589 | 96.8 | 95.8-97.8 | 78 | 3.2 | 2.2- 4.2 |
| White/Non-Hisp | 2140 | 1,936,633 | 2080 | 97.0 | 96.0-98.0 | 60 | 3.0 | 2.0- 4.0 |
| Black or Afr. Am./Non-Hisp | 326 | 406,307 | 316 | 95.9 | 92.8-99.0 | 10 | 4.1 | 1.0- 7.2 |
| MultiRacial/Non-Hisp. | 53 | 22,353 | 50 | 94.8 | 88.5- 100 | 3 | 5.2 | 0.0-11.5 |
| Hispanic | 67 | 119,714 | 65 | 98.3 | 95.9- 100 | 2 | 1.7 | 0.0- 4.1 |
| 18-24 | 125 | 286,440 | 121 | 96.7 | 92.2- 100 | 4 | 3.3 | 0.0- 7.8 |
| 25-34 | 296 | 420,536 | 280 | 94.0 | 90.7-97.3 | 16 | 6.0 | 2.7- 9.3 |
| 35-44 | 350 | 397,933 | 338 | 97.1 | 95.1-99.1 | 12 | 2.9 | 0.9- 4.9 |
| 45-54 | 404 | 421,470 | 393 | 98.0 | 96.6-99.4 | 11 | 2.0 | 0.6- 3.4 |
| 55-64 | 578 | 440,703 | 559 | 96.3 | 94.3-98.3 | 19 | 3.7 | 1.7- 5.7 |
| 65+ | 914 | 597,634 | 898 | 98.2 | 97.0-99.4 | 16 | 1.8 | 0.6- 3.0 |
| Less Than H.S. | 253 | 349,261 | 243 | 96.0 | 93.3-98.7 | 10 | 4.0 | 1.3- 6.7 |
| H.S. or G.E.D. | 812 | 806,725 | 784 | 95.6 | 93.2-98.0 | 28 | 4.4 | 2.0- 6.8 |
| Some Post-H.S. | 719 | 779,904 | 696 | 97.4 | 96.0-98.8 | 23 | 2.6 | 1.2- 4.0 |
| College Graduate | 874 | 621,148 | 858 | 98.1 | 96.9-99.3 | 16 | 1.9 | 0.7- 3.1 |
| Less than \$15,000 | 355 | 310,687 | 338 | 95.0 | 92.1-97.9 | 17 | 5.0 | 2.1- 7.9 |
| \$15,000- 24,999 | 485 | 458,962 | 469 | 95.2 | 91.7-98.7 | 16 | 4.8 | 1.3- 8.3 |
| \$25,000- 34,999 | 247 | 236,168 | 238 | 96.3 | 93.2-99.4 | 9 | 3.7 | 0.6- 6.8 |
| \$35,000- 49,999 | 313 | 317,732 | 309 | 99.3 | 98.5- 100 | 4 | 0.7 | 0.0- 1.5 |
| \$50,000- 74,999 | 301 | 292,330 | 289 | 97.1 | 95.1-99.1 | 12 | 2.9 | 0.9- 4.9 |
| \$75,000+ | 511 | 509,786 | 505 | 98.4 | 97.0-99.8 | 6 | 1.6 | 0.2- 3.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4858 | 4,951,788 | 4278 | 86.6 | 85.2-88.0 | 580 | 13.4 | 12.0-14.8 |
| Male | 2191 | 2,387,072 | 1829 | 82.0 | 79.8-84.2 | 362 | 18.0 | 15.8-20.2 |
| Female | 2667 | 2,564,716 | 2449 | 90.9 | 89.1-92.7 | 218 | 9.1 | 7.3-10.9 |
| White/Non-Hisp | 3913 | 3,734,903 | 3447 | 86.9 | 85.3-88.5 | 466 | 13.1 | 11.5-14.7 |
| Black or Afr. Am./Non-Hisp | 552 | 767,489 | 484 | 84.1 | 79.4-88.8 | 68 | 15.9 | 11.2-20.6 |
| Oth. Race/Non-Hisp. | 113 | 124,201 | 100 | 86.0 | 74.8-97.2 | 13 | 14.0 | 2.8-25.2 |
| MultiRacial/Non-Hisp. | 104 | 45,433 | 93 | 91.2 | 85.3-97.1 | 11 | 8.8 | 2.9-14.7 |
| Hispanic | 115 | 209,751 | 102 | 91.7 | 86.0-97.4 | 13 | 8.3 | 2.6-14.0 |
| 18-24 | 280 | 580,997 | 222 | 79.4 | 72.9-85.9 | 58 | 20.6 | 14.1-27.1 |
| 25-34 | 573 | 836,264 | 465 | 80.9 | 76.8-85.0 | 108 | 19.1 | 15.0-23.2 |
| 35-44 | 646 | 796,854 | 560 | 85.8 | 82.3-89.3 | 86 | 14.2 | 10.7-17.7 |
| 45-54 | 773 | 811,827 | 686 | 89.8 | 87.3-92.3 | 87 | 10.2 | 7.7-12.7 |
| 55-64 | 1027 | 844,452 | 915 | 89.5 | 87.1-91.9 | 112 | 10.5 | 8.1-12.9 |
| 65+ | 1559 | 1,081,396 | 1430 | 90.8 | 88.6-93.0 | 129 | 9.2 | 7.0-11.4 |
| Less Than H.S. | 470 | 687,135 | 401 | 84.7 | 80.6-88.8 | 69 | 15.3 | 11.2-19.4 |
| H.S. or G.E.D. | 1483 | 1,603,097 | 1273 | 82.9 | 80.0-85.8 | 210 | 17.1 | 14.2-20.0 |
| Some Post-H.S. | 1273 | 1,464,809 | 1117 | 88.6 | 86.2-91.0 | 156 | 11.4 | 9.0-13.8 |
| College Graduate | 1616 | 1,179,828 | 1474 | 90.4 | 88.4-92.4 | 142 | 9.6 | 7.6-11.6 |
| Less than \$15,000 | 551 | 531,700 | 479 | 85.7 | 81.4-90.0 | 72 | 14.3 | 10.0-18.6 |
| \$15,000- 24,999 | 786 | 785,294 | 702 | 87.6 | 84.1-91.1 | 84 | 12.4 | 8.9-15.9 |
| \$25,000- 34,999 | 448 | 426,127 | 393 | 86.2 | 81.7-90.7 | 55 | 13.8 | 9.3-18.3 |
| \$35,000- 49,999 | 598 | 613,063 | 521 | 85.8 | 81.9-89.7 | 77 | 14.2 | 10.3-18.1 |
| \$50,000- 74,999 | 607 | 645,509 | 514 | 82.9 | 78.8-87.0 | 93 | 17.1 | 13.0-21.2 |
| \$75,000+ | 1145 | 1,204,973 | 1022 | 88.5 | 86.0-91.0 | 123 | 11.5 | 9.0-14.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2191 | 2,387,072 | 1829 | 82.0 | 79.6-84.4 | 362 | 18.0 | 15.6-20.4 |
| White/Non-Hisp | 1773 | 1,798,270 | 1474 | 81.7 | 79.2-84.2 | 299 | 18.3 | 15.8-20.8 |
| Black or Afr. Am./Non-Hisp | 226 | 361,182 | 190 | 81.7 | 74.8-88.6 | 36 | 18.3 | 11.4-25.2 |
| Oth. Race/Non-Hisp. | 64 | 74,403 | 56 | 84.8 | 68.9- 100 | 8 | 15.2 | 0.0-31.1 |
| MultiRacial/Non-Hisp. | 51 | 23,079 | 46 | 91.7 | 83.5-99.9 | 5 | 8.3 | 0.1-16.5 |
| 18-24 | 155 | 294,556 | 112 | 72.8 | 64.0-81.6 | 43 | 27.2 | 18.4-36.0 |
| 25-34 | 277 | 415,728 | 224 | 80.6 | 74.5-86.7 | 53 | 19.4 | 13.3-25.5 |
| 35-44 | 296 | 398,920 | 236 | 78.5 | 72.4-84.6 | 60 | 21.5 | 15.4-27.6 |
| 45-54 | 369 | 390,357 | 318 | 86.7 | 82.4-91.0 | 51 | 13.3 | 9.0-17.6 |
| 55-64 | 449 | 403,749 | 376 | 84.8 | 80.5-89.1 | 73 | 15.2 | 10.9-19.5 |
| 65+ | 645 | 483,761 | 563 | 85.5 | 81.6-89.4 | 82 | 14.5 | 10.6-18.4 |
| Less Than H.S. | 217 | 337,874 | 169 | 77.0 | 69.9-84.1 | 48 | 23.0 | 15.9-30.1 |
| H.S. or G.E.D. | 671 | 796,372 | 527 | 76.2 | 71.5-80.9 | 144 | 23.8 | 19.1-28.5 |
| Some Post-H.S. | 554 | 684,905 | 468 | 85.7 | 82.2-89.2 | 86 | 14.3 | 10.8-17.8 |
| College Graduate | 742 | 558,681 | 659 | 88.9 | 86.0-91.8 | 83 | 11.1 | 8.2-14.0 |
| Less than \$15,000 | 196 | 221,014 | 160 | 80.1 | 71.9-88.3 | 36 | 19.9 | 11.7-28.1 |
| \$15,000- 24,999 | 301 | 326,332 | 256 | 83.1 | 76.8-89.4 | 45 | 16.9 | 10.6-23.2 |
| \$25,000- 34,999 | 201 | 189,959 | 169 | 81.1 | 73.7-88.5 | 32 | 18.9 | 11.5-26.3 |
| \$35,000- 49,999 | 285 | 295,331 | 232 | 80.3 | 74.2-86.4 | 53 | 19.7 | 13.6-25.8 |
| \$50,000- 74,999 | 306 | 353,180 | 245 | 78.1 | 71.6-84.6 | 61 | 21.9 | 15.4-28.4 |
| \$75,000+ | 634 | 695,188 | 543 | 85.0 | 81.3-88.7 | 91 | 15.0 | 11.3-18.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2667 | 2,564,716 | 2449 | 90.9 | 89.1-92.7 | 218 | 9.1 | 7.3-10.9 |
| White/Non-Hisp | 2140 | 1,936,633 | 1973 | 91.7 | 89.9-93.5 | 167 | 8.3 | 6.5-10.1 |
| Black or Afr. Am./Non-Hisp | 326 | 406,307 | 294 | 86.3 | 79.6-93.0 | 32 | 13.7 | 7.0-20.4 |
| MultiRacial/Non-Hisp. | 53 | 22,353 | 47 | 90.6 | 82.6-98.6 | 6 | 9.4 | 1.4-17.4 |
| Hispanic | 67 | 119,714 | 61 | 95.8 | 91.9-99.7 | 6 | 4.2 | 0.3- 8.1 |
| 18-24 | 125 | 286,440 | 110 | 86.2 | 77.0-95.4 | 15 | 13.8 | 4.6-23.0 |
| 25-34 | 296 | 420,536 | 241 | 81.1 | 75.2-87.0 | 55 | 18.9 | 13.0-24.8 |
| 35-44 | 350 | 397,933 | 324 | 93.2 | 89.9-96.5 | 26 | 6.8 | 3.5-10.1 |
| 45-54 | 404 | 421,470 | 368 | 92.6 | 89.7-95.5 | 36 | 7.4 | 4.5-10.3 |
| 55-64 | 578 | 440,703 | 539 | 93.9 | 91.5-96.3 | 39 | 6.1 | 3.7- 8.5 |
| 65+ | 914 | 597,634 | 867 | 95.0 | 93.0-97.0 | 47 | 5.0 | 3.0- 7.0 |
| Less Than H.S. | 253 | 349,261 | 232 | 92.1 | 88.4-95.8 | 21 | 7.9 | 4.2-11.6 |
| H.S. or G.E.D. | 812 | 806,725 | 746 | 89.6 | 85.9-93.3 | 66 | 10.4 | 6.7-14.1 |
| Some Post-H.S. | 719 | 779,904 | 649 | 91.1 | 88.2-94.0 | 70 | 8.9 | 6.0-11.8 |
| College Graduate | 874 | 621,148 | 815 | 91.7 | 89.0-94.4 | 59 | 8.3 | 5.6-11.0 |
| Less than \$15,000 | 355 | 310,687 | 319 | 89.7 | 85.6-93.8 | 36 | 10.3 | 6.2-14.4 |
| \$15,000- 24,999 | 485 | 458,962 | 446 | 90.9 | 86.8-95.0 | 39 | 9.1 | 5.0-13.2 |
| \$25,000- 34,999 | 247 | 236,168 | 224 | 90.2 | 84.9-95.5 | 23 | 9.8 | 4.5-15.1 |
| \$35,000- 49,999 | 313 | 317,732 | 289 | 90.9 | 86.0-95.8 | 24 | 9.1 | 4.2-14.0 |
| \$50,000- 74,999 | 301 | 292,330 | 269 | 88.9 | 84.2-93.6 | 32 | 11.1 | 6.4-15.8 |
| \$75,000+ | 511 | 509,786 | 479 | 93.3 | 90.0-96.6 | 32 | 6.7 | 3.4-10.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 13: SEATBELT USE**

TABLE 7: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | have driven after having too much to drink | | | Have not driven after having too much to drink | | |
|----------------------------|-------------------|-----------|--|------|------------|--|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2063 | 2,234,787 | 48 | 3.1 | 1.9- 4.3 | 2015 | 96.9 | 95.7-98.1 |
| Male | 1072 | 1,184,349 | 37 | 4.1 | 2.5- 5.7 | 1035 | 95.9 | 94.3-97.5 |
| Female | 991 | 1,050,438 | 11 | 2.0 | 0.2- 3.8 | 980 | 98.0 | 96.2-99.8 |
| White/Non-Hisp | 1668 | 1,706,701 | 37 | 2.8 | 1.6- 4.0 | 1631 | 97.2 | 96.0-98.4 |
| Black or Afr. Am./Non-Hisp | 238 | 357,110 | 4 | 1.9 | 0.0- 4.1 | 234 | 98.1 | 95.9- 100 |
| Hispanic | 53 | 68,888 | 4 | 16.4 | 0.0-36.6 | 49 | 83.6 | 63.4- 100 |
| 18-24 | 155 | 298,547 | 5 | 4.0 | 0.0- 9.3 | 150 | 96.0 | 90.7- 100 |
| 25-34 | 338 | 507,026 | 14 | 4.9 | 2.0- 7.8 | 324 | 95.1 | 92.2-98.0 |
| 35-44 | 334 | 406,997 | 14 | 3.5 | 1.3- 5.7 | 320 | 96.5 | 94.3-98.7 |
| 45-54 | 382 | 400,539 | 10 | 3.2 | 0.7- 5.7 | 372 | 96.8 | 94.3-99.3 |
| 55-64 | 395 | 323,371 | 4 | 1.3 | 0.0- 2.7 | 391 | 98.7 | 97.3- 100 |
| 65+ | 459 | 298,307 | 1 | 0.3 | 0.0- 0.9 | 458 | 99.7 | 99.1- 100 |
| Less Than H.S. | 100 | 164,369 | 2 | 0.5 | 0.0- 1.3 | 98 | 99.5 | 98.7- 100 |
| H.S. or G.E.D. | 487 | 625,859 | 12 | 2.0 | 0.6- 3.4 | 475 | 98.0 | 96.6-99.4 |
| Some Post-H.S. | 555 | 713,394 | 14 | 5.0 | 1.9- 8.1 | 541 | 95.0 | 91.9-98.1 |
| College Graduate | 914 | 724,455 | 20 | 2.7 | 1.3- 4.1 | 894 | 97.3 | 95.9-98.7 |
| Less than \$15,000 | 129 | 140,360 | 3 | 2.7 | 0.0- 5.8 | 126 | 97.3 | 94.2- 100 |
| \$15,000- 24,999 | 244 | 265,214 | 5 | 2.2 | 0.2- 4.2 | 239 | 97.8 | 95.8-99.8 |
| \$25,000- 34,999 | 170 | 163,853 | 5 | 4.7 | 0.0-10.0 | 165 | 95.3 | 90.0- 100 |
| \$35,000- 49,999 | 249 | 277,757 | 8 | 2.3 | 0.5- 4.1 | 241 | 97.7 | 95.9-99.5 |
| \$50,000- 74,999 | 317 | 387,894 | 11 | 6.3 | 1.6-11.0 | 306 | 93.7 | 89.0-98.4 |
| \$75,000+ | 724 | 758,351 | 15 | 2.7 | 1.1- 4.3 | 709 | 97.3 | 95.7-98.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 13: SEATBELT USE**

TABLE 8: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | have driven after having too much to drink | | | Have not driven after having too much to drink | | |
|----------------------------|-------------------|-----------|--|------|------------|--|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1072 | 1,184,349 | 37 | 4.1 | 2.5- 5.7 | 1035 | 95.9 | 94.3-97.5 |
| White/Non-Hisp | 887 | 934,717 | 27 | 3.7 | 1.9- 5.5 | 860 | 96.3 | 94.5-98.1 |
| Black or Afr. Am./Non-Hisp | 100 | 155,566 | 4 | 4.5 | 0.0- 9.4 | 96 | 95.5 | 90.6- 100 |
| 18-24 | 84 | 148,802 | 3 | 1.4 | 0.0- 3.2 | 81 | 98.6 | 96.8- 100 |
| 25-34 | 180 | 264,803 | 11 | 7.7 | 2.6-12.8 | 169 | 92.3 | 87.2-97.4 |
| 35-44 | 166 | 220,329 | 11 | 5.6 | 1.7- 9.5 | 155 | 94.4 | 90.5-98.3 |
| 45-54 | 191 | 195,225 | 8 | 4.5 | 0.8- 8.2 | 183 | 95.5 | 91.8-99.2 |
| 55-64 | 204 | 177,714 | 4 | 2.5 | 0.0- 5.0 | 200 | 97.5 | 95.0- 100 |
| 65+ | 247 | 177,476 | | | | 247 | 100.0 | 100.0- 100 |
| Less Than H.S. | 63 | 100,754 | 2 | 0.9 | 0.0- 2.1 | 61 | 99.1 | 97.9- 100 |
| H.S. or G.E.D. | 276 | 356,746 | 10 | 2.6 | 0.8- 4.4 | 266 | 97.4 | 95.6-99.2 |
| Some Post-H.S. | 288 | 372,115 | 11 | 6.4 | 2.3-10.5 | 277 | 93.6 | 89.5-97.7 |
| College Graduate | 442 | 351,906 | 14 | 4.0 | 1.6- 6.4 | 428 | 96.0 | 93.6-98.4 |
| Less than \$15,000 | 62 | 70,120 | 2 | 2.3 | 0.7- 3.9 | 60 | 97.7 | 96.1-99.3 |
| \$15,000- 24,999 | 104 | 114,894 | 5 | 5.0 | 0.3- 9.7 | 99 | 95.0 | 90.3-99.7 |
| \$25,000- 34,999 | 81 | 68,696 | 4 | 10.9 | 0.0-22.9 | 77 | 89.1 | 77.1- 100 |
| \$35,000- 49,999 | 132 | 141,777 | 5 | 2.9 | 0.2- 5.6 | 127 | 97.1 | 94.4-99.8 |
| \$50,000- 74,999 | 167 | 221,352 | 9 | 7.0 | 1.9-12.1 | 158 | 93.0 | 87.9-98.1 |
| \$75,000+ | 421 | 450,856 | 11 | 2.9 | 0.9- 4.9 | 410 | 97.1 | 95.1-99.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 13: SEATBELT USE**

TABLE 9: DRINKING AND DRIVING (_DRNKDRV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | have driven after having too much to drink | | | Have not driven after having too much to drink | | |
|----------------------------|-------------------|-----------|--|-----|------------|--|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 991 | 1,050,438 | 11 | 2.0 | 0.2- 3.8 | 980 | 98.0 | 96.2-99.8 |
| White/Non-Hisp | 781 | 771,984 | 10 | 1.7 | 0.3- 3.1 | 771 | 98.3 | 96.9-99.7 |
| Black or Afr. Am./Non-Hisp | 138 | 201,544 | | | | 138 | 100.0 | 100.0- 100 |
| 18-24 | 71 | 149,746 | 2 | 6.7 | 0.0-16.9 | 69 | 93.3 | 83.1- 100 |
| 25-34 | 158 | 242,223 | 3 | 1.7 | 0.0- 3.7 | 155 | 98.3 | 96.3- 100 |
| 35-44 | 168 | 186,668 | 3 | 0.9 | 0.0- 2.3 | 165 | 99.1 | 97.7- 100 |
| 45-54 | 191 | 205,314 | 2 | 2.0 | 0.0- 5.3 | 189 | 98.0 | 94.7- 100 |
| 55-64 | 191 | 145,657 | | | | 191 | 100.0 | 100.0- 100 |
| 65+ | 212 | 120,831 | 1 | 0.7 | 0.0- 2.1 | 211 | 99.3 | 97.9- 100 |
| H.S. or G.E.D. | 211 | 269,113 | 2 | 1.3 | 0.0- 3.1 | 209 | 98.7 | 96.9- 100 |
| Some Post-H.S. | 267 | 341,278 | 3 | 3.5 | 0.0- 8.2 | 264 | 96.5 | 91.8- 100 |
| College Graduate | 472 | 372,549 | 6 | 1.5 | 0.1- 2.9 | 466 | 98.5 | 97.1-99.9 |
| Less than \$15,000 | 67 | 70,240 | 1 | 3.1 | 0.0- 9.0 | 66 | 96.9 | 91.0- 100 |
| \$15,000- 24,999 | 140 | 150,320 | | | | 140 | 100.0 | 100.0- 100 |
| \$25,000- 34,999 | 89 | 95,157 | 1 | 0.2 | 0.0- 0.6 | 88 | 99.8 | 99.4- 100 |
| \$35,000- 49,999 | 117 | 135,980 | 3 | 1.7 | 0.0- 4.1 | 114 | 98.3 | 95.9- 100 |
| \$50,000- 74,999 | 150 | 166,542 | 2 | 5.4 | 0.0-14.2 | 148 | 94.6 | 85.8- 100 |
| \$75,000+ | 303 | 307,495 | 4 | 2.3 | 0.0- 4.8 | 299 | 97.7 | 95.2- 100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 14: BREAST/CERVICAL CANCER SCREENING CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| 1 | WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM21) FEMALES ONLY | 139 |
| 2 | WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5022) FEMALES ONLY | 140 |
| 3 | WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP34) FEMALES ONLY | 141 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM21)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1969 | 1,565,183 | 1408 | 71.1 | 68.4-73.8 | 561 | 28.9 | 26.2-31.6 |
| White/Non-Hisp | 1630 | 1,252,311 | 1162 | 71.4 | 68.5-74.3 | 468 | 28.6 | 25.7-31.5 |
| Black or Afr. Am./Non-Hisp | 226 | 221,100 | 182 | 80.7 | 73.6-87.8 | 44 | 19.3 | 12.2-26.4 |
| 40-44 | 165 | 183,272 | 79 | 57.0 | 47.0-67.0 | 86 | 43.0 | 33.0-53.0 |
| 45-54 | 381 | 396,652 | 271 | 69.6 | 63.1-76.1 | 110 | 30.4 | 23.9-36.9 |
| 55-64 | 559 | 421,593 | 423 | 75.9 | 71.0-80.8 | 136 | 24.1 | 19.2-29.0 |
| 65+ | 864 | 563,666 | 635 | 73.2 | 69.3-77.1 | 229 | 26.8 | 22.9-30.7 |
| Less Than H.S. | 216 | 267,067 | 136 | 61.5 | 52.3-70.7 | 80 | 38.5 | 29.3-47.7 |
| H.S. or G.E.D. | 608 | 490,043 | 427 | 71.3 | 66.6-76.0 | 181 | 28.7 | 24.0-33.4 |
| Some Post-H.S. | 521 | 447,295 | 363 | 70.0 | 64.9-75.1 | 158 | 30.0 | 24.9-35.1 |
| College Graduate | 619 | 357,509 | 479 | 79.5 | 75.4-83.6 | 140 | 20.5 | 16.4-24.6 |
| Less than \$15,000 | 283 | 223,048 | 172 | 59.8 | 51.8-67.8 | 111 | 40.2 | 32.2-48.2 |
| \$15,000- 24,999 | 344 | 243,748 | 229 | 62.7 | 55.4-70.0 | 115 | 37.3 | 30.0-44.6 |
| \$25,000- 34,999 | 162 | 129,084 | 106 | 67.3 | 57.1-77.5 | 56 | 32.7 | 22.5-42.9 |
| \$35,000- 49,999 | 237 | 215,383 | 178 | 77.2 | 70.1-84.3 | 59 | 22.8 | 15.7-29.9 |
| \$50,000- 74,999 | 214 | 168,432 | 167 | 79.4 | 72.3-86.5 | 47 | 20.6 | 13.5-27.7 |
| \$75,000+ | 388 | 314,192 | 317 | 81.4 | 76.5-86.3 | 71 | 18.6 | 13.7-23.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5022)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old
Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 | | | 2 | | |
|----------------------------|-------------------|----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1302 | 985,354 | 1001 | 76.4 | 73.1-79.7 | 301 | 23.6 | 20.3-26.9 |
| White/Non-Hisp | 1081 | 793,005 | 825 | 76.3 | 72.8-79.8 | 256 | 23.7 | 20.2-27.2 |
| Black or Afr. Am./Non-Hisp | 155 | 145,207 | 133 | 85.7 | 78.1-93.3 | 22 | 14.3 | 6.7-21.9 |
| 50-54 | 212 | 229,420 | 160 | 73.9 | 65.5-82.3 | 52 | 26.1 | 17.7-34.5 |
| 55-64 | 559 | 421,593 | 423 | 75.9 | 71.0-80.8 | 136 | 24.1 | 19.2-29.0 |
| 65+ | 531 | 334,341 | 418 | 78.7 | 74.2-83.2 | 113 | 21.3 | 16.8-25.8 |
| Less Than H.S. | 139 | 161,082 | 89 | 61.7 | 50.3-73.1 | 50 | 38.3 | 26.9-49.7 |
| H.S. or G.E.D. | 403 | 318,296 | 308 | 77.3 | 72.0-82.6 | 95 | 22.7 | 17.4-28.0 |
| Some Post-H.S. | 364 | 291,307 | 271 | 77.0 | 71.5-82.5 | 93 | 23.0 | 17.5-28.5 |
| College Graduate | 394 | 213,530 | 332 | 85.5 | 81.0-90.0 | 62 | 14.5 | 10.0-19.0 |
| Less than \$15,000 | 188 | 147,458 | 130 | 69.6 | 60.0-79.2 | 58 | 30.4 | 20.8-40.0 |
| \$15,000- 24,999 | 230 | 156,169 | 166 | 67.6 | 59.4-75.8 | 64 | 32.4 | 24.2-40.6 |
| \$25,000- 34,999 | 109 | 85,872 | 74 | 70.3 | 59.1-81.5 | 35 | 29.7 | 18.5-40.9 |
| \$35,000- 49,999 | 159 | 135,099 | 126 | 80.0 | 71.4-88.6 | 33 | 20.0 | 11.4-28.6 |
| \$50,000- 74,999 | 147 | 109,641 | 125 | 88.6 | 83.1-94.1 | 22 | 11.4 | 5.9-16.9 |
| \$75,000+ | 254 | 182,287 | 219 | 86.8 | 81.3-92.3 | 35 | 13.2 | 7.7-18.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 14: BREAST/CERVICAL CANCER SCREENING**

TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP34)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 | | | 2 | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1253 | 1,399,651 | 1007 | 81.5 | 78.6-84.4 | 246 | 18.5 | 15.6-21.4 |
| White/Non-Hisp | 997 | 1,024,113 | 795 | 80.6 | 77.3-83.9 | 202 | 19.4 | 16.1-22.7 |
| Black or Afr. Am./Non-Hisp | 151 | 231,284 | 131 | 86.3 | 79.0-93.6 | 20 | 13.7 | 6.4-21.0 |
| Hispanic | 53 | 97,450 | 42 | 83.5 | 69.2-97.8 | 11 | 16.5 | 2.2-30.8 |
| 18-24 | 84 | 168,290 | 62 | 76.7 | 64.7-88.7 | 22 | 23.3 | 11.3-35.3 |
| 25-34 | 264 | 384,644 | 225 | 85.2 | 79.3-91.1 | 39 | 14.8 | 8.9-20.7 |
| 35-44 | 294 | 330,029 | 248 | 82.5 | 76.2-88.8 | 46 | 17.5 | 11.2-23.8 |
| 45-54 | 261 | 266,066 | 214 | 83.8 | 78.1-89.5 | 47 | 16.2 | 10.5-21.9 |
| 55-64 | 316 | 229,890 | 235 | 75.9 | 70.2-81.6 | 81 | 24.1 | 18.4-29.8 |
| Less Than H.S. | 79 | 125,704 | 51 | 59.5 | 44.0-75.0 | 28 | 40.5 | 25.0-56.0 |
| H.S. or G.E.D. | 320 | 391,718 | 243 | 78.3 | 72.6-84.0 | 77 | 21.7 | 16.0-27.4 |
| Some Post-H.S. | 345 | 448,420 | 268 | 83.1 | 77.8-88.4 | 77 | 16.9 | 11.6-22.2 |
| College Graduate | 506 | 430,312 | 442 | 89.1 | 85.8-92.4 | 64 | 10.9 | 7.6-14.2 |
| Less than \$15,000 | 141 | 133,204 | 95 | 69.1 | 58.5-79.7 | 46 | 30.9 | 20.3-41.5 |
| \$15,000- 24,999 | 204 | 242,704 | 155 | 75.4 | 66.6-84.2 | 49 | 24.6 | 15.8-33.4 |
| \$25,000- 34,999 | 120 | 137,866 | 86 | 67.5 | 55.7-79.3 | 34 | 32.5 | 20.7-44.3 |
| \$35,000- 49,999 | 158 | 187,242 | 132 | 88.3 | 82.6-94.0 | 26 | 11.7 | 6.0-17.4 |
| \$50,000- 74,999 | 179 | 189,440 | 157 | 91.0 | 86.7-95.3 | 22 | 9.0 | 4.7-13.3 |
| \$75,000+ | 306 | 338,302 | 271 | 89.5 | 84.0-95.0 | 35 | 10.5 | 5.0-16.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 15: PROSTATE CANCER SCREENING CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| 1 MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA22) MALES ONLY | 143 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 15: PROSTATE CANCER SCREENING**

TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA22)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
 Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 | | | 2 | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1459 | 1,356,129 | 571 | 33.4 | 30.3-36.5 | 888 | 66.6 | 63.5-69.7 |
| White/Non-Hisp | 1219 | 1,100,300 | 491 | 34.7 | 31.4-38.0 | 728 | 65.3 | 62.0-68.6 |
| Black or Afr. Am./Non-Hisp | 136 | 172,047 | 46 | 31.2 | 20.4-42.0 | 90 | 68.8 | 58.0-79.6 |
| 40-44 | 144 | 210,716 | 14 | 6.2 | 2.5- 9.9 | 130 | 93.8 | 90.1-97.5 |
| 45-54 | 324 | 340,814 | 68 | 20.0 | 13.9-26.1 | 256 | 80.0 | 73.9-86.1 |
| 55-64 | 413 | 368,246 | 163 | 37.7 | 31.8-43.6 | 250 | 62.3 | 56.4-68.2 |
| 65+ | 578 | 436,353 | 326 | 53.2 | 47.7-58.7 | 252 | 46.8 | 41.3-52.3 |
| Less Than H.S. | 172 | 247,100 | 33 | 16.7 | 10.4-23.0 | 139 | 83.3 | 77.0-89.6 |
| H.S. or G.E.D. | 437 | 432,467 | 131 | 29.4 | 23.7-35.1 | 306 | 70.6 | 64.9-76.3 |
| Some Post-H.S. | 335 | 334,631 | 138 | 38.6 | 32.1-45.1 | 197 | 61.4 | 54.9-67.9 |
| College Graduate | 513 | 340,792 | 268 | 45.3 | 39.8-50.8 | 245 | 54.7 | 49.2-60.2 |
| Less than \$15,000 | 139 | 143,401 | 27 | 18.4 | 10.0-26.8 | 112 | 81.6 | 73.2-90.0 |
| \$15,000- 24,999 | 211 | 187,243 | 55 | 25.7 | 17.1-34.3 | 156 | 74.3 | 65.7-82.9 |
| \$25,000- 34,999 | 132 | 116,655 | 51 | 26.1 | 17.1-35.1 | 81 | 73.9 | 64.9-82.9 |
| \$35,000- 49,999 | 183 | 166,072 | 77 | 32.9 | 24.7-41.1 | 106 | 67.1 | 58.9-75.3 |
| \$50,000- 74,999 | 203 | 201,104 | 83 | 30.3 | 22.7-37.9 | 120 | 69.7 | 62.1-77.3 |
| \$75,000+ | 443 | 407,553 | 211 | 43.9 | 37.6-50.2 | 232 | 56.1 | 49.8-62.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

SECTION 16: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | PAGE |
|--|------|
| RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBlds3) | |
| 1 MALES AND FEMALES | 145 |
| 2 MALES ONLY | 146 |
| 3 FEMALES ONLY | 147 |
| RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR) | |
| 4 MALES AND FEMALES | 148 |
| 5 MALES ONLY | 149 |
| 6 FEMALES ONLY | 150 |
| RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR) | |
| 7 MALES AND FEMALES | 151 |
| 8 MALES ONLY | 152 |
| 9 FEMALES ONLY | 153 |
| RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR) | |
| 10 MALES AND FEMALES | 154 |
| 11 MALES ONLY | 155 |
| 12 FEMALES ONLY | 156 |
| RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS) | |
| 13 MALES AND FEMALES | 157 |
| 14 MALES ONLY | 158 |
| 15 FEMALES ONLY | 159 |
| RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC) | |
| 16 MALES AND FEMALES | 160 |
| 17 MALES ONLY | 161 |
| 18 FEMALES ONLY | 162 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2374 | 1,903,770 | 298 | 11.7 | 10.1-13.3 | 2076 | 88.3 | 86.7-89.9 |
| Male | 1053 | 916,955 | 137 | 11.8 | 9.4-14.2 | 916 | 88.2 | 85.8-90.6 |
| Female | 1321 | 986,815 | 161 | 11.6 | 9.2-14.0 | 1160 | 88.4 | 86.0-90.8 |
| White/Non-Hisp | 1970 | 1,545,812 | 249 | 12.1 | 10.3-13.9 | 1721 | 87.9 | 86.1-89.7 |
| Black or Afr. Am./Non-Hisp | 266 | 260,834 | 27 | 8.1 | 4.6-11.6 | 239 | 91.9 | 88.4-95.4 |
| Oth. Race/Non-Hisp. | 53 | 38,818 | 8 | 22.6 | 1.6-43.6 | 45 | 77.4 | 56.4-98.4 |
| 50-54 | 387 | 420,611 | 31 | 6.0 | 2.9- 9.1 | 356 | 94.0 | 90.9-97.1 |
| 55-64 | 991 | 805,896 | 101 | 10.3 | 7.9-12.7 | 890 | 89.7 | 87.3-92.1 |
| 65+ | 996 | 677,263 | 166 | 16.9 | 13.8-20.0 | 830 | 83.1 | 80.0-86.2 |
| Less Than H.S. | 262 | 312,553 | 42 | 16.0 | 10.5-21.5 | 220 | 84.0 | 78.5-89.5 |
| H.S. or G.E.D. | 733 | 610,586 | 92 | 12.3 | 9.4-15.2 | 641 | 87.7 | 84.8-90.6 |
| Some Post-H.S. | 619 | 531,213 | 71 | 10.0 | 7.1-12.9 | 548 | 90.0 | 87.1-92.9 |
| College Graduate | 757 | 447,446 | 93 | 10.1 | 7.6-12.6 | 664 | 89.9 | 87.4-92.4 |
| Less than \$15,000 | 309 | 250,567 | 52 | 19.2 | 12.9-25.5 | 257 | 80.8 | 74.5-87.1 |
| \$15,000- 24,999 | 404 | 304,238 | 69 | 15.2 | 11.1-19.3 | 335 | 84.8 | 80.7-88.9 |
| \$25,000- 34,999 | 205 | 158,634 | 25 | 9.3 | 5.0-13.6 | 180 | 90.7 | 86.4-95.0 |
| \$35,000- 49,999 | 283 | 243,586 | 32 | 9.2 | 5.3-13.1 | 251 | 90.8 | 86.9-94.7 |
| \$50,000- 74,999 | 287 | 227,859 | 21 | 5.5 | 2.8- 8.2 | 266 | 94.5 | 91.8-97.2 |
| \$75,000+ | 559 | 461,598 | 49 | 7.6 | 4.7-10.5 | 510 | 92.4 | 89.5-95.3 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1053 | 916,955 | 137 | 11.8 | 9.4-14.2 | 916 | 88.2 | 85.8-90.6 |
| White/Non-Hisp | 873 | 749,934 | 110 | 12.1 | 9.4-14.8 | 763 | 87.9 | 85.2-90.6 |
| Black or Afr. Am./Non-Hisp | 111 | 119,168 | 13 | 8.8 | 3.1-14.5 | 98 | 91.2 | 85.5-96.9 |
| 50-54 | 178 | 193,121 | 15 | 4.6 | 1.7- 7.5 | 163 | 95.4 | 92.5-98.3 |
| 55-64 | 440 | 395,034 | 49 | 11.0 | 7.5-14.5 | 391 | 89.0 | 85.5-92.5 |
| 65+ | 435 | 328,800 | 73 | 17.0 | 12.1-21.9 | 362 | 83.0 | 78.1-87.9 |
| Less Than H.S. | 122 | 151,824 | 17 | 12.6 | 5.9-19.3 | 105 | 87.4 | 80.7-94.1 |
| H.S. or G.E.D. | 322 | 295,250 | 40 | 12.5 | 8.0-17.0 | 282 | 87.5 | 83.0-92.0 |
| Some Post-H.S. | 243 | 234,811 | 31 | 12.0 | 6.9-17.1 | 212 | 88.0 | 82.9-93.1 |
| College Graduate | 365 | 234,237 | 49 | 10.2 | 6.7-13.7 | 316 | 89.8 | 86.3-93.3 |
| Less than \$15,000 | 122 | 108,311 | 21 | 18.7 | 9.3-28.1 | 101 | 81.3 | 71.9-90.7 |
| \$15,000- 24,999 | 163 | 142,671 | 26 | 14.1 | 7.8-20.4 | 137 | 85.9 | 79.6-92.2 |
| \$25,000- 34,999 | 94 | 72,908 | 15 | 12.3 | 5.0-19.6 | 79 | 87.7 | 80.4-95.0 |
| \$35,000- 49,999 | 120 | 103,738 | 13 | 9.9 | 3.8-16.0 | 107 | 90.1 | 84.0-96.2 |
| \$50,000- 74,999 | 136 | 116,606 | 13 | 6.4 | 2.3-10.5 | 123 | 93.6 | 89.5-97.7 |
| \$75,000+ | 309 | 279,775 | 30 | 8.4 | 4.3-12.5 | 279 | 91.6 | 87.5-95.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFB LDS3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1321 | 986,815 | 161 | 11.6 | 9.4-13.8 | 1160 | 88.4 | 86.2-90.6 |
| White/Non-Hisp | 1097 | 795,879 | 139 | 12.2 | 9.8-14.6 | 958 | 87.8 | 85.4-90.2 |
| Black or Afr. Am./Non-Hisp | 155 | 141,666 | 14 | 7.4 | 2.7-12.1 | 141 | 92.6 | 87.9-97.3 |
| 50-54 | 209 | 227,489 | 16 | 7.2 | 2.1-12.3 | 193 | 92.8 | 87.7-97.9 |
| 55-64 | 551 | 410,862 | 52 | 9.7 | 6.6-12.8 | 499 | 90.3 | 87.2-93.4 |
| 65+ | 561 | 348,463 | 93 | 16.8 | 12.9-20.7 | 468 | 83.2 | 79.3-87.1 |
| Less Than H.S. | 140 | 160,729 | 25 | 19.1 | 10.7-27.5 | 115 | 80.9 | 72.5-89.3 |
| H.S. or G.E.D. | 411 | 315,336 | 52 | 12.1 | 8.2-16.0 | 359 | 87.9 | 84.0-91.8 |
| Some Post-H.S. | 376 | 296,402 | 40 | 8.4 | 5.3-11.5 | 336 | 91.6 | 88.5-94.7 |
| College Graduate | 392 | 213,209 | 44 | 9.9 | 6.0-13.8 | 348 | 90.1 | 86.2-94.0 |
| Less than \$15,000 | 187 | 142,256 | 31 | 19.5 | 10.9-28.1 | 156 | 80.5 | 71.9-89.1 |
| \$15,000- 24,999 | 241 | 161,567 | 43 | 16.2 | 10.5-21.9 | 198 | 83.8 | 78.1-89.5 |
| \$25,000- 34,999 | 111 | 85,725 | 10 | 6.9 | 1.6-12.2 | 101 | 93.1 | 87.8-98.4 |
| \$35,000- 49,999 | 163 | 139,848 | 19 | 8.6 | 3.5-13.7 | 144 | 91.4 | 86.3-96.5 |
| \$50,000- 74,999 | 151 | 111,253 | 8 | 4.6 | 0.9- 8.3 | 143 | 95.4 | 91.7-99.1 |
| \$75,000+ | 250 | 181,823 | 19 | 6.4 | 2.5-10.3 | 231 | 93.6 | 89.7-97.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2309 | 1,853,453 | 1523 | 64.3 | 61.6-67.0 | 786 | 35.7 | 33.0-38.4 |
| Male | 1012 | 878,034 | 652 | 63.1 | 59.2-67.0 | 360 | 36.9 | 33.0-40.8 |
| Female | 1297 | 975,419 | 871 | 65.4 | 61.7-69.1 | 426 | 34.6 | 30.9-38.3 |
| White/Non-Hisp | 1921 | 1,513,879 | 1281 | 66.4 | 63.7-69.1 | 640 | 33.6 | 30.9-36.3 |
| Black or Afr. Am./Non-Hisp | 255 | 246,381 | 162 | 56.7 | 47.9-65.5 | 93 | 43.3 | 34.5-52.1 |
| Oth. Race/Non-Hisp. | 50 | 37,097 | 28 | 48.5 | 27.9-69.1 | 22 | 51.5 | 30.9-72.1 |
| 50-54 | 378 | 413,619 | 157 | 41.9 | 35.0-48.8 | 221 | 58.1 | 51.2-65.0 |
| 55-64 | 972 | 792,868 | 646 | 66.0 | 62.1-69.9 | 326 | 34.0 | 30.1-37.9 |
| 65+ | 959 | 646,966 | 720 | 76.5 | 73.0-80.0 | 239 | 23.5 | 20.0-27.0 |
| Less Than H.S. | 249 | 297,184 | 124 | 51.2 | 43.0-59.4 | 125 | 48.8 | 40.6-57.0 |
| H.S. or G.E.D. | 714 | 598,012 | 449 | 64.5 | 59.8-69.2 | 265 | 35.5 | 30.8-40.2 |
| Some Post-H.S. | 600 | 517,411 | 398 | 66.8 | 61.9-71.7 | 202 | 33.2 | 28.3-38.1 |
| College Graduate | 743 | 438,874 | 551 | 70.3 | 65.8-74.8 | 192 | 29.7 | 25.2-34.2 |
| Less than \$15,000 | 303 | 243,379 | 166 | 52.0 | 44.0-60.0 | 137 | 48.0 | 40.0-56.0 |
| \$15,000- 24,999 | 385 | 290,596 | 230 | 59.8 | 53.1-66.5 | 155 | 40.2 | 33.5-46.9 |
| \$25,000- 34,999 | 205 | 160,016 | 143 | 68.2 | 59.6-76.8 | 62 | 31.8 | 23.2-40.4 |
| \$35,000- 49,999 | 277 | 239,171 | 177 | 60.7 | 52.7-68.7 | 100 | 39.3 | 31.3-47.3 |
| \$50,000- 74,999 | 286 | 226,063 | 203 | 70.0 | 63.1-76.9 | 83 | 30.0 | 23.1-36.9 |
| \$75,000+ | 546 | 445,753 | 407 | 72.2 | 66.9-77.5 | 139 | 27.8 | 22.5-33.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 5: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1012 | 878,034 | 652 | 63.1 | 59.2-67.0 | 360 | 36.9 | 33.0-40.8 |
| White/Non-Hisp | 842 | 723,115 | 552 | 65.2 | 61.1-69.3 | 290 | 34.8 | 30.7-38.9 |
| Black or Afr. Am./Non-Hisp | 105 | 109,474 | 61 | 51.6 | 37.9-65.3 | 44 | 48.4 | 34.7-62.1 |
| 50-54 | 169 | 185,027 | 60 | 40.8 | 30.2-51.4 | 109 | 59.2 | 48.6-69.8 |
| 55-64 | 428 | 382,352 | 276 | 63.7 | 57.8-69.6 | 152 | 36.3 | 30.4-42.2 |
| 65+ | 415 | 310,655 | 316 | 75.8 | 70.1-81.5 | 99 | 24.2 | 18.5-29.9 |
| Less Than H.S. | 114 | 142,423 | 55 | 52.9 | 41.3-64.5 | 59 | 47.1 | 35.5-58.7 |
| H.S. or G.E.D. | 307 | 279,150 | 186 | 63.2 | 55.9-70.5 | 121 | 36.8 | 29.5-44.1 |
| Some Post-H.S. | 234 | 225,950 | 154 | 67.6 | 60.0-75.2 | 80 | 32.4 | 24.8-40.0 |
| College Graduate | 356 | 229,677 | 257 | 65.2 | 58.5-71.9 | 99 | 34.8 | 28.1-41.5 |
| Less than \$15,000 | 117 | 102,570 | 57 | 46.1 | 33.9-58.3 | 60 | 53.9 | 41.7-66.1 |
| \$15,000- 24,999 | 154 | 135,967 | 77 | 50.0 | 39.0-61.0 | 77 | 50.0 | 39.0-61.0 |
| \$25,000- 34,999 | 92 | 71,699 | 64 | 70.9 | 58.9-82.9 | 28 | 29.1 | 17.1-41.1 |
| \$35,000- 49,999 | 116 | 100,938 | 76 | 61.4 | 49.8-73.0 | 40 | 38.6 | 27.0-50.2 |
| \$50,000- 74,999 | 134 | 114,527 | 96 | 67.7 | 57.1-78.3 | 38 | 32.3 | 21.7-42.9 |
| \$75,000+ | 300 | 268,208 | 213 | 70.2 | 63.3-77.1 | 87 | 29.8 | 22.9-36.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 6: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1297 | 975,419 | 871 | 65.4 | 61.7-69.1 | 426 | 34.6 | 30.9-38.3 |
| White/Non-Hisp | 1079 | 790,763 | 729 | 67.5 | 63.8-71.2 | 350 | 32.5 | 28.8-36.2 |
| Black or Afr. Am./Non-Hisp | 150 | 136,907 | 101 | 60.9 | 49.1-72.7 | 49 | 39.1 | 27.3-50.9 |
| 50-54 | 209 | 228,592 | 97 | 42.9 | 33.7-52.1 | 112 | 57.1 | 47.9-66.3 |
| 55-64 | 544 | 410,516 | 370 | 68.3 | 63.0-73.6 | 174 | 31.7 | 26.4-37.0 |
| 65+ | 544 | 336,311 | 404 | 77.2 | 72.7-81.7 | 140 | 22.8 | 18.3-27.3 |
| Less Than H.S. | 135 | 154,761 | 69 | 49.5 | 37.9-61.1 | 66 | 50.5 | 38.9-62.1 |
| H.S. or G.E.D. | 407 | 318,862 | 263 | 65.7 | 59.4-72.0 | 144 | 34.3 | 28.0-40.6 |
| Some Post-H.S. | 366 | 291,461 | 244 | 66.1 | 59.6-72.6 | 122 | 33.9 | 27.4-40.4 |
| College Graduate | 387 | 209,197 | 294 | 75.8 | 69.9-81.7 | 93 | 24.2 | 18.3-30.1 |
| Less than \$15,000 | 186 | 140,809 | 109 | 56.3 | 45.7-66.9 | 77 | 43.7 | 33.1-54.3 |
| \$15,000- 24,999 | 231 | 154,629 | 153 | 68.4 | 60.6-76.2 | 78 | 31.6 | 23.8-39.4 |
| \$25,000- 34,999 | 113 | 88,317 | 79 | 66.1 | 54.1-78.1 | 34 | 33.9 | 21.9-45.9 |
| \$35,000- 49,999 | 161 | 138,233 | 101 | 60.1 | 49.1-71.1 | 60 | 39.9 | 28.9-50.9 |
| \$50,000- 74,999 | 152 | 111,537 | 107 | 72.4 | 63.8-81.0 | 45 | 27.6 | 19.0-36.2 |
| \$75,000+ | 246 | 177,545 | 194 | 75.1 | 66.9-83.3 | 52 | 24.9 | 16.7-33.1 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2374 | 1,903,770 | 494 | 19.7 | 17.5-21.9 | 1880 | 80.3 | 78.1-82.5 |
| Male | 1053 | 916,955 | 217 | 19.2 | 16.3-22.1 | 836 | 80.8 | 77.9-83.7 |
| Female | 1321 | 986,815 | 277 | 20.1 | 17.2-23.0 | 1044 | 79.9 | 77.0-82.8 |
| White/Non-Hisp | 1970 | 1,545,812 | 409 | 20.0 | 17.8-22.2 | 1561 | 80.0 | 77.8-82.2 |
| Black or Afr. Am./Non-Hisp | 266 | 260,834 | 54 | 18.8 | 12.3-25.3 | 212 | 81.2 | 74.7-87.7 |
| Oth. Race/Non-Hisp. | 53 | 38,818 | 11 | 25.0 | 4.2-45.8 | 42 | 75.0 | 54.2-95.8 |
| 50-54 | 387 | 420,611 | 53 | 12.3 | 7.8-16.8 | 334 | 87.7 | 83.2-92.2 |
| 55-64 | 991 | 805,896 | 165 | 16.6 | 13.7-19.5 | 826 | 83.4 | 80.5-86.3 |
| 65+ | 996 | 677,263 | 276 | 28.0 | 24.3-31.7 | 720 | 72.0 | 68.3-75.7 |
| Less Than H.S. | 262 | 312,553 | 67 | 25.0 | 18.5-31.5 | 195 | 75.0 | 68.5-81.5 |
| H.S. or G.E.D. | 733 | 610,586 | 158 | 21.9 | 17.8-26.0 | 575 | 78.1 | 74.0-82.2 |
| Some Post-H.S. | 619 | 531,213 | 120 | 16.9 | 13.2-20.6 | 499 | 83.1 | 79.4-86.8 |
| College Graduate | 757 | 447,446 | 149 | 16.4 | 13.3-19.5 | 608 | 83.6 | 80.5-86.7 |
| Less than \$15,000 | 309 | 250,567 | 84 | 27.7 | 20.8-34.6 | 225 | 72.3 | 65.4-79.2 |
| \$15,000- 24,999 | 404 | 304,238 | 101 | 23.0 | 17.7-28.3 | 303 | 77.0 | 71.7-82.3 |
| \$25,000- 34,999 | 205 | 158,634 | 48 | 21.6 | 14.2-29.0 | 157 | 78.4 | 71.0-85.8 |
| \$35,000- 49,999 | 283 | 243,586 | 58 | 21.4 | 14.7-28.1 | 225 | 78.6 | 71.9-85.3 |
| \$50,000- 74,999 | 287 | 227,859 | 46 | 12.1 | 8.0-16.2 | 241 | 87.9 | 83.8-92.0 |
| \$75,000+ | 559 | 461,598 | 75 | 11.6 | 8.1-15.1 | 484 | 88.4 | 84.9-91.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1053 | 916,955 | 217 | 19.2 | 16.3-22.1 | 836 | 80.8 | 77.9-83.7 |
| White/Non-Hisp | 873 | 749,934 | 180 | 20.6 | 17.1-24.1 | 693 | 79.4 | 75.9-82.9 |
| Black or Afr. Am./Non-Hisp | 111 | 119,168 | 20 | 12.1 | 5.4-18.8 | 91 | 87.9 | 81.2-94.6 |
| 50-54 | 178 | 193,121 | 24 | 9.0 | 4.5-13.5 | 154 | 91.0 | 86.5-95.5 |
| 55-64 | 440 | 395,034 | 75 | 17.3 | 13.0-21.6 | 365 | 82.7 | 78.4-87.0 |
| 65+ | 435 | 328,800 | 118 | 27.6 | 21.9-33.3 | 317 | 72.4 | 66.7-78.1 |
| Less Than H.S. | 122 | 151,824 | 30 | 23.0 | 14.4-31.6 | 92 | 77.0 | 68.4-85.6 |
| H.S. or G.E.D. | 322 | 295,250 | 62 | 19.4 | 13.7-25.1 | 260 | 80.6 | 74.9-86.3 |
| Some Post-H.S. | 243 | 234,811 | 49 | 19.0 | 12.7-25.3 | 194 | 81.0 | 74.7-87.3 |
| College Graduate | 365 | 234,237 | 76 | 16.8 | 12.3-21.3 | 289 | 83.2 | 78.7-87.7 |
| Less than \$15,000 | 122 | 108,311 | 36 | 29.2 | 18.8-39.6 | 86 | 70.8 | 60.4-81.2 |
| \$15,000- 24,999 | 163 | 142,671 | 33 | 21.8 | 13.4-30.2 | 130 | 78.2 | 69.8-86.6 |
| \$25,000- 34,999 | 94 | 72,908 | 26 | 26.4 | 14.4-38.4 | 68 | 73.6 | 61.6-85.6 |
| \$35,000- 49,999 | 120 | 103,738 | 25 | 20.4 | 11.8-29.0 | 95 | 79.6 | 71.0-88.2 |
| \$50,000- 74,999 | 136 | 116,606 | 24 | 13.0 | 6.9-19.1 | 112 | 87.0 | 80.9-93.1 |
| \$75,000+ | 309 | 279,775 | 46 | 12.0 | 7.3-16.7 | 263 | 88.0 | 83.3-92.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1321 | 986,815 | 277 | 20.1 | 17.2-23.0 | 1044 | 79.9 | 77.0-82.8 |
| White/Non-Hisp | 1097 | 795,879 | 229 | 19.4 | 16.5-22.3 | 868 | 80.6 | 77.7-83.5 |
| Black or Afr. Am./Non-Hisp | 155 | 141,666 | 34 | 24.4 | 14.4-34.4 | 121 | 75.6 | 65.6-85.6 |
| 50-54 | 209 | 227,489 | 29 | 15.1 | 7.8-22.4 | 180 | 84.9 | 77.6-92.2 |
| 55-64 | 551 | 410,862 | 90 | 15.9 | 12.0-19.8 | 461 | 84.1 | 80.2-88.0 |
| 65+ | 561 | 348,463 | 158 | 28.4 | 23.5-33.3 | 403 | 71.6 | 66.7-76.5 |
| Less Than H.S. | 140 | 160,729 | 37 | 26.8 | 17.4-36.2 | 103 | 73.2 | 63.8-82.6 |
| H.S. or G.E.D. | 411 | 315,336 | 96 | 24.3 | 18.6-30.0 | 315 | 75.7 | 70.0-81.4 |
| Some Post-H.S. | 376 | 296,402 | 71 | 15.3 | 11.0-19.6 | 305 | 84.7 | 80.4-89.0 |
| College Graduate | 392 | 213,209 | 73 | 15.9 | 11.2-20.6 | 319 | 84.1 | 79.4-88.8 |
| Less than \$15,000 | 187 | 142,256 | 48 | 26.6 | 17.6-35.6 | 139 | 73.4 | 64.4-82.4 |
| \$15,000- 24,999 | 241 | 161,567 | 68 | 24.0 | 17.5-30.5 | 173 | 76.0 | 69.5-82.5 |
| \$25,000- 34,999 | 111 | 85,725 | 22 | 17.6 | 8.6-26.6 | 89 | 82.4 | 73.4-91.4 |
| \$35,000- 49,999 | 163 | 139,848 | 33 | 22.1 | 12.5-31.7 | 130 | 77.9 | 68.3-87.5 |
| \$50,000- 74,999 | 151 | 111,253 | 22 | 11.2 | 5.7-16.7 | 129 | 88.8 | 83.3-94.3 |
| \$75,000+ | 250 | 181,823 | 29 | 10.9 | 5.6-16.2 | 221 | 89.1 | 83.8-94.4 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|-----|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1139 | 933,270 | 29 | 2.0 | 1.2- 2.8 | 1110 | 98.0 | 97.2-98.8 |
| Male | 494 | 442,114 | 12 | 2.0 | 0.6- 3.4 | 482 | 98.0 | 96.6-99.4 |
| Female | 645 | 491,156 | 17 | 2.0 | 0.8- 3.2 | 628 | 98.0 | 96.8-99.2 |
| White/Non-Hisp | 944 | 741,935 | 23 | 1.9 | 0.9- 2.9 | 921 | 98.1 | 97.1-99.1 |
| Black or Afr. Am./Non-Hisp | 124 | 139,399 | 5 | 3.1 | 0.0- 6.4 | 119 | 96.9 | 93.6- 100 |
| 50-54 | 244 | 266,933 | 2 | 0.4 | 0.0- 1.0 | 242 | 99.6 | 99.0- 100 |
| 55-64 | 491 | 406,035 | 9 | 1.4 | 0.2- 2.6 | 482 | 98.6 | 97.4-99.8 |
| 65+ | 404 | 260,301 | 18 | 4.7 | 2.3- 7.1 | 386 | 95.3 | 92.9-97.7 |
| Less Than H.S. | 160 | 194,346 | 3 | 1.3 | 0.0- 2.9 | 157 | 98.7 | 97.1- 100 |
| H.S. or G.E.D. | 367 | 300,538 | 7 | 1.5 | 0.3- 2.7 | 360 | 98.5 | 97.3-99.7 |
| Some Post-H.S. | 289 | 237,348 | 10 | 2.6 | 0.8- 4.4 | 279 | 97.4 | 95.6-99.2 |
| College Graduate | 321 | 199,596 | 9 | 2.8 | 0.3- 5.3 | 312 | 97.2 | 94.7-99.7 |
| Less than \$15,000 | 164 | 131,196 | 1 | 0.2 | 0.0- 0.6 | 163 | 99.8 | 99.4- 100 |
| \$15,000- 24,999 | 218 | 153,338 | 7 | 2.8 | 0.3- 5.3 | 211 | 97.2 | 94.7-99.7 |
| \$25,000- 34,999 | 86 | 71,905 | 1 | 1.0 | 0.0- 3.0 | 85 | 99.0 | 97.0- 100 |
| \$35,000- 49,999 | 137 | 126,327 | 6 | 3.0 | 0.1- 5.9 | 131 | 97.0 | 94.1-99.9 |
| \$50,000- 74,999 | 140 | 119,182 | 1 | 0.7 | 0.0- 2.1 | 139 | 99.3 | 97.9- 100 |
| \$75,000+ | 242 | 211,807 | 6 | 2.5 | 0.1- 4.9 | 236 | 97.5 | 95.1-99.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|-----|------------|---------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 494 | 442,114 | 12 | 2.0 | 0.6- 3.4 | 482 | 98.0 | 96.6-99.4 |
| White/Non-Hisp | 407 | 353,206 | 7 | 1.3 | 0.1- 2.5 | 400 | 98.7 | 97.5-99.9 |
| Black or Afr. Am./Non-Hisp | 55 | 67,143 | 4 | 6.3 | 0.0-13.0 | 51 | 93.7 | 87.0- 100 |
| 50-54 | 117 | 125,354 | 2 | 0.8 | 0.0- 2.0 | 115 | 99.2 | 98.0- 100 |
| 55-64 | 222 | 198,069 | 6 | 2.4 | 0.0- 4.8 | 216 | 97.6 | 95.2- 100 |
| 65+ | 155 | 118,691 | 4 | 2.7 | 0.0- 5.6 | 151 | 97.3 | 94.4- 100 |
| Less Than H.S. | 72 | 91,641 | | | | 72 | 100.0 | 100.0- 100 |
| H.S. or G.E.D. | 164 | 142,144 | 4 | 1.2 | 0.0- 2.4 | 160 | 98.8 | 97.6- 100 |
| Some Post-H.S. | 106 | 100,296 | 4 | 3.8 | 0.1- 7.5 | 102 | 96.2 | 92.5-99.9 |
| College Graduate | 151 | 107,199 | 4 | 3.2 | 0.0- 7.3 | 147 | 96.8 | 92.7- 100 |
| Less than \$15,000 | 69 | 60,071 | | | | 69 | 100.0 | 100.0- 100 |
| \$15,000- 24,999 | 93 | 78,455 | 2 | 0.5 | 0.0- 1.3 | 91 | 99.5 | 98.7- 100 |
| \$35,000- 49,999 | 56 | 51,196 | 2 | 3.2 | 0.0- 8.5 | 54 | 96.8 | 91.5- 100 |
| \$50,000- 74,999 | 67 | 66,278 | 1 | 1.2 | 0.0- 3.6 | 66 | 98.8 | 96.4- 100 |
| \$75,000+ | 131 | 125,420 | 3 | 2.6 | 0.0- 6.1 | 128 | 97.4 | 93.9- 100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|-----|------------|---------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 645 | 491,156 | 17 | 2.0 | 0.8- 3.2 | 628 | 98.0 | 96.8-99.2 |
| White/Non-Hisp | 537 | 388,729 | 16 | 2.5 | 1.1- 3.9 | 521 | 97.5 | 96.1-98.9 |
| Black or Afr. Am./Non-Hisp | 69 | 72,256 | 1 | 0.2 | 0.0- 0.6 | 68 | 99.8 | 99.4- 100 |
| 50-54 | 127 | 141,579 | | | | 127 | 100.0 | 100.0- 100 |
| 55-64 | 269 | 207,966 | 3 | 0.4 | 0.0- 0.8 | 266 | 99.6 | 99.2- 100 |
| 65+ | 249 | 141,611 | 14 | 6.4 | 2.7-10.1 | 235 | 93.6 | 89.9-97.3 |
| Less Than H.S. | 88 | 102,705 | 3 | 2.4 | 0.0- 5.3 | 85 | 97.6 | 94.7- 100 |
| H.S. or G.E.D. | 203 | 158,394 | 3 | 1.8 | 0.0- 3.8 | 200 | 98.2 | 96.2- 100 |
| Some Post-H.S. | 183 | 137,052 | 6 | 1.8 | 0.2- 3.4 | 177 | 98.2 | 96.6-99.8 |
| College Graduate | 170 | 92,396 | 5 | 2.3 | 0.0- 5.0 | 165 | 97.7 | 95.0- 100 |
| Less than \$15,000 | 95 | 71,125 | 1 | 0.4 | 0.0- 1.2 | 94 | 99.6 | 98.8- 100 |
| \$15,000- 24,999 | 125 | 74,883 | 5 | 5.2 | 0.3-10.1 | 120 | 94.8 | 89.9-99.7 |
| \$25,000- 34,999 | 51 | 43,900 | | | | 51 | 100.0 | 100.0- 100 |
| \$35,000- 49,999 | 81 | 75,131 | 4 | 2.8 | 0.0- 6.1 | 77 | 97.2 | 93.9- 100 |
| \$50,000- 74,999 | 73 | 52,903 | | | | 73 | 100.0 | 100.0- 100 |
| \$75,000+ | 111 | 86,387 | 3 | 2.3 | 0.0- 5.2 | 108 | 97.7 | 94.8- 100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|-----|------------|---------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2115 | 1,720,310 | 9 | 0.4 | 0.2- 0.6 | 2106 | 99.6 | 99.4-99.8 |
| Male | 930 | 821,635 | 4 | 0.3 | 0.0- 0.7 | 926 | 99.7 | 99.3- 100 |
| Female | 1185 | 898,675 | 5 | 0.4 | 0.0- 0.8 | 1180 | 99.6 | 99.2- 100 |
| White/Non-Hisp | 1762 | 1,396,688 | 7 | 0.3 | 0.1- 0.5 | 1755 | 99.7 | 99.5-99.9 |
| Black or Afr. Am./Non-Hisp | 231 | 232,822 | 1 | 0.6 | 0.0- 1.8 | 230 | 99.4 | 98.2- 100 |
| 50-54 | 367 | 409,279 | 1 | 0.0 | 0.0- 0.0 | 366 | 100.0 | 100.0- 100 |
| 55-64 | 913 | 742,194 | 1 | 0.0 | 0.0- 0.0 | 912 | 100.0 | 100.0- 100 |
| 65+ | 835 | 568,836 | 7 | 1.0 | 0.2- 1.8 | 828 | 99.0 | 98.2-99.8 |
| Less Than H.S. | 236 | 285,080 | 2 | 0.5 | 0.0- 1.3 | 234 | 99.5 | 98.7- 100 |
| H.S. or G.E.D. | 652 | 542,886 | 3 | 0.4 | 0.0- 0.8 | 649 | 99.6 | 99.2- 100 |
| Some Post-H.S. | 555 | 487,293 | 2 | 0.4 | 0.0- 1.0 | 553 | 99.6 | 99.0- 100 |
| College Graduate | 669 | 403,078 | 2 | 0.2 | 0.0- 0.4 | 667 | 99.8 | 99.6- 100 |
| Less than \$15,000 | 266 | 219,835 | | | | 266 | 100.0 | 100.0- 100 |
| \$15,000- 24,999 | 363 | 273,902 | 3 | 0.6 | 0.0- 1.4 | 360 | 99.4 | 98.6- 100 |
| \$25,000- 34,999 | 177 | 138,459 | | | | 177 | 100.0 | 100.0- 100 |
| \$35,000- 49,999 | 254 | 221,619 | 4 | 1.5 | 0.0- 3.1 | 250 | 98.5 | 96.9- 100 |
| \$50,000- 74,999 | 258 | 209,946 | | | | 258 | 100.0 | 100.0- 100 |
| \$75,000+ | 511 | 432,997 | 1 | 0.1 | 0.0- 0.3 | 510 | 99.9 | 99.7- 100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
 SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|-----|------------|---------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 930 | 821,635 | 4 | 0.3 | 0.0- 0.7 | 926 | 99.7 | 99.3- 100 |
| White/Non-Hisp | 773 | 665,712 | 2 | 0.2 | 0.0- 0.4 | 771 | 99.8 | 99.6- 100 |
| Black or Afr. Am./Non-Hisp | 99 | 111,636 | 1 | 1.2 | 0.0- 3.6 | 98 | 98.8 | 96.4- 100 |
| 50-54 | 169 | 189,301 | 1 | 0.1 | 0.0- 0.3 | 168 | 99.9 | 99.7- 100 |
| 55-64 | 403 | 359,318 | | | | 403 | 100.0 | 100.0- 100 |
| 65+ | 358 | 273,016 | 3 | 0.9 | 0.0- 2.1 | 355 | 99.1 | 97.9- 100 |
| Less Than H.S. | 110 | 137,400 | | | | 110 | 100.0 | 100.0- 100 |
| H.S. or G.E.D. | 287 | 260,739 | 1 | 0.1 | 0.0- 0.3 | 286 | 99.9 | 99.7- 100 |
| Some Post-H.S. | 213 | 210,361 | 2 | 1.0 | 0.0- 2.6 | 211 | 99.0 | 97.4- 100 |
| College Graduate | 319 | 212,302 | 1 | 0.1 | 0.0- 0.3 | 318 | 99.9 | 99.7- 100 |
| Less than \$15,000 | 103 | 92,119 | | | | 103 | 100.0 | 100.0- 100 |
| \$15,000- 24,999 | 148 | 127,669 | 1 | 0.1 | 0.0- 0.3 | 147 | 99.9 | 99.7- 100 |
| \$25,000- 34,999 | 77 | 58,812 | | | | 77 | 100.0 | 100.0- 100 |
| \$35,000- 49,999 | 105 | 92,791 | 2 | 1.8 | 0.0- 4.7 | 103 | 98.2 | 95.3- 100 |
| \$50,000- 74,999 | 120 | 106,556 | | | | 120 | 100.0 | 100.0- 100 |
| \$75,000+ | 281 | 264,186 | | | | 281 | 100.0 | 100.0- 100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|-----|------------|---------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1185 | 898,675 | 5 | 0.4 | 0.0- 0.8 | 1180 | 99.6 | 99.2- 100 |
| White/Non-Hisp | 989 | 730,975 | 5 | 0.5 | 0.1- 0.9 | 984 | 99.5 | 99.1-99.9 |
| Black or Afr. Am./Non-Hisp | 132 | 121,187 | | | | 132 | 100.0 | 100.0- 100 |
| 50-54 | 198 | 219,978 | | | | 198 | 100.0 | 100.0- 100 |
| 55-64 | 510 | 382,876 | 1 | 0.1 | 0.0- 0.3 | 509 | 99.9 | 99.7- 100 |
| 65+ | 477 | 295,821 | 4 | 1.1 | 0.0- 2.3 | 473 | 98.9 | 97.7- 100 |
| Less Than H.S. | 126 | 147,680 | 2 | 0.9 | 0.0- 2.3 | 124 | 99.1 | 97.7- 100 |
| H.S. or G.E.D. | 365 | 282,147 | 2 | 0.6 | 0.0- 1.4 | 363 | 99.4 | 98.6- 100 |
| Some Post-H.S. | 342 | 276,932 | | | | 342 | 100.0 | 100.0- 100 |
| College Graduate | 350 | 190,776 | 1 | 0.3 | 0.0- 0.9 | 349 | 99.7 | 99.1- 100 |
| Less than \$15,000 | 163 | 127,716 | | | | 163 | 100.0 | 100.0- 100 |
| \$15,000- 24,999 | 215 | 146,234 | 2 | 0.9 | 0.0- 2.3 | 213 | 99.1 | 97.7- 100 |
| \$25,000- 34,999 | 100 | 79,647 | | | | 100 | 100.0 | 100.0- 100 |
| \$35,000- 49,999 | 149 | 128,828 | 2 | 1.4 | 0.0- 3.4 | 147 | 98.6 | 96.6- 100 |
| \$50,000- 74,999 | 138 | 103,390 | | | | 138 | 100.0 | 100.0- 100 |
| \$75,000+ | 230 | 168,811 | 1 | 0.3 | 0.0- 0.9 | 229 | 99.7 | 99.1- 100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|-----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 2327 | 1,869,266 | 1645 | 69.1 | 66.6-71.6 | 682 | 30.9 | 28.4-33.4 |
| Male | 1026 | 892,049 | 713 | 68.1 | 64.4-71.8 | 313 | 31.9 | 28.2-35.6 |
| Female | 1301 | 977,217 | 932 | 70.1 | 66.6-73.6 | 369 | 29.9 | 26.4-33.4 |
| White/Non-Hisp | 1934 | 1,525,247 | 1380 | 71.1 | 68.4-73.8 | 554 | 28.9 | 26.2-31.6 |
| Black or Afr. Am./Non-Hisp | 257 | 249,826 | 173 | 60.4 | 51.6-69.2 | 84 | 39.6 | 30.8-48.4 |
| Oth. Race/Non-Hisp. | 51 | 37,277 | 33 | 65.3 | 47.1-83.5 | 18 | 34.7 | 16.5-52.9 |
| 50-54 | 381 | 415,604 | 175 | 45.8 | 38.9-52.7 | 206 | 54.2 | 47.3-61.1 |
| 55-64 | 975 | 794,747 | 689 | 70.4 | 66.7-74.1 | 286 | 29.6 | 25.9-33.3 |
| 65+ | 971 | 658,916 | 781 | 82.3 | 79.2-85.4 | 190 | 17.7 | 14.6-20.8 |
| Less Than H.S. | 256 | 304,385 | 145 | 59.3 | 51.5-67.1 | 111 | 40.7 | 32.9-48.5 |
| H.S. or G.E.D. | 720 | 605,738 | 486 | 68.5 | 63.8-73.2 | 234 | 31.5 | 26.8-36.2 |
| Some Post-H.S. | 602 | 517,016 | 430 | 72.1 | 67.4-76.8 | 172 | 27.9 | 23.2-32.6 |
| College Graduate | 746 | 440,155 | 583 | 73.5 | 69.0-78.0 | 163 | 26.5 | 22.0-31.0 |
| Less than \$15,000 | 305 | 245,223 | 188 | 62.5 | 54.9-70.1 | 117 | 37.5 | 29.9-45.1 |
| \$15,000- 24,999 | 391 | 293,856 | 262 | 65.9 | 59.4-72.4 | 129 | 34.1 | 27.6-40.6 |
| \$25,000- 34,999 | 206 | 160,492 | 152 | 71.1 | 62.7-79.5 | 54 | 28.9 | 20.5-37.3 |
| \$35,000- 49,999 | 281 | 242,599 | 194 | 64.5 | 56.7-72.3 | 87 | 35.5 | 27.7-43.3 |
| \$50,000- 74,999 | 286 | 226,063 | 211 | 71.9 | 65.0-78.8 | 75 | 28.1 | 21.2-35.0 |
| \$75,000+ | 549 | 450,302 | 418 | 74.1 | 69.0-79.2 | 131 | 25.9 | 20.8-31.0 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1026 | 892,049 | 713 | 68.1 | 64.4-71.8 | 313 | 31.9 | 28.2-35.6 |
| White/Non-Hisp | 853 | 735,057 | 602 | 70.2 | 66.3-74.1 | 251 | 29.8 | 25.9-33.7 |
| Black or Afr. Am./Non-Hisp | 106 | 110,815 | 66 | 55.9 | 42.4-69.4 | 40 | 44.1 | 30.6-57.6 |
| 50-54 | 172 | 187,011 | 72 | 44.7 | 34.3-55.1 | 100 | 55.3 | 44.9-65.7 |
| 55-64 | 431 | 387,012 | 295 | 68.0 | 62.3-73.7 | 136 | 32.0 | 26.3-37.7 |
| 65+ | 423 | 318,026 | 346 | 81.9 | 77.0-86.8 | 77 | 18.1 | 13.2-23.0 |
| Less Than H.S. | 118 | 146,163 | 64 | 58.2 | 47.0-69.4 | 54 | 41.8 | 30.6-53.0 |
| H.S. or G.E.D. | 312 | 286,029 | 203 | 67.4 | 60.5-74.3 | 109 | 32.6 | 25.7-39.5 |
| Some Post-H.S. | 237 | 228,614 | 169 | 74.0 | 67.1-80.9 | 68 | 26.0 | 19.1-32.9 |
| College Graduate | 358 | 230,410 | 277 | 69.6 | 63.1-76.1 | 81 | 30.4 | 23.9-36.9 |
| Less than \$15,000 | 119 | 104,414 | 67 | 55.2 | 43.4-67.0 | 52 | 44.8 | 33.0-56.6 |
| \$15,000- 24,999 | 158 | 138,377 | 90 | 56.2 | 45.4-67.0 | 68 | 43.8 | 33.0-54.6 |
| \$25,000- 34,999 | 93 | 72,174 | 72 | 76.8 | 65.6-88.0 | 21 | 23.2 | 12.0-34.4 |
| \$35,000- 49,999 | 118 | 102,589 | 82 | 65.7 | 54.5-76.9 | 36 | 34.3 | 23.1-45.5 |
| \$50,000- 74,999 | 134 | 114,527 | 101 | 70.3 | 59.7-80.9 | 33 | 29.7 | 19.1-40.3 |
| \$75,000+ | 302 | 272,209 | 220 | 72.6 | 66.1-79.1 | 82 | 27.4 | 20.9-33.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 16: COLORECTAL CANCER SCREENING**

TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Not At Risk | | | At Risk | | |
|----------------------------|-------------------|----------|-------------|------|------------|---------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1301 | 977,217 | 932 | 70.1 | 66.6-73.6 | 369 | 29.9 | 26.4-33.4 |
| White/Non-Hisp | 1081 | 790,190 | 778 | 71.9 | 68.4-75.4 | 303 | 28.1 | 24.6-31.6 |
| Black or Afr. Am./Non-Hisp | 151 | 139,012 | 107 | 64.0 | 52.4-75.6 | 44 | 36.0 | 24.4-47.6 |
| 50-54 | 209 | 228,592 | 103 | 46.6 | 37.2-56.0 | 106 | 53.4 | 44.0-62.8 |
| 55-64 | 544 | 407,734 | 394 | 72.7 | 67.6-77.8 | 150 | 27.3 | 22.2-32.4 |
| 65+ | 548 | 340,890 | 435 | 82.8 | 79.1-86.5 | 113 | 17.2 | 13.5-20.9 |
| Less Than H.S. | 138 | 158,222 | 81 | 60.4 | 49.2-71.6 | 57 | 39.6 | 28.4-50.8 |
| H.S. or G.E.D. | 408 | 319,709 | 283 | 69.5 | 63.2-75.8 | 125 | 30.5 | 24.2-36.8 |
| Some Post-H.S. | 365 | 288,402 | 261 | 70.6 | 64.3-76.9 | 104 | 29.4 | 23.1-35.7 |
| College Graduate | 388 | 209,745 | 306 | 77.7 | 72.0-83.4 | 82 | 22.3 | 16.6-28.0 |
| Less than \$15,000 | 186 | 140,809 | 121 | 68.0 | 58.4-77.6 | 65 | 32.0 | 22.4-41.6 |
| \$15,000- 24,999 | 233 | 155,479 | 172 | 74.5 | 67.1-81.9 | 61 | 25.5 | 18.1-32.9 |
| \$25,000- 34,999 | 113 | 88,317 | 80 | 66.5 | 54.5-78.5 | 33 | 33.5 | 21.5-45.5 |
| \$35,000- 49,999 | 163 | 140,010 | 112 | 63.7 | 52.9-74.5 | 51 | 36.3 | 25.5-47.1 |
| \$50,000- 74,999 | 152 | 111,537 | 110 | 73.5 | 64.9-82.1 | 42 | 26.5 | 17.9-35.1 |
| \$75,000+ | 247 | 178,093 | 198 | 76.3 | 68.1-84.5 | 49 | 23.7 | 15.5-31.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018

SECTION 17: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3) | |
| 1 | MALES AND FEMALES | 164 |
| 2 | MALES ONLY | 165 |
| 3 | FEMALES ONLY | 166 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 17: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4519 | 4,638,438 | 1519 | 37.3 | 35.3-39.3 | 3000 | 62.7 | 60.7-64.7 |
| Male | 2056 | 2,257,398 | 681 | 36.1 | 33.2-39.0 | 1375 | 63.9 | 61.0-66.8 |
| Female | 2463 | 2,381,040 | 838 | 38.5 | 35.8-41.2 | 1625 | 61.5 | 58.8-64.2 |
| White/Non-Hisp | 3627 | 3,482,744 | 1058 | 31.0 | 28.8-33.2 | 2569 | 69.0 | 66.8-71.2 |
| Black or Afr. Am./Non-Hisp | 523 | 721,419 | 293 | 63.4 | 57.7-69.1 | 230 | 36.6 | 30.9-42.3 |
| Oth. Race/Non-Hisp. | 106 | 118,895 | 43 | 43.1 | 29.0-57.2 | 63 | 56.9 | 42.8-71.0 |
| MultiRacial/Non-Hisp. | 99 | 43,979 | 49 | 54.6 | 42.1-67.1 | 50 | 45.4 | 32.9-57.9 |
| Hispanic | 112 | 206,923 | 53 | 41.8 | 29.1-54.5 | 59 | 58.2 | 45.5-70.9 |
| 18-24 | 267 | 557,716 | 84 | 33.2 | 25.6-40.8 | 183 | 66.8 | 59.2-74.4 |
| 25-34 | 545 | 799,323 | 264 | 54.4 | 48.9-59.9 | 281 | 45.6 | 40.1-51.1 |
| 35-44 | 607 | 746,072 | 318 | 52.7 | 47.4-58.0 | 289 | 47.3 | 42.0-52.6 |
| 45-54 | 728 | 770,610 | 325 | 43.5 | 38.6-48.4 | 403 | 56.5 | 51.6-61.4 |
| 55-64 | 963 | 790,622 | 285 | 28.6 | 24.9-32.3 | 678 | 71.4 | 67.7-75.1 |
| 65+ | 1409 | 974,095 | 243 | 16.1 | 13.6-18.6 | 1166 | 83.9 | 81.4-86.4 |
| Less Than H.S. | 443 | 646,071 | 134 | 30.2 | 24.3-36.1 | 309 | 69.8 | 63.9-75.7 |
| H.S. or G.E.D. | 1370 | 1,499,957 | 432 | 36.6 | 32.9-40.3 | 938 | 63.4 | 59.7-67.1 |
| Some Post-H.S. | 1185 | 1,362,656 | 453 | 42.5 | 38.6-46.4 | 732 | 57.5 | 53.6-61.4 |
| College Graduate | 1508 | 1,114,805 | 494 | 36.1 | 32.8-39.4 | 1014 | 63.9 | 60.6-67.2 |
| Less than \$15,000 | 519 | 496,180 | 207 | 38.4 | 32.5-44.3 | 312 | 61.6 | 55.7-67.5 |
| \$15,000- 24,999 | 734 | 733,108 | 274 | 43.0 | 37.5-48.5 | 460 | 57.0 | 51.5-62.5 |
| \$25,000- 34,999 | 414 | 386,730 | 131 | 36.8 | 30.3-43.3 | 283 | 63.2 | 56.7-69.7 |
| \$35,000- 49,999 | 562 | 584,376 | 180 | 37.2 | 31.5-42.9 | 382 | 62.8 | 57.1-68.5 |
| \$50,000- 74,999 | 575 | 615,223 | 196 | 39.3 | 33.6-45.0 | 379 | 60.7 | 55.0-66.4 |
| \$75,000+ | 1070 | 1,133,707 | 346 | 35.7 | 31.8-39.6 | 724 | 64.3 | 60.4-68.2 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2056 | 2,257,398 | 681 | 36.1 | 33.4-38.8 | 1375 | 63.9 | 61.2-66.6 |
| White/Non-Hisp | 1655 | 1,688,817 | 468 | 29.7 | 26.8-32.6 | 1187 | 70.3 | 67.4-73.2 |
| Black or Afr. Am./Non-Hisp | 219 | 346,653 | 132 | 62.7 | 54.1-71.3 | 87 | 37.3 | 28.7-45.9 |
| Oth. Race/Non-Hisp. | 60 | 72,241 | 22 | 40.0 | 21.6-58.4 | 38 | 60.0 | 41.6-78.4 |
| 18-24 | 148 | 281,664 | 41 | 26.1 | 17.3-34.9 | 107 | 73.9 | 65.1-82.7 |
| 25-34 | 271 | 405,481 | 115 | 50.6 | 43.0-58.2 | 156 | 49.4 | 41.8-57.0 |
| 35-44 | 280 | 377,849 | 134 | 48.9 | 41.1-56.7 | 146 | 51.1 | 43.3-58.9 |
| 45-54 | 351 | 377,471 | 155 | 41.9 | 35.0-48.8 | 196 | 58.1 | 51.2-65.0 |
| 55-64 | 425 | 385,705 | 120 | 28.2 | 22.7-33.7 | 305 | 71.8 | 66.3-77.3 |
| 65+ | 581 | 429,228 | 116 | 19.7 | 15.6-23.8 | 465 | 80.3 | 76.2-84.4 |
| Less Than H.S. | 205 | 319,091 | 65 | 33.9 | 25.3-42.5 | 140 | 66.1 | 57.5-74.7 |
| H.S. or G.E.D. | 620 | 748,714 | 211 | 34.5 | 29.4-39.6 | 409 | 65.5 | 60.4-70.6 |
| Some Post-H.S. | 520 | 646,072 | 188 | 42.3 | 36.6-48.0 | 332 | 57.7 | 52.0-63.4 |
| College Graduate | 704 | 534,280 | 214 | 32.0 | 27.5-36.5 | 490 | 68.0 | 63.5-72.5 |
| Less than \$15,000 | 187 | 208,407 | 75 | 31.5 | 22.9-40.1 | 112 | 68.5 | 59.9-77.1 |
| \$15,000- 24,999 | 281 | 302,133 | 106 | 42.4 | 34.0-50.8 | 175 | 57.6 | 49.2-66.0 |
| \$25,000- 34,999 | 191 | 180,049 | 60 | 33.0 | 24.0-42.0 | 131 | 67.0 | 58.0-76.0 |
| \$35,000- 49,999 | 268 | 281,108 | 87 | 36.8 | 28.8-44.8 | 181 | 63.2 | 55.2-71.2 |
| \$50,000- 74,999 | 290 | 339,393 | 98 | 38.8 | 31.2-46.4 | 192 | 61.2 | 53.6-68.8 |
| \$75,000+ | 603 | 663,465 | 179 | 33.4 | 28.3-38.5 | 424 | 66.6 | 61.5-71.7 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018
SECTION 17: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2463 | 2,381,040 | 838 | 38.5 | 35.8-41.2 | 1625 | 61.5 | 58.8-64.2 |
| White/Non-Hisp | 1972 | 1,793,927 | 590 | 32.2 | 29.3-35.1 | 1382 | 67.8 | 64.9-70.7 |
| Black or Afr. Am./Non-Hisp | 304 | 374,766 | 161 | 63.9 | 56.5-71.3 | 143 | 36.1 | 28.7-43.5 |
| MultiRacial/Non-Hisp. | 50 | 21,793 | 23 | 57.7 | 40.6-74.8 | 27 | 42.3 | 25.2-59.4 |
| Hispanic | 65 | 117,138 | 33 | 41.8 | 24.0-59.6 | 32 | 58.2 | 40.4-76.0 |
| 18-24 | 119 | 276,052 | 43 | 40.5 | 28.2-52.8 | 76 | 59.5 | 47.2-71.8 |
| 25-34 | 274 | 393,842 | 149 | 58.3 | 50.7-65.9 | 125 | 41.7 | 34.1-49.3 |
| 35-44 | 327 | 368,223 | 184 | 56.7 | 49.4-64.0 | 143 | 43.3 | 36.0-50.6 |
| 45-54 | 377 | 393,139 | 170 | 45.1 | 38.4-51.8 | 207 | 54.9 | 48.2-61.6 |
| 55-64 | 538 | 404,916 | 165 | 29.1 | 24.2-34.0 | 373 | 70.9 | 66.0-75.8 |
| 65+ | 828 | 544,868 | 127 | 13.3 | 10.4-16.2 | 701 | 86.7 | 83.8-89.6 |
| Less Than H.S. | 238 | 326,979 | 69 | 26.6 | 18.8-34.4 | 169 | 73.4 | 65.6-81.2 |
| H.S. or G.E.D. | 750 | 751,243 | 221 | 38.6 | 33.3-43.9 | 529 | 61.4 | 56.1-66.7 |
| Some Post-H.S. | 665 | 716,585 | 265 | 42.6 | 37.1-48.1 | 400 | 57.4 | 51.9-62.9 |
| College Graduate | 804 | 580,525 | 280 | 39.8 | 35.1-44.5 | 524 | 60.2 | 55.5-64.9 |
| Less than \$15,000 | 332 | 287,773 | 132 | 43.5 | 35.9-51.1 | 200 | 56.5 | 48.9-64.1 |
| \$15,000- 24,999 | 453 | 430,974 | 168 | 43.5 | 36.4-50.6 | 285 | 56.5 | 49.4-63.6 |
| \$25,000- 34,999 | 223 | 206,681 | 71 | 40.1 | 30.9-49.3 | 152 | 59.9 | 50.7-69.1 |
| \$35,000- 49,999 | 294 | 303,268 | 93 | 37.7 | 29.7-45.7 | 201 | 62.3 | 54.3-70.3 |
| \$50,000- 74,999 | 285 | 275,830 | 98 | 40.0 | 31.8-48.2 | 187 | 60.0 | 51.8-68.2 |
| \$75,000+ | 467 | 470,241 | 167 | 38.8 | 32.5-45.1 | 300 | 61.2 | 54.9-67.5 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2018**

End of Calculated Variable Data Report