


TENNESSEE

2019 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2020



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST) | |
| 1 | MALES AND FEMALES | 3 |
| 2 | MALES ONLY | 4 |
| 3 | FEMALES ONLY | 5 |
| | HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1) | |
| 4 | MALES AND FEMALES | 6 |
| 5 | MALES ONLY | 7 |
| 6 | FEMALES ONLY | 8 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4571 | 3,944,396 | 2766 | 54.5 | 52.3-56.7 | 1805 | 45.5 | 43.3-47.7 |
| Male | 1961 | 1,864,619 | 1140 | 51.5 | 48.4-54.6 | 821 | 48.5 | 45.4-51.6 |
| Female | 2610 | 2,079,777 | 1626 | 57.2 | 54.5-59.9 | 984 | 42.8 | 40.1-45.5 |
| White/Non-Hisp | 3679 | 2,949,536 | 2249 | 55.3 | 52.9-57.7 | 1430 | 44.7 | 42.3-47.1 |
| Black or Afr. Am./Non-Hisp | 505 | 596,837 | 298 | 54.9 | 49.0-60.8 | 207 | 45.1 | 39.2-51.0 |
| Oth. Race/Non-Hisp. | 119 | 98,850 | 62 | 43.9 | 31.0-56.8 | 57 | 56.1 | 43.2-69.0 |
| MultiRacial/Non-Hisp. | 70 | 30,566 | 46 | 65.3 | 48.4-82.2 | 24 | 34.7 | 17.8-51.6 |
| Hispanic | 107 | 193,594 | 56 | 43.8 | 31.5-56.1 | 51 | 56.2 | 43.9-68.5 |
| 18-24 | 303 | 496,934 | 97 | 30.2 | 23.5-36.9 | 206 | 69.8 | 63.1-76.5 |
| 25-34 | 542 | 713,170 | 228 | 42.8 | 37.3-48.3 | 314 | 57.2 | 51.7-62.7 |
| 35-44 | 579 | 671,037 | 334 | 54.6 | 48.9-60.3 | 245 | 45.4 | 39.7-51.1 |
| 45-54 | 836 | 657,166 | 506 | 57.3 | 52.8-61.8 | 330 | 42.7 | 38.2-47.2 |
| 55-64 | 936 | 623,515 | 650 | 68.7 | 64.8-72.6 | 286 | 31.3 | 27.4-35.2 |
| 65+ | 1375 | 782,574 | 951 | 67.0 | 63.7-70.3 | 424 | 33.0 | 29.7-36.3 |
| Less Than H.S. | 388 | 488,811 | 187 | 45.1 | 38.0-52.2 | 201 | 54.9 | 47.8-62.0 |
| H.S. or G.E.D. | 1406 | 1,315,392 | 795 | 52.2 | 48.5-55.9 | 611 | 47.8 | 44.1-51.5 |
| Some Post-H.S. | 1227 | 1,181,859 | 757 | 55.0 | 51.1-58.9 | 470 | 45.0 | 41.1-48.9 |
| College Graduate | 1532 | 947,924 | 1017 | 62.0 | 58.7-65.3 | 515 | 38.0 | 34.7-41.3 |
| Less than \$15,000 | 412 | 310,316 | 221 | 47.1 | 40.2-54.0 | 191 | 52.9 | 46.0-59.8 |
| \$15,000- 24,999 | 689 | 577,746 | 400 | 54.0 | 48.7-59.3 | 289 | 46.0 | 40.7-51.3 |
| \$25,000- 34,999 | 352 | 319,508 | 201 | 48.1 | 40.5-55.7 | 151 | 51.9 | 44.3-59.5 |
| \$35,000- 49,999 | 569 | 478,706 | 353 | 56.3 | 50.6-62.0 | 216 | 43.7 | 38.0-49.4 |
| \$50,000- 74,999 | 576 | 538,038 | 352 | 55.3 | 49.4-61.2 | 224 | 44.7 | 38.8-50.6 |
| \$75,000+ | 1116 | 994,747 | 758 | 61.5 | 57.4-65.6 | 358 | 38.5 | 34.4-42.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1961 | 1,864,619 | 1140 | 51.5 | 48.4-54.6 | 821 | 48.5 | 45.4-51.6 |
| White/Non-Hisp | 1594 | 1,402,928 | 944 | 52.7 | 49.2-56.2 | 650 | 47.3 | 43.8-50.8 |
| Black or Afr. Am./Non-Hisp | 178 | 243,272 | 99 | 53.6 | 44.0-63.2 | 79 | 46.4 | 36.8-56.0 |
| Oth. Race/Non-Hisp. | 70 | 67,199 | 33 | 38.3 | 22.0-54.6 | 37 | 61.7 | 45.4-78.0 |
| 18-24 | 150 | 261,052 | 38 | 26.1 | 17.1-35.1 | 112 | 73.9 | 64.9-82.9 |
| 25-34 | 253 | 353,463 | 86 | 36.8 | 29.0-44.6 | 167 | 63.2 | 55.4-71.0 |
| 35-44 | 248 | 324,200 | 122 | 44.9 | 36.5-53.3 | 126 | 55.1 | 46.7-63.5 |
| 45-54 | 386 | 311,046 | 229 | 58.5 | 51.6-65.4 | 157 | 41.5 | 34.6-48.4 |
| 55-64 | 402 | 281,375 | 287 | 69.9 | 64.0-75.8 | 115 | 30.1 | 24.2-36.0 |
| 65+ | 522 | 333,483 | 378 | 71.7 | 66.4-77.0 | 144 | 28.3 | 23.0-33.6 |
| Less Than H.S. | 177 | 262,074 | 78 | 38.2 | 28.2-48.2 | 99 | 61.8 | 51.8-71.8 |
| H.S. or G.E.D. | 602 | 626,003 | 332 | 50.0 | 44.5-55.5 | 270 | 50.0 | 44.5-55.5 |
| Some Post-H.S. | 473 | 498,913 | 272 | 53.1 | 47.0-59.2 | 201 | 46.9 | 40.8-53.0 |
| College Graduate | 701 | 472,819 | 454 | 59.2 | 54.3-64.1 | 247 | 40.8 | 35.9-45.7 |
| Less than \$15,000 | 141 | 117,774 | 64 | 37.7 | 26.7-48.7 | 77 | 62.3 | 51.3-73.3 |
| \$15,000- 24,999 | 246 | 238,138 | 126 | 47.9 | 39.1-56.7 | 120 | 52.1 | 43.3-60.9 |
| \$25,000- 34,999 | 143 | 142,328 | 72 | 40.7 | 28.9-52.5 | 71 | 59.3 | 47.5-71.1 |
| \$35,000- 49,999 | 261 | 241,789 | 153 | 50.2 | 41.8-58.6 | 108 | 49.8 | 41.4-58.2 |
| \$50,000- 74,999 | 282 | 288,827 | 162 | 52.6 | 44.2-61.0 | 120 | 47.4 | 39.0-55.8 |
| \$75,000+ | 576 | 542,077 | 383 | 59.5 | 53.8-65.2 | 193 | 40.5 | 34.8-46.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2610 | 2,079,777 | 1626 | 57.2 | 54.5-59.9 | 984 | 42.8 | 40.1-45.5 |
| White/Non-Hisp | 2085 | 1,546,608 | 1305 | 57.7 | 54.8-60.6 | 780 | 42.3 | 39.4-45.2 |
| Black or Afr. Am./Non-Hisp | 327 | 353,566 | 199 | 55.9 | 48.6-63.2 | 128 | 44.1 | 36.8-51.4 |
| Hispanic | 58 | 96,115 | 34 | 54.4 | 37.9-70.9 | 24 | 45.6 | 29.1-62.1 |
| 18-24 | 153 | 235,883 | 59 | 34.8 | 24.8-44.8 | 94 | 65.2 | 55.2-75.2 |
| 25-34 | 289 | 359,706 | 142 | 48.8 | 41.4-56.2 | 147 | 51.2 | 43.8-58.6 |
| 35-44 | 331 | 346,837 | 212 | 63.6 | 56.3-70.9 | 119 | 36.4 | 29.1-43.7 |
| 45-54 | 450 | 346,121 | 277 | 56.3 | 50.4-62.2 | 173 | 43.7 | 37.8-49.6 |
| 55-64 | 534 | 342,139 | 363 | 67.8 | 62.7-72.9 | 171 | 32.2 | 27.1-37.3 |
| 65+ | 853 | 449,091 | 573 | 63.6 | 59.3-67.9 | 280 | 36.4 | 32.1-40.7 |
| Less Than H.S. | 211 | 226,737 | 109 | 53.2 | 44.2-62.2 | 102 | 46.8 | 37.8-55.8 |
| H.S. or G.E.D. | 804 | 689,389 | 463 | 54.2 | 49.3-59.1 | 341 | 45.8 | 40.9-50.7 |
| Some Post-H.S. | 754 | 682,946 | 485 | 56.4 | 51.5-61.3 | 269 | 43.6 | 38.7-48.5 |
| College Graduate | 831 | 475,105 | 563 | 64.8 | 60.5-69.1 | 268 | 35.2 | 30.9-39.5 |
| Less than \$15,000 | 271 | 192,542 | 157 | 52.9 | 44.1-61.7 | 114 | 47.1 | 38.3-55.9 |
| \$15,000- 24,999 | 443 | 339,608 | 274 | 58.3 | 51.8-64.8 | 169 | 41.7 | 35.2-48.2 |
| \$25,000- 34,999 | 209 | 177,181 | 129 | 54.1 | 44.5-63.7 | 80 | 45.9 | 36.3-55.5 |
| \$35,000- 49,999 | 308 | 236,917 | 200 | 62.6 | 55.2-70.0 | 108 | 37.4 | 30.0-44.8 |
| \$50,000- 74,999 | 294 | 249,211 | 190 | 58.5 | 50.5-66.5 | 104 | 41.5 | 33.5-49.5 |
| \$75,000+ | 540 | 452,670 | 375 | 63.9 | 58.2-69.6 | 165 | 36.1 | 30.4-41.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4791 | 4,141,230 | 553 | 9.9 | 08.7-11.1 | 47 | 1.2 | 00.8-01.6 | 4191 | 88.9 | 87.7-90.1 |
| Male | 2061 | 1,968,667 | 224 | 9.2 | 07.6-10.8 | | | | 1837 | 90.8 | 89.2-92.4 |
| Female | 2730 | 2,172,563 | 329 | 10.5 | 09.1-11.9 | 47 | 2.3 | 01.3-03.3 | 2354 | 87.2 | 85.4-89.0 |
| White/Non-Hisp | 3871 | 3,111,426 | 434 | 9.7 | 08.5-10.9 | 37 | 1.3 | 00.7-01.9 | 3400 | 89.1 | 87.9-90.3 |
| Black or Afr. Am./Non-Hisp | 523 | 626,295 | 79 | 11.9 | 08.8-15.0 | 6 | 0.9 | 00.1-01.7 | 438 | 87.3 | 84.0-90.6 |
| Oth. Race/Non-Hisp. | 122 | 100,105 | 11 | 4.3 | 01.2-07.4 | 2 | 0.5 | 00.0-01.3 | 109 | 95.2 | 91.9-98.5 |
| MultiRacial/Non-Hisp. | 72 | 31,110 | 10 | 9.0 | 02.3-15.7 | 1 | 0.7 | 00.0-02.1 | 61 | 90.3 | 83.4-97.2 |
| Hispanic | 108 | 194,556 | 11 | 10.7 | 02.9-18.5 | | | | 97 | 89.3 | 81.5-97.1 |
| 18-24 | 316 | 516,671 | 17 | 4.5 | 01.8-07.2 | 2 | 0.3 | 00.0-00.9 | 297 | 95.1 | 92.4-97.8 |
| 25-34 | 565 | 750,394 | 35 | 5.8 | 03.4-08.2 | 7 | 1.5 | 00.1-02.9 | 523 | 92.8 | 90.1-95.5 |
| 35-44 | 606 | 709,708 | 59 | 7.7 | 05.2-10.2 | 17 | 3.1 | 01.1-05.1 | 530 | 89.2 | 86.1-92.3 |
| 45-54 | 868 | 687,001 | 103 | 12.4 | 09.5-15.3 | 11 | 1.3 | 00.3-02.3 | 754 | 86.3 | 83.4-89.2 |
| 55-64 | 976 | 649,202 | 143 | 14.8 | 11.9-17.7 | 6 | 0.3 | 00.0-00.7 | 827 | 84.8 | 81.9-87.7 |
| 65+ | 1460 | 828,254 | 196 | 12.9 | 10.7-15.1 | 4 | 0.5 | 00.0-01.1 | 1260 | 86.6 | 84.2-89.0 |
| Less Than H.S. | 409 | 520,917 | 47 | 9.3 | 06.0-12.6 | 3 | 0.8 | 00.0-01.8 | 359 | 90.0 | 86.5-93.5 |
| H.S. or G.E.D. | 1480 | 1,379,743 | 202 | 11.7 | 09.7-13.7 | 17 | 1.7 | 00.5-02.9 | 1261 | 86.6 | 84.2-89.0 |
| Some Post-H.S. | 1277 | 1,228,389 | 158 | 10.5 | 08.3-12.7 | 14 | 1.2 | 00.4-02.0 | 1105 | 88.3 | 86.1-90.5 |
| College Graduate | 1606 | 999,972 | 144 | 7.0 | 05.6-08.4 | 13 | 0.7 | 00.3-01.1 | 1449 | 92.3 | 90.7-93.9 |
| Less than \$15,000 | 434 | 329,919 | 71 | 15.4 | 11.1-19.7 | 5 | 1.0 | 00.0-02.0 | 358 | 83.6 | 79.3-87.9 |
| \$15,000- 24,999 | 714 | 598,032 | 101 | 12.5 | 09.2-15.8 | 8 | 1.4 | 00.2-02.6 | 605 | 86.1 | 82.6-89.6 |
| \$25,000- 34,999 | 371 | 331,984 | 54 | 10.2 | 06.7-13.7 | 1 | 0.1 | 00.0-00.3 | 316 | 89.7 | 86.2-93.2 |
| \$35,000- 49,999 | 595 | 501,991 | 76 | 13.0 | 09.3-16.7 | 7 | 0.5 | 00.1-00.9 | 512 | 86.4 | 82.7-90.1 |
| \$50,000- 74,999 | 601 | 565,767 | 67 | 9.5 | 06.6-12.4 | 8 | 1.8 | 00.4-03.2 | 526 | 88.7 | 85.4-92.0 |
| \$75,000+ | 1166 | 1,038,854 | 90 | 5.9 | 04.3-07.5 | 8 | 1.2 | 00.0-02.4 | 1068 | 92.9 | 90.9-94.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2061 | 1,968,667 | 224 | 9.2 | 07.6-10.8 | 1837 | 90.8 | 89.2-92.4 |
| White/Non-Hisp | 1680 | 1,490,387 | 176 | 9.0 | 07.4-10.6 | 1504 | 91.0 | 89.4-92.6 |
| Black or Afr. Am./Non-Hisp | 186 | 256,211 | 27 | 9.8 | 05.1-14.5 | 159 | 90.2 | 85.5-94.9 |
| Oth. Race/Non-Hisp. | 72 | 68,107 | 7 | 3.3 | 00.2-06.4 | 65 | 96.7 | 93.6-99.8 |
| 18-24 | 157 | 269,456 | 9 | 4.7 | 00.6-08.8 | 148 | 95.3 | 91.2-99.4 |
| 25-34 | 264 | 372,069 | 12 | 5.2 | 01.5-08.9 | 252 | 94.8 | 91.1-98.5 |
| 35-44 | 264 | 351,154 | 22 | 6.6 | 03.1-10.1 | 242 | 93.4 | 89.9-96.9 |
| 45-54 | 400 | 328,222 | 39 | 11.1 | 07.0-15.2 | 361 | 88.9 | 84.8-93.0 |
| 55-64 | 427 | 297,324 | 62 | 14.6 | 10.3-18.9 | 365 | 85.4 | 81.1-89.7 |
| 65+ | 549 | 350,442 | 80 | 13.2 | 09.7-16.7 | 469 | 86.8 | 83.3-90.3 |
| Less Than H.S. | 192 | 284,515 | 20 | 7.2 | 03.3-11.1 | 172 | 92.8 | 88.9-96.7 |
| H.S. or G.E.D. | 634 | 660,458 | 80 | 11.6 | 08.5-14.7 | 554 | 88.4 | 85.3-91.5 |
| Some Post-H.S. | 495 | 522,058 | 53 | 8.8 | 05.7-11.9 | 442 | 91.2 | 88.1-94.3 |
| College Graduate | 731 | 495,028 | 69 | 7.5 | 05.1-09.9 | 662 | 92.5 | 90.1-94.9 |
| Less than \$15,000 | 153 | 133,398 | 21 | 13.8 | 06.7-20.9 | 132 | 86.2 | 79.1-93.3 |
| \$15,000- 24,999 | 255 | 247,754 | 36 | 13.0 | 07.7-18.3 | 219 | 87.0 | 81.7-92.3 |
| \$25,000- 34,999 | 152 | 149,751 | 16 | 6.1 | 02.6-09.6 | 136 | 93.9 | 90.4-97.4 |
| \$35,000- 49,999 | 267 | 251,396 | 32 | 13.4 | 07.7-19.1 | 235 | 86.6 | 80.9-92.3 |
| \$50,000- 74,999 | 299 | 310,933 | 29 | 6.7 | 03.2-10.2 | 270 | 93.3 | 89.8-96.8 |
| \$75,000+ | 602 | 564,264 | 53 | 6.3 | 04.1-08.5 | 549 | 93.7 | 91.5-95.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents that do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | Yes, during pregnancy | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|-----------------------|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2730 | 2,172,563 | 329 | 10.5 | 09.1-11.9 | 47 | 2.3 | 01.3-03.3 | 2354 | 87.2 | 85.4-89.0 |
| White/Non-Hisp | 2191 | 1,621,039 | 258 | 10.3 | 08.7-11.9 | 37 | 2.4 | 01.4-03.4 | 1896 | 87.3 | 85.3-89.3 |
| Black or Afr. Am./Non-Hisp | 337 | 370,084 | 52 | 13.3 | 09.0-17.6 | 6 | 1.4 | 00.0-02.8 | 279 | 85.3 | 80.8-89.8 |
| Oth. Race/Non-Hisp. | 50 | 31,998 | 4 | 6.3 | 00.0-13.7 | 2 | 1.7 | 00.0-04.1 | 44 | 92.1 | 84.3-99.9 |
| Hispanic | 59 | 97,077 | 4 | 6.6 | 00.0-14.0 | | | | 55 | 93.4 | 86.0-100.0 |
| 18-24 | 159 | 247,215 | 8 | 4.4 | 00.9-07.9 | 2 | 0.7 | 00.0-01.7 | 149 | 94.9 | 91.2-98.6 |
| 25-34 | 301 | 378,325 | 23 | 6.3 | 03.2-09.4 | 7 | 2.9 | 00.2-05.6 | 271 | 90.8 | 86.7-94.9 |
| 35-44 | 342 | 358,553 | 37 | 8.8 | 04.9-12.7 | 17 | 6.1 | 02.4-09.8 | 288 | 85.2 | 80.1-90.3 |
| 45-54 | 468 | 358,779 | 64 | 13.5 | 09.6-17.4 | 11 | 2.5 | 00.7-04.3 | 393 | 84.0 | 79.7-88.3 |
| 55-64 | 549 | 351,878 | 81 | 15.0 | 11.1-18.9 | 6 | 0.6 | 00.0-01.2 | 462 | 84.3 | 80.4-88.2 |
| 65+ | 911 | 477,812 | 116 | 12.7 | 09.8-15.6 | 4 | 0.8 | 00.0-01.8 | 791 | 86.5 | 83.6-89.4 |
| Less Than H.S. | 217 | 236,403 | 27 | 11.8 | 05.9-17.7 | 3 | 1.7 | 00.0-03.9 | 187 | 86.5 | 80.4-92.6 |
| H.S. or G.E.D. | 846 | 719,285 | 122 | 11.8 | 09.3-14.3 | 17 | 3.2 | 01.0-05.4 | 707 | 85.0 | 81.9-88.1 |
| Some Post-H.S. | 782 | 706,331 | 105 | 11.8 | 09.1-14.5 | 14 | 2.1 | 00.7-03.5 | 663 | 86.1 | 83.0-89.2 |
| College Graduate | 875 | 504,944 | 75 | 6.5 | 04.7-08.3 | 13 | 1.5 | 00.5-02.5 | 787 | 92.1 | 90.1-94.1 |
| Less than \$15,000 | 281 | 196,521 | 50 | 16.5 | 11.2-21.8 | 5 | 1.7 | 00.1-03.3 | 226 | 81.8 | 76.1-87.5 |
| \$15,000- 24,999 | 459 | 350,278 | 65 | 12.2 | 07.9-16.5 | 8 | 2.3 | 00.1-04.5 | 386 | 85.5 | 80.8-90.2 |
| \$25,000- 34,999 | 219 | 182,233 | 38 | 13.5 | 08.0-19.0 | 1 | 0.2 | 00.0-00.6 | 180 | 86.2 | 80.7-91.7 |
| \$35,000- 49,999 | 328 | 250,595 | 44 | 12.6 | 08.1-17.1 | 7 | 1.1 | 00.1-02.1 | 277 | 86.3 | 81.6-91.0 |
| \$50,000- 74,999 | 302 | 254,834 | 38 | 13.0 | 07.9-18.1 | 8 | 4.0 | 01.1-06.9 | 256 | 83.0 | 77.3-88.7 |
| \$75,000+ | 564 | 474,590 | 37 | 5.5 | 03.3-07.7 | 8 | 2.5 | 00.1-04.9 | 519 | 91.9 | 88.8-95.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 04: HEPATITIS TREATMENT CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|--|------|
| | HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HEPATITIS C? (TOLDHEPC) | |
| 1 | MALES AND FEMALES | 10 |
| 2 | MALES ONLY | 11 |
| 3 | FEMALES ONLY | 12 |
| | WERE YOU TREATED FOR HEPATITIS C IN 2015 OR AFTER? (TRETPEPC) | |
| 4 | MALES AND FEMALES | 13 |
| 5 | MALES ONLY | 14 |
| 6 | FEMALES ONLY | 15 |
| | WERE YOU TREATED FOR HEPATITIS C PRIOR TO 2015? (PRIRHEPC) | |
| 7 | MALES AND FEMALES | 16 |
| 8 | MALES ONLY | 17 |
| 9 | FEMALES ONLY | 18 |
| | DO YOU STILL HAVE HEPATITIS C? (HAVEHEPC) | |
| 10 | MALES AND FEMALES | 19 |
| 11 | MALES ONLY | 20 |
| 12 | FEMALES ONLY | 21 |
| | THE NEXT QUESTION IS ABOUT HEPATITIS B. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD HEPATITIS B? (HAVEHEPB) | |
| 13 | MALES AND FEMALES | 22 |
| 14 | MALES ONLY | 23 |
| 15 | FEMALES ONLY | 24 |
| | ARE YOU CURRENTLY TAKING MEDICINE TO TREAT HEPATITIS B? (MEDSHEPB) | |
| 16 | MALES AND FEMALES | 25 |
| 17 | MALES ONLY | 26 |
| 18 | FEMALES ONLY | 27 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HEPATITIS C? (TOLDHEPC)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4999 | 4,099,916 | 102 | 2.1 | 01.5-02.7 | 4897 | 97.9 | 97.3-98.5 |
| Male | 2182 | 1,985,710 | 58 | 2.4 | 01.6-03.2 | 2124 | 97.6 | 96.8-98.4 |
| Female | 2817 | 2,114,206 | 44 | 1.8 | 01.2-02.4 | 2773 | 98.2 | 97.6-98.8 |
| White/Non-Hisp | 4073 | 3,150,575 | 74 | 1.9 | 01.3-02.5 | 3999 | 98.1 | 97.5-98.7 |
| Black or Afr. Am./Non-Hisp | 547 | 609,501 | 12 | 2.4 | 00.8-04.0 | 535 | 97.6 | 96.0-99.2 |
| Oth. Race/Non-Hisp. | 126 | 86,416 | 5 | 5.4 | 00.0-11.7 | 121 | 94.6 | 88.3-0100 |
| MultiRacial/Non-Hisp. | 77 | 29,095 | 5 | 3.6 | 00.1-07.1 | 72 | 96.4 | 92.9-99.9 |
| Hispanic | 98 | 169,982 | 3 | 1.8 | 00.0-04.2 | 95 | 98.2 | 95.8-0100 |
| 18-24 | 261 | 424,014 | 3 | 0.8 | 00.0-01.8 | 258 | 99.2 | 98.2-0100 |
| 25-34 | 478 | 628,066 | 8 | 1.8 | 00.2-03.4 | 470 | 98.2 | 96.6-99.8 |
| 35-44 | 534 | 615,437 | 7 | 0.8 | 00.0-01.6 | 527 | 99.2 | 98.4-0100 |
| 45-54 | 897 | 720,204 | 11 | 0.9 | 00.3-01.5 | 886 | 99.1 | 98.5-99.7 |
| 55-64 | 1082 | 727,596 | 45 | 5.2 | 03.2-07.2 | 1037 | 94.8 | 92.8-96.8 |
| 65+ | 1747 | 984,599 | 28 | 2.2 | 01.2-03.2 | 1719 | 97.8 | 96.8-98.8 |
| Less Than H.S. | 480 | 553,032 | 19 | 3.9 | 01.7-06.1 | 461 | 96.1 | 93.9-98.3 |
| H.S. or G.E.D. | 1576 | 1,396,966 | 38 | 2.0 | 01.2-02.8 | 1538 | 98.0 | 97.2-98.8 |
| Some Post-H.S. | 1335 | 1,190,449 | 26 | 2.1 | 01.1-03.1 | 1309 | 97.9 | 96.9-98.9 |
| College Graduate | 1601 | 954,732 | 19 | 1.2 | 00.6-01.8 | 1582 | 98.8 | 98.2-99.4 |
| Less than \$15,000 | 531 | 376,103 | 26 | 5.8 | 03.1-08.5 | 505 | 94.2 | 91.5-96.9 |
| \$15,000- 24,999 | 806 | 627,082 | 33 | 4.1 | 02.3-05.9 | 773 | 95.9 | 94.1-97.7 |
| \$25,000- 34,999 | 404 | 337,846 | 5 | 1.1 | 00.0-02.3 | 399 | 98.9 | 97.7-0100 |
| \$35,000- 49,999 | 629 | 499,603 | 9 | 1.0 | 00.2-01.8 | 620 | 99.0 | 98.2-99.8 |
| \$50,000- 74,999 | 637 | 580,122 | 4 | 1.1 | 00.0-02.5 | 633 | 98.9 | 97.5-0100 |
| \$75,000+ | 1167 | 1,021,549 | 11 | 1.1 | 00.3-01.9 | 1156 | 98.9 | 98.1-99.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HEPATITIS C? (TOLDHEPC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2182 | 1,985,710 | 58 | 2.4 | 01.6-03.2 | 2124 | 97.6 | 96.8-98.4 |
| White/Non-Hisp | 1801 | 1,532,052 | 41 | 2.1 | 01.3-02.9 | 1760 | 97.9 | 97.1-98.7 |
| Black or Afr. Am./Non-Hisp | 200 | 272,605 | 9 | 3.5 | 01.0-06.0 | 191 | 96.5 | 94.0-99.0 |
| Oth. Race/Non-Hisp. | 70 | 49,932 | 3 | 7.5 | 00.0-17.7 | 67 | 92.5 | 82.3-0100 |
| 18-24 | 135 | 234,479 | 2 | 1.1 | 00.0-02.7 | 133 | 98.9 | 97.3-0100 |
| 25-34 | 235 | 327,294 | 3 | 1.6 | 00.0-03.8 | 232 | 98.4 | 96.2-0100 |
| 35-44 | 221 | 293,361 | 2 | 0.9 | 00.0-02.5 | 219 | 99.1 | 97.5-0100 |
| 45-54 | 422 | 358,935 | 8 | 1.1 | 00.3-01.9 | 414 | 98.9 | 98.1-99.7 |
| 55-64 | 477 | 338,766 | 26 | 6.3 | 03.2-09.4 | 451 | 93.7 | 90.6-96.8 |
| 65+ | 692 | 432,874 | 17 | 2.7 | 01.1-04.3 | 675 | 97.3 | 95.7-98.9 |
| Less Than H.S. | 206 | 284,466 | 12 | 4.3 | 01.2-07.4 | 194 | 95.7 | 92.6-98.8 |
| H.S. or G.E.D. | 677 | 683,093 | 25 | 2.6 | 01.2-04.0 | 652 | 97.4 | 96.0-98.8 |
| Some Post-H.S. | 547 | 538,606 | 12 | 2.1 | 00.5-03.7 | 535 | 97.9 | 96.3-99.5 |
| College Graduate | 749 | 477,157 | 9 | 1.2 | 00.2-02.2 | 740 | 98.8 | 97.8-99.8 |
| Less than \$15,000 | 182 | 156,928 | 15 | 8.8 | 03.3-14.3 | 167 | 91.2 | 85.7-96.7 |
| \$15,000- 24,999 | 293 | 256,517 | 22 | 6.1 | 02.8-09.4 | 271 | 93.9 | 90.6-97.2 |
| \$25,000- 34,999 | 175 | 159,623 | 2 | 0.8 | 00.0-02.4 | 173 | 99.2 | 97.6-0100 |
| \$35,000- 49,999 | 285 | 253,669 | 4 | 0.9 | 00.0-01.9 | 281 | 99.1 | 98.1-0100 |
| \$50,000- 74,999 | 332 | 337,667 | 4 | 1.9 | 00.0-04.3 | 328 | 98.1 | 95.7-0100 |
| \$75,000+ | 622 | 572,183 | 7 | 1.1 | 00.1-02.1 | 615 | 98.9 | 97.9-99.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HEPATITIS C? (TOLDHEPC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2817 | 2,114,206 | 44 | 1.8 | 01.2-02.4 | 2773 | 98.2 | 97.6-98.8 |
| White/Non-Hisp | 2272 | 1,618,523 | 33 | 1.8 | 01.0-02.6 | 2239 | 98.2 | 97.4-99.0 |
| Black or Afr. Am./Non-Hisp | 347 | 336,896 | 3 | 1.5 | 00.0-03.3 | 344 | 98.5 | 96.7-0100 |
| Oth. Race/Non-Hisp. | 56 | 36,485 | 2 | 2.6 | 00.0-06.3 | 54 | 97.4 | 93.7-0100 |
| Hispanic | 50 | 80,104 | 2 | 3.4 | 00.0-08.1 | 48 | 96.6 | 91.9-0100 |
| 18-24 | 126 | 189,535 | 1 | 0.6 | 00.0-01.8 | 125 | 99.4 | 98.2-0100 |
| 25-34 | 243 | 300,772 | 5 | 2.1 | 00.1-04.1 | 238 | 97.9 | 95.9-99.9 |
| 35-44 | 313 | 322,076 | 5 | 0.7 | 00.1-01.3 | 308 | 99.3 | 98.7-99.9 |
| 45-54 | 475 | 361,268 | 3 | 0.7 | 00.0-01.7 | 472 | 99.3 | 98.3-0100 |
| 55-64 | 605 | 388,830 | 19 | 4.2 | 02.0-06.4 | 586 | 95.8 | 93.6-98.0 |
| 65+ | 1055 | 551,724 | 11 | 1.8 | 00.6-03.0 | 1044 | 98.2 | 97.0-99.4 |
| Less Than H.S. | 274 | 268,567 | 7 | 3.5 | 00.8-06.2 | 267 | 96.5 | 93.8-99.2 |
| H.S. or G.E.D. | 899 | 713,873 | 13 | 1.4 | 00.4-02.4 | 886 | 98.6 | 97.6-99.6 |
| Some Post-H.S. | 788 | 651,843 | 14 | 2.0 | 00.8-03.2 | 774 | 98.0 | 96.8-99.2 |
| College Graduate | 852 | 477,576 | 10 | 1.2 | 00.2-02.2 | 842 | 98.8 | 97.8-99.8 |
| Less than \$15,000 | 349 | 219,174 | 11 | 3.6 | 01.1-06.1 | 338 | 96.4 | 93.9-98.9 |
| \$15,000- 24,999 | 513 | 370,566 | 11 | 2.7 | 00.7-04.7 | 502 | 97.3 | 95.3-99.3 |
| \$25,000- 34,999 | 229 | 178,223 | 3 | 1.4 | 00.0-03.2 | 226 | 98.6 | 96.8-0100 |
| \$35,000- 49,999 | 344 | 245,934 | 5 | 1.1 | 00.0-02.3 | 339 | 98.9 | 97.7-0100 |
| \$50,000- 74,999 | 305 | 242,455 | | | | 305 | 100.0 | 0100-0100 |
| \$75,000+ | 545 | 449,366 | 4 | 1.2 | 00.0-02.4 | 541 | 98.8 | 97.6-0100 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 04: HEPATITIS TREATMENT**

TABLE 4: WERE YOU TREATED FOR HEPATITIS C IN 2015 OR AFTER? (TRETHEPC)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 99 | 83,662 | 37 | 42.2 | 30.0-54.4 | 62 | 57.8 | 45.6-70.0 |
| Male | 56 | 46,440 | 26 | 51.2 | 34.3-68.1 | 30 | 48.8 | 31.9-65.7 |
| White/Non-Hisp | 71 | 58,573 | 24 | 40.0 | 26.3-53.7 | 47 | 60.0 | 46.3-73.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 04: HEPATITIS TREATMENT**

TABLE 5: WERE YOU TREATED FOR HEPATITIS C IN 2015 OR AFTER? (TRETHEPC)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 56 | 46,440 | 26 | 51.2 | 36.5-65.9 | 30 | 48.8 | 34.1-63.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT

TABLE 6: WERE YOU TREATED FOR HEPATITIS C IN 2015 OR AFTER? (TRETHEPC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 04: HEPATITIS TREATMENT**

TABLE 7: WERE YOU TREATED FOR HEPATITIS C PRIOR TO 2015? (PRIRHEPC)
 Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 102 | 85,462 | 46 | 44.2 | 32.0-56.4 | 56 | 55.8 | 43.6-68.0 |
| Male | 58 | 47,229 | 28 | 45.3 | 28.6-62.0 | 30 | 54.7 | 38.0-71.4 |
| White/Non-Hisp | 74 | 60,373 | 35 | 44.6 | 30.9-58.3 | 39 | 55.4 | 41.7-69.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 04: HEPATITIS TREATMENT**

TABLE 8: WERE YOU TREATED FOR HEPATITIS C PRIOR TO 2015? (PRIRHEPC)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|-----------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 58 | 47,229 | 28 | 45.3 | 30.4-60.2 | 30 | 54.7 | 39.8-69.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT

TABLE 9: WERE YOU TREATED FOR HEPATITIS C PRIOR TO 2015? (PRIRHEPC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 04: HEPATITIS TREATMENT**

TABLE 10: DO YOU STILL HAVE HEPATITIS C? (HAVEHEPC)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 92 | 77,119 | 31 | 32.6 | 21.0-44.2 | 61 | 67.4 | 55.8-79.0 |
| Male | 53 | 44,423 | 17 | 33.3 | 17.4-49.2 | 36 | 66.7 | 50.8-82.6 |
| White/Non-Hisp | 66 | 54,335 | 17 | 27.4 | 14.3-40.5 | 49 | 72.6 | 59.5-85.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 04: HEPATITIS TREATMENT**

TABLE 11: DO YOU STILL HAVE HEPATITIS C? (HAVEHEPC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 53 | 44,423 | 17 | 33.3 | 21.5-45.1 | 36 | 66.7 | 54.9-78.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT

TABLE 12: DO YOU STILL HAVE HEPATITIS C? (HAVEHEPC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT**

TABLE 13: THE NEXT QUESTION IS ABOUT HEPATITIS B. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD HEPATITIS B? (HAVEHEPB)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 101 | 85,268 | 14 | 16.8 | 07.6-26.0 | 87 | 83.2 | 74.0-92.4 |
| Male | 57 | 47,035 | 10 | 22.4 | 08.9-35.9 | 47 | 77.6 | 64.1-91.1 |
| White/Non-Hisp | 73 | 60,180 | 11 | 19.3 | 07.9-30.7 | 62 | 80.7 | 69.3-92.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT**

TABLE 14: THE NEXT QUESTION IS ABOUT HEPATITIS B. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD HEPATITIS B? (HAVEHEPB)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 57 | 47,035 | 10 | 22.4 | 13.4-31.4 | 47 | 77.6 | 68.6-86.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT

TABLE 15: THE NEXT QUESTION IS ABOUT HEPATITIS B. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD HEPATITIS B? (HAVEHEPB)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT

TABLE 16: ARE YOU CURRENTLY TAKING MEDICINE TO TREAT HEPATITIS B? (MEDSHEPB)
Denominator excludes: Respondents with do not know/refused/missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT

TABLE 17: ARE YOU CURRENTLY TAKING MEDICINE TO TREAT HEPATITIS B? (MEDSHEPB)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 04: HEPATITIS TREATMENT

TABLE 18: ARE YOU CURRENTLY TAKING MEDICINE TO TREAT HEPATITIS B? (MEDSHEPB)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 05:HPV Vaccination CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE <input type="checkbox"/> GARDASIL OR CERVARIX <input type="checkbox"/> , IF MALE <input type="checkbox"/> GARDASIL <input type="checkbox"/>]. (HUMAN PAPILOMA VIRUS (HUMAN PAP <input type="checkbox"/> UH <input type="checkbox"/> LOH <input type="checkbox"/> MUH VIRUS), GARDASIL (GAR <input type="checkbox"/> DUH <input type="checkbox"/> SEEL), CERVARIX (SERV A RIX)) HAVE YOU EVER HAD THE HUMAN PAPILOMA VIRUS VACCINATION OR HPV VACCI | |
| 1 | MALES AND FEMALES | 29 |
| 2 | MALES ONLY | 30 |
| 3 | FEMALES ONLY | 31 |
| | HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT) | |
| 4 | MALES AND FEMALES | 32 |
| 5 | MALES ONLY | 33 |
| 6 | FEMALES ONLY | 34 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 05:HPV Vaccination**

**TABLE 1: A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE GARDASIL OR CERVARIX, IF MALE GARDASIL]. (HUMAN PAPILOMA VIRUS (HUMAN PAPILLOMAVIRUS), GARDASIL (GARDASIL SEEL), CERVARIX (SERV A RIX))
HAVE YOU EVER HAD THE HUMAN PAPILOMA VIRUS VACCINATION OR HPV VACCI
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1447 | 1,696,576 | 301 | 23.2 | 20.3-26.1 | 1146 | 76.8 | 73.9-79.7 |
| Male | 639 | 840,719 | 94 | 16.0 | 12.3-19.7 | 545 | 84.0 | 80.3-87.7 |
| Female | 808 | 855,856 | 207 | 30.2 | 25.7-34.7 | 601 | 69.8 | 65.3-74.3 |
| White/Non-Hisp | 1120 | 1,210,999 | 225 | 22.2 | 18.9-25.5 | 895 | 77.8 | 74.5-81.1 |
| Black or Afr. Am./Non-Hisp | 187 | 298,738 | 49 | 28.5 | 19.9-37.1 | 138 | 71.5 | 62.9-80.1 |
| Hispanic | 56 | 120,009 | 14 | 26.7 | 11.8-41.6 | 42 | 73.3 | 58.4-88.2 |
| 18-24 | 200 | 333,693 | 94 | 44.9 | 35.9-53.9 | 106 | 55.1 | 46.1-64.1 |
| 25-34 | 432 | 570,654 | 147 | 32.3 | 26.6-38.0 | 285 | 67.7 | 62.0-73.4 |
| 35-44 | 471 | 521,368 | 41 | 8.5 | 05.4-11.6 | 430 | 91.5 | 88.4-94.6 |
| 45-54 | 344 | 270,861 | 19 | 5.5 | 02.6-08.4 | 325 | 94.5 | 91.6-97.4 |
| Less Than H.S. | 88 | 168,199 | 12 | 20.4 | 07.5-33.3 | 76 | 79.6 | 66.7-92.5 |
| H.S. or G.E.D. | 409 | 565,332 | 90 | 24.0 | 18.5-29.5 | 319 | 76.0 | 70.5-81.5 |
| Some Post-H.S. | 425 | 531,808 | 89 | 20.9 | 15.8-26.0 | 336 | 79.1 | 74.0-84.2 |
| College Graduate | 525 | 431,237 | 110 | 26.1 | 21.0-31.2 | 415 | 73.9 | 68.8-79.0 |
| Less than \$15,000 | 122 | 123,479 | 30 | 29.2 | 17.2-41.2 | 92 | 70.8 | 58.8-82.8 |
| \$15,000- 24,999 | 212 | 235,852 | 59 | 30.1 | 21.9-38.3 | 153 | 69.9 | 61.7-78.1 |
| \$25,000- 34,999 | 112 | 133,969 | 25 | 27.0 | 16.0-38.0 | 87 | 73.0 | 62.0-84.0 |
| \$35,000- 49,999 | 189 | 226,574 | 47 | 25.8 | 17.6-34.0 | 142 | 74.2 | 66.0-82.4 |
| \$50,000- 74,999 | 211 | 261,476 | 41 | 20.8 | 13.5-28.1 | 170 | 79.2 | 71.9-86.5 |
| \$75,000+ | 447 | 508,776 | 67 | 15.9 | 11.6-20.2 | 380 | 84.1 | 79.8-88.4 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 05:HPV Vaccination**

**TABLE 2: A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE GARDASIL OR CERVARIX, IF MALE GARDASIL]. (HUMAN PAPILOMA VIRUS (HUMAN PAPLOMAVIRUS), GARDASIL (GARDAVIRUS SEEL), CERVARIX (SERV A RIX))
HAVE YOU EVER HAD THE HUMAN PAPILOMA VIRUS VACCINATION OR HPV VACCI**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 639 | 840,719 | 94 | 16.0 | 12.3-19.7 | 545 | 84.0 | 80.3-87.7 |
| White/Non-Hisp | 510 | 609,130 | 76 | 16.3 | 12.2-20.4 | 434 | 83.7 | 79.6-87.8 |
| Black or Afr. Am./Non-Hisp | 64 | 130,782 | 10 | 18.6 | 07.8-29.4 | 54 | 81.4 | 70.6-92.2 |
| 18-24 | 94 | 180,924 | 36 | 36.6 | 24.8-48.4 | 58 | 63.4 | 51.6-75.2 |
| 25-34 | 202 | 283,086 | 38 | 16.5 | 10.4-22.6 | 164 | 83.5 | 77.4-89.6 |
| 35-44 | 192 | 241,304 | 12 | 6.4 | 02.1-10.7 | 180 | 93.6 | 89.3-97.9 |
| 45-54 | 151 | 135,405 | 8 | 4.7 | 01.0-08.4 | 143 | 95.3 | 91.6-99.0 |
| H.S. or G.E.D. | 196 | 302,037 | 32 | 18.7 | 11.6-25.8 | 164 | 81.3 | 74.2-88.4 |
| Some Post-H.S. | 185 | 244,400 | 28 | 15.0 | 08.7-21.3 | 157 | 85.0 | 78.7-91.3 |
| College Graduate | 215 | 197,822 | 29 | 16.9 | 10.6-23.2 | 186 | 83.1 | 76.8-89.4 |
| \$15,000- 24,999 | 77 | 87,623 | 19 | 23.1 | 11.9-34.3 | 58 | 76.9 | 65.7-88.1 |
| \$25,000- 34,999 | 53 | 65,496 | 8 | 15.5 | 03.7-27.3 | 45 | 84.5 | 72.7-96.3 |
| \$35,000- 49,999 | 83 | 120,062 | 15 | 16.3 | 05.9-26.7 | 68 | 83.7 | 73.3-94.1 |
| \$50,000- 74,999 | 116 | 159,113 | 20 | 19.2 | 10.6-27.8 | 96 | 80.8 | 72.2-89.4 |
| \$75,000+ | 211 | 280,389 | 19 | 10.8 | 05.3-16.3 | 192 | 89.2 | 83.7-94.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 05:HPV Vaccination**

**TABLE 3: A VACCINE TO PREVENT THE HUMAN PAPILOMA VIRUS OR HPV INFECTION IS AVAILABLE AND IS CALLED THE CERVICAL CANCER OR GENITAL WARTS VACCINE, HPV SHOT, [FILL: IF FEMALE GARDASIL OR CERVARIX, IF MALE GARDASIL]. (HUMAN PAPILOMA VIRUS (HUMAN PAPANOMOVIUS VIRUS), GARDASIL (GARDASIL SEEL), CERVARIX (SERV A RIX))
HAVE YOU EVER HAD THE HUMAN PAPILOMA VIRUS VACCINATION OR HPV VACCI**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 808 | 855,856 | 207 | 30.2 | 25.7-34.7 | 601 | 69.8 | 65.3-74.3 |
| White/Non-Hisp | 610 | 601,869 | 149 | 28.1 | 23.2-33.0 | 461 | 71.9 | 67.0-76.8 |
| Black or Afr. Am./Non-Hisp | 123 | 167,956 | 39 | 36.1 | 24.3-47.9 | 84 | 63.9 | 52.1-75.7 |
| 18-24 | 106 | 152,769 | 58 | 54.6 | 42.4-66.8 | 48 | 45.4 | 33.2-57.6 |
| 25-34 | 230 | 287,568 | 109 | 47.8 | 39.4-56.2 | 121 | 52.2 | 43.8-60.6 |
| 35-44 | 279 | 280,064 | 29 | 10.4 | 05.9-14.9 | 250 | 89.6 | 85.1-94.1 |
| 45-54 | 193 | 135,456 | 11 | 6.3 | 01.8-10.8 | 182 | 93.7 | 89.2-98.2 |
| H.S. or G.E.D. | 213 | 263,294 | 58 | 30.0 | 21.8-38.2 | 155 | 70.0 | 61.8-78.2 |
| Some Post-H.S. | 240 | 287,408 | 61 | 25.9 | 18.5-33.3 | 179 | 74.1 | 66.7-81.5 |
| College Graduate | 310 | 233,414 | 81 | 33.9 | 26.8-41.0 | 229 | 66.1 | 59.0-73.2 |
| Less than \$15,000 | 82 | 72,777 | 23 | 36.3 | 20.2-52.4 | 59 | 63.7 | 47.6-79.8 |
| \$15,000- 24,999 | 135 | 148,229 | 40 | 34.2 | 23.2-45.2 | 95 | 65.8 | 54.8-76.8 |
| \$25,000- 34,999 | 59 | 68,473 | 17 | 38.0 | 21.5-54.5 | 42 | 62.0 | 45.5-78.5 |
| \$35,000- 49,999 | 106 | 106,512 | 32 | 36.4 | 24.2-48.6 | 74 | 63.6 | 51.4-75.8 |
| \$50,000- 74,999 | 95 | 102,364 | 21 | 23.2 | 11.6-34.8 | 74 | 76.8 | 65.2-88.4 |
| \$75,000+ | 236 | 228,386 | 48 | 22.1 | 15.2-29.0 | 188 | 77.9 | 71.0-84.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 05:HPV Vaccination**

TABLE 4: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 shot | | | 2 shots | | | All shots | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|-----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 226 | 282,418 | 52 | 26.7 | 18.9-34.5 | 48 | 21.7 | 15.0-28.4 | 126 | 51.6 | 43.2-60.0 |
| Male | 52 | 72,369 | 20 | 39.7 | 24.0-55.4 | 7 | 14.5 | 06.5-22.5 | 25 | 45.8 | 30.5-61.1 |
| Female | 174 | 210,049 | 32 | 22.2 | 13.2-31.2 | 41 | 24.2 | 15.6-32.8 | 101 | 53.6 | 43.4-63.8 |
| White/Non-Hisp | 167 | 184,518 | 37 | 22.6 | 14.8-30.4 | 32 | 19.8 | 12.4-27.2 | 98 | 57.6 | 48.4-66.8 |
| 18-24 | 70 | 98,037 | 15 | 24.8 | 11.5-38.1 | 18 | 32.0 | 17.9-46.1 | 37 | 43.2 | 28.9-57.5 |
| 25-34 | 113 | 145,074 | 28 | 30.0 | 18.2-41.8 | 20 | 14.8 | 07.2-22.4 | 65 | 55.2 | 43.0-67.4 |
| H.S. or G.E.D. | 63 | 90,411 | 16 | 30.4 | 14.9-45.9 | 18 | 21.0 | 10.4-31.6 | 29 | 48.5 | 32.6-64.4 |
| Some Post-H.S. | 66 | 81,516 | 14 | 29.2 | 13.5-44.9 | 11 | 16.4 | 05.0-27.8 | 41 | 54.4 | 38.9-69.9 |
| College Graduate | 89 | 88,145 | 20 | 25.1 | 13.7-36.5 | 15 | 18.9 | 10.7-27.1 | 54 | 56.0 | 43.8-68.2 |
| \$75,000+ | 54 | 59,023 | 10 | 23.0 | 08.5-37.5 | 12 | 22.3 | 08.8-35.8 | 32 | 54.7 | 38.6-70.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 05:HPV Vaccination**

TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 shot | | | 2 shots | | | All shots | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|-----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 52 | 72,369 | 20 | 39.7 | 25.4-54.0 | 7 | 14.5 | 06.3-22.7 | 25 | 45.8 | 31.3-60.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 05:HPV Vaccination**

TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | 1 shot | | | 2 shots | | | All shots | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|-----------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 174 | 210,049 | 32 | 22.2 | 13.2-31.2 | 41 | 24.2 | 15.8-32.6 | 101 | 53.6 | 43.4-63.8 |
| White/Non-Hisp | 124 | 128,210 | 20 | 16.1 | 08.1-24.1 | 27 | 24.0 | 14.4-33.6 | 77 | 59.9 | 48.9-70.9 |
| 18-24 | 50 | 66,085 | 8 | 19.2 | 02.5-35.9 | 14 | 35.8 | 16.8-54.8 | 28 | 45.0 | 26.4-63.6 |
| 25-34 | 93 | 117,270 | 17 | 23.5 | 11.0-36.0 | 19 | 17.1 | 08.1-26.1 | 57 | 59.4 | 45.9-72.9 |
| Some Post-H.S. | 52 | 60,890 | 8 | 21.7 | 05.0-38.4 | 10 | 20.1 | 05.6-34.6 | 34 | 58.2 | 40.6-75.8 |
| College Graduate | 68 | 64,075 | 11 | 20.3 | 07.4-33.2 | 10 | 12.7 | 03.5-21.9 | 47 | 67.0 | 52.5-81.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019

MODULE 14: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|--|------|
| | WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT? (HLTHCVR | |
| 1 | MALES AND FEMALES | 37 |
| 2 | MALES ONLY | 38 |
| 3 | FEMALES ONLY | 39 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 14: HEALTH CARE ACCESS**

TABLE 1: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT (HLTHCVR)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Plan Purchased thru employer or union | | | Plan Purchased by you or family member | | | Medicare, Medicaid or State Prgm | | | TRICARE (formerly CHAMPUS) VA or Military | | | Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source | | | None | | |
|----------------------------|-------------------|-----------|---------------------------------------|------|------------|--|------|------------|----------------------------------|------|------------|---|-----|------------|--|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 5046 | 4,011,199 | 2044 | 47.9 | 45.9-49.9 | 425 | 9.9 | 08.7-11.1 | 2211 | 35.1 | 33.3-36.9 | 199 | 3.7 | 03.1-04.3 | 153 | 3.2 | 02.6-03.8 | 14 | 0.3 | 00.1-00.5 |
| Male | 2135 | 1,830,117 | 952 | 52.4 | 49.5-55.3 | 186 | 9.7 | 07.9-11.5 | 781 | 28.4 | 26.0-30.8 | 146 | 6.0 | 04.6-07.4 | 63 | 3.2 | 02.2-04.2 | 7 | 0.3 | 00.0-00.7 |
| Female | 2911 | 2,181,082 | 1092 | 44.1 | 41.6-46.6 | 239 | 10.0 | 08.2-11.8 | 1430 | 40.7 | 38.3-43.1 | 53 | 1.8 | 01.2-02.4 | 90 | 3.2 | 02.4-04.0 | 7 | 0.2 | 00.0-00.4 |
| White/Non-Hisp | 4104 | 3,066,840 | 1647 | 47.6 | 45.4-49.8 | 347 | 9.9 | 08.5-11.3 | 1845 | 36.3 | 34.3-38.3 | 150 | 3.4 | 02.6-04.2 | 107 | 2.6 | 02.0-03.2 | 8 | 0.3 | 00.1-00.5 |
| Black or Afr. Am./Non-Hisp | 571 | 627,655 | 245 | 47.7 | 42.2-53.2 | 40 | 7.9 | 04.8-11.0 | 222 | 33.9 | 28.6-39.2 | 27 | 3.7 | 01.9-05.5 | 34 | 6.5 | 03.8-09.2 | 3 | 0.3 | 00.0-00.7 |
| Oth. Race/Non-Hisp. | 128 | 91,589 | 46 | 47.4 | 33.9-60.9 | 15 | 12.5 | 02.7-22.3 | 51 | 28.3 | 17.3-39.3 | 7 | 6.7 | 00.0-13.4 | 9 | 5.1 | 01.2-09.0 | | | |
| MultiRacial/Non-Hisp. | 72 | 28,128 | 27 | 46.2 | 28.2-64.2 | 6 | 5.6 | 00.3-10.9 | 34 | 39.8 | 23.7-55.9 | 3 | 5.8 | 00.0-13.1 | | | | 2 | 2.6 | 00.0-06.7 |
| Hispanic | 84 | 129,287 | 47 | 58.0 | 44.1-71.9 | 11 | 19.3 | 06.8-31.8 | 18 | 14.1 | 06.7-21.5 | 7 | 7.6 | 00.7-14.5 | 1 | 1.0 | 00.0-03.0 | | | |
| 18-24 | 246 | 378,206 | 150 | 58.1 | 49.9-66.3 | 44 | 20.9 | 13.8-28.0 | 32 | 14.6 | 08.3-20.9 | 11 | 3.1 | 00.9-05.3 | 7 | 2.2 | 00.0-04.6 | 2 | 1.0 | 00.0-02.6 |
| 25-34 | 454 | 582,363 | 295 | 66.1 | 60.4-71.8 | 32 | 7.5 | 04.4-10.6 | 88 | 19.4 | 14.5-24.3 | 18 | 3.6 | 01.6-05.6 | 17 | 3.2 | 01.4-05.0 | 4 | 0.4 | 00.0-00.8 |
| 35-44 | 526 | 591,683 | 332 | 63.5 | 58.0-69.0 | 47 | 10.6 | 06.9-14.3 | 107 | 19.1 | 14.8-23.4 | 18 | 3.0 | 01.2-04.8 | 20 | 3.7 | 01.9-05.5 | 2 | 0.2 | 00.0-00.4 |
| 45-54 | 846 | 669,536 | 535 | 65.1 | 60.8-69.4 | 87 | 10.1 | 07.6-12.6 | 160 | 16.8 | 13.5-20.1 | 34 | 4.2 | 02.4-06.0 | 29 | 3.6 | 02.0-05.2 | 1 | 0.1 | 00.0-00.3 |
| 55-64 | 1073 | 718,471 | 570 | 56.6 | 52.7-60.5 | 111 | 10.4 | 08.0-12.8 | 305 | 25.8 | 22.5-29.1 | 42 | 2.6 | 01.6-03.6 | 42 | 4.4 | 02.6-06.2 | 3 | 0.2 | 00.0-00.4 |
| 65+ | 1901 | 1,070,940 | 162 | 9.1 | 07.3-10.9 | 104 | 6.5 | 04.7-08.3 | 1519 | 77.2 | 74.5-79.9 | 76 | 4.8 | 03.4-06.2 | 38 | 2.1 | 01.1-03.1 | 2 | 0.2 | 00.0-00.4 |
| Less Than H.S. | 436 | 473,600 | 63 | 22.7 | 16.0-29.4 | 31 | 8.5 | 05.0-12.0 | 301 | 60.1 | 53.2-67.0 | 7 | 1.5 | 00.0-03.1 | 31 | 6.7 | 04.0-09.4 | 3 | 0.5 | 00.0-01.1 |
| H.S. or G.E.D. | 1530 | 1,309,942 | 498 | 43.1 | 39.6-46.6 | 137 | 9.8 | 07.4-12.2 | 777 | 38.9 | 35.6-42.2 | 53 | 3.6 | 02.4-04.8 | 58 | 4.0 | 02.6-05.4 | 7 | 0.5 | 00.0-01.1 |
| Some Post-H.S. | 1346 | 1,198,203 | 548 | 49.4 | 45.7-53.1 | 118 | 11.7 | 09.2-14.2 | 574 | 32.1 | 29.0-35.2 | 67 | 4.4 | 03.0-05.8 | 36 | 2.4 | 01.4-03.4 | 3 | 0.1 | 00.0-00.3 |
| College Graduate | 1718 | 1,019,853 | 928 | 63.9 | 61.0-66.8 | 136 | 8.4 | 06.6-10.2 | 553 | 22.0 | 19.8-24.2 | 72 | 4.2 | 03.0-05.4 | 28 | 1.4 | 00.8-02.0 | 1 | 0.0 | 00.0-00.0 |
| Less than \$15,000 | 464 | 332,455 | 31 | 13.2 | 07.5-18.9 | 21 | 5.7 | 02.6-08.8 | 363 | 71.1 | 64.6-77.6 | 11 | 2.4 | 00.8-04.0 | 35 | 6.8 | 04.1-09.5 | 3 | 0.8 | 00.0-01.8 |
| \$15,000- 24,999 | 733 | 543,929 | 109 | 19.8 | 15.3-24.3 | 64 | 9.4 | 06.5-12.3 | 499 | 61.1 | 56.0-66.2 | 30 | 4.8 | 02.4-07.2 | 27 | 4.6 | 02.4-06.8 | 4 | 0.4 | 00.0-00.8 |
| \$25,000- 34,999 | 397 | 309,103 | 104 | 32.1 | 25.2-39.0 | 33 | 9.2 | 05.5-12.9 | 229 | 52.1 | 45.2-59.0 | 22 | 4.9 | 02.4-07.4 | 9 | 1.8 | 00.4-03.2 | | | |
| \$35,000- 49,999 | 630 | 478,442 | 293 | 53.8 | 48.5-59.1 | 58 | 8.8 | 05.7-11.9 | 223 | 26.1 | 22.0-30.2 | 35 | 5.5 | 03.1-07.9 | 20 | 5.2 | 02.5-07.9 | 1 | 0.7 | 00.0-02.1 |
| \$50,000- 74,999 | 643 | 553,915 | 372 | 67.6 | 62.7-72.5 | 50 | 7.3 | 04.8-09.8 | 178 | 19.2 | 15.3-23.1 | 32 | 4.5 | 02.5-06.5 | 10 | 1.4 | 00.4-02.4 | 1 | 0.1 | 00.0-00.3 |
| \$75,000+ | 1235 | 1,074,889 | 857 | 74.3 | 71.0-77.6 | 107 | 10.3 | 07.8-12.8 | 219 | 11.9 | 09.7-14.1 | 39 | 2.4 | 01.4-03.4 | 13 | 1.0 | 00.2-01.8 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 14: HEALTH CARE ACCESS**

TABLE 2: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT (HLTHCVR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Plan Purchased thru employer or union | | | Plan Purchased by you or family member | | | Medicare, Medicaid or State Prgm | | | TRICARE (formerly CHAMPUS) VA or Military | | | Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source | | | None | | |
|----------------------------|-------------------|-----------|---------------------------------------|------|------------|--|------|------------|----------------------------------|------|------------|---|------|------------|--|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2135 | 1,830,117 | 952 | 52.4 | 49.5-55.3 | 186 | 9.7 | 07.9-11.5 | 781 | 28.4 | 26.0-30.8 | 146 | 6.0 | 04.6-07.4 | 63 | 3.2 | 02.2-04.2 | 7 | 0.3 | 00.0-00.7 |
| White/Non-Hisp | 1766 | 1,425,926 | 794 | 52.6 | 49.5-55.7 | 157 | 9.7 | 07.7-11.7 | 660 | 29.8 | 27.1-32.5 | 108 | 5.0 | 03.8-06.2 | 43 | 2.6 | 01.6-03.6 | 4 | 0.3 | 00.0-00.7 |
| Black or Afr. Am./Non-Hisp | 193 | 243,377 | 85 | 53.2 | 43.8-62.6 | 13 | 7.3 | 02.2-12.4 | 62 | 24.8 | 17.0-32.6 | 21 | 7.3 | 03.2-11.4 | 11 | 7.1 | 02.4-11.8 | 1 | 0.2 | 00.0-00.6 |
| Oth. Race/Non-Hisp. | 74 | 58,739 | 27 | 46.0 | 28.0-64.0 | 9 | 12.8 | 00.0-26.9 | 24 | 24.1 | 09.6-38.6 | 6 | 9.5 | 00.0-19.7 | 8 | 7.6 | 01.5-13.7 | | | |
| 18-24 | 110 | 180,276 | 70 | 60.6 | 48.4-72.8 | 20 | 20.8 | 10.6-31.0 | 9 | 9.2 | 01.2-17.2 | 8 | 5.0 | 01.1-08.9 | 2 | 2.6 | 00.0-06.9 | 1 | 1.7 | 00.0-05.0 |
| 25-34 | 200 | 265,074 | 157 | 79.7 | 72.6-86.8 | 14 | 7.7 | 02.8-12.6 | 10 | 4.5 | 00.6-08.4 | 11 | 4.4 | 01.5-07.3 | 6 | 3.2 | 00.3-06.1 | 2 | 0.4 | 00.0-01.2 |
| 35-44 | 207 | 260,347 | 138 | 68.9 | 60.9-76.9 | 24 | 12.2 | 06.3-18.1 | 21 | 8.2 | 03.7-12.7 | 11 | 4.7 | 01.2-08.2 | 12 | 5.8 | 02.1-09.5 | 1 | 0.2 | 00.0-00.6 |
| 45-54 | 386 | 315,272 | 254 | 68.8 | 62.5-75.1 | 47 | 10.1 | 06.6-13.6 | 52 | 13.2 | 08.3-18.1 | 22 | 5.7 | 02.4-09.0 | 10 | 2.1 | 00.5-03.7 | 1 | 0.2 | 00.0-00.6 |
| 55-64 | 467 | 325,750 | 259 | 59.7 | 54.0-65.4 | 45 | 8.8 | 05.7-11.9 | 107 | 21.5 | 16.6-26.4 | 30 | 4.0 | 02.2-05.8 | 24 | 5.8 | 02.9-08.7 | 2 | 0.2 | 00.0-00.4 |
| 65+ | 765 | 483,398 | 74 | 9.9 | 07.0-12.8 | 36 | 5.9 | 03.4-08.4 | 582 | 74.0 | 69.7-78.3 | 64 | 9.2 | 06.3-12.1 | 9 | 1.0 | 00.2-01.8 | | | |
| Less Than H.S. | 184 | 224,690 | 37 | 31.8 | 20.8-42.8 | 14 | 8.8 | 03.3-14.3 | 108 | 49.2 | 38.8-59.6 | 6 | 2.6 | 00.0-05.9 | 18 | 7.4 | 03.5-11.3 | 1 | 0.3 | 00.0-00.9 |
| H.S. or G.E.D. | 628 | 596,377 | 263 | 51.4 | 46.1-56.7 | 61 | 9.9 | 06.6-13.2 | 242 | 27.8 | 23.5-32.1 | 41 | 6.2 | 03.8-08.6 | 17 | 3.8 | 01.4-06.2 | 4 | 0.8 | 00.0-02.0 |
| Some Post-H.S. | 522 | 505,599 | 232 | 53.2 | 47.5-58.9 | 57 | 13.2 | 09.1-17.3 | 175 | 24.6 | 20.3-28.9 | 46 | 6.9 | 04.4-09.4 | 11 | 2.1 | 00.7-03.5 | 1 | 0.1 | 00.0-00.3 |
| College Graduate | 796 | 500,594 | 418 | 61.9 | 57.6-66.2 | 53 | 6.6 | 04.2-09.0 | 254 | 23.5 | 20.2-26.8 | 53 | 6.3 | 03.9-08.7 | 17 | 1.7 | 00.7-02.7 | 1 | 0.0 | 00.0-00.0 |
| Less than \$15,000 | 151 | 124,234 | 14 | 20.6 | 09.6-31.6 | 8 | 4.1 | 01.0-07.2 | 106 | 62.8 | 51.6-74.0 | 9 | 4.3 | 01.0-07.6 | 14 | 8.2 | 02.9-13.5 | | | |
| \$15,000- 24,999 | 245 | 211,219 | 39 | 22.5 | 14.5-30.5 | 22 | 10.9 | 05.2-16.6 | 148 | 52.1 | 43.3-60.9 | 25 | 10.1 | 05.0-15.2 | 9 | 4.0 | 00.9-07.1 | 2 | 0.4 | 00.0-01.0 |
| \$25,000- 34,999 | 154 | 119,933 | 43 | 39.7 | 28.5-50.9 | 15 | 10.2 | 04.1-16.3 | 79 | 41.0 | 31.2-50.8 | 15 | 8.1 | 02.8-13.4 | 2 | 1.0 | 00.0-02.6 | | | |
| \$35,000- 49,999 | 276 | 226,632 | 131 | 54.7 | 46.7-62.7 | 27 | 8.7 | 03.6-13.8 | 79 | 19.7 | 14.2-25.2 | 27 | 9.5 | 04.8-14.2 | 11 | 6.0 | 01.5-10.5 | 1 | 1.4 | 00.0-04.1 |
| \$50,000- 74,999 | 321 | 294,740 | 185 | 68.3 | 61.8-74.8 | 23 | 6.5 | 03.0-10.0 | 87 | 18.2 | 13.3-23.1 | 20 | 5.6 | 02.7-08.5 | 5 | 1.3 | 00.1-02.5 | 1 | 0.1 | 00.0-00.3 |
| \$75,000+ | 656 | 590,862 | 432 | 70.6 | 65.9-75.3 | 59 | 10.2 | 06.9-13.5 | 128 | 14.5 | 11.0-18.0 | 28 | 3.2 | 01.6-04.8 | 9 | 1.5 | 00.1-02.9 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 14: HEALTH CARE ACCESS**

TABLE 3: WHAT IS THE PRIMARY SOURCE OF YOUR HEALTH CARE COVERAGE? IS IT (HLTHCVR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Plan Purchased thru employer or union | | | Plan Purchased by you or family member | | | Medicare, Medicaid or State Prgm | | | TRICARE (formerly CHAMPUS) VA or Military | | | Alaska Native Indian Hlth Svc Tribal Hlth Svc Other Source | | | None | | |
|----------------------------|-------------------|-----------|---------------------------------------|------|------------|--|------|------------|----------------------------------|------|------------|---|-----|------------|--|-----|------------|------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2911 | 2,181,082 | 1092 | 44.1 | 41.6-46.6 | 239 | 10.0 | 08.2-11.8 | 1430 | 40.7 | 38.3-43.1 | 53 | 1.8 | 01.2-02.4 | 90 | 3.2 | 02.4-04.0 | 7 | 0.2 | 00.0-00.4 |
| White/Non-Hisp | 2338 | 1,640,914 | 853 | 43.2 | 40.5-45.9 | 190 | 10.1 | 08.1-12.1 | 1185 | 42.0 | 39.5-44.5 | 42 | 1.9 | 01.1-02.7 | 64 | 2.6 | 01.8-03.4 | 4 | 0.2 | 00.0-00.4 |
| Black or Afr. Am./Non-Hisp | 378 | 384,278 | 160 | 44.3 | 37.4-51.2 | 27 | 8.2 | 04.3-12.1 | 160 | 39.6 | 32.9-46.3 | 6 | 1.4 | 00.2-02.6 | 23 | 6.1 | 03.0-09.2 | 2 | 0.4 | 00.0-01.0 |
| Oth. Race/Non-Hisp. | 54 | 32,851 | 19 | 50.0 | 31.2-68.8 | 6 | 11.9 | 01.1-22.7 | 27 | 35.8 | 19.7-51.9 | 1 | 1.8 | 00.0-05.3 | 1 | 0.5 | 00.0-01.5 | | | |
| 18-24 | 136 | 197,930 | 80 | 55.8 | 44.4-67.2 | 24 | 21.1 | 11.3-30.9 | 23 | 19.6 | 10.4-28.8 | 3 | 1.4 | 00.0-03.2 | 5 | 1.8 | 00.0-03.6 | 1 | 0.3 | 00.0-00.9 |
| 25-34 | 254 | 317,289 | 138 | 54.7 | 46.9-62.5 | 18 | 7.3 | 03.4-11.2 | 78 | 31.8 | 24.2-39.4 | 7 | 2.8 | 00.3-05.3 | 11 | 3.1 | 01.1-05.1 | 2 | 0.3 | 00.0-00.7 |
| 35-44 | 319 | 331,336 | 194 | 59.3 | 51.9-66.7 | 23 | 9.3 | 04.4-14.2 | 86 | 27.6 | 20.9-34.3 | 7 | 1.8 | 00.4-03.2 | 8 | 2.0 | 00.4-03.6 | 1 | 0.1 | 00.0-00.3 |
| 45-54 | 460 | 354,264 | 281 | 61.9 | 56.2-67.6 | 40 | 10.1 | 06.4-13.8 | 108 | 20.1 | 15.6-24.6 | 12 | 2.9 | 00.9-04.9 | 19 | 5.0 | 02.3-07.7 | | | |
| 55-64 | 606 | 392,721 | 311 | 54.0 | 48.9-59.1 | 66 | 11.7 | 08.4-15.0 | 198 | 29.4 | 24.7-34.1 | 12 | 1.4 | 00.4-02.4 | 18 | 3.2 | 01.2-05.2 | 1 | 0.2 | 00.0-00.6 |
| 65+ | 1136 | 587,542 | 88 | 8.5 | 06.3-10.7 | 68 | 7.1 | 04.9-09.3 | 937 | 79.8 | 76.7-82.9 | 12 | 1.1 | 00.3-01.9 | 29 | 3.1 | 01.7-04.5 | 2 | 0.4 | 00.0-01.0 |
| Less Than H.S. | 252 | 248,910 | 26 | 14.5 | 07.2-21.8 | 17 | 8.3 | 03.6-13.0 | 193 | 70.0 | 61.8-78.2 | 1 | 0.5 | 00.0-01.5 | 13 | 6.1 | 02.2-10.0 | 2 | 0.7 | 00.0-01.7 |
| H.S. or G.E.D. | 902 | 713,565 | 235 | 36.1 | 31.2-41.0 | 76 | 9.8 | 06.7-12.9 | 535 | 48.2 | 43.5-52.9 | 12 | 1.3 | 00.3-02.3 | 41 | 4.2 | 02.6-05.8 | 3 | 0.3 | 00.0-00.7 |
| Some Post-H.S. | 824 | 692,604 | 316 | 46.6 | 41.9-51.3 | 61 | 10.6 | 07.3-13.9 | 399 | 37.5 | 33.2-41.8 | 21 | 2.5 | 01.1-03.9 | 25 | 2.6 | 01.4-03.8 | 2 | 0.2 | 00.0-00.4 |
| College Graduate | 922 | 519,259 | 510 | 65.9 | 62.2-69.6 | 83 | 10.2 | 07.5-12.9 | 299 | 20.6 | 17.9-23.3 | 19 | 2.2 | 01.0-03.4 | 11 | 1.1 | 00.3-01.9 | | | |
| Less than \$15,000 | 313 | 208,220 | 17 | 8.8 | 02.7-14.9 | 13 | 6.6 | 02.1-11.1 | 257 | 76.1 | 68.7-83.5 | 2 | 1.2 | 00.0-03.0 | 21 | 5.9 | 03.0-08.8 | 3 | 1.3 | 00.0-02.9 |
| \$15,000- 24,999 | 488 | 332,710 | 70 | 18.1 | 12.8-23.4 | 42 | 8.4 | 05.3-11.5 | 351 | 66.8 | 60.7-72.9 | 5 | 1.5 | 00.0-03.3 | 18 | 4.9 | 02.0-07.8 | 2 | 0.4 | 00.0-01.0 |
| \$25,000- 34,999 | 243 | 189,170 | 61 | 27.2 | 18.8-35.6 | 18 | 8.5 | 03.8-13.2 | 150 | 59.1 | 50.3-67.9 | 7 | 2.9 | 00.5-05.3 | 7 | 2.3 | 00.3-04.3 | | | |
| \$35,000- 49,999 | 354 | 251,810 | 162 | 52.9 | 46.0-59.8 | 31 | 8.8 | 05.3-12.3 | 144 | 31.8 | 25.7-37.9 | 8 | 1.9 | 00.3-03.5 | 9 | 4.5 | 01.2-07.8 | | | |
| \$50,000- 74,999 | 322 | 259,175 | 187 | 66.7 | 59.6-73.8 | 27 | 8.2 | 04.5-11.9 | 91 | 20.4 | 14.3-26.5 | 12 | 3.3 | 00.9-05.7 | 5 | 1.4 | 00.0-03.0 | | | |
| \$75,000+ | 579 | 484,027 | 425 | 79.0 | 74.5-83.5 | 48 | 10.5 | 06.6-14.4 | 91 | 8.8 | 06.4-11.2 | 11 | 1.4 | 00.4-02.4 | 4 | 0.4 | 00.0-00.8 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 20: COGNITIVE DECLINE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS) | |
| 1 MALES AND FEMALES | 41 |
| 2 MALES ONLY | 42 |
| 3 FEMALES ONLY | 43 |
| DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE) | |
| 4 MALES AND FEMALES | 44 |
| 5 MALES ONLY | 45 |
| 6 FEMALES ONLY | 46 |
| AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST) | |
| 7 MALES AND FEMALES | 47 |
| 8 MALES ONLY | 48 |
| 9 FEMALES ONLY | 49 |
| WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP) | |
| 10 MALES AND FEMALES | 50 |
| 11 MALES ONLY | 51 |
| 12 FEMALES ONLY | 52 |
| DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL) | |
| 13 MALES AND FEMALES | 53 |
| 14 MALES ONLY | 54 |
| 15 FEMALES ONLY | 55 |
| HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS) | |
| 16 MALES AND FEMALES | 56 |
| 17 MALES ONLY | 57 |
| 18 FEMALES ONLY | 58 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3620 | 2,358,929 | 492 | 13.2 | 11.8-14.6 | 3128 | 86.8 | 85.4-88.2 |
| Male | 1546 | 1,093,476 | 199 | 12.6 | 10.2-15.0 | 1347 | 87.4 | 85.0-89.8 |
| Female | 2074 | 1,265,453 | 293 | 13.7 | 11.7-15.7 | 1781 | 86.3 | 84.3-88.3 |
| White/Non-Hisp | 3018 | 1,901,010 | 395 | 12.2 | 10.8-13.6 | 2623 | 87.8 | 86.4-89.2 |
| Black or Afr. Am./Non-Hisp | 375 | 325,039 | 57 | 16.9 | 11.4-22.4 | 318 | 83.1 | 77.6-88.6 |
| Oth. Race/Non-Hisp. | 84 | 42,560 | 11 | 15.9 | 05.3-26.5 | 73 | 84.1 | 73.5-94.7 |
| MultiRacial/Non-Hisp. | 50 | 15,581 | 9 | 12.8 | 03.2-22.4 | 41 | 87.2 | 77.6-96.8 |
| 45-54 | 845 | 686,578 | 112 | 12.1 | 09.4-14.8 | 733 | 87.9 | 85.2-90.6 |
| 55-64 | 1057 | 708,507 | 158 | 15.2 | 12.3-18.1 | 899 | 84.8 | 81.9-87.7 |
| 65+ | 1718 | 963,845 | 222 | 12.5 | 10.3-14.7 | 1496 | 87.5 | 85.3-89.7 |
| Less Than H.S. | 399 | 372,089 | 106 | 27.0 | 21.3-32.7 | 293 | 73.0 | 67.3-78.7 |
| H.S. or G.E.D. | 1169 | 794,899 | 181 | 13.0 | 10.6-15.4 | 988 | 87.0 | 84.6-89.4 |
| Some Post-H.S. | 935 | 650,995 | 124 | 11.1 | 08.7-13.5 | 811 | 88.9 | 86.5-91.3 |
| College Graduate | 1113 | 538,435 | 81 | 6.4 | 04.6-08.2 | 1032 | 93.6 | 91.8-95.4 |
| Less than \$15,000 | 416 | 250,099 | 98 | 21.8 | 16.5-27.1 | 318 | 78.2 | 72.9-83.5 |
| \$15,000- 24,999 | 605 | 388,396 | 136 | 25.0 | 20.1-29.9 | 469 | 75.0 | 70.1-79.9 |
| \$25,000- 34,999 | 299 | 187,432 | 52 | 14.2 | 09.5-18.9 | 247 | 85.8 | 81.1-90.5 |
| \$35,000- 49,999 | 441 | 260,041 | 48 | 10.3 | 07.0-13.6 | 393 | 89.7 | 86.4-93.0 |
| \$50,000- 74,999 | 439 | 322,803 | 34 | 9.1 | 05.4-12.8 | 405 | 90.9 | 87.2-94.6 |
| \$75,000+ | 791 | 550,821 | 30 | 3.2 | 01.8-04.6 | 761 | 96.8 | 95.4-98.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1546 | 1,093,476 | 199 | 12.6 | 10.2-15.0 | 1347 | 87.4 | 85.0-89.8 |
| White/Non-Hisp | 1296 | 875,498 | 159 | 11.6 | 09.4-13.8 | 1137 | 88.4 | 86.2-90.6 |
| Black or Afr. Am./Non-Hisp | 143 | 154,687 | 23 | 15.8 | 07.4-24.2 | 120 | 84.2 | 75.8-92.6 |
| 45-54 | 399 | 342,691 | 52 | 11.5 | 07.4-15.6 | 347 | 88.5 | 84.4-92.6 |
| 55-64 | 465 | 325,332 | 65 | 14.5 | 10.4-18.6 | 400 | 85.5 | 81.4-89.6 |
| 65+ | 682 | 425,453 | 82 | 11.9 | 08.4-15.4 | 600 | 88.1 | 84.6-91.6 |
| Less Than H.S. | 165 | 178,653 | 48 | 31.1 | 21.5-40.7 | 117 | 68.9 | 59.3-78.5 |
| H.S. or G.E.D. | 482 | 362,376 | 70 | 11.5 | 08.2-14.8 | 412 | 88.5 | 85.2-91.8 |
| Some Post-H.S. | 363 | 276,973 | 43 | 7.9 | 05.4-10.4 | 320 | 92.1 | 89.6-94.6 |
| College Graduate | 535 | 275,218 | 38 | 6.7 | 04.0-09.4 | 497 | 93.3 | 90.6-96.0 |
| Less than \$15,000 | 140 | 101,984 | 42 | 28.3 | 18.5-38.1 | 98 | 71.7 | 61.9-81.5 |
| \$15,000- 24,999 | 222 | 167,799 | 58 | 27.8 | 19.4-36.2 | 164 | 72.2 | 63.8-80.6 |
| \$25,000- 34,999 | 124 | 81,318 | 24 | 11.8 | 06.1-17.5 | 100 | 88.2 | 82.5-93.9 |
| \$35,000- 49,999 | 191 | 113,428 | 20 | 10.0 | 05.1-14.9 | 171 | 90.0 | 85.1-94.9 |
| \$50,000- 74,999 | 214 | 171,467 | 18 | 7.9 | 03.4-12.4 | 196 | 92.1 | 87.6-96.6 |
| \$75,000+ | 440 | 307,603 | 15 | 3.3 | 01.1-05.5 | 425 | 96.7 | 94.5-98.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2074 | 1,265,453 | 293 | 13.7 | 11.7-15.7 | 1781 | 86.3 | 84.3-88.3 |
| White/Non-Hisp | 1722 | 1,025,512 | 236 | 12.7 | 10.7-14.7 | 1486 | 87.3 | 85.3-89.3 |
| Black or Afr. Am./Non-Hisp | 232 | 170,352 | 34 | 17.9 | 10.5-25.3 | 198 | 82.1 | 74.7-89.5 |
| 45-54 | 446 | 343,887 | 60 | 12.6 | 08.7-16.5 | 386 | 87.4 | 83.5-91.3 |
| 55-64 | 592 | 383,175 | 93 | 15.7 | 11.8-19.6 | 499 | 84.3 | 80.4-88.2 |
| 65+ | 1036 | 538,391 | 140 | 12.9 | 10.4-15.4 | 896 | 87.1 | 84.6-89.6 |
| Less Than H.S. | 234 | 193,436 | 58 | 23.3 | 16.8-29.8 | 176 | 76.7 | 70.2-83.2 |
| H.S. or G.E.D. | 687 | 432,523 | 111 | 14.2 | 10.9-17.5 | 576 | 85.8 | 82.5-89.1 |
| Some Post-H.S. | 572 | 374,022 | 81 | 13.5 | 10.0-17.0 | 491 | 86.5 | 83.0-90.0 |
| College Graduate | 578 | 263,216 | 43 | 6.0 | 03.6-08.4 | 535 | 94.0 | 91.6-96.4 |
| Less than \$15,000 | 276 | 148,115 | 56 | 17.3 | 12.0-22.6 | 220 | 82.7 | 77.4-88.0 |
| \$15,000- 24,999 | 383 | 220,598 | 78 | 22.8 | 17.1-28.5 | 305 | 77.2 | 71.5-82.9 |
| \$25,000- 34,999 | 175 | 106,114 | 28 | 16.1 | 09.0-23.2 | 147 | 83.9 | 76.8-91.0 |
| \$35,000- 49,999 | 250 | 146,613 | 28 | 10.5 | 05.8-15.2 | 222 | 89.5 | 84.8-94.2 |
| \$50,000- 74,999 | 225 | 151,336 | 16 | 10.4 | 04.3-16.5 | 209 | 89.6 | 83.5-95.7 |
| \$75,000+ | 351 | 243,218 | 15 | 3.0 | 01.2-04.8 | 336 | 97.0 | 95.2-98.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 4: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Always | | N | Usually | | N | Sometimes | | N | Rarely | | N | Never | |
|----------------------------|-------------------|----------|----|--------|------------|----|---------|------------|-----|-----------|------------|----|--------|------------|-----|-------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) |
| TOTAL | 481 | 304,636 | 55 | 12.0 | 07.7-16.3 | 32 | 7.2 | 04.5-09.9 | 152 | 34.5 | 28.8-40.2 | 82 | 15.2 | 11.3-19.1 | 160 | 31.1 | 26.2-36.0 |
| Male | 195 | 136,023 | 22 | 13.7 | 06.4-21.0 | 8 | 4.8 | 03.0-06.6 | 66 | 38.1 | 28.7-47.5 | 34 | 16.2 | 09.7-22.7 | 65 | 27.1 | 19.7-34.5 |
| Female | 286 | 168,613 | 33 | 10.5 | 05.6-15.4 | 24 | 9.2 | 04.7-13.7 | 86 | 31.6 | 24.7-38.5 | 48 | 14.4 | 09.5-19.3 | 95 | 34.3 | 27.6-41.0 |
| White/Non-Hisp | 384 | 226,047 | 40 | 9.5 | 05.8-13.2 | 27 | 6.7 | 03.6-09.8 | 116 | 33.2 | 27.1-39.3 | 64 | 15.9 | 11.2-20.6 | 137 | 34.7 | 28.8-40.6 |
| Black or Afr. Am./Non-Hisp | 57 | 54,880 | 6 | 18.2 | 02.5-33.9 | 3 | 4.5 | 00.0-11.0 | 24 | 43.0 | 25.4-60.6 | 11 | 13.6 | 04.0-23.2 | 13 | 20.7 | 10.1-31.3 |
| 45-54 | 110 | 82,273 | 10 | 13.6 | 03.0-24.2 | 11 | 7.4 | 02.1-12.7 | 45 | 42.6 | 30.6-54.6 | 15 | 14.1 | 05.7-22.5 | 29 | 22.3 | 13.7-30.9 |
| 55-64 | 155 | 106,569 | 20 | 14.3 | 06.9-21.7 | 12 | 8.0 | 02.3-13.7 | 55 | 37.8 | 27.6-48.0 | 22 | 12.0 | 06.5-17.5 | 46 | 28.0 | 20.0-36.0 |
| 65+ | 216 | 115,794 | 25 | 8.7 | 04.4-13.0 | 9 | 6.4 | 03.9-08.9 | 52 | 25.7 | 17.9-33.5 | 45 | 19.1 | 12.4-25.8 | 85 | 40.2 | 31.8-48.6 |
| Less Than H.S. | 102 | 97,983 | 17 | 16.6 | 07.0-26.2 | 8 | 7.1 | 04.0-10.2 | 52 | 52.0 | 39.8-64.2 | 8 | 6.1 | 01.4-10.8 | 17 | 18.2 | 09.4-27.0 |
| H.S. or G.E.D. | 177 | 100,523 | 23 | 10.5 | 05.2-15.8 | 13 | 6.7 | 02.4-11.0 | 58 | 29.3 | 21.7-36.9 | 33 | 17.1 | 09.7-24.5 | 50 | 36.4 | 27.6-45.2 |
| Some Post-H.S. | 121 | 71,892 | 10 | 10.6 | 01.6-19.6 | 9 | 10.8 | 02.8-18.8 | 28 | 23.8 | 15.4-32.2 | 23 | 17.3 | 10.0-24.6 | 51 | 37.6 | 27.4-47.8 |
| College Graduate | 81 | 34,238 | 5 | 5.8 | 00.0-12.1 | 2 | 1.5 | 00.0-03.9 | 14 | 22.1 | 10.1-34.1 | 18 | 31.7 | 17.4-46.0 | 42 | 38.9 | 26.6-51.2 |
| Less than \$15,000 | 94 | 53,568 | 12 | 9.8 | 03.3-16.3 | 6 | 3.8 | 00.3-07.3 | 44 | 56.1 | 43.0-69.2 | 13 | 8.1 | 02.8-13.4 | 19 | 22.2 | 10.8-33.6 |
| \$15,000- 24,999 | 133 | 95,638 | 17 | 14.0 | 06.2-21.8 | 11 | 10.8 | 05.5-16.1 | 52 | 37.7 | 26.1-49.3 | 26 | 20.5 | 11.5-29.5 | 27 | 17.0 | 09.2-24.8 |
| \$25,000- 34,999 | 50 | 24,765 | 5 | 7.4 | 00.0-15.2 | 2 | 2.1 | 00.0-05.2 | 12 | 38.4 | 21.7-55.1 | 11 | 17.6 | 06.0-29.2 | 20 | 34.6 | 18.7-50.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 5: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Always | | N | Usually | | N | Sometimes | | N | Rarely | | N | Never | |
|--------------------|-------------------|----------|----|--------|------------|---|---------|------------|----|-----------|------------|----|--------|------------|----|-------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) |
| Male | 195 | 136,023 | 22 | 13.7 | 06.6-20.8 | 8 | 4.8 | 03.0-06.6 | 66 | 38.1 | 29.3-46.9 | 34 | 16.2 | 09.7-22.7 | 65 | 27.1 | 19.8-34.4 |
| White/Non-Hisp | 155 | 99,649 | 15 | 11.0 | 03.9-18.1 | 6 | 2.1 | 00.3-03.9 | 47 | 35.5 | 25.3-45.7 | 26 | 16.1 | 08.8-23.4 | 61 | 35.2 | 25.8-44.6 |
| 45-54 | 51 | 39,206 | 7 | 17.1 | 00.0-34.3 | 2 | 2.0 | 00.0-04.7 | 25 | 49.7 | 31.9-67.5 | 7 | 13.1 | 01.3-24.9 | 10 | 18.0 | 04.7-31.3 |
| 55-64 | 64 | 47,130 | 12 | 23.4 | 09.3-37.5 | 3 | 2.0 | 00.0-04.5 | 19 | 37.3 | 21.4-53.2 | 8 | 12.5 | 03.9-21.1 | 22 | 24.9 | 13.3-36.5 |
| 65+ | 80 | 49,687 | 3 | 1.8 | 00.0-04.0 | 3 | 9.7 | 05.4-14.0 | 22 | 29.8 | 15.5-44.1 | 19 | 22.2 | 10.8-33.6 | 33 | 36.5 | 22.0-51.0 |
| H.S. or G.E.D. | 68 | 40,897 | 9 | 12.0 | 04.4-19.6 | 3 | 3.8 | 00.0-08.5 | 25 | 33.1 | 21.1-45.1 | 11 | 16.9 | 04.4-29.4 | 20 | 34.2 | 18.7-49.7 |
| \$15,000- 24,999 | 56 | 45,823 | 10 | 21.4 | 06.7-36.1 | 2 | 8.8 | 05.7-11.9 | 25 | 40.4 | 23.0-57.8 | 7 | 16.4 | 02.7-30.1 | 12 | 12.9 | 04.1-21.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 6: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Always | | N | Usually | | N | Sometimes | | N | Rarely | | N | Never | |
|--------------------|-------------------|----------|----|--------|------------|----|---------|------------|----|-----------|------------|----|--------|------------|----|-------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) |
| Female | 286 | 168,613 | 33 | 10.5 | 05.4-15.6 | 24 | 9.2 | 04.7-13.7 | 86 | 31.6 | 24.7-38.5 | 48 | 14.4 | 09.5-19.3 | 95 | 34.3 | 27.6-41.0 |
| White/Non-Hisp | 229 | 126,398 | 25 | 8.2 | 04.7-11.7 | 21 | 10.3 | 05.2-15.4 | 69 | 31.4 | 24.1-38.7 | 38 | 15.7 | 09.6-21.8 | 76 | 34.4 | 26.8-42.0 |
| 45-54 | 59 | 43,067 | 3 | 10.4 | 00.0-23.9 | 9 | 12.3 | 02.5-22.1 | 20 | 36.2 | 20.5-51.9 | 8 | 15.0 | 03.0-27.0 | 19 | 26.2 | 14.8-37.6 |
| 55-64 | 91 | 59,439 | 8 | 7.0 | 01.5-12.5 | 9 | 12.9 | 03.5-22.3 | 36 | 38.2 | 25.7-50.7 | 14 | 11.5 | 04.6-18.4 | 24 | 30.4 | 19.2-41.6 |
| 65+ | 136 | 66,107 | 22 | 13.8 | 06.7-20.9 | 6 | 3.9 | 00.6-07.2 | 30 | 22.6 | 15.2-30.0 | 26 | 16.7 | 09.1-24.3 | 52 | 43.0 | 32.6-53.4 |
| Less Than H.S. | 55 | 42,940 | 8 | 11.2 | 03.2-19.2 | 4 | 5.6 | 00.0-11.7 | 26 | 47.4 | 31.1-63.7 | 6 | 10.2 | 01.2-19.2 | 11 | 25.5 | 11.0-40.0 |
| H.S. or G.E.D. | 109 | 59,626 | 14 | 9.4 | 02.7-16.1 | 10 | 8.7 | 02.0-15.4 | 33 | 26.7 | 16.9-36.5 | 22 | 17.3 | 08.3-26.3 | 30 | 37.8 | 27.0-48.6 |
| Some Post-H.S. | 79 | 50,149 | 7 | 11.4 | 00.0-23.6 | 9 | 15.5 | 04.5-26.5 | 20 | 25.9 | 15.3-36.5 | 12 | 13.3 | 05.5-21.1 | 31 | 34.0 | 22.0-46.0 |
| Less than \$15,000 | 53 | 24,848 | 8 | 13.4 | 02.4-24.4 | 4 | 6.3 | 00.0-13.2 | 21 | 39.1 | 23.0-55.2 | 8 | 9.5 | 01.3-17.7 | 12 | 31.7 | 13.5-49.9 |
| \$15,000- 24,999 | 77 | 49,815 | 7 | 7.1 | 01.2-13.0 | 9 | 12.6 | 03.0-22.2 | 27 | 35.2 | 19.7-50.7 | 19 | 24.3 | 12.0-36.6 | 15 | 20.8 | 08.8-32.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

**TABLE 7: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Always | | Usually | | | Sometimes | | | Rarely | | | Never | | |
|----------------------------|-------------------|----------|----|--------|------------|---------|------|------------|-----------|------|------------|--------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 485 | 304,809 | 34 | 8.0 | 04.7-11.3 | 37 | 7.9 | 05.0-10.8 | 110 | 24.2 | 18.9-29.5 | 89 | 18.1 | 13.6-22.6 | 215 | 41.8 | 36.3-47.3 |
| Male | 198 | 136,812 | 11 | 5.3 | 01.6-09.0 | 17 | 8.5 | 03.6-13.4 | 36 | 22.7 | 13.9-31.5 | 42 | 22.3 | 14.1-30.5 | 92 | 41.1 | 32.9-49.3 |
| Female | 287 | 167,997 | 23 | 10.2 | 04.9-15.5 | 20 | 7.4 | 03.9-10.9 | 74 | 25.5 | 19.2-31.8 | 47 | 14.6 | 10.1-19.1 | 123 | 42.3 | 35.2-49.4 |
| White/Non-Hisp | 388 | 226,220 | 24 | 6.2 | 03.3-09.1 | 30 | 8.8 | 05.1-12.5 | 76 | 17.8 | 13.5-22.1 | 72 | 19.4 | 13.9-24.9 | 186 | 47.8 | 41.5-54.1 |
| Black or Afr. Am./Non-Hisp | 57 | 54,880 | 6 | 15.0 | 01.9-28.1 | 4 | 3.2 | 00.1-06.3 | 21 | 49.1 | 31.7-66.5 | 10 | 12.5 | 03.1-21.9 | 16 | 20.3 | 08.5-32.1 |
| 45-54 | 112 | 82,784 | 6 | 4.0 | 00.5-07.5 | 12 | 7.6 | 02.9-12.3 | 35 | 37.7 | 25.2-50.2 | 24 | 19.9 | 10.9-28.9 | 35 | 30.8 | 20.4-41.2 |
| 55-64 | 156 | 106,510 | 17 | 14.8 | 06.6-23.0 | 12 | 9.8 | 03.3-16.3 | 33 | 22.6 | 14.8-30.4 | 27 | 14.5 | 07.8-21.2 | 67 | 38.2 | 29.0-47.4 |
| 65+ | 217 | 115,515 | 11 | 4.6 | 01.3-07.9 | 13 | 6.3 | 02.4-10.2 | 42 | 16.1 | 10.6-21.6 | 38 | 20.1 | 12.3-27.9 | 113 | 52.9 | 44.3-61.5 |
| Less Than H.S. | 103 | 97,815 | 12 | 11.6 | 03.6-19.6 | 14 | 12.9 | 05.1-20.7 | 30 | 28.0 | 16.0-40.0 | 13 | 15.2 | 05.2-25.2 | 34 | 32.2 | 21.8-42.6 |
| H.S. or G.E.D. | 178 | 100,480 | 13 | 6.4 | 02.1-10.7 | 14 | 8.1 | 03.8-12.4 | 45 | 24.4 | 17.5-31.3 | 37 | 17.8 | 10.9-24.7 | 69 | 43.3 | 34.3-52.3 |
| Some Post-H.S. | 123 | 72,276 | 6 | 7.1 | 00.6-13.6 | 8 | 4.4 | 01.1-07.7 | 23 | 20.8 | 10.6-31.0 | 26 | 20.7 | 13.3-28.1 | 60 | 47.1 | 36.3-57.9 |
| College Graduate | 81 | 34,238 | 3 | 4.7 | 00.0-10.8 | 1 | 0.4 | 00.0-01.2 | 12 | 20.1 | 08.5-31.7 | 13 | 21.6 | 07.7-35.5 | 52 | 53.3 | 38.8-67.8 |
| Less than \$15,000 | 98 | 54,465 | 6 | 5.0 | 00.9-09.1 | 11 | 12.5 | 04.7-20.3 | 29 | 32.9 | 19.0-46.8 | 21 | 16.3 | 08.5-24.1 | 31 | 33.3 | 21.0-45.6 |
| \$15,000- 24,999 | 133 | 95,336 | 13 | 13.6 | 04.8-22.4 | 15 | 11.3 | 04.2-18.4 | 34 | 21.2 | 12.4-30.0 | 28 | 21.7 | 11.3-32.1 | 43 | 32.2 | 22.4-42.0 |
| \$25,000- 34,999 | 51 | 25,194 | 1 | 0.8 | 00.0-02.4 | 1 | 0.5 | 00.0-01.5 | 10 | 24.9 | 09.8-40.0 | 13 | 30.5 | 16.6-44.4 | 26 | 43.3 | 27.0-59.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 8: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Always | | | Usually | | | Sometimes | | | Rarely | | | Never | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|-----------|------|------------|--------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 198 | 136,812 | 11 | 5.3 | 01.6-09.0 | 17 | 8.5 | 03.6-13.4 | 36 | 22.7 | 13.9-31.5 | 42 | 22.3 | 13.9-30.7 | 92 | 41.1 | 33.7-48.5 |
| White/Non-Hisp | 158 | 100,439 | 8 | 5.2 | 01.1-09.3 | 13 | 9.4 | 02.9-15.9 | 20 | 13.5 | 07.0-20.0 | 33 | 23.1 | 13.5-32.7 | 84 | 48.8 | 38.8-58.8 |
| 45-54 | 52 | 39,431 | 3 | 3.4 | 00.0-07.5 | 7 | 8.8 | 01.7-15.9 | 16 | 42.4 | 23.0-61.8 | 14 | 24.0 | 09.7-38.3 | 12 | 21.5 | 07.8-35.2 |
| 55-64 | 65 | 47,265 | 7 | 12.0 | 02.2-21.8 | 5 | 11.9 | 00.0-23.9 | 8 | 15.4 | 02.1-28.7 | 12 | 17.8 | 05.6-30.0 | 33 | 43.0 | 29.5-56.5 |
| 65+ | 81 | 50,116 | 1 | 0.6 | 00.0-01.8 | 5 | 5.1 | 00.6-09.6 | 12 | 14.2 | 05.2-23.2 | 16 | 25.4 | 10.3-40.5 | 47 | 54.8 | 40.1-69.5 |
| H.S. or G.E.D. | 69 | 41,122 | 6 | 7.4 | 00.3-14.5 | 4 | 5.0 | 02.1-07.9 | 14 | 17.2 | 08.4-26.0 | 17 | 24.5 | 10.8-38.2 | 28 | 45.9 | 31.2-60.6 |
| \$15,000- 24,999 | 57 | 46,048 | 6 | 11.8 | 01.6-22.0 | 7 | 14.0 | 01.3-26.7 | 11 | 19.9 | 05.0-34.8 | 13 | 26.7 | 09.1-44.3 | 20 | 27.6 | 16.2-39.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 9: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Always | | | Usually | | | Sometimes | | | Rarely | | | Never | | |
|--------------------|-------------------|----------|--------|------|------------|---------|------|------------|-----------|------|------------|--------|------|------------|-------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 287 | 167,997 | 23 | 10.2 | 04.9-15.5 | 20 | 7.4 | 03.9-10.9 | 74 | 25.5 | 19.2-31.8 | 47 | 14.6 | 10.1-19.1 | 123 | 42.3 | 35.2-49.4 |
| White/Non-Hisp | 230 | 125,781 | 16 | 6.9 | 02.8-11.0 | 17 | 8.4 | 04.1-12.7 | 56 | 21.2 | 15.3-27.1 | 39 | 16.5 | 10.8-22.2 | 102 | 47.0 | 39.4-54.6 |
| 45-54 | 60 | 43,353 | 3 | 4.6 | 00.0-10.1 | 5 | 6.5 | 00.0-13.0 | 19 | 33.4 | 17.3-49.5 | 10 | 16.2 | 04.2-28.2 | 23 | 39.3 | 24.8-53.8 |
| 55-64 | 91 | 59,244 | 10 | 17.1 | 04.9-29.3 | 7 | 8.1 | 01.4-14.8 | 25 | 28.4 | 19.0-37.8 | 15 | 12.0 | 05.3-18.7 | 34 | 34.4 | 22.4-46.4 |
| 65+ | 136 | 65,399 | 10 | 7.7 | 01.8-13.6 | 8 | 7.2 | 01.5-12.9 | 30 | 17.6 | 10.9-24.3 | 22 | 16.0 | 09.5-22.5 | 66 | 51.5 | 41.3-61.7 |
| Less Than H.S. | 55 | 42,343 | 8 | 18.1 | 03.0-33.2 | 5 | 10.8 | 01.2-20.4 | 18 | 22.4 | 11.4-33.4 | 6 | 12.3 | 01.1-23.5 | 18 | 36.4 | 20.7-52.1 |
| H.S. or G.E.D. | 109 | 59,358 | 7 | 5.7 | 00.2-11.2 | 10 | 10.2 | 03.5-16.9 | 31 | 29.4 | 19.8-39.0 | 20 | 13.2 | 06.9-19.5 | 41 | 41.5 | 30.3-52.7 |
| Some Post-H.S. | 80 | 50,397 | 6 | 10.1 | 00.9-19.3 | 4 | 3.3 | 00.0-07.2 | 17 | 23.7 | 10.2-37.2 | 15 | 17.1 | 09.5-24.7 | 38 | 45.8 | 31.9-59.7 |
| Less than \$15,000 | 56 | 25,610 | 4 | 8.1 | 00.3-15.9 | 3 | 9.5 | 00.0-20.7 | 18 | 30.2 | 15.7-44.7 | 12 | 19.4 | 08.0-30.8 | 19 | 32.8 | 17.3-48.3 |
| \$15,000- 24,999 | 76 | 49,288 | 7 | 15.2 | 01.5-28.9 | 8 | 8.8 | 02.3-15.3 | 23 | 22.4 | 11.4-33.4 | 15 | 17.1 | 06.5-27.7 | 23 | 36.5 | 22.0-51.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

**TABLE 10: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Always | | N | Usually | | N | Sometimes | | N | Rarely | | N | Never | |
|--------------------|-------------------|----------|----|--------|------------|----|---------|------------|----|-----------|------------|----|--------|------------|---|-------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) |
| TOTAL | 180 | 121,505 | 74 | 44.3 | 33.9-54.7 | 40 | 21.9 | 14.1-29.7 | 34 | 20.2 | 11.8-28.6 | 25 | 11.6 | 06.5-16.7 | 7 | 2.0 | 00.4-03.6 |
| Male | 64 | 50,027 | 27 | 41.1 | 23.5-58.7 | 9 | 15.9 | 03.2-28.6 | 14 | 27.9 | 11.0-44.8 | 10 | 11.6 | 03.4-19.8 | 4 | 3.5 | 00.0-07.0 |
| Female | 116 | 71,478 | 47 | 46.5 | 34.3-58.7 | 31 | 26.2 | 16.8-35.6 | 20 | 14.9 | 07.3-22.5 | 15 | 11.5 | 04.8-18.2 | 3 | 0.9 | 00.0-02.1 |
| White/Non-Hisp | 129 | 73,309 | 55 | 39.5 | 29.5-49.5 | 32 | 27.9 | 17.7-38.1 | 22 | 19.4 | 10.8-28.0 | 17 | 11.8 | 05.5-18.1 | 3 | 1.4 | 00.0-03.0 |
| 45-54 | 52 | 39,951 | 21 | 40.6 | 19.8-61.4 | 5 | 8.2 | 00.9-15.5 | 17 | 42.3 | 21.9-62.7 | 8 | 7.7 | 01.6-13.8 | 1 | 1.1 | 00.0-03.3 |
| 55-64 | 62 | 50,347 | 20 | 41.3 | 25.4-57.2 | 17 | 27.5 | 13.0-42.0 | 10 | 11.2 | 03.4-19.0 | 11 | 16.7 | 06.1-27.3 | 4 | 3.2 | 00.0-06.5 |
| 65+ | 66 | 31,206 | 33 | 53.9 | 39.0-68.8 | 18 | 30.5 | 17.6-43.4 | 7 | 6.6 | 01.1-12.1 | 6 | 8.1 | 01.2-15.0 | 2 | 1.0 | 00.0-02.8 |
| Less Than H.S. | 56 | 51,405 | 23 | 45.0 | 26.8-63.2 | 11 | 19.7 | 06.0-33.4 | 15 | 28.9 | 12.0-45.8 | 4 | 4.0 | 00.0-08.1 | 3 | 2.4 | 00.0-05.3 |
| H.S. or G.E.D. | 72 | 39,083 | 33 | 49.7 | 37.2-62.2 | 12 | 15.9 | 06.7-25.1 | 13 | 20.7 | 09.5-31.9 | 11 | 10.8 | 03.9-17.7 | 3 | 2.8 | 00.0-06.1 |
| \$15,000- 24,999 | 62 | 43,933 | 27 | 45.8 | 28.7-62.9 | 15 | 25.8 | 10.7-40.9 | 13 | 20.6 | 07.9-33.3 | 6 | 6.9 | 00.4-13.4 | 1 | 0.8 | 00.0-02.4 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 11: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Always | | N | Usually | | N | Sometimes | | N | Rarely | | N | Never | |
|--------------------|-------------------|----------|----|--------|------------|---|---------|------------|----|-----------|------------|----|--------|------------|---|-------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) |
| Male | 64 | 50,027 | 27 | 41.1 | 22.5-59.7 | 9 | 15.9 | 03.0-28.8 | 14 | 27.9 | 09.7-46.1 | 10 | 11.6 | 04.2-19.0 | 4 | 3.5 | 00.4-06.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

**TABLE 12: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Always | | N | Usually | | N | Sometimes | | N | Rarely | | N | Never | |
|--------------------|-------------------|----------|----|--------|------------|----|---------|------------|----|-----------|------------|----|--------|------------|---|-------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) |
| Female | 116 | 71,478 | 47 | 46.5 | 33.8-59.2 | 31 | 26.2 | 17.6-34.8 | 20 | 14.9 | 07.5-22.3 | 15 | 11.5 | 04.6-18.4 | 3 | 0.9 | 00.0-02.1 |
| White/Non-Hisp | 88 | 45,074 | 36 | 41.6 | 28.9-54.3 | 25 | 30.2 | 19.6-40.8 | 13 | 14.8 | 06.0-23.6 | 12 | 12.1 | 04.5-19.7 | 2 | 1.3 | 00.0-03.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 13: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Always | | Usually | | Sometimes | | Rarely | | Never | | | | | |
|----------------------------|-------------------|----------|----|--------|------------|---------|------|------------|----|--------|------------|-------|------|------------|-----|------|-----------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| TOTAL | 482 | 303,121 | 65 | 12.8 | 09.1-16.5 | 29 | 6.7 | 03.4-10.0 | 86 | 19.4 | 14.5-24.3 | 84 | 17.4 | 12.9-21.9 | 218 | 43.7 | 38.2-49.2 |
| Male | 194 | 134,525 | 24 | 12.1 | 06.0-18.2 | 11 | 7.5 | 01.4-13.6 | 36 | 21.8 | 13.6-30.0 | 37 | 19.7 | 11.9-27.5 | 86 | 38.8 | 30.4-47.2 |
| Female | 288 | 168,597 | 41 | 13.4 | 08.9-17.9 | 18 | 6.0 | 02.7-09.3 | 50 | 17.4 | 11.7-23.1 | 47 | 15.6 | 10.7-20.5 | 132 | 47.6 | 40.5-54.7 |
| White/Non-Hisp | 387 | 225,023 | 54 | 13.3 | 09.0-17.6 | 22 | 6.3 | 03.4-09.2 | 65 | 17.5 | 12.6-22.4 | 66 | 17.1 | 12.2-22.0 | 180 | 45.8 | 39.7-51.9 |
| Black or Afr. Am./Non-Hisp | 57 | 54,880 | 7 | 9.4 | 01.2-17.6 | 4 | 8.9 | 00.0-21.4 | 12 | 27.2 | 10.0-44.4 | 11 | 18.1 | 05.2-31.0 | 23 | 36.4 | 21.1-51.7 |
| 45-54 | 108 | 80,143 | 15 | 9.8 | 04.1-15.5 | 11 | 12.5 | 02.7-22.3 | 30 | 30.7 | 18.5-42.9 | 19 | 18.2 | 08.6-27.8 | 33 | 28.8 | 18.8-38.8 |
| 55-64 | 157 | 107,037 | 31 | 20.3 | 12.1-28.5 | 11 | 6.6 | 01.9-11.3 | 26 | 16.5 | 09.6-23.4 | 28 | 17.1 | 09.1-25.1 | 61 | 39.5 | 30.1-48.9 |
| 65+ | 217 | 115,941 | 19 | 7.9 | 04.0-11.8 | 7 | 2.7 | 00.2-05.2 | 30 | 14.2 | 07.1-21.3 | 37 | 17.2 | 10.9-23.5 | 124 | 58.0 | 49.6-66.4 |
| Less Than H.S. | 103 | 97,359 | 24 | 18.2 | 09.8-26.6 | 9 | 9.7 | 01.5-17.9 | 21 | 22.7 | 11.7-33.7 | 14 | 15.5 | 06.1-24.9 | 35 | 33.9 | 22.9-44.9 |
| H.S. or G.E.D. | 176 | 100,104 | 28 | 12.7 | 07.4-18.0 | 8 | 5.3 | 01.2-09.4 | 37 | 18.4 | 11.7-25.1 | 29 | 14.9 | 07.8-22.0 | 74 | 48.7 | 39.7-57.7 |
| Some Post-H.S. | 123 | 71,619 | 9 | 8.5 | 02.2-14.8 | 11 | 7.6 | 02.3-12.9 | 16 | 18.2 | 08.0-28.4 | 24 | 17.9 | 11.0-24.8 | 63 | 47.8 | 37.0-58.6 |
| College Graduate | 80 | 34,039 | 4 | 6.6 | 00.0-13.3 | 1 | 0.3 | 00.0-00.9 | 12 | 15.2 | 04.6-25.8 | 17 | 29.4 | 15.1-43.7 | 46 | 48.5 | 34.6-62.4 |
| Less than \$15,000 | 95 | 53,209 | 14 | 14.5 | 06.7-22.3 | 14 | 14.6 | 05.8-23.4 | 27 | 36.1 | 22.2-50.0 | 10 | 6.9 | 02.2-11.6 | 30 | 27.9 | 16.3-39.5 |
| \$15,000- 24,999 | 131 | 93,767 | 25 | 17.4 | 09.0-25.8 | 9 | 6.7 | 02.0-11.4 | 26 | 18.4 | 09.2-27.6 | 25 | 20.8 | 10.8-30.8 | 46 | 36.6 | 26.0-47.2 |
| \$25,000- 34,999 | 51 | 25,194 | 4 | 7.5 | 00.0-15.5 | 1 | 3.5 | 00.0-10.4 | 7 | 14.2 | 00.7-27.7 | 9 | 16.6 | 08.8-24.4 | 30 | 58.3 | 42.4-74.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 14: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Always | | N | Usually | | N | Sometimes | | N | Rarely | | N | Never | |
|--------------------|-------------------|----------|----|--------|------------|----|---------|------------|----|-----------|------------|----|--------|------------|----|-------|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) | | % | C.I. (95%) |
| Male | 194 | 134,525 | 24 | 12.1 | 06.0-18.2 | 11 | 7.5 | 01.4-13.6 | 36 | 21.8 | 14.5-29.1 | 37 | 19.7 | 12.1-27.3 | 86 | 38.8 | 30.6-47.0 |
| White/Non-Hisp | 156 | 98,642 | 18 | 12.2 | 04.8-19.6 | 8 | 5.1 | 01.2-09.0 | 27 | 21.6 | 13.0-30.2 | 30 | 19.0 | 10.4-27.6 | 73 | 42.2 | 32.4-52.0 |
| 45-54 | 50 | 37,855 | 5 | 6.7 | 00.0-13.4 | 4 | 13.6 | 00.0-31.2 | 14 | 32.2 | 14.4-50.0 | 12 | 21.7 | 06.4-37.0 | 15 | 25.8 | 11.5-40.1 |
| 55-64 | 65 | 47,265 | 16 | 26.0 | 11.5-40.5 | 5 | 8.8 | 01.4-16.2 | 11 | 16.8 | 06.4-27.2 | 9 | 19.5 | 04.8-34.2 | 24 | 28.8 | 16.6-41.0 |
| 65+ | 79 | 49,404 | 3 | 2.8 | 00.0-06.1 | 2 | 1.6 | 00.0-04.0 | 11 | 18.7 | 04.4-33.0 | 16 | 18.4 | 06.8-30.0 | 47 | 58.5 | 43.2-73.8 |
| H.S. or G.E.D. | 66 | 40,219 | 11 | 13.6 | 05.2-22.0 | 3 | 5.0 | 01.5-08.5 | 15 | 22.3 | 10.3-34.3 | 15 | 24.2 | 09.5-38.9 | 22 | 34.8 | 19.9-49.7 |
| \$15,000- 24,999 | 54 | 43,952 | 11 | 22.0 | 06.3-37.7 | 3 | 4.9 | 01.2-08.6 | 11 | 20.7 | 05.4-36.0 | 12 | 24.9 | 08.0-41.8 | 17 | 27.4 | 15.2-39.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 15: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Always | | Usually | | Sometimes | | Rarely | | Never | | | | | |
|--------------------|-------------------|----------|----|--------|------------|---------|------|------------|----|--------|------------|-------|------|------------|-----|------|-----------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Female | 288 | 168,597 | 41 | 13.4 | 09.1-17.7 | 18 | 6.0 | 02.5-09.5 | 50 | 17.4 | 11.7-23.1 | 47 | 15.6 | 10.5-20.7 | 132 | 47.6 | 40.5-54.7 |
| White/Non-Hisp | 231 | 126,381 | 36 | 14.3 | 09.6-19.0 | 14 | 7.2 | 02.9-11.5 | 38 | 14.2 | 09.3-19.1 | 36 | 15.6 | 09.9-21.3 | 107 | 48.7 | 41.1-56.3 |
| 45-54 | 58 | 42,288 | 10 | 12.6 | 04.0-21.2 | 7 | 11.5 | 02.1-20.9 | 16 | 29.4 | 13.3-45.5 | 7 | 15.1 | 02.8-27.4 | 18 | 31.4 | 17.5-45.3 |
| 55-64 | 92 | 59,771 | 15 | 15.8 | 07.0-24.6 | 6 | 4.9 | 00.0-10.0 | 15 | 16.3 | 07.5-25.1 | 19 | 15.1 | 07.1-23.1 | 37 | 48.0 | 35.3-60.7 |
| 65+ | 138 | 66,537 | 16 | 11.7 | 06.0-17.4 | 5 | 3.5 | 00.0-07.4 | 19 | 10.8 | 05.3-16.3 | 21 | 16.3 | 09.2-23.4 | 77 | 57.6 | 48.4-66.8 |
| Less Than H.S. | 56 | 43,272 | 14 | 20.3 | 10.1-30.5 | 3 | 4.9 | 00.0-11.2 | 8 | 12.7 | 03.7-21.7 | 11 | 20.9 | 07.8-34.0 | 20 | 41.2 | 25.3-57.1 |
| H.S. or G.E.D. | 110 | 59,885 | 17 | 12.1 | 05.4-18.8 | 5 | 5.5 | 00.0-11.2 | 22 | 15.7 | 07.9-23.5 | 14 | 8.6 | 03.5-13.7 | 52 | 58.1 | 47.5-68.7 |
| Some Post-H.S. | 80 | 49,740 | 6 | 8.5 | 00.7-16.3 | 9 | 9.3 | 02.0-16.6 | 14 | 24.8 | 10.7-38.9 | 17 | 17.5 | 09.7-25.3 | 34 | 39.9 | 26.4-53.4 |
| Less than \$15,000 | 54 | 24,545 | 6 | 14.7 | 02.7-26.7 | 9 | 17.5 | 04.8-30.2 | 15 | 26.7 | 13.0-40.4 | 6 | 6.4 | 00.5-12.3 | 18 | 34.7 | 17.6-51.8 |
| \$15,000- 24,999 | 77 | 49,815 | 14 | 13.4 | 05.8-21.0 | 6 | 8.3 | 00.1-16.5 | 15 | 16.4 | 07.2-25.6 | 13 | 17.3 | 05.9-28.7 | 29 | 44.6 | 30.5-58.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 16: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 485 | 304,052 | 240 | 48.2 | 42.3-54.1 | 245 | 51.8 | 45.9-57.7 |
| Male | 197 | 135,428 | 92 | 43.1 | 33.7-52.5 | 105 | 56.9 | 47.5-66.3 |
| Female | 288 | 168,625 | 148 | 52.3 | 45.0-59.6 | 140 | 47.7 | 40.4-55.0 |
| White/Non-Hisp | 388 | 225,463 | 191 | 49.1 | 42.8-55.4 | 197 | 50.9 | 44.6-57.2 |
| Black or Afr. Am./Non-Hisp | 57 | 54,880 | 27 | 47.0 | 29.4-64.6 | 30 | 53.0 | 35.4-70.6 |
| 45-54 | 110 | 80,534 | 60 | 51.2 | 38.9-63.5 | 50 | 48.8 | 36.5-61.1 |
| 55-64 | 157 | 107,037 | 85 | 58.1 | 48.5-67.7 | 72 | 41.9 | 32.3-51.5 |
| 65+ | 218 | 116,482 | 95 | 36.9 | 28.7-45.1 | 123 | 63.1 | 54.9-71.3 |
| Less Than H.S. | 103 | 97,359 | 47 | 42.3 | 30.1-54.5 | 56 | 57.7 | 45.5-69.9 |
| H.S. or G.E.D. | 179 | 101,007 | 78 | 41.2 | 32.8-49.6 | 101 | 58.8 | 50.4-67.2 |
| Some Post-H.S. | 122 | 71,448 | 74 | 64.4 | 54.4-74.4 | 48 | 35.6 | 25.6-45.6 |
| College Graduate | 81 | 34,238 | 41 | 51.5 | 37.2-65.8 | 40 | 48.5 | 34.2-62.8 |
| Less than \$15,000 | 96 | 53,429 | 49 | 48.4 | 35.1-61.7 | 47 | 51.6 | 38.3-64.9 |
| \$15,000- 24,999 | 133 | 94,479 | 70 | 53.7 | 42.5-64.9 | 63 | 46.3 | 35.1-57.5 |
| \$25,000- 34,999 | 51 | 25,194 | 19 | 34.0 | 18.3-49.7 | 32 | 66.0 | 50.3-81.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 17: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 197 | 135,428 | 92 | 43.1 | 33.3-52.9 | 105 | 56.9 | 47.1-66.7 |
| White/Non-Hisp | 157 | 99,054 | 76 | 49.1 | 38.5-59.7 | 81 | 50.9 | 40.3-61.5 |
| 45-54 | 51 | 38,046 | 28 | 47.8 | 28.8-66.8 | 23 | 52.2 | 33.2-71.2 |
| 55-64 | 65 | 47,265 | 30 | 49.3 | 33.0-65.6 | 35 | 50.7 | 34.4-67.0 |
| 65+ | 81 | 50,116 | 34 | 33.6 | 19.5-47.7 | 47 | 66.4 | 52.3-80.5 |
| H.S. or G.E.D. | 69 | 41,122 | 31 | 40.1 | 26.0-54.2 | 38 | 59.9 | 45.8-74.0 |
| \$15,000- 24,999 | 56 | 44,663 | 27 | 47.5 | 29.7-65.3 | 29 | 52.5 | 34.7-70.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 20: COGNITIVE DECLINE**

TABLE 18: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 288 | 168,625 | 148 | 52.3 | 45.2-59.4 | 140 | 47.7 | 40.6-54.8 |
| White/Non-Hisp | 231 | 126,409 | 115 | 49.2 | 41.8-56.6 | 116 | 50.8 | 43.4-58.2 |
| 45-54 | 59 | 42,487 | 32 | 54.2 | 39.1-69.3 | 27 | 45.8 | 30.7-60.9 |
| 55-64 | 92 | 59,771 | 55 | 65.1 | 53.7-76.5 | 37 | 34.9 | 23.5-46.3 |
| 65+ | 137 | 66,366 | 61 | 39.4 | 30.0-48.8 | 76 | 60.6 | 51.2-70.0 |
| Less Than H.S. | 56 | 43,272 | 28 | 50.6 | 34.7-66.5 | 28 | 49.4 | 33.5-65.3 |
| H.S. or G.E.D. | 110 | 59,885 | 47 | 42.0 | 31.8-52.2 | 63 | 58.0 | 47.8-68.2 |
| Some Post-H.S. | 79 | 49,569 | 49 | 64.8 | 52.1-77.5 | 30 | 35.2 | 22.5-47.9 |
| Less than \$15,000 | 54 | 24,573 | 27 | 48.2 | 31.3-65.1 | 27 | 51.8 | 34.9-68.7 |
| \$15,000- 24,999 | 77 | 49,815 | 43 | 59.3 | 45.4-73.2 | 34 | 40.7 | 26.8-54.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 21: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | | PAGE |
|-------|---|------|
| | DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1) | |
| 1 | MALES AND FEMALES | 61 |
| 2 | MALES ONLY | 62 |
| 3 | FEMALES ONLY | 63 |
| | WHAT IS HIS/HER RELATIONSHIP TO YOU? (CRGVREL3) | |
| 4 | MALES AND FEMALES | 64 |
| 5 | MALES ONLY | 65 |
| 6 | FEMALES ONLY | 66 |
| | FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1) | |
| 7 | MALES AND FEMALES | 67 |
| 8 | MALES ONLY | 68 |
| 9 | FEMALES ONLY | 69 |
| | IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1) | |
| 10 | MALES AND FEMALES | 70 |
| 11 | MALES ONLY | 71 |
| 12 | FEMALES ONLY | 72 |
| | WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3) | |
| 13 | MALES AND FEMALES | 73 |
| 14 | MALES ONLY | 74 |
| 15 | FEMALES ONLY | 75 |
| | DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZ) | |
| 16 | MALES AND FEMALES | 76 |
| 17 | MALES ONLY | 77 |
| 18 | FEMALES ONLY | 78 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 21: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING? (CRGVPER1) | |
| 19 MALES AND FEMALES | 79 |
| 20 MALES ONLY | 80 |
| 21 FEMALES ONLY | 81 |
| IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS? (CRGVHOU1) | |
| 22 MALES AND FEMALES | 82 |
| 23 MALES ONLY | 83 |
| 24 FEMALES ONLY | 84 |
| IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT) | |
| 25 MALES AND FEMALES | 85 |
| 26 MALES ONLY | 86 |
| 27 FEMALES ONLY | 87 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 1: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Caregiving recipient died in past 30 days | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|---|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4957 | 4,064,468 | 1279 | 25.0 | 23.2-26.8 | 3672 | 75.0 | 73.2-76.8 | 6 | 0.1 | 00.1-00.1 |
| Male | 2157 | 1,960,347 | 476 | 22.2 | 19.7-24.7 | 1678 | 77.7 | 75.2-80.2 | 3 | 0.0 | 00.0-00.0 |
| Female | 2800 | 2,104,122 | 803 | 27.5 | 25.3-29.7 | 1994 | 72.4 | 70.0-74.8 | 3 | 0.1 | 00.1-00.1 |
| White/Non-Hisp | 4036 | 3,118,758 | 1060 | 26.3 | 24.3-28.3 | 2970 | 73.6 | 71.6-75.6 | 6 | 0.1 | 00.1-00.1 |
| Black or Afr. Am./Non-Hisp | 546 | 607,066 | 120 | 19.1 | 15.0-23.2 | 426 | 80.9 | 76.8-85.0 | | | |
| Oth. Race/Non-Hisp. | 124 | 85,590 | 37 | 28.6 | 18.0-39.2 | 87 | 71.4 | 60.8-82.0 | | | |
| MultiRacial/Non-Hisp. | 77 | 29,095 | 28 | 28.4 | 15.9-40.9 | 49 | 71.6 | 59.1-84.1 | | | |
| Hispanic | 98 | 169,982 | 16 | 19.4 | 08.0-30.8 | 82 | 80.6 | 69.2-92.0 | | | |
| 18-24 | 260 | 420,085 | 49 | 21.3 | 14.6-28.0 | 211 | 78.7 | 72.0-85.4 | | | |
| 25-34 | 476 | 627,184 | 94 | 16.9 | 13.0-20.8 | 382 | 83.1 | 79.2-87.0 | | | |
| 35-44 | 530 | 613,885 | 122 | 24.4 | 19.1-29.7 | 408 | 75.6 | 70.3-80.9 | | | |
| 45-54 | 884 | 712,224 | 252 | 27.8 | 23.9-31.7 | 631 | 72.1 | 68.2-76.0 | 1 | 0.1 | 00.0-00.3 |
| 55-64 | 1066 | 715,640 | 324 | 30.7 | 27.2-34.2 | 740 | 69.1 | 65.6-72.6 | 2 | 0.1 | 00.0-00.3 |
| 65+ | 1741 | 975,451 | 438 | 25.8 | 23.1-28.5 | 1300 | 74.2 | 71.5-76.9 | 3 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 472 | 545,262 | 103 | 23.0 | 17.5-28.5 | 367 | 76.8 | 71.3-82.3 | 2 | 0.2 | 00.0-00.4 |
| H.S. or G.E.D. | 1565 | 1,381,324 | 375 | 24.2 | 21.3-27.1 | 1189 | 75.8 | 72.9-78.7 | 1 | 0.0 | 00.0-00.0 |
| Some Post-H.S. | 1330 | 1,187,689 | 397 | 27.8 | 24.7-30.9 | 932 | 72.1 | 69.0-75.2 | 1 | 0.1 | 00.0-00.3 |
| College Graduate | 1583 | 945,459 | 402 | 23.7 | 21.0-26.4 | 1179 | 76.3 | 73.6-79.0 | 2 | 0.0 | 00.0-00.0 |
| Less than \$15,000 | 531 | 374,485 | 128 | 22.2 | 17.3-27.1 | 402 | 77.8 | 72.9-82.7 | 1 | 0.0 | 00.0-00.0 |
| \$15,000- 24,999 | 797 | 620,752 | 226 | 28.8 | 24.5-33.1 | 569 | 71.0 | 66.7-75.3 | 2 | 0.2 | 00.0-00.6 |
| \$25,000- 34,999 | 401 | 334,987 | 111 | 28.3 | 21.6-35.0 | 289 | 71.7 | 65.0-78.4 | 1 | 0.1 | 00.0-00.3 |
| \$35,000- 49,999 | 628 | 497,715 | 192 | 26.1 | 21.4-30.8 | 435 | 73.9 | 69.2-78.6 | 1 | 0.0 | 00.0-00.0 |
| \$50,000- 74,999 | 629 | 574,427 | 160 | 26.1 | 21.0-31.2 | 469 | 73.9 | 68.8-79.0 | | | |
| \$75,000+ | 1156 | 1,013,598 | 290 | 23.3 | 20.0-26.6 | 866 | 76.7 | 73.4-80.0 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 2: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Caregiving recipient died in past 30 days | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|---|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2157 | 1,960,347 | 476 | 22.2 | 19.7-24.7 | 1678 | 77.7 | 75.2-80.2 | 3 | 0.0 | 00.0-00.0 |
| White/Non-Hisp | 1778 | 1,509,730 | 393 | 22.6 | 19.9-25.3 | 1382 | 77.3 | 74.6-80.0 | 3 | 0.1 | 00.1-00.1 |
| Black or Afr. Am./Non-Hisp | 200 | 270,387 | 42 | 19.4 | 12.5-26.3 | 158 | 80.6 | 73.7-87.5 | | | |
| Oth. Race/Non-Hisp. | 69 | 49,264 | 20 | 30.9 | 15.8-46.0 | 49 | 69.1 | 54.0-84.2 | | | |
| 18-24 | 134 | 230,550 | 30 | 25.6 | 15.8-35.4 | 104 | 74.4 | 64.6-84.2 | | | |
| 25-34 | 234 | 327,015 | 37 | 14.2 | 08.9-19.5 | 197 | 85.8 | 80.5-91.1 | | | |
| 35-44 | 221 | 293,361 | 37 | 21.8 | 13.8-29.8 | 184 | 78.2 | 70.2-86.2 | | | |
| 45-54 | 414 | 352,352 | 87 | 19.5 | 14.0-25.0 | 326 | 80.4 | 74.9-85.9 | 1 | 0.2 | 00.0-00.6 |
| 55-64 | 468 | 329,545 | 123 | 27.5 | 22.2-32.8 | 344 | 72.4 | 67.1-77.7 | 1 | 0.1 | 00.0-00.3 |
| 65+ | 686 | 427,524 | 162 | 25.0 | 20.5-29.5 | 523 | 74.9 | 70.4-79.4 | 1 | 0.0 | 00.0-00.0 |
| Less Than H.S. | 201 | 279,794 | 42 | 23.5 | 14.9-32.1 | 158 | 76.3 | 67.7-84.9 | 1 | 0.2 | 00.0-00.6 |
| H.S. or G.E.D. | 668 | 672,013 | 126 | 20.4 | 15.9-24.9 | 542 | 79.6 | 75.1-84.1 | | | |
| Some Post-H.S. | 542 | 534,372 | 135 | 23.4 | 18.7-28.1 | 407 | 76.6 | 71.9-81.3 | | | |
| College Graduate | 743 | 471,780 | 173 | 22.8 | 18.7-26.9 | 568 | 77.1 | 73.0-81.2 | 2 | 0.1 | 00.0-00.3 |
| Less than \$15,000 | 180 | 154,681 | 27 | 12.2 | 06.7-17.7 | 153 | 87.8 | 82.3-93.3 | | | |
| \$15,000- 24,999 | 289 | 252,783 | 77 | 30.2 | 22.9-37.5 | 211 | 69.6 | 62.3-76.9 | 1 | 0.2 | 00.0-00.6 |
| \$25,000- 34,999 | 173 | 158,208 | 35 | 21.7 | 11.7-31.7 | 137 | 78.1 | 68.1-88.1 | 1 | 0.1 | 00.0-00.3 |
| \$35,000- 49,999 | 284 | 251,781 | 75 | 21.3 | 14.6-28.0 | 208 | 78.6 | 71.9-85.3 | 1 | 0.1 | 00.0-00.3 |
| \$50,000- 74,999 | 328 | 333,757 | 75 | 26.2 | 18.9-33.5 | 253 | 73.8 | 66.5-81.1 | | | |
| \$75,000+ | 617 | 564,349 | 129 | 19.6 | 15.3-23.9 | 488 | 80.4 | 76.1-84.7 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 3: DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Caregiving recipient died in past 30 days | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|---|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2800 | 2,104,122 | 803 | 27.5 | 25.3-29.7 | 1994 | 72.4 | 70.2-74.6 | 3 | 0.1 | 00.1-00.1 |
| White/Non-Hisp | 2258 | 1,609,029 | 667 | 29.7 | 27.2-32.2 | 1588 | 70.2 | 67.7-72.7 | 3 | 0.1 | 00.0-00.3 |
| Black or Afr. Am./Non-Hisp | 346 | 336,679 | 78 | 18.8 | 13.5-24.1 | 268 | 81.2 | 75.9-86.5 | | | |
| Oth. Race/Non-Hisp. | 55 | 36,326 | 17 | 25.5 | 11.4-39.6 | 38 | 74.5 | 60.4-88.6 | | | |
| Hispanic | 50 | 80,104 | 7 | 16.7 | 03.0-30.4 | 43 | 83.3 | 69.6-97.0 | | | |
| 18-24 | 126 | 189,535 | 19 | 16.0 | 07.4-24.6 | 107 | 84.0 | 75.4-92.6 | | | |
| 25-34 | 242 | 300,168 | 57 | 19.9 | 13.8-26.0 | 185 | 80.1 | 74.0-86.2 | | | |
| 35-44 | 309 | 320,523 | 85 | 26.7 | 19.8-33.6 | 224 | 73.3 | 66.4-80.2 | | | |
| 45-54 | 470 | 359,872 | 165 | 36.0 | 30.5-41.5 | 305 | 64.0 | 58.5-69.5 | | | |
| 55-64 | 598 | 386,096 | 201 | 33.5 | 28.6-38.4 | 396 | 66.3 | 61.4-71.2 | 1 | 0.2 | 00.0-00.6 |
| 65+ | 1055 | 547,927 | 276 | 26.3 | 22.8-29.8 | 777 | 73.6 | 70.1-77.1 | 2 | 0.1 | 00.0-00.3 |
| Less Than H.S. | 271 | 265,468 | 61 | 22.5 | 15.8-29.2 | 209 | 77.4 | 70.7-84.1 | 1 | 0.2 | 00.0-00.6 |
| H.S. or G.E.D. | 897 | 709,311 | 249 | 27.7 | 23.6-31.8 | 647 | 72.2 | 68.1-76.3 | 1 | 0.0 | 00.0-00.0 |
| Some Post-H.S. | 788 | 653,317 | 262 | 31.4 | 27.1-35.7 | 525 | 68.5 | 64.2-72.8 | 1 | 0.1 | 00.0-00.3 |
| College Graduate | 840 | 473,678 | 229 | 24.6 | 21.1-28.1 | 611 | 75.4 | 71.9-78.9 | | | |
| Less than \$15,000 | 351 | 219,804 | 101 | 29.2 | 22.1-36.3 | 249 | 70.7 | 63.6-77.8 | 1 | 0.0 | 00.0-00.0 |
| \$15,000- 24,999 | 508 | 367,969 | 149 | 27.9 | 22.6-33.2 | 358 | 71.9 | 66.6-77.2 | 1 | 0.2 | 00.0-00.6 |
| \$25,000- 34,999 | 228 | 176,779 | 76 | 34.1 | 25.3-42.9 | 152 | 65.9 | 57.1-74.7 | | | |
| \$35,000- 49,999 | 344 | 245,934 | 117 | 31.0 | 24.5-37.5 | 227 | 69.0 | 62.5-75.5 | | | |
| \$50,000- 74,999 | 301 | 240,670 | 85 | 25.8 | 19.1-32.5 | 216 | 74.2 | 67.5-80.9 | | | |
| \$75,000+ | 539 | 449,249 | 161 | 28.0 | 23.1-32.9 | 378 | 72.0 | 67.1-76.9 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 4: WHAT IS HIS/HER RELATIONSHIP TO YOU? (CRGVREL3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Parent (1,2) | | | In-Laws (3,4,9,10) | | | Spouse or Same-sex Partner (6,7,8) | | | Child, Grandparent GrandChild (5,11,12,13) | | | Other Relative (14) | | | Non-Relative (15) | | |
|----------------------------|-------------------|----------|--------------|------|------------|--------------------|------|------------|------------------------------------|------|------------|--|------|------------|---------------------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1261 | 992,248 | 359 | 29.1 | 25.6-32.6 | 161 | 12.9 | 10.4-15.4 | 231 | 16.8 | 14.3-19.3 | 193 | 18.4 | 15.3-21.5 | 80 | 5.7 | 04.1-07.3 | 237 | 17.0 | 14.1-19.9 |
| Male | 474 | 434,542 | 143 | 28.6 | 22.7-34.5 | 60 | 12.7 | 08.4-17.0 | 102 | 17.9 | 13.8-22.0 | 61 | 18.1 | 12.4-23.8 | 28 | 5.2 | 02.8-07.6 | 80 | 17.5 | 12.4-22.6 |
| Female | 787 | 557,706 | 216 | 29.6 | 25.1-34.1 | 101 | 13.0 | 09.9-16.1 | 129 | 15.9 | 12.8-19.0 | 132 | 18.7 | 15.0-22.4 | 52 | 6.1 | 03.9-08.3 | 157 | 16.7 | 13.4-20.0 |
| White/Non-Hisp | 1049 | 803,288 | 288 | 27.2 | 23.5-30.9 | 143 | 13.7 | 11.0-16.4 | 205 | 18.7 | 15.8-21.6 | 148 | 17.7 | 14.2-21.2 | 59 | 4.9 | 03.3-06.5 | 206 | 17.8 | 14.7-20.9 |
| Black or Afr. Am./Non-Hisp | 118 | 114,050 | 42 | 44.2 | 32.2-56.2 | 12 | 11.0 | 03.9-18.1 | 11 | 5.4 | 01.5-09.3 | 22 | 17.9 | 08.7-27.1 | 13 | 11.0 | 03.7-18.3 | 18 | 10.4 | 04.3-16.5 |
| 25-34 | 94 | 105,906 | 31 | 33.0 | 20.8-45.2 | 9 | 8.5 | 02.6-14.4 | 3 | 2.4 | 00.0-05.3 | 27 | 30.3 | 18.7-41.9 | 7 | 6.1 | 00.0-12.2 | 17 | 19.7 | 09.3-30.1 |
| 35-44 | 121 | 147,417 | 38 | 32.6 | 20.4-44.8 | 10 | 7.2 | 01.3-13.1 | 17 | 11.8 | 05.1-18.5 | 30 | 23.2 | 12.2-34.2 | 10 | 8.2 | 02.3-14.1 | 16 | 17.0 | 06.2-27.8 |
| 45-54 | 247 | 194,345 | 106 | 41.5 | 33.3-49.7 | 26 | 13.5 | 07.6-19.4 | 25 | 8.9 | 04.4-13.4 | 40 | 14.9 | 09.4-20.4 | 10 | 3.5 | 01.0-06.0 | 40 | 17.8 | 11.1-24.5 |
| 55-64 | 317 | 215,404 | 119 | 35.8 | 29.1-42.5 | 50 | 17.3 | 12.0-22.6 | 58 | 19.7 | 14.0-25.4 | 20 | 6.8 | 03.3-10.3 | 19 | 5.1 | 02.2-08.0 | 51 | 15.4 | 10.3-20.5 |
| 65+ | 436 | 250,634 | 56 | 11.9 | 08.2-15.6 | 61 | 13.7 | 09.0-18.4 | 128 | 34.8 | 28.7-40.9 | 52 | 12.9 | 08.6-17.2 | 31 | 6.3 | 03.8-08.8 | 108 | 20.4 | 15.7-25.1 |
| Less Than H.S. | 102 | 123,121 | 20 | 29.9 | 16.0-43.8 | 19 | 19.5 | 09.5-29.5 | 26 | 21.0 | 11.6-30.4 | 14 | 10.9 | 04.0-17.8 | 4 | 4.0 | 00.0-09.1 | 19 | 14.7 | 03.9-25.5 |
| H.S. or G.E.D. | 373 | 333,096 | 100 | 29.7 | 23.0-36.4 | 44 | 10.5 | 06.6-14.4 | 67 | 15.4 | 10.9-19.9 | 60 | 20.7 | 14.0-27.4 | 26 | 5.5 | 02.8-08.2 | 76 | 18.3 | 13.2-23.4 |
| Some Post-H.S. | 392 | 318,035 | 114 | 26.9 | 21.2-32.6 | 50 | 13.0 | 08.5-17.5 | 68 | 16.6 | 12.3-20.9 | 57 | 18.3 | 12.8-23.8 | 29 | 7.3 | 04.0-10.6 | 74 | 18.0 | 12.7-23.3 |
| College Graduate | 393 | 217,313 | 125 | 31.3 | 25.4-37.2 | 48 | 12.8 | 08.3-17.3 | 70 | 17.0 | 12.3-21.7 | 61 | 19.3 | 13.4-25.2 | 21 | 4.7 | 02.3-07.1 | 68 | 15.0 | 10.5-19.5 |
| Less than \$15,000 | 126 | 79,094 | 40 | 37.3 | 24.8-49.8 | 15 | 13.4 | 05.8-21.0 | 11 | 8.1 | 02.2-14.0 | 22 | 17.2 | 09.0-25.4 | 12 | 7.3 | 02.8-11.8 | 26 | 16.6 | 08.4-24.8 |
| \$15,000- 24,999 | 226 | 178,984 | 44 | 16.5 | 10.6-22.4 | 30 | 16.2 | 09.5-22.9 | 49 | 23.3 | 15.7-30.9 | 30 | 14.5 | 08.4-20.6 | 14 | 6.9 | 02.2-11.6 | 59 | 22.6 | 15.5-29.7 |
| \$25,000- 34,999 | 110 | 89,022 | 23 | 30.5 | 15.4-45.6 | 16 | 9.2 | 02.9-15.5 | 16 | 15.9 | 07.1-24.7 | 28 | 28.8 | 16.6-41.0 | 11 | 5.7 | 01.0-10.4 | 16 | 10.0 | 04.1-15.9 |
| \$35,000- 49,999 | 190 | 127,512 | 46 | 26.9 | 17.5-36.3 | 17 | 4.7 | 02.0-07.4 | 56 | 25.8 | 17.6-34.0 | 19 | 11.9 | 05.8-18.0 | 11 | 7.3 | 01.4-13.2 | 41 | 23.4 | 12.6-34.2 |
| \$50,000- 74,999 | 160 | 149,644 | 49 | 27.6 | 17.4-37.8 | 21 | 12.6 | 05.3-19.9 | 32 | 15.0 | 08.9-21.1 | 27 | 24.3 | 13.1-35.5 | 4 | 2.5 | 00.0-05.2 | 27 | 18.0 | 09.2-26.8 |
| \$75,000+ | 285 | 232,026 | 112 | 39.1 | 31.5-46.7 | 39 | 14.3 | 09.0-19.6 | 42 | 13.2 | 08.5-17.9 | 44 | 17.8 | 10.9-24.7 | 13 | 3.2 | 01.2-05.2 | 35 | 12.3 | 07.4-17.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 5: WHAT IS HIS/HER RELATIONSHIP TO YOU? (CRGVREL3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Parent (1,2) | | | In-Laws (3,4,9,10) | | | Spouse or Same-sex Partner (6,7,8) | | | Child, Grandparent GrandChild (5,11,12,13) | | | Other Relative (14) | | | Non-Relative (15) | | |
|--------------------|-------------------|----------|--------------|------|------------|--------------------|------|------------|------------------------------------|------|------------|--|------|------------|---------------------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 474 | 434,542 | 143 | 28.6 | 22.7-34.5 | 60 | 12.7 | 08.4-17.0 | 102 | 17.9 | 13.8-22.0 | 61 | 18.1 | 12.6-23.6 | 28 | 5.2 | 02.8-07.6 | 80 | 17.5 | 12.4-22.6 |
| White/Non-Hisp | 391 | 340,921 | 114 | 27.3 | 20.6-34.0 | 50 | 12.9 | 08.2-17.6 | 88 | 19.5 | 14.8-24.2 | 47 | 17.5 | 11.4-23.6 | 23 | 5.2 | 02.7-07.7 | 69 | 17.6 | 12.3-22.9 |
| 45-54 | 87 | 68,590 | 35 | 39.6 | 23.7-55.5 | 10 | 15.4 | 03.8-27.0 | 9 | 6.6 | 01.9-11.3 | 14 | 9.7 | 03.6-15.8 | 3 | 2.9 | 00.0-07.4 | 16 | 25.7 | 11.6-39.8 |
| 55-64 | 122 | 89,747 | 47 | 36.4 | 25.4-47.4 | 18 | 17.3 | 08.7-25.9 | 28 | 25.3 | 15.9-34.7 | 4 | 3.2 | 00.0-06.5 | 8 | 4.9 | 01.0-08.8 | 17 | 12.8 | 05.2-20.4 |
| 65+ | 161 | 106,857 | 27 | 12.8 | 07.1-18.5 | 25 | 15.0 | 06.4-23.6 | 60 | 41.1 | 31.1-51.1 | 10 | 8.4 | 01.7-15.1 | 10 | 6.0 | 01.9-10.1 | 29 | 16.7 | 09.4-24.0 |
| H.S. or G.E.D. | 126 | 137,350 | 39 | 31.5 | 20.1-42.9 | 11 | 8.9 | 01.8-16.0 | 30 | 18.4 | 10.4-26.4 | 18 | 20.5 | 08.2-32.8 | 7 | 4.6 | 00.9-08.3 | 21 | 16.2 | 07.8-24.6 |
| Some Post-H.S. | 134 | 124,078 | 45 | 24.5 | 15.7-33.3 | 11 | 8.2 | 01.7-14.7 | 31 | 20.2 | 13.1-27.3 | 19 | 20.3 | 10.5-30.1 | 10 | 9.8 | 03.1-16.5 | 18 | 17.0 | 07.6-26.4 |
| College Graduate | 172 | 107,390 | 51 | 28.4 | 20.0-36.8 | 28 | 16.6 | 09.0-24.2 | 32 | 15.8 | 09.1-22.5 | 21 | 18.9 | 09.1-28.7 | 10 | 3.4 | 01.0-05.8 | 30 | 17.0 | 09.4-24.6 |
| \$15,000- 24,999 | 77 | 76,393 | 15 | 13.4 | 04.2-22.6 | 9 | 13.8 | 03.0-24.6 | 21 | 31.4 | 18.1-44.7 | 8 | 15.9 | 04.1-27.7 | 5 | 5.0 | 00.5-09.5 | 19 | 20.5 | 10.1-30.9 |
| \$35,000- 49,999 | 74 | 52,773 | 20 | 24.6 | 12.1-37.1 | 7 | 4.1 | 00.2-08.0 | 22 | 24.6 | 11.7-37.5 | 7 | 9.7 | 01.7-17.7 | 6 | 12.4 | 00.0-25.1 | 12 | 24.6 | 03.8-45.4 |
| \$50,000- 74,999 | 75 | 87,447 | 24 | 28.8 | 14.1-43.5 | 9 | 11.1 | 01.5-20.7 | 19 | 15.6 | 07.8-23.4 | 8 | 21.8 | 06.1-37.5 | 1 | 1.9 | 00.0-05.6 | 14 | 20.9 | 07.6-34.2 |
| \$75,000+ | 129 | 110,586 | 47 | 32.7 | 21.9-43.5 | 19 | 13.2 | 05.9-20.5 | 21 | 14.6 | 07.3-21.9 | 17 | 21.4 | 09.1-33.7 | 6 | 2.7 | 00.2-05.2 | 19 | 15.4 | 06.8-24.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 6: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Parent (1,2) | | | In-Laws (3,4,9,10) | | | Spouse or Same-sex Partner (6,7,8) | | | Child, Grandparent GrandChild (5,11,12,13) | | | Other Relative (14) | | | Non-Relative (15) | | |
|----------------------------|-------------------|----------|--------------|------|------------|--------------------|------|------------|------------------------------------|------|------------|--|------|------------|---------------------|------|------------|-------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 787 | 557,706 | 216 | 29.6 | 25.1-34.1 | 101 | 13.0 | 09.9-16.1 | 129 | 15.9 | 12.8-19.0 | 132 | 18.7 | 15.0-22.4 | 52 | 6.1 | 03.9-08.3 | 157 | 16.7 | 13.4-20.0 |
| White/Non-Hisp | 658 | 462,367 | 174 | 27.2 | 22.7-31.7 | 93 | 14.2 | 10.7-17.7 | 117 | 18.0 | 14.3-21.7 | 101 | 17.9 | 13.8-22.0 | 36 | 4.7 | 02.7-06.7 | 137 | 18.0 | 14.3-21.7 |
| Black or Afr. Am./Non-Hisp | 76 | 61,498 | 25 | 43.8 | 27.9-59.7 | 6 | 9.5 | 01.1-17.9 | 6 | 3.7 | 00.2-07.2 | 18 | 20.0 | 09.4-30.6 | 9 | 13.1 | 02.3-23.9 | 12 | 9.9 | 03.2-16.6 |
| 25-34 | 57 | 59,615 | 20 | 39.9 | 23.0-56.8 | 7 | 11.0 | 02.8-19.2 | 1 | 0.5 | 00.0-01.5 | 15 | 22.8 | 10.8-34.8 | 4 | 3.7 | 00.0-07.6 | 10 | 22.1 | 07.2-37.0 |
| 35-44 | 84 | 83,470 | 22 | 29.6 | 14.3-44.9 | 9 | 12.1 | 02.1-22.1 | 14 | 15.4 | 06.2-24.6 | 23 | 25.1 | 11.6-38.6 | 8 | 10.3 | 01.7-18.9 | 8 | 7.5 | 01.4-13.6 |
| 45-54 | 160 | 125,755 | 71 | 42.6 | 33.0-52.2 | 16 | 12.4 | 05.7-19.1 | 16 | 10.1 | 03.8-16.4 | 26 | 17.7 | 10.1-25.3 | 7 | 3.8 | 00.7-06.9 | 24 | 13.5 | 06.8-20.2 |
| 55-64 | 195 | 125,657 | 72 | 35.3 | 26.9-43.7 | 32 | 17.2 | 10.7-23.7 | 30 | 15.6 | 09.1-22.1 | 16 | 9.4 | 03.9-14.9 | 11 | 5.3 | 01.2-09.4 | 34 | 17.2 | 10.3-24.1 |
| 65+ | 275 | 143,777 | 29 | 11.3 | 06.2-16.4 | 36 | 12.8 | 07.7-17.9 | 68 | 30.1 | 23.0-37.2 | 42 | 16.2 | 10.5-21.9 | 21 | 6.5 | 03.4-09.6 | 79 | 23.2 | 17.3-29.1 |
| Less Than H.S. | 60 | 57,397 | 12 | 29.4 | 12.3-46.5 | 9 | 15.4 | 04.4-26.4 | 17 | 26.6 | 13.7-39.5 | 11 | 14.7 | 05.1-24.3 | 3 | 7.5 | 00.0-17.9 | 8 | 6.4 | 01.3-11.5 |
| H.S. or G.E.D. | 247 | 195,746 | 61 | 28.4 | 20.4-36.4 | 33 | 11.6 | 06.9-16.3 | 37 | 13.2 | 08.1-18.3 | 42 | 20.8 | 13.5-28.1 | 19 | 6.2 | 02.5-09.9 | 55 | 19.8 | 13.5-26.1 |
| Some Post-H.S. | 258 | 193,957 | 69 | 28.4 | 21.0-35.8 | 39 | 16.0 | 10.1-21.9 | 37 | 14.2 | 08.9-19.5 | 38 | 17.0 | 10.5-23.5 | 19 | 5.7 | 02.6-08.8 | 56 | 18.6 | 12.5-24.7 |
| College Graduate | 221 | 109,923 | 74 | 34.1 | 26.3-41.9 | 20 | 9.1 | 04.2-14.0 | 38 | 18.2 | 11.9-24.5 | 40 | 19.7 | 13.2-26.2 | 11 | 6.0 | 01.9-10.1 | 38 | 13.0 | 08.1-17.9 |
| Less than \$15,000 | 99 | 60,244 | 31 | 41.3 | 26.4-56.2 | 12 | 11.3 | 04.0-18.6 | 7 | 4.8 | 00.9-08.7 | 19 | 18.0 | 08.6-27.4 | 11 | 8.2 | 02.7-13.7 | 19 | 16.6 | 06.8-26.4 |
| \$15,000- 24,999 | 149 | 102,592 | 29 | 18.8 | 11.0-26.6 | 21 | 17.9 | 09.5-26.3 | 28 | 17.3 | 09.5-25.1 | 22 | 13.5 | 07.6-19.4 | 9 | 8.4 | 01.1-15.7 | 40 | 24.2 | 15.0-33.4 |
| \$25,000- 34,999 | 75 | 54,625 | 12 | 14.9 | 03.9-25.9 | 10 | 8.4 | 02.1-14.7 | 11 | 21.2 | 08.5-33.9 | 19 | 36.1 | 20.4-51.8 | 9 | 5.8 | 00.9-10.7 | 14 | 13.6 | 05.2-22.0 |
| \$35,000- 49,999 | 116 | 74,739 | 26 | 28.5 | 15.6-41.4 | 10 | 5.1 | 01.4-08.8 | 34 | 26.7 | 16.1-37.3 | 12 | 13.4 | 04.8-22.0 | 5 | 3.8 | 00.1-07.5 | 29 | 22.5 | 11.7-33.3 |
| \$50,000- 74,999 | 85 | 62,197 | 25 | 26.0 | 13.8-38.2 | 12 | 14.7 | 04.1-25.3 | 13 | 14.1 | 05.5-22.7 | 19 | 27.9 | 12.6-43.2 | 3 | 3.3 | 00.0-07.2 | 13 | 13.9 | 04.1-23.7 |
| \$75,000+ | 156 | 121,440 | 65 | 44.9 | 34.9-54.9 | 20 | 15.3 | 07.9-22.7 | 21 | 12.0 | 06.1-17.9 | 27 | 14.6 | 08.3-20.9 | 7 | 3.7 | 00.6-06.8 | 16 | 9.5 | 04.0-15.0 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 7: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less than 30 days | | | 1 mnth to LT 6 mnths | | | 6 mnths to LT 2 yrs | | | 2 yrs LT 5 yrs | | | More than 5 yrs | | |
|----------------------------|-------------------|----------|-------------------|------|------------|----------------------|------|------------|---------------------|------|------------|----------------|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1249 | 983,180 | 190 | 15.0 | 12.3-17.7 | 180 | 16.3 | 13.2-19.4 | 230 | 15.3 | 12.8-17.8 | 270 | 22.6 | 19.3-25.9 | 379 | 30.7 | 27.0-34.4 |
| Male | 461 | 420,031 | 78 | 14.4 | 10.3-18.5 | 60 | 17.4 | 11.7-23.1 | 78 | 14.3 | 10.2-18.4 | 93 | 22.4 | 16.5-28.3 | 152 | 31.5 | 25.4-37.6 |
| Female | 788 | 563,149 | 112 | 15.5 | 11.8-19.2 | 120 | 15.6 | 12.3-18.9 | 152 | 16.0 | 12.9-19.1 | 177 | 22.8 | 18.9-26.7 | 227 | 30.2 | 25.7-34.7 |
| White/Non-Hisp | 1041 | 795,872 | 162 | 15.0 | 12.1-17.9 | 154 | 16.9 | 13.4-20.4 | 195 | 16.1 | 13.4-18.8 | 232 | 22.9 | 19.2-26.6 | 298 | 29.0 | 25.3-32.7 |
| Black or Afr. Am./Non-Hisp | 116 | 113,226 | 14 | 12.6 | 04.6-20.6 | 13 | 11.4 | 03.8-19.0 | 21 | 14.0 | 06.2-21.8 | 23 | 23.0 | 12.6-33.4 | 45 | 39.0 | 26.8-51.2 |
| 25-34 | 92 | 103,434 | 10 | 11.7 | 03.9-19.5 | 19 | 21.2 | 10.8-31.6 | 14 | 10.8 | 03.9-17.7 | 23 | 27.1 | 15.5-38.7 | 26 | 29.2 | 16.9-41.5 |
| 35-44 | 120 | 146,430 | 23 | 19.6 | 09.6-29.6 | 15 | 13.7 | 05.5-21.9 | 17 | 9.2 | 04.1-14.3 | 22 | 17.6 | 07.0-28.2 | 43 | 39.8 | 26.9-52.7 |
| 45-54 | 248 | 195,242 | 21 | 9.1 | 04.2-14.0 | 39 | 17.6 | 10.3-24.9 | 60 | 22.7 | 15.8-29.6 | 50 | 22.5 | 15.4-29.6 | 78 | 28.2 | 21.3-35.1 |
| 55-64 | 318 | 217,384 | 49 | 15.2 | 10.1-20.3 | 43 | 12.5 | 08.0-17.0 | 55 | 16.0 | 10.9-21.1 | 69 | 23.9 | 17.8-30.0 | 102 | 32.5 | 26.0-39.0 |
| 65+ | 428 | 245,359 | 78 | 17.1 | 12.6-21.6 | 55 | 14.8 | 10.1-19.5 | 80 | 17.2 | 12.5-21.9 | 99 | 24.4 | 18.7-30.1 | 116 | 26.4 | 21.1-31.7 |
| Less Than H.S. | 101 | 122,497 | 17 | 14.4 | 06.6-22.2 | 10 | 15.0 | 03.6-26.4 | 13 | 9.5 | 02.8-16.2 | 19 | 22.2 | 10.2-34.2 | 42 | 38.9 | 25.2-52.6 |
| H.S. or G.E.D. | 366 | 322,497 | 48 | 12.6 | 08.1-17.1 | 59 | 19.6 | 13.3-25.9 | 77 | 17.0 | 12.3-21.7 | 79 | 24.4 | 17.9-30.9 | 103 | 26.5 | 20.4-32.6 |
| Some Post-H.S. | 386 | 317,401 | 58 | 16.4 | 11.1-21.7 | 55 | 14.3 | 09.8-18.8 | 70 | 16.3 | 11.8-20.8 | 87 | 22.6 | 17.1-28.1 | 116 | 30.5 | 24.4-36.6 |
| College Graduate | 396 | 220,784 | 67 | 17.0 | 11.7-22.3 | 56 | 15.3 | 10.4-20.2 | 70 | 14.5 | 10.4-18.6 | 85 | 20.3 | 15.4-25.2 | 118 | 32.9 | 26.6-39.2 |
| Less than \$15,000 | 123 | 80,322 | 15 | 8.8 | 03.3-14.3 | 12 | 13.3 | 03.9-22.7 | 25 | 17.9 | 09.9-25.9 | 23 | 16.5 | 08.3-24.7 | 48 | 43.5 | 30.6-56.4 |
| \$15,000- 24,999 | 220 | 172,288 | 32 | 15.2 | 08.5-21.9 | 38 | 21.0 | 13.6-28.4 | 36 | 16.1 | 09.6-22.6 | 46 | 21.3 | 13.7-28.9 | 68 | 26.4 | 19.5-33.3 |
| \$25,000- 34,999 | 106 | 85,525 | 19 | 15.9 | 05.9-25.9 | 12 | 9.5 | 02.6-16.4 | 15 | 7.9 | 03.0-12.8 | 27 | 42.0 | 26.9-57.1 | 33 | 24.7 | 13.7-35.7 |
| \$35,000- 49,999 | 189 | 128,276 | 28 | 14.7 | 06.9-22.5 | 27 | 14.8 | 07.9-21.7 | 42 | 16.9 | 10.0-23.8 | 37 | 17.4 | 10.5-24.3 | 55 | 36.2 | 25.2-47.2 |
| \$50,000- 74,999 | 158 | 148,944 | 22 | 10.2 | 04.5-15.9 | 16 | 14.2 | 05.0-23.4 | 41 | 21.1 | 12.9-29.3 | 31 | 21.9 | 11.9-31.9 | 48 | 32.6 | 21.8-43.4 |
| \$75,000+ | 288 | 234,795 | 50 | 19.6 | 13.5-25.7 | 51 | 19.9 | 12.8-27.0 | 48 | 13.3 | 08.8-17.8 | 62 | 22.1 | 15.8-28.4 | 77 | 25.1 | 18.4-31.8 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 8: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less than 30 days | | | 1 mnth to LT 6 mnths | | | 6 mnths to LT 2 yrs | | | 2 yrs LT 5 yrs | | | More than 5 yrs | | |
|--------------------|-------------------|----------|-------------------|------|------------|----------------------|------|------------|---------------------|------|------------|----------------|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 461 | 420,031 | 78 | 14.4 | 10.3-18.5 | 60 | 17.4 | 11.5-23.3 | 78 | 14.3 | 10.2-18.4 | 93 | 22.4 | 16.5-28.3 | 152 | 31.5 | 25.4-37.6 |
| White/Non-Hisp | 385 | 331,121 | 70 | 15.7 | 11.0-20.4 | 52 | 17.9 | 11.4-24.4 | 65 | 14.9 | 10.2-19.6 | 75 | 21.9 | 15.4-28.4 | 123 | 29.7 | 23.6-35.8 |
| 45-54 | 85 | 66,664 | 11 | 15.0 | 04.2-25.8 | 11 | 17.7 | 01.8-33.6 | 21 | 22.9 | 10.0-35.8 | 13 | 13.9 | 03.7-24.1 | 29 | 30.4 | 17.5-43.3 |
| 55-64 | 119 | 89,088 | 17 | 8.4 | 03.9-12.9 | 12 | 9.7 | 02.6-16.8 | 20 | 18.9 | 09.5-28.3 | 25 | 27.0 | 16.4-37.6 | 45 | 36.1 | 25.7-46.5 |
| 65+ | 159 | 105,538 | 34 | 20.4 | 13.1-27.7 | 18 | 14.0 | 05.6-22.4 | 24 | 16.1 | 08.1-24.1 | 37 | 24.1 | 14.5-33.7 | 46 | 25.4 | 17.0-33.8 |
| H.S. or G.E.D. | 119 | 127,933 | 12 | 6.5 | 02.0-11.0 | 19 | 24.3 | 11.6-37.0 | 24 | 17.0 | 08.4-25.6 | 27 | 27.7 | 15.4-40.0 | 37 | 24.5 | 15.1-33.9 |
| Some Post-H.S. | 132 | 122,851 | 19 | 17.5 | 08.9-26.1 | 14 | 11.4 | 04.0-18.8 | 24 | 15.4 | 07.8-23.0 | 26 | 21.6 | 12.2-31.0 | 49 | 34.1 | 23.9-44.3 |
| College Graduate | 169 | 105,729 | 40 | 23.8 | 14.8-32.8 | 23 | 15.8 | 07.6-24.0 | 24 | 11.5 | 05.8-17.2 | 33 | 16.4 | 10.1-22.7 | 49 | 32.5 | 22.3-42.7 |
| \$15,000- 24,999 | 74 | 71,052 | 12 | 16.9 | 05.9-27.9 | 12 | 21.7 | 08.6-34.8 | 10 | 15.4 | 04.2-26.6 | 16 | 19.9 | 08.5-31.3 | 24 | 26.1 | 14.3-37.9 |
| \$35,000- 49,999 | 72 | 52,084 | 13 | 15.1 | 05.1-25.1 | 7 | 8.0 | 00.9-15.1 | 13 | 10.7 | 03.6-17.8 | 11 | 11.0 | 02.6-19.4 | 28 | 55.1 | 37.7-72.5 |
| \$50,000- 74,999 | 73 | 86,747 | 9 | 5.1 | 00.8-09.4 | 7 | 17.4 | 02.7-32.1 | 19 | 20.8 | 08.8-32.8 | 16 | 26.9 | 11.6-42.2 | 22 | 29.8 | 15.5-44.1 |
| \$75,000+ | 128 | 109,832 | 27 | 21.7 | 11.7-31.7 | 23 | 23.4 | 10.7-36.1 | 19 | 12.3 | 05.6-19.0 | 24 | 18.8 | 09.2-28.4 | 35 | 23.8 | 14.6-33.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 9: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Less than 30 days | | | 1 mnth to LT 6 mnths | | | 6 mnths to LT 2 yrs | | | 2 yrs LT 5 yrs | | | More than 5 yrs | | |
|----------------------------|-------------------|----------|-------------------|------|------------|----------------------|------|------------|---------------------|------|------------|----------------|------|------------|-----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 788 | 563,149 | 112 | 15.5 | 11.8-19.2 | 120 | 15.6 | 12.3-18.9 | 152 | 16.0 | 12.9-19.1 | 177 | 22.8 | 18.9-26.7 | 227 | 30.2 | 25.7-34.7 |
| White/Non-Hisp | 656 | 464,751 | 92 | 14.5 | 10.8-18.2 | 102 | 16.3 | 12.8-19.8 | 130 | 17.0 | 13.5-20.5 | 157 | 23.7 | 19.4-28.0 | 175 | 28.5 | 23.6-33.4 |
| Black or Afr. Am./Non-Hisp | 78 | 63,221 | 8 | 10.7 | 00.7-20.7 | 11 | 14.4 | 03.4-25.4 | 14 | 11.8 | 04.5-19.1 | 17 | 25.1 | 12.9-37.3 | 28 | 38.1 | 23.0-53.2 |
| 25-34 | 57 | 59,615 | 6 | 9.8 | 01.8-17.8 | 13 | 22.7 | 09.0-36.4 | 8 | 10.8 | 01.6-20.0 | 13 | 24.1 | 10.4-37.8 | 17 | 32.6 | 16.1-49.1 |
| 35-44 | 85 | 85,712 | 16 | 23.6 | 09.7-37.5 | 10 | 12.3 | 03.3-21.3 | 12 | 10.9 | 03.8-18.0 | 18 | 16.1 | 06.9-25.3 | 29 | 37.1 | 21.8-52.4 |
| 45-54 | 163 | 128,578 | 10 | 6.1 | 01.2-11.0 | 28 | 17.5 | 10.4-24.6 | 39 | 22.6 | 14.6-30.6 | 37 | 26.9 | 17.9-35.9 | 49 | 27.0 | 19.0-35.0 |
| 55-64 | 199 | 128,296 | 32 | 19.9 | 12.3-27.5 | 31 | 14.4 | 08.5-20.3 | 35 | 13.9 | 08.4-19.4 | 44 | 21.8 | 14.9-28.7 | 57 | 30.0 | 21.8-38.2 |
| 65+ | 269 | 139,820 | 44 | 14.6 | 09.1-20.1 | 37 | 15.4 | 09.9-20.9 | 56 | 18.1 | 12.6-23.6 | 62 | 24.7 | 17.8-31.6 | 70 | 27.1 | 20.2-34.0 |
| Less Than H.S. | 60 | 58,979 | 10 | 20.6 | 07.3-33.9 | 6 | 12.4 | 00.6-24.2 | 7 | 7.5 | 01.4-13.6 | 12 | 20.9 | 07.8-34.0 | 25 | 38.6 | 21.5-55.7 |
| H.S. or G.E.D. | 247 | 194,564 | 36 | 16.6 | 09.9-23.3 | 40 | 16.5 | 10.4-22.6 | 53 | 16.9 | 11.4-22.4 | 52 | 22.2 | 15.5-28.9 | 66 | 27.8 | 19.8-35.8 |
| Some Post-H.S. | 254 | 194,551 | 39 | 15.6 | 09.1-22.1 | 41 | 16.0 | 10.5-21.5 | 46 | 16.9 | 11.2-22.6 | 61 | 23.3 | 16.6-30.0 | 67 | 28.2 | 20.6-35.8 |
| College Graduate | 227 | 115,055 | 27 | 10.7 | 05.4-16.0 | 33 | 14.9 | 09.2-20.6 | 46 | 17.1 | 11.2-23.0 | 52 | 24.0 | 16.9-31.1 | 69 | 33.2 | 25.6-40.8 |
| Less than \$15,000 | 99 | 63,436 | 12 | 9.8 | 03.1-16.5 | 11 | 14.1 | 03.3-24.9 | 21 | 17.5 | 08.9-26.1 | 18 | 14.7 | 06.1-23.3 | 37 | 43.8 | 28.7-58.9 |
| \$15,000- 24,999 | 146 | 101,235 | 20 | 14.1 | 06.1-22.1 | 26 | 20.4 | 11.8-29.0 | 26 | 16.6 | 08.8-24.4 | 30 | 22.3 | 12.5-32.1 | 44 | 26.6 | 18.4-34.8 |
| \$25,000- 34,999 | 72 | 52,152 | 12 | 14.4 | 02.2-26.6 | 10 | 11.5 | 03.1-19.9 | 12 | 9.9 | 02.8-17.0 | 19 | 37.8 | 22.1-53.5 | 19 | 26.3 | 12.0-40.6 |
| \$35,000- 49,999 | 117 | 76,192 | 15 | 14.4 | 02.8-26.0 | 20 | 19.5 | 09.3-29.7 | 29 | 21.1 | 11.1-31.1 | 26 | 21.7 | 12.1-31.3 | 27 | 23.3 | 13.1-33.5 |
| \$50,000- 74,999 | 85 | 62,197 | 13 | 17.2 | 05.6-28.8 | 9 | 9.7 | 02.6-16.8 | 22 | 21.7 | 11.5-31.9 | 15 | 14.9 | 05.7-24.1 | 26 | 36.5 | 20.8-52.2 |
| \$75,000+ | 160 | 124,962 | 23 | 17.8 | 10.2-25.4 | 28 | 16.8 | 09.9-23.7 | 29 | 14.2 | 08.1-20.3 | 38 | 25.0 | 16.6-33.4 | 42 | 26.2 | 16.8-35.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 10: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Up to 8 hrs per wk | | | 9 to 19 hrs per wk | | | 20 to 39 hrs per wk | | | 40 hrs or more | | |
|----------------------------|-------------------|----------|--------------------|------|------------|--------------------|------|------------|---------------------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1157 | 913,156 | 601 | 51.8 | 47.7-55.9 | 159 | 12.4 | 10.0-14.8 | 155 | 14.4 | 11.3-17.5 | 242 | 21.4 | 18.1-24.7 |
| Male | 431 | 396,736 | 245 | 56.1 | 49.4-62.8 | 57 | 12.4 | 08.3-16.5 | 50 | 13.8 | 08.5-19.1 | 79 | 17.7 | 12.4-23.0 |
| Female | 726 | 516,420 | 356 | 48.6 | 43.7-53.5 | 102 | 12.3 | 09.4-15.2 | 105 | 14.9 | 11.4-18.4 | 163 | 24.3 | 20.0-28.6 |
| White/Non-Hisp | 964 | 739,391 | 503 | 53.5 | 49.2-57.8 | 138 | 12.6 | 10.1-15.1 | 127 | 13.0 | 10.1-15.9 | 196 | 20.9 | 17.2-24.6 |
| Black or Afr. Am./Non-Hisp | 104 | 101,903 | 51 | 44.6 | 31.9-57.3 | 12 | 10.9 | 02.3-19.5 | 14 | 15.4 | 06.0-24.8 | 27 | 29.1 | 16.8-41.4 |
| 25-34 | 85 | 98,091 | 48 | 55.1 | 41.8-68.4 | 8 | 9.0 | 02.1-15.9 | 12 | 10.7 | 03.1-18.3 | 17 | 25.2 | 12.7-37.7 |
| 35-44 | 112 | 135,320 | 52 | 45.0 | 31.7-58.3 | 15 | 14.2 | 06.2-22.2 | 16 | 18.7 | 06.7-30.7 | 29 | 22.1 | 11.3-32.9 |
| 45-54 | 232 | 179,425 | 125 | 54.1 | 45.3-62.9 | 25 | 10.0 | 05.1-14.9 | 29 | 11.2 | 06.1-16.3 | 53 | 24.8 | 16.6-33.0 |
| 55-64 | 294 | 200,260 | 132 | 44.6 | 37.3-51.9 | 54 | 16.1 | 11.0-21.2 | 46 | 18.0 | 12.1-23.9 | 62 | 21.4 | 15.5-27.3 |
| 65+ | 389 | 221,841 | 214 | 55.0 | 48.3-61.7 | 52 | 11.9 | 07.4-16.4 | 46 | 11.5 | 07.6-15.4 | 77 | 21.6 | 16.1-27.1 |
| Less Than H.S. | 91 | 110,222 | 43 | 38.3 | 25.0-51.6 | 6 | 7.7 | 00.1-15.3 | 12 | 17.2 | 04.5-29.9 | 30 | 36.8 | 21.9-51.7 |
| H.S. or G.E.D. | 333 | 298,393 | 162 | 53.5 | 46.1-60.9 | 42 | 10.3 | 06.6-14.0 | 51 | 17.0 | 10.9-23.1 | 78 | 19.3 | 14.2-24.4 |
| Some Post-H.S. | 361 | 302,372 | 178 | 50.7 | 43.8-57.6 | 56 | 13.5 | 09.2-17.8 | 58 | 14.6 | 09.9-19.3 | 69 | 21.2 | 15.5-26.9 |
| College Graduate | 371 | 202,078 | 218 | 58.5 | 51.8-65.2 | 55 | 16.2 | 10.5-21.9 | 34 | 8.7 | 05.4-12.0 | 64 | 16.5 | 11.8-21.2 |
| Less than \$15,000 | 118 | 75,614 | 53 | 44.8 | 32.1-57.5 | 10 | 7.9 | 02.4-13.4 | 21 | 15.2 | 07.2-23.2 | 34 | 32.1 | 19.6-44.6 |
| \$15,000- 24,999 | 202 | 160,379 | 87 | 47.0 | 37.8-56.2 | 29 | 14.4 | 07.7-21.1 | 34 | 15.5 | 09.2-21.8 | 52 | 23.1 | 15.7-30.5 |
| \$25,000- 34,999 | 97 | 78,117 | 44 | 40.6 | 25.7-55.5 | 17 | 14.6 | 05.6-23.6 | 13 | 13.4 | 04.2-22.6 | 23 | 31.4 | 16.1-46.7 |
| \$35,000- 49,999 | 177 | 118,855 | 95 | 54.5 | 43.3-65.7 | 25 | 9.0 | 04.5-13.5 | 19 | 14.1 | 03.5-24.7 | 38 | 22.3 | 13.9-30.7 |
| \$50,000- 74,999 | 148 | 142,284 | 79 | 55.6 | 43.6-67.6 | 27 | 14.5 | 06.9-22.1 | 12 | 8.5 | 01.1-15.9 | 30 | 21.5 | 11.1-31.9 |
| \$75,000+ | 277 | 224,763 | 170 | 60.6 | 53.0-68.2 | 38 | 15.2 | 09.7-20.7 | 31 | 12.5 | 07.0-18.0 | 38 | 11.7 | 07.4-16.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 11: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Up to 8 hrs per wk | | | 9 to 19 hrs per wk | | | 20 to 39 hrs per wk | | | 40 hrs or more | | |
|--------------------|-------------------|----------|--------------------|------|------------|--------------------|------|------------|---------------------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 431 | 396,736 | 245 | 56.1 | 49.6-62.6 | 57 | 12.4 | 08.3-16.5 | 50 | 13.8 | 08.7-18.9 | 79 | 17.7 | 12.4-23.0 |
| White/Non-Hisp | 359 | 311,360 | 212 | 61.4 | 54.3-68.5 | 48 | 11.7 | 07.6-15.8 | 37 | 9.2 | 05.3-13.1 | 62 | 17.7 | 11.6-23.8 |
| 45-54 | 80 | 63,302 | 47 | 61.9 | 45.6-78.2 | 7 | 6.2 | 00.0-12.7 | 7 | 8.1 | 01.4-14.8 | 19 | 23.8 | 07.7-39.9 |
| 55-64 | 114 | 83,755 | 62 | 53.3 | 41.7-64.9 | 19 | 14.0 | 06.6-21.4 | 15 | 17.6 | 07.6-27.6 | 18 | 15.0 | 07.4-22.6 |
| 65+ | 145 | 97,386 | 81 | 54.7 | 43.5-65.9 | 19 | 14.1 | 05.5-22.7 | 16 | 8.9 | 03.6-14.2 | 29 | 22.3 | 13.1-31.5 |
| H.S. or G.E.D. | 110 | 121,680 | 56 | 59.8 | 47.5-72.1 | 11 | 8.7 | 02.6-14.8 | 15 | 16.8 | 06.2-27.4 | 28 | 14.7 | 07.8-21.6 |
| Some Post-H.S. | 126 | 119,086 | 64 | 55.1 | 43.7-66.5 | 21 | 11.5 | 05.6-17.4 | 19 | 15.2 | 06.6-23.8 | 22 | 18.3 | 09.1-27.5 |
| College Graduate | 156 | 94,316 | 105 | 63.7 | 53.1-74.3 | 22 | 19.3 | 09.1-29.5 | 10 | 5.2 | 01.7-08.7 | 19 | 11.9 | 06.0-17.8 |
| \$15,000- 24,999 | 68 | 67,704 | 31 | 48.9 | 33.8-64.0 | 10 | 15.6 | 03.6-27.6 | 10 | 12.6 | 03.2-22.0 | 17 | 22.9 | 10.2-35.6 |
| \$35,000- 49,999 | 67 | 48,091 | 37 | 53.7 | 33.7-73.7 | 9 | 10.0 | 01.8-18.2 | 6 | 19.3 | 00.0-42.4 | 15 | 17.0 | 06.8-27.2 |
| \$50,000- 74,999 | 70 | 84,172 | 42 | 62.9 | 46.6-79.2 | 15 | 15.7 | 04.5-26.9 | 4 | 2.0 | 00.0-04.2 | 9 | 19.3 | 04.0-34.6 |
| \$75,000+ | 123 | 104,376 | 84 | 63.9 | 51.7-76.1 | 13 | 13.5 | 05.3-21.7 | 13 | 14.1 | 04.3-23.9 | 13 | 8.6 | 03.3-13.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 12: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? (CRGVHRS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Up to 8 hrs per wk | | | 9 to 19 hrs per wk | | | 20 to 39 hrs per wk | | | 40 hrs or more | | |
|----------------------------|-------------------|----------|--------------------|------|------------|--------------------|------|------------|---------------------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 726 | 516,420 | 356 | 48.6 | 43.7-53.5 | 102 | 12.3 | 09.4-15.2 | 105 | 14.9 | 11.4-18.4 | 163 | 24.3 | 20.0-28.6 |
| White/Non-Hisp | 605 | 428,031 | 291 | 47.7 | 42.2-53.2 | 90 | 13.3 | 10.0-16.6 | 90 | 15.8 | 11.7-19.9 | 134 | 23.3 | 18.8-27.8 |
| Black or Afr. Am./Non-Hisp | 70 | 55,708 | 36 | 45.2 | 29.5-60.9 | 7 | 8.3 | 01.0-15.6 | 10 | 13.9 | 04.3-23.5 | 17 | 32.6 | 15.9-49.3 |
| 25-34 | 53 | 56,447 | 27 | 45.3 | 28.4-62.2 | 6 | 12.2 | 01.6-22.8 | 7 | 9.4 | 01.2-17.6 | 13 | 33.1 | 15.7-50.5 |
| 35-44 | 81 | 80,261 | 37 | 48.1 | 32.4-63.8 | 9 | 10.8 | 02.2-19.4 | 14 | 21.6 | 07.9-35.3 | 21 | 19.4 | 09.0-29.8 |
| 45-54 | 152 | 116,123 | 78 | 49.8 | 39.6-60.0 | 18 | 12.0 | 05.3-18.7 | 22 | 12.9 | 06.0-19.8 | 34 | 25.3 | 16.3-34.3 |
| 55-64 | 180 | 116,506 | 70 | 38.3 | 29.1-47.5 | 35 | 17.6 | 10.7-24.5 | 31 | 18.2 | 11.3-25.1 | 44 | 25.9 | 17.5-34.3 |
| 65+ | 244 | 124,455 | 133 | 55.3 | 47.5-63.1 | 33 | 10.2 | 06.3-14.1 | 30 | 13.5 | 07.6-19.4 | 48 | 21.0 | 14.3-27.7 |
| Less Than H.S. | 52 | 48,568 | 23 | 37.6 | 20.7-54.5 | 3 | 3.3 | 00.0-07.4 | 6 | 15.8 | 01.9-29.7 | 20 | 43.4 | 24.8-62.0 |
| H.S. or G.E.D. | 223 | 176,713 | 106 | 49.1 | 40.3-57.9 | 31 | 11.3 | 06.4-16.2 | 36 | 17.1 | 09.8-24.4 | 50 | 22.4 | 15.3-29.5 |
| Some Post-H.S. | 235 | 183,287 | 114 | 47.8 | 39.2-56.4 | 35 | 14.8 | 08.9-20.7 | 39 | 14.3 | 09.0-19.6 | 47 | 23.1 | 15.7-30.5 |
| College Graduate | 215 | 107,762 | 113 | 54.0 | 45.8-62.2 | 33 | 13.6 | 07.9-19.3 | 24 | 11.8 | 06.5-17.1 | 45 | 20.7 | 13.8-27.6 |
| Less than \$15,000 | 94 | 58,937 | 38 | 37.1 | 22.8-51.4 | 8 | 8.9 | 02.2-15.6 | 18 | 16.1 | 06.7-25.5 | 30 | 37.9 | 22.8-53.0 |
| \$15,000- 24,999 | 134 | 92,676 | 56 | 45.7 | 34.3-57.1 | 19 | 13.5 | 05.9-21.1 | 24 | 17.6 | 09.0-26.2 | 35 | 23.2 | 14.6-31.8 |
| \$25,000- 34,999 | 63 | 44,744 | 31 | 44.4 | 27.3-61.5 | 12 | 14.9 | 03.3-26.5 | 8 | 11.3 | 01.5-21.1 | 12 | 29.4 | 12.5-46.3 |
| \$35,000- 49,999 | 110 | 70,764 | 58 | 55.1 | 42.0-68.2 | 16 | 8.4 | 03.5-13.3 | 13 | 10.5 | 03.8-17.2 | 23 | 26.0 | 14.0-38.0 |
| \$50,000- 74,999 | 78 | 58,112 | 37 | 44.9 | 29.6-60.2 | 12 | 12.6 | 02.8-22.4 | 8 | 17.9 | 01.6-34.2 | 21 | 24.6 | 12.1-37.1 |
| \$75,000+ | 154 | 120,386 | 86 | 57.8 | 47.6-68.0 | 25 | 16.6 | 09.2-24.0 | 18 | 11.2 | 05.3-17.1 | 25 | 14.4 | 07.7-21.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 13: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Arthritis, Rheumatism Asthma COPD Values (1,2,4) | | | Cancer (3) | | | Values (5,6,10,14) | | | Diabetes, Heart Disease, Hypertension Stroke (Values 7,8) | | | HIV Organ Failure Kidney, Liver Disease Values (9,11) | | | Substance Abuse, Addiction Disorder, Other (Values 12,13,15) | | |
|----------------------------|-------------------|----------|---|------|------------|------------|------|------------|--------------------|------|------------|--|------|------------|--|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 732 | 578,618 | 92 | 12.1 | 09.0-15.2 | 89 | 10.5 | 07.4-13.6 | 254 | 34.5 | 29.8-39.2 | 176 | 26.2 | 21.5-30.9 | 36 | 6.0 | 03.6-08.4 | 85 | 10.7 | 07.8-13.6 |
| Male | 254 | 238,897 | 24 | 9.6 | 04.3-14.9 | 31 | 11.8 | 05.3-18.3 | 85 | 34.7 | 26.1-43.3 | 71 | 28.8 | 20.6-37.0 | 10 | 3.9 | 01.0-06.8 | 33 | 11.3 | 06.2-16.4 |
| Female | 478 | 339,721 | 68 | 13.9 | 10.0-17.8 | 58 | 9.6 | 06.7-12.5 | 169 | 34.4 | 28.9-39.9 | 105 | 24.4 | 18.9-29.9 | 26 | 7.4 | 04.1-10.7 | 52 | 10.3 | 06.8-13.8 |
| White/Non-Hisp | 614 | 462,174 | 73 | 10.9 | 08.0-13.8 | 84 | 12.8 | 08.9-16.7 | 217 | 36.5 | 31.2-41.8 | 140 | 22.2 | 17.9-26.5 | 26 | 5.0 | 02.8-07.2 | 74 | 12.6 | 09.1-16.1 |
| Black or Afr. Am./Non-Hisp | 68 | 75,425 | 13 | 16.6 | 05.6-27.6 | 4 | 2.0 | 00.0-04.2 | 20 | 28.2 | 14.9-41.5 | 23 | 38.4 | 22.3-54.5 | 7 | 14.0 | 03.0-25.0 | 1 | 0.8 | 00.0-02.4 |
| 25-34 | 54 | 67,933 | 5 | 10.3 | 00.5-20.1 | 10 | 13.6 | 03.8-23.4 | 17 | 36.6 | 20.7-52.5 | 13 | 23.6 | 08.1-39.1 | 6 | 11.0 | 01.0-21.0 | 3 | 4.9 | 00.0-10.6 |
| 35-44 | 67 | 75,224 | 6 | 8.8 | 01.0-16.6 | 5 | 4.6 | 00.1-09.1 | 26 | 36.5 | 19.8-53.2 | 15 | 27.8 | 10.6-45.0 | 6 | 9.7 | 00.0-19.5 | 9 | 12.6 | 02.4-22.8 |
| 45-54 | 157 | 121,271 | 25 | 12.0 | 05.7-18.3 | 13 | 9.3 | 02.6-16.0 | 60 | 40.9 | 30.1-51.7 | 38 | 23.2 | 15.0-31.4 | 10 | 8.5 | 02.8-14.2 | 11 | 6.2 | 00.9-11.5 |
| 55-64 | 189 | 132,558 | 22 | 10.8 | 05.5-16.1 | 29 | 12.5 | 07.0-18.0 | 68 | 39.3 | 30.3-48.3 | 40 | 24.0 | 15.8-32.2 | 6 | 2.4 | 00.2-04.6 | 24 | 11.0 | 05.7-16.3 |
| 65+ | 239 | 133,523 | 30 | 14.4 | 08.3-20.5 | 29 | 9.1 | 05.0-13.2 | 79 | 31.1 | 23.5-38.7 | 58 | 24.3 | 17.0-31.6 | 8 | 4.7 | 01.0-08.4 | 35 | 16.4 | 09.5-23.3 |
| Less Than H.S. | 63 | 78,555 | 11 | 13.7 | 05.3-22.1 | 3 | 2.1 | 00.0-04.6 | 10 | 14.8 | 00.7-28.9 | 27 | 47.4 | 29.8-65.0 | 4 | 8.7 | 00.0-18.1 | 8 | 13.3 | 01.5-25.1 |
| H.S. or G.E.D. | 220 | 191,602 | 33 | 15.6 | 08.7-22.5 | 31 | 14.0 | 06.4-21.6 | 69 | 33.3 | 24.7-41.9 | 53 | 24.7 | 17.1-32.3 | 7 | 2.7 | 00.0-05.4 | 27 | 9.8 | 05.5-14.1 |
| Some Post-H.S. | 223 | 188,175 | 27 | 10.6 | 05.7-15.5 | 23 | 9.7 | 04.8-14.6 | 84 | 39.3 | 30.9-47.7 | 44 | 19.7 | 12.6-26.8 | 17 | 8.9 | 04.2-13.6 | 28 | 11.9 | 06.4-17.4 |
| College Graduate | 225 | 119,603 | 21 | 7.9 | 03.4-12.4 | 32 | 11.8 | 07.1-16.5 | 90 | 41.6 | 33.4-49.8 | 52 | 25.1 | 17.1-33.1 | 8 | 4.8 | 00.9-08.7 | 22 | 8.8 | 04.3-13.3 |
| Less than \$15,000 | 72 | 46,272 | 11 | 12.0 | 03.8-20.2 | 12 | 9.5 | 03.0-16.0 | 23 | 23.9 | 12.5-35.3 | 15 | 34.2 | 14.4-54.0 | 5 | 10.5 | 00.0-22.8 | 6 | 9.8 | 01.0-18.6 |
| \$15,000- 24,999 | 136 | 107,550 | 17 | 9.1 | 04.0-14.2 | 18 | 13.8 | 06.7-20.9 | 33 | 22.5 | 12.7-32.3 | 44 | 32.6 | 22.2-43.0 | 8 | 9.1 | 01.8-16.4 | 16 | 13.0 | 04.0-22.0 |
| \$25,000- 34,999 | 66 | 49,751 | 13 | 19.6 | 07.1-32.1 | 2 | 3.3 | 00.0-08.2 | 23 | 36.4 | 20.9-51.9 | 16 | 20.9 | 11.1-30.7 | 5 | 7.9 | 00.0-17.1 | 7 | 11.8 | 00.4-23.2 |
| \$35,000- 49,999 | 108 | 77,295 | 4 | 3.9 | 00.0-08.6 | 13 | 9.3 | 01.9-16.7 | 42 | 39.9 | 26.2-53.6 | 32 | 34.4 | 18.9-49.9 | 2 | 0.8 | 00.0-02.0 | 15 | 11.7 | 04.6-18.8 |
| \$50,000- 74,999 | 94 | 83,367 | 15 | 10.2 | 03.5-16.9 | 8 | 8.9 | 00.9-16.9 | 39 | 50.7 | 35.6-65.8 | 18 | 16.8 | 06.0-27.6 | 4 | 5.7 | 00.0-11.6 | 10 | 7.7 | 02.2-13.2 |
| \$75,000+ | 168 | 135,354 | 19 | 11.2 | 04.9-17.5 | 25 | 13.9 | 04.3-23.5 | 60 | 37.4 | 27.6-47.2 | 34 | 18.8 | 11.7-25.9 | 10 | 6.5 | 02.2-10.8 | 20 | 12.1 | 05.6-18.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 14: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Arthritis, Rheumatism, Asthma, COPD Values (1,2,4) | | | Cancer (3) | | | Values (5,6,10,14) | | | Diabetes, Heart Disease, Hypertension, Stroke (Values 7,8) | | | HIV, Organ Failure, Kidney, Liver Disease Values (9,11) | | | Substance Abuse, Addiction Disorder, Other (Values 12,13,15) | | |
|--------------------|-------------------|----------|---|------|------------|------------|------|------------|--------------------|------|------------|---|------|------------|--|-----|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 254 | 238,897 | 24 | 9.6 | 04.3-14.9 | 31 | 11.8 | 05.3-18.3 | 85 | 34.7 | 26.3-43.1 | 71 | 28.8 | 20.6-37.0 | 10 | 3.9 | 01.0-06.8 | 33 | 11.3 | 06.2-16.4 |
| White/Non-Hisp | 211 | 178,774 | 18 | 7.3 | 03.2-11.4 | 30 | 15.6 | 07.2-24.0 | 69 | 36.0 | 26.4-45.6 | 58 | 23.8 | 16.4-31.2 | 6 | 2.9 | 00.0-05.8 | 30 | 14.4 | 07.9-20.9 |
| 45-54 | 50 | 39,775 | 6 | 5.8 | 00.0-11.7 | 6 | 16.5 | 00.4-32.6 | 20 | 43.7 | 21.7-65.7 | 10 | 19.7 | 06.0-33.4 | 3 | 8.3 | 00.0-19.5 | 5 | 5.9 | 00.0-11.8 |
| 55-64 | 63 | 51,445 | 4 | 5.5 | 00.0-12.6 | 11 | 10.6 | 03.5-17.7 | 23 | 41.3 | 25.0-57.6 | 15 | 29.7 | 14.0-45.4 | 1 | 1.5 | 00.0-04.4 | 9 | 11.3 | 02.9-19.7 |
| 65+ | 88 | 58,770 | 9 | 12.4 | 03.0-21.8 | 7 | 4.8 | 00.5-09.1 | 27 | 29.4 | 17.8-41.0 | 27 | 28.1 | 15.8-40.4 | 3 | 3.8 | 00.0-08.7 | 15 | 21.6 | 08.9-34.3 |
| H.S. or G.E.D. | 67 | 76,713 | 5 | 11.6 | 00.0-24.1 | 11 | 19.9 | 03.2-36.6 | 26 | 33.3 | 17.0-49.6 | 17 | 28.1 | 13.4-42.8 | | | | 8 | 7.2 | 01.5-12.9 |
| Some Post-H.S. | 73 | 70,656 | 9 | 8.8 | 01.5-16.1 | 5 | 8.2 | 00.0-17.2 | 25 | 42.4 | 27.3-57.5 | 17 | 19.5 | 08.3-30.7 | 6 | 7.5 | 00.2-14.8 | 11 | 13.7 | 03.5-23.9 |
| College Graduate | 89 | 54,334 | 8 | 9.2 | 00.4-18.0 | 14 | 12.8 | 05.0-20.6 | 32 | 38.6 | 25.3-51.9 | 23 | 27.9 | 13.8-42.0 | 1 | 0.2 | 00.0-00.6 | 11 | 11.3 | 03.7-18.9 |
| \$75,000+ | 71 | 62,255 | 6 | 6.9 | 00.0-14.5 | 10 | 19.1 | 00.0-38.3 | 26 | 40.4 | 23.3-57.5 | 18 | 20.2 | 08.6-31.8 | 1 | 1.2 | 00.0-03.6 | 10 | 12.2 | 01.4-23.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 15: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Arthritis, Rheumatism, Asthma, COPD Values (1,2,4) | | | Cancer (3) Values (5,6,10,14) | | | Diabetes, Heart Disease, Hypertension, Stroke Values (7,8) | | | HIV Organ Failure, Kidney, Liver Disease Values (9,11) | | | Substance Abuse, Addiction Disorder, Other Values (12,13,15) | | | | | |
|--------------------|-------------------|----------|---|------|------------|----------------------------------|------|------------|---|------|------------|---|------|------------|---|------|------------|----|------|-----------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | | | |
| Female | 478 | 339,721 | 68 | 13.9 | 10.0-17.8 | 58 | 9.6 | 06.7-12.5 | 169 | 34.4 | 28.9-39.9 | 105 | 24.4 | 18.9-29.9 | 26 | 7.4 | 04.1-10.7 | 52 | 10.3 | 06.8-13.8 |
| White/Non-Hisp | 403 | 283,399 | 55 | 13.1 | 09.2-17.0 | 54 | 11.0 | 07.5-14.5 | 148 | 36.9 | 30.8-43.0 | 82 | 21.3 | 16.0-26.6 | 20 | 6.3 | 03.2-09.4 | 44 | 11.5 | 07.4-15.6 |
| 45-54 | 107 | 81,496 | 19 | 15.0 | 06.4-23.6 | 7 | 5.7 | 00.2-11.2 | 40 | 39.6 | 28.4-50.8 | 28 | 24.9 | 14.9-34.9 | 7 | 8.5 | 02.0-15.0 | 6 | 6.3 | 00.0-13.6 |
| 55-64 | 126 | 81,113 | 18 | 14.1 | 06.8-21.4 | 18 | 13.6 | 06.0-21.2 | 45 | 38.0 | 27.4-48.6 | 25 | 20.4 | 11.6-29.2 | 5 | 3.0 | 00.0-06.1 | 15 | 10.9 | 04.2-17.6 |
| 65+ | 151 | 74,753 | 21 | 16.1 | 08.1-24.1 | 22 | 12.4 | 06.3-18.5 | 52 | 32.5 | 22.9-42.1 | 31 | 21.3 | 13.1-29.5 | 5 | 5.4 | 00.0-10.9 | 20 | 12.3 | 05.4-19.2 |
| H.S. or G.E.D. | 153 | 114,889 | 28 | 18.2 | 10.4-26.0 | 20 | 10.1 | 04.6-15.6 | 43 | 33.3 | 23.5-43.1 | 36 | 22.4 | 14.0-30.8 | 7 | 4.4 | 00.0-08.9 | 19 | 11.5 | 05.6-17.4 |
| Some Post-H.S. | 150 | 117,519 | 18 | 11.7 | 05.0-18.4 | 18 | 10.6 | 04.7-16.5 | 59 | 37.4 | 27.4-47.4 | 27 | 19.8 | 10.6-29.0 | 11 | 9.8 | 03.5-16.1 | 17 | 10.8 | 04.5-17.1 |
| College Graduate | 136 | 65,269 | 13 | 6.9 | 02.8-11.0 | 18 | 10.9 | 05.0-16.8 | 58 | 44.1 | 33.7-54.5 | 29 | 22.7 | 13.9-31.5 | 7 | 8.7 | 01.8-15.6 | 11 | 6.7 | 01.6-11.8 |
| Less than \$15,000 | 61 | 40,569 | 10 | 11.2 | 03.0-19.4 | 11 | 10.0 | 02.7-17.3 | 19 | 24.6 | 11.9-37.3 | 12 | 36.0 | 14.0-58.0 | 5 | 12.0 | 00.0-26.1 | 4 | 6.2 | 00.0-12.5 |
| \$15,000- 24,999 | 92 | 60,021 | 12 | 9.9 | 03.8-16.0 | 12 | 15.4 | 05.8-25.0 | 22 | 22.8 | 10.5-35.1 | 27 | 26.0 | 15.2-36.8 | 5 | 10.9 | 00.5-21.3 | 14 | 15.0 | 03.8-26.2 |
| \$35,000- 49,999 | 68 | 43,498 | 3 | 5.7 | 00.0-13.7 | 9 | 11.5 | 00.3-22.7 | 30 | 50.3 | 33.4-67.2 | 17 | 20.3 | 08.7-31.9 | 1 | 0.5 | 00.0-01.5 | 8 | 11.7 | 01.9-21.5 |
| \$50,000- 74,999 | 55 | 37,727 | 11 | 17.2 | 05.4-29.0 | 2 | 2.9 | 00.0-07.0 | 25 | 49.2 | 32.1-66.3 | 11 | 18.7 | 05.0-32.4 | 2 | 7.0 | 00.0-17.0 | 4 | 5.0 | 00.0-10.5 |
| \$75,000+ | 97 | 73,100 | 13 | 14.9 | 05.3-24.5 | 15 | 9.5 | 04.2-14.8 | 34 | 34.9 | 23.5-46.3 | 16 | 17.7 | 08.7-26.7 | 9 | 11.0 | 03.6-18.4 | 10 | 12.0 | 04.2-19.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 16: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZ)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1071 | 841,767 | 180 | 16.0 | 13.1-18.9 | 891 | 84.0 | 81.1-86.9 |
| Male | 398 | 359,345 | 73 | 17.2 | 12.3-22.1 | 325 | 82.8 | 77.9-87.7 |
| Female | 673 | 482,422 | 107 | 15.1 | 11.6-18.6 | 566 | 84.9 | 81.4-88.4 |
| White/Non-Hisp | 887 | 675,910 | 144 | 15.0 | 12.1-17.9 | 743 | 85.0 | 82.1-87.9 |
| Black or Afr. Am./Non-Hisp | 103 | 98,721 | 21 | 20.8 | 09.8-31.8 | 82 | 79.2 | 68.2-90.2 |
| 25-34 | 79 | 82,899 | 13 | 15.9 | 06.3-25.5 | 66 | 84.1 | 74.5-93.7 |
| 35-44 | 113 | 138,171 | 17 | 12.5 | 05.1-19.9 | 96 | 87.5 | 80.1-94.9 |
| 45-54 | 206 | 159,194 | 35 | 18.2 | 11.9-24.5 | 171 | 81.8 | 75.5-88.1 |
| 55-64 | 264 | 171,704 | 50 | 15.7 | 10.8-20.6 | 214 | 84.3 | 79.4-89.2 |
| 65+ | 367 | 211,963 | 60 | 17.3 | 11.8-22.8 | 307 | 82.7 | 77.2-88.2 |
| Less Than H.S. | 92 | 111,028 | 15 | 15.0 | 05.6-24.4 | 77 | 85.0 | 75.6-94.4 |
| H.S. or G.E.D. | 312 | 275,151 | 47 | 13.1 | 08.4-17.8 | 265 | 86.9 | 82.2-91.6 |
| Some Post-H.S. | 335 | 270,656 | 49 | 15.1 | 10.2-20.0 | 286 | 84.9 | 80.0-89.8 |
| College Graduate | 330 | 184,160 | 69 | 22.2 | 15.9-28.5 | 261 | 77.8 | 71.5-84.1 |
| Less than \$15,000 | 113 | 75,320 | 20 | 22.1 | 09.6-34.6 | 93 | 77.9 | 65.4-90.4 |
| \$15,000- 24,999 | 205 | 167,170 | 36 | 18.4 | 11.1-25.7 | 169 | 81.6 | 74.3-88.9 |
| \$25,000- 34,999 | 92 | 75,263 | 15 | 17.7 | 07.9-27.5 | 77 | 82.3 | 72.5-92.1 |
| \$35,000- 49,999 | 154 | 102,901 | 17 | 7.8 | 03.1-12.5 | 137 | 92.2 | 87.5-96.9 |
| \$50,000- 74,999 | 133 | 116,686 | 32 | 21.8 | 12.4-31.2 | 101 | 78.2 | 68.8-87.6 |
| \$75,000+ | 240 | 190,929 | 44 | 16.2 | 10.7-21.7 | 196 | 83.8 | 78.3-89.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 17: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZ)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 398 | 359,345 | 73 | 17.2 | 12.3-22.1 | 325 | 82.8 | 77.9-87.7 |
| White/Non-Hisp | 333 | 283,929 | 57 | 14.3 | 09.6-19.0 | 276 | 85.7 | 81.0-90.4 |
| 45-54 | 69 | 52,919 | 12 | 20.0 | 08.2-31.8 | 57 | 80.0 | 68.2-91.8 |
| 55-64 | 100 | 68,156 | 18 | 14.3 | 07.0-21.6 | 82 | 85.7 | 78.4-93.0 |
| 65+ | 138 | 93,260 | 28 | 21.2 | 11.0-31.4 | 110 | 78.8 | 68.6-89.0 |
| H.S. or G.E.D. | 98 | 111,031 | 18 | 16.4 | 07.2-25.6 | 80 | 83.6 | 74.4-92.8 |
| Some Post-H.S. | 119 | 103,606 | 21 | 17.4 | 09.0-25.8 | 98 | 82.6 | 74.2-91.0 |
| College Graduate | 144 | 89,287 | 29 | 21.2 | 11.2-31.2 | 115 | 78.8 | 68.8-88.8 |
| \$15,000- 24,999 | 70 | 71,174 | 17 | 26.2 | 12.1-40.3 | 53 | 73.8 | 59.7-87.9 |
| \$35,000- 49,999 | 64 | 45,198 | 11 | 11.9 | 02.7-21.1 | 53 | 88.1 | 78.9-97.3 |
| \$50,000- 74,999 | 63 | 67,368 | 13 | 21.7 | 07.4-36.0 | 50 | 78.3 | 64.0-92.6 |
| \$75,000+ | 108 | 88,229 | 20 | 15.3 | 07.5-23.1 | 88 | 84.7 | 76.9-92.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 18: DOES THE PERSON YOU CARE FOR ALSO HAVE ALZHEIMER'S DISEASE, DEMENTIA OR OTHER COGNITIVE IMPAIRMENT DISORDER? (CRGVALZ)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 673 | 482,422 | 107 | 15.1 | 11.6-18.6 | 566 | 84.9 | 81.4-88.4 |
| White/Non-Hisp | 554 | 391,980 | 87 | 15.4 | 11.5-19.3 | 467 | 84.6 | 80.7-88.5 |
| Black or Afr. Am./Non-Hisp | 71 | 59,079 | 12 | 16.5 | 04.7-28.3 | 59 | 83.5 | 71.7-95.3 |
| 25-34 | 50 | 51,724 | 9 | 14.0 | 04.4-23.6 | 41 | 86.0 | 76.4-95.6 |
| 35-44 | 79 | 81,675 | 10 | 11.0 | 02.2-19.8 | 69 | 89.0 | 80.2-97.8 |
| 45-54 | 137 | 106,275 | 23 | 17.4 | 10.0-24.8 | 114 | 82.6 | 75.2-90.0 |
| 55-64 | 164 | 103,548 | 32 | 16.6 | 10.1-23.1 | 132 | 83.4 | 76.9-89.9 |
| 65+ | 229 | 118,703 | 32 | 14.3 | 08.4-20.2 | 197 | 85.7 | 79.8-91.6 |
| Less Than H.S. | 55 | 55,607 | 10 | 18.1 | 05.0-31.2 | 45 | 81.9 | 68.8-95.0 |
| H.S. or G.E.D. | 214 | 164,119 | 29 | 10.8 | 06.3-15.3 | 185 | 89.2 | 84.7-93.7 |
| Some Post-H.S. | 216 | 167,050 | 28 | 13.6 | 07.5-19.7 | 188 | 86.4 | 80.3-92.5 |
| College Graduate | 186 | 94,873 | 40 | 23.2 | 15.4-31.0 | 146 | 76.8 | 69.0-84.6 |
| Less than \$15,000 | 91 | 58,637 | 17 | 24.8 | 09.7-39.9 | 74 | 75.2 | 60.1-90.3 |
| \$15,000- 24,999 | 135 | 95,996 | 19 | 12.7 | 06.4-19.0 | 116 | 87.3 | 81.0-93.6 |
| \$25,000- 34,999 | 64 | 48,047 | 11 | 20.8 | 08.5-33.1 | 53 | 79.2 | 66.9-91.5 |
| \$35,000- 49,999 | 90 | 57,703 | 6 | 4.6 | 00.1-09.1 | 84 | 95.4 | 90.9-99.9 |
| \$50,000- 74,999 | 70 | 49,318 | 19 | 21.9 | 10.3-33.5 | 51 | 78.1 | 66.5-89.7 |
| \$75,000+ | 132 | 102,700 | 24 | 17.0 | 09.6-24.4 | 108 | 83.0 | 75.6-90.4 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 19: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1260 | 996,414 | 634 | 52.3 | 48.4-56.2 | 626 | 47.7 | 43.8-51.6 |
| Male | 468 | 428,681 | 229 | 50.7 | 44.2-57.2 | 239 | 49.3 | 42.8-55.8 |
| Female | 792 | 567,734 | 405 | 53.5 | 48.8-58.2 | 387 | 46.5 | 41.8-51.2 |
| White/Non-Hisp | 1048 | 806,238 | 521 | 51.9 | 47.8-56.0 | 527 | 48.1 | 44.0-52.2 |
| Black or Afr. Am./Non-Hisp | 117 | 114,325 | 68 | 64.4 | 53.4-75.4 | 49 | 35.6 | 24.6-46.6 |
| 25-34 | 91 | 101,613 | 47 | 57.7 | 45.4-70.0 | 44 | 42.3 | 30.0-54.6 |
| 35-44 | 122 | 149,659 | 69 | 53.4 | 40.7-66.1 | 53 | 46.6 | 33.9-59.3 |
| 45-54 | 248 | 196,498 | 131 | 53.7 | 45.7-61.7 | 117 | 46.3 | 38.3-54.3 |
| 55-64 | 321 | 218,380 | 169 | 53.5 | 46.6-60.4 | 152 | 46.5 | 39.6-53.4 |
| 65+ | 432 | 247,910 | 191 | 47.0 | 40.7-53.3 | 241 | 53.0 | 46.7-59.3 |
| Less Than H.S. | 102 | 122,909 | 50 | 54.2 | 40.5-67.9 | 52 | 45.8 | 32.1-59.5 |
| H.S. or G.E.D. | 370 | 329,162 | 189 | 50.0 | 42.9-57.1 | 181 | 50.0 | 42.9-57.1 |
| Some Post-H.S. | 392 | 322,299 | 192 | 53.8 | 47.1-60.5 | 200 | 46.2 | 39.5-52.9 |
| College Graduate | 395 | 221,363 | 203 | 52.8 | 46.3-59.3 | 192 | 47.2 | 40.7-53.7 |
| Less than \$15,000 | 127 | 82,938 | 64 | 53.5 | 41.3-65.7 | 63 | 46.5 | 34.3-58.7 |
| \$15,000- 24,999 | 224 | 177,817 | 116 | 48.7 | 40.1-57.3 | 108 | 51.3 | 42.7-59.9 |
| \$25,000- 34,999 | 110 | 89,022 | 56 | 60.0 | 46.5-73.5 | 54 | 40.0 | 26.5-53.5 |
| \$35,000- 49,999 | 191 | 129,494 | 99 | 54.8 | 44.2-65.4 | 92 | 45.2 | 34.6-55.8 |
| \$50,000- 74,999 | 159 | 147,190 | 81 | 60.6 | 49.8-71.4 | 78 | 39.4 | 28.6-50.2 |
| \$75,000+ | 288 | 235,415 | 138 | 46.0 | 38.2-53.8 | 150 | 54.0 | 46.2-61.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 20: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 468 | 428,681 | 229 | 50.7 | 44.2-57.2 | 239 | 49.3 | 42.8-55.8 |
| White/Non-Hisp | 390 | 338,685 | 185 | 49.7 | 42.6-56.8 | 205 | 50.3 | 43.2-57.4 |
| 45-54 | 85 | 67,826 | 45 | 55.8 | 40.5-71.1 | 40 | 44.2 | 28.9-59.5 |
| 55-64 | 121 | 89,479 | 62 | 51.7 | 40.5-62.9 | 59 | 48.3 | 37.1-59.5 |
| 65+ | 161 | 106,336 | 74 | 52.2 | 41.8-62.6 | 87 | 47.8 | 37.4-58.2 |
| H.S. or G.E.D. | 123 | 134,824 | 69 | 50.3 | 38.0-62.6 | 54 | 49.7 | 37.4-62.0 |
| Some Post-H.S. | 133 | 123,810 | 58 | 49.5 | 38.3-60.7 | 75 | 50.5 | 39.3-61.7 |
| College Graduate | 171 | 106,778 | 85 | 51.5 | 41.1-61.9 | 86 | 48.5 | 38.1-58.9 |
| \$15,000- 24,999 | 76 | 75,808 | 38 | 53.4 | 39.3-67.5 | 38 | 46.6 | 32.5-60.7 |
| \$35,000- 49,999 | 75 | 53,634 | 38 | 47.4 | 30.2-64.6 | 37 | 52.6 | 35.4-69.8 |
| \$50,000- 74,999 | 74 | 84,992 | 39 | 61.1 | 45.2-77.0 | 35 | 38.9 | 23.0-54.8 |
| \$75,000+ | 129 | 110,586 | 62 | 46.9 | 34.7-59.1 | 67 | 53.1 | 40.9-65.3 |

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 21: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 792 | 567,734 | 405 | 53.5 | 48.8-58.2 | 387 | 46.5 | 41.8-51.2 |
| White/Non-Hisp | 658 | 467,553 | 336 | 53.5 | 48.4-58.6 | 322 | 46.5 | 41.4-51.6 |
| Black or Afr. Am./Non-Hisp | 78 | 63,221 | 45 | 64.4 | 51.3-77.5 | 33 | 35.6 | 22.5-48.7 |
| 25-34 | 56 | 59,032 | 32 | 59.7 | 43.6-75.8 | 24 | 40.3 | 24.2-56.4 |
| 35-44 | 85 | 85,712 | 52 | 61.5 | 46.4-76.6 | 33 | 38.5 | 23.4-53.6 |
| 45-54 | 163 | 128,672 | 86 | 52.6 | 43.4-61.8 | 77 | 47.4 | 38.2-56.6 |
| 55-64 | 200 | 128,901 | 107 | 54.8 | 46.2-63.4 | 93 | 45.2 | 36.6-53.8 |
| 65+ | 271 | 141,574 | 117 | 43.1 | 35.7-50.5 | 154 | 56.9 | 49.5-64.3 |
| Less Than H.S. | 61 | 59,639 | 33 | 55.6 | 39.1-72.1 | 28 | 44.4 | 27.9-60.9 |
| H.S. or G.E.D. | 247 | 194,338 | 120 | 49.9 | 41.7-58.1 | 127 | 50.1 | 41.9-58.3 |
| Some Post-H.S. | 259 | 198,489 | 134 | 56.4 | 48.4-64.4 | 125 | 43.6 | 35.6-51.6 |
| College Graduate | 224 | 114,585 | 118 | 54.1 | 46.1-62.1 | 106 | 45.9 | 37.9-53.9 |
| Less than \$15,000 | 101 | 64,267 | 56 | 61.3 | 48.2-74.4 | 45 | 38.7 | 25.6-51.8 |
| \$15,000- 24,999 | 148 | 102,009 | 78 | 45.2 | 35.0-55.4 | 70 | 54.8 | 44.6-65.0 |
| \$25,000- 34,999 | 75 | 54,625 | 41 | 68.1 | 55.4-80.8 | 34 | 31.9 | 19.2-44.6 |
| \$35,000- 49,999 | 116 | 75,861 | 61 | 60.1 | 47.6-72.6 | 55 | 39.9 | 27.4-52.4 |
| \$50,000- 74,999 | 85 | 62,197 | 42 | 60.0 | 46.7-73.3 | 43 | 40.0 | 26.7-53.3 |
| \$75,000+ | 159 | 124,828 | 76 | 45.1 | 35.1-55.1 | 83 | 54.9 | 44.9-64.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 22: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 1249 | 987,586 | 973 | 79.2 | 76.3-82.1 | 276 | 20.8 | 17.9-23.7 |
| Male | 462 | 425,000 | 353 | 79.3 | 74.4-84.2 | 109 | 20.7 | 15.8-25.6 |
| Female | 787 | 562,587 | 620 | 79.2 | 75.5-82.9 | 167 | 20.8 | 17.1-24.5 |
| White/Non-Hisp | 1037 | 797,594 | 799 | 78.1 | 74.8-81.4 | 238 | 21.9 | 18.6-25.2 |
| Black or Afr. Am./Non-Hisp | 117 | 114,325 | 99 | 86.0 | 77.8-94.2 | 18 | 14.0 | 05.8-22.2 |
| 25-34 | 91 | 101,613 | 71 | 81.1 | 71.9-90.3 | 20 | 18.9 | 09.7-28.1 |
| 35-44 | 122 | 149,659 | 104 | 82.7 | 72.9-92.5 | 18 | 17.3 | 07.5-27.1 |
| 45-54 | 246 | 194,124 | 207 | 84.5 | 78.8-90.2 | 39 | 15.5 | 09.8-21.2 |
| 55-64 | 318 | 215,561 | 249 | 75.6 | 69.5-81.7 | 69 | 24.4 | 18.3-30.5 |
| 65+ | 426 | 244,275 | 305 | 74.2 | 68.9-79.5 | 121 | 25.8 | 20.5-31.1 |
| Less Than H.S. | 100 | 120,839 | 70 | 73.4 | 62.2-84.6 | 30 | 26.6 | 15.4-37.8 |
| H.S. or G.E.D. | 365 | 325,522 | 280 | 76.7 | 70.6-82.8 | 85 | 23.3 | 17.2-29.4 |
| Some Post-H.S. | 389 | 320,053 | 316 | 83.2 | 78.5-87.9 | 73 | 16.8 | 12.1-21.5 |
| College Graduate | 393 | 220,399 | 305 | 80.4 | 75.7-85.1 | 88 | 19.6 | 14.9-24.3 |
| Less than \$15,000 | 126 | 81,308 | 94 | 72.0 | 61.0-83.0 | 32 | 28.0 | 17.0-39.0 |
| \$15,000- 24,999 | 221 | 175,353 | 173 | 76.7 | 68.9-84.5 | 48 | 23.3 | 15.5-31.1 |
| \$25,000- 34,999 | 109 | 88,583 | 84 | 82.8 | 74.4-91.2 | 25 | 17.2 | 08.8-25.6 |
| \$35,000- 49,999 | 189 | 128,615 | 158 | 86.5 | 80.4-92.6 | 31 | 13.5 | 07.4-19.6 |
| \$50,000- 74,999 | 159 | 147,190 | 129 | 82.2 | 73.2-91.2 | 30 | 17.8 | 08.8-26.8 |
| \$75,000+ | 287 | 234,048 | 222 | 81.0 | 75.3-86.7 | 65 | 19.0 | 13.3-24.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 23: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|--------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 462 | 425,000 | 353 | 79.3 | 74.4-84.2 | 109 | 20.7 | 15.8-25.6 |
| White/Non-Hisp | 385 | 335,278 | 291 | 77.4 | 71.7-83.1 | 94 | 22.6 | 16.9-28.3 |
| 45-54 | 84 | 67,597 | 67 | 81.4 | 71.0-91.8 | 17 | 18.6 | 08.2-29.0 |
| 55-64 | 119 | 87,265 | 91 | 77.4 | 68.4-86.4 | 28 | 22.6 | 13.6-31.6 |
| 65+ | 158 | 105,099 | 115 | 74.1 | 64.5-83.7 | 43 | 25.9 | 16.3-35.5 |
| H.S. or G.E.D. | 121 | 134,011 | 94 | 73.5 | 62.1-84.9 | 27 | 26.5 | 15.1-37.9 |
| Some Post-H.S. | 132 | 123,536 | 105 | 83.6 | 76.2-91.0 | 27 | 16.4 | 09.0-23.8 |
| College Graduate | 169 | 105,814 | 126 | 81.7 | 75.0-88.4 | 43 | 18.3 | 11.6-25.0 |
| \$15,000- 24,999 | 75 | 75,578 | 59 | 76.8 | 64.1-89.5 | 16 | 23.2 | 10.5-35.9 |
| \$35,000- 49,999 | 74 | 53,359 | 63 | 88.0 | 80.0-96.0 | 11 | 12.0 | 04.0-20.0 |
| \$50,000- 74,999 | 74 | 84,992 | 60 | 84.9 | 72.2-97.6 | 14 | 15.1 | 02.4-27.8 |
| \$75,000+ | 129 | 110,586 | 95 | 81.3 | 73.1-89.5 | 34 | 18.7 | 10.5-26.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

**TABLE 24: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 787 | 562,587 | 620 | 79.2 | 75.5-82.9 | 167 | 20.8 | 17.1-24.5 |
| White/Non-Hisp | 652 | 462,316 | 508 | 78.6 | 74.5-82.7 | 144 | 21.4 | 17.3-25.5 |
| Black or Afr. Am./Non-Hisp | 78 | 63,221 | 66 | 80.1 | 66.8-93.4 | 12 | 19.9 | 06.6-33.2 |
| 25-34 | 56 | 59,032 | 45 | 84.3 | 73.9-94.7 | 11 | 15.7 | 05.3-26.1 |
| 35-44 | 85 | 85,712 | 75 | 81.9 | 69.9-93.9 | 10 | 18.1 | 06.1-30.1 |
| 45-54 | 162 | 126,527 | 140 | 86.1 | 79.2-93.0 | 22 | 13.9 | 07.0-20.8 |
| 55-64 | 199 | 128,296 | 158 | 74.5 | 66.5-82.5 | 41 | 25.5 | 17.5-33.5 |
| 65+ | 268 | 139,177 | 190 | 74.2 | 67.9-80.5 | 78 | 25.8 | 19.5-32.1 |
| Less Than H.S. | 60 | 59,200 | 42 | 67.7 | 52.0-83.4 | 18 | 32.3 | 16.6-48.0 |
| H.S. or G.E.D. | 244 | 191,511 | 186 | 78.9 | 72.6-85.2 | 58 | 21.1 | 14.8-27.4 |
| Some Post-H.S. | 257 | 196,517 | 211 | 83.0 | 76.9-89.1 | 46 | 17.0 | 10.9-23.1 |
| College Graduate | 224 | 114,585 | 179 | 79.1 | 72.6-85.6 | 45 | 20.9 | 14.4-27.4 |
| Less than \$15,000 | 101 | 64,267 | 79 | 77.3 | 65.5-89.1 | 22 | 22.7 | 10.9-34.5 |
| \$15,000- 24,999 | 146 | 99,774 | 114 | 76.7 | 67.1-86.3 | 32 | 23.3 | 13.7-32.9 |
| \$25,000- 34,999 | 74 | 54,186 | 59 | 87.1 | 79.1-95.1 | 15 | 12.9 | 04.9-20.9 |
| \$35,000- 49,999 | 115 | 75,255 | 95 | 85.4 | 76.8-94.0 | 20 | 14.6 | 06.0-23.2 |
| \$50,000- 74,999 | 85 | 62,197 | 69 | 78.7 | 66.9-90.5 | 16 | 21.3 | 09.5-33.1 |
| \$75,000+ | 158 | 123,462 | 127 | 80.8 | 73.2-88.4 | 31 | 19.2 | 11.6-26.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 25: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 3391 | 2,845,775 | 507 | 15.6 | 13.8-17.4 | 2884 | 84.4 | 82.6-86.2 |
| Male | 1568 | 1,432,363 | 234 | 16.1 | 13.4-18.8 | 1334 | 83.9 | 81.2-86.6 |
| Female | 1823 | 1,413,412 | 273 | 15.1 | 12.7-17.5 | 1550 | 84.9 | 82.5-87.3 |
| White/Non-Hisp | 2767 | 2,160,159 | 403 | 14.9 | 12.9-16.9 | 2364 | 85.1 | 83.1-87.1 |
| Black or Afr. Am./Non-Hisp | 377 | 449,080 | 66 | 18.7 | 13.4-24.0 | 311 | 81.3 | 76.0-86.6 |
| Oth. Race/Non-Hisp. | 79 | 54,504 | 16 | 21.0 | 09.0-33.0 | 63 | 79.0 | 67.0-91.0 |
| Hispanic | 75 | 128,070 | 11 | 17.5 | 05.5-29.5 | 64 | 82.5 | 70.5-94.5 |
| 18-24 | 200 | 313,622 | 36 | 17.8 | 10.9-24.7 | 164 | 82.2 | 75.3-89.1 |
| 25-34 | 374 | 510,628 | 49 | 14.3 | 08.8-19.8 | 325 | 85.7 | 80.2-91.2 |
| 35-44 | 376 | 430,973 | 54 | 13.0 | 08.9-17.1 | 322 | 87.0 | 82.9-91.1 |
| 45-54 | 584 | 485,860 | 112 | 18.7 | 14.4-23.0 | 472 | 81.3 | 77.0-85.6 |
| 55-64 | 675 | 447,888 | 112 | 18.4 | 14.5-22.3 | 563 | 81.6 | 77.7-85.5 |
| 65+ | 1182 | 656,806 | 144 | 13.1 | 10.4-15.8 | 1038 | 86.9 | 84.2-89.6 |
| Less Than H.S. | 326 | 376,937 | 39 | 15.7 | 09.0-22.4 | 287 | 84.3 | 77.6-91.0 |
| H.S. or G.E.D. | 1097 | 984,140 | 161 | 15.5 | 12.4-18.6 | 936 | 84.5 | 81.4-87.6 |
| Some Post-H.S. | 858 | 800,419 | 139 | 17.0 | 13.7-20.3 | 719 | 83.0 | 79.7-86.3 |
| College Graduate | 1106 | 682,180 | 168 | 14.1 | 11.6-16.6 | 938 | 85.9 | 83.4-88.4 |
| Less than \$15,000 | 364 | 267,921 | 41 | 11.7 | 07.0-16.4 | 323 | 88.3 | 83.6-93.0 |
| \$15,000- 24,999 | 521 | 410,482 | 78 | 15.8 | 11.3-20.3 | 443 | 84.2 | 79.7-88.7 |
| \$25,000- 34,999 | 267 | 226,266 | 46 | 18.7 | 12.2-25.2 | 221 | 81.3 | 74.8-87.8 |
| \$35,000- 49,999 | 408 | 346,607 | 64 | 17.2 | 12.1-22.3 | 344 | 82.8 | 77.7-87.9 |
| \$50,000- 74,999 | 440 | 400,961 | 66 | 15.7 | 10.4-21.0 | 374 | 84.3 | 79.0-89.6 |
| \$75,000+ | 820 | 742,978 | 128 | 15.2 | 11.9-18.5 | 692 | 84.8 | 81.5-88.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 26: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 1568 | 1,432,363 | 234 | 16.1 | 13.4-18.8 | 1334 | 83.9 | 81.2-86.6 |
| White/Non-Hisp | 1306 | 1,109,177 | 192 | 15.5 | 12.6-18.4 | 1114 | 84.5 | 81.6-87.4 |
| Black or Afr. Am./Non-Hisp | 137 | 198,282 | 20 | 18.8 | 10.0-27.6 | 117 | 81.2 | 72.4-90.0 |
| 18-24 | 100 | 163,025 | 18 | 14.9 | 06.9-22.9 | 82 | 85.1 | 77.1-93.1 |
| 25-34 | 194 | 274,094 | 25 | 16.0 | 07.4-24.6 | 169 | 84.0 | 75.4-92.6 |
| 35-44 | 171 | 210,784 | 26 | 14.7 | 08.2-21.2 | 145 | 85.3 | 78.8-91.8 |
| 45-54 | 305 | 270,790 | 54 | 18.0 | 11.9-24.1 | 251 | 82.0 | 75.9-88.1 |
| 55-64 | 319 | 218,900 | 50 | 19.0 | 13.1-24.9 | 269 | 81.0 | 75.1-86.9 |
| 65+ | 479 | 294,770 | 61 | 14.1 | 09.8-18.4 | 418 | 85.9 | 81.6-90.2 |
| Less Than H.S. | 140 | 188,088 | 22 | 23.7 | 11.9-35.5 | 118 | 76.3 | 64.5-88.1 |
| H.S. or G.E.D. | 507 | 507,554 | 74 | 15.5 | 11.0-20.0 | 433 | 84.5 | 80.0-89.0 |
| Some Post-H.S. | 381 | 388,916 | 59 | 15.6 | 10.9-20.3 | 322 | 84.4 | 79.7-89.1 |
| College Graduate | 538 | 347,281 | 79 | 13.5 | 10.0-17.0 | 459 | 86.5 | 83.0-90.0 |
| Less than \$15,000 | 136 | 124,383 | 15 | 12.9 | 04.3-21.5 | 121 | 87.1 | 78.5-95.7 |
| \$15,000- 24,999 | 197 | 165,814 | 31 | 17.2 | 09.2-25.2 | 166 | 82.8 | 74.8-90.8 |
| \$25,000- 34,999 | 131 | 118,680 | 24 | 18.9 | 10.1-27.7 | 107 | 81.1 | 72.3-89.9 |
| \$35,000- 49,999 | 194 | 185,393 | 32 | 18.5 | 11.1-25.9 | 162 | 81.5 | 74.1-88.9 |
| \$50,000- 74,999 | 238 | 231,431 | 31 | 14.1 | 06.5-21.7 | 207 | 85.9 | 78.3-93.5 |
| \$75,000+ | 468 | 439,578 | 71 | 15.7 | 11.0-20.4 | 397 | 84.3 | 79.6-89.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 21: CAREGIVER**

TABLE 27: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 1823 | 1,413,412 | 273 | 15.1 | 12.7-17.5 | 1550 | 84.9 | 82.5-87.3 |
| White/Non-Hisp | 1461 | 1,050,981 | 211 | 14.2 | 11.7-16.7 | 1250 | 85.8 | 83.3-88.3 |
| Black or Afr. Am./Non-Hisp | 240 | 250,797 | 46 | 18.6 | 12.1-25.1 | 194 | 81.4 | 74.9-87.9 |
| 18-24 | 100 | 150,597 | 18 | 21.0 | 09.6-32.4 | 82 | 79.0 | 67.6-90.4 |
| 25-34 | 180 | 236,534 | 24 | 12.3 | 05.8-18.8 | 156 | 87.7 | 81.2-94.2 |
| 35-44 | 205 | 220,189 | 28 | 11.3 | 06.2-16.4 | 177 | 88.7 | 83.6-93.8 |
| 45-54 | 279 | 215,069 | 58 | 19.5 | 13.4-25.6 | 221 | 80.5 | 74.4-86.6 |
| 55-64 | 356 | 228,988 | 62 | 17.9 | 13.0-22.8 | 294 | 82.1 | 77.2-87.0 |
| 65+ | 703 | 362,035 | 83 | 12.4 | 09.1-15.7 | 620 | 87.6 | 84.3-90.9 |
| Less Than H.S. | 186 | 188,849 | 17 | 7.7 | 03.4-12.0 | 169 | 92.3 | 88.0-96.6 |
| H.S. or G.E.D. | 590 | 476,586 | 87 | 15.5 | 11.0-20.0 | 503 | 84.5 | 80.0-89.0 |
| Some Post-H.S. | 477 | 411,503 | 80 | 18.4 | 13.5-23.3 | 397 | 81.6 | 76.7-86.5 |
| College Graduate | 568 | 334,900 | 89 | 14.7 | 10.8-18.6 | 479 | 85.3 | 81.4-89.2 |
| Less than \$15,000 | 228 | 143,538 | 26 | 10.7 | 05.8-15.6 | 202 | 89.3 | 84.4-94.2 |
| \$15,000- 24,999 | 324 | 244,668 | 47 | 14.9 | 09.6-20.2 | 277 | 85.1 | 79.8-90.4 |
| \$25,000- 34,999 | 136 | 107,586 | 22 | 18.4 | 09.0-27.8 | 114 | 81.6 | 72.2-91.0 |
| \$35,000- 49,999 | 214 | 161,214 | 32 | 15.6 | 08.7-22.5 | 182 | 84.4 | 77.5-91.3 |
| \$50,000- 74,999 | 202 | 169,530 | 35 | 17.9 | 10.6-25.2 | 167 | 82.1 | 74.8-89.4 |
| \$75,000+ | 352 | 303,400 | 57 | 14.5 | 09.8-19.2 | 295 | 85.5 | 80.8-90.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 22: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS) | |
| 1 MALES AND FEMALES | 90 |
| 2 MALES ONLY | 91 |
| 3 FEMALES ONLY | 92 |
| DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK) | |
| 4 MALES AND FEMALES | 93 |
| 5 MALES ONLY | 94 |
| 6 FEMALES ONLY | 95 |
| DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS) | |
| 7 MALES AND FEMALES | 96 |
| 8 MALES ONLY | 97 |
| 9 FEMALES ONLY | 98 |
| DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN) | |
| 10 MALES AND FEMALES | 99 |
| 11 MALES ONLY | 100 |
| 12 FEMALES ONLY | 101 |
| WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC) | |
| 13 MALES AND FEMALES | 102 |
| 14 MALES ONLY | 103 |
| 15 FEMALES ONLY | 104 |
| HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH) | |
| 16 MALES AND FEMALES | 105 |
| 17 MALES ONLY | 106 |
| 18 FEMALES ONLY | 107 |
| NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT? (ACEHURT) | |
| 19 MALES AND FEMALES | 108 |
| 20 MALES ONLY | 109 |
| 21 FEMALES ONLY | 110 |
| HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR) | |
| 22 MALES AND FEMALES | 111 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 22: ADVERSE CHILDHOOD EXPERIENCE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|---|------|
| 23 MALES ONLY | 112 |
| 24 FEMALES ONLY | 113 |
| HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH) | |
| 25 MALES AND FEMALES | 114 |
| 26 MALES ONLY | 115 |
| 27 FEMALES ONLY | 116 |
| HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM) | |
| 28 MALES AND FEMALES | 117 |
| 29 MALES ONLY | 118 |
| 30 FEMALES ONLY | 119 |
| HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX) | |
| 31 MALES AND FEMALES | 120 |
| 32 MALES ONLY | 121 |
| 33 FEMALES ONLY | 122 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 1: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4772 | 3,893,603 | 860 | 20.5 | 18.7-22.3 | 3912 | 79.5 | 77.7-81.3 |
| Male | 2067 | 1,875,341 | 291 | 18.0 | 15.5-20.5 | 1776 | 82.0 | 79.5-84.5 |
| Female | 2705 | 2,018,262 | 569 | 22.9 | 20.7-25.1 | 2136 | 77.1 | 74.9-79.3 |
| White/Non-Hisp | 3900 | 2,998,885 | 712 | 21.4 | 19.4-23.4 | 3188 | 78.6 | 76.6-80.6 |
| Black or Afr. Am./Non-Hisp | 515 | 578,888 | 61 | 14.0 | 09.7-18.3 | 454 | 86.0 | 81.7-90.3 |
| Oth. Race/Non-Hisp. | 119 | 82,246 | 24 | 28.4 | 16.1-40.7 | 95 | 71.6 | 59.3-83.9 |
| MultiRacial/Non-Hisp. | 74 | 28,160 | 27 | 36.6 | 20.7-52.5 | 47 | 63.4 | 47.5-79.3 |
| Hispanic | 91 | 155,928 | 20 | 19.0 | 08.6-29.4 | 71 | 81.0 | 70.6-91.4 |
| 18-24 | 250 | 401,561 | 94 | 34.6 | 27.2-42.0 | 156 | 65.4 | 58.0-72.8 |
| 25-34 | 452 | 586,246 | 126 | 28.5 | 23.0-34.0 | 326 | 71.5 | 66.0-77.0 |
| 35-44 | 513 | 591,216 | 143 | 27.7 | 22.4-33.0 | 370 | 72.3 | 67.0-77.6 |
| 45-54 | 851 | 687,978 | 179 | 20.2 | 16.7-23.7 | 672 | 79.8 | 76.3-83.3 |
| 55-64 | 1033 | 691,721 | 161 | 15.7 | 13.0-18.4 | 872 | 84.3 | 81.6-87.0 |
| 65+ | 1673 | 934,881 | 157 | 8.5 | 06.9-10.1 | 1516 | 91.5 | 89.9-93.1 |
| Less Than H.S. | 447 | 514,832 | 64 | 18.0 | 12.5-23.5 | 383 | 82.0 | 76.5-87.5 |
| H.S. or G.E.D. | 1511 | 1,335,384 | 262 | 19.7 | 16.8-22.6 | 1249 | 80.3 | 77.4-83.2 |
| Some Post-H.S. | 1283 | 1,142,133 | 255 | 22.4 | 19.3-25.5 | 1028 | 77.6 | 74.5-80.7 |
| College Graduate | 1524 | 897,040 | 278 | 20.7 | 18.0-23.4 | 1246 | 79.3 | 76.6-82.0 |
| Less than \$15,000 | 507 | 357,262 | 122 | 26.3 | 20.6-32.0 | 385 | 73.7 | 68.0-79.4 |
| \$15,000- 24,999 | 759 | 594,492 | 162 | 24.5 | 20.0-29.0 | 597 | 75.5 | 71.0-80.0 |
| \$25,000- 34,999 | 389 | 319,106 | 82 | 25.4 | 18.9-31.9 | 307 | 74.6 | 68.1-81.1 |
| \$35,000- 49,999 | 607 | 477,671 | 107 | 18.4 | 14.1-22.7 | 500 | 81.6 | 77.3-85.9 |
| \$50,000- 74,999 | 611 | 547,184 | 118 | 19.9 | 15.6-24.2 | 493 | 80.1 | 75.8-84.4 |
| \$75,000+ | 1123 | 979,308 | 176 | 18.4 | 15.1-21.7 | 947 | 81.6 | 78.3-84.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 2: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2067 | 1,875,341 | 291 | 18.0 | 15.5-20.5 | 1776 | 82.0 | 79.5-84.5 |
| White/Non-Hisp | 1711 | 1,447,749 | 238 | 18.5 | 15.8-21.2 | 1473 | 81.5 | 78.8-84.2 |
| Black or Afr. Am./Non-Hisp | 190 | 261,713 | 20 | 12.1 | 05.6-18.6 | 170 | 87.9 | 81.4-94.4 |
| Oth. Race/Non-Hisp. | 66 | 47,446 | 9 | 20.6 | 05.9-35.3 | 57 | 79.4 | 64.7-94.1 |
| 18-24 | 129 | 221,206 | 47 | 37.9 | 27.1-48.7 | 82 | 62.1 | 51.3-72.9 |
| 25-34 | 217 | 296,378 | 46 | 23.9 | 16.3-31.5 | 171 | 76.1 | 68.5-83.7 |
| 35-44 | 215 | 286,844 | 45 | 23.2 | 15.8-30.6 | 170 | 76.8 | 69.4-84.2 |
| 45-54 | 396 | 341,096 | 62 | 15.5 | 10.6-20.4 | 334 | 84.5 | 79.6-89.4 |
| 55-64 | 458 | 320,657 | 44 | 11.4 | 07.5-15.3 | 414 | 88.6 | 84.7-92.5 |
| 65+ | 652 | 409,159 | 47 | 6.3 | 04.1-08.5 | 605 | 93.7 | 91.5-95.9 |
| Less Than H.S. | 191 | 263,414 | 27 | 17.9 | 09.7-26.1 | 164 | 82.1 | 73.9-90.3 |
| H.S. or G.E.D. | 645 | 648,996 | 89 | 16.4 | 12.1-20.7 | 556 | 83.6 | 79.3-87.9 |
| Some Post-H.S. | 515 | 511,795 | 74 | 21.0 | 15.9-26.1 | 441 | 79.0 | 73.9-84.1 |
| College Graduate | 714 | 450,613 | 101 | 16.8 | 12.9-20.7 | 613 | 83.2 | 79.3-87.1 |
| Less than \$15,000 | 168 | 147,334 | 31 | 20.4 | 11.6-29.2 | 137 | 79.6 | 70.8-88.4 |
| \$15,000- 24,999 | 272 | 237,424 | 45 | 20.4 | 13.3-27.5 | 227 | 79.6 | 72.5-86.7 |
| \$25,000- 34,999 | 167 | 150,983 | 25 | 20.8 | 11.0-30.6 | 142 | 79.2 | 69.4-89.0 |
| \$35,000- 49,999 | 277 | 247,329 | 28 | 12.4 | 06.5-18.3 | 249 | 87.6 | 81.7-93.5 |
| \$50,000- 74,999 | 314 | 310,127 | 50 | 17.8 | 12.3-23.3 | 264 | 82.2 | 76.7-87.7 |
| \$75,000+ | 604 | 553,302 | 80 | 18.2 | 13.1-23.3 | 524 | 81.8 | 76.7-86.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 3: DID YOU LIVE WITH ANYONE WHO WAS DEPRESSED, MENTALLY ILL, OR SUICIDAL? (ACEDEPRS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2705 | 2,018,262 | 569 | 22.9 | 20.7-25.1 | 2136 | 77.1 | 74.9-79.3 |
| White/Non-Hisp | 2189 | 1,551,136 | 474 | 24.0 | 21.5-26.5 | 1715 | 76.0 | 73.5-78.5 |
| Black or Afr. Am./Non-Hisp | 325 | 317,175 | 41 | 15.6 | 09.7-21.5 | 284 | 84.4 | 78.5-90.3 |
| Oth. Race/Non-Hisp. | 53 | 34,800 | 15 | 39.0 | 19.4-58.6 | 38 | 61.0 | 41.4-80.6 |
| 18-24 | 121 | 180,356 | 47 | 30.5 | 20.7-40.3 | 74 | 69.5 | 59.7-79.3 |
| 25-34 | 235 | 289,868 | 80 | 33.3 | 25.5-41.1 | 155 | 66.7 | 58.9-74.5 |
| 35-44 | 298 | 304,371 | 98 | 32.0 | 24.7-39.3 | 200 | 68.0 | 60.7-75.3 |
| 45-54 | 455 | 346,882 | 117 | 24.9 | 20.0-29.8 | 338 | 75.1 | 70.2-80.0 |
| 55-64 | 575 | 371,064 | 117 | 19.4 | 15.5-23.3 | 458 | 80.6 | 76.7-84.5 |
| 65+ | 1021 | 525,722 | 110 | 10.3 | 07.9-12.7 | 911 | 89.7 | 87.3-92.1 |
| Less Than H.S. | 256 | 251,419 | 37 | 18.0 | 10.7-25.3 | 219 | 82.0 | 74.7-89.3 |
| H.S. or G.E.D. | 866 | 686,388 | 173 | 22.8 | 18.9-26.7 | 693 | 77.2 | 73.3-81.1 |
| Some Post-H.S. | 768 | 630,339 | 181 | 23.6 | 19.7-27.5 | 587 | 76.4 | 72.5-80.3 |
| College Graduate | 810 | 446,428 | 177 | 24.6 | 20.5-28.7 | 633 | 75.4 | 71.3-79.5 |
| Less than \$15,000 | 339 | 209,928 | 91 | 30.4 | 23.0-37.8 | 248 | 69.6 | 62.2-77.0 |
| \$15,000- 24,999 | 487 | 357,069 | 117 | 27.3 | 21.4-33.2 | 370 | 72.7 | 66.8-78.6 |
| \$25,000- 34,999 | 222 | 168,123 | 57 | 29.5 | 21.1-37.9 | 165 | 70.5 | 62.1-78.9 |
| \$35,000- 49,999 | 330 | 230,342 | 79 | 24.8 | 18.7-30.9 | 251 | 75.2 | 69.1-81.3 |
| \$50,000- 74,999 | 297 | 237,057 | 68 | 22.7 | 16.0-29.4 | 229 | 77.3 | 70.6-84.0 |
| \$75,000+ | 519 | 426,006 | 96 | 18.6 | 14.3-22.9 | 423 | 81.4 | 77.1-85.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 4: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4798 | 3,908,799 | 1193 | 27.2 | 25.4-29.0 | 3605 | 72.8 | 71.0-74.6 |
| Male | 2083 | 1,881,272 | 463 | 25.4 | 22.7-28.1 | 1620 | 74.6 | 71.9-77.3 |
| Female | 2715 | 2,027,528 | 730 | 29.0 | 26.6-31.4 | 1985 | 71.0 | 68.6-73.4 |
| White/Non-Hisp | 3926 | 3,016,967 | 968 | 27.8 | 25.8-29.8 | 2958 | 72.2 | 70.2-74.2 |
| Black or Afr. Am./Non-Hisp | 514 | 577,476 | 108 | 19.9 | 15.2-24.6 | 406 | 80.1 | 75.4-84.8 |
| Oth. Race/Non-Hisp. | 120 | 82,852 | 38 | 35.4 | 23.1-47.7 | 82 | 64.6 | 52.3-76.9 |
| MultiRacial/Non-Hisp. | 73 | 28,035 | 27 | 32.4 | 15.7-49.1 | 46 | 67.6 | 50.9-84.3 |
| Hispanic | 91 | 153,286 | 32 | 38.8 | 24.9-52.7 | 59 | 61.2 | 47.3-75.1 |
| 18-24 | 251 | 401,502 | 83 | 35.9 | 27.9-43.9 | 168 | 64.1 | 56.1-72.1 |
| 25-34 | 455 | 588,054 | 133 | 32.5 | 26.8-38.2 | 322 | 67.5 | 61.8-73.2 |
| 35-44 | 518 | 594,544 | 158 | 32.2 | 26.5-37.9 | 360 | 67.8 | 62.1-73.5 |
| 45-54 | 855 | 692,452 | 233 | 26.8 | 22.9-30.7 | 622 | 73.2 | 69.3-77.1 |
| 55-64 | 1033 | 691,709 | 256 | 24.8 | 21.5-28.1 | 777 | 75.2 | 71.9-78.5 |
| 65+ | 1686 | 940,539 | 330 | 19.2 | 16.7-21.7 | 1356 | 80.8 | 78.3-83.3 |
| Less Than H.S. | 452 | 517,987 | 141 | 32.6 | 26.1-39.1 | 311 | 67.4 | 60.9-73.9 |
| H.S. or G.E.D. | 1517 | 1,339,861 | 399 | 28.9 | 25.6-32.2 | 1118 | 71.1 | 67.8-74.4 |
| Some Post-H.S. | 1286 | 1,142,648 | 358 | 28.9 | 25.6-32.2 | 928 | 71.1 | 67.8-74.4 |
| College Graduate | 1537 | 905,112 | 293 | 19.4 | 16.7-22.1 | 1244 | 80.6 | 77.9-83.3 |
| Less than \$15,000 | 515 | 366,808 | 177 | 31.9 | 26.4-37.4 | 338 | 68.1 | 62.6-73.6 |
| \$15,000- 24,999 | 762 | 593,293 | 212 | 30.9 | 26.2-35.6 | 550 | 69.1 | 64.4-73.8 |
| \$25,000- 34,999 | 390 | 324,074 | 96 | 30.0 | 22.7-37.3 | 294 | 70.0 | 62.7-77.3 |
| \$35,000- 49,999 | 610 | 479,962 | 166 | 29.1 | 24.0-34.2 | 444 | 70.9 | 65.8-76.0 |
| \$50,000- 74,999 | 615 | 548,132 | 142 | 27.6 | 22.5-32.7 | 473 | 72.4 | 67.3-77.5 |
| \$75,000+ | 1126 | 975,447 | 227 | 22.5 | 18.8-26.2 | 899 | 77.5 | 73.8-81.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 5: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2083 | 1,881,272 | 463 | 25.4 | 22.7-28.1 | 1620 | 74.6 | 71.9-77.3 |
| White/Non-Hisp | 1725 | 1,455,100 | 369 | 24.9 | 22.0-27.8 | 1356 | 75.1 | 72.2-78.0 |
| Black or Afr. Am./Non-Hisp | 190 | 261,641 | 45 | 24.3 | 16.1-32.5 | 145 | 75.7 | 67.5-83.9 |
| Oth. Race/Non-Hisp. | 67 | 48,052 | 17 | 27.7 | 12.8-42.6 | 50 | 72.3 | 57.4-87.2 |
| 18-24 | 130 | 220,738 | 37 | 32.5 | 21.7-43.3 | 93 | 67.5 | 56.7-78.3 |
| 25-34 | 221 | 298,250 | 59 | 32.7 | 24.5-40.9 | 162 | 67.3 | 59.1-75.5 |
| 35-44 | 218 | 289,871 | 59 | 31.4 | 22.6-40.2 | 159 | 68.6 | 59.8-77.4 |
| 45-54 | 397 | 341,784 | 106 | 24.6 | 18.9-30.3 | 291 | 75.4 | 69.7-81.1 |
| 55-64 | 456 | 319,593 | 88 | 18.8 | 14.3-23.3 | 368 | 81.2 | 76.7-85.7 |
| 65+ | 661 | 411,037 | 114 | 17.8 | 13.9-21.7 | 547 | 82.2 | 78.3-86.1 |
| Less Than H.S. | 192 | 261,764 | 57 | 33.1 | 23.1-43.1 | 135 | 66.9 | 56.9-76.9 |
| H.S. or G.E.D. | 648 | 650,071 | 158 | 28.6 | 23.5-33.7 | 490 | 71.4 | 66.3-76.5 |
| Some Post-H.S. | 520 | 515,077 | 118 | 23.4 | 18.5-28.3 | 402 | 76.6 | 71.7-81.5 |
| College Graduate | 721 | 453,836 | 130 | 18.7 | 14.8-22.6 | 591 | 81.3 | 77.4-85.2 |
| Less than \$15,000 | 172 | 151,043 | 53 | 24.6 | 16.8-32.4 | 119 | 75.4 | 67.6-83.2 |
| \$15,000- 24,999 | 273 | 235,649 | 61 | 27.5 | 19.9-35.1 | 212 | 72.5 | 64.9-80.1 |
| \$25,000- 34,999 | 171 | 157,691 | 41 | 33.7 | 21.5-45.9 | 130 | 66.3 | 54.1-78.5 |
| \$35,000- 49,999 | 276 | 246,024 | 62 | 24.0 | 16.9-31.1 | 214 | 76.0 | 68.9-83.1 |
| \$50,000- 74,999 | 317 | 310,835 | 76 | 29.8 | 22.7-36.9 | 241 | 70.2 | 63.1-77.3 |
| \$75,000+ | 605 | 547,035 | 119 | 23.0 | 17.7-28.3 | 486 | 77.0 | 71.7-82.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 6: DID YOU LIVE WITH ANYONE WHO WAS A PROBLEM DRINKER OR ALCOHOLIC? (ACEDRINK)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2715 | 2,027,528 | 730 | 29.0 | 26.6-31.4 | 1985 | 71.0 | 68.6-73.4 |
| White/Non-Hisp | 2201 | 1,561,867 | 599 | 30.6 | 27.9-33.3 | 1602 | 69.4 | 66.7-72.1 |
| Black or Afr. Am./Non-Hisp | 324 | 315,834 | 63 | 16.2 | 11.1-21.3 | 261 | 83.8 | 78.7-88.9 |
| Oth. Race/Non-Hisp. | 53 | 34,800 | 21 | 45.9 | 26.9-64.9 | 32 | 54.1 | 35.1-73.1 |
| 18-24 | 121 | 180,764 | 46 | 40.1 | 28.3-51.9 | 75 | 59.9 | 48.1-71.7 |
| 25-34 | 234 | 289,805 | 74 | 32.4 | 24.6-40.2 | 160 | 67.6 | 59.8-75.4 |
| 35-44 | 300 | 304,673 | 99 | 33.0 | 25.7-40.3 | 201 | 67.0 | 59.7-74.3 |
| 45-54 | 458 | 350,669 | 127 | 28.9 | 23.6-34.2 | 331 | 71.1 | 65.8-76.4 |
| 55-64 | 577 | 372,116 | 168 | 30.0 | 25.1-34.9 | 409 | 70.0 | 65.1-74.9 |
| 65+ | 1025 | 529,501 | 216 | 20.2 | 17.1-23.3 | 809 | 79.8 | 76.7-82.9 |
| Less Than H.S. | 260 | 256,223 | 84 | 32.1 | 23.9-40.3 | 176 | 67.9 | 59.7-76.1 |
| H.S. or G.E.D. | 869 | 689,790 | 241 | 29.3 | 25.0-33.6 | 628 | 70.7 | 66.4-75.0 |
| Some Post-H.S. | 766 | 627,571 | 240 | 33.5 | 29.0-38.0 | 526 | 66.5 | 62.0-71.0 |
| College Graduate | 816 | 451,276 | 163 | 20.2 | 16.5-23.9 | 653 | 79.8 | 76.1-83.5 |
| Less than \$15,000 | 343 | 215,765 | 124 | 37.1 | 29.8-44.4 | 219 | 62.9 | 55.6-70.2 |
| \$15,000- 24,999 | 489 | 357,645 | 151 | 33.2 | 27.1-39.3 | 338 | 66.8 | 60.7-72.9 |
| \$25,000- 34,999 | 219 | 166,383 | 55 | 26.4 | 18.8-34.0 | 164 | 73.6 | 66.0-81.2 |
| \$35,000- 49,999 | 334 | 233,939 | 104 | 34.4 | 27.3-41.5 | 230 | 65.6 | 58.5-72.7 |
| \$50,000- 74,999 | 298 | 237,296 | 66 | 24.7 | 17.6-31.8 | 232 | 75.3 | 68.2-82.4 |
| \$75,000+ | 521 | 428,412 | 108 | 21.7 | 16.8-26.6 | 413 | 78.3 | 73.4-83.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 7: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4785 | 3,901,527 | 536 | 14.2 | 12.6-15.8 | 4249 | 85.8 | 84.2-87.4 |
| Male | 2073 | 1,883,056 | 209 | 13.8 | 11.4-16.2 | 1864 | 86.2 | 83.8-88.6 |
| Female | 2712 | 2,018,470 | 327 | 14.7 | 12.7-16.7 | 2385 | 85.3 | 83.3-87.3 |
| White/Non-Hisp | 3915 | 3,010,291 | 403 | 13.3 | 11.7-14.9 | 3512 | 86.7 | 85.1-88.3 |
| Black or Afr. Am./Non-Hisp | 513 | 577,088 | 69 | 14.3 | 10.0-18.6 | 444 | 85.7 | 81.4-90.0 |
| Oth. Race/Non-Hisp. | 120 | 82,705 | 15 | 20.5 | 08.7-32.3 | 105 | 79.5 | 67.7-91.3 |
| MultiRacial/Non-Hisp. | 72 | 27,415 | 21 | 24.3 | 11.8-36.8 | 51 | 75.7 | 63.2-88.2 |
| Hispanic | 92 | 156,927 | 18 | 26.4 | 12.9-39.9 | 74 | 73.6 | 60.1-87.1 |
| 18-24 | 251 | 407,205 | 70 | 26.5 | 19.4-33.6 | 181 | 73.5 | 66.4-80.6 |
| 25-34 | 451 | 584,095 | 98 | 22.2 | 16.9-27.5 | 353 | 77.8 | 72.5-83.1 |
| 35-44 | 514 | 588,015 | 103 | 19.5 | 14.6-24.4 | 411 | 80.5 | 75.6-85.4 |
| 45-54 | 851 | 688,426 | 113 | 15.5 | 12.2-18.8 | 738 | 84.5 | 81.2-87.8 |
| 55-64 | 1033 | 691,735 | 97 | 10.0 | 07.5-12.5 | 936 | 90.0 | 87.5-92.5 |
| 65+ | 1685 | 942,050 | 55 | 2.8 | 01.8-03.8 | 1630 | 97.2 | 96.2-98.2 |
| Less Than H.S. | 453 | 520,944 | 53 | 15.5 | 10.0-21.0 | 400 | 84.5 | 79.0-90.0 |
| H.S. or G.E.D. | 1512 | 1,342,063 | 179 | 14.6 | 11.9-17.3 | 1333 | 85.4 | 82.7-88.1 |
| Some Post-H.S. | 1280 | 1,134,839 | 173 | 16.4 | 13.5-19.3 | 1107 | 83.6 | 80.7-86.5 |
| College Graduate | 1533 | 899,467 | 130 | 10.0 | 07.8-12.2 | 1403 | 90.0 | 87.8-92.2 |
| Less than \$15,000 | 513 | 365,817 | 76 | 17.6 | 12.5-22.7 | 437 | 82.4 | 77.3-87.5 |
| \$15,000- 24,999 | 761 | 595,028 | 101 | 17.1 | 13.0-21.2 | 660 | 82.9 | 78.8-87.0 |
| \$25,000- 34,999 | 389 | 322,300 | 45 | 14.7 | 08.8-20.6 | 344 | 85.3 | 79.4-91.2 |
| \$35,000- 49,999 | 608 | 477,564 | 68 | 13.5 | 09.4-17.6 | 540 | 86.5 | 82.4-90.6 |
| \$50,000- 74,999 | 613 | 546,215 | 80 | 16.1 | 12.0-20.2 | 533 | 83.9 | 79.8-88.0 |
| \$75,000+ | 1124 | 980,374 | 102 | 12.5 | 09.2-15.8 | 1022 | 87.5 | 84.2-90.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 8: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2073 | 1,883,056 | 209 | 13.8 | 11.4-16.2 | 1864 | 86.2 | 83.8-88.6 |
| White/Non-Hisp | 1718 | 1,457,054 | 158 | 13.0 | 10.5-15.5 | 1560 | 87.0 | 84.5-89.5 |
| Black or Afr. Am./Non-Hisp | 189 | 261,640 | 26 | 14.2 | 07.7-20.7 | 163 | 85.8 | 79.3-92.3 |
| Oth. Race/Non-Hisp. | 66 | 47,566 | 6 | 16.3 | 02.6-30.0 | 60 | 83.7 | 70.0-97.4 |
| 18-24 | 130 | 226,441 | 33 | 26.2 | 16.0-36.4 | 97 | 73.8 | 63.6-84.0 |
| 25-34 | 218 | 295,812 | 41 | 21.9 | 14.3-29.5 | 177 | 78.1 | 70.5-85.7 |
| 35-44 | 218 | 289,966 | 33 | 16.2 | 08.9-23.5 | 185 | 83.8 | 76.5-91.1 |
| 45-54 | 393 | 337,765 | 48 | 15.9 | 10.6-21.2 | 345 | 84.1 | 78.8-89.4 |
| 55-64 | 456 | 319,492 | 32 | 7.7 | 04.0-11.4 | 424 | 92.3 | 88.6-96.0 |
| 65+ | 658 | 413,580 | 22 | 2.2 | 01.0-03.4 | 636 | 97.8 | 96.6-99.0 |
| Less Than H.S. | 193 | 265,727 | 23 | 17.3 | 08.5-26.1 | 170 | 82.7 | 73.9-91.5 |
| H.S. or G.E.D. | 645 | 654,491 | 79 | 15.6 | 11.1-20.1 | 566 | 84.4 | 79.9-88.9 |
| Some Post-H.S. | 518 | 511,975 | 62 | 14.8 | 10.5-19.1 | 456 | 85.2 | 80.9-89.5 |
| College Graduate | 715 | 450,338 | 45 | 7.8 | 04.9-10.7 | 670 | 92.2 | 89.3-95.1 |
| Less than \$15,000 | 171 | 150,559 | 23 | 13.6 | 06.5-20.7 | 148 | 86.4 | 79.3-93.5 |
| \$15,000- 24,999 | 273 | 238,623 | 31 | 11.4 | 06.5-16.3 | 242 | 88.6 | 83.7-93.5 |
| \$25,000- 34,999 | 170 | 157,120 | 17 | 16.6 | 06.0-27.2 | 153 | 83.4 | 72.8-94.0 |
| \$35,000- 49,999 | 276 | 246,970 | 21 | 9.8 | 04.5-15.1 | 255 | 90.2 | 84.9-95.5 |
| \$50,000- 74,999 | 316 | 309,423 | 41 | 17.0 | 11.1-22.9 | 275 | 83.0 | 77.1-88.9 |
| \$75,000+ | 603 | 552,109 | 52 | 14.3 | 09.0-19.6 | 551 | 85.7 | 80.4-91.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 9: DID YOU LIVE WITH ANYONE WHO USED ILLEGAL STREET DRUGS OR WHO ABUSED PRESCRIPTION MEDICATIONS? (ACEDRUGS)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2712 | 2,018,470 | 327 | 14.7 | 12.7-16.7 | 2385 | 85.3 | 83.3-87.3 |
| White/Non-Hisp | 2197 | 1,553,236 | 245 | 13.7 | 11.5-15.9 | 1952 | 86.3 | 84.1-88.5 |
| Black or Afr. Am./Non-Hisp | 324 | 315,448 | 43 | 14.3 | 08.8-19.8 | 281 | 85.7 | 80.2-91.2 |
| Oth. Race/Non-Hisp. | 54 | 35,139 | 9 | 26.2 | 06.8-45.6 | 45 | 73.8 | 54.4-93.2 |
| 18-24 | 121 | 180,764 | 37 | 26.9 | 17.1-36.7 | 84 | 73.1 | 63.3-82.9 |
| 25-34 | 233 | 288,283 | 57 | 22.6 | 15.3-29.9 | 176 | 77.4 | 70.1-84.7 |
| 35-44 | 296 | 298,048 | 70 | 22.6 | 16.1-29.1 | 226 | 77.4 | 70.9-83.9 |
| 45-54 | 458 | 350,661 | 65 | 15.1 | 11.0-19.2 | 393 | 84.9 | 80.8-89.0 |
| 55-64 | 577 | 372,243 | 65 | 11.9 | 08.2-15.6 | 512 | 88.1 | 84.4-91.8 |
| 65+ | 1027 | 528,471 | 33 | 3.3 | 01.9-04.7 | 994 | 96.7 | 95.3-98.1 |
| Less Than H.S. | 260 | 255,217 | 30 | 13.7 | 07.4-20.0 | 230 | 86.3 | 80.0-92.6 |
| H.S. or G.E.D. | 867 | 687,572 | 100 | 13.7 | 10.4-17.0 | 767 | 86.3 | 83.0-89.6 |
| Some Post-H.S. | 762 | 622,863 | 111 | 17.8 | 13.9-21.7 | 651 | 82.2 | 78.3-86.1 |
| College Graduate | 818 | 449,129 | 85 | 12.2 | 09.1-15.3 | 733 | 87.8 | 84.7-90.9 |
| Less than \$15,000 | 342 | 215,258 | 53 | 20.4 | 13.3-27.5 | 289 | 79.6 | 72.5-86.7 |
| \$15,000- 24,999 | 488 | 356,404 | 70 | 20.9 | 15.0-26.8 | 418 | 79.1 | 73.2-85.0 |
| \$25,000- 34,999 | 219 | 165,180 | 28 | 13.0 | 07.3-18.7 | 191 | 87.0 | 81.3-92.7 |
| \$35,000- 49,999 | 332 | 230,594 | 47 | 17.5 | 11.4-23.6 | 285 | 82.5 | 76.4-88.6 |
| \$50,000- 74,999 | 297 | 236,792 | 39 | 14.9 | 09.0-20.8 | 258 | 85.1 | 79.2-91.0 |
| \$75,000+ | 521 | 428,265 | 50 | 10.2 | 07.1-13.3 | 471 | 89.8 | 86.7-92.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 10: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4789 | 3,910,504 | 414 | 11.1 | 09.7-12.5 | 4375 | 88.9 | 87.5-90.3 |
| Male | 2078 | 1,883,226 | 173 | 10.8 | 08.6-13.0 | 1905 | 89.2 | 87.0-91.4 |
| Female | 2711 | 2,027,278 | 241 | 11.4 | 09.4-13.4 | 2470 | 88.6 | 86.6-90.6 |
| White/Non-Hisp | 3917 | 3,016,013 | 290 | 9.6 | 08.0-11.2 | 3627 | 90.4 | 88.8-92.0 |
| Black or Afr. Am./Non-Hisp | 512 | 576,187 | 72 | 16.1 | 11.8-20.4 | 440 | 83.9 | 79.6-88.2 |
| Oth. Race/Non-Hisp. | 120 | 83,033 | 14 | 13.5 | 05.3-21.7 | 106 | 86.5 | 78.3-94.7 |
| MultiRacial/Non-Hisp. | 74 | 28,160 | 14 | 14.8 | 04.8-24.8 | 60 | 85.2 | 75.2-95.2 |
| Hispanic | 92 | 156,927 | 15 | 20.1 | 07.8-32.4 | 77 | 79.9 | 67.6-92.2 |
| 18-24 | 250 | 406,924 | 48 | 20.7 | 13.4-28.0 | 202 | 79.3 | 72.0-86.6 |
| 25-34 | 455 | 588,601 | 75 | 18.2 | 13.5-22.9 | 380 | 81.8 | 77.1-86.5 |
| 35-44 | 519 | 597,311 | 75 | 14.7 | 10.4-19.0 | 444 | 85.3 | 81.0-89.6 |
| 45-54 | 852 | 688,449 | 80 | 10.0 | 07.3-12.7 | 772 | 90.0 | 87.3-92.7 |
| 55-64 | 1032 | 688,835 | 72 | 7.5 | 05.3-09.7 | 960 | 92.5 | 90.3-94.7 |
| 65+ | 1681 | 940,383 | 64 | 3.7 | 02.7-04.7 | 1617 | 96.3 | 95.3-97.3 |
| Less Than H.S. | 448 | 516,977 | 63 | 17.0 | 11.1-22.9 | 385 | 83.0 | 77.1-88.9 |
| H.S. or G.E.D. | 1516 | 1,343,903 | 148 | 12.0 | 09.5-14.5 | 1368 | 88.0 | 85.5-90.5 |
| Some Post-H.S. | 1281 | 1,140,816 | 111 | 10.7 | 08.3-13.1 | 1170 | 89.3 | 86.9-91.7 |
| College Graduate | 1538 | 904,863 | 91 | 6.7 | 04.9-08.5 | 1447 | 93.3 | 91.5-95.1 |
| Less than \$15,000 | 509 | 362,462 | 67 | 14.2 | 09.9-18.5 | 442 | 85.8 | 81.5-90.1 |
| \$15,000- 24,999 | 761 | 595,321 | 87 | 15.2 | 11.3-19.1 | 674 | 84.8 | 80.9-88.7 |
| \$25,000- 34,999 | 391 | 324,405 | 33 | 12.7 | 06.8-18.6 | 358 | 87.3 | 81.4-93.2 |
| \$35,000- 49,999 | 610 | 480,527 | 53 | 11.1 | 07.6-14.6 | 557 | 88.9 | 85.4-92.4 |
| \$50,000- 74,999 | 613 | 544,546 | 42 | 9.3 | 06.0-12.6 | 571 | 90.7 | 87.4-94.0 |
| \$75,000+ | 1129 | 983,512 | 75 | 9.0 | 05.9-12.1 | 1054 | 91.0 | 87.9-94.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 11: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2078 | 1,883,226 | 173 | 10.8 | 08.6-13.0 | 1905 | 89.2 | 87.0-91.4 |
| White/Non-Hisp | 1720 | 1,455,987 | 125 | 9.6 | 07.2-12.0 | 1595 | 90.4 | 88.0-92.8 |
| Black or Afr. Am./Non-Hisp | 189 | 259,068 | 26 | 15.8 | 08.9-22.7 | 163 | 84.2 | 77.3-91.1 |
| Oth. Race/Non-Hisp. | 67 | 48,052 | 6 | 9.3 | 00.1-18.5 | 61 | 90.7 | 81.5-99.9 |
| 18-24 | 131 | 227,321 | 24 | 20.3 | 10.3-30.3 | 107 | 79.7 | 69.7-89.7 |
| 25-34 | 220 | 297,890 | 29 | 16.1 | 09.4-22.8 | 191 | 83.9 | 77.2-90.6 |
| 35-44 | 219 | 290,889 | 32 | 14.7 | 07.8-21.6 | 187 | 85.3 | 78.4-92.2 |
| 45-54 | 394 | 337,929 | 33 | 8.4 | 04.7-12.1 | 361 | 91.6 | 87.9-95.3 |
| 55-64 | 456 | 317,220 | 32 | 7.8 | 04.3-11.3 | 424 | 92.2 | 88.7-95.7 |
| 65+ | 658 | 411,976 | 23 | 3.1 | 01.5-04.7 | 635 | 96.9 | 95.3-98.5 |
| Less Than H.S. | 191 | 261,504 | 28 | 15.8 | 07.6-24.0 | 163 | 84.2 | 76.0-92.4 |
| H.S. or G.E.D. | 647 | 654,248 | 67 | 13.3 | 09.2-17.4 | 580 | 86.7 | 82.6-90.8 |
| Some Post-H.S. | 519 | 513,866 | 42 | 10.0 | 06.3-13.7 | 477 | 90.0 | 86.3-93.7 |
| College Graduate | 720 | 453,352 | 36 | 5.1 | 02.9-07.3 | 684 | 94.9 | 92.7-97.1 |
| Less than \$15,000 | 169 | 148,019 | 30 | 15.9 | 09.4-22.4 | 139 | 84.1 | 77.6-90.6 |
| \$15,000- 24,999 | 274 | 239,290 | 26 | 11.7 | 06.4-17.0 | 248 | 88.3 | 83.0-93.6 |
| \$25,000- 34,999 | 171 | 157,691 | 17 | 14.5 | 04.1-24.9 | 154 | 85.5 | 75.1-95.9 |
| \$35,000- 49,999 | 276 | 246,970 | 22 | 9.4 | 04.7-14.1 | 254 | 90.6 | 85.9-95.3 |
| \$50,000- 74,999 | 315 | 307,249 | 24 | 10.2 | 05.7-14.7 | 291 | 89.8 | 85.3-94.3 |
| \$75,000+ | 607 | 554,637 | 38 | 10.2 | 05.3-15.1 | 569 | 89.8 | 84.9-94.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 12: DID YOU LIVE WITH ANYONE WHO SERVED TIME OR WAS SENTENCED TO SERVE TIME IN A PRISON, JAIL, OR OTHER CORRECTIONAL FACILITY? (ACEPRISN)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2711 | 2,027,278 | 241 | 11.4 | 09.4-13.4 | 2470 | 88.6 | 86.6-90.6 |
| White/Non-Hisp | 2197 | 1,560,026 | 165 | 9.6 | 07.6-11.6 | 2032 | 90.4 | 88.4-92.4 |
| Black or Afr. Am./Non-Hisp | 323 | 317,119 | 46 | 16.4 | 10.7-22.1 | 277 | 83.6 | 77.9-89.3 |
| Oth. Race/Non-Hisp. | 53 | 34,980 | 8 | 19.2 | 04.9-33.5 | 45 | 80.8 | 66.5-95.1 |
| 18-24 | 119 | 179,603 | 24 | 21.3 | 10.5-32.1 | 95 | 78.7 | 67.9-89.5 |
| 25-34 | 235 | 290,711 | 46 | 20.4 | 13.5-27.3 | 189 | 79.6 | 72.7-86.5 |
| 35-44 | 300 | 306,423 | 43 | 14.6 | 09.1-20.1 | 257 | 85.4 | 79.9-90.9 |
| 45-54 | 458 | 350,520 | 47 | 11.6 | 07.9-15.3 | 411 | 88.4 | 84.7-92.1 |
| 55-64 | 576 | 371,616 | 40 | 7.2 | 04.3-10.1 | 536 | 92.8 | 89.9-95.7 |
| 65+ | 1023 | 528,406 | 41 | 4.1 | 02.7-05.5 | 982 | 95.9 | 94.5-97.3 |
| Less Than H.S. | 257 | 255,473 | 35 | 18.3 | 10.3-26.3 | 222 | 81.7 | 73.7-89.7 |
| H.S. or G.E.D. | 869 | 689,655 | 81 | 10.8 | 07.7-13.9 | 788 | 89.2 | 86.1-92.3 |
| Some Post-H.S. | 762 | 626,950 | 69 | 11.4 | 08.3-14.5 | 693 | 88.6 | 85.5-91.7 |
| College Graduate | 818 | 451,511 | 55 | 8.3 | 05.6-11.0 | 763 | 91.7 | 89.0-94.4 |
| Less than \$15,000 | 340 | 214,443 | 37 | 12.9 | 07.2-18.6 | 303 | 87.1 | 81.4-92.8 |
| \$15,000- 24,999 | 487 | 356,031 | 61 | 17.6 | 12.1-23.1 | 426 | 82.4 | 76.9-87.9 |
| \$25,000- 34,999 | 220 | 166,714 | 16 | 11.0 | 05.1-16.9 | 204 | 89.0 | 83.1-94.9 |
| \$35,000- 49,999 | 334 | 233,557 | 31 | 12.9 | 07.6-18.2 | 303 | 87.1 | 81.8-92.4 |
| \$50,000- 74,999 | 298 | 237,296 | 18 | 8.1 | 03.0-13.2 | 280 | 91.9 | 86.8-97.0 |
| \$75,000+ | 522 | 428,875 | 37 | 7.5 | 04.6-10.4 | 485 | 92.5 | 89.6-95.4 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 22: ADVERSE CHILDHOOD EXPERIENCE
 TABLE 13: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)
 Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Parents not married | | |
|----------------------------|-------------------|-----------|------|------|------------|------|------|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4768 | 3,887,216 | 1383 | 34.6 | 32.6-36.6 | 3317 | 62.9 | 60.9-64.9 | 68 | 2.4 | 01.6-03.2 |
| Male | 2065 | 1,869,266 | 595 | 34.2 | 31.3-37.1 | 1453 | 64.0 | 61.1-66.9 | 17 | 1.8 | 00.8-02.8 |
| Female | 2703 | 2,017,950 | 788 | 35.0 | 32.5-37.5 | 1864 | 62.0 | 59.3-64.7 | 51 | 3.0 | 01.8-04.2 |
| White/Non-Hisp | 3908 | 3,009,570 | 1060 | 32.1 | 29.9-34.3 | 2817 | 66.8 | 64.6-69.0 | 31 | 1.1 | 00.5-01.7 |
| Black or Afr. Am./Non-Hisp | 505 | 567,383 | 195 | 45.8 | 39.9-51.7 | 276 | 44.3 | 38.6-50.0 | 34 | 9.9 | 06.0-13.8 |
| Oth. Race/Non-Hisp. | 120 | 82,874 | 35 | 33.7 | 21.4-46.0 | 84 | 66.1 | 53.8-78.4 | 1 | 0.1 | 00.0-00.3 |
| MultiRacial/Non-Hisp. | 73 | 28,026 | 31 | 46.6 | 29.2-64.0 | 41 | 52.6 | 35.2-70.0 | 1 | 0.7 | 00.0-02.3 |
| Hispanic | 88 | 149,179 | 39 | 40.9 | 27.4-54.4 | 48 | 55.5 | 41.4-69.6 | 1 | 3.6 | 00.0-10.5 |
| 18-24 | 250 | 404,946 | 121 | 48.4 | 40.2-56.6 | 123 | 47.7 | 39.5-55.9 | 6 | 3.9 | 00.2-07.6 |
| 25-34 | 449 | 576,658 | 219 | 49.9 | 43.8-56.0 | 218 | 46.3 | 40.4-52.2 | 12 | 3.7 | 01.0-06.4 |
| 35-44 | 517 | 593,975 | 229 | 45.9 | 40.0-51.8 | 274 | 49.4 | 43.5-55.3 | 14 | 4.7 | 01.8-07.6 |
| 45-54 | 848 | 684,260 | 314 | 40.2 | 35.7-44.7 | 518 | 57.8 | 53.3-62.3 | 16 | 2.0 | 00.8-03.2 |
| 55-64 | 1029 | 690,775 | 255 | 24.9 | 21.4-28.4 | 765 | 74.0 | 70.5-77.5 | 9 | 1.1 | 00.1-02.1 |
| 65+ | 1675 | 936,601 | 245 | 15.2 | 13.0-17.4 | 1419 | 83.9 | 81.5-86.3 | 11 | 0.8 | 00.2-01.4 |
| Less Than H.S. | 444 | 512,482 | 142 | 36.7 | 30.0-43.4 | 292 | 59.1 | 52.4-65.8 | 10 | 4.3 | 01.0-07.6 |
| H.S. or G.E.D. | 1500 | 1,329,841 | 474 | 36.4 | 32.9-39.9 | 996 | 60.6 | 57.1-64.1 | 30 | 3.1 | 01.5-04.7 |
| Some Post-H.S. | 1278 | 1,135,475 | 427 | 39.4 | 35.7-43.1 | 834 | 58.6 | 54.9-62.3 | 17 | 2.0 | 00.8-03.2 |
| College Graduate | 1539 | 905,204 | 336 | 24.9 | 22.0-27.8 | 1192 | 74.1 | 71.0-77.2 | 11 | 1.0 | 00.2-01.8 |
| Less than \$15,000 | 504 | 355,393 | 189 | 39.8 | 33.7-45.9 | 300 | 52.6 | 46.3-58.9 | 15 | 7.6 | 02.7-12.5 |
| \$15,000- 24,999 | 754 | 590,691 | 239 | 38.3 | 33.2-43.4 | 502 | 59.1 | 54.0-64.2 | 13 | 2.6 | 00.4-04.8 |
| \$25,000- 34,999 | 389 | 323,483 | 115 | 34.1 | 27.0-41.2 | 265 | 61.8 | 54.5-69.1 | 9 | 4.1 | 00.4-07.8 |
| \$35,000- 49,999 | 606 | 471,327 | 185 | 35.0 | 29.7-40.3 | 413 | 62.3 | 56.8-67.8 | 8 | 2.7 | 00.3-05.1 |
| \$50,000- 74,999 | 613 | 544,758 | 171 | 36.6 | 31.1-42.1 | 433 | 61.6 | 56.1-67.1 | 9 | 1.7 | 00.3-03.1 |
| \$75,000+ | 1126 | 979,343 | 285 | 30.1 | 26.2-34.0 | 837 | 69.4 | 65.5-73.3 | 4 | 0.6 | 00.0-01.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 14: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Parents not married | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2065 | 1,869,266 | 595 | 34.2 | 31.3-37.1 | 1453 | 64.0 | 61.1-66.9 | 17 | 1.8 | 00.8-02.8 |
| White/Non-Hisp | 1714 | 1,450,817 | 460 | 31.4 | 28.3-34.5 | 1242 | 67.2 | 64.1-70.3 | 12 | 1.4 | 00.4-02.4 |
| Black or Afr. Am./Non-Hisp | 185 | 255,403 | 77 | 48.2 | 38.8-57.6 | 103 | 46.3 | 37.1-55.5 | 5 | 5.5 | 00.6-10.4 |
| Oth. Race/Non-Hisp. | 66 | 47,734 | 20 | 28.6 | 13.7-43.5 | 46 | 71.4 | 56.5-86.3 | | | |
| 18-24 | 130 | 226,428 | 67 | 49.4 | 38.4-60.4 | 61 | 48.5 | 37.3-59.7 | 2 | 2.0 | 00.0-05.1 |
| 25-34 | 217 | 289,831 | 101 | 47.6 | 39.0-56.2 | 111 | 49.1 | 40.5-57.7 | 5 | 3.4 | 00.0-06.9 |
| 35-44 | 217 | 287,953 | 81 | 41.4 | 32.4-50.4 | 131 | 53.1 | 44.1-62.1 | 5 | 5.5 | 00.4-10.6 |
| 45-54 | 393 | 337,429 | 151 | 40.1 | 33.4-46.8 | 241 | 59.3 | 52.6-66.0 | 1 | 0.6 | 00.0-01.8 |
| 55-64 | 454 | 318,806 | 107 | 24.7 | 19.4-30.0 | 346 | 75.1 | 69.8-80.4 | 1 | 0.2 | 00.0-00.6 |
| 65+ | 654 | 408,818 | 88 | 13.8 | 10.5-17.1 | 563 | 85.8 | 82.5-89.1 | 3 | 0.4 | 00.0-00.8 |
| Less Than H.S. | 190 | 260,303 | 69 | 39.0 | 29.2-48.8 | 120 | 58.9 | 48.9-68.9 | 1 | 2.1 | 00.0-06.2 |
| H.S. or G.E.D. | 637 | 645,523 | 219 | 39.0 | 33.7-44.3 | 411 | 59.1 | 53.8-64.4 | 7 | 1.8 | 00.0-03.6 |
| Some Post-H.S. | 516 | 509,757 | 166 | 36.6 | 30.9-42.3 | 344 | 60.9 | 55.0-66.8 | 6 | 2.5 | 00.3-04.7 |
| College Graduate | 720 | 453,159 | 140 | 21.9 | 17.6-26.2 | 577 | 77.2 | 72.9-81.5 | 3 | 0.9 | 00.0-02.3 |
| Less than \$15,000 | 167 | 145,686 | 66 | 40.6 | 30.2-51.0 | 99 | 54.7 | 44.1-65.3 | 2 | 4.7 | 00.0-11.0 |
| \$15,000- 24,999 | 273 | 238,880 | 91 | 39.7 | 31.7-47.7 | 180 | 59.9 | 51.9-67.9 | 2 | 0.4 | 00.0-01.0 |
| \$25,000- 34,999 | 169 | 156,770 | 53 | 35.5 | 24.5-46.5 | 113 | 59.2 | 47.8-70.6 | 3 | 5.4 | 00.0-12.5 |
| \$35,000- 49,999 | 272 | 238,598 | 80 | 32.4 | 24.6-40.2 | 189 | 64.4 | 56.2-72.6 | 3 | 3.2 | 00.0-07.3 |
| \$50,000- 74,999 | 315 | 307,462 | 89 | 37.4 | 29.8-45.0 | 221 | 60.6 | 53.0-68.2 | 5 | 2.1 | 00.0-04.3 |
| \$75,000+ | 605 | 551,763 | 136 | 28.7 | 23.0-34.4 | 468 | 71.2 | 65.5-76.9 | 1 | 0.1 | 00.0-00.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 15: WERE YOUR PARENTS SEPARATED OR DIVORCED? (ACEDIVRC)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | Parents not married | | |
|----------------------------|-------------------|-----------|-----|------|------------|------|------|------------|---------------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2703 | 2,017,950 | 788 | 35.0 | 32.5-37.5 | 1864 | 62.0 | 59.3-64.7 | 51 | 3.0 | 01.8-04.2 |
| White/Non-Hisp | 2194 | 1,558,753 | 600 | 32.7 | 29.8-35.6 | 1575 | 66.5 | 63.6-69.4 | 19 | 0.8 | 00.4-01.2 |
| Black or Afr. Am./Non-Hisp | 320 | 311,980 | 118 | 43.8 | 36.2-51.4 | 173 | 42.7 | 35.6-49.8 | 29 | 13.5 | 07.6-19.4 |
| Oth. Race/Non-Hisp. | 54 | 35,139 | 15 | 40.7 | 21.5-59.9 | 38 | 59.0 | 39.8-78.2 | 1 | 0.3 | 00.0-00.9 |
| 18-24 | 120 | 178,517 | 54 | 47.0 | 34.8-59.2 | 62 | 46.7 | 34.7-58.7 | 4 | 6.4 | 00.0-13.8 |
| 25-34 | 232 | 286,827 | 118 | 52.3 | 43.9-60.7 | 107 | 43.6 | 35.4-51.8 | 7 | 4.1 | 00.0-08.4 |
| 35-44 | 300 | 306,022 | 148 | 50.1 | 42.3-57.9 | 143 | 45.9 | 38.1-53.7 | 9 | 4.0 | 01.1-06.9 |
| 45-54 | 455 | 346,831 | 163 | 40.3 | 34.4-46.2 | 277 | 56.4 | 50.5-62.3 | 15 | 3.3 | 01.3-05.3 |
| 55-64 | 575 | 371,968 | 148 | 25.1 | 20.6-29.6 | 419 | 72.9 | 68.2-77.6 | 8 | 1.9 | 00.1-03.7 |
| 65+ | 1021 | 527,783 | 157 | 16.4 | 13.5-19.3 | 856 | 82.4 | 79.3-85.5 | 8 | 1.2 | 00.0-02.4 |
| Less Than H.S. | 254 | 252,179 | 73 | 34.3 | 25.3-43.3 | 172 | 59.2 | 50.2-68.2 | 9 | 6.5 | 01.4-11.6 |
| H.S. or G.E.D. | 863 | 684,318 | 255 | 33.8 | 29.1-38.5 | 585 | 61.9 | 57.2-66.6 | 23 | 4.2 | 01.7-06.7 |
| Some Post-H.S. | 762 | 625,718 | 261 | 41.7 | 36.8-46.6 | 490 | 56.7 | 51.8-61.6 | 11 | 1.6 | 00.4-02.8 |
| College Graduate | 819 | 452,045 | 196 | 27.9 | 23.6-32.2 | 615 | 71.0 | 66.7-75.3 | 8 | 1.1 | 00.1-02.1 |
| Less than \$15,000 | 337 | 209,707 | 123 | 39.2 | 31.8-46.6 | 201 | 51.1 | 43.5-58.7 | 13 | 9.6 | 02.7-16.5 |
| \$15,000- 24,999 | 481 | 351,811 | 148 | 37.3 | 30.8-43.8 | 322 | 58.6 | 52.1-65.1 | 11 | 4.1 | 00.6-07.6 |
| \$25,000- 34,999 | 220 | 166,714 | 62 | 32.7 | 23.9-41.5 | 152 | 64.4 | 55.6-73.2 | 6 | 2.9 | 00.2-05.6 |
| \$35,000- 49,999 | 334 | 232,729 | 105 | 37.8 | 30.7-44.9 | 224 | 60.0 | 52.9-67.1 | 5 | 2.2 | 00.0-04.4 |
| \$50,000- 74,999 | 298 | 237,296 | 82 | 35.7 | 27.9-43.5 | 212 | 63.0 | 55.2-70.8 | 4 | 1.3 | 00.0-02.9 |
| \$75,000+ | 521 | 427,580 | 149 | 31.9 | 26.4-37.4 | 369 | 66.9 | 61.4-72.4 | 3 | 1.2 | 00.0-02.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 16: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4712 | 3,830,754 | 3861 | 81.0 | 79.4-82.6 | 191 | 4.5 | 03.5-05.5 | 660 | 14.5 | 13.1-15.9 |
| Male | 2047 | 1,850,141 | 1714 | 82.6 | 80.2-85.0 | 87 | 4.7 | 03.1-06.3 | 246 | 12.6 | 10.4-14.8 |
| Female | 2665 | 1,980,613 | 2147 | 79.4 | 77.2-81.6 | 104 | 4.3 | 03.1-05.5 | 414 | 16.3 | 14.3-18.3 |
| White/Non-Hisp | 3860 | 2,966,142 | 3216 | 82.0 | 80.2-83.8 | 137 | 3.8 | 03.0-04.6 | 507 | 14.2 | 12.6-15.8 |
| Black or Afr. Am./Non-Hisp | 499 | 560,526 | 395 | 80.6 | 76.1-85.1 | 28 | 5.2 | 02.8-07.6 | 76 | 14.2 | 10.3-18.1 |
| Oth. Race/Non-Hisp. | 119 | 81,609 | 87 | 71.1 | 59.7-82.5 | 5 | 4.6 | 00.0-10.7 | 27 | 24.3 | 13.9-34.7 |
| MultiRacial/Non-Hisp. | 74 | 28,160 | 46 | 69.8 | 55.7-83.9 | 6 | 9.5 | 00.0-19.7 | 22 | 20.6 | 09.8-31.4 |
| Hispanic | 88 | 144,594 | 64 | 70.9 | 57.4-84.4 | 10 | 16.1 | 03.8-28.4 | 14 | 13.0 | 04.4-21.6 |
| 18-24 | 253 | 408,779 | 200 | 77.3 | 70.4-84.2 | 13 | 9.5 | 03.8-15.2 | 40 | 13.3 | 08.6-18.0 |
| 25-34 | 445 | 576,653 | 353 | 80.8 | 76.3-85.3 | 19 | 4.3 | 01.9-06.7 | 73 | 15.0 | 10.9-19.1 |
| 35-44 | 508 | 571,734 | 396 | 76.8 | 71.3-82.3 | 13 | 1.6 | 00.6-02.6 | 99 | 21.5 | 16.0-27.0 |
| 45-54 | 838 | 676,510 | 649 | 79.3 | 76.0-82.6 | 40 | 4.4 | 02.8-06.0 | 149 | 16.3 | 13.2-19.4 |
| 55-64 | 1009 | 674,370 | 817 | 80.5 | 77.2-83.8 | 49 | 5.5 | 03.5-07.5 | 143 | 14.0 | 11.3-16.7 |
| 65+ | 1659 | 922,708 | 1446 | 86.8 | 84.6-89.0 | 57 | 3.7 | 02.5-04.9 | 156 | 9.5 | 07.5-11.5 |
| Less Than H.S. | 435 | 487,642 | 333 | 77.1 | 71.4-82.8 | 15 | 3.4 | 01.2-05.6 | 87 | 19.5 | 14.0-25.0 |
| H.S. or G.E.D. | 1483 | 1,316,794 | 1185 | 79.8 | 76.9-82.7 | 63 | 5.3 | 03.3-07.3 | 235 | 14.9 | 12.5-17.3 |
| Some Post-H.S. | 1260 | 1,123,202 | 1002 | 78.5 | 75.4-81.6 | 48 | 4.1 | 02.7-05.5 | 210 | 17.4 | 14.5-20.3 |
| College Graduate | 1529 | 900,334 | 1336 | 87.8 | 85.6-90.0 | 65 | 4.5 | 03.1-05.9 | 128 | 7.7 | 05.9-09.5 |
| Less than \$15,000 | 496 | 346,056 | 358 | 74.7 | 69.4-80.0 | 25 | 4.3 | 02.3-06.3 | 113 | 21.1 | 16.0-26.2 |
| \$15,000- 24,999 | 743 | 578,172 | 566 | 75.2 | 70.9-79.5 | 36 | 5.9 | 03.5-08.3 | 141 | 18.9 | 15.2-22.6 |
| \$25,000- 34,999 | 387 | 314,764 | 305 | 76.2 | 69.3-83.1 | 19 | 7.3 | 02.0-12.6 | 63 | 16.5 | 11.2-21.8 |
| \$35,000- 49,999 | 601 | 465,720 | 490 | 78.4 | 73.5-83.3 | 18 | 4.2 | 01.3-07.1 | 93 | 17.4 | 13.1-21.7 |
| \$50,000- 74,999 | 605 | 540,933 | 502 | 81.5 | 77.2-85.8 | 26 | 4.1 | 02.3-05.9 | 77 | 14.5 | 10.4-18.6 |
| \$75,000+ | 1123 | 979,784 | 997 | 88.1 | 85.2-91.0 | 34 | 2.6 | 01.4-03.8 | 92 | 9.3 | 06.6-12.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 17: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2047 | 1,850,141 | 1714 | 82.6 | 80.2-85.0 | 87 | 4.7 | 03.1-06.3 | 246 | 12.6 | 10.4-14.8 |
| White/Non-Hisp | 1699 | 1,439,069 | 1446 | 84.3 | 81.8-86.8 | 57 | 3.1 | 01.9-04.3 | 196 | 12.6 | 10.2-15.0 |
| Black or Afr. Am./Non-Hisp | 185 | 255,845 | 148 | 80.0 | 72.6-87.4 | 15 | 6.9 | 02.8-11.0 | 22 | 13.1 | 06.6-19.6 |
| Oth. Race/Non-Hisp. | 65 | 46,470 | 52 | 77.1 | 62.2-92.0 | 4 | 7.8 | 00.0-18.4 | 9 | 15.1 | 03.1-27.1 |
| 18-24 | 131 | 227,321 | 106 | 79.6 | 70.2-89.0 | 6 | 9.2 | 00.6-17.8 | 19 | 11.2 | 05.7-16.7 |
| 25-34 | 218 | 296,689 | 181 | 82.0 | 75.5-88.5 | 10 | 4.2 | 01.1-07.3 | 27 | 13.8 | 07.9-19.7 |
| 35-44 | 216 | 277,865 | 180 | 81.7 | 73.9-89.5 | 7 | 1.5 | 00.3-02.7 | 29 | 16.9 | 09.1-24.7 |
| 45-54 | 391 | 336,433 | 308 | 79.4 | 74.3-84.5 | 20 | 5.8 | 02.9-08.7 | 63 | 14.8 | 10.3-19.3 |
| 55-64 | 444 | 310,158 | 377 | 83.3 | 78.4-88.2 | 23 | 6.7 | 03.2-10.2 | 44 | 10.0 | 06.1-13.9 |
| 65+ | 647 | 401,674 | 562 | 87.6 | 84.3-90.9 | 21 | 2.5 | 01.1-03.9 | 64 | 9.9 | 06.8-13.0 |
| Less Than H.S. | 186 | 245,750 | 140 | 72.8 | 63.4-82.2 | 6 | 3.3 | 00.2-06.4 | 40 | 23.9 | 14.5-33.3 |
| H.S. or G.E.D. | 632 | 642,475 | 511 | 81.0 | 76.7-85.3 | 30 | 6.4 | 02.9-09.9 | 91 | 12.5 | 09.4-15.6 |
| Some Post-H.S. | 511 | 509,719 | 426 | 84.4 | 80.3-88.5 | 21 | 3.2 | 01.4-05.0 | 64 | 12.4 | 08.7-16.1 |
| College Graduate | 716 | 451,674 | 635 | 88.2 | 85.1-91.3 | 30 | 4.8 | 02.8-06.8 | 51 | 6.9 | 04.4-09.4 |
| Less than \$15,000 | 165 | 143,798 | 123 | 77.3 | 68.5-86.1 | 11 | 4.9 | 01.6-08.2 | 31 | 17.8 | 09.6-26.0 |
| \$15,000- 24,999 | 268 | 232,102 | 217 | 78.6 | 71.7-85.5 | 14 | 6.2 | 02.1-10.3 | 37 | 15.2 | 09.1-21.3 |
| \$25,000- 34,999 | 169 | 151,464 | 128 | 71.7 | 60.1-83.3 | 12 | 11.8 | 01.4-22.2 | 29 | 16.5 | 07.9-25.1 |
| \$35,000- 49,999 | 272 | 237,947 | 226 | 81.5 | 74.6-88.4 | 8 | 3.3 | 00.0-07.6 | 38 | 15.2 | 09.5-20.9 |
| \$50,000- 74,999 | 311 | 305,311 | 257 | 82.3 | 76.8-87.8 | 13 | 3.6 | 01.4-05.8 | 41 | 14.1 | 09.0-19.2 |
| \$75,000+ | 604 | 552,896 | 548 | 89.4 | 85.5-93.3 | 15 | 2.3 | 00.9-03.7 | 41 | 8.2 | 04.3-12.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 18: HOW OFTEN DID YOUR PARENTS OR ADULTS IN YOUR HOME EVER SLAP, HIT, KICK, PUNCH OR BEAT EACH OTHER UP? (ACEPUNCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|-----|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2665 | 1,980,613 | 2147 | 79.4 | 77.2-81.6 | 104 | 4.3 | 03.1-05.5 | 414 | 16.3 | 14.3-18.3 |
| White/Non-Hisp | 2161 | 1,527,073 | 1770 | 79.9 | 77.4-82.4 | 80 | 4.4 | 03.2-05.6 | 311 | 15.7 | 13.3-18.1 |
| Black or Afr. Am./Non-Hisp | 314 | 304,681 | 247 | 81.1 | 75.6-86.6 | 13 | 3.7 | 01.0-06.4 | 54 | 15.2 | 10.3-20.1 |
| Oth. Race/Non-Hisp. | 54 | 35,139 | 35 | 63.1 | 45.9-80.3 | 1 | 0.4 | 00.0-01.2 | 18 | 36.4 | 19.2-53.6 |
| 18-24 | 122 | 181,458 | 94 | 74.3 | 64.3-84.3 | 7 | 9.8 | 02.7-16.9 | 21 | 15.8 | 08.0-23.6 |
| 25-34 | 227 | 279,964 | 172 | 79.5 | 73.0-86.0 | 9 | 4.4 | 00.9-07.9 | 46 | 16.2 | 10.5-21.9 |
| 35-44 | 292 | 293,869 | 216 | 72.3 | 64.7-79.9 | 6 | 1.8 | 00.2-03.4 | 70 | 25.9 | 18.5-33.3 |
| 45-54 | 447 | 340,076 | 341 | 79.3 | 74.8-83.8 | 20 | 2.9 | 01.3-04.5 | 86 | 17.8 | 13.5-22.1 |
| 55-64 | 565 | 364,212 | 440 | 78.1 | 73.8-82.4 | 26 | 4.4 | 02.2-06.6 | 99 | 17.4 | 13.3-21.5 |
| 65+ | 1012 | 521,034 | 884 | 86.2 | 83.5-88.9 | 36 | 4.6 | 02.6-06.6 | 92 | 9.2 | 06.8-11.6 |
| Less Than H.S. | 249 | 241,893 | 193 | 81.4 | 75.7-87.1 | 9 | 3.5 | 00.6-06.4 | 47 | 15.0 | 09.9-20.1 |
| H.S. or G.E.D. | 851 | 674,320 | 674 | 78.7 | 74.8-82.6 | 33 | 4.2 | 02.2-06.2 | 144 | 17.1 | 13.4-20.8 |
| Some Post-H.S. | 749 | 613,484 | 576 | 73.6 | 69.1-78.1 | 27 | 4.9 | 02.7-07.1 | 146 | 21.6 | 17.5-25.7 |
| College Graduate | 813 | 448,660 | 701 | 87.4 | 84.5-90.3 | 35 | 4.2 | 02.2-06.2 | 77 | 8.4 | 06.0-10.8 |
| Less than \$15,000 | 331 | 202,258 | 235 | 72.8 | 66.1-79.5 | 14 | 3.8 | 01.4-06.2 | 82 | 23.4 | 17.1-29.7 |
| \$15,000- 24,999 | 475 | 346,069 | 349 | 72.9 | 67.4-78.4 | 22 | 5.7 | 02.8-08.6 | 104 | 21.3 | 16.4-26.2 |
| \$25,000- 34,999 | 218 | 163,299 | 177 | 80.4 | 73.7-87.1 | 7 | 3.1 | 00.4-05.8 | 34 | 16.5 | 10.2-22.8 |
| \$35,000- 49,999 | 329 | 227,773 | 264 | 75.2 | 68.3-82.1 | 10 | 5.1 | 01.0-09.2 | 55 | 19.7 | 13.4-26.0 |
| \$50,000- 74,999 | 294 | 235,622 | 245 | 80.4 | 73.3-87.5 | 13 | 4.6 | 01.5-07.7 | 36 | 15.0 | 08.3-21.7 |
| \$75,000+ | 519 | 426,888 | 449 | 86.3 | 82.0-90.6 | 19 | 2.9 | 01.1-04.7 | 51 | 10.8 | 06.7-14.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 19: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT (ACEHURT)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4723 | 3,844,236 | 3616 | 75.3 | 73.5-77.1 | 265 | 5.6 | 04.6-06.6 | 842 | 19.1 | 17.5-20.7 |
| Male | 2058 | 1,862,973 | 1575 | 75.3 | 72.6-78.0 | 95 | 4.6 | 03.2-06.0 | 388 | 20.1 | 17.6-22.6 |
| Female | 2665 | 1,981,263 | 2041 | 75.3 | 72.9-77.7 | 170 | 6.6 | 05.2-08.0 | 454 | 18.1 | 15.9-20.3 |
| White/Non-Hisp | 3878 | 2,989,039 | 3001 | 76.0 | 74.0-78.0 | 220 | 5.4 | 04.4-06.4 | 657 | 18.6 | 16.8-20.4 |
| Black or Afr. Am./Non-Hisp | 499 | 556,664 | 389 | 78.8 | 73.9-83.7 | 27 | 5.2 | 02.5-07.9 | 83 | 16.0 | 11.7-20.3 |
| Oth. Race/Non-Hisp. | 117 | 75,155 | 78 | 65.8 | 54.0-77.6 | 8 | 10.1 | 01.7-18.5 | 31 | 24.1 | 14.3-33.9 |
| MultiRacial/Non-Hisp. | 70 | 24,960 | 41 | 64.1 | 48.8-79.4 | 4 | 8.9 | 00.0-19.9 | 25 | 27.0 | 14.5-39.5 |
| Hispanic | 89 | 150,786 | 61 | 58.3 | 44.0-72.6 | 5 | 10.5 | 00.0-21.1 | 23 | 31.2 | 18.1-44.3 |
| 18-24 | 253 | 408,779 | 190 | 76.1 | 69.6-82.6 | 16 | 4.6 | 01.9-07.3 | 47 | 19.3 | 13.2-25.4 |
| 25-34 | 443 | 564,117 | 330 | 74.2 | 69.1-79.3 | 27 | 5.7 | 03.0-08.4 | 86 | 20.0 | 15.3-24.7 |
| 35-44 | 512 | 589,928 | 374 | 70.4 | 64.7-76.1 | 19 | 5.1 | 02.0-08.2 | 119 | 24.6 | 19.3-29.9 |
| 45-54 | 842 | 679,952 | 628 | 73.5 | 69.4-77.6 | 45 | 6.5 | 04.1-08.9 | 169 | 20.0 | 16.5-23.5 |
| 55-64 | 1017 | 679,689 | 767 | 75.3 | 72.0-78.6 | 69 | 7.2 | 05.0-09.4 | 181 | 17.5 | 14.6-20.4 |
| 65+ | 1656 | 921,770 | 1327 | 80.0 | 77.5-82.5 | 89 | 4.6 | 03.4-05.8 | 240 | 15.3 | 12.9-17.7 |
| Less Than H.S. | 439 | 503,950 | 298 | 65.2 | 58.9-71.5 | 30 | 7.3 | 03.6-11.0 | 111 | 27.5 | 21.6-33.4 |
| H.S. or G.E.D. | 1483 | 1,317,094 | 1110 | 76.2 | 73.3-79.1 | 86 | 6.0 | 04.2-07.8 | 287 | 17.8 | 15.3-20.3 |
| Some Post-H.S. | 1269 | 1,122,802 | 948 | 73.0 | 69.7-76.3 | 71 | 5.0 | 03.6-06.4 | 250 | 22.0 | 18.7-25.3 |
| College Graduate | 1526 | 897,519 | 1254 | 82.4 | 79.9-84.9 | 78 | 4.9 | 03.5-06.3 | 194 | 12.7 | 10.5-14.9 |
| Less than \$15,000 | 500 | 350,406 | 333 | 68.5 | 62.8-74.2 | 34 | 5.8 | 02.9-08.7 | 133 | 25.7 | 20.4-31.0 |
| \$15,000- 24,999 | 749 | 583,893 | 522 | 66.4 | 61.5-71.3 | 45 | 5.4 | 03.2-07.6 | 182 | 28.2 | 23.5-32.9 |
| \$25,000- 34,999 | 387 | 320,896 | 279 | 70.7 | 64.0-77.4 | 25 | 8.1 | 04.2-12.0 | 83 | 21.2 | 15.1-27.3 |
| \$35,000- 49,999 | 604 | 472,624 | 458 | 74.3 | 69.2-79.4 | 33 | 6.8 | 03.1-10.5 | 113 | 18.9 | 14.6-23.2 |
| \$50,000- 74,999 | 609 | 545,462 | 486 | 75.9 | 71.0-80.8 | 29 | 5.5 | 03.0-08.0 | 94 | 18.6 | 14.1-23.1 |
| \$75,000+ | 1122 | 973,741 | 933 | 82.6 | 79.5-85.7 | 54 | 4.3 | 02.9-05.7 | 135 | 13.0 | 10.3-15.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 20: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT
(ACEHURT)**

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|-----|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2058 | 1,862,973 | 1575 | 75.3 | 72.6-78.0 | 95 | 4.6 | 03.2-06.0 | 388 | 20.1 | 17.6-22.6 |
| White/Non-Hisp | 1711 | 1,452,061 | 1326 | 76.6 | 73.9-79.3 | 81 | 4.1 | 02.9-05.3 | 304 | 19.3 | 16.8-21.8 |
| Black or Afr. Am./Non-Hisp | 185 | 257,503 | 144 | 78.0 | 70.0-86.0 | 6 | 3.3 | 00.0-06.8 | 35 | 18.7 | 11.3-26.1 |
| Oth. Race/Non-Hisp. | 64 | 40,632 | 46 | 68.5 | 52.6-84.4 | 2 | 6.8 | 00.0-18.2 | 16 | 24.6 | 10.9-38.3 |
| 18-24 | 131 | 227,321 | 101 | 76.9 | 68.1-85.7 | 5 | 3.7 | 00.0-07.4 | 25 | 19.4 | 11.2-27.6 |
| 25-34 | 217 | 287,044 | 166 | 73.1 | 65.5-80.7 | 8 | 4.3 | 00.2-08.4 | 43 | 22.5 | 15.4-29.6 |
| 35-44 | 218 | 290,619 | 162 | 72.5 | 64.1-80.9 | 7 | 5.8 | 00.5-11.1 | 49 | 21.7 | 14.3-29.1 |
| 45-54 | 392 | 337,558 | 291 | 73.6 | 67.5-79.7 | 17 | 4.9 | 01.8-08.0 | 84 | 21.5 | 15.8-27.2 |
| 55-64 | 450 | 314,944 | 348 | 77.6 | 72.7-82.5 | 23 | 4.5 | 02.3-06.7 | 79 | 17.9 | 13.2-22.6 |
| 65+ | 650 | 405,487 | 507 | 77.7 | 73.4-82.0 | 35 | 4.3 | 02.5-06.1 | 108 | 18.1 | 14.0-22.2 |
| Less Than H.S. | 189 | 257,344 | 122 | 60.3 | 50.5-70.1 | 13 | 7.5 | 01.6-13.4 | 54 | 32.2 | 23.0-41.4 |
| H.S. or G.E.D. | 637 | 648,714 | 466 | 76.3 | 72.0-80.6 | 33 | 5.3 | 02.8-07.8 | 138 | 18.4 | 14.5-22.3 |
| Some Post-H.S. | 516 | 507,755 | 391 | 74.7 | 69.6-79.8 | 26 | 3.5 | 01.9-05.1 | 99 | 21.8 | 16.9-26.7 |
| College Graduate | 714 | 448,636 | 594 | 83.2 | 79.5-86.9 | 23 | 3.2 | 01.4-05.0 | 97 | 13.6 | 10.3-16.9 |
| Less than \$15,000 | 167 | 145,044 | 112 | 70.9 | 61.9-79.9 | 9 | 4.3 | 01.2-07.4 | 46 | 24.9 | 16.3-33.5 |
| \$15,000- 24,999 | 270 | 236,595 | 182 | 63.2 | 55.2-71.2 | 12 | 3.6 | 00.3-06.9 | 76 | 33.2 | 25.2-41.2 |
| \$25,000- 34,999 | 170 | 157,442 | 123 | 74.4 | 64.2-84.6 | 8 | 2.2 | 00.4-04.0 | 39 | 23.3 | 13.1-33.5 |
| \$35,000- 49,999 | 274 | 241,982 | 210 | 73.8 | 65.6-82.0 | 13 | 7.6 | 00.9-14.3 | 51 | 18.5 | 12.2-24.8 |
| \$50,000- 74,999 | 314 | 309,752 | 248 | 76.3 | 69.8-82.8 | 14 | 4.8 | 01.7-07.9 | 52 | 19.0 | 12.9-25.1 |
| \$75,000+ | 602 | 546,469 | 500 | 81.6 | 77.3-85.9 | 24 | 4.4 | 02.2-06.6 | 78 | 14.0 | 10.1-17.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 21: NOT INCLUDING SPANKING, (BEFORE AGE 18), HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER HIT, BEAT, KICK, OR PHYSICALLY HURT YOU IN ANY WAY? WAS IT
(ACEHURT)**

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2665 | 1,981,263 | 2041 | 75.3 | 72.9-77.7 | 170 | 6.6 | 05.2-08.0 | 454 | 18.1 | 15.9-20.3 |
| White/Non-Hisp | 2167 | 1,536,978 | 1675 | 75.5 | 73.0-78.0 | 139 | 6.7 | 05.3-08.1 | 353 | 17.9 | 15.5-20.3 |
| Black or Afr. Am./Non-Hisp | 314 | 299,161 | 245 | 79.6 | 73.9-85.3 | 21 | 6.8 | 02.9-10.7 | 48 | 13.6 | 08.9-18.3 |
| Oth. Race/Non-Hisp. | 53 | 34,523 | 32 | 62.6 | 45.2-80.0 | 6 | 13.9 | 01.0-26.8 | 15 | 23.5 | 09.4-37.6 |
| 18-24 | 122 | 181,458 | 89 | 75.0 | 65.2-84.8 | 11 | 5.9 | 02.2-09.6 | 22 | 19.1 | 09.9-28.3 |
| 25-34 | 226 | 277,074 | 164 | 75.3 | 68.6-82.0 | 19 | 7.2 | 03.3-11.1 | 43 | 17.5 | 11.6-23.4 |
| 35-44 | 294 | 299,310 | 212 | 68.3 | 60.7-75.9 | 12 | 4.4 | 01.5-07.3 | 70 | 27.3 | 19.7-34.9 |
| 45-54 | 450 | 342,393 | 337 | 73.3 | 68.0-78.6 | 28 | 8.1 | 04.4-11.8 | 85 | 18.6 | 14.1-23.1 |
| 55-64 | 567 | 364,745 | 419 | 73.4 | 68.7-78.1 | 46 | 9.5 | 06.2-12.8 | 102 | 17.2 | 13.3-21.1 |
| 65+ | 1006 | 516,283 | 820 | 81.9 | 78.8-85.0 | 54 | 4.9 | 03.3-06.5 | 132 | 13.2 | 10.5-15.9 |
| Less Than H.S. | 250 | 246,605 | 176 | 70.3 | 62.5-78.1 | 17 | 7.2 | 02.9-11.5 | 57 | 22.5 | 15.4-29.6 |
| H.S. or G.E.D. | 846 | 668,380 | 644 | 76.1 | 72.2-80.0 | 53 | 6.8 | 04.4-09.2 | 149 | 17.1 | 13.6-20.6 |
| Some Post-H.S. | 753 | 615,047 | 557 | 71.6 | 67.1-76.1 | 45 | 6.2 | 04.0-08.4 | 151 | 22.2 | 17.9-26.5 |
| College Graduate | 812 | 448,883 | 660 | 81.6 | 78.1-85.1 | 55 | 6.6 | 04.2-09.0 | 97 | 11.8 | 08.9-14.7 |
| Less than \$15,000 | 333 | 205,362 | 221 | 66.8 | 59.5-74.1 | 25 | 6.9 | 02.6-11.2 | 87 | 26.3 | 19.6-33.0 |
| \$15,000- 24,999 | 479 | 347,298 | 340 | 68.6 | 62.5-74.7 | 33 | 6.7 | 03.8-09.6 | 106 | 24.8 | 18.9-30.7 |
| \$25,000- 34,999 | 217 | 163,454 | 156 | 67.1 | 58.5-75.7 | 17 | 13.8 | 06.7-20.9 | 44 | 19.1 | 12.2-26.0 |
| \$35,000- 49,999 | 330 | 230,642 | 248 | 74.7 | 68.6-80.8 | 20 | 5.9 | 02.8-09.0 | 62 | 19.4 | 13.7-25.1 |
| \$50,000- 74,999 | 295 | 235,710 | 238 | 75.4 | 68.0-82.8 | 15 | 6.4 | 02.5-10.3 | 42 | 18.2 | 11.1-25.3 |
| \$75,000+ | 520 | 427,272 | 433 | 83.9 | 79.8-88.0 | 30 | 4.3 | 02.5-06.1 | 57 | 11.8 | 07.9-15.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 22: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4704 | 3,842,383 | 3211 | 65.1 | 63.1-67.1 | 221 | 5.4 | 04.4-06.4 | 1272 | 29.5 | 27.5-31.5 |
| Male | 2045 | 1,855,970 | 1398 | 64.8 | 61.9-67.7 | 113 | 6.4 | 04.8-08.0 | 534 | 28.8 | 25.9-31.7 |
| Female | 2659 | 1,986,413 | 1813 | 65.3 | 62.8-67.8 | 108 | 4.5 | 03.5-05.5 | 738 | 30.2 | 27.7-32.7 |
| White/Non-Hisp | 3864 | 2,984,272 | 2662 | 66.1 | 63.9-68.3 | 177 | 4.8 | 04.0-05.6 | 1025 | 29.1 | 27.1-31.1 |
| Black or Afr. Am./Non-Hisp | 497 | 559,141 | 354 | 67.6 | 61.9-73.3 | 32 | 8.7 | 05.0-12.4 | 111 | 23.7 | 18.6-28.8 |
| Oth. Race/Non-Hisp. | 116 | 77,000 | 70 | 55.8 | 43.3-68.3 | 3 | 3.1 | 00.0-06.6 | 43 | 41.1 | 28.6-53.6 |
| MultiRacial/Non-Hisp. | 70 | 25,157 | 32 | 44.3 | 27.8-60.8 | 4 | 13.0 | 00.0-30.4 | 34 | 42.7 | 26.6-58.8 |
| Hispanic | 88 | 149,024 | 50 | 43.6 | 29.9-57.3 | 5 | 7.8 | 00.0-15.6 | 33 | 48.6 | 34.3-62.9 |
| 18-24 | 251 | 407,458 | 127 | 51.2 | 43.2-59.2 | 12 | 3.0 | 00.8-05.2 | 112 | 45.8 | 37.8-53.8 |
| 25-34 | 443 | 565,113 | 253 | 57.6 | 51.7-63.5 | 38 | 9.3 | 05.8-12.8 | 152 | 33.2 | 27.7-38.7 |
| 35-44 | 511 | 589,387 | 312 | 59.3 | 53.4-65.2 | 33 | 5.6 | 03.2-08.0 | 166 | 35.1 | 29.2-41.0 |
| 45-54 | 835 | 678,233 | 514 | 62.4 | 57.9-66.9 | 41 | 6.2 | 03.7-08.7 | 280 | 31.4 | 27.3-35.5 |
| 55-64 | 1014 | 679,219 | 672 | 66.1 | 62.2-70.0 | 42 | 4.8 | 03.0-06.6 | 300 | 29.1 | 25.4-32.8 |
| 65+ | 1650 | 922,974 | 1333 | 80.7 | 78.3-83.1 | 55 | 3.8 | 02.6-05.0 | 262 | 15.5 | 13.3-17.7 |
| Less Than H.S. | 442 | 510,558 | 303 | 64.3 | 57.8-70.8 | 16 | 4.5 | 01.8-07.2 | 123 | 31.2 | 24.9-37.5 |
| H.S. or G.E.D. | 1477 | 1,311,424 | 1028 | 67.7 | 64.4-71.0 | 63 | 4.4 | 03.0-05.8 | 386 | 27.9 | 24.6-31.2 |
| Some Post-H.S. | 1263 | 1,121,755 | 804 | 58.7 | 55.0-62.4 | 63 | 6.2 | 04.2-08.2 | 396 | 35.1 | 31.4-38.8 |
| College Graduate | 1517 | 895,865 | 1072 | 69.5 | 66.4-72.6 | 78 | 6.3 | 04.5-08.1 | 367 | 24.2 | 21.3-27.1 |
| Less than \$15,000 | 496 | 348,553 | 311 | 62.0 | 55.9-68.1 | 22 | 4.8 | 02.1-07.5 | 163 | 33.2 | 27.3-39.1 |
| \$15,000- 24,999 | 753 | 587,592 | 478 | 60.7 | 55.8-65.6 | 29 | 4.5 | 02.3-06.7 | 246 | 34.8 | 29.9-39.7 |
| \$25,000- 34,999 | 383 | 318,380 | 262 | 62.5 | 55.1-69.9 | 21 | 6.0 | 02.7-09.3 | 100 | 31.4 | 24.1-38.7 |
| \$35,000- 49,999 | 598 | 473,500 | 387 | 60.8 | 55.3-66.3 | 37 | 9.0 | 05.3-12.7 | 174 | 30.2 | 25.1-35.3 |
| \$50,000- 74,999 | 607 | 538,469 | 414 | 64.6 | 59.1-70.1 | 31 | 3.7 | 01.9-05.5 | 162 | 31.7 | 26.4-37.0 |
| \$75,000+ | 1118 | 972,293 | 803 | 70.9 | 67.2-74.6 | 56 | 5.8 | 04.0-07.6 | 259 | 23.3 | 20.0-26.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 23: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2045 | 1,855,970 | 1398 | 64.8 | 61.9-67.7 | 113 | 6.4 | 04.8-08.0 | 534 | 28.8 | 26.1-31.5 |
| White/Non-Hisp | 1699 | 1,444,201 | 1180 | 66.5 | 63.4-69.6 | 92 | 5.4 | 04.0-06.8 | 427 | 28.0 | 25.1-30.9 |
| Black or Afr. Am./Non-Hisp | 184 | 257,322 | 123 | 60.9 | 51.5-70.3 | 15 | 12.4 | 05.7-19.1 | 46 | 26.7 | 18.3-35.1 |
| Oth. Race/Non-Hisp. | 66 | 43,588 | 42 | 59.0 | 42.5-75.5 | 2 | 3.6 | 00.0-08.5 | 22 | 37.4 | 21.1-53.7 |
| 18-24 | 131 | 227,321 | 70 | 52.7 | 41.7-63.7 | 5 | 3.1 | 00.0-06.4 | 56 | 44.2 | 33.2-55.2 |
| 25-34 | 215 | 284,594 | 128 | 57.5 | 49.1-65.9 | 22 | 10.9 | 05.2-16.6 | 65 | 31.6 | 23.8-39.4 |
| 35-44 | 218 | 290,329 | 141 | 64.3 | 55.7-72.9 | 13 | 4.2 | 01.3-07.1 | 64 | 31.5 | 23.1-39.9 |
| 45-54 | 389 | 337,012 | 232 | 60.0 | 53.3-66.7 | 22 | 8.2 | 03.7-12.7 | 135 | 31.8 | 25.5-38.1 |
| 55-64 | 446 | 311,757 | 307 | 65.6 | 59.5-71.7 | 25 | 6.9 | 03.6-10.2 | 114 | 27.6 | 21.9-33.3 |
| 65+ | 646 | 404,956 | 520 | 80.5 | 76.6-84.4 | 26 | 4.6 | 02.4-06.8 | 100 | 14.9 | 11.4-18.4 |
| Less Than H.S. | 190 | 261,367 | 126 | 59.8 | 50.0-69.6 | 9 | 6.4 | 01.7-11.1 | 55 | 33.8 | 24.4-43.2 |
| H.S. or G.E.D. | 632 | 637,772 | 432 | 67.5 | 62.4-72.6 | 28 | 4.9 | 02.4-07.4 | 172 | 27.6 | 22.7-32.5 |
| Some Post-H.S. | 513 | 507,313 | 338 | 59.5 | 53.6-65.4 | 32 | 7.5 | 04.2-10.8 | 143 | 32.9 | 27.2-38.6 |
| College Graduate | 708 | 448,994 | 501 | 69.8 | 65.3-74.3 | 43 | 7.1 | 04.6-09.6 | 164 | 23.1 | 19.0-27.2 |
| Less than \$15,000 | 167 | 144,945 | 109 | 65.3 | 55.1-75.5 | 6 | 4.6 | 00.0-09.5 | 52 | 30.1 | 20.3-39.9 |
| \$15,000- 24,999 | 273 | 237,634 | 179 | 63.3 | 55.5-71.1 | 8 | 3.9 | 00.6-07.2 | 86 | 32.8 | 25.2-40.4 |
| \$25,000- 34,999 | 166 | 154,731 | 110 | 58.0 | 46.2-69.8 | 11 | 6.4 | 01.5-11.3 | 45 | 35.6 | 23.4-47.8 |
| \$35,000- 49,999 | 269 | 242,601 | 174 | 59.4 | 51.0-67.8 | 25 | 14.2 | 07.5-20.9 | 70 | 26.4 | 19.1-33.7 |
| \$50,000- 74,999 | 312 | 303,519 | 205 | 62.8 | 55.4-70.2 | 20 | 4.7 | 02.0-07.4 | 87 | 32.5 | 25.1-39.9 |
| \$75,000+ | 599 | 544,734 | 440 | 72.8 | 67.9-77.7 | 31 | 5.2 | 02.8-07.6 | 128 | 22.0 | 17.5-26.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 24: HOW OFTEN DID A PARENT OR ADULT IN YOUR HOME EVER SWEAR AT YOU, INSULT YOU, OR PUT YOU DOWN? (ACESWEAR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|-----|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2659 | 1,986,413 | 1813 | 65.3 | 62.8-67.8 | 108 | 4.5 | 03.5-05.5 | 738 | 30.2 | 27.7-32.7 |
| White/Non-Hisp | 2165 | 1,540,072 | 1482 | 65.8 | 63.1-68.5 | 85 | 4.1 | 03.1-05.1 | 598 | 30.1 | 27.4-32.8 |
| Black or Afr. Am./Non-Hisp | 313 | 301,819 | 231 | 73.4 | 66.7-80.1 | 17 | 5.5 | 02.2-08.8 | 65 | 21.1 | 15.0-27.2 |
| Oth. Race/Non-Hisp. | 50 | 33,411 | 28 | 51.5 | 32.1-70.9 | 1 | 2.5 | 00.0-07.2 | 21 | 46.0 | 26.6-65.4 |
| 18-24 | 120 | 180,137 | 57 | 49.2 | 37.2-61.2 | 7 | 2.9 | 00.4-05.4 | 56 | 47.9 | 35.9-59.9 |
| 25-34 | 228 | 280,519 | 125 | 57.7 | 49.5-65.9 | 16 | 7.6 | 03.3-11.9 | 87 | 34.8 | 27.0-42.6 |
| 35-44 | 293 | 299,057 | 171 | 54.4 | 46.4-62.4 | 20 | 7.0 | 03.3-10.7 | 102 | 38.6 | 30.6-46.6 |
| 45-54 | 446 | 341,221 | 282 | 64.7 | 59.0-70.4 | 19 | 4.2 | 01.8-06.6 | 145 | 31.0 | 25.5-36.5 |
| 55-64 | 568 | 367,462 | 365 | 66.5 | 61.6-71.4 | 17 | 3.1 | 01.5-04.7 | 186 | 30.4 | 25.5-35.3 |
| 65+ | 1004 | 518,017 | 813 | 80.9 | 78.0-83.8 | 29 | 3.2 | 01.6-04.8 | 162 | 15.9 | 13.2-18.6 |
| Less Than H.S. | 252 | 249,190 | 177 | 68.9 | 60.5-77.3 | 7 | 2.6 | 00.4-04.8 | 68 | 28.5 | 20.1-36.9 |
| H.S. or G.E.D. | 845 | 673,652 | 596 | 67.9 | 63.4-72.4 | 35 | 4.0 | 02.4-05.6 | 214 | 28.1 | 23.8-32.4 |
| Some Post-H.S. | 750 | 614,442 | 466 | 58.1 | 53.2-63.0 | 31 | 5.1 | 02.9-07.3 | 253 | 36.8 | 31.9-41.7 |
| College Graduate | 809 | 446,871 | 571 | 69.2 | 64.9-73.5 | 35 | 5.6 | 03.2-08.0 | 203 | 25.3 | 21.4-29.2 |
| Less than \$15,000 | 329 | 203,608 | 202 | 59.6 | 52.2-67.0 | 16 | 5.0 | 02.1-07.9 | 111 | 35.4 | 28.0-42.8 |
| \$15,000- 24,999 | 480 | 349,957 | 299 | 58.9 | 52.4-65.4 | 21 | 4.9 | 02.0-07.8 | 160 | 36.2 | 29.9-42.5 |
| \$25,000- 34,999 | 217 | 163,650 | 152 | 66.8 | 58.4-75.2 | 10 | 5.6 | 01.3-09.9 | 55 | 27.5 | 19.5-35.5 |
| \$35,000- 49,999 | 329 | 230,899 | 213 | 62.2 | 55.1-69.3 | 12 | 3.5 | 01.1-05.9 | 104 | 34.3 | 27.4-41.2 |
| \$50,000- 74,999 | 295 | 234,950 | 209 | 67.0 | 59.2-74.8 | 11 | 2.4 | 00.8-04.0 | 75 | 30.6 | 22.8-38.4 |
| \$75,000+ | 519 | 427,559 | 363 | 68.4 | 62.9-73.9 | 25 | 6.6 | 03.7-09.5 | 131 | 24.9 | 19.8-30.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 25: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUGH)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4720 | 3,846,756 | 4083 | 85.3 | 83.7-86.9 | 222 | 5.3 | 04.3-06.3 | 415 | 9.5 | 08.3-10.7 |
| Male | 2063 | 1,868,374 | 1915 | 91.6 | 89.6-93.6 | 65 | 4.1 | 02.7-05.5 | 83 | 4.3 | 02.9-05.7 |
| Female | 2657 | 1,978,382 | 2168 | 79.2 | 76.8-81.6 | 157 | 6.4 | 05.0-07.8 | 332 | 14.4 | 12.4-16.4 |
| White/Non-Hisp | 3872 | 2,975,335 | 3380 | 86.6 | 85.0-88.2 | 169 | 4.6 | 03.6-05.6 | 323 | 8.8 | 07.4-10.2 |
| Black or Afr. Am./Non-Hisp | 502 | 562,869 | 428 | 81.7 | 76.8-86.6 | 25 | 6.6 | 03.5-09.7 | 49 | 11.7 | 07.8-15.6 |
| Oth. Race/Non-Hisp. | 117 | 81,603 | 94 | 80.1 | 69.7-90.5 | 8 | 6.6 | 01.3-11.9 | 15 | 13.3 | 03.9-22.7 |
| MultiRacial/Non-Hisp. | 69 | 24,139 | 52 | 81.6 | 70.8-92.4 | 4 | 4.8 | 00.0-10.1 | 13 | 13.5 | 04.1-22.9 |
| Hispanic | 89 | 153,131 | 73 | 77.7 | 65.2-90.2 | 8 | 10.2 | 00.0-20.4 | 8 | 12.1 | 03.1-21.1 |
| 18-24 | 248 | 398,134 | 208 | 82.9 | 76.6-89.2 | 19 | 9.0 | 03.9-14.1 | 21 | 8.1 | 04.0-12.2 |
| 25-34 | 446 | 575,829 | 377 | 82.9 | 78.0-87.8 | 20 | 4.6 | 01.9-07.3 | 49 | 12.6 | 08.3-16.9 |
| 35-44 | 513 | 589,284 | 410 | 80.4 | 75.7-85.1 | 43 | 8.1 | 05.2-11.0 | 60 | 11.4 | 07.5-15.3 |
| 45-54 | 836 | 676,360 | 696 | 83.1 | 79.6-86.6 | 39 | 5.3 | 03.1-07.5 | 101 | 11.6 | 08.7-14.5 |
| 55-64 | 1011 | 678,151 | 848 | 85.0 | 82.3-87.7 | 52 | 5.2 | 03.4-07.0 | 111 | 9.8 | 07.4-12.2 |
| 65+ | 1666 | 928,999 | 1544 | 92.5 | 90.7-94.3 | 49 | 2.4 | 01.6-03.2 | 73 | 5.1 | 03.5-06.7 |
| Less Than H.S. | 433 | 503,932 | 369 | 83.2 | 77.9-88.5 | 25 | 5.9 | 02.8-09.0 | 39 | 10.8 | 06.3-15.3 |
| H.S. or G.E.D. | 1490 | 1,317,141 | 1273 | 84.0 | 81.3-86.7 | 77 | 6.1 | 04.1-08.1 | 140 | 9.9 | 07.7-12.1 |
| Some Post-H.S. | 1265 | 1,124,991 | 1067 | 82.7 | 79.8-85.6 | 62 | 5.3 | 03.5-07.1 | 136 | 12.0 | 09.5-14.5 |
| College Graduate | 1527 | 897,911 | 1371 | 91.4 | 89.6-93.2 | 56 | 3.6 | 02.4-04.8 | 100 | 5.0 | 03.8-06.2 |
| Less than \$15,000 | 497 | 348,483 | 382 | 77.6 | 72.1-83.1 | 35 | 7.3 | 03.6-11.0 | 80 | 15.1 | 10.6-19.6 |
| \$15,000- 24,999 | 748 | 582,685 | 627 | 78.9 | 74.2-83.6 | 40 | 6.4 | 03.9-08.9 | 81 | 14.7 | 10.4-19.0 |
| \$25,000- 34,999 | 387 | 320,317 | 335 | 85.4 | 79.5-91.3 | 24 | 8.4 | 03.1-13.7 | 28 | 6.2 | 03.1-09.3 |
| \$35,000- 49,999 | 596 | 467,392 | 514 | 85.8 | 81.9-89.7 | 29 | 5.5 | 03.0-08.0 | 53 | 8.8 | 05.7-11.9 |
| \$50,000- 74,999 | 607 | 541,999 | 522 | 82.5 | 78.0-87.0 | 32 | 6.3 | 03.6-09.0 | 53 | 11.2 | 07.5-14.9 |
| \$75,000+ | 1122 | 976,582 | 1016 | 91.6 | 89.4-93.8 | 35 | 2.9 | 01.7-04.1 | 71 | 5.5 | 03.5-07.5 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 26: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|-----|------------|----------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2063 | 1,868,374 | 1915 | 91.6 | 89.6-93.6 | 65 | 4.1 | 02.7-05.5 | 83 | 4.3 | 02.9-05.7 |
| White/Non-Hisp | 1713 | 1,446,361 | 1595 | 92.2 | 90.2-94.2 | 52 | 3.7 | 02.3-05.1 | 66 | 4.1 | 02.5-05.7 |
| Black or Afr. Am./Non-Hisp | 186 | 258,586 | 174 | 91.4 | 85.7-97.1 | 4 | 2.9 | 00.0-06.0 | 8 | 5.7 | 00.8-10.6 |
| Oth. Race/Non-Hisp. | 67 | 48,052 | 62 | 94.0 | 88.5-99.5 | 1 | 1.0 | 00.0-03.0 | 4 | 5.0 | 00.0-10.1 |
| 18-24 | 128 | 220,823 | 114 | 88.1 | 80.1-96.1 | 8 | 8.7 | 00.9-16.5 | 6 | 3.2 | 00.5-05.9 |
| 25-34 | 218 | 294,182 | 198 | 88.8 | 82.7-94.9 | 8 | 4.4 | 00.9-07.9 | 12 | 6.8 | 01.5-12.1 |
| 35-44 | 217 | 289,022 | 199 | 91.2 | 86.3-96.1 | 8 | 4.8 | 01.1-08.5 | 10 | 4.0 | 00.7-07.3 |
| 45-54 | 392 | 337,074 | 357 | 89.8 | 85.1-94.5 | 15 | 4.4 | 01.5-07.3 | 20 | 5.8 | 02.1-09.5 |
| 55-64 | 453 | 317,618 | 417 | 93.6 | 90.9-96.3 | 16 | 3.8 | 01.3-06.3 | 20 | 2.6 | 01.2-04.0 |
| 65+ | 655 | 409,655 | 630 | 95.9 | 93.5-98.3 | 10 | 0.9 | 00.3-01.5 | 15 | 3.2 | 00.8-05.6 |
| Less Than H.S. | 188 | 260,572 | 174 | 90.1 | 83.4-96.8 | 3 | 1.7 | 00.0-04.1 | 11 | 8.3 | 01.8-14.8 |
| H.S. or G.E.D. | 639 | 643,831 | 591 | 91.4 | 87.9-94.9 | 26 | 5.9 | 02.8-09.0 | 22 | 2.7 | 01.1-04.3 |
| Some Post-H.S. | 516 | 511,452 | 474 | 89.9 | 86.2-93.6 | 14 | 3.8 | 01.3-06.3 | 28 | 6.3 | 03.4-09.2 |
| College Graduate | 718 | 451,996 | 675 | 94.9 | 92.7-97.1 | 21 | 3.2 | 01.4-05.0 | 22 | 1.9 | 00.9-02.9 |
| Less than \$15,000 | 168 | 146,299 | 153 | 89.1 | 81.8-96.4 | 6 | 4.7 | 00.0-09.4 | 9 | 6.3 | 00.6-12.0 |
| \$15,000- 24,999 | 273 | 237,633 | 246 | 87.6 | 81.7-93.5 | 12 | 5.6 | 01.7-09.5 | 15 | 6.9 | 02.2-11.6 |
| \$25,000- 34,999 | 168 | 154,549 | 153 | 88.5 | 78.7-98.3 | 6 | 7.7 | 00.0-17.5 | 9 | 3.8 | 00.9-06.7 |
| \$35,000- 49,999 | 270 | 240,014 | 250 | 91.5 | 86.2-96.8 | 9 | 3.8 | 00.5-07.1 | 11 | 4.7 | 00.6-08.8 |
| \$50,000- 74,999 | 313 | 308,477 | 288 | 89.2 | 84.1-94.3 | 11 | 5.2 | 01.5-08.9 | 14 | 5.6 | 01.9-09.3 |
| \$75,000+ | 605 | 551,337 | 572 | 95.0 | 92.1-97.9 | 14 | 2.2 | 00.6-03.8 | 19 | 2.8 | 00.3-05.3 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 27: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, EVER TOUCH YOU SEXUALLY? (ACETOUCH)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2657 | 1,978,382 | 2168 | 79.2 | 76.8-81.6 | 157 | 6.4 | 05.0-07.8 | 332 | 14.4 | 12.4-16.4 |
| White/Non-Hisp | 2159 | 1,528,974 | 1785 | 81.3 | 78.9-83.7 | 117 | 5.5 | 04.1-06.9 | 257 | 13.2 | 11.0-15.4 |
| Black or Afr. Am./Non-Hisp | 316 | 304,283 | 254 | 73.4 | 66.3-80.5 | 21 | 9.8 | 04.7-14.9 | 41 | 16.8 | 10.9-22.7 |
| Oth. Race/Non-Hisp. | 50 | 33,551 | 32 | 60.2 | 40.4-80.0 | 7 | 14.7 | 02.5-26.9 | 11 | 25.1 | 05.7-44.5 |
| 18-24 | 120 | 177,311 | 94 | 76.4 | 66.6-86.2 | 11 | 9.5 | 03.4-15.6 | 15 | 14.2 | 06.0-22.4 |
| 25-34 | 228 | 281,646 | 179 | 76.6 | 69.2-84.0 | 12 | 4.8 | 00.7-08.9 | 37 | 18.6 | 11.7-25.5 |
| 35-44 | 296 | 300,261 | 211 | 70.1 | 62.7-77.5 | 35 | 11.3 | 06.6-16.0 | 50 | 18.5 | 11.8-25.2 |
| 45-54 | 444 | 339,286 | 339 | 76.5 | 71.4-81.6 | 24 | 6.2 | 03.5-08.9 | 81 | 17.3 | 12.8-21.8 |
| 55-64 | 558 | 360,534 | 431 | 77.5 | 73.0-82.0 | 36 | 6.5 | 04.0-09.0 | 91 | 16.0 | 11.9-20.1 |
| 65+ | 1011 | 519,344 | 914 | 89.8 | 87.3-92.3 | 39 | 3.5 | 02.1-04.9 | 58 | 6.7 | 04.3-09.1 |
| Less Than H.S. | 245 | 243,360 | 195 | 75.9 | 67.9-83.9 | 22 | 10.5 | 04.6-16.4 | 28 | 13.6 | 07.1-20.1 |
| H.S. or G.E.D. | 851 | 673,311 | 682 | 77.0 | 72.9-81.1 | 51 | 6.3 | 04.1-08.5 | 118 | 16.7 | 13.0-20.4 |
| Some Post-H.S. | 749 | 613,539 | 593 | 76.7 | 72.4-81.0 | 48 | 6.6 | 04.4-08.8 | 108 | 16.7 | 12.8-20.6 |
| College Graduate | 809 | 445,915 | 696 | 87.9 | 85.2-90.6 | 35 | 4.0 | 02.4-05.6 | 78 | 8.1 | 05.7-10.5 |
| Less than \$15,000 | 329 | 202,184 | 229 | 69.4 | 62.0-76.8 | 29 | 9.2 | 03.9-14.5 | 71 | 21.5 | 15.0-28.0 |
| \$15,000- 24,999 | 475 | 345,052 | 381 | 73.0 | 66.5-79.5 | 28 | 6.9 | 03.8-10.0 | 66 | 20.1 | 13.8-26.4 |
| \$25,000- 34,999 | 219 | 165,769 | 182 | 82.5 | 75.6-89.4 | 18 | 9.1 | 04.2-14.0 | 19 | 8.4 | 03.1-13.7 |
| \$35,000- 49,999 | 326 | 227,378 | 264 | 79.7 | 74.0-85.4 | 20 | 7.3 | 03.6-11.0 | 42 | 13.0 | 08.3-17.7 |
| \$50,000- 74,999 | 294 | 233,522 | 234 | 73.7 | 66.3-81.1 | 21 | 7.8 | 03.7-11.9 | 39 | 18.6 | 11.5-25.7 |
| \$75,000+ | 517 | 425,245 | 444 | 87.2 | 83.7-90.7 | 21 | 3.9 | 01.9-05.9 | 52 | 8.9 | 06.0-11.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

TABLE 28: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|-----|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4720 | 3,841,810 | 4258 | 89.3 | 87.9-90.7 | 172 | 4.0 | 03.2-04.8 | 290 | 6.7 | 05.7-07.7 |
| Male | 2061 | 1,863,772 | 1936 | 93.1 | 91.3-94.9 | 62 | 3.4 | 02.0-04.8 | 63 | 3.5 | 02.3-04.7 |
| Female | 2659 | 1,978,038 | 2322 | 85.8 | 83.8-87.8 | 110 | 4.6 | 03.4-05.8 | 227 | 9.7 | 07.9-11.5 |
| White/Non-Hisp | 3872 | 2,972,368 | 3517 | 90.5 | 89.1-91.9 | 130 | 3.3 | 02.5-04.1 | 225 | 6.2 | 05.0-07.4 |
| Black or Afr. Am./Non-Hisp | 504 | 564,021 | 451 | 86.6 | 82.3-90.9 | 22 | 6.1 | 03.0-09.2 | 31 | 7.2 | 04.1-10.3 |
| Oth. Race/Non-Hisp. | 116 | 81,357 | 96 | 79.8 | 69.0-90.6 | 7 | 5.1 | 01.0-09.2 | 13 | 15.0 | 04.6-25.4 |
| MultiRacial/Non-Hisp. | 69 | 24,175 | 55 | 83.7 | 73.1-94.3 | 2 | 3.8 | 00.0-09.3 | 12 | 12.5 | 03.3-21.7 |
| Hispanic | 88 | 150,210 | 77 | 84.2 | 72.2-96.2 | 6 | 8.2 | 00.0-18.2 | 5 | 7.6 | 00.0-15.4 |
| 18-24 | 248 | 398,042 | 219 | 88.0 | 82.5-93.5 | 14 | 6.5 | 02.0-11.0 | 15 | 5.5 | 02.0-09.0 |
| 25-34 | 446 | 575,692 | 391 | 86.0 | 81.5-90.5 | 20 | 4.3 | 01.8-06.8 | 35 | 9.7 | 05.8-13.6 |
| 35-44 | 512 | 589,038 | 432 | 86.2 | 82.3-90.1 | 31 | 4.9 | 02.7-07.1 | 49 | 8.9 | 05.6-12.2 |
| 45-54 | 835 | 670,302 | 721 | 86.7 | 83.6-89.8 | 36 | 4.4 | 02.4-06.4 | 78 | 8.9 | 06.4-11.4 |
| 55-64 | 1009 | 675,748 | 898 | 89.2 | 86.7-91.7 | 41 | 5.0 | 02.8-07.2 | 70 | 5.8 | 04.0-07.6 |
| 65+ | 1670 | 932,989 | 1597 | 95.7 | 94.3-97.1 | 30 | 1.3 | 00.7-01.9 | 43 | 2.9 | 01.7-04.1 |
| Less Than H.S. | 437 | 507,994 | 395 | 87.8 | 83.1-92.5 | 10 | 3.5 | 00.8-06.2 | 32 | 8.6 | 04.5-12.7 |
| H.S. or G.E.D. | 1490 | 1,314,289 | 1335 | 88.6 | 86.1-91.1 | 61 | 4.6 | 02.8-06.4 | 94 | 6.8 | 04.8-08.8 |
| Some Post-H.S. | 1262 | 1,118,506 | 1110 | 87.1 | 84.6-89.6 | 55 | 4.6 | 03.0-06.2 | 97 | 8.3 | 06.1-10.5 |
| College Graduate | 1526 | 898,240 | 1414 | 93.9 | 92.3-95.5 | 45 | 2.7 | 01.7-03.7 | 67 | 3.4 | 02.4-04.4 |
| Less than \$15,000 | 495 | 348,236 | 414 | 84.2 | 79.3-89.1 | 25 | 6.2 | 02.5-09.9 | 56 | 9.7 | 06.2-13.2 |
| \$15,000- 24,999 | 749 | 582,908 | 662 | 84.6 | 80.5-88.7 | 31 | 4.8 | 02.6-07.0 | 56 | 10.7 | 06.8-14.6 |
| \$25,000- 34,999 | 387 | 320,317 | 353 | 89.9 | 84.4-95.4 | 13 | 5.7 | 00.6-10.8 | 21 | 4.4 | 02.0-06.8 |
| \$35,000- 49,999 | 597 | 467,487 | 528 | 87.2 | 83.5-90.9 | 28 | 5.3 | 02.9-07.7 | 41 | 7.5 | 04.6-10.4 |
| \$50,000- 74,999 | 606 | 538,157 | 544 | 87.1 | 83.0-91.2 | 25 | 4.2 | 01.8-06.6 | 37 | 8.7 | 05.2-12.2 |
| \$75,000+ | 1121 | 976,725 | 1042 | 93.5 | 91.3-95.7 | 31 | 2.7 | 01.5-03.9 | 48 | 3.8 | 02.0-05.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 29: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|-----|------------|----------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2061 | 1,863,772 | 1936 | 93.1 | 91.3-94.9 | 62 | 3.4 | 02.0-04.8 | 63 | 3.5 | 02.3-04.7 |
| White/Non-Hisp | 1711 | 1,441,759 | 1615 | 94.0 | 92.2-95.8 | 50 | 3.0 | 01.8-04.2 | 46 | 3.0 | 01.6-04.4 |
| Black or Afr. Am./Non-Hisp | 186 | 258,586 | 173 | 91.8 | 86.5-97.1 | 6 | 3.3 | 00.2-06.4 | 7 | 4.9 | 00.6-09.2 |
| Oth. Race/Non-Hisp. | 67 | 48,052 | 60 | 89.1 | 79.9-98.3 | 2 | 2.1 | 00.0-05.0 | 5 | 8.7 | 00.0-17.5 |
| 18-24 | 129 | 221,826 | 120 | 92.3 | 85.0-99.6 | 5 | 5.9 | 00.0-13.2 | 4 | 1.8 | 00.0-03.8 |
| 25-34 | 218 | 294,046 | 200 | 89.3 | 83.2-95.4 | 8 | 4.0 | 00.7-07.3 | 10 | 6.8 | 01.3-12.3 |
| 35-44 | 217 | 289,022 | 200 | 92.8 | 88.7-96.9 | 7 | 4.2 | 00.7-07.7 | 10 | 3.0 | 00.6-05.4 |
| 45-54 | 391 | 333,676 | 362 | 92.0 | 87.9-96.1 | 16 | 3.9 | 01.2-06.6 | 13 | 4.1 | 01.0-07.2 |
| 55-64 | 451 | 315,693 | 424 | 94.8 | 92.1-97.5 | 14 | 3.0 | 00.6-05.4 | 13 | 2.2 | 00.8-03.6 |
| 65+ | 655 | 409,508 | 630 | 95.8 | 93.4-98.2 | 12 | 1.2 | 00.4-02.0 | 13 | 3.0 | 00.6-05.4 |
| Less Than H.S. | 189 | 261,847 | 176 | 91.2 | 84.7-97.7 | 2 | 0.7 | 00.0-01.7 | 11 | 8.1 | 01.6-14.6 |
| H.S. or G.E.D. | 639 | 641,420 | 593 | 92.8 | 89.7-95.9 | 25 | 4.8 | 01.9-07.7 | 21 | 2.5 | 01.1-03.9 |
| Some Post-H.S. | 514 | 509,013 | 480 | 91.6 | 88.1-95.1 | 16 | 3.8 | 01.3-06.3 | 18 | 4.5 | 02.0-07.0 |
| College Graduate | 717 | 450,967 | 686 | 96.2 | 94.2-98.2 | 18 | 2.7 | 00.9-04.5 | 13 | 1.1 | 00.3-01.9 |
| Less than \$15,000 | 167 | 145,630 | 154 | 91.6 | 85.3-97.9 | 5 | 2.6 | 00.0-05.5 | 8 | 5.8 | 00.1-11.5 |
| \$15,000- 24,999 | 273 | 237,515 | 248 | 90.1 | 84.8-95.4 | 13 | 4.9 | 01.4-08.4 | 12 | 5.0 | 00.9-09.1 |
| \$25,000- 34,999 | 168 | 154,549 | 154 | 88.2 | 78.2-98.2 | 6 | 7.6 | 00.0-17.4 | 8 | 4.2 | 00.5-07.9 |
| \$35,000- 49,999 | 270 | 239,258 | 253 | 93.4 | 89.1-97.7 | 10 | 3.1 | 00.7-05.5 | 7 | 3.5 | 00.0-07.2 |
| \$50,000- 74,999 | 313 | 306,355 | 294 | 91.4 | 86.9-95.9 | 9 | 4.4 | 00.9-07.9 | 10 | 4.3 | 01.4-07.2 |
| \$75,000+ | 605 | 551,337 | 577 | 95.3 | 92.4-98.2 | 15 | 2.2 | 00.6-03.8 | 13 | 2.5 | 00.0-05.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 30: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, TRY TO MAKE YOU TOUCH THEM SEXUALLY? (ACETTHEM)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|-----|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2659 | 1,978,038 | 2322 | 85.8 | 83.8-87.8 | 110 | 4.6 | 03.4-05.8 | 227 | 9.7 | 07.9-11.5 |
| White/Non-Hisp | 2161 | 1,530,609 | 1902 | 87.1 | 85.1-89.1 | 80 | 3.6 | 02.6-04.6 | 179 | 9.3 | 07.5-11.1 |
| Black or Afr. Am./Non-Hisp | 318 | 305,435 | 278 | 82.3 | 76.0-88.6 | 16 | 8.6 | 03.7-13.5 | 24 | 9.1 | 04.6-13.6 |
| 18-24 | 119 | 176,216 | 99 | 82.5 | 73.9-91.1 | 9 | 7.2 | 02.1-12.3 | 11 | 10.3 | 02.9-17.7 |
| 25-34 | 228 | 281,646 | 191 | 82.7 | 76.0-89.4 | 12 | 4.5 | 00.8-08.2 | 25 | 12.8 | 06.9-18.7 |
| 35-44 | 295 | 300,015 | 232 | 79.9 | 73.6-86.2 | 24 | 5.6 | 02.9-08.3 | 39 | 14.5 | 08.4-20.6 |
| 45-54 | 444 | 336,625 | 359 | 81.4 | 76.9-85.9 | 20 | 4.8 | 02.3-07.3 | 65 | 13.7 | 09.6-17.8 |
| 55-64 | 558 | 360,054 | 474 | 84.3 | 80.2-88.4 | 27 | 6.7 | 03.4-10.0 | 57 | 9.0 | 06.1-11.9 |
| 65+ | 1015 | 523,481 | 967 | 95.7 | 94.1-97.3 | 18 | 1.4 | 00.6-02.2 | 30 | 2.9 | 01.5-04.3 |
| Less Than H.S. | 248 | 246,147 | 219 | 84.2 | 77.1-91.3 | 8 | 6.5 | 01.0-12.0 | 21 | 9.3 | 04.2-14.4 |
| H.S. or G.E.D. | 851 | 672,869 | 742 | 84.6 | 80.9-88.3 | 36 | 4.4 | 02.8-06.0 | 73 | 11.0 | 07.7-14.3 |
| Some Post-H.S. | 748 | 609,493 | 630 | 83.3 | 79.8-86.8 | 39 | 5.3 | 03.3-07.3 | 79 | 11.4 | 08.3-14.5 |
| College Graduate | 809 | 447,273 | 728 | 91.6 | 89.2-94.0 | 27 | 2.8 | 01.4-04.2 | 54 | 5.6 | 03.6-07.6 |
| Less than \$15,000 | 328 | 202,607 | 260 | 78.8 | 71.9-85.7 | 20 | 8.7 | 02.6-14.8 | 48 | 12.5 | 08.2-16.8 |
| \$15,000- 24,999 | 476 | 345,393 | 414 | 80.8 | 74.9-86.7 | 18 | 4.7 | 02.2-07.2 | 44 | 14.5 | 08.8-20.2 |
| \$25,000- 34,999 | 219 | 165,769 | 199 | 91.4 | 87.1-95.7 | 7 | 4.0 | 00.5-07.5 | 13 | 4.5 | 01.8-07.2 |
| \$35,000- 49,999 | 327 | 228,229 | 275 | 80.7 | 75.0-86.4 | 18 | 7.7 | 03.8-11.6 | 34 | 11.6 | 07.1-16.1 |
| \$50,000- 74,999 | 293 | 231,802 | 250 | 81.4 | 74.3-88.5 | 16 | 4.0 | 01.3-06.7 | 27 | 14.6 | 07.7-21.5 |
| \$75,000+ | 516 | 425,388 | 465 | 91.2 | 88.3-94.1 | 16 | 3.2 | 01.4-05.0 | 35 | 5.5 | 03.1-07.9 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 31: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents with refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|-----|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4725 | 3,844,455 | 4442 | 93.6 | 92.6-94.6 | 83 | 1.8 | 01.2-02.4 | 200 | 4.6 | 03.6-05.6 |
| Male | 2062 | 1,867,943 | 2002 | 96.9 | 95.7-98.1 | 19 | 0.7 | 00.3-01.1 | 41 | 2.4 | 01.2-03.6 |
| Female | 2663 | 1,976,513 | 2440 | 90.5 | 88.9-92.1 | 64 | 2.9 | 01.9-03.9 | 159 | 6.7 | 05.3-08.1 |
| White/Non-Hisp | 3876 | 2,977,122 | 3677 | 94.6 | 93.6-95.6 | 58 | 1.4 | 01.0-01.8 | 141 | 3.9 | 02.9-04.9 |
| Black or Afr. Am./Non-Hisp | 501 | 559,172 | 461 | 91.0 | 87.5-94.5 | 11 | 2.8 | 00.6-05.0 | 29 | 6.3 | 03.4-09.2 |
| Oth. Race/Non-Hisp. | 117 | 79,224 | 100 | 83.3 | 73.1-93.5 | 6 | 6.1 | 00.8-11.4 | 11 | 10.6 | 01.2-20.0 |
| MultiRacial/Non-Hisp. | 70 | 25,182 | 60 | 88.9 | 80.1-97.7 | 3 | 2.5 | 00.0-05.6 | 7 | 8.6 | 00.4-16.8 |
| Hispanic | 90 | 154,473 | 81 | 91.3 | 85.2-97.4 | 4 | 3.4 | 00.0-06.9 | 5 | 5.2 | 00.1-10.3 |
| 18-24 | 248 | 398,980 | 233 | 95.9 | 93.7-98.1 | 5 | 1.7 | 00.1-03.3 | 10 | 2.5 | 00.9-04.1 |
| 25-34 | 445 | 570,754 | 410 | 92.0 | 88.5-95.5 | 15 | 3.0 | 00.8-05.2 | 20 | 5.0 | 02.1-07.9 |
| 35-44 | 515 | 590,984 | 468 | 89.9 | 86.2-93.6 | 16 | 2.5 | 00.9-04.1 | 31 | 7.6 | 04.1-11.1 |
| 45-54 | 835 | 672,835 | 762 | 91.3 | 88.8-93.8 | 12 | 1.5 | 00.3-02.7 | 61 | 7.2 | 04.8-09.6 |
| 55-64 | 1013 | 678,186 | 943 | 93.9 | 92.1-95.7 | 22 | 1.7 | 00.9-02.5 | 48 | 4.4 | 02.8-06.0 |
| 65+ | 1669 | 932,717 | 1626 | 97.5 | 96.5-98.5 | 13 | 0.9 | 00.3-01.5 | 30 | 1.6 | 01.0-02.2 |
| Less Than H.S. | 441 | 511,225 | 397 | 90.1 | 86.0-94.2 | 13 | 2.4 | 00.8-04.0 | 31 | 7.5 | 03.8-11.2 |
| H.S. or G.E.D. | 1487 | 1,311,073 | 1386 | 92.8 | 91.0-94.6 | 25 | 1.9 | 00.9-02.9 | 76 | 5.4 | 03.8-07.0 |
| Some Post-H.S. | 1263 | 1,119,594 | 1178 | 93.0 | 91.0-95.0 | 23 | 2.1 | 01.1-03.1 | 62 | 4.9 | 03.3-06.5 |
| College Graduate | 1528 | 898,441 | 1476 | 97.8 | 97.0-98.6 | 22 | 1.0 | 00.4-01.6 | 30 | 1.2 | 00.6-01.8 |
| Less than \$15,000 | 495 | 348,183 | 433 | 89.0 | 85.5-92.5 | 12 | 2.0 | 00.6-03.4 | 50 | 9.0 | 05.7-12.3 |
| \$15,000- 24,999 | 749 | 580,754 | 687 | 90.7 | 87.6-93.8 | 19 | 2.9 | 00.9-04.9 | 43 | 6.5 | 03.8-09.2 |
| \$25,000- 34,999 | 386 | 320,774 | 359 | 93.0 | 89.9-96.1 | 11 | 2.7 | 00.7-04.7 | 16 | 4.3 | 01.8-06.8 |
| \$35,000- 49,999 | 597 | 466,934 | 564 | 93.2 | 90.3-96.1 | 9 | 1.7 | 00.5-02.9 | 24 | 5.1 | 02.4-07.8 |
| \$50,000- 74,999 | 608 | 542,643 | 578 | 92.4 | 89.1-95.7 | 12 | 3.2 | 01.0-05.4 | 18 | 4.4 | 01.7-07.1 |
| \$75,000+ | 1125 | 979,407 | 1090 | 97.2 | 95.6-98.8 | 13 | 0.7 | 00.1-01.3 | 22 | 2.0 | 00.4-03.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 32: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|-----|------------|----------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2062 | 1,867,943 | 2002 | 96.9 | 95.7-98.1 | 19 | 0.7 | 00.3-01.1 | 41 | 2.4 | 01.2-03.6 |
| White/Non-Hisp | 1713 | 1,447,780 | 1670 | 97.7 | 96.5-98.9 | 15 | 0.7 | 00.1-01.3 | 28 | 1.6 | 00.6-02.6 |
| Black or Afr. Am./Non-Hisp | 185 | 258,418 | 176 | 93.5 | 88.2-98.8 | 2 | 0.5 | 00.0-01.1 | 7 | 6.1 | 01.0-11.2 |
| Oth. Race/Non-Hisp. | 66 | 45,363 | 63 | 95.7 | 90.8-0100 | 1 | 1.2 | 00.0-03.6 | 2 | 3.1 | 00.0-07.4 |
| 18-24 | 130 | 223,392 | 125 | 98.0 | 96.0-0100 | 2 | 0.9 | 00.0-02.3 | 3 | 1.1 | 00.0-02.7 |
| 25-34 | 218 | 293,082 | 209 | 95.2 | 90.5-99.9 | 5 | 1.3 | 00.1-02.5 | 4 | 3.6 | 00.0-08.1 |
| 35-44 | 218 | 289,890 | 211 | 96.6 | 93.3-99.9 | 1 | 0.2 | 00.0-00.6 | 6 | 3.2 | 00.0-06.5 |
| 45-54 | 391 | 335,318 | 376 | 95.6 | 92.3-98.9 | 6 | 1.5 | 00.0-03.5 | 9 | 2.9 | 00.2-05.6 |
| 55-64 | 452 | 317,335 | 439 | 97.5 | 95.3-99.7 | 4 | 0.4 | 00.0-00.8 | 9 | 2.1 | 00.0-04.3 |
| 65+ | 653 | 408,925 | 642 | 98.6 | 97.6-99.6 | 1 | 0.1 | 00.0-00.3 | 10 | 1.3 | 00.3-02.3 |
| Less Than H.S. | 191 | 263,656 | 179 | 93.0 | 87.1-98.9 | 3 | 0.9 | 00.0-02.1 | 9 | 6.0 | 00.3-11.7 |
| H.S. or G.E.D. | 639 | 643,820 | 619 | 97.1 | 95.5-98.7 | 5 | 0.5 | 00.1-00.9 | 15 | 2.4 | 00.8-04.0 |
| Some Post-H.S. | 514 | 510,257 | 501 | 96.9 | 94.7-99.1 | 3 | 1.0 | 00.0-02.4 | 10 | 2.1 | 00.3-03.9 |
| College Graduate | 716 | 449,686 | 701 | 99.0 | 98.4-99.6 | 8 | 0.6 | 00.2-01.0 | 7 | 0.4 | 00.0-00.8 |
| Less than \$15,000 | 168 | 146,431 | 160 | 94.5 | 89.0-0100 | 2 | 0.8 | 00.0-02.0 | 6 | 4.7 | 00.0-10.2 |
| \$15,000- 24,999 | 272 | 235,140 | 260 | 96.3 | 93.4-99.2 | 3 | 0.5 | 00.0-01.1 | 9 | 3.2 | 00.5-05.9 |
| \$25,000- 34,999 | 166 | 154,060 | 159 | 95.7 | 92.0-99.4 | 2 | 0.4 | 00.0-01.0 | 5 | 3.9 | 00.2-07.6 |
| \$35,000- 49,999 | 271 | 241,488 | 265 | 96.9 | 93.4-0100 | 3 | 1.0 | 00.0-02.2 | 3 | 2.1 | 00.0-05.4 |
| \$50,000- 74,999 | 314 | 309,752 | 306 | 96.7 | 94.2-99.2 | 3 | 1.7 | 00.0-03.9 | 5 | 1.5 | 00.0-03.1 |
| \$75,000+ | 606 | 552,204 | 591 | 97.5 | 95.0-0100 | 6 | 0.4 | 00.0-00.8 | 9 | 2.1 | 00.0-04.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 22: ADVERSE CHILDHOOD EXPERIENCE**

**TABLE 33: HOW OFTEN DID ANYONE AT LEAST 5 YEARS OLDER THAN YOU OR AN ADULT, FORCE YOU TO HAVE SEX? (ACEHVSEX)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Never | | | Once | | | More than once | | |
|----------------------------|-------------------|-----------|-------|------|------------|------|------|------------|----------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2663 | 1,976,513 | 2440 | 90.5 | 88.9-92.1 | 64 | 2.9 | 01.9-03.9 | 159 | 6.7 | 05.3-08.1 |
| White/Non-Hisp | 2163 | 1,529,343 | 2007 | 91.7 | 89.9-93.5 | 43 | 2.2 | 01.4-03.0 | 113 | 6.1 | 04.5-07.7 |
| Black or Afr. Am./Non-Hisp | 316 | 300,754 | 285 | 88.8 | 84.1-93.5 | 9 | 4.7 | 01.0-08.4 | 22 | 6.4 | 03.3-09.5 |
| Oth. Race/Non-Hisp. | 51 | 33,861 | 37 | 66.6 | 47.0-86.2 | 5 | 12.8 | 01.0-24.6 | 9 | 20.6 | 01.6-39.6 |
| 18-24 | 118 | 175,588 | 108 | 93.1 | 88.8-97.4 | 3 | 2.7 | 00.0-05.8 | 7 | 4.1 | 01.0-07.2 |
| 25-34 | 227 | 277,671 | 201 | 88.6 | 83.1-94.1 | 10 | 4.8 | 00.9-08.7 | 16 | 6.6 | 02.7-10.5 |
| 35-44 | 297 | 301,094 | 257 | 83.4 | 77.1-89.7 | 15 | 4.8 | 01.9-07.7 | 25 | 11.8 | 05.9-17.7 |
| 45-54 | 444 | 337,518 | 386 | 87.1 | 83.2-91.0 | 6 | 1.5 | 00.1-02.9 | 52 | 11.4 | 07.7-15.1 |
| 55-64 | 561 | 360,850 | 504 | 90.8 | 87.9-93.7 | 18 | 2.9 | 01.3-04.5 | 39 | 6.3 | 03.8-08.8 |
| 65+ | 1016 | 523,791 | 984 | 96.6 | 95.2-98.0 | 12 | 1.6 | 00.4-02.8 | 20 | 1.7 | 00.7-02.7 |
| Less Than H.S. | 250 | 247,569 | 218 | 87.0 | 81.3-92.7 | 10 | 3.9 | 00.8-07.0 | 22 | 9.1 | 04.0-14.2 |
| H.S. or G.E.D. | 848 | 667,253 | 767 | 88.6 | 85.5-91.7 | 20 | 3.2 | 01.2-05.2 | 61 | 8.2 | 05.7-10.7 |
| Some Post-H.S. | 749 | 609,336 | 677 | 89.6 | 86.7-92.5 | 20 | 3.1 | 01.5-04.7 | 52 | 7.2 | 04.7-09.7 |
| College Graduate | 812 | 448,755 | 775 | 96.6 | 95.0-98.2 | 14 | 1.4 | 00.4-02.4 | 23 | 2.0 | 00.8-03.2 |
| Less than \$15,000 | 327 | 201,752 | 273 | 85.1 | 80.2-90.0 | 10 | 2.9 | 00.7-05.1 | 44 | 12.0 | 07.7-16.3 |
| \$15,000- 24,999 | 477 | 345,614 | 427 | 86.8 | 81.9-91.7 | 16 | 4.5 | 01.4-07.6 | 34 | 8.7 | 04.6-12.8 |
| \$25,000- 34,999 | 220 | 166,714 | 200 | 90.5 | 85.6-95.4 | 9 | 4.7 | 01.0-08.4 | 11 | 4.8 | 01.5-08.1 |
| \$35,000- 49,999 | 326 | 225,446 | 299 | 89.4 | 84.9-93.9 | 6 | 2.3 | 00.1-04.5 | 21 | 8.3 | 04.2-12.4 |
| \$50,000- 74,999 | 294 | 232,891 | 272 | 86.8 | 80.1-93.5 | 9 | 5.0 | 01.1-08.9 | 13 | 8.2 | 02.3-14.1 |
| \$75,000+ | 519 | 427,202 | 499 | 96.9 | 95.3-98.5 | 7 | 1.2 | 00.0-02.4 | 13 | 1.9 | 00.7-03.1 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 23: Family Planning CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| THE LAST TIME YOU HAD SEX WITH A MAN, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN3) | |
| 1 FEMALES ONLY | 124 |
| 2 THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8) | 125 |
| 3 | 126 |
| 4 | |
| WHAT WAS YOUR MAIN REASON FOR NOT USING A METHOD TO PREVENT PREGNANCY THE LAST TIME YOU HAD SEX WITH A MAN? (NOBCUSE7) | |
| 4 FEMALES ONLY | 127 |
| 5 THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8) | 128 |
| 6 | 129 |
| 4 | |
| 9 | |
| 7 FEMALES ONLY | 130 |
| 8 THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8) | 131 |
| 9 | 132 |
| 4 | |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 23: Family Planning**

TABLE 1: THE LAST TIME YOU HAD SEX WITH A MAN, DID YOU OR YOUR PARTNER DO ANYTHING TO KEEP YOU FROM GETTING PREGNANT? (PFPPRVN3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes | | | No | | | No Partner Not Sexually Active | | | Same Sex Partner | | |
|----------------------------|-------------------|----------|-----|------|------------|-----|------|------------|--------------------------------|------|------------|------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| FEMALES ONLY | 804 | 857,034 | 422 | 54.7 | 50.0-59.4 | 349 | 40.1 | 35.6-44.6 | 27 | 4.9 | 02.5-07.3 | 6 | 0.3 | 00.0-00.7 |
| Female | 804 | 857,034 | 422 | 54.7 | 50.0-59.4 | 349 | 40.1 | 35.6-44.6 | 27 | 4.9 | 02.5-07.3 | 6 | 0.3 | 00.0-00.7 |
| White/Non-Hisp | 601 | 599,501 | 315 | 53.9 | 48.6-59.2 | 262 | 40.2 | 35.1-45.3 | 20 | 5.5 | 02.4-08.6 | 4 | 0.4 | 00.0-00.8 |
| Black or Afr. Am./Non-Hisp | 126 | 171,497 | 68 | 56.3 | 45.1-67.5 | 54 | 39.4 | 28.4-50.4 | 4 | 4.3 | 00.0-08.6 | | | |
| 18-24 | 118 | 178,400 | 84 | 63.2 | 51.4-75.0 | 19 | 20.0 | 10.8-29.2 | 14 | 16.5 | 06.7-26.3 | 1 | 0.4 | 00.0-01.2 |
| 25-34 | 215 | 264,129 | 144 | 67.4 | 59.4-75.4 | 58 | 28.5 | 20.7-36.3 | 10 | 3.7 | 01.2-06.2 | 3 | 0.4 | 00.0-01.0 |
| 35-44 | 287 | 288,821 | 117 | 44.4 | 36.8-52.0 | 169 | 55.3 | 47.7-62.9 | 1 | 0.3 | 00.0-00.9 | | | |
| 45-54 | 184 | 125,683 | 77 | 39.4 | 30.6-48.2 | 103 | 58.1 | 49.3-66.9 | 2 | 1.6 | 00.0-03.8 | 2 | 0.9 | 00.0-02.3 |
| H.S. or G.E.D. | 219 | 275,675 | 101 | 44.4 | 35.8-53.0 | 108 | 49.5 | 40.7-58.3 | 8 | 5.8 | 00.3-11.3 | 2 | 0.3 | 00.0-00.7 |
| Some Post-H.S. | 247 | 293,161 | 143 | 64.4 | 56.8-72.0 | 96 | 30.7 | 23.6-37.8 | 6 | 4.4 | 00.5-08.3 | 2 | 0.5 | 00.0-01.3 |
| College Graduate | 289 | 206,888 | 161 | 58.1 | 50.8-65.4 | 114 | 35.9 | 28.8-43.0 | 12 | 5.8 | 02.3-09.3 | 2 | 0.2 | 00.0-00.6 |
| Less than \$15,000 | 85 | 73,039 | 46 | 56.3 | 41.2-71.4 | 36 | 40.2 | 25.3-55.1 | 1 | 1.9 | 00.0-05.6 | 2 | 1.6 | 00.0-04.0 |
| \$15,000- 24,999 | 137 | 158,193 | 71 | 50.2 | 38.8-61.6 | 63 | 48.6 | 37.2-60.0 | 2 | 0.8 | 00.0-02.0 | 1 | 0.4 | 00.0-01.2 |
| \$25,000- 34,999 | 61 | 72,118 | 32 | 52.5 | 36.6-68.4 | 26 | 41.8 | 26.1-57.5 | 3 | 5.7 | 00.0-12.2 | | | |
| \$35,000- 49,999 | 108 | 100,911 | 58 | 58.5 | 47.3-69.7 | 47 | 40.3 | 29.1-51.5 | 1 | 0.7 | 00.0-02.1 | 2 | 0.5 | 00.0-01.3 |
| \$50,000- 74,999 | 97 | 101,456 | 56 | 60.4 | 47.3-73.5 | 39 | 36.6 | 23.7-49.5 | 2 | 3.0 | 00.0-07.7 | | | |
| \$75,000+ | 218 | 210,657 | 105 | 48.9 | 40.5-57.3 | 104 | 44.8 | 36.4-53.2 | 9 | 6.4 | 01.5-11.3 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 23: Family Planning**

TABLE 2: THE LAST TIME YOU HAD SEX WITH A MAN, WHAT DID YOU OR YOUR PARTNER DO TO KEEP YOU FROM GETTING PREGNANT? (TYPCNTR8)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Surgical (1-6) | | | Drugs (7,8) | | | Condoms (11,12,13) | | | External Contraceptives (9,10,11,16) | | | Withdrawal, Rhythm, No Sex(14,15) | | | Emergencies or Other (17,18) | | |
|----------------------------|-------------------|----------|----------------|------|------------|-------------|------|------------|--------------------|------|------------|--------------------------------------|-----|------------|-----------------------------------|-----|------------|------------------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 403 | 450,749 | 148 | 28.1 | 22.8-33.4 | 128 | 35.2 | 28.9-41.5 | 100 | 29.8 | 23.5-36.1 | 6 | 1.7 | 00.1-03.3 | 10 | 1.9 | 00.1-03.7 | 11 | 3.2 | 00.7-05.7 |
| White/Non-Hisp | 298 | 308,167 | 122 | 31.9 | 25.6-38.2 | 100 | 38.1 | 30.7-45.5 | 55 | 22.2 | 15.1-29.3 | 5 | 1.9 | 00.0-03.9 | 9 | 2.7 | 00.2-05.2 | 7 | 3.2 | 00.0-06.7 |
| Black or Afr. Am./Non-Hisp | 68 | 96,619 | 14 | 14.0 | 05.4-22.6 | 20 | 30.8 | 16.7-44.9 | 32 | 52.6 | 37.3-67.9 | | | | | | | 2 | 2.6 | 00.0-06.3 |
| 18-24 | 79 | 106,086 | 9 | 5.6 | 01.3-09.9 | 45 | 49.6 | 34.3-64.9 | 21 | 38.6 | 22.5-54.7 | 2 | 2.7 | 00.0-06.6 | | | | 2 | 3.5 | 00.0-08.8 |
| 25-34 | 140 | 175,816 | 41 | 21.4 | 13.8-29.0 | 48 | 41.4 | 30.8-52.0 | 39 | 30.8 | 20.8-40.8 | 2 | 1.2 | 00.0-02.8 | 6 | 4.0 | 00.0-08.1 | 4 | 1.2 | 00.0-02.6 |
| 35-44 | 111 | 123,010 | 50 | 43.5 | 31.5-55.5 | 26 | 21.8 | 12.4-31.2 | 29 | 26.9 | 15.9-37.9 | 1 | 2.1 | 00.0-06.2 | 2 | 0.8 | 00.0-02.0 | 3 | 5.0 | 00.0-12.4 |
| 45-54 | 73 | 45,837 | 48 | 64.7 | 51.4-78.0 | 9 | 14.0 | 04.4-23.6 | 11 | 13.4 | 04.4-22.4 | 1 | 0.9 | 00.0-02.7 | 2 | 1.6 | 00.0-04.1 | 2 | 5.4 | 00.0-13.0 |
| H.S. or G.E.D. | 99 | 120,302 | 27 | 17.4 | 10.0-24.8 | 37 | 41.9 | 29.2-54.6 | 26 | 28.4 | 16.4-40.4 | 4 | 4.0 | 00.0-08.1 | | | | 5 | 8.3 | 00.0-17.1 |
| Some Post-H.S. | 136 | 179,458 | 57 | 38.2 | 28.4-48.0 | 38 | 32.0 | 21.8-42.2 | 32 | 23.5 | 15.1-31.9 | 1 | 1.4 | 00.0-04.1 | 3 | 2.5 | 00.0-06.4 | 5 | 2.3 | 00.0-04.7 |
| College Graduate | 152 | 114,634 | 64 | 32.4 | 24.0-40.8 | 47 | 37.3 | 27.3-47.3 | 32 | 26.0 | 16.6-35.4 | 1 | 0.4 | 00.0-01.2 | 7 | 3.7 | 00.6-06.8 | 1 | 0.3 | 00.0-00.9 |
| \$15,000- 24,999 | 68 | 76,382 | 20 | 25.3 | 14.7-35.9 | 24 | 41.5 | 27.2-55.8 | 20 | 26.3 | 13.8-38.8 | 2 | 5.9 | 00.0-13.9 | | | | 2 | 1.1 | 00.0-02.7 |
| \$35,000- 49,999 | 58 | 59,076 | 20 | 24.5 | 12.7-36.3 | 14 | 29.9 | 13.6-46.2 | 20 | 36.0 | 20.7-51.3 | 1 | 2.1 | 00.0-06.2 | 2 | 2.9 | 00.0-07.4 | 1 | 4.6 | 00.0-13.2 |
| \$50,000- 74,999 | 54 | 59,896 | 26 | 35.5 | 18.4-52.6 | 12 | 21.2 | 06.7-35.7 | 13 | 33.1 | 14.5-51.7 | | | | 2 | 2.2 | 00.0-05.3 | 1 | 7.9 | 00.0-22.6 |
| \$75,000+ | 98 | 96,792 | 52 | 50.3 | 37.6-63.0 | 27 | 32.0 | 20.0-44.0 | 14 | 15.5 | 07.3-23.7 | 1 | 0.4 | 00.0-01.2 | 4 | 1.8 | 00.0-03.8 | | | |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 23: Family Planning**

TABLE 3: WHAT WAS YOUR MAIN REASON FOR NOT USING A METHOD TO PREVENT PREGNANCY THE LAST TIME YOU HAD SEX WITH A MAN? (NOBCUSE7)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Women that are pregnant or Age GE 50.

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Inactive, same sex partner(1,18) | | | Want to get pregnant currently pregnant (2,3,4,17) | | | Don't want to use, can't use BC, can't pay for BC (5,6,7,8) | | | Surgical (12,13,14) | | | Religious Physical (09,11,15,16) | | | Lapse Method, Same Sex or Other (10,19) | | |
|--------------------|-------------------|----------|----------------------------------|-----|------------|--|------|------------|---|-----|------------|---------------------|------|------------|----------------------------------|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 324 | 318,438 | 7 | 1.1 | 00.1-02.1 | 57 | 21.2 | 14.9-27.5 | 5 | 2.3 | 00.0-04.7 | 160 | 45.9 | 39.0-52.8 | 59 | 19.6 | 13.9-25.3 | 36 | 10.0 | 06.1-13.9 |
| White/Non-Hisp | 249 | 229,369 | 4 | 0.9 | 00.0-02.1 | 42 | 19.2 | 13.3-25.1 | 5 | 3.1 | 00.0-06.2 | 134 | 50.1 | 42.7-57.5 | 40 | 18.3 | 11.8-24.8 | 24 | 8.4 | 04.1-12.7 |
| 25-34 | 52 | 68,796 | 1 | 1.7 | 00.0-05.0 | 21 | 33.3 | 17.6-49.0 | 1 | 0.7 | 00.0-02.1 | 17 | 37.5 | 20.4-54.6 | 9 | 24.3 | 11.0-37.6 | 3 | 2.4 | 00.0-05.3 |
| 35-44 | 157 | 150,208 | 5 | 1.2 | 00.0-02.4 | 20 | 10.5 | 04.8-16.2 | 3 | 3.6 | 00.0-08.1 | 87 | 56.6 | 46.8-66.4 | 29 | 19.5 | 10.7-28.3 | 13 | 8.6 | 03.1-14.1 |
| 45-54 | 99 | 69,580 | 1 | 0.5 | 00.0-01.5 | 6 | 8.7 | 00.0-17.5 | | | | 56 | 51.0 | 38.3-63.7 | 21 | 23.3 | 11.9-34.7 | 15 | 16.4 | 06.4-26.4 |
| H.S. or G.E.D. | 101 | 127,772 | 2 | 0.7 | 00.0-01.9 | 19 | 25.9 | 14.1-37.7 | 2 | 1.4 | 00.0-03.6 | 48 | 42.3 | 29.8-54.8 | 23 | 23.7 | 12.7-34.7 | 7 | 6.1 | 00.8-11.4 |
| Some Post-H.S. | 89 | 80,401 | 1 | 1.5 | 00.0-04.4 | 13 | 15.2 | 06.2-24.2 | 2 | 3.6 | 00.0-09.5 | 49 | 50.0 | 37.8-62.2 | 15 | 19.7 | 10.3-29.1 | 9 | 10.0 | 02.6-17.4 |
| College Graduate | 106 | 70,298 | 3 | 1.3 | 00.0-02.9 | 22 | 24.4 | 13.0-35.8 | 1 | 3.6 | 00.0-10.5 | 45 | 37.7 | 25.9-49.5 | 18 | 17.2 | 08.0-26.4 | 17 | 15.8 | 07.2-24.4 |
| \$15,000- 24,999 | 58 | 71,825 | 1 | 0.5 | 00.0-01.5 | 10 | 25.7 | 08.5-42.9 | 1 | 1.7 | 00.0-05.0 | 32 | 56.4 | 38.2-74.6 | 7 | 7.0 | 00.7-13.3 | 7 | 8.6 | 00.8-16.4 |
| \$75,000+ | 99 | 91,197 | 1 | 0.7 | 00.0-02.1 | 23 | 20.2 | 10.4-30.0 | 1 | 0.5 | 00.0-01.5 | 45 | 47.7 | 36.9-58.5 | 17 | 19.8 | 08.2-31.4 | 12 | 11.0 | 04.3-17.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019**

MODULE 25: MARIJUANA USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

| TABLE | PAGE |
|--|------|
| DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1) | |
| 1 MALES AND FEMALES | 134 |
| 2 MALES ONLY | 135 |
| 3 FEMALES ONLY | 136 |
| DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY  | |
| PLEASE SELECT ONE. DID YOU  (USEMR | |
| 4 MALES AND FEMALES | 137 |
| 5 MALES ONLY | 138 |
| 6 FEMALES ONLY | 139 |
| WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1) | |
| 7 MALES AND FEMALES | 140 |
| 8 MALES ONLY | 141 |
| 9 FEMALES ONLY | 142 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 25: MARIJUANA USE**

**TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | NONE | | | 1 Day | | | 2-5 Days | | | 6-10 Days | | | 11-20 Days | | | 21-30 Days | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|-----|------------|----------|-----|------------|-----------|-----|------------|------------|-----|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4730 | 3,852,683 | 4349 | 89.0 | 87.6-90.4 | 45 | 1.1 | 0.07-01.5 | 101 | 2.7 | 01.9-03.5 | 41 | 1.4 | 0.08-02.0 | 40 | 1.0 | 0.06-01.4 | 154 | 4.8 | 03.8-05.8 |
| Male | 2053 | 1,861,491 | 1823 | 85.8 | 83.4-88.2 | 26 | 1.5 | 0.07-02.3 | 59 | 3.2 | 02.0-04.4 | 27 | 2.0 | 01.0-03.0 | 26 | 1.3 | 0.07-01.9 | 92 | 6.3 | 04.5-08.1 |
| Female | 2677 | 1,991,192 | 2526 | 91.9 | 90.3-93.5 | 19 | 0.8 | 0.04-01.2 | 42 | 2.3 | 01.3-03.3 | 14 | 0.9 | 0.03-01.5 | 14 | 0.7 | 0.03-01.1 | 62 | 3.4 | 02.2-04.6 |
| White/Non-Hisp | 3876 | 2,985,251 | 3608 | 91.1 | 89.7-92.5 | 33 | 0.9 | 0.05-01.3 | 71 | 2.3 | 01.5-03.1 | 27 | 1.1 | 0.07-01.5 | 28 | 0.9 | 0.05-01.3 | 109 | 3.7 | 02.7-04.7 |
| Black or Afr. Am./Non-Hisp | 504 | 563,187 | 440 | 83.1 | 78.4-87.8 | 6 | 2.2 | 0.00-04.4 | 22 | 5.7 | 03.0-08.4 | 7 | 1.4 | 0.00-03.0 | 5 | 1.4 | 0.00-02.8 | 24 | 6.2 | 03.5-08.9 |
| Oth. Race/Non-Hisp. | 116 | 81,145 | 97 | 81.9 | 71.7-92.1 | 1 | 0.8 | 0.00-02.4 | 6 | 3.2 | 0.03-06.1 | 4 | 3.9 | 0.00-08.0 | 1 | 0.5 | 0.00-01.5 | 7 | 9.8 | 0.6-19.0 |
| MultiRacial/Non-Hisp. | 72 | 25,545 | 60 | 84.8 | 75.8-93.8 | 3 | 3.9 | 0.00-08.4 | 1 | 1.6 | 0.00-04.7 | 3 | 4.0 | 0.00-08.9 | 5 | 5.7 | 0.00-10.8 | 5 | 5.7 | 0.6-10.8 |
| Hispanic | 89 | 150,541 | 73 | 70.2 | 55.7-84.7 | 2 | 1.7 | 0.00-04.2 | 1 | 0.8 | 0.00-02.4 | 3 | 7.3 | 0.00-16.1 | 2 | 0.8 | 0.00-02.0 | 8 | 19.1 | 05.6-32.6 |
| 18-24 | 250 | 403,969 | 190 | 77.4 | 70.5-84.3 | 7 | 2.3 | 0.01-04.5 | 14 | 3.2 | 01.2-05.2 | 10 | 5.6 | 01.9-09.3 | 5 | 1.6 | 0.00-03.6 | 24 | 9.9 | 04.4-15.4 |
| 25-34 | 447 | 573,948 | 376 | 83.6 | 79.1-88.1 | 13 | 2.1 | 0.05-03.7 | 16 | 3.6 | 01.4-05.8 | 7 | 1.0 | 0.02-01.8 | 5 | 0.7 | 0.01-01.3 | 30 | 8.9 | 05.2-12.6 |
| 35-44 | 509 | 587,667 | 443 | 82.7 | 77.6-87.8 | 6 | 1.9 | 0.01-03.7 | 18 | 4.7 | 02.0-07.4 | 6 | 1.8 | 0.00-03.8 | 7 | 1.1 | 0.01-02.1 | 29 | 7.8 | 03.9-11.7 |
| 45-54 | 841 | 676,510 | 779 | 92.3 | 89.8-94.8 | 3 | 0.2 | 0.00-00.4 | 19 | 2.5 | 0.05-04.5 | 5 | 0.7 | 0.00-01.5 | 10 | 1.6 | 0.02-03.0 | 25 | 2.6 | 01.4-03.8 |
| 55-64 | 1015 | 679,184 | 940 | 91.9 | 89.5-94.3 | 11 | 1.0 | 0.02-01.8 | 18 | 2.1 | 0.05-03.7 | 12 | 1.6 | 0.04-02.8 | 9 | 1.0 | 0.02-01.8 | 25 | 2.4 | 01.2-03.6 |
| 65+ | 1668 | 931,406 | 1621 | 96.7 | 95.5-97.9 | 5 | 0.2 | 0.00-00.4 | 16 | 1.4 | 0.06-02.2 | 1 | 0.0 | 0.00-00.0 | 4 | 0.3 | 0.00-00.7 | 21 | 1.4 | 0.6-02.2 |
| Less Than H.S. | 448 | 514,594 | 410 | 87.6 | 82.5-92.7 | 4 | 0.5 | 0.00-01.1 | 14 | 5.6 | 01.9-09.3 | 2 | 0.8 | 0.00-02.0 | 4 | 0.9 | 0.00-01.9 | 14 | 4.7 | 01.0-08.4 |
| H.S. or G.E.D. | 1490 | 1,315,836 | 1368 | 88.4 | 85.7-91.1 | 8 | 0.9 | 0.01-01.7 | 24 | 2.0 | 01.0-03.0 | 18 | 1.7 | 0.07-02.7 | 14 | 0.8 | 0.02-01.4 | 58 | 6.2 | 04.0-08.4 |
| Some Post-H.S. | 1264 | 1,122,567 | 1137 | 87.6 | 84.9-90.3 | 18 | 1.7 | 0.07-02.7 | 28 | 2.4 | 01.2-03.6 | 11 | 1.6 | 0.02-03.0 | 15 | 1.7 | 0.07-02.7 | 55 | 5.0 | 03.2-06.8 |
| College Graduate | 1521 | 895,473 | 1428 | 92.4 | 90.4-94.4 | 15 | 1.0 | 0.04-01.6 | 35 | 2.7 | 01.5-03.9 | 9 | 1.0 | 0.02-01.8 | 7 | 0.3 | 0.01-00.5 | 27 | 2.5 | 01.3-03.7 |
| Less than \$15,000 | 500 | 351,373 | 443 | 87.5 | 83.2-91.8 | 4 | 0.9 | 0.00-02.1 | 13 | 3.1 | 0.04-05.8 | 5 | 1.5 | 0.00-03.3 | 10 | 1.1 | 0.03-01.9 | 25 | 5.8 | 02.9-08.7 |
| \$15,000- 24,999 | 752 | 584,827 | 683 | 87.8 | 84.1-91.5 | 10 | 1.3 | 0.01-02.5 | 18 | 3.3 | 01.5-05.1 | 11 | 2.1 | 0.03-03.9 | 6 | 1.2 | 0.00-02.6 | 24 | 4.3 | 01.8-06.8 |
| \$25,000- 34,999 | 385 | 318,398 | 343 | 84.6 | 78.1-91.1 | 4 | 0.9 | 0.00-01.9 | 9 | 4.6 | 0.05-08.7 | 3 | 1.6 | 0.00-03.4 | 5 | 0.9 | 0.01-01.7 | 21 | 7.5 | 02.2-12.8 |
| \$35,000- 49,999 | 601 | 471,982 | 547 | 87.8 | 83.9-91.7 | 7 | 1.4 | 0.00-03.2 | 12 | 2.1 | 0.07-03.5 | 8 | 1.3 | 0.03-02.3 | 6 | 1.4 | 0.00-02.8 | 21 | 6.1 | 03.2-09.0 |
| \$50,000- 74,999 | 608 | 542,293 | 561 | 88.4 | 84.3-92.5 | 2 | 0.3 | 0.00-00.7 | 11 | 3.1 | 0.06-05.6 | 3 | 0.6 | 0.00-01.2 | 8 | 2.3 | 0.05-04.1 | 23 | 5.3 | 02.4-08.2 |
| \$75,000+ | 1115 | 971,823 | 1053 | 91.5 | 88.8-94.2 | 11 | 1.4 | 0.04-02.4 | 22 | 1.8 | 0.08-02.8 | 6 | 1.6 | 0.00-03.2 | 3 | 0.4 | 0.00-00.8 | 20 | 3.4 | 01.2-05.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 25: MARIJUANA USE**

**TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | NONE | | | 1 Day | | | 2-5 Days | | | 6-10 Days | | | 11-20 Days | | | 21-30 Days | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|-----|------------|----------|-----|------------|-----------|-----|------------|------------|-----|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2053 | 1,861,491 | 1823 | 85.8 | 83.4-88.2 | 26 | 1.5 | 00.7-02.3 | 59 | 3.2 | 02.0-04.4 | 27 | 2.0 | 01.0-03.0 | 26 | 1.3 | 00.7-01.9 | 92 | 6.3 | 04.5-08.1 |
| White/Non-Hisp | 1705 | 1,445,229 | 1535 | 87.4 | 84.9-89.9 | 19 | 1.3 | 00.5-02.1 | 46 | 3.3 | 01.9-04.7 | 18 | 1.6 | 00.6-02.6 | 20 | 1.4 | 00.6-02.2 | 67 | 4.9 | 03.1-06.7 |
| Black or Afr. Am./Non-Hisp | 186 | 256,501 | 155 | 82.1 | 74.8-89.4 | 4 | 2.7 | 00.0-06.0 | 7 | 3.6 | 00.5-06.7 | 5 | 2.5 | 00.0-05.8 | 1 | 0.3 | 00.0-00.9 | 14 | 8.9 | 03.6-14.2 |
| Oth. Race/Non-Hisp. | 64 | 47,112 | 53 | 86.1 | 77.1-95.1 | | | | 5 | 4.9 | 00.4-09.4 | 3 | 4.2 | 00.0-09.5 | | | | 3 | 4.8 | 00.0-10.3 |
| 18-24 | 131 | 227,321 | 88 | 69.2 | 58.8-79.6 | 4 | 3.3 | 00.0-06.8 | 9 | 3.4 | 00.9-05.9 | 7 | 8.2 | 01.7-14.7 | 5 | 2.8 | 00.0-06.1 | 18 | 13.0 | 04.8-21.2 |
| 25-34 | 218 | 293,871 | 171 | 79.9 | 73.0-86.8 | 8 | 2.1 | 00.3-03.9 | 8 | 2.1 | 00.0-04.3 | 3 | 0.8 | 00.0-01.8 | 4 | 1.3 | 00.0-02.7 | 24 | 13.8 | 07.5-20.1 |
| 35-44 | 217 | 288,024 | 178 | 79.2 | 71.2-87.2 | 4 | 2.7 | 00.0-05.8 | 11 | 6.5 | 01.6-11.4 | 4 | 1.3 | 00.0-02.7 | 5 | 2.0 | 00.0-04.0 | 15 | 8.2 | 01.9-14.5 |
| 45-54 | 388 | 332,461 | 353 | 91.5 | 87.4-95.6 | 2 | 0.2 | 00.0-00.6 | 12 | 4.0 | 00.3-07.7 | 4 | 1.0 | 00.0-02.2 | 4 | 0.5 | 00.0-01.1 | 13 | 2.7 | 00.9-04.5 |
| 55-64 | 449 | 314,631 | 408 | 90.5 | 86.6-94.4 | 7 | 1.6 | 00.2-03.0 | 9 | 1.7 | 00.0-03.5 | 8 | 2.4 | 00.2-04.6 | 5 | 1.4 | 00.0-03.2 | 12 | 2.3 | 00.3-04.3 |
| 65+ | 650 | 405,182 | 625 | 95.9 | 93.9-97.9 | 1 | 0.1 | 00.0-00.3 | 10 | 1.9 | 00.3-03.5 | 1 | 0.1 | 00.0-00.3 | 3 | 0.4 | 00.0-01.0 | 10 | 1.6 | 00.4-02.8 |
| Less Than H.S. | 191 | 260,998 | 169 | 83.0 | 74.2-91.8 | 3 | 0.9 | 00.0-02.1 | 7 | 6.2 | 00.1-12.3 | 1 | 1.1 | 00.0-03.3 | 4 | 1.7 | 00.0-03.5 | 7 | 7.2 | 00.3-14.1 |
| H.S. or G.E.D. | 636 | 642,940 | 559 | 84.5 | 80.0-89.0 | 7 | 1.4 | 00.0-02.8 | 15 | 2.3 | 00.9-03.7 | 13 | 2.7 | 00.7-04.7 | 8 | 1.3 | 00.1-02.5 | 34 | 7.8 | 04.1-11.5 |
| Some Post-H.S. | 511 | 506,609 | 441 | 85.1 | 80.8-89.4 | 8 | 1.9 | 00.1-03.7 | 14 | 2.8 | 01.0-04.6 | 6 | 1.7 | 00.0-03.5 | 9 | 1.7 | 00.3-03.1 | 33 | 6.8 | 03.9-09.7 |
| College Graduate | 713 | 450,419 | 652 | 90.2 | 87.3-93.1 | 8 | 1.4 | 00.4-02.4 | 23 | 3.2 | 01.4-05.0 | 7 | 1.7 | 00.3-03.1 | 5 | 0.6 | 00.0-01.2 | 18 | 3.1 | 01.3-04.9 |
| Less than \$15,000 | 167 | 145,308 | 145 | 87.1 | 80.2-94.0 | 3 | 2.0 | 00.0-04.7 | 3 | 0.7 | 00.0-01.9 | 3 | 3.1 | 00.0-07.2 | 4 | 1.4 | 00.0-02.8 | 9 | 5.7 | 00.8-10.6 |
| \$15,000- 24,999 | 272 | 237,625 | 233 | 85.2 | 79.1-91.3 | 3 | 0.6 | 00.0-01.4 | 10 | 3.7 | 01.2-06.2 | 7 | 3.7 | 00.0-07.6 | 5 | 2.5 | 00.0-05.6 | 14 | 4.2 | 01.1-07.3 |
| \$25,000- 34,999 | 167 | 154,645 | 138 | 77.8 | 66.2-89.4 | 3 | 1.3 | 00.0-02.9 | 6 | 6.6 | 00.0-14.2 | 2 | 2.3 | 00.0-05.4 | 4 | 1.3 | 00.0-02.9 | 14 | 10.6 | 01.0-20.2 |
| \$35,000- 49,999 | 268 | 240,930 | 229 | 81.8 | 75.1-88.5 | 5 | 2.4 | 00.0-05.7 | 10 | 3.2 | 01.0-05.4 | 5 | 1.0 | 00.0-02.0 | 3 | 1.1 | 00.0-02.5 | 16 | 10.5 | 04.8-16.2 |
| \$50,000- 74,999 | 314 | 307,370 | 283 | 87.0 | 81.1-92.9 | 1 | 0.2 | 00.0-00.6 | 6 | 2.9 | 00.0-06.6 | 2 | 0.7 | 00.0-01.7 | 7 | 3.0 | 00.5-05.5 | 15 | 6.3 | 02.2-10.4 |
| \$75,000+ | 602 | 550,289 | 561 | 89.9 | 85.8-94.0 | 7 | 1.6 | 00.2-03.0 | 14 | 2.2 | 00.8-03.6 | 5 | 1.8 | 00.0-03.8 | 1 | 0.2 | 00.0-00.6 | 14 | 4.3 | 00.8-07.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 25: MARIJUANA USE**

**TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR CANNABIS? (MARIJAN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | NONE | | | 1 Day | | | 2-5 Days | | | 6-10 Days | | | 11-20 Days | | | 21-30 Days | | |
|----------------------------|-------------------|-----------|------|------|------------|-------|-----|------------|----------|-----|------------|-----------|-----|------------|------------|-----|------------|------------|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2677 | 1,991,192 | 2526 | 91.9 | 90.3-93.5 | 19 | 0.8 | 0.4-01.2 | 42 | 2.3 | 01.3-03.3 | 14 | 0.9 | 00.3-01.5 | 14 | 0.7 | 00.3-01.1 | 62 | 3.4 | 02.2-04.6 |
| White/Non-Hisp | 2171 | 1,540,022 | 2073 | 94.6 | 93.2-96.0 | 14 | 0.5 | 00.3-00.7 | 25 | 1.4 | 00.6-02.2 | 9 | 0.6 | 00.2-01.0 | 8 | 0.3 | 00.1-00.5 | 42 | 2.5 | 01.5-03.5 |
| Black or Afr. Am./Non-Hisp | 318 | 306,686 | 285 | 83.9 | 78.0-89.8 | 2 | 1.9 | 00.0-04.4 | 15 | 7.4 | 03.1-11.7 | 2 | 0.6 | 00.0-01.6 | 4 | 2.3 | 00.0-04.8 | 10 | 4.0 | 01.3-06.7 |
| Oth. Race/Non-Hisp. | 52 | 34,033 | 44 | 76.1 | 56.7-95.5 | 1 | 1.9 | 00.0-05.6 | 1 | 0.9 | 00.0-02.9 | 1 | 3.3 | 00.0-09.8 | 1 | 1.1 | 00.0-03.3 | 4 | 16.6 | 00.0-35.8 |
| 18-24 | 119 | 176,648 | 102 | 88.0 | 80.6-95.4 | 3 | 1.0 | 00.0-02.4 | 5 | 2.8 | 00.0-05.7 | 3 | 2.1 | 00.0-04.6 | | | | 6 | 6.1 | 00.0-12.4 |
| 25-34 | 229 | 280,077 | 205 | 87.5 | 81.8-93.2 | 5 | 2.2 | 00.0-04.7 | 8 | 5.2 | 01.3-09.1 | 4 | 1.3 | 00.0-02.7 | 1 | 0.1 | 00.0-00.3 | 6 | 3.7 | 00.2-07.2 |
| 35-44 | 292 | 299,644 | 265 | 86.1 | 80.0-92.2 | 2 | 1.1 | 00.0-02.9 | 7 | 2.9 | 00.4-05.4 | 2 | 2.2 | 00.0-05.7 | 2 | 0.2 | 00.0-00.4 | 14 | 7.4 | 02.9-11.9 |
| 45-54 | 453 | 344,049 | 426 | 93.1 | 90.0-96.2 | 1 | 0.2 | 00.0-00.6 | 7 | 1.1 | 00.1-02.1 | 1 | 0.5 | 00.0-01.5 | 6 | 2.7 | 00.2-05.2 | 12 | 2.5 | 00.9-04.1 |
| 55-64 | 566 | 364,552 | 532 | 93.1 | 90.0-96.2 | 4 | 0.6 | 00.0-01.2 | 9 | 2.5 | 00.1-04.9 | 4 | 0.8 | 00.0-01.8 | 4 | 0.6 | 00.0-01.2 | 13 | 2.4 | 00.8-04.0 |
| 65+ | 1018 | 526,223 | 996 | 97.3 | 95.9-98.7 | 4 | 0.3 | 00.0-00.7 | 6 | 0.9 | 00.0-01.9 | | | | 1 | 0.1 | 00.0-00.3 | 11 | 1.3 | 00.3-02.3 |
| Less Than H.S. | 257 | 253,595 | 241 | 92.3 | 87.6-97.0 | 1 | 0.1 | 00.0-00.3 | 7 | 5.1 | 00.8-09.4 | 1 | 0.4 | 00.0-01.2 | | | | 7 | 2.1 | 00.3-03.9 |
| H.S. or G.E.D. | 854 | 672,896 | 809 | 92.1 | 89.2-95.0 | 1 | 0.5 | 00.0-01.5 | 9 | 1.6 | 00.2-03.0 | 5 | 0.7 | 00.0-01.5 | 6 | 0.4 | 00.0-00.8 | 24 | 4.7 | 02.3-07.1 |
| Some Post-H.S. | 753 | 615,957 | 696 | 89.7 | 86.4-93.0 | 10 | 1.5 | 00.3-02.7 | 14 | 2.1 | 00.7-03.5 | 5 | 1.6 | 00.0-03.4 | 6 | 1.6 | 00.2-03.0 | 22 | 3.5 | 01.5-05.5 |
| College Graduate | 808 | 445,054 | 776 | 94.7 | 92.3-97.1 | 7 | 0.6 | 00.0-01.2 | 12 | 2.2 | 00.6-03.8 | 2 | 0.3 | 00.0-00.9 | 2 | 0.1 | 00.0-00.3 | 9 | 2.0 | 00.4-03.6 |
| Less than \$15,000 | 333 | 206,065 | 298 | 87.8 | 82.3-93.3 | 1 | 0.1 | 00.0-00.3 | 10 | 4.8 | 00.5-09.1 | 2 | 0.4 | 00.0-01.2 | 6 | 1.0 | 00.2-01.8 | 16 | 5.9 | 02.6-09.2 |
| \$15,000- 24,999 | 480 | 347,202 | 450 | 89.5 | 84.8-94.2 | 7 | 1.8 | 00.0-03.8 | 8 | 3.0 | 00.5-05.5 | 4 | 1.1 | 00.0-02.3 | 1 | 0.2 | 00.0-00.6 | 10 | 4.4 | 00.7-08.1 |
| \$25,000- 34,999 | 218 | 163,753 | 205 | 91.0 | 85.5-96.5 | 1 | 0.5 | 00.0-01.5 | 3 | 2.6 | 00.0-05.7 | 1 | 1.0 | 00.0-03.0 | 1 | 0.4 | 00.0-01.2 | 7 | 4.5 | 00.4-08.6 |
| \$35,000- 49,999 | 333 | 231,052 | 318 | 94.0 | 90.5-97.5 | 2 | 0.4 | 00.0-01.0 | 2 | 0.9 | 00.0-02.3 | 3 | 1.6 | 00.0-03.4 | 3 | 1.7 | 00.0-03.9 | 5 | 1.5 | 00.1-02.9 |
| \$50,000- 74,999 | 294 | 234,923 | 278 | 90.3 | 84.6-96.0 | 1 | 0.5 | 00.0-01.5 | 5 | 3.3 | 00.0-06.8 | 1 | 0.5 | 00.0-01.5 | 1 | 1.3 | 00.0-03.8 | 8 | 4.1 | 00.2-08.0 |
| \$75,000+ | 513 | 421,533 | 492 | 93.6 | 90.1-97.1 | 4 | 1.0 | 00.0-02.4 | 8 | 1.3 | 00.1-02.5 | 1 | 1.3 | 00.0-03.8 | 2 | 0.6 | 00.0-01.4 | 6 | 2.2 | 00.2-04.2 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 25: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY \diamond PLEASE SELECT ONE. DID YOU \diamond (USEMR
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke It | | | Eat It | | | Drink It | | | Vaporize It | | | Dab It | | | Used some other way | | |
|----------------------------|-------------------|----------|----------|------|------------|--------|-----|------------|----------|-----|------------|-------------|------|------------|--------|-----|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 373 | 419,253 | 282 | 76.5 | 70.4-82.6 | 18 | 3.8 | 01.6-06.0 | 5 | 1.6 | 00.0-04.1 | 34 | 12.6 | 07.5-17.7 | 11 | 2.2 | 00.6-03.8 | 23 | 3.2 | 01.6-04.8 |
| Male | 229 | 263,469 | 174 | 80.2 | 73.3-87.1 | 8 | 1.7 | 00.3-03.1 | 2 | 0.2 | 00.0-00.6 | 25 | 12.1 | 05.8-18.4 | 9 | 2.8 | 00.8-04.8 | 11 | 3.0 | 00.8-05.2 |
| Female | 144 | 155,784 | 108 | 70.2 | 59.4-81.0 | 10 | 7.3 | 02.0-12.6 | 3 | 3.9 | 00.0-10.6 | 9 | 13.6 | 04.6-22.6 | 2 | 1.3 | 00.0-03.5 | 12 | 3.6 | 01.2-06.0 |
| White/Non-Hisp | 261 | 260,483 | 195 | 77.4 | 70.3-84.5 | 12 | 3.1 | 00.9-05.3 | 4 | 0.5 | 00.0-01.1 | 26 | 13.2 | 06.9-19.5 | 6 | 1.8 | 00.2-03.4 | 18 | 4.0 | 01.5-06.5 |
| Black or Afr. Am./Non-Hisp | 64 | 95,439 | 51 | 76.1 | 63.2-89.0 | 5 | 8.1 | 00.5-15.7 | | | | 5 | 13.7 | 01.9-25.5 | 2 | 1.7 | 00.0-04.6 | 1 | 0.3 | 00.0-00.9 |
| 18-24 | 59 | 90,663 | 42 | 77.4 | 64.7-90.1 | 2 | 1.6 | 00.0-04.1 | | | | 8 | 13.6 | 02.4-24.8 | 7 | 7.5 | 01.4-13.6 | | | |
| 25-34 | 70 | 93,815 | 60 | 86.9 | 77.5-96.3 | 2 | 2.8 | 00.0-07.3 | | | | 5 | 7.4 | 00.0-15.0 | 1 | 1.7 | 00.0-05.0 | 2 | 1.2 | 00.0-03.2 |
| 35-44 | 65 | 100,107 | 47 | 66.1 | 49.6-82.6 | 5 | 6.4 | 00.0-12.9 | 2 | 5.6 | 00.0-15.8 | 10 | 21.2 | 06.5-35.9 | | | | 1 | 0.7 | 00.0-02.1 |
| 45-54 | 61 | 51,114 | 51 | 81.3 | 68.2-94.4 | 2 | 1.8 | 00.0-04.3 | | | | 4 | 8.8 | 00.0-18.8 | | | | 4 | 8.1 | 00.0-17.1 |
| 55-64 | 72 | 52,715 | 51 | 72.0 | 57.3-86.7 | 5 | 6.1 | 00.0-13.2 | 2 | 1.7 | 00.0-04.1 | 6 | 12.8 | 00.0-26.3 | 3 | 1.8 | 00.0-04.0 | 5 | 5.6 | 00.9-10.3 |
| H.S. or G.E.D. | 121 | 152,313 | 106 | 89.8 | 83.5-96.1 | 1 | 0.7 | 00.0-02.1 | 3 | 0.6 | 00.0-01.4 | 6 | 5.2 | 00.1-10.3 | 2 | 1.1 | 00.0-02.9 | 3 | 2.6 | 00.0-05.5 |
| Some Post-H.S. | 122 | 135,216 | 92 | 72.5 | 60.9-84.1 | 7 | 6.0 | 00.7-11.3 | 1 | 4.0 | 00.0-11.6 | 10 | 13.8 | 04.2-23.4 | 3 | 1.1 | 00.0-02.5 | 9 | 2.7 | 00.7-04.7 |
| College Graduate | 92 | 67,719 | 55 | 58.3 | 45.6-71.0 | 9 | 8.6 | 01.7-15.5 | 1 | 0.5 | 00.0-01.5 | 15 | 20.7 | 09.9-31.5 | 5 | 6.9 | 00.6-13.2 | 7 | 5.0 | 00.3-09.7 |
| Less than \$15,000 | 56 | 43,762 | 47 | 83.5 | 67.2-99.8 | 2 | 0.8 | 00.0-02.2 | 1 | 0.3 | 00.0-00.9 | 2 | 10.9 | 00.0-27.0 | 2 | 3.1 | 00.0-07.6 | 2 | 1.3 | 00.0-03.1 |
| \$15,000- 24,999 | 68 | 70,167 | 58 | 78.1 | 62.6-93.6 | | | | 1 | 0.4 | 00.0-01.2 | 5 | 16.2 | 00.9-31.5 | 1 | 2.0 | 00.0-05.9 | 3 | 3.4 | 00.7-06.1 |
| \$35,000- 49,999 | 53 | 57,265 | 37 | 76.7 | 64.0-89.4 | 5 | 7.7 | 00.1-15.3 | | | | 1 | 3.6 | 00.0-10.5 | 4 | 6.2 | 00.0-13.1 | 6 | 5.7 | 00.4-11.0 |
| \$75,000+ | 60 | 81,454 | 39 | 68.8 | 52.7-84.9 | 5 | 5.7 | 00.0-12.4 | 2 | 7.1 | 00.0-19.4 | 9 | 14.6 | 04.8-24.4 | 3 | 3.2 | 00.0-07.5 | 2 | 0.6 | 00.0-01.6 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 25: MARIJUANA USE**

TABLE 5: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY \diamond PLEASE SELECT ONE. DID YOU \diamond (USEMR)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke It | | | Eat It | | | Drink It | | | Vaporize It | | | Dab It | | | Used some other way | | |
|--------------------|-------------------|----------|----------|------|------------|--------|-----|------------|----------|-----|------------|-------------|------|------------|--------|-----|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 229 | 263,469 | 174 | 80.2 | 73.3-87.1 | 8 | 1.7 | 00.3-03.1 | 2 | 0.2 | 00.0-00.6 | 25 | 12.1 | 05.8-18.4 | 9 | 2.8 | 00.8-04.8 | 11 | 3.0 | 00.8-05.2 |
| White/Non-Hisp | 169 | 181,461 | 126 | 77.9 | 69.3-86.5 | 6 | 2.1 | 00.1-04.1 | 2 | 0.3 | 00.0-00.9 | 21 | 13.9 | 06.3-21.5 | 5 | 2.4 | 00.0-04.8 | 9 | 3.4 | 00.5-06.3 |
| H.S. or G.E.D. | 77 | 99,602 | 66 | 89.0 | 81.7-96.3 | 1 | 1.1 | 00.0-03.3 | 1 | 0.3 | 00.0-00.9 | 5 | 4.9 | 00.2-09.6 | 2 | 1.6 | 00.0-04.5 | 2 | 3.1 | 00.0-07.2 |
| Some Post-H.S. | 70 | 75,324 | 55 | 80.7 | 67.8-93.6 | 3 | 2.6 | 00.0-05.9 | | | | 5 | 12.3 | 00.0-24.8 | 3 | 2.0 | 00.0-04.4 | 4 | 2.4 | 00.0-05.1 |
| College Graduate | 60 | 44,169 | 34 | 58.1 | 43.0-73.2 | 4 | 3.5 | 00.0-07.2 | 1 | 0.8 | 00.0-02.4 | 14 | 27.7 | 13.4-42.0 | 3 | 5.8 | 00.0-12.3 | 4 | 4.1 | 00.0-09.0 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 25: MARIJUANA USE**

TABLE 6: DURING THE PAST 30 DAYS, WHICH ONE OF THE FOLLOWING WAYS DID YOU USE MARIJUANA THE MOST OFTEN? DID YOU USUALLY PLEASE SELECT ONE. DID YOU (USEMR)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Smoke It | | | Eat It | | | Drink It | | | Vaporize It | | | Dab It | | | Used some other way | | |
|--------------------|-------------------|----------|----------|------|------------|--------|------|------------|----------|-----|------------|-------------|------|------------|--------|-----|------------|---------------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 144 | 155,784 | 108 | 70.2 | 59.4-81.0 | 10 | 7.3 | 01.8-12.8 | 3 | 3.9 | 00.0-10.6 | 9 | 13.6 | 04.6-22.6 | 2 | 1.3 | 00.0-03.5 | 12 | 3.6 | 01.2-06.0 |
| White/Non-Hisp | 92 | 79,022 | 69 | 76.1 | 63.8-88.4 | 6 | 5.3 | 00.0-10.6 | 2 | 0.8 | 00.0-02.0 | 5 | 11.6 | 00.2-23.0 | 1 | 0.6 | 00.0-01.8 | 9 | 5.6 | 01.3-09.9 |
| Some Post-H.S. | 52 | 59,892 | 37 | 62.1 | 43.3-80.9 | 4 | 10.2 | 00.0-21.4 | 1 | 9.0 | 00.0-25.5 | 5 | 15.7 | 00.4-31.0 | | | | 5 | 3.0 | 00.3-05.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 25: MARIJUANA USE**

**TABLE 7: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | For medical reasons (like to treat or decrease symptoms) | | | For non-medical reasons (like to have fun or fit in) | | | For both medical and non-medical reasons | | |
|----------------------------|-------------------|----------|---|------|------------|---|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 376 | 421,390 | 149 | 35.4 | 28.9-41.9 | 118 | 31.0 | 24.5-37.5 | 109 | 33.6 | 26.3-40.9 |
| Male | 227 | 260,957 | 73 | 28.8 | 21.0-36.6 | 81 | 33.6 | 24.6-42.6 | 73 | 37.5 | 27.7-47.3 |
| Female | 149 | 160,432 | 76 | 46.1 | 35.5-56.7 | 37 | 26.7 | 17.7-35.7 | 36 | 27.2 | 17.2-37.2 |
| White/Non-Hisp | 264 | 262,705 | 105 | 37.9 | 30.1-45.7 | 78 | 29.8 | 21.6-38.0 | 81 | 32.3 | 24.1-40.5 |
| Black or Afr. Am./Non-Hisp | 63 | 94,011 | 22 | 28.5 | 15.4-41.6 | 29 | 50.1 | 34.8-65.4 | 12 | 21.4 | 08.1-34.7 |
| 18-24 | 59 | 89,732 | 11 | 14.8 | 05.2-24.4 | 23 | 34.0 | 18.5-49.5 | 25 | 51.2 | 34.1-68.3 |
| 25-34 | 70 | 93,690 | 25 | 32.4 | 18.5-46.3 | 28 | 40.2 | 25.5-54.9 | 17 | 27.4 | 13.7-41.1 |
| 35-44 | 65 | 100,972 | 25 | 34.6 | 19.1-50.1 | 19 | 30.7 | 14.6-46.8 | 21 | 34.7 | 19.0-50.4 |
| 45-54 | 62 | 51,980 | 29 | 52.5 | 34.7-70.3 | 19 | 20.9 | 09.1-32.7 | 14 | 26.6 | 07.8-45.4 |
| 55-64 | 74 | 54,166 | 35 | 51.6 | 35.9-67.3 | 17 | 21.6 | 09.3-33.9 | 22 | 26.8 | 12.9-40.7 |
| H.S. or G.E.D. | 119 | 150,418 | 44 | 30.0 | 19.2-40.8 | 28 | 30.0 | 18.6-41.4 | 47 | 40.0 | 27.1-52.9 |
| Some Post-H.S. | 127 | 138,830 | 57 | 43.6 | 32.4-54.8 | 45 | 30.5 | 21.1-39.9 | 25 | 25.8 | 14.8-36.8 |
| College Graduate | 92 | 67,593 | 28 | 26.7 | 15.9-37.5 | 38 | 35.5 | 23.2-47.8 | 26 | 37.8 | 24.3-51.3 |
| Less than \$15,000 | 56 | 43,724 | 29 | 53.5 | 34.9-72.1 | 8 | 12.9 | 00.7-25.1 | 19 | 33.5 | 16.3-50.7 |
| \$15,000- 24,999 | 66 | 69,190 | 25 | 33.1 | 19.2-47.0 | 22 | 29.6 | 14.7-44.5 | 19 | 37.3 | 19.5-55.1 |
| \$35,000- 49,999 | 54 | 57,762 | 26 | 42.2 | 25.9-58.5 | 15 | 29.1 | 13.6-44.6 | 13 | 28.8 | 11.9-45.7 |
| \$75,000+ | 62 | 82,539 | 18 | 27.3 | 11.8-42.8 | 29 | 52.5 | 35.1-69.9 | 15 | 20.2 | 08.6-31.8 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 25: MARIJUANA USE**

TABLE 8: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | For medical reasons (like to treat or decrease symptoms) | | | For non-medical reasons (like to have fun or fit in) | | | For both medical and non-medical reasons | | |
|--------------------|-------------------|----------|---|------|------------|---|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 227 | 260,957 | 73 | 28.8 | 21.0-36.6 | 81 | 33.6 | 24.6-42.6 | 73 | 37.5 | 28.1-46.9 |
| White/Non-Hisp | 168 | 180,377 | 52 | 30.4 | 21.4-39.4 | 59 | 33.9 | 23.5-44.3 | 57 | 35.8 | 25.8-45.8 |
| H.S. or G.E.D. | 75 | 97,698 | 22 | 25.4 | 11.9-38.9 | 21 | 32.9 | 18.8-47.0 | 32 | 41.7 | 25.0-58.4 |
| Some Post-H.S. | 70 | 75,324 | 25 | 33.2 | 19.3-47.1 | 31 | 35.3 | 21.8-48.8 | 14 | 31.4 | 14.9-47.9 |
| College Graduate | 61 | 44,361 | 18 | 30.9 | 16.4-45.4 | 24 | 31.4 | 16.7-46.1 | 19 | 37.8 | 21.9-53.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 25: MARIJUANA USE**

TABLE 9: WHEN YOU USED MARIJUANA OR CANNABIS DURING THE PAST 30 DAYS, WAS IT USUALLY: (RSNMRJN1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | For medical reasons (like to treat or decrease symptoms) | | | For non-medical reasons (like to have fun or fit in) | | | For both medical and non-medical reasons | | |
|--------------------|-------------------|----------|---|------|------------|---|------|------------|---|------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 149 | 160,432 | 76 | 46.1 | 35.7-56.5 | 37 | 26.7 | 17.9-35.5 | 36 | 27.2 | 17.2-37.2 |
| White/Non-Hisp | 96 | 82,328 | 53 | 54.5 | 42.0-67.0 | 19 | 20.9 | 10.5-31.3 | 24 | 24.7 | 13.9-35.5 |
| Some Post-H.S. | 57 | 63,506 | 32 | 56.0 | 41.3-70.7 | 14 | 24.8 | 11.9-37.7 | 11 | 19.2 | 06.7-31.7 |

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019

MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

| TABLE | | PAGE |
|-------|---|------|
| | M29.01.a Which of the following best represents how you think of yourself? (SOMALE) | |
| 1 | MALES AND FEMALES | 144 |
| 2 | MALES ONLY | 145 |
| 3 | FEMALES ONLY | 146 |
| | M29.01.b Which of the following best represents how you think of yourself? (SOFEMALE) | |
| 4 | MALES AND FEMALES | 147 |
| 5 | MALES ONLY | 148 |
| 6 | FEMALES ONLY | 149 |
| | M29.02 Do you consider yourself to be transgender? (TRNSGNDR) | |
| 7 | MALES AND FEMALES | 150 |
| 8 | MALES ONLY | 151 |
| 9 | FEMALES ONLY | 152 |

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY**

TABLE 1: M29.01.a Which of the following best represents how you think of yourself? (SOMALE)
Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | N | Gay | | Straight, that is, not gay | | | Bisexual | | | Something else | | |
|----------------------------|-------------------|-----------|----|-----|------------|----------------------------|------|------------|----------|-----|------------|----------------|-----|------------|
| | TOTAL | WEIGHTED | | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2042 | 1,855,944 | 31 | 2.2 | 01.2-03.2 | 1961 | 95.4 | 94.0-96.8 | 33 | 1.6 | 00.8-02.4 | 17 | 0.8 | 00.2-01.4 |
| White/Non-Hisp | 1698 | 1,436,619 | 24 | 1.6 | 00.8-02.4 | 1635 | 95.8 | 94.4-97.2 | 26 | 1.8 | 00.8-02.8 | 13 | 0.8 | 00.2-01.4 |
| Black or Afr. Am./Non-Hisp | 181 | 257,165 | 3 | 1.7 | 00.0-04.4 | 171 | 95.7 | 91.8-99.6 | 5 | 1.3 | 00.0-02.9 | 2 | 1.3 | 00.0-03.7 |
| Oth. Race/Non-Hisp. | 64 | 44,909 | 1 | 5.4 | 00.0-15.6 | 61 | 91.9 | 81.1-0100 | 2 | 2.6 | 00.0-06.5 | | | |
| 18-24 | 130 | 225,893 | 7 | 7.8 | 01.5-14.1 | 119 | 88.0 | 80.4-95.6 | 4 | 4.3 | 00.0-09.0 | | | |
| 25-34 | 219 | 294,713 | 6 | 3.7 | 00.4-07.0 | 207 | 94.0 | 90.1-97.9 | 4 | 2.0 | 00.0-04.0 | 2 | 0.3 | 00.0-00.7 |
| 35-44 | 217 | 285,889 | 2 | 0.7 | 00.0-01.7 | 212 | 98.1 | 96.3-99.9 | 2 | 0.8 | 00.0-02.2 | 1 | 0.4 | 00.0-01.2 |
| 45-54 | 390 | 332,666 | 4 | 0.7 | 00.0-01.7 | 373 | 97.2 | 95.4-99.0 | 8 | 1.2 | 00.0-02.4 | 5 | 0.9 | 00.0-01.9 |
| 55-64 | 445 | 314,162 | 5 | 0.5 | 00.1-00.9 | 432 | 98.0 | 96.6-99.4 | 6 | 1.1 | 00.1-02.1 | 2 | 0.4 | 00.0-01.2 |
| 65+ | 641 | 402,621 | 7 | 1.6 | 00.2-03.0 | 618 | 94.9 | 92.0-97.8 | 9 | 1.3 | 00.5-02.1 | 7 | 2.3 | 00.0-04.7 |
| Less Than H.S. | 187 | 258,435 | 1 | 0.1 | 00.0-00.3 | 177 | 95.7 | 91.8-99.6 | 4 | 1.0 | 00.0-02.0 | 5 | 3.2 | 00.0-06.9 |
| H.S. or G.E.D. | 632 | 643,862 | 10 | 3.4 | 01.0-05.8 | 607 | 94.4 | 91.7-97.1 | 12 | 1.9 | 00.3-03.5 | 3 | 0.3 | 00.0-00.7 |
| Some Post-H.S. | 509 | 504,678 | 9 | 2.7 | 00.5-04.9 | 488 | 95.2 | 92.5-97.9 | 8 | 1.5 | 00.0-03.1 | 4 | 0.6 | 00.0-01.2 |
| College Graduate | 712 | 448,444 | 11 | 1.1 | 00.3-01.9 | 687 | 96.7 | 94.9-98.5 | 9 | 1.7 | 00.3-03.1 | 5 | 0.5 | 00.0-01.1 |
| Less than \$15,000 | 164 | 141,651 | 4 | 4.4 | 00.0-10.1 | 152 | 90.9 | 83.6-98.2 | 4 | 3.4 | 00.0-08.3 | 4 | 1.3 | 00.0-02.7 |
| \$15,000- 24,999 | 268 | 234,635 | 2 | 2.6 | 00.0-06.5 | 252 | 91.2 | 85.5-96.9 | 10 | 2.6 | 00.6-04.6 | 4 | 3.5 | 00.0-07.6 |
| \$25,000- 34,999 | 166 | 155,736 | 3 | 0.4 | 00.0-01.0 | 159 | 97.4 | 95.0-99.8 | 4 | 2.2 | 00.0-04.6 | | | |
| \$35,000- 49,999 | 271 | 240,803 | 6 | 3.6 | 00.5-06.7 | 257 | 92.7 | 88.0-97.4 | 8 | 3.7 | 00.0-07.4 | | | |
| \$50,000- 74,999 | 314 | 309,149 | 7 | 2.5 | 00.5-04.5 | 302 | 96.4 | 94.0-98.8 | 2 | 0.5 | 00.0-01.3 | 3 | 0.7 | 00.0-01.5 |
| \$75,000+ | 600 | 549,400 | 8 | 1.2 | 00.0-02.4 | 586 | 97.6 | 96.0-99.2 | 5 | 1.0 | 00.0-02.0 | 1 | 0.2 | 00.0-00.6 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY**

TABLE 2: M29.01.b Which of the following best represents how you think of yourself? (SOFEMALE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Lesbian or Gay | | | Straight, that is, not gay | | | Bisexual | | | Something else | | |
|----------------------------|-------------------|-----------|----------------|-----|------------|----------------------------|------|------------|----------|------|------------|----------------|-----|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2609 | 1,958,769 | 23 | 0.9 | 00.5-01.3 | 2479 | 92.9 | 91.1-94.7 | 77 | 4.3 | 02.9-05.7 | 30 | 1.8 | 00.8-02.8 |
| White/Non-Hisp | 2121 | 1,515,862 | 19 | 1.0 | 00.4-01.6 | 2024 | 93.0 | 91.0-95.0 | 60 | 4.4 | 02.8-06.0 | 18 | 1.5 | 00.5-02.5 |
| Black or Afr. Am./Non-Hisp | 308 | 300,330 | 2 | 0.5 | 00.0-01.3 | 296 | 95.8 | 92.7-98.9 | 6 | 3.0 | 00.1-05.9 | 4 | 0.6 | 00.0-01.4 |
| Oth. Race/Non-Hisp. | 52 | 33,517 | | | | 48 | 90.2 | 79.2-0100 | 2 | 5.6 | 00.0-14.4 | 2 | 4.2 | 00.0-11.1 |
| 18-24 | 121 | 180,806 | 1 | 0.6 | 00.0-01.8 | 92 | 70.2 | 58.4-82.0 | 23 | 20.7 | 10.3-31.1 | 5 | 8.4 | 00.4-16.4 |
| 25-34 | 229 | 281,932 | 7 | 2.0 | 00.0-04.4 | 201 | 91.1 | 86.8-95.4 | 19 | 6.5 | 02.8-10.2 | 2 | 0.4 | 00.0-01.0 |
| 35-44 | 289 | 297,569 | 1 | 0.2 | 00.0-00.6 | 267 | 91.1 | 86.2-96.0 | 15 | 5.4 | 01.9-08.9 | 6 | 3.3 | 00.0-06.8 |
| 45-54 | 447 | 338,447 | 2 | 0.7 | 00.0-01.9 | 433 | 96.8 | 94.8-98.8 | 9 | 1.8 | 00.4-03.2 | 3 | 0.7 | 00.0-01.5 |
| 55-64 | 558 | 360,365 | 5 | 0.9 | 00.0-01.9 | 545 | 97.6 | 96.2-99.0 | 4 | 0.7 | 00.0-01.5 | 4 | 0.7 | 00.0-01.5 |
| 65+ | 965 | 499,651 | 7 | 0.9 | 00.1-01.7 | 941 | 97.2 | 95.8-98.6 | 7 | 0.9 | 00.1-01.7 | 10 | 0.9 | 00.1-01.7 |
| Less Than H.S. | 234 | 236,469 | 1 | 0.2 | 00.0-00.6 | 221 | 91.6 | 84.5-98.7 | 5 | 6.0 | 00.0-12.9 | 7 | 2.1 | 00.3-03.9 |
| H.S. or G.E.D. | 832 | 670,351 | 4 | 0.8 | 00.0-01.8 | 795 | 93.9 | 91.2-96.6 | 24 | 3.2 | 01.6-04.8 | 9 | 2.1 | 00.0-04.3 |
| Some Post-H.S. | 741 | 607,883 | 6 | 0.7 | 00.1-01.3 | 709 | 92.2 | 89.1-95.3 | 18 | 4.8 | 02.3-07.3 | 8 | 2.2 | 00.2-04.2 |
| College Graduate | 797 | 440,377 | 11 | 1.6 | 00.4-02.8 | 751 | 93.5 | 91.3-95.7 | 29 | 4.2 | 02.4-06.0 | 6 | 0.6 | 00.0-01.2 |
| Less than \$15,000 | 319 | 196,931 | 3 | 1.5 | 00.0-03.5 | 297 | 91.8 | 87.1-96.5 | 13 | 5.3 | 01.0-09.6 | 6 | 1.4 | 00.2-02.6 |
| \$15,000- 24,999 | 463 | 342,442 | 6 | 0.9 | 00.1-01.7 | 435 | 90.2 | 85.5-94.9 | 15 | 5.8 | 02.3-09.3 | 7 | 3.2 | 00.0-06.5 |
| \$25,000- 34,999 | 214 | 160,684 | | | | 206 | 94.8 | 90.3-99.3 | 6 | 4.5 | 00.0-09.0 | 2 | 0.7 | 00.0-01.9 |
| \$35,000- 49,999 | 332 | 231,046 | 1 | 0.1 | 00.0-00.3 | 315 | 94.3 | 91.2-97.4 | 13 | 4.3 | 01.6-07.0 | 3 | 1.3 | 00.0-02.9 |
| \$50,000- 74,999 | 293 | 234,510 | 7 | 3.5 | 00.2-06.8 | 277 | 92.8 | 87.7-97.9 | 7 | 1.5 | 00.1-02.9 | 2 | 2.2 | 00.0-06.1 |
| \$75,000+ | 508 | 419,825 | 3 | 0.4 | 00.0-00.8 | 491 | 95.7 | 93.3-98.1 | 12 | 3.6 | 01.2-06.0 | 2 | 0.3 | 00.0-00.9 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY
 TABLE 3: M29.02 Do you consider yourself to be transgender? (TRNSGNDR)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, Transgender, male-to-female | | | Yes, Transgender, female to male | | | Yes, Transgender, gender nonconforming | | | No | | |
|----------------------------|-------------------|-----------|----------------------------------|-----|------------|----------------------------------|-----|------------|--|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| TOTAL | 4717 | 3,848,425 | 6 | 0.2 | 00.0-00.4 | 4 | 0.2 | 00.0-00.4 | 8 | 0.3 | 00.0-00.7 | 4699 | 99.3 | 98.9-99.7 |
| Male | 2057 | 1,863,185 | 4 | 0.3 | 00.0-00.7 | 2 | 0.3 | 00.0-00.9 | 2 | 0.1 | 00.0-00.3 | 2049 | 99.2 | 98.4-0100 |
| Female | 2660 | 1,985,240 | 2 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.1-00.1 | 6 | 0.4 | 00.0-01.0 | 2650 | 99.4 | 98.8-0100 |
| White/Non-Hisp | 3865 | 2,972,793 | 3 | 0.1 | 00.0-00.3 | 4 | 0.2 | 00.0-00.6 | 5 | 0.1 | 00.0-00.3 | 3853 | 99.5 | 99.1-99.9 |
| Black or Afr. Am./Non-Hisp | 503 | 567,804 | 2 | 0.8 | 00.0-02.2 | | | | | | | 501 | 99.2 | 97.8-0100 |
| Oth. Race/Non-Hisp. | 118 | 79,724 | | | | | | | | | | 118 | 100.0 | 0100-0100 |
| MultiRacial/Non-Hisp. | 72 | 25,545 | | | | | | | 1 | 0.7 | 00.0-02.1 | 71 | 99.3 | 97.9-0100 |
| Hispanic | 90 | 156,069 | 1 | 0.7 | 00.0-02.1 | | | | 2 | 4.3 | 00.0-11.0 | 87 | 95.0 | 88.1-0100 |
| 18-24 | 250 | 404,190 | 1 | 0.3 | 00.0-00.9 | 1 | 1.3 | 00.0-03.8 | 3 | 1.8 | 00.0-04.3 | 245 | 96.7 | 93.2-0100 |
| 25-34 | 448 | 578,690 | 1 | 0.2 | 00.0-00.6 | | | | 1 | 0.0 | 00.0-00.0 | 446 | 99.7 | 99.3-0100 |
| 35-44 | 508 | 584,901 | 2 | 0.9 | 00.0-02.3 | 2 | 0.2 | 00.0-00.6 | 2 | 0.3 | 00.0-00.7 | 502 | 98.6 | 97.0-0100 |
| 45-54 | 839 | 673,356 | | | | 1 | 0.1 | 00.0-00.3 | | | | 838 | 99.9 | 99.7-0100 |
| 55-64 | 1017 | 684,007 | 1 | 0.1 | 00.0-00.3 | | | | 1 | 0.2 | 00.0-00.6 | 1015 | 99.7 | 99.3-0100 |
| 65+ | 1655 | 923,280 | 1 | 0.0 | 00.0-00.0 | | | | 1 | 0.0 | 00.0-00.0 | 1653 | 99.9 | 99.9-99.9 |
| Less Than H.S. | 437 | 502,480 | 1 | 0.2 | 00.0-00.6 | 1 | 0.2 | 00.0-00.6 | | | | 435 | 99.6 | 99.0-0100 |
| H.S. or G.E.D. | 1488 | 1,324,205 | 2 | 0.2 | 00.0-00.4 | 1 | 0.4 | 00.0-01.2 | 5 | 0.7 | 00.0-01.5 | 1480 | 98.8 | 97.6-0100 |
| Some Post-H.S. | 1265 | 1,124,054 | 3 | 0.5 | 00.0-01.3 | 1 | 0.1 | 00.0-00.3 | 1 | 0.0 | 00.0-00.0 | 1260 | 99.4 | 98.6-0100 |
| College Graduate | 1520 | 893,473 | | | | 1 | 0.0 | 00.0-00.0 | 1 | 0.0 | 00.0-00.0 | 1518 | 99.9 | 99.9-99.9 |
| Less than \$15,000 | 494 | 347,652 | | | | | | | | | | 494 | 100.0 | 0100-0100 |
| \$15,000- 24,999 | 752 | 587,652 | 3 | 0.5 | 00.0-01.1 | 3 | 0.3 | 00.0-00.7 | 3 | 1.2 | 00.0-03.0 | 743 | 98.0 | 96.0-0100 |
| \$25,000- 34,999 | 387 | 320,984 | | | | 1 | 1.6 | 00.0-04.7 | 1 | 0.1 | 00.0-00.3 | 385 | 98.3 | 95.2-0100 |
| \$35,000- 49,999 | 603 | 471,807 | 2 | 1.0 | 00.0-02.8 | | | | 1 | 0.0 | 00.0-00.0 | 600 | 99.0 | 97.2-0100 |
| \$50,000- 74,999 | 608 | 544,665 | | | | | | | | | | 608 | 100.0 | 0100-0100 |
| \$75,000+ | 1114 | 971,528 | | | | | | | | | | 1114 | 100.0 | 0100-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
 MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY
 TABLE 5: M29.02 Do you consider yourself to be transgender? (TRNSGNDR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, Transgender, male-to-female | | | Yes, Transgender, female to male | | | Yes, Transgender, gender nonconforming | | | No | | |
|----------------------------|-------------------|-----------|----------------------------------|-----|------------|----------------------------------|-----|------------|--|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Male | 2057 | 1,863,185 | 4 | 0.3 | 00.0-00.7 | 2 | 0.3 | 00.0-00.9 | 2 | 0.1 | 00.0-00.3 | 2049 | 99.2 | 98.4-0100 |
| White/Non-Hisp | 1707 | 1,441,795 | 2 | 0.1 | 00.0-00.3 | 2 | 0.4 | 00.0-01.2 | 2 | 0.2 | 00.0-00.4 | 1701 | 99.3 | 98.5-0100 |
| Black or Afr. Am./Non-Hisp | 185 | 258,830 | 2 | 1.8 | 00.0-04.9 | | | | | | | 183 | 98.2 | 95.1-0100 |
| Oth. Race/Non-Hisp. | 65 | 45,201 | | | | | | | | | | 65 | 100.0 | 0100-0100 |
| 18-24 | 129 | 223,385 | | | | 1 | 2.3 | 00.0-06.8 | 1 | 0.5 | 00.0-01.5 | 127 | 97.2 | 92.7-0100 |
| 25-34 | 219 | 294,713 | 1 | 0.5 | 00.0-01.5 | | | | | | | 218 | 99.5 | 98.5-0100 |
| 35-44 | 218 | 286,181 | 1 | 1.4 | 00.0-04.1 | | | | | | | 217 | 98.6 | 95.9-0100 |
| 45-54 | 391 | 336,174 | | | | 1 | 0.2 | 00.0-00.6 | | | | 390 | 99.8 | 99.4-0100 |
| 55-64 | 451 | 318,115 | 1 | 0.2 | 00.0-00.6 | | | | 1 | 0.4 | 00.0-01.2 | 449 | 99.4 | 98.6-0100 |
| 65+ | 649 | 404,618 | 1 | 0.1 | 00.0-00.3 | | | | | | | 648 | 99.9 | 99.7-0100 |
| Less Than H.S. | 189 | 260,193 | | | | | | | | | | 189 | 100.0 | 0100-0100 |
| H.S. or G.E.D. | 637 | 646,255 | 1 | 0.1 | 00.0-00.3 | 1 | 0.8 | 00.0-02.4 | 2 | 0.4 | 00.0-01.0 | 633 | 98.7 | 97.1-0100 |
| Some Post-H.S. | 514 | 506,925 | 3 | 1.1 | 00.0-02.7 | 1 | 0.1 | 00.0-00.3 | | | | 510 | 98.8 | 97.2-0100 |
| College Graduate | 715 | 449,288 | | | | | | | | | | 715 | 100.0 | 0100-0100 |
| Less than \$15,000 | 166 | 146,227 | | | | | | | | | | 166 | 100.0 | 0100-0100 |
| \$15,000- 24,999 | 272 | 235,756 | 2 | 0.7 | 00.0-01.9 | 1 | 0.3 | 00.0-00.9 | 1 | 0.5 | 00.0-01.5 | 268 | 98.5 | 96.9-0100 |
| \$25,000- 34,999 | 170 | 156,852 | | | | 1 | 3.3 | 00.0-09.6 | | | | 169 | 96.7 | 90.4-0100 |
| \$35,000- 49,999 | 270 | 240,569 | 2 | 2.0 | 00.0-05.3 | | | | | | | 268 | 98.0 | 94.7-0100 |
| \$50,000- 74,999 | 314 | 309,149 | | | | | | | | | | 314 | 100.0 | 0100-0100 |
| \$75,000+ | 602 | 550,289 | | | | | | | | | | 602 | 100.0 | 0100-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019
MODULE 29: SEXUAL ORIENTATION AND GENDER IDENTITY**

TABLE 6: M29.02 Do you consider yourself to be transgender? (TRNSGNDR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

| DEMOGRAPHIC GROUPS | RESPONDENT NUMBER | | Yes, Transgender, male-to-female | | | Yes, Transgender, female to male | | | Yes, Transgender, gender nonconforming | | | No | | |
|----------------------------|-------------------|-----------|----------------------------------|-----|------------|----------------------------------|-----|------------|--|-----|------------|------|-------|------------|
| | TOTAL | WEIGHTED | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) | N | % | C.I. (95%) |
| Female | 2660 | 1,985,240 | 2 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.1-00.1 | 6 | 0.4 | 00.0-01.0 | 2650 | 99.4 | 98.8-0100 |
| White/Non-Hisp | 2158 | 1,530,998 | 1 | 0.1 | 00.0-00.3 | 2 | 0.1 | 00.0-00.3 | 3 | 0.1 | 00.0-00.3 | 2152 | 99.7 | 99.5-99.9 |
| Black or Afr. Am./Non-Hisp | 318 | 308,974 | | | | | | | | | | 318 | 100.0 | 0100-0100 |
| Oth. Race/Non-Hisp. | 53 | 34,523 | | | | | | | | | | 53 | 100.0 | 0100-0100 |
| 18-24 | 121 | 180,806 | 1 | 0.6 | 00.0-01.8 | | | | 2 | 3.3 | 00.0-09.0 | 118 | 96.1 | 90.4-0100 |
| 25-34 | 229 | 283,977 | | | | | | | 1 | 0.1 | 00.0-00.3 | 228 | 99.9 | 99.7-0100 |
| 35-44 | 290 | 298,721 | 1 | 0.5 | 00.0-01.5 | 2 | 0.4 | 00.0-01.0 | 2 | 0.6 | 00.0-01.6 | 285 | 98.5 | 97.1-99.9 |
| 45-54 | 448 | 337,182 | | | | | | | | | | 448 | 100.0 | 0100-0100 |
| 55-64 | 566 | 365,892 | | | | | | | | | | 566 | 100.0 | 0100-0100 |
| 65+ | 1006 | 518,662 | | | | | | | 1 | 0.1 | 00.0-00.3 | 1005 | 99.9 | 99.7-0100 |
| Less Than H.S. | 248 | 242,287 | 1 | 0.5 | 00.0-01.5 | 1 | 0.3 | 00.0-00.9 | | | | 246 | 99.2 | 98.0-0100 |
| H.S. or G.E.D. | 851 | 677,950 | 1 | 0.2 | 00.0-00.6 | | | | 3 | 1.0 | 00.0-02.6 | 847 | 98.8 | 97.2-0100 |
| Some Post-H.S. | 751 | 617,128 | | | | | | | 1 | 0.0 | 00.0-00.0 | 750 | 100.0 | 0100-0100 |
| College Graduate | 805 | 444,185 | | | | 1 | 0.1 | 00.0-00.3 | 1 | 0.0 | 00.0-00.0 | 803 | 99.9 | 99.7-0100 |
| Less than \$15,000 | 328 | 201,425 | | | | | | | | | | 328 | 100.0 | 0100-0100 |
| \$15,000- 24,999 | 480 | 351,896 | 1 | 0.3 | 00.0-00.9 | 2 | 0.3 | 00.0-00.9 | 2 | 1.7 | 00.0-04.6 | 475 | 97.7 | 94.8-0100 |
| \$25,000- 34,999 | 217 | 164,132 | | | | | | | 1 | 0.2 | 00.0-00.6 | 216 | 99.8 | 99.4-0100 |
| \$35,000- 49,999 | 333 | 231,239 | | | | | | | 1 | 0.1 | 00.0-00.3 | 332 | 99.9 | 99.7-0100 |
| \$50,000- 74,999 | 294 | 235,516 | | | | | | | | | | 294 | 100.0 | 0100-0100 |
| \$75,000+ | 512 | 421,239 | | | | | | | | | | 512 | 100.0 | 0100-0100 |

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2019**

End of Module Data Report