TENNESSEE

2021 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

August 11, 2022





MODULE 2: DIABETES CONTENTS

	IEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENT TO THE OWN THE	
* * * *	TO THE STATES SURVEY. ************************************	* * *
TABLE		PAGE
	ARE YOU NOW TAKING INSULIN? (INSULIN1)	
1	MALES AND FEMALES	4
2	MALES ONLY	5
3	FEMALES ONLY	6
	ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)	
4	MALES AND FEMALES	7
5	MALES ONLY	8
6	FEMALES ONLY	9
	INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)	
7	MALES AND FEMALES	10
8	MALES ONLY	11
9	FEMALES ONLY	12
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
10	MALES AND FEMALES	13
11	MALES ONLY	14
12	FEMALES ONLY	15
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)	
13	MALES AND FEMALES	16
14	MALES ONLY	17
15	FEMALES ONLY	18
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
16	MALES AND FEMALES	19
17	MALES ONLY	20
18	FEMALES ONLY	21

2 of 57 August 11, 2022

MODULE 2: DIABETES CONTENTS

* NOTE	<u> </u>	****
WHI	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT	TION
IS I	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN	ITS
	TO THE STATES SURVEY.	
* * * *	*******************************	* * *
TABLE		PAGE
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE	
	TO BRIGHT LIGHT? (EYEEXAM1)	
19	MALES AND FEMALES	22
20	MALES ONLY	23
21	FEMALES ONLY	24
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
22	MALES AND FEMALES	25
23	MALES ONLY	26
24	FEMALES ONLY	27
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
25	MALES AND FEMALES	28
26	MALES ONLY	29
27	FEMALES ONLY	30

3 of 57 August 11, 2022

MODULE 2: DIABETES

TABLE 1: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents with do not know/refused/missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER	0 -	Yes	S		No	ı
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	731	730,924	232	32.2	27.7-36.7	499	67.8	63.3-72.3
Male	339	341,438	98	28.8	22.3-35.3	241	71.2	64.7-77.7
Female	392	389,486	134	35.2	29.1-41.3	258	64.8	58.7-70.9
White/Non-Hisp	575	537,916	190	33.8	28.9-38.7	385	66.2	61.3-71.1
Black or Afr. Am./Non-Hisp	106	145,375	29	30.2	18.8-41.6	77	69.8	58.4-81.2
45-54	113	113,044	33	29.2	19.6-38.8	80	70.8	61.2-80.4
55-64	196	217,336	65	33.0	25.2-40.8	131	67.0	59.2-74.8
65+	368	330,468	113	29.9	23.6-36.2	255	70.1	63.8-76.4
Less Than H.S.	88	154,542	37	38.6	26.6-50.6	51	61.4	49.4-73.4
H.S. or G.E.D.	241	260,921	75	31.5	23.9-39.1	166	68.5	60.9-76.1
Some Post-H.S.	208	191,222	70	33.5	26.2-40.8	138	66.5	59.2-73.8
College Graduate	191	121,077	49	23.8	16.5-31.1	142	76.2	68.9-83.5
Less than \$15,000	81	76,122	30	45.0	30.1-59.9	51	55.0	40.1-69.9
\$15,000- 24,999	114	130,047	41	36.3	24.3-48.3	73	63.7	51.7-75.7
\$25,000- 34,999	97	104,238	26	28.7	16.7-40.7	71	71.3	59.3-83.3
\$35,000- 49,999	88	90,336	24	33.2	20.9-45.5	64	66.8	54.5-79.1
\$50,000- 99,999	159	146,857	50	27.7	19.5-35.9	109	72.3	64.1-80.5
\$100,000- 199,999	56	56,099	14	22.1	08.6-35.6	42	77.9	64.4-91.4

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 2: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER	3 _	Yes	;		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	339	341,438	98	28.8	22.3-35.3	241	71.2	64.7-77.7
White/Non-Hisp	279	259,662	86	32.5	25.2-39.8	193	67.5	60.2-74.8
55-64 65+	98 173	118,200 144,542	27 54	25.5 30.3	15.5-35.5 21.9-38.7	71 119	74.5 69.7	64.5-84.5 61.3-78.1
H.S. or G.E.D. Some Post-H.S. College Graduate	102 86 106	120,729 80,308 66,343	27 30 26	30.4 33.9 17.9	17.9-42.9 21.9-45.9 10.1-25.7	75 56 80	69.6 66.1 82.1	57.1-82.1 54.1-78.1 74.3-89.9
\$50,000- 99,999	86	84,080	28	22.8	13.8-31.8	58	77.2	68.2-86.2

TABLE 3: ARE YOU NOW TAKING INSULIN? (INSULIN1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER	_	Yes	\$		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	392	389,486	134	35.2	29.1-41.3	258	64.8	58.7-70.9
White/Non-Hisp	296	278,254	104	34.9	28.2-41.6	192	65.1	58.4-71.8
Black or Afr. Am./Non-Hisp	72	85,067	22	38.2	23.9-52.5	50	61.8	47.5-76.1
45-54	70	71,043	25	37.8	24.5-51.1	45	62.2	48.9-75.5
55-64	98	99,136	38	41.8	29.8-53.8	60	58.2	46.2-70.2
65+	195	185,926	59	29.7	20.5-38.9	136	70.3	61.1-79.5
H.S. or G.E.D.	139	140,192	48	32.4	22.8-42.0	91	67.6	58.0-77.2
Some Post-H.S.	122	110,914	40	33.3	23.9-42.7	82	66.7	57.3-76.1
College Graduate	85	54,734	23	30.8	18.6-43.0	62	69.2	57.0-81.4
Less than \$15,000	53	49,411	22	49.8	31.8-67.8	31	50.2	32.2-68.2
\$15,000- 24,999	66	69,854	25	34.1	21.0-47.2	41	65.9	52.8-79.0
\$25,000- 34,999	52	58,228	13	28.1	11.0-45.2	39	71.9	54.8-89.0
\$50,000- 99,999	73	62,777	22	34.3	20.2-48.4	51	65.7	51.6-79.8

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 4: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Neve	er	<	1 time p	er Day	1-	5 times p	oer Day	> 5	times p	er Day
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	720	721,907	80	10.6	07.7-13.5	189	26.7	22.6-30.8	430	59.7	55.2-64.2	21	3.0	01.6-04.4
Male	331	333,656	41	11.6	06.9-16.3	103	30.2	24.3-36.1	177	55.3	48.6-62.0	10	2.9	00.9-04.9
Female	389	388,252	39	9.8	06.1-13.5	86	23.7	18.0-29.4	253	63.4	57.1-69.7	11	3.2	01.0-05.4
White/Non-Hisp	567	533,368	64	10.9	07.8-14.0	152	26.6	22.1-31.1	333	59.0	54.1-63.9	18	3.5	01.7-05.3
Black or Afr. Am./Non-Hisp	105	142,990	10	10.5	01.3-19.7	27	28.2	17.2-39.2	67	60.1	47.6-72.6	1	1.2	00.0-03.6
45-54	112	112,969	18	15.3	07.1-23.5	28	32.1	20.7-43.5	61	48.4	37.2-59.6	5	4.3	00.2-08.4
55-64	193	214,373	18	7.5	03.8-11.2	52	28.2	20.4-36.0	120	62.0	53.8-70.2	3	2.3	00.0-05.2
65+	362	325,280	31	8.8	04.3-13.3	102	27.4	21.5-33.3	219	61.3	54.4-68.2	10	2.6	00.8-04.4
Less Than H.S.	86	151,960	7	8.7	00.3-17.1	17	19.2	09.0-29.4	61	70.2	57.9-82.5	1	1.9	00.0-05.6
H.S. or G.E.D.	235	255,715	22	9.8	04.9-14.7	57	24.3	17.8-30.8	151	64.0	56.6-71.4	5	1.9	00.1-03.7
Some Post-H.S.	207	190,450	21	9.5	05.0-14.0	59	32.8	24.8-40.8	117	52.7	44.7-60.7	10	5.0	01.7-08.3
College Graduate	190	121,509	30	16.8	09.9-23.7	54	30.0	22.0-38.0	101	49.5	40.5-58.5	5	3.7	00.2-07.2
Less than \$15,000	81	76,122	5	6.7	00.0-13.4	12	16.4	05.8-27.0	63	75.1	62.9-87.3	1	1.8	00.0-05.3
\$15,000- 24,999	112	129,135	14	10.9	04.2-17.6	30	18.9	11.1-26.7	66	67.8	57.8-77.8	2	2.5	00.0-06.8
\$25,000- 34,999	93	99,481	11	12.8	04.2-21.4	25	31.1	19.3-42.9	55	54.3	41.8-66.8	2	1.8	00.0-04.5
\$35,000- 49,999	88	90,336	8	6.8	01.1-12.5	31	35.1	22.6-47.6	48	56.2	43.5-68.9	1	1.9	00.0-05.4
\$50,000-99,999	157	146,154	16	9.7	04.4-15.0	44	30.7	21.5-39.9	88	53.9	44.3-63.5	9	5.7	01.8-09.6
\$100,000- 199,999	57	57,175	9	11.3	01.7-20.9	17	33.4	16.7-50.1	28	51.2	33.2-69.2	3	4.1	00.0-09.6

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

MODULE 2: DIABETES

TABLE 5: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Neve	er	<	1 time p	er Day	1-	5 times p	er Day	> 5	times p	oer Day
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	331	333,656	41	11.6	06.9-16.3	103	30.2	24.9-35.5	177	55.3	48.8-61.8	10	2.9	00.9-04.9
White/Non-Hisp	274	256,348	32	10.2	06.5-13.9	86	29.4	23.5-35.3	146	56.7	50.2-63.2	10	3.7	01.2-06.2
55-64	95	115,237	10	7.4	02.5-12.3	33	34.5	23.9-45.1	51	56.6	45.4-67.8	1	1.4	00.0-04.1
65+	169	140,325	18	12.4	03.8-21.0	53	29.3	21.7-36.9	90	53.0	43.6-62.4	8	5.3	01.4-09.2
H.S. or G.E.D.	98	116,494	10	8.8	02.9-14.7	31	27.3	17.9-36.7	55	62.2	51.4-73.0	2	1.6	00.0-04.1
Some Post-H.S.	85	79,536	8	7.8	02.1-13.5	27	29.5	18.3-40.7	45	55.1	43.1-67.1	5	7.6	00.9-14.3
College Graduate	106	67,038	17	16.2	07.4-25.0	31	34.7	23.7-45.7	55	46.7	34.5-58.9	3	2.4	00.0-05.1
\$50,000- 99,999	86	84,080	8	8.9	01.6-16.2	25	34.2	22.8-45.6	48	51.7	39.5-63.9	5	5.2	00.5-09.9

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

MODULE 2: DIABETES

TABLE 6: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? [INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL.] (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE				er	<	1 time p	er Day	1-	5 times p	oer Day	> 5	times p	er Day
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	389	388,252	39	9.8	06.1-13.5	86	23.7	18.0-29.4	253	63.4	56.9-69.9	11	3.2	01.0-05.4
White/Non-Hisp	293	277,020	32	11.6	06.9-16.3	66	23.9	17.2-30.6	187	61.1	53.7-68.5	8	3.4	00.7-06.1
Black or Afr. Am./Non-Hisp	72	85,067	6	6.3	00.0-12.8	16	26.2	13.3-39.1	49	65.5	51.8-79.2	1	2.0	00.0-05.7
45-54	69	70,780	10	14.5	03.9-25.1	16	30.6	15.7-45.5	39	48.8	34.3-63.3	4	6.2	00.0-12.7
55-64	98	99,136	8	7.6	01.9-13.3	19	20.9	11.3-30.5	69	68.3	57.1-79.5	2	3.2	00.0-08.9
65+	193	184,955	13	6.0	01.7-10.3	49	25.9	17.3-34.5	129	67.6	58.4-76.8	2	0.5	00.0-01.3
H.S. or G.E.D.	137	139,221	12	10.5	03.2-17.8	26	21.8	13.0-30.6	96	65.5	55.1-75.9	3	2.1	00.0-04.6
Some Post-H.S.	122	110,914	13	10.8	04.5-17.1	32	35.2	24.2-46.2	72	50.9	40.5-61.3	5	3.2	00.1-06.3
College Graduate	84	54,471	13	17.4	06.6-28.2	23	24.3	13.7-34.9	46	52.9	39.4-66.4	2	5.3	00.0-12.4
Less than \$15,000	53	49,411	1	1.2	00.0-03.6	7	16.9	02.6-31.2	44	79.1	64.2-94.0	1	2.7	00.0-08.0
\$15,000- 24,999	65	69,323	6	10.9	00.7-21.1	14	17.8	06.4-29.2	43	66.8	51.9-81.7	2	4.6	00.0-12.6
\$25,000- 34,999	52	58,228	8	18.0	03.9-32.1	14	34.1	17.4-50.8	30	47.9	30.5-65.3			
\$50,000- 99,999	71	62,075	8	10.8	03.2-18.4	19	26.0	13.7-38.3	40	57.0	42.9-71.1	4	6.3	00.0-12.8

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 7: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	Т	imes pe	er Day	Tir	nes pe	r Week	Tin	nes per	Month	Tir	nes pe	r Year		Nev	er		No F	eet
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	708	711,950	439	61.0	56.3-65.7	115	15.5	12.2-18.8	42	5.8	03.4-08.2	23	3.2	01.8-04.6	86	14.0	10.1-17.9	3	0.4	8.00-0.00
Male	332	336,340	196	57.5	50.8-64.2	54	14.4	09.7-19.1	17	6.1	01.8-10.4	14	4.3	01.9-06.7	49	17.2	11.5-22.9	2	0.5	00.0-01.1
Female	376	375,610	243	64.2	57.5-70.9	61	16.5	11.8-21.2	25	5.6	03.1-08.1	9	2.3	00.7-03.9	37	11.1	06.0-16.2	1	0.3	00.3-00.3
White/Non-Hisp	558	526,729	350	61.1	56.0-66.2	90	16.3	12.4-20.2	34	5.9	03.0-08.8	18	3.3	01.7-04.9	65	13.2	09.1-17.3	1	0.2	00.2-00.2
Black or Afr. Am./Non-Hisp	103	139,933	62	61.7	49.4-74.0	19	14.8	07.0-22.6	6	6.3	00.6-12.0	2	1.2	00.0-03.0	12	14.8	04.0-25.6	2	1.1	00.0-02.7
45-54	110	110,858	65	59.9	48.7-71.1	15	12.7	05.4-20.0	12	11.8	04.7-18.9	3	2.9	00.0-06.2	15	12.7	04.5-20.9			
55-64	194	216,404	130	64.3	56.1-72.5	31	16.2	10.3-22.1	10	4.6	01.1-08.1	6	3.3	00.6-06.0	15	10.6	04.5-16.7	2	1.0	00.2-01.8
65+	351	317,076	206	58.8	51.4-66.2	65	17.7	12.6-22.8	18	3.5	01.5-05.5	11	3.2	01.2-05.2	50	16.6	10.1-23.1	1	0.2	00.0-00.6
Less Than H.S.	86	151,597	53	61.1	48.0-74.2	12	11.7	04.3-19.1	4	2.2	00.0-04.6	3	2.8	00.0-06.3	14	22.1	09.6-34.6			
H.S. or G.E.D.	233	252,747	153	65.3	57.5-73.1	36	15.2	09.5-20.9	12	7.2	01.7-12.7	5	2.0	00.2-03.8	25	9.6	04.9-14.3	2	0.6	00.0-01.6
Some Post-H.S.	200	186,301	117	57.6	49.6-65.6	35	19.3	13.2-25.4	14	5.4	02.1-08.7	8	4.4	01.5-07.3	26	13.3	07.2-19.4			
College Graduate	188	119,590	116	58.2	49.2-67.2	32	15.3	08.2-22.4	12	8.3	02.6-14.0	7	4.5	01.0-08.0	20	12.6	06.3-18.9	1	1.0	00.8-01.2
Less than \$15,000	81	76,122	55	73.3	61.7-84.9	10	12.4	04.2-20.6	5	2.7	00.2-05.2	3	3.9	00.0-08.8	8	7.5	00.6-14.4			
\$15,000- 24,999	110	127,297	72	66.6	56.2-77.0	20	17.3	08.1-26.5	3	5.3	00.0-14.5	1	0.5	00.0-01.5	13	9.6	03.3-15.9	1	0.7	00.0-02.1
\$25,000- 34,999	94	100,888	58	64.0	52.0-76.0	21	17.2	07.8-26.6	7	9.2	01.9-16.5	1	1.1	00.0-03.3	7	8.5	01.1-15.9			
\$35,000- 49,999	87	87,872	56	63.2	51.4-75.0	10	14.1	06.3-21.9	6	5.7	00.2-11.2	3	3.9	00.0-08.2	12	13.0	05.2-20.8			
\$50,000- 99,999	155	144,389	92	55.7	45.7-65.7	28	17.6	09.8-25.4	7	5.2	01.1-09.3	9	5.7	01.8-09.6	19	15.8	07.4-24.2			
\$100,000- 199,999	55	56,378	36	60.8	43.2-78.4	7	13.8	02.4-25.2	4	6.8	00.0-14.8	1	1.9	00.0-05.6	7	16.8	02.3-31.3			

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 8: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER	Т	imes pe	er Day	Tir	mes pe	r Week	Tin	nes pei	Month	Tir	nes pe	er Year		Nev	er		No Fe	eet
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	332	336,340	196	57.5	51.0-64.0	54	14.4	09.7-19.1	17	6.1	01.8-10.4	14	4.3	01.9-06.7	49	17.2	11.9-22.5	2	0.5	00.0-01.1
White/Non-Hisp	274	256,349	170	61.2	54.5-67.9	42	14.3	09.2-19.4	13	5.0	00.1-09.9	11	4.3	01.8-06.8	38	15.1	09.8-20.4			
55-64	97	117,719	59	59.8	48.4-71.2	14	12.8	05.0-20.6	5	5.3	00.0-10.6	5	5.1	00.4-09.8	13	16.2	08.6-23.8	1	0.8	00.0-02.4
65+	168	140,634	91	53.5	43.9-63.1	34	18.7	11.3-26.1	9	4.4	00.7-08.1	7	4.5	01.0-08.0	26	18.5	09.3-27.7	1	0.5	00.0-01.5
H.S. or G.E.D.	100	119,618	58	59.8	48.4-71.2	15	13.0	05.4-20.6	7	11.9	01.3-22.5	4	3.7	00.0-07.4	14	10.2	03.9-16.5	2	1.3	00.0-03.3
Some Post-H.S.	84	79,475	50	60.1	47.4-72.8	14	15.2	06.6-23.8	4	3.7	00.0-08.2	3	4.1	00.0-08.6	13	17.0	06.8-27.2			
College Graduate	105	66,575	64	55.9	44.3-67.5	19	19.2	08.4-30.0	5	3.5	00.0-08.2	4	3.8	00.0-07.7	13	17.6	07.4-27.8			
\$50,000- 99,999	84	82,819	48	53.6	41.4-65.8	17	16.9	07.3-26.5	1	1.1	00.0-03.3	5	5.5	00.4-10.6	13	22.9	12.3-33.5			

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 9: INCLUDING TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER	т	imes pe	er Day	Tir	mes pe	r Week	Tin	nes pei	Month	Ti	mes pe	er Year		Nev	er		No F	eet
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	376	375,610	243	64.2	57.5-70.9	61	16.5	11.8-21.2	25	5.6	03.1-08.1	9	2.3	00.7-03.9	37	11.1	06.0-16.2	1	0.3	00.3-00.3
White/Non-Hisp	284	270,380	180	61.0	53.2-68.8	48	18.1	12.4-23.8	21	6.7	03.6-09.8	7	2.3	00.5-04.1	27	11.4	05.1-17.7	1	0.4	00.4-00.4
Black or Afr. Am./Non-Hisp	69	79,625	48	72.7	60.2-85.2	12	16.0	05.4-26.6	3	3.3	0.0-08.0	1	1.4	00.0-04.1	5	6.5	00.0-13.2			
45-54	68	69,568	37	57.6	43.3-71.9	10	11.2	03.4-19.0	10	15.8	05.6-26.0	1	1.4	00.0-04.1	10	14.0	03.0-25.0			
55-64	97	98,685	71	69.6	58.8-80.4	17	20.4	11.4-29.4	5	3.6	00.0-07.5	1	1.2	00.0-03.6	2	4.0	00.0-09.9	1	1.2	01.0-01.4
65+	183	176,441	115	63.1	52.7-73.5	31	16.8	09.5-24.1	9	2.8	00.8-04.8	4	2.2	00.0-04.4	24	15.1	06.3-23.9			
H.S. or G.E.D.	133	133,128	95	70.2	60.0-80.4	21	17.2	08.8-25.6	5	3.0	00.0-06.1	1	0.5	00.0-01.5	11	9.1	02.2-16.0			
Some Post-H.S.	116	106,826	67	55.8	45.4-66.2	21	22.3	13.7-30.9	10	6.6	01.9-11.3	5	4.6	00.5-08.7	13	10.7	03.3-18.1			
College Graduate	83	53,015	52	61.1	47.8-74.4	13	10.5	02.5-18.5	7	14.4	03.4-25.4	3	5.4	00.0-11.5	7	6.3	01.4-11.2	1	2.3	01.7-02.9
Less than \$15,000	53	49,411	40	82.8	72.0-93.6	6	12.0	02.2-21.8	4	3.5	00.0-07.2				3	1.7	00.0-03.7			
\$15,000- 24,999	62	67,104	46	77.5	64.2-90.8	7	10.0	00.6-19.4	1	0.8	00.0-02.4	1	1.0	00.0-03.0	7	10.7	00.5-20.9			
\$25,000- 34,999	51	55,696	31	63.7	46.6-80.8	14	24.0	08.3-39.7	3	5.7	00.0-13.0	1	1.9	00.0-05.6	2	4.6	00.0-11.9			
\$50,000- 99,999	71	61,570	44	58.6	43.7-73.5	11	18.5	05.8-31.2	6	10.6	01.6-19.6	4	6.0	00.1-11.9	6	6.3	00.6-12.0			

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 10: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER		1 tim	ne		2 tim	es	0 -	3 tim	es		4 tim	es	5 (or more	e times		Non	е
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)									
TOTAL	706	703,377	131	17.2	13.7-20.7	161	22.1	18.2-26.0	92	14.0	10.7-17.3	160	24.2	20.1-28.3	77	13.0	09.9-16.1	85	9.5	07.0-12.0
Male	329	329,647	68	20.9	15.0-26.8	71	18.8	14.1-23.5	44	13.9	08.8-19.0	68	20.7	15.6-25.8	34	14.7	09.8-19.6	44	10.9	07.4-14.4
Female	377	373,730	63	13.9	10.0-17.8	90	25.0	19.1-30.9	48	14.1	09.8-18.4	92	27.2	21.1-33.3	43	11.5	07.4-15.6	41	8.2	04.7-11.7
White/Non-Hisp	559	518,773	101	15.9	12.4-19.4	134	24.3	19.8-28.8	76	14.6	11.1-18.1	127	23.7	19.4-28.0	54	10.8	07.7-13.9	67	10.5	07.6-13.4
Black or Afr. Am./Non-Hisp	100	139,357	15	18.4	07.0-29.8	18	15.3	06.9-23.7	15	16.1	06.1-26.1	21	21.4	11.0-31.8	18	22.5	12.1-32.9	13	6.4	02.1-10.7
45-54	113	113,232	21	16.5	08.1-24.9	31	27.9	17.7-38.1	12	12.7	04.3-21.1	26	21.8	12.6-31.0	11	10.8	05.1-16.5	12	10.3	03.6-17.0
55-64	193	213,863	38	16.1	10.0-22.2	38	20.7	13.6-27.8	27	15.7	08.8-22.6	47	24.2	16.6-31.8	24	15.3	09.8-20.8	19	8.0	04.1-11.9
65+	346	306,206	64	19.7	13.8-25.6	81	21.0	15.1-26.9	42	12.7	08.2-17.2	76	24.8	18.1-31.5	36	12.1	07.2-17.0	47	9.7	06.0-13.4
Less Than H.S.	79	141,734	14	18.9	07.7-30.1	12	18.1	06.9-29.3	10	9.9	02.8-17.0	24	31.0	18.1-43.9	12	17.7	09.3-26.1	7	4.4	00.9-07.9
H.S. or G.E.D.	234	254,562	38	13.7	09.0-18.4	51	20.2	14.1-26.3	34	17.2	10.7-23.7	50	23.6	17.1-30.1	34	15.0	09.1-20.9	27	10.2	05.5-14.9
Some Post-H.S.	202	184,703	34	17.8	11.1-24.5	39	21.5	14.6-28.4	26	13.2	07.9-18.5	49	22.1	15.4-28.8	21	11.1	06.2-16.0	33	14.3	08.8-19.8
College Graduate	190	120,663	45	21.8	14.7-28.9	58	30.7	22.7-38.7	22	13.5	07.2-19.8	37	21.0	12.8-29.2	10	6.4	01.5-11.3	18	6.6	02.9-10.3
Less than \$15,000	76	71,315	10	8.9	02.6-15.2	9	12.5	03.3-21.7	12	18.3	06.1-30.5	20	28.7	15.0-42.4	19	29.1	15.0-43.2	6	2.5	00.1-04.9
\$15,000- 24,999	108	123,370	15	13.2	05.8-20.6	19	14.0	06.9-21.1	17	16.2	08.0-24.4	29	31.0	19.8-42.2	14	16.7	10.0-23.4	14	8.9	03.8-14.0
\$25,000- 34,999	95	100,869	16	15.2	06.8-23.6	16	15.4	06.2-24.6	9	7.1	01.8-12.4	26	30.5	18.7-42.3	13	16.4	06.8-26.0	15	15.3	06.5-24.1
\$35,000- 49,999	86	88,904	20	17.3	08.9-25.7	23	23.3	12.9-33.7	15	23.3	12.9-33.7	16	22.3	10.0-34.6	4	5.3	00.0-11.2	8	8.5	01.6-15.4
\$50,000- 99,999	156	143,271	34	24.1	15.1-33.1	47	29.6	20.8-38.4	22	13.4	07.1-19.7	29	18.4	11.0-25.8	10	6.4	02.1-10.7	14	8.1	02.4-13.8
\$100,000- 199,999	57	57,175	12	14.2	04.6-23.8	20	38.2	21.5-54.9	7	17.3	00.0-35.5	8	17.5	03.8-31.2	4	8.2	00.0-19.6	6	4.5	00.6-08.4

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 11: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER		1 tin	ne		2 tim	es		3 tim	ies		4 tim	ies	5 0	or more	e times		Non	е
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)									
Male	329	329,647	68	20.9	15.4-26.4	71	18.8	14.1-23.5	44	13.9	09.0-18.8	68	20.7	15.6-25.8	34	14.7	09.8-19.6	44	10.9	07.6-14.2
White/Non-Hisp	271	249,246	53	18.3	12.8-23.8	59	19.8	14.3-25.3	41	14.1	09.4-18.8	56	22.6	16.9-28.3	23	12.1	07.6-16.6	39	13.1	09.0-17.2
55-64 65+	96 165	115,922 134,840	21 33	18.4 25.2	10.6-26.2 15.0-35.4	17 42	16.9 20.7	08.7-25.1 13.4-28.0	13 20	14.3 11.9	03.9-24.7 05.6-18.2	23 28	22.4 18.2	12.0-32.8 10.8-25.6	11 18	19.4 12.2	10.8-28.0 06.5-17.9	11 24	8.6 11.8	03.3-13.9 07.1-16.5
H.S. or G.E.D. Some Post-H.S. College Graduate	98 85 106	79,797	16 18 25	14.1 21.9 20.1	06.8-21.4 10.3-33.5 11.5-28.7	21 16 30	18.3 22.0 29.1	10.1-26.5 12.0-32.0 17.9-40.3	14 14 13	17.5 13.6 16.6	06.7-28.3 05.4-21.8 07.0-26.2	19 17 22	22.7 18.1 21.4	14.3-31.1 09.3-26.9 10.6-32.2	12 7 5	15.3 8.1 5.4	05.9-24.7 01.4-14.8 00.0-10.9	16 13 11	11.9 16.3 7.4	06.2-17.6 07.3-25.3 02.3-12.5
\$50,000- 99,999	83	80,493	20	28.3	16.9-39.7	20	21.6	11.8-31.4	16	17.0	08.0-26.0	17	19.5	09.3-29.7	4	4.7	00.0-09.6	6	8.9	00.3-17.5

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 12: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1 tin	ne		2 tim	es	_	3 tim	es		4 tim	es	5 (or more	times		Non	e
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)									
Female	377	373,730	63	13.9	10.0-17.8	90	25.0	19.1-30.9	48	14.1	09.8-18.4	92	27.2	21.1-33.3	43	11.5	07.4-15.6	41	8.2	04.7-11.7
White/Non-Hisp	288	269,527	48	13.7	09.4-18.0	75	28.6	21.5-35.7	35	15.1	09.8-20.4	71	24.8	18.5-31.1	31	9.7	05.4-14.0	28	8.1	03.8-12.4
Black or Afr. Am./Non-Hisp	67	79,537	10	14.5	04.5-24.5	12	17.2	04.9-29.5	12	14.7	04.7-24.7	14	25.4	11.5-39.3	9	19.0	07.8-30.2	10	9.2	02.3-16.1
45-54	70	71,043	12	13.3	03.9-22.7	22	29.7	16.6-42.8	7	13.5	01.7-25.3	13	21.1	08.6-33.6	10	14.7	07.1-22.3	6	7.7	00.6-14.8
55-64	97	97,941	17	13.3	06.4-20.2	21	25.2	13.6-36.8	14	17.4	09.4-25.4	24	26.4	15.4-37.4	13	10.4	04.1-16.7	8	7.3	01.6-13.0
65+	181	171,366	31	15.3	09.2-21.4	39	21.3	12.7-29.9	22	13.3	07.0-19.6	48	30.1	20.1-40.1	18	12.0	04.7-19.3	23	8.1	02.6-13.6
H.S. or G.E.D.	136	139,018	22	13.4	06.9-19.9	30	21.7	13.5-29.9	20	17.0	09.4-24.6	31	24.3	15.1-33.5	22	14.7	07.8-21.6	11	8.8	01.7-15.9
Some Post-H.S.	117	104,906	16	14.7	07.1-22.3	23	21.2	12.0-30.4	12	13.0	06.1-19.9	32	25.1	15.7-34.5	14	13.3	06.0-20.6	20	12.8	06.1-19.5
College Graduate	84	53,539	20	23.9	12.3-35.5	28	32.8	20.6-45.0	9	9.6	02.5-16.7	15	20.5	07.8-33.2	5	7.5	00.0-15.9	7	5.7	00.6-10.8
Less than \$15,000	50	45,501	7	12.0	02.8-21.2	5	11.7	00.0-23.7	8	18.6	02.9-34.3	15	38.4	20.2-56.6	11	17.3	06.3-28.3	4	2.0	00.0-04.2
\$15,000- 24,999	63	67,879	8	10.4	01.8-19.0	14	18.8	07.6-30.0	8	14.4	03.8-25.0	19	39.5	22.3-56.7	8	11.1	05.2-17.0	6	5.8	00.3-11.3
\$25,000- 34,999	50	54,859	9	14.8	03.6-26.0	7	15.6	01.5-29.7	6	6.8	00.7-12.9	16	37.0	19.9-54.1	5	10.3	00.0-20.7	7	15.5	00.6-30.4
\$50,000- 99,999	73	62,777	14	18.7	08.1-29.3	27	39.9	25.2-54.6	6	8.8	01.0-16.6	12	17.0	06.0-28.0	6	8.6	01.0-16.2	8	7.0	00.7-13.3

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER		1-2 pe	r yr		3-4 pe	r yr	0 –	5-9 pe	r yr	10	or more	e per yr		NON	IE .	N	ever He	eard of
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	700	700,292	363	50.3	45.6-55.0	260	37.4	32.9-41.9	18	3.8	02.0-05.6	23	3.0	01.4-04.6	31	5.0	02.6-07.4	5	0.5	00.1-00.9
Male	328	329,517	173	51.7	45.0-58.4	117	33.0	27.1-38.9	9	4.6	02.2-07.0	10	3.4	01.2-05.6	17	7.0	02.7-11.3	2	0.3	00.0-00.7
Female	372	370,775	190	49.0	42.1-55.9	143	41.3	34.6-48.0	9	3.1	00.4-05.8	13	2.7	00.5-04.9	14	3.3	00.9-05.7	3	0.6	00.0-01.4
White/Non-Hisp	553	518,477	288	48.8	43.7-53.9	211	39.4	34.5-44.3	14	4.6	02.2-07.0	14	2.1	00.9-03.3	22	4.6	02.2-07.0	4	0.5	00.0-01.1
Black or Afr. Am./Non-Hisp	101	137,764	50	56.3	43.8-68.8	33	28.1	17.1-39.1	3	1.5	00.0-03.7	8	7.1	01.2-13.0	6	6.4	00.0-15.0	1	0.6	00.0-01.8
45-54	112	112,941	62	58.7	47.5-69.9	41	33.9	23.1-44.7	1	0.6	00.0-01.8	4	3.6	00.0-07.3	4	3.3	00.0-06.8			
55-64	194	215,660	92	45.5	36.9-54.1	81	42.1	33.7-50.5	6	5.9	02.6-09.2	5	2.0	00.0-04.0	10	4.5	01.4-07.6			
65+	340	301,615	182	51.7	44.1-59.3	119	34.8	27.9-41.7	10	3.9	00.6-07.2	13	4.1	01.2-07.0	11	4.4	00.0-08.9	5	1.1	00.1-02.1
Less Than H.S.	79	137,846	32	38.2	24.9-51.5	31	37.4	24.1-50.7	5	9.3	03.6-15.0	6	5.8	00.3-11.3	4	8.7	00.0-18.3	1	0.6	00.0-01.8
H.S. or G.E.D.	232	253,461	117	51.4	43.6-59.2	88	39.6	32.2-47.0	4	1.0	00.0-02.2	9	3.2	00.8-05.6	13	4.4	01.9-06.9	1	0.4	00.0-01.2
Some Post-H.S.	200	187,297	93	47.3	39.3-55.3	81	39.5	31.5-47.5	9	6.0	01.3-10.7	7	2.7	00.3-05.1	8	4.0	00.5-07.5	2	0.6	00.0-01.6
College Graduate	188	119,973	120	65.7	57.1-74.3	60	29.8	21.6-38.0				1	0.1	00.0-00.3	6	3.9	00.4-07.4	1	0.4	00.0-01.2
Less than \$15,000	80	75,830	34	41.7	27.4-56.0	32	45.0	30.3-59.7	4	6.6	00.0-14.8	7	5.3	00.8-09.8	3	1.3	00.0-03.1			
\$15,000- 24,999	109	124,508	42	36.2	26.2-46.2	52	46.8	35.8-57.8	3	6.4	03.9-08.9	6	4.6	00.7-08.5	6	6.1	00.4-11.8			
\$25,000- 34,999	94	100,501	49	48.3	35.8-60.8	36	42.8	30.3-55.3	1	2.4	00.0-07.1	2	1.8	00.0-04.3	5	3.7	00.2-07.2	1	1.0	00.0-03.0
\$35,000- 49,999	84	88,539	44	44.3	31.4-57.2	29	41.3	28.4-54.2	3	4.6	00.0-10.3	1	2.3	00.0-06.8	6	6.8	00.7-12.9	1	0.7	00.0-02.1
\$50,000- 99,999	157	144,722	96	64.3	55.3-73.3	53	31.2	22.6-39.8	2	1.5	00.0-03.7	3	0.5	00.0-01.3	3	2.4	00.0-06.1			
\$100,000- 199,999	56	56,694	34	63.2	46.0-80.4	18	26.7	11.8-41.6	3	7.9	00.0-19.5				1	2.2	00.0-06.5			

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER		1-2 pe	r yr		3-4 pe	r yr	-	5-9 pe	r yr	10	or mor	e per yr		NON	ΙE	Ne	ver He	ard of
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	328	329,517	173	51.7	45.4-58.0	117	33.0	27.3-38.7	9	4.6	02.2-07.0	10	3.4	01.2-05.6	17	7.0	03.1-10.9	2	0.3	00.0-00.7
White/Non-Hisp	272	252,765	141	48.7	42.2-55.2	100	36.2	29.9-42.5	7	5.6	02.7-08.5	8	3.3	00.9-05.7	14	5.8	02.9-08.7	2	0.4	00.0-01.0
55-64 65+	96 164	116,524 134,109	50 90	52.2 52.9	40.8-63.6 43.3-62.5	35 57	30.6 33.7	20.8-40.4 25.1-42.3	4 5	10.2 2.5	04.3-16.1 00.3-04.7	2 5	1.6 4.3	00.0-04.0 00.4-08.2	5 5	5.5 5.9	00.8-10.2 00.0-14.5	2	0.8	00.0-02.0
H.S. or G.E.D. Some Post-H.S. College Graduate	100 84 104	119,166 79,532 66,202	47 42 64	47.1 51.1 62.6	35.7-58.5 38.9-63.3 51.2-74.0	39 30 35	42.1 30.8 30.9	31.3-52.9 19.8-41.8 20.3-41.5	1 5	0.4 7.2	00.0-01.2 00.1-14.3	4 4	3.7 5.4	00.0-07.8 00.0-11.1	9 2 4	6.6 4.7 5.8	03.5-09.7 00.0-11.8 00.0-11.7	1 1	0.8 0.7	00.0-02.4 00.0-02.1
\$50,000- 99,999	86	84,080	51	61.1	49.3-72.9	33	34.5	23.1-45.9	1	1.2	00.0-03.6				1	3.2	00.0-09.3			

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR A-ONE-C? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1-2 pe	r yr		3-4 pe	r yr		5-9 pe	r yr	10 d	or mor	e per yr		NON	1E	Ne	ver He	ard of
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	372	370,775	190	49.0	42.1-55.9	143	41.3	34.6-48.0	9	3.1	00.4-05.8	13	2.7	00.5-04.9	14	3.3	00.9-05.7	3	0.6	00.0-01.4
White/Non-Hisp	281	265,712	147	48.9	41.1-56.7	111	42.5	35.1-49.9	7	3.7	00.0-07.4	6	0.9	00.1-01.7	8	3.5	00.4-06.6	2	0.6	00.0-01.4
Black or Afr. Am./Non-Hisp	69	80,397	34	54.5	39.6-69.4	22	31.5	17.2-45.8	2	2.0	00.0-05.5	6	8.9	00.1-17.7	4	2.2	00.0-04.6	1	0.9	00.0-02.7
45-54	69	70,752	43	63.8	49.3-78.3	24	34.5	20.0-49.0	1	0.9	00.0-02.7	1	0.8	00.0-02.4						
55-64	98	99,136	42	37.6	26.4-48.8	46	55.6	43.8-67.4	2	0.9	00.0-02.5	3	2.4	00.0-05.5	5	3.4	00.0-07.1			
65+	176	167,507	92	50.7	39.5-61.9	62	35.7	25.5-45.9	5	5.1	00.0-10.8	8	3.9	0.80-0.00	6	3.1	00.0-07.0	3	1.4	00.0-03.0
H.S. or G.E.D.	132	134,295	70	55.3	44.7-65.9	49	37.4	27.0-47.8	3	1.5	00.0-03.5	5	2.7	00.2-05.2	4	2.4	00.0-05.3	1	0.8	00.0-02.4
Some Post-H.S.	116	107,765	51	44.5	33.9-55.1	51	45.9	35.1-56.7	4	5.0	00.0-11.5	3	0.6	00.0-01.6	6	3.4	00.0-06.9	1	0.6	00.0-01.8
College Graduate	84	53,771	56	69.6	56.7-82.5	25	28.5	15.6-41.4				1	0.3	00.0-00.9	2	1.6	00.0-04.5			
Less than \$15,000	52	49,120	20	33.6	18.1-49.1	21	50.3	32.3-68.3	3	9.2	00.0-21.4	6	6.3	00.6-12.0	2	0.7	00.0-01.7			
\$15,000- 24,999	62	66,907	27	40.8	26.1-55.5	31	50.3	34.2-66.4	1	2.1	00.0-06.2	1	1.0	00.0-03.0	2	5.7	00.0-14.7			
\$25,000- 34,999	50	55,096	24	44.6	26.6-62.6	22	49.3	31.3-67.3							3	4.3	00.0-10.4	1	1.9	00.0-05.6
\$50,000- 99,999	71	60,642	45	68.7	56.0-81.4	20	26.8	14.5-39.1	1	2.0	00.0-05.9	3	1.2	00.0-03.0	2	1.4	00.0-03.9			

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 16: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1 tim	ne		2 tim	es	-	3 tim	es		4 tim	es	5 (or more	times		Non	ı e
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	712	709,891	176	25.2	20.9-29.5	131	18.3	14.8-21.8	59	9.3	06.8-11.8	103	13.9	10.8-17.0	42	7.0	04.3-09.7	201	26.1	22.0-30.2
Male	331	330,432	90	28.2	21.7-34.7	61	17.9	13.0-22.8	26	9.0	05.7-12.3	41	13.7	09.4-18.0	19	5.4	02.7-08.1	94	25.8	20.1-31.5
Female	381	379,458	86	22.6	16.9-28.3	70	18.7	13.8-23.6	33	9.6	05.9-13.3	62	14.2	09.7-18.7	23	8.5	04.2-12.8	107	26.4	20.7-32.1
White/Non-Hisp	564	526,654	145	26.7	22.0-31.4	105	18.5	14.8-22.2	43	10.0	07.1-12.9	84	15.0	11.3-18.7	31	6.3	03.6-09.0	156	23.5	19.4-27.6
Black or Afr. Am./Non-Hisp	101	137,536	20	22.0	09.7-34.3	19	19.2	09.6-28.8	12	8.4	02.1-14.7	14	12.2	04.2-20.2	8	11.2	03.0-19.4	28	27.0	16.8-37.2
45-54	111	112,118	29	25.5	15.1-35.9	23	20.8	12.0-29.6	7	10.2	01.8-18.6	15	12.1	05.2-19.0	6	2.9	00.4-05.4	31	28.5	18.7-38.3
55-64	193	214,503	50	22.7	15.3-30.1	34	18.5	11.6-25.4	22	13.8	08.7-18.9	26	11.5	06.2-16.8	9	4.6	01.1-08.1	52	28.9	20.9-36.9
65+	355	317,696	82	26.4	19.7-33.1	68	18.5	13.6-23.4	24	6.2	03.3-09.1	58	15.9	10.8-21.0	24	10.7	05.6-15.8	99	22.3	16.6-28.0
Less Than H.S.	83	146,459	16	22.2	10.0-34.4	11	12.7	04.1-21.3	11	12.2	05.9-18.5	10	7.8	02.5-13.1	11	16.4	06.6-26.2	24	28.8	16.6-41.0
H.S. or G.E.D.	234	252,155	61	27.2	19.6-34.8	45	19.4	13.5-25.3	15	6.9	02.6-11.2	35	17.9	10.8-25.0	11	4.3	01.4-07.2	67	24.3	18.2-30.4
Some Post-H.S.	205	189,197	49	22.8	16.1-29.5	39	17.8	11.9-23.7	18	11.1	06.0-16.2	35	16.1	10.0-22.2	12	6.1	01.8-10.4	52	26.2	18.8-33.6
College Graduate	189	120,364	50	28.9	20.7-37.1	35	22.8	14.8-30.8	15	8.3	03.4-13.2	23	10.0	04.7-15.3	8	3.0	00.6-05.4	58	27.0	19.4-34.6
Less than \$15,000	78	69,966	19	19.5	09.3-29.7	11	15.3	05.5-25.1	6	9.6	00.0-19.6	11	11.4	04.0-18.8	10	16.7	03.8-29.6	21	27.4	14.7-40.1
\$15,000- 24,999	112	126,500	23	19.6	10.8-28.4	23	16.6	09.2-24.0	11	14.0	07.5-20.5	20	17.0	09.6-24.4	9	10.5	02.9-18.1	26	22.2	11.8-32.6
\$25,000- 34,999	97	104,238	21	23.4	12.8-34.0	14	13.2	04.8-21.6	8	4.7	01.2-08.2	14	21.3	10.1-32.5	6	4.5	00.4-08.6	34	32.9	21.9-43.9
\$35,000- 49,999	87	89,728	24	22.6	12.8-32.4	12	12.2	04.4-20.0	10	15.7	05.9-25.5	12	14.7	05.1-24.3	5	6.3	00.4-12.2	24	28.4	16.1-40.7
\$50,000- 99,999	159	146,857	43	26.9	18.7-35.1	35	23.9	15.1-32.7	14	10.1	04.4-15.8	17	10.5	04.8-16.2	4	1.4	00.0-03.0	46	27.2	18.2-36.2
\$100,000- 199,999	56	57,066	15	32.5	14.3-50.7	16	34.3	18.2-50.4	3	3.4	00.0-07.7	7	7.0	00.3-13.7	3	8.1	00.0-19.7	12	14.8	04.0-25.6

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 17: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT. **DEMOGRAPHIC** RESPONDENT NUMBER 1 time 2 times 4 times 5 or more times None 3 times **GROUPS** TOTAL WEIGHTED Ν % C.I. (95%) Ν C.I. (95%) Ν % C.I. (95%) Ν % C.I. (95%) C.I. (95%) Ν % C.I. (95%) Male 331 330.432 28.2 21.7-34.7 17.9 13.0-22.8 05.7-12.3 13.7 09.6-17.8 02.7-08.1 25.8 20.5-31.1 White/Non-Hisp 275 255.652 27.9 21.8-34.0 52 18.4 13.1-23.7 9.6 06.1-13.1 14.8 09.9-19.7 4.7 02.2-07.2 77 24.6 18.7-30.5 55-64 97 117,267 29 26.8 15.4-38.2 19 19.7 10.3-29.1 8 12.4 06.5-18.3 11 10.1 03.2-17.0 3 2.8 00.0-05.9 27 28.2 18.2-38.2 65+ 168 139,411 28.6 18.6-38.6 13.1-27.7 02.1-12.7 14.2 08.1-20.3 8.3 03.0-13.6 14.5-27.9 39 36 20.4 13 7.4 22 12 46 21.2 H.S. or G.E.D. 00.9-13.9 98 113,993 26 27.4 15.6-39.2 16 16.3 07.9-24.7 6 7.4 14 20.9 09.3-32.5 5 5.1 00.2-10.0 31 22.9 14.7-31.1 Some Post-H.S. 84 78,458 23 27.4 15.8-39.0 17 21.5 10.7-32.3 02.3-17.1 13 12.8 05.4-20.2 5 00.5-08.3 18 24.2 12.0-36.4 College Graduate 106 67.311 18.5-40.5 24.3 12.5-36.1 7.7 01.6-13.8 4.4 00.9-07.9 5 3.9 00.4-07.4 34 30.2 19.2-41.2 9 10.7 02.9-18.5 \$50,000-99,999 86 84,080 19 23.4 12.8-34.0 18 19.4 09.2-29.6 10 10.2 02.8-17.6 3 2.3 00.0-05.0 27 33.9 22.7-45.1

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 18: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER		1 tim	ne		2 tim	es	0 -	3 tim	es		4 tim	es	5 (or more	e times		Non	ie
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	381	379,458	86	22.6	16.9-28.3	70	18.7	13.8-23.6	33	9.6	05.9-13.3	62	14.2	09.7-18.7	23	8.5	04.2-12.8	107	26.4	20.7-32.1
White/Non-Hisp	289	271,002	69	25.6	18.7-32.5	53	18.7	13.2-24.2	22	10.3	05.8-14.8	49	15.2	09.7-20.7	17	7.8	02.9-12.7	79	22.5	16.8-28.2
Black or Afr. Am./Non-Hisp	70	83,337	13	16.5	05.3-27.7	14	20.4	08.1-32.7	9	8.9	01.1-16.7	9	12.8	02.4-23.2	5	12.5	00.9-24.1	20	29.0	16.8-41.2
45-54	69	70,558	17	25.9	11.8-40.0	18	23.2	11.8-34.6	5	14.1	01.6-26.6	8	8.5	01.8-15.2	4	3.2	00.0-06.7	17	25.0	14.0-36.0
55-64	96	97,236	21	17.6	09.2-26.0	15	17.2	07.6-26.8	14	15.4	07.2-23.6	15	13.2	05.4-21.0	6	6.9	00.2-13.6	25	29.6	18.2-41.0
65+	187	178,284	43	24.7	15.7-33.7	32	17.0	10.1-23.9	11	5.3	01.8-08.8	36	17.2	09.6-24.8	12	12.7	04.5-20.9	53	23.1	14.3-31.9
H.S. or G.E.D.	136	138,162	35	27.0	17.2-36.8	29	21.9	13.9-29.9	9	6.5	00.8-12.2	21	15.4	07.4-23.4	6	3.7	00.4-07.0	36	25.5	16.7-34.3
Some Post-H.S.	121	110,739	26	19.5	11.5-27.5	22	15.1	08.2-22.0	10	12.1	05.4-18.8	22	18.4	09.6-27.2	7	7.2	00.3-14.1	34	27.6	18.4-36.8
College Graduate	83	53,054	20	28.0	15.1-40.9	14	21.0	09.8-32.2	7	9.1	00.9-17.3	15	17.0	06.2-27.8	3	1.9	00.0-04.8	24	22.9	12.3-33.5
Less than \$15,000	52	48,386	9	12.0	03.4-20.6	6	14.7	02.2-27.2	4	12.1	00.0-26.0	8	8.8	02.1-15.5	9	22.1	04.5-39.7	16	30.2	13.7-46.7
\$15,000- 24,999	65	•	15	22.0	09.3-34.7	15	18.0	08.6-27.4	5	8.4	00.6-16.2	10	7.8	01.7-13.9	5	14.7	02.0-27.4	15	29.2	12.5-45.9
\$25,000- 34,999	52	58,228	10	19.7	05.0-34.4	8	14.7	02.4-27.0	6	6.6	01.1-12.1	10	27.5	11.0-44.0	1	0.2	00.0-00.6	17	31.3	15.8-46.8
\$50,000- 99,999	73	62,777	24	31.5	18.8-44.2	17	29.9	15.2-44.6	5	9.2	00.8-17.6	7	10.8	02.0-19.6	1	0.2	00.0-00.6	19	18.3	08.5-28.1

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 19: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEXAM1)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	<	1 Mont	h Ago	1 Mont	h but <	12 Months	1+ Y	rs but •	2 Years	2 (or more	Years		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	709	714,029	125	18.6	14.5-22.7	366	50.8	45.9-55.7	102	13.5	10.4-16.6	93	13.0	09.7-16.3	23	4.0	01.8-06.2
Male	332	334,852	57	20.1	13.6-26.6	178	51.1	44.0-58.2	46	12.8	08.5-17.1	40	11.3	07.0-15.6	11	4.6	00.9-08.3
Female	377	379,177	68	17.3	12.2-22.4	188	50.6	43.7-57.5	56	14.1	09.8-18.4	53	14.5	09.6-19.4	12	3.5	01.1-05.9
White/Non-Hisp	559	527,005	95	18.2	13.7-22.7	290	51.7	46.2-57.2	83	13.0	09.9-16.1	75	14.3	10.2-18.4	16	2.8	00.8-04.8
Black or Afr. Am./Non-Hisp	103	141,640	20	20.5	09.5-31.5	52	44.5	32.0-57.0	15	17.9	08.1-27.7	12	10.3	03.6-17.0	4	6.8	00.0-13.9
45-54	109	109,962	22	20.4	10.8-30.0	47	42.9	31.9-53.9	15	12.3	04.9-19.7	21	21.4	11.2-31.6	4	3.1	00.0-06.2
55-64	190	211,320	28	16.5	08.9-24.1	101	54.7	45.9-63.5	21	8.7	04.6-12.8	31	13.7	08.4-19.0	9	6.3	00.8-11.8
65+	357	323,126	63	17.2	11.9-22.5	199	55.8	48.5-63.1	60	16.6	11.5-21.7	29	8.3	03.8-12.8	6	2.1	00.1-04.1
Less Than H.S.	87	153,558	12	13.0	05.0-21.0	45	51.4	38.5-64.3	12	12.4	04.6-20.2	13	14.4	04.8-24.0	5	8.9	00.7-17.1
H.S. or G.E.D.	233	253,647	45	24.7	16.5-32.9	115	48.7	40.7-56.7	31	11.9	07.2-16.6	33	12.0	07.3-16.7	9	2.6	00.8-04.4
Some Post-H.S.	200	185,390	38	15.8	10.5-21.1	105	54.1	45.9-62.3	31	15.1	09.0-21.2	20	12.1	06.0-18.2	6	2.9	00.5-05.3
College Graduate	188	120,876	29	17.1	09.7-24.5	101	49.8	40.8-58.8	28	15.7	09.2-22.2	27	14.9	08.4-21.4	3	2.5	00.0-06.4
Less than \$15,000	75	71,534	9	20.0	04.7-35.3	34	40.8	26.7-54.9	15	21.0	08.5-33.5	14	15.7	05.9-25.5	3	2.4	00.0-04.9
\$15,000- 24,999	111	128,639	23	21.1	09.9-32.3	52	50.3	38.0-62.6	20	16.7	08.5-24.9	12	8.2	02.5-13.9	4	3.7	00.0-07.6
\$25,000- 34,999	94	98,465	19	20.9	09.5-32.3	54	61.8	49.8-73.8	11	9.6	03.5-15.7	10	7.7	02.4-13.0			
\$35,000- 49,999	86	89,413	12	14.2	04.8-23.6	52	57.5	44.4-70.6	14	17.6	06.8-28.4	6	5.1	00.6-09.6	2	5.6	00.0-14.6
\$50,000- 99,999	156	145,205	22	13.2	06.9-19.5	84	50.0	40.0-60.0	20	11.7	06.0-17.4	24	20.2	11.6-28.8	6	4.9	00.0-10.8
\$100,000- 199,999	57	57,175	12	30.2	11.0-49.4	27	46.0	28.8-63.2	6	5.1	00.4-09.8	11	14.5	04.3-24.7	1	4.2	00.0-12.4

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 20: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEXAM1) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	<	1 Mont	h Ago	1 Mont	h but <	12 Months	1+ Y	rs but •	< 2 Years	2 (or more	Years		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	332	334,852	57	20.1	13.8-26.4	178	51.1	44.4-57.8	46	12.8	08.5-17.1	40	11.3	07.0-15.6	11	4.6	01.9-07.3
White/Non-Hisp	274	254,418	44	16.6	10.3-22.9	150	54.4	46.8-62.0	38	13.1	08.6-17.6	34	12.3	07.4-17.2	8	3.6	00.1-07.1
55-64	97	116,450	15	18.0	07.2-28.8	50	50.7	39.3-62.1	10	7.6	02.3-12.9	16	13.4	06.0-20.8	6	10.3	02.9-17.7
65+	169	140,601	28	16.0	09.3-22.7	101	61.1	51.9-70.3	27	15.4	08.1-22.7	10	6.0	01.3-10.7	3	1.5	00.0-03.5
H.S. or G.E.D.	99	118,732	19	27.9	14.2-41.6	54	51.0	38.7-63.3	12	11.2	03.9-18.5	10	7.2	02.9-11.5	4	2.7	00.2-05.2
Some Post-H.S.	84	77,951	14	15.0	06.8-23.2	44	48.2	35.3-61.1	13	15.2	05.8-24.6	9	17.2	05.2-29.2	4	4.5	00.0-09.0
College Graduate	106	66,715	17	21.0	09.6-32.4	57	50.4	38.6-62.2	16	15.9	06.7-25.1	15	12.2	04.9-19.5	1	0.6	00.0-01.8
\$50,000- 99,999	85	83,376	8	11.4	02.8-20.0	51	52.1	39.8-64.4	12	12.8	05.0-20.6	10	16.2	05.2-27.2	4	7.5	04.0-11.0

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 21: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED, MAKING YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT? (EYEEXAM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	<	1 Mont	h Ago	1 Mont	h but <	12 Months	1+ Y	rs but •	< 2 Years	2 (or more	Years		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	377	379,177	68	17.3	12.2-22.4	188	50.6	43.7-57.5	56	14.1	09.8-18.4	53	14.5	09.4-19.6	12	3.5	01.3-05.7
White/Non-Hisp	285	272,587	51	19.8	13.3-26.3	140	49.1	41.3-56.9	45	12.9	08.8-17.0	41	16.1	09.8-22.4	8	2.1	00.7-03.5
Black or Afr. Am./Non-Hisp	69	81,333	12	10.1	03.2-17.0	35	50.0	35.5-64.5	11	22.3	08.4-36.2	9	12.1	03.5-20.7	2	5.5	00.0-13.1
45-54	67	68,402	13	17.9	05.9-29.9	29	43.2	28.9-57.5	10	12.5	02.3-22.7	12	22.4	08.9-35.9	3	4.0	00.5-07.5
55-64	93	94,869	13	14.7	04.9-24.5	51	59.6	47.8-71.4	11	10.1	03.8-16.4	15	14.1	06.8-21.4	3	1.5	00.0-03.3
65+	188	182,525	35	18.2	10.6-25.8	98	51.6	41.2-62.0	33	17.5	10.6-24.4	19	10.0	02.7-17.3	3	2.6	00.0-05.7
H.S. or G.E.D.	134	134,915	26	21.9	12.5-31.3	61	46.7	36.3-57.1	19	12.5	06.2-18.8	23	16.3	08.7-23.9	5	2.6	00.2-05.0
Some Post-H.S.	116	107,439	24	16.5	09.4-23.6	61	58.4	48.0-68.8	18	15.1	06.9-23.3	11	8.3	02.6-14.0	2	1.7	00.3-03.1
College Graduate	82	54,161	12	12.3	04.3-20.3	44	49.1	35.6-62.6	12	15.4	06.6-24.2	12	18.4	07.2-29.6	2	4.8	00.0-13.4
Less than \$15,000	50	47,656	6	17.8	01.3-34.3	21	38.3	22.0-54.6	11	22.2	06.3-38.1	10	19.4	05.7-33.1	2	2.3	00.0-05.6
\$15,000- 24,999	64	69,360	13	18.2	07.0-29.4	29	52.6	36.9-68.3	13	18.3	07.1-29.5	6	5.3	01.4-09.2	3	5.6	00.0-11.7
\$50,000- 99,999	71	61,829	14	15.7	07.1-24.3	33	47.2	32.3-62.1	8	10.2	02.2-18.2	14	25.6	11.9-39.3	2	1.4	00.0-03.6

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 22: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER	-	Yes	5		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	723	724,358	111	15.8	12.3-19.3	612	84.2	80.7-87.7
Male	335	337,728	50	17.5	11.4-23.6	285	82.5	76.4-88.6
Female	388	386,630	61	14.3	10.4-18.2	327	85.7	81.8-89.6
White/Non-Hisp	570	533,400	77	14.9	11.0-18.8	493	85.1	81.2-89.0
Black or Afr. Am./Non-Hisp	104	144,213	21	16.7	07.9-25.5	83	83.3	74.5-92.1
45-54	113	113,232	14	14.5	05.9-23.1	99	85.5	76.9-94.1
55-64	195	215,906	33	16.9	11.0-22.8	162	83.1	77.2-89.0
65+	364	328,601	53	12.5	08.4-16.6	311	87.5	83.4-91.6
Less Than H.S.	87	153,112	19	16.7	08.5-24.9	68	83.3	75.1-91.5
H.S. or G.E.D.	240	260,708	38	18.1	11.0-25.2	202	81.9	74.8-89.0
Some Post-H.S.	205	189,271	35	15.5	10.2-20.8	170	84.5	79.2-89.8
College Graduate	189	118,994	19	10.1	04.4-15.8	170	89.9	84.2-95.6
Less than \$15,000	80	74,692	18	25.0	11.3-38.7	62	75.0	61.3-88.7
\$15,000- 24,999	113	129,834	30	27.3	15.3-39.3	83	72.7	60.7-84.7
\$25,000- 34,999	96	103,289	15	15.3	05.7-24.9	81	84.7	75.1-94.3
\$35,000- 49,999	87	89,895	7	9.5	04.2-14.8	80	90.5	85.2-95.8
\$50,000-99,999	157	144,349	16	8.9	03.8-14.0	141	91.1	86.0-96.2
\$100,000- 199,999	57	57,175	7	11.5	01.9-21.1	50	88.5	78.9-98.1

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 23: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	0 -	Yes	i		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	335	337,728	50	17.5	11.4-23.6	285	82.5	76.4-88.6
White/Non-Hisp	277	257,788	32	15.1	08.6-21.6	245	84.9	78.4-91.4
55-64 65+	98 172	118,200 144,101	15 24	14.0 14.4	06.2-21.8 08.1-20.7	83 148	86.0 85.6	78.2-93.8 79.3-91.9
H.S. or G.E.D. Some Post-H.S. College Graduate	102 85 104	120,729 79,569 64,260	15 12 11	19.5 13.3 11.3	07.9-31.1 04.5-22.1 02.9-19.7	87 73 93	80.5 86.7 88.7	68.9-92.1 77.9-95.5 80.3-97.1
\$50,000- 99,999	84	81,572	9	7.9	01.4-14.4	75	92.1	85.6-98.6

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 24: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	;		No		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	388	386,630	61	14.3	10.4-18.2	327	85.7	81.8-89.6	
White/Non-Hisp	293	275,612	45	14.7	10.0-19.4	248	85.3	80.6-90.0	
Black or Afr. Am./Non-Hisp	71	84,854	12	14.0	05.4-22.6	59	86.0	77.4-94.6	
45-54	70	71,043	8	14.3	02.9-25.7	62	85.7	74.3-97.1	
55-64	97	97,706	18	20.4	12.0-28.8	79	79.6	71.2-88.0	
65+	192	184,501	29	11.0	06.1-15.9	163	89.0	84.1-93.9	
H.S. or G.E.D.	138	139,978	23	16.9	09.1-24.7	115	83.1	75.3-90.9	
Some Post-H.S.	120	109,702	23	17.2	10.9-23.5	97	82.8	76.5-89.1	
College Graduate	85	54,734	8	8.7	01.1-16.3	77	91.3	83.7-98.9	
Less than \$15,000	52	47,981	9	17.0	04.8-29.2	43	83.0	70.8-95.2	
\$15,000- 24,999	65	69,641	19	21.6	10.4-32.8	46	78.4	67.2-89.6	
\$25,000- 34,999	52	58,228	8	17.6	02.7-32.5	44	82.4	67.5-97.3	
\$50,000- 99,999	73	62,777	7	10.3	02.5-18.1	66	89.7	81.9-97.5	

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 25: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)		
TOTAL	727	727,334	348	46.1	41.4-50.8	379	53.9	49.2-58.6		
Male	337	339,405	144	43.8	36.7-50.9	193	56.2	49.1-63.3		
Female	390	387,928	204	48.1	41.6-54.6	186	51.9	45.4-58.4		
White/Non-Hisp	574	536,771	277	46.8	41.5-52.1	297	53.2	47.9-58.5		
Black or Afr. Am./Non-Hisp	106	145,375	47	44.8	32.1-57.5	59	55.2	42.5-67.9		
45-54	112	112,747	61	50.3	38.9-61.7	51	49.7	38.3-61.1		
55-64	194	215,115	92	47.9	39.3-56.5	102	52.1	43.5-60.7		
65+	367	329,396	173	44.3	37.2-51.4	194	55.7	48.6-62.8		
Less Than H.S.	88	154,542	35	40.3	28.1-52.5	53	59.7	47.5-71.9		
H.S. or G.E.D.	240	260,449	104	43.8	35.8-51.8	136	56.2	48.2-64.2		
Some Post-H.S.	207	189,473	111	50.2	42.2-58.2	96	49.8	41.8-57.8		
College Graduate	190	120,596	97	52.7	43.9-61.5	93	47.3	38.5-56.1		
Less than \$15,000	80	74,372	29	36.2	22.1-50.3	51	63.8	49.7-77.9		
\$15,000- 24,999	114	130,047	55	47.1	34.6-59.6	59	52.9	40.4-65.4		
\$25,000- 34,999	96	103,167	45	34.2	23.4-45.0	51	65.8	55.0-76.6		
\$35,000- 49,999	88	90,336	41	52.0	39.1-64.9	47	48.0	35.1-60.9		
\$50,000- 99,999	159	146,857	90	50.4	40.6-60.2	69	49.6	39.8-59.4		
\$100,000- 199,999	57	57,175	28	61.8	45.7-77.9	29	38.2	22.1-54.3		

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 26: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

2 dia 11 di											
DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3	No					
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	337	339,405	144	43.8	36.7-50.9	193	56.2	49.1-63.3			
White/Non-Hisp	278	258,517	118	43.5	36.2-50.8	160	56.5	49.2-63.8			
55-64	96	115,979	39	44.6	33.2-56.0	57	55.4	44.0-66.8			
65+	173	144,542	76	43.7	34.1-53.3	97	56.3	46.7-65.9			
H.S. or G.E.D.	101	120,258	37	43.5	30.8-56.2	64	56.5	43.8-69.2			
Some Post-H.S.	85	78,559	42	42.0	30.4-53.6	43	58.0	46.4-69.6			
College Graduate	107	67,419	49	44.9	33.1-56.7	58	55.1	43.3-66.9			
\$50,000- 99,999	86	84,080	47	47.8	35.8-59.8	39	52.2	40.2-64.2			

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 2: DIABETES

TABLE 27: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC	RESPONDE	NDENT NUMBER			5	No			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	390	387,928	204	48.1	41.6-54.6	186	51.9	45.4-58.4	
White/Non-Hisp	296	278,254	159	49.9	42.5-57.3	137	50.1	42.7-57.5	
Black or Afr. Am./Non-Hisp	72	85,067	32	42.0	27.5-56.5	40	58.0	43.5-72.5	
45-54	69	70,558	41	54.6	40.1-69.1	28	45.4	30.9-59.9	
55-64	98	99,136	53	51.7	39.5-63.9	45	48.3	36.1-60.5	
65+	194	184,854	97	44.7	34.5-54.9	97	55.3	45.1-65.5	
H.S. or G.E.D.	139	140,192	67	44.0	33.6-54.4	72	56.0	45.6-66.4	
Some Post-H.S.	122	110,914	69	56.0	45.4-66.6	53	44.0	33.4-54.6	
College Graduate	83	53,177	48	62.6	50.1-75.1	35	37.4	24.9-49.9	
Less than \$15,000	53	49,411	20	41.2	23.0-59.4	33	58.8	40.6-77.0	
\$15,000- 24,999	66	69,854	36	40.5	25.4-55.6	30	59.5	44.4-74.6	
\$25,000- 34,999	51	57,157	26	37.4	21.7-53.1	25	62.6	46.9-78.3	
\$50,000- 99,999	73	62,777	43	53.8	38.9-68.7	30	46.2	31.3-61.1	

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 5:HPV VACCINATION CONTENTS

* NOTE	******************************	****
WHE	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION FOR THE TOTAL POPULATION OF WHAT POPULATION OF	NOL
IS E	EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDED	ITS
	TO THE STATES SURVEY.	
* * * *	*****************************	***
TABLE		PAGE
	HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)	
1	MALES AND FEMALES	32
2	MALES ONLY	33
3	FEMALES ONLY	34
	HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)	
4	MALES AND FEMALES	35
5	MALES ONLY	36
6	FEMALES ONLY	37

31 of 57 August 11, 2022

TABLE 1: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	_	Yes				
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1338	1,825,146	281	22.2	19.5-24.9	1057	77.8	75.1-80.5
Male	587	826,367	79	16.0	12.1-19.9	508	84.0	80.1-87.9
Female	751	998,778	202	27.4	23.5-31.3	549	72.6	68.7-76.5
White/Non-Hisp	1033	1,282,162	201	22.2	19.1-25.3	832	77.8	74.7-80.9
Black or Afr. Am./Non-Hisp	142	305,214	36	21.5	13.9-29.1	106	78.5	70.9-86.1
Oth. Race/Non-Hisp.	53	76,535	11	22.0	07.9-36.1	42	78.0	63.9-92.1
Hispanic	51	101,914	14	17.2	07.4-27.0	37	82.8	73.0-92.6
18-24	175	358,490	74	40.4	32.0-48.8	101	59.6	51.2-68.0
25-34	394	594,643	138	31.4	26.1-36.7	256	68.6	63.3-73.9
35-44	501	600,093	54	9.7	06.8-12.6	447	90.3	87.4-93.2
45-54	268	271,920	15	5.9	02.0-09.8	253	94.1	90.2-98.0
Less Than H.S.	59	159,201	8	11.4	03.0-19.8	51	88.6	80.2-97.0
H.S. or G.E.D.	341	562,037	75	23.7	18.2-29.2	266	76.3	70.8-81.8
Some Post-H.S.	401	575,570	84	23.2	18.1-28.3	317	76.8	71.7-81.9
College Graduate	534	523,847	113	22.7	18.4-27.0	421	77.3	73.0-81.6
Less than \$15,000	67	105,784	15	16.6	06.6-26.6	52	83.4	73.4-93.4
\$15,000- 24,999	92	121,313	23	22.1	12.5-31.7	69	77.9	68.3-87.5
\$25,000- 34,999	139	204,171	38	29.1	20.1-38.1	101	70.9	61.9-79.9
\$35,000- 49,999	184	250,031	44	23.9	16.3-31.5	140	76.1	68.5-83.7
\$50,000- 99,999	406	539,000	85	25.9	20.4-31.4	321	74.1	68.6-79.6
\$100,000- 199,999	244	316,801	38	15.1	09.4-20.8	206	84.9	79.2-90.6
\$200,000+	67	70,456	9	10.0	02.9-17.1	58	90.0	82.9-97.1

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

TABLE 2: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	0 –	Yes		No			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	587	826,367	79	16.0	12.1-19.9	508	84.0	80.1-87.9	
White/Non-Hisp	462	595,260	57	15.5	11.2-19.8	405	84.5	80.2-88.8	
18-24	92	184,029	28	32.1	20.9-43.3	64	67.9	56.7-79.1	
25-34	163	240,445	34	21.3	13.9-28.7	129	78.7	71.3-86.1	
35-44	213	268,401	12	6.3	02.0-10.6	201	93.7	89.4-98.0	
45-54	119	133,492	5	3.6	00.0-07.3	114	96.4	92.7-0100	
H.S. or G.E.D.	187	287,954	23	14.2	07.9-20.5	164	85.8	79.5-92.1	
Some Post-H.S.	168	256,034	28	21.3	13.5-29.1	140	78.7	70.9-86.5	
College Graduate	199	196,186	24	13.7	07.6-19.8	175	86.3	80.2-92.4	
\$25,000- 34,999	53	80,911	10	21.8	07.9-35.7	43	78.2	64.3-92.1	
\$35,000- 49,999	77	104,251	7	8.9	02.0-15.8	70	91.1	84.2-98.0	
\$50,000- 99,999	193	254,814	30	22.0	14.2-29.8	163	78.0	70.2-85.8	
\$100,000- 199,999	107	140,372	11	11.8	03.6-20.0	96	88.2	80.0-96.4	

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

TABLE 3: HAVE YOU EVER HAD AN H.P.V. VACCINATION? (HPVADVC4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	SPONDENT NUMBER					No			
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)		
Female	751	998,778	202	27.4	23.5-31.3	549	72.6	68.7-76.5		
White/Non-Hisp	571	686,901	144	27.9	23.2-32.6	427	72.1	67.4-76.8		
Black or Afr. Am./Non-Hisp	95	187,557	29	23.9	14.1-33.7	66	76.1	66.3-85.9		
18-24	83	174,461	46	49.3	36.6-62.0	37	50.7	38.0-63.4		
25-34	231	354,198	104	38.2	30.9-45.5	127	61.8	54.5-69.1		
35-44	288	331,692	42	12.4	08.3-16.5	246	87.6	83.5-91.7		
45-54	149	138,427	10	8.2	01.5-14.9	139	91.8	85.1-98.5		
H.S. or G.E.D.	154	274,084	52	33.7	24.7-42.7	102	66.3	57.3-75.3		
Some Post-H.S.	233	319,537	56	24.7	18.0-31.4	177	75.3	68.6-82.0		
College Graduate	335	327,660	89	28.1	22.2-34.0	246	71.9	66.0-77.8		
\$15,000- 24,999	56	58,952	17	28.3	15.0-41.6	39	71.7	58.4-85.0		
\$25,000- 34,999	86	123,260	28	33.9	22.3-45.5	58	66.1	54.5-77.7		
\$35,000- 49,999	107	145,780	37	34.7	23.5-45.9	70	65.3	54.1-76.5		
\$50,000- 99,999	213	284,186	55	29.5	21.7-37.3	158	70.5	62.7-78.3		
\$100,000- 199,999	137	176,428	27	17.7	10.1-25.3	110	82.3	74.7-89.9		

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

TABLE 4: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1 sh	ot -		2 sho	ots	All		All shots	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	215	309,586	41	18.1	12.2-24.0	83	41.5	33.5-49.5	91	40.4	32.4-48.4	
Male	55	94,926	13	23.3	10.6-36.0	26	51.6	35.7-67.5	16	25.1	11.6-38.6	
Female	160	214,660	28	15.8	09.3-22.3	57	37.1	27.9-46.3	75	47.1	37.5-56.7	
White/Non-Hisp	151	214,733	29	19.5	12.1-26.9	57	36.9	27.5-46.3	65	43.6	33.6-53.6	
18-24	55	113,501	9	12.0	02.8-21.2	25	51.4	35.3-67.5	21	36.6	21.3-51.9	
25-34	106	142,568	20	20.7	11.3-30.1	36	35.6	24.6-46.6	50	43.7	32.3-55.1	
H.S. or G.E.D.	55	98,420	13	20.9	09.3-32.5	19	38.0	22.5-53.5	23	41.0	25.1-56.9	
Some Post-H.S.	61	99,946	8	14.1	03.3-24.9	29	53.1	38.2-68.0	24	32.8	19.3-46.3	
College Graduate	93	97,193	19	19.7	11.3-28.1	34	37.6	25.6-49.6	40	42.6	30.6-54.6	
\$50,000- 99,999	66	108,468	9	9.6	03.9-15.3	24	37.3	23.2-51.4	33	53.1	38.4-67.8	

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

TABLE 5: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC	RESPONDE	RESPONDENT NUMBER			1 shot			2 shots			All shots		
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
Male	55	94,926	13	23.3	11.9-34.7	26	51.6	35.9-67.3	16	25.1	11.0-39.2		

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM TENNESSEE MODULE QUESTIONS DATA REPORT, 2021 MODULE 5:HPV VACCINATION

TABLE 6: HOW MANY HPV SHOTS DID YOU RECEIVE? (HPVADSHT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		1 sho	ot		2 sho	ots		All sh	ots
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	160	214,660	28	15.8	09.1-22.5	57	37.1	27.9-46.3	75	47.1	37.7-56.5
White/Non-Hisp	113	152,776	19	15.2	07.4-23.0	40	34.8	23.8-45.8	54	50.0	38.2-61.8
25-34	81	106,474	15	19.8	09.2-30.4	24	33.3	20.8-45.8	42	46.9	34.6-59.2
College Graduate	77	78,933	16	19.4	10.4-28.4	27	37.3	24.0-50.6	34	43.4	30.7-56.1

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE CONTENTS

	EN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULAT EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDEN TO THE STATES SURVEY.	
* * * *	+*************************************	***
TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1	MALES AND FEMALES	39
2	MALES ONLY	40
3	FEMALES ONLY	41
	DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)	
4	MALES AND FEMALES	42
5	MALES ONLY	43
6	FEMALES ONLY	44
	AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)	
7	MALES AND FEMALES	45
8	MALES ONLY	46
9	FEMALES ONLY	47
	WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)	
10	MALES AND FEMALES	48
11	MALES ONLY	49
12	FEMALES ONLY	50
	DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)	
13	MALES AND FEMALES	51
14	MALES ONLY	52
15	FEMALES ONLY	53
	HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)	
16	MALES AND FEMALES	54
17	MALES ONLY	55
18	FEMALES ONLY	56

38 of 57 August 11, 2022

MODULE 18: COGNITIVE DECLINE

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	_	Yes	3		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2590	2,425,554	424	17.2	15.2-19.2	2166	82.8	80.8-84.8
Male	1170	1,138,571	191	17.7	14.6-20.8	979	82.3	79.2-85.4
Female	1420	1,286,983	233	16.8	14.3-19.3	1187	83.2	80.7-85.7
White/Non-Hisp	2180	1,925,480	331	15.5	13.5-17.5	1849	84.5	82.5-86.5
Black or Afr. Am./Non-Hisp	243	346,911	56	25.2	17.8-32.6	187	74.8	67.4-82.2
Oth. Race/Non-Hisp.	50	52,689	10	25.1	09.4-40.8	40	74.9	59.2-90.6
MultiRacial/Non-Hisp.	50	21,139	17	28.9	15.0-42.8	33	71.1	57.2-85.0
45-54	617	640,754	93	15.4	11.5-19.3	524	84.6	80.7-88.5
55-64	737	757,199	132	20.2	16.3-24.1	605	79.8	75.9-83.7
65+	1236	1,027,601	199	16.2	13.5-18.9	1037	83.8	81.1-86.5
Less Than H.S.	221	382,395	65	30.8	23.2-38.4	156	69.2	61.6-76.8
H.S. or G.E.D.	751	797,232	132	16.7	13.4-20.0	619	83.3	80.0-86.6
Some Post-H.S.	682	628,851	120	17.7	14.0-21.4	562	82.3	78.6-86.0
College Graduate	931	612,104	106	9.2	07.0-11.4	825	90.8	88.6-93.0
Less than \$15,000	193	180,695	67	34.2	25.6-42.8	126	65.8	57.2-74.4
\$15.000- 24.999	306	315,113	80	28.1	21.6-34.6	226	71.9	65.4-78.4
\$25,000- 34,999	296	302,120	52	19.6	13.1-26.1	244	80.4	73.9-86.9
\$35,000- 49,999	314	300,326	58	17.3	11.4-23.2	256	82.7	76.8-88.6
\$50,000- 99,999	604	536,270	72	13.0	09.1-16.9	532	87.0	83.1-90.9
\$100,000- 199,999	320	310,253	24	7.4	03.7-11.1	296	92.6	88.9-96.3
\$200,000+	97	84,489	8	6.7	01.4-12.0	89	93.3	88.0-98.6

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	_	Yes	3		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1170	1,138,571	191	17.7	14.6-20.8	979	82.3	79.2-85.4
White/Non-Hisp	995	888,266	157	16.2	13.3-19.1	838	83.8	80.9-86.7
Black or Afr. Am./Non-Hisp	83	158,298	16	22.3	10.1-34.5	67	77.7	65.5-89.9
45-54	284	310,968	34	11.6	06.5-16.7	250	88.4	83.3-93.5
55-64	323	365,833	59	22.0	15.9-28.1	264	78.0	71.9-84.1
65+	563	461,771	98	18.4	13.7-23.1	465	81.6	76.9-86.3
Less Than H.S.	122	207,520	39	35.1	24.5-45.7	83	64.9	54.3-75.5
H.S. or G.E.D.	315	347,526	53	16.3	11.2-21.4	262	83.7	78.6-88.8
Some Post-H.S.	273	270,165	44	16.6	11.1-22.1	229	83.4	77.9-88.9
College Graduate	459	311,645	55	8.7	06.0-11.4	404	91.3	88.6-94.0
Less than \$15,000	79	80,099	28	35.6	22.5-48.7	51	64.4	51.3-77.5
\$15,000- 24,999	118	130,710	31	25.1	15.5-34.7	87	74.9	65.3-84.5
\$25,000- 34,999	124	131,477	26	24.5	13.5-35.5	98	75.5	64.5-86.5
\$35,000- 49,999	143	138,750	28	19.7	10.9-28.5	115	80.3	71.5-89.1
\$50,000- 99,999	307	278,331	36	12.9	07.4-18.4	271	87.1	81.6-92.6
\$100,000- 199,999	166	161,622	12	7.7	01.8-13.6	154	92.3	86.4-98.2
\$200,000+	53	44,142	5	7.3	00.4-14.2	48	92.7	85.8-99.6

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER	-	Yes	;		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1420	1,286,983	233	16.8	14.3-19.3	1187	83.2	80.7-85.7
White/Non-Hisp	1185	1,037,215	174	15.0	12.5-17.5	1011	85.0	82.5-87.5
Black or Afr. Am./Non-Hisp	160	188,613	40	27.6	18.2-37.0	120	72.4	63.0-81.8
45-54	333	329,787	59	19.0	13.3-24.7	274	81.0	75.3-86.7
55-64	414	391,366	73	18.5	13.8-23.2	341	81.5	76.8-86.2
65+	673	565,831	101	14.4	11.1-17.7	572	85.6	82.3-88.9
Less Than H.S.	99	174,875	26	25.6	15.2-36.0	73	74.4	64.0-84.8
H.S. or G.E.D.	436	449,706	79	17.0	12.7-21.3	357	83.0	78.7-87.3
Some Post-H.S.	409	358,686	76	18.4	13.9-22.9	333	81.6	77.1-86.1
College Graduate	472	300,460	51	9.6	06.3-12.9	421	90.4	87.1-93.7
Less than \$15,000	114	100,596	39	33.2	21.8-44.6	75	66.8	55.4-78.2
\$15,000- 24,999	188	184,403	49	30.1	21.3-38.9	139	69.9	61.1-78.7
\$25,000- 34,999	172	170,643	26	15.9	08.8-23.0	146	84.1	77.0-91.2
\$35,000- 49,999	171	161,576	30	15.2	09.3-21.1	141	84.8	78.9-90.7
\$50,000-99,999	297	257,940	36	13.1	07.8-18.4	261	86.9	81.6-92.2
\$100,000- 199,999	154	148,631	12	7.2	02.5-11.9	142	92.8	88.1-97.5

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 4: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	lly		Someti	mes		Rare	ly		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	414	404,740	30	7.7	03.8-11.6	33	8.5	05.0-12.0	105	28.2	22.3-34.1	94	23.8	18.1-29.5	152	31.8	26.1-37.5
Male	185	193,177	15	9.0	02.1-15.9	10	8.0	02.3-13.7	36	20.4	12.4-28.4	46	27.2	18.2-36.2	78	35.4	26.2-44.6
Female	229	211,563	15	6.5	02.6-10.4	23	9.0	04.5-13.5	69	35.4	27.0-43.8	48	20.7	13.4-28.0	74	28.5	21.2-35.8
White/Non-Hisp	324	290,035	24	7.2	03.9-10.5	25	8.7	04.6-12.8	73	26.1	19.6-32.6	75	26.0	19.3-32.7	127	31.9	25.6-38.2
Black or Afr. Am./Non-Hisp	54	83,406	2	9.9	00.0-24.2	3	4.2	00.0-11.3	22	39.8	23.1-56.5	13	18.9	06.0-31.8	14	27.1	12.2-42.0
45-54	92	98,585	5	4.8	00.0-09.9	8	13.1	02.7-23.5	24	22.4	11.4-33.4	23	26.2	13.9-38.5	32	33.5	21.3-45.7
55-64	127	142,902	11	6.9	02.0-11.8	12	6.9	02.0-11.8	42	39.6	28.2-51.0	23	23.1	12.9-33.3	39	23.4	14.8-32.0
65+	195	163,253	14	10.2	02.2-18.2	13	7.1	02.8-11.4	39	21.7	14.3-29.1	48	23.0	15.2-30.8	81	38.0	29.0-47.0
Less Than H.S.	63	115,721	8	11.9	00.7-23.1	9	15.3	05.1-25.5	22	29.3	16.6-42.0	10	20.5	07.2-33.8	14	23.0	10.7-35.3
H.S. or G.E.D.	128	126,171	12	7.9	02.4-13.4	9	5.7	01.0-10.4	43	33.4	22.8-44.0	32	27.4	17.6-37.2	32	25.6	15.4-35.8
Some Post-H.S.	119	107,322	4	3.6	00.0-07.3	11	6.8	02.5-11.1	27	27.4	16.4-38.4	29	23.1	13.7-32.5	48	39.1	28.7-49.5
College Graduate	103	54,968	6	6.7	00.6-12.8	4	4.1	00.0-08.2	13	15.9	03.9-27.9	22	23.2	11.8-34.6	58	50.1	37.9-62.3
Less than \$15,000	65	57,789	10	16.9	05.7-28.1	11	16.1	05.7-26.5	23	40.3	25.2-55.4	7	6.4	01.1-11.7	14	20.4	07.5-33.3
\$15,000- 24,999	80	88,397	7	8.0	01.5-14.5	7	13.1	02.9-23.3	28	33.9	21.6-46.2	21	29.3	16.2-42.4	17	15.6	08.5-22.7
\$25,000- 34,999	50	58,295	4	6.1	00.0-14.3	2	4.0	00.0-10.9	15	33.6	15.8-51.4	14	29.2	12.5-45.9	15	27.2	10.5-43.9
\$35,000- 49,999	57	48,094	1	0.9	00.0-02.7	4	10.9	00.0-24.0	10	13.7	02.9-24.5	13	31.2	12.8-49.6	29	43.4	26.2-60.6
\$50,000- 99,999	72	69,832	1	1.1	00.0-03.3	2	1.8	00.0-04.5	12	22.9	07.6-38.2	20	25.2	11.1-39.3	37	48.9	32.8-65.0

NOTE:

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 5: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	illy		Someti	mes		Rare	ly		Neve	er .
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	185	193,177	15	9.0	02.1-15.9	10	8.0	02.1-13.9	36	20.4	12.6-28.2	46	27.2	18.2-36.2	78	35.4	26.4-44.4
White/Non-Hisp	154	140,079	13	7.8	03.1-12.5	7	7.8	01.3-14.3	27	18.3	10.7-25.9	40	30.0	19.8-40.2	67	36.1	26.7-45.5
55-64 65+	56 95	74,994 82,022	6 9	8.5 13.5	00.7-16.3 00.0-27.2	4 3	6.8 3.5	00.0-14.6 00.0-08.2	15 12	34.4 10.4	18.9-49.9 03.3-17.5	10 28	26.3 28.8	10.4-42.2 15.5-42.1	21 43	24.0 43.8	13.0-35.0 30.1-57.5
H.S. or G.E.D. College Graduate	51 53	50,965 26,390	4 4	5.5 6.4	00.0-11.6 00.0-12.9	2 1	2.3 1.8	00.0-06.0 00.0-05.3	12 5	21.2 7.5	09.2-33.2 00.6-14.4	18 11	35.8 25.1	19.5-52.1 08.2-42.0	15 32	35.2 59.2	16.8-53.6 42.1-76.3

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 6: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	lly		Someti	mes		Rare	ly		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	229	211,563	15	6.5	02.8-10.2	23	9.0	04.7-13.3	69	35.4	27.0-43.8	48	20.7	13.4-28.0	74	28.5	21.4-35.6
White/Non-Hisp	170	149,956	11	6.7	02.4-11.0	18	9.6	05.1-14.1	46	33.3	23.5-43.1	35	22.4	13.6-31.2	60	28.0	19.8-36.2
45-54	58	62,425	5	7.6	00.0-15.6	5	8.7	00.0-18.7	15	27.3	11.6-43.0	15	26.6	10.5-42.7	18	29.8	16.9-42.7
55-64	71	67,908	5	5.2	00.0-10.9	8	7.1	01.4-12.8	27	45.4	29.9-60.9	13	19.6	07.4-31.8	18	22.8	09.7-35.9
65+	100	81,230	5	6.8	00.0-13.9	10	10.7	04.4-17.0	27	33.2	20.9-45.5	20	17.1	08.1-26.1	38	32.2	20.8-43.6
H.S. or G.E.D.	77	75,206	8	9.5	01.3-17.7	7	8.0	01.9-14.1	31	41.7	27.2-56.2	14	21.7	09.7-33.7	17	19.2	09.2-29.2
Some Post-H.S.	75	62,394	2	3.5	00.0-08.6	10	9.6	03.5-15.7	19	29.2	15.5-42.9	18	20.2	08.4-32.0	26	37.5	25.0-50.0
College Graduate	50	28,578	2	7.0	00.0-17.0	3	6.3	00.0-13.2	8	23.7	02.9-44.5	11	21.4	05.5-37.3	26	41.6	25.3-57.9

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 7: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	lly		Someti	mes		Rare	ly		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	418	403,791	23	6.7	03.2-10.2	15	2.2	01.0-03.4	103	26.2	20.5-31.9	99	22.4	17.1-27.7	178	42.6	36.1-49.1
Male	189	191,700	9	5.0	01.1-08.9	5	1.6	00.0-03.2	35	22.1	13.7-30.5	46	23.1	15.3-30.9	94	48.1	38.5-57.7
Female	229	212,091	14	8.2	02.9-13.5	10	2.6	00.8-04.4	68	30.0	22.2-37.8	53	21.7	14.8-28.6	84	37.5	29.3-45.7
White/Non-Hisp	328	294,535	19	7.3	03.2-11.4	12	2.7	01.1-04.3	72	25.6	18.9-32.3	78	24.5	18.2-30.8	147	39.9	33.0-46.8
Black or Afr. Am./Non-Hisp	53	77,664	1	1.7	00.0-05.0				17	25.8	11.3-40.3	16	20.8	08.1-33.5	19	51.7	34.6-68.8
45-54	93	98,942	4	7.7	00.0-16.3	3	2.0	00.0-04.4	28	33.9	21.0-46.8	22	16.5	08.1-24.9	36	39.9	27.0-52.8
55-64	130	145,332	10	8.0	02.3-13.7	9	2.8	00.8-04.8	33	24.4	14.8-34.0	27	26.4	15.8-37.0	51	38.4	27.4-49.4
65+	195	159,517	9	4.9	00.6-09.2	3	1.6	00.0-03.4	42	23.2	15.4-31.0	50	22.4	15.0-29.8	91	48.0	38.4-57.6
Less Than H.S.	64	111,547	6	11.0	01.6-20.4	5	2.7	00.0-05.4	22	32.9	19.2-46.6	12	19.6	07.8-31.4	19	33.8	19.1-48.5
H.S. or G.E.D.	129	128,650	9	7.1	01.2-13.0	5	2.3	00.1-04.5	37	29.6	19.0-40.2	31	24.3	15.1-33.5	47	36.8	26.2-47.4
Some Post-H.S.	119	107,322	6	4.4	00.5-08.3	4	2.0	00.0-04.0	29	18.8	11.4-26.2	29	23.7	13.9-33.5	51	51.2	40.0-62.4
College Graduate	105	55,714	2	1.7	00.0-04.2	1	1.2	00.0-03.6	14	18.7	06.5-30.9	27	21.2	12.8-29.6	61	57.1	44.6-69.6
Less than \$15,000	66	58,276	6	8.3	01.2-15.4	11	9.9	03.2-16.6	25	42.6	27.1-58.1	14	22.1	09.0-35.2	10	17.0	04.7-29.3
\$15,000- 24,999	80	88,397	6	13.7	02.5-24.9	2	1.5	00.0-03.7	24	27.2	15.4-39.0	20	25.4	13.1-37.7	28	32.2	20.0-44.4
\$25,000- 34,999	52	59,320	4	8.2	00.0-19.2				13	22.7	07.0-38.4	11	25.9	10.6-41.2	24	43.1	24.9-61.3
\$35,000- 49,999	57	48,094				1	1.9	00.0-05.6	10	22.6	06.1-39.1	19	25.6	08.9-42.3	27	49.9	31.7-68.1
\$50,000- 99,999	72	69,832	1	1.2	00.0-03.6				10	13.5	02.7-24.3	20	26.3	13.0-39.6	41	59.0	43.5-74.5

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 8: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	illy		Someti	mes		Rare	ly		Nev	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	189	191,700	9	5.0	01.1-08.9	5	1.6	00.0-03.2	35	22.1	13.3-30.9	46	23.1	15.1-31.1	94	48.1	38.5-57.7
White/Non-Hisp	157	143,953	7	4.4	01.3-07.5	4	2.1	00.0-04.3	28	23.8	13.6-34.0	39	25.6	16.2-35.0	79	44.1	34.1-54.1
55-64 65+	58 97	76,756 78,783	3	4.2 3.6	00.0-09.1 00.9-06.3	2	0.8 2.4	00.0-02.2 00.0-05.7	12 17	23.7 17.2	09.4-38.0 07.8-26.6	13 22	28.8 18.0	12.9-44.7 08.8-27.2	28 52	42.5 58.8	26.8-58.2 46.1-71.5
03+	97	70,703	4	3.0	00.9-06.3		2.4	00.0-05.7	17	17.2	07.0-20.0	22	16.0	00.0-21.2	52	30.0	40.1-71.3
H.S. or G.E.D.	52	52,916	3	4.8	00.0-10.5	3	3.7	0.80-0.00	12	26.9	08.9-44.9	10	18.1	05.4-30.8	24	46.5	28.7-64.3
College Graduate	55	27,136	2	3.6	00.0-08.7				5	5.6	00.5-10.7	14	26.2	13.7-38.7	34	64.6	51.1-78.1

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 9: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	illy		Someti	mes		Rare	ly		Neve	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	229	212,091	14	8.2	02.9-13.5	10	2.6	01.0-04.2	68	30.0	22.2-37.8	53	21.7	15.0-28.4	84	37.5	29.3-45.7
White/Non-Hisp	171	150,582	12	10.2	02.9-17.5	8	3.3	00.9-05.7	44	27.2	18.4-36.0	39	23.4	15.0-31.8	68	35.8	26.4-45.2
45-54	59	62,782	2	6.4	00.0-16.6	2	2.3	00.0-05.6	22	36.4	20.9-51.9	11	13.2	02.8-23.6	22	41.7	25.8-57.6
55-64	72	68,576	7	12.2	01.8-22.6	7	5.0	01.1-08.9	21	25.1	12.4-37.8	14	23.7	10.0-37.4	23	33.8	18.9-48.7
65+	98	80,733	5	6.1	00.0-13.7	1	0.9	00.0-02.7	25	29.0	17.4-40.6	28	26.6	15.8-37.4	39	37.4	25.1-49.7
H.S. or G.E.D.	77	75,734	6	8.6	00.0-17.8	2	1.2	00.0-02.6	25	31.5	18.0-45.0	21	28.6	16.1-41.1	23	30.0	18.2-41.8
Some Post-H.S.	75	62,394	4	4.9	00.0-10.4	4	3.4	00.0-06.9	23	25.2	14.4-36.0	16	19.8	08.0-31.6	28	46.8	32.9-60.7
College Graduate	50	28,578				1	2.4	00.0-07.1	9	31.1	10.5-51.7	13	16.4	06.0-26.8	27	50.0	30.8-69.2

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 10: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usual	lly		Someti	mes		Rare	ly		Neve	er:
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	140	141,040	40	36.8	27.0-46.6	30	17.7	10.3-25.1	39	27.7	18.1-37.3	21	10.8	06.5-15.1	10	7.0	01.5-12.5
Female	91	85,934	29	38.1	25.6-50.6	15	13.7	04.9-22.5	34	39.8	26.3-53.3	10	6.4	01.9-10.9	3	2.0	00.0-05.3
White/Non-Hisp	102	104,315	32	41.4	30.0-52.8	25	22.8	13.0-32.6	22	21.2	11.6-30.8	14	7.1	03.2-11.0	9	7.4	01.3-13.5
55-64	52	51,124	13	39.5	23.2-55.8	12	16.8	04.8-28.8	12	20.0	07.7-32.3	8	9.4	01.4-17.4	7	14.3	02.1-26.5
65+	54	47,317	15	25.7	10.8-40.6	12	26.4	11.3-41.5	17	34.1	18.4-49.8	8	9.0	02.7-15.3	2	4.8	00.0-13.6
H.S. or G.E.D.	51	50,084	15	36.2	18.8-53.6	11	22.0	06.9-37.1	15	30.7	14.4-47.0	7	9.2	01.9-16.5	3	2.0	00.0-04.4

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 11: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP) Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 12: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alway	/s		Usua	lly		Sometii	mes		Rare	ly		Neve	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	91	85,934	29	38.1	26.7-49.5	15	13.7	04.7-22.7	34	39.8	26.7-52.9	10	6.4	02.1-10.7	3	2.0	00.0-05.3
White/Non-Hisp	63	60,805	23	44.1	30.8-57.4	13	18.6	06.4-30.8	18	29.3	16.0-42.6	6	5.2	00.9-09.5	3	2.8	00.0-07.3

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 13: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	lly		Someti	mes		Rare	ly		Neve	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	416	409,218	36	9.5	05.8-13.2	34	8.2	04.9-11.5	81	20.7	15.0-26.4	83	19.9	15.0-24.8	182	41.6	35.1-48.1
Male	189	199,101	12	8.1	02.6-13.6	13	6.9	02.4-11.4	40	22.7	13.7-31.7	40	18.6	11.0-26.2	84	43.7	34.1-53.3
Female	227	210,117	24	10.7	05.8-15.6	21	9.5	04.8-14.2	41	18.9	11.8-26.0	43	21.2	14.5-27.9	98	39.7	31.1-48.3
White/Non-Hisp	324	291,033	28	10.7	06.0-15.4	24	6.9	03.8-10.0	60	20.3	14.4-26.2	65	19.5	13.8-25.2	147	42.7	35.6-49.8
Black or Afr. Am./Non-Hisp	56	87,501	3	6.5	00.0-13.8	6	9.8	01.0-18.6	12	24.2	07.3-41.1	13	25.6	11.7-39.5	22	33.9	17.4-50.4
45-54	90	96,934	8	9.5	02.6-16.4	11	13.7	03.9-23.5	19	17.9	07.5-28.3	22	25.7	14.3-37.1	30	33.1	19.8-46.4
55-64	129	147,506	18	13.9	06.1-21.7	11	6.4	01.9-10.9	32	26.9	16.5-37.3	26	19.5	10.5-28.5	42	33.3	22.9-43.7
65+	197	164,778	10	5.5	01.2-09.8	12	6.7	02.6-10.8	30	16.9	08.5-25.3	35	16.9	10.0-23.8	110	54.1	44.1-64.1
Less Than H.S.	65	117,678	7	9.9	01.1-18.7	9	11.1	02.7-19.5	18	27.7	14.2-41.2	9	10.6	01.8-19.4	22	40.7	26.0-55.4
H.S. or G.E.D.	128	130,083	14	12.3	04.9-19.7	13	8.3	02.8-13.8	23	16.9	08.3-25.5	28	24.2	14.4-34.0	50	38.3	27.5-49.1
Some Post-H.S.	116	104,806	10	6.9	02.0-11.8	8	6.3	01.8-10.8	21	19.4	09.2-29.6	22	22.7	14.3-31.1	55	44.7	33.7-55.7
College Graduate	106	56,092	5	6.8	00.7-12.9	4	5.5	00.0-12.2	19	17.9	06.9-28.9	24	24.8	13.6-36.0	54	45.1	33.1-57.1
Less than \$15,000	65	60,063	9	15.3	03.5-27.1	7	10.7	01.9-19.5	21	29.1	16.0-42.2	11	19.2	06.1-32.3	17	25.8	12.5-39.1
\$15,000- 24,999	79	87,841	10	17.4	06.8-28.0	9	13.8	03.8-23.8	13	17.9	07.1-28.7	17	22.2	11.6-32.8	30	28.7	16.4-41.0
\$25,000- 34,999	52	59,320	4	7.5	00.0-19.7	3	3.2	00.0-07.9	12	22.2	07.5-36.9	9	10.3	02.3-18.3	24	56.8	39.0-74.6
\$35,000- 49,999	56	47,031	4	4.6	00.0-09.7	6	14.1	01.2-27.0	9	11.4	02.6-20.2	9	14.4	03.4-25.4	28	55.5	37.9-73.1
\$50,000-99,999	71	68,925	2	1.8	00.0-04.3	4	5.6	00.0-11.7	9	19.0	03.9-34.1	14	18.7	05.2-32.2	42	54.9	38.2-71.6

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 14: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	lly		Someti	mes		Rare	ly		Neve	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	189	199,101	12	8.1	02.8-13.4	13	6.9	02.4-11.4	40	22.7	13.5-31.9	40	18.6	10.8-26.4	84	43.7	33.9-53.5
White/Non-Hisp	155	141,616	11	11.3	04.0-18.6	11	6.6	02.1-11.1	29	19.3	11.1-27.5	34	18.3	10.7-25.9	70	44.5	34.3-54.7
55-64 65+	58 97	79,301 83,640	8 3	13.2 5.3	02.2-24.2 00.0-11.0	3 5	5.2 4.9	00.0-11.7 00.4-09.4	15 19	30.3 22.0	13.4-47.2 08.7-35.3	12 17	20.5 9.7	06.0-35.0 04.2-15.2	20 53	30.7 58.1	17.2-44.2 44.0-72.2
H.S. or G.E.D. College Graduate	52 55	55,249 27,136	4 2	10.4 4.1	00.0-21.4 00.0-09.8	7 1	11.1 2.0	01.5-20.7 00.0-05.9	8 11	13.0 15.6	01.6-24.4 06.4-24.8	10 14	19.9 28.3	02.5-37.3 12.2-44.4	23 27	45.6 49.9	27.2-64.0 33.2-66.6

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 15: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Alwa	ys		Usua	lly		Someti	mes		Rare	ly		Neve	er
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	227	210,117	24	10.7	06.2-15.2	21	9.5	04.8-14.2	41	18.9	11.8-26.0	43	21.2	14.7-27.7	98	39.7	31.1-48.3
White/Non-Hisp	169	149,416	17	10.1	04.6-15.6	13	7.1	02.8-11.4	31	21.2	12.4-30.0	31	20.6	12.6-28.6	77	41.0	31.2-50.8
45-54	56	60,774	7	13.0	04.2-21.8	6	12.9	00.7-25.1	13	24.1	08.8-39.4	11	20.2	09.0-31.4	19	29.8	13.9-45.7
55-64	71	68,205	10	14.7	03.9-25.5	8	7.7	01.2-14.2	17	22.8	09.9-35.7	14	18.4	07.2-29.6	22	36.4	20.9-51.9
65+	100	81,138	7	5.7	00.0-11.6	7	8.5	01.6-15.4	11	11.6	03.2-20.0	18	24.3	13.1-35.5	57	49.9	36.8-63.0
H.S. or G.E.D.	76	74,834	10	13.8	04.0-23.6	6	6.3	00.0-12.8	15	19.7	07.5-31.9	18	27.4	15.8-39.0	27	32.9	19.4-46.4
Some Post-H.S.	73	60,942	9	10.4	03.0-17.8	5	6.6	00.5-12.7	12	15.2	05.8-24.6	11	20.8	11.0-30.6	36	47.1	33.2-61.0
College Graduate	51	28,955	3	9.3	00.0-20.1	3	8.7	00.0-20.7	8	19.9	00.5-39.3	10	21.4	05.7-37.1	27	40.6	24.5-56.7

NOTE:

August 11, 2022

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 16: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS) Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	417	410,727	194	46.3	39.8-52.8	223	53.7	47.2-60.2
Male	191	201,438	80	42.6	32.6-52.6	111	57.4	47.4-67.4
Female	226	209,289	114	50.0	41.6-58.4	112	50.0	41.6-58.4
White/Non-Hisp	326	293,185	154	47.9	40.6-55.2	172	52.1	44.8-59.4
Black or Afr. Am./Non-Hisp	55	86,858	17	41.1	24.2-58.0	38	58.9	42.0-75.8
45-54	90	97,198	48	47.7	34.0-61.4	42	52.3	38.6-66.0
55-64	129	147,985	65	48.5	37.1-59.9	64	51.5	40.1-62.9
65+	198	165,544	81	43.6	34.0-53.2	117	56.4	46.8-66.0
Less Than H.S.	65	117,678	29	43.9	28.8-59.0	36	56.1	41.0-71.2
H.S. or G.E.D.	130	131,820	63	48.8	38.0-59.6	67	51.2	40.4-62.0
Some Post-H.S.	116	105,558	57	45.3	34.5-56.1	59	54.7	43.9-65.5
College Graduate	105	55,113	45	48.2	35.5-60.9	60	51.8	39.1-64.5
Less than \$15,000	64	60,403	37	57.3	41.8-72.8	27	42.7	27.2-58.2
\$15,000- 24,999	79	88,085	37	53.3	39.8-66.8	42	46.7	33.2-60.2
\$25,000- 34,999	52	59,320	20	36.0	18.9-53.1	32	64.0	46.9-81.1
\$35,000- 49,999	56	47,115	25	43.8	25.8-61.8	31	56.2	38.2-74.2
\$50,000- 99,999	71	68,925	31	35.6	20.9-50.3	40	64.4	49.7-79.1

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

MODULE 18: COGNITIVE DECLINE

TABLE 17: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	3		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	191	201,438	80	42.6	32.2-53.0	111	57.4	47.0-67.8
White/Non-Hisp	157	143,953	64	43.9	33.1-54.7	93	56.1	45.3-66.9
55-64 65+	59 98	80,363 84,914	30 37	52.2 41.8	35.0-69.4 27.3-56.3	29 61	47.8 58.2	30.6-65.0 43.7-72.7
H.S. or G.E.D. College Graduate	53 55	56,523 27,136	20 25	43.2 50.1	25.0-61.4 34.2-66.0	33 30	56.8 49.9	38.6-75.0 34.0-65.8

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

MODULE 18: COGNITIVE DECLINE

TABLE 18: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS) Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using LLCPWT.

DEMOGRAPHIC	RESPONDE	NT NUMBER		Yes	•		No	
GROUPS	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	226	209,289	114	50.0	41.4-58.6	112	50.0	41.4-58.6
White/Non-Hisp	169	149,232	90	51.8	42.0-61.6	79	48.2	38.4-58.0
45-54	56	61,038	35	62.5	46.0-79.0	21	37.5	21.0-54.0
55-64	70	67,622	35	44.1	28.8-59.4	35	55.9	40.6-71.2
65+	100	80,629	44	45.4	32.5-58.3	56	54.6	41.7-67.5
H.S. or G.E.D.	77	75,297	43	52.9	39.4-66.4	34	47.1	33.6-60.6
Some Post-H.S.	72	60,630	39	52.6	38.7-66.5	33	47.4	33.5-61.3
College Graduate	50	27,977	20	46.3	26.7-65.9	30	53.7	34.1-73.3

^{&#}x27;% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

End of Module Data Report

57 of 57 August 11, 2022