

# TENNESSEE

## 2016 Calculated Variables Report

### Behavioral Risk Factor Surveillance System

June 2, 2017



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 1: HEALTH STATUS**

**TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6156	5,168,898	4688	79.5	78.1-80.9	1468	20.5	19.1-21.9
Male	2605	2,487,089	2046	80.8	78.8-82.8	559	19.2	17.2-21.2
Female	3548	2,678,296	2641	78.4	76.6-80.2	907	21.6	19.8-23.4
White/Non-Hisp	4960	3,876,185	3827	79.9	78.5-81.3	1133	20.1	18.7-21.5
Black or Afr. Am./Non-Hisp	755	814,629	543	79.2	75.3-83.1	212	20.8	16.9-24.7
Oth. Race/Non-Hisp.	121	118,718	84	70.9	58.9-82.9	37	29.1	17.1-41.1
MultiRacial/Non-Hisp.	104	53,948	64	64.1	50.2-78.0	40	35.9	22.0-49.8
Hispanic	118	220,170	102	84.8	75.2-94.4	16	15.2	5.6-24.8
18-24	377	636,165	347	92.0	88.5-95.5	30	8.0	4.5-11.5
25-34	608	864,841	546	90.5	87.6-93.4	62	9.5	6.6-12.4
35-44	640	830,701	542	87.0	84.1-89.9	98	13.0	10.1-15.9
45-54	1005	849,716	742	74.0	70.1-77.9	263	26.0	22.1-29.9
55-64	1312	840,082	951	70.6	67.3-73.9	361	29.4	26.1-32.7
65+	2106	1,068,124	1472	68.3	65.6-71.0	634	31.7	29.0-34.4
Less Than H.S.	649	756,359	319	58.1	52.8-63.4	330	41.9	36.6-47.2
H.S. or G.E.D.	1999	1,722,704	1398	75.6	73.1-78.1	601	24.4	21.9-26.9
Some Post-H.S.	1611	1,506,072	1272	85.2	83.0-87.4	339	14.8	12.6-17.0
College Graduate	1875	1,173,476	1685	92.1	90.5-93.7	190	7.9	6.3- 9.5
Less than \$15,000	654	485,609	316	55.2	49.5-60.9	338	44.8	39.1-50.5
\$15,000- 24,999	980	820,936	618	68.7	64.6-72.8	362	31.3	27.2-35.4
\$25,000- 34,999	622	519,358	469	74.1	69.0-79.2	153	25.9	20.8-31.0
\$35,000- 49,999	816	690,912	681	86.9	84.0-89.8	135	13.1	10.2-16.0
\$50,000- 74,999	746	682,707	658	88.7	85.8-91.6	88	11.3	8.4-14.2
\$75,000+	1213	1,085,681	1131	93.7	91.9-95.5	82	6.3	4.5- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2605	2,487,089	2046	80.8	78.8-82.8	559	19.2	17.2-21.2
White/Non-Hisp	2111	1,872,494	1683	81.7	79.7-83.7	428	18.3	16.3-20.3
Black or Afr. Am./Non-Hisp	261	351,058	193	79.7	73.4-86.0	68	20.3	14.0-26.6
Oth. Race/Non-Hisp.	64	74,353	45	66.4	49.2-83.6	19	33.6	16.4-50.8
MultiRacial/Non-Hisp.	55	30,133	36	73.9	59.8-88.0	19	26.1	12.0-40.2
Hispanic	68	123,278	58	82.2	67.3-97.1	10	17.8	2.9-32.7
18-24	208	324,833	192	91.5	86.4-96.6	16	8.5	3.4-13.6
25-34	287	425,670	267	93.6	90.1-97.1	20	6.4	2.9- 9.9
35-44	292	411,985	256	90.2	86.5-93.9	36	9.8	6.1-13.5
45-54	407	410,295	315	75.2	68.9-81.5	92	24.8	18.5-31.1
55-64	590	406,054	432	69.8	64.7-74.9	158	30.2	25.1-35.3
65+	783	470,958	554	67.6	63.3-71.9	229	32.4	28.1-36.7
Less Than H.S.	245	359,510	136	62.8	54.8-70.8	109	37.2	29.2-45.2
H.S. or G.E.D.	846	835,751	612	76.8	73.1-80.5	234	23.2	19.5-26.9
Some Post-H.S.	650	698,307	526	85.9	82.6-89.2	124	14.1	10.8-17.4
College Graduate	858	589,640	769	92.0	89.8-94.2	89	8.0	5.8-10.2
Less than \$15,000	216	185,806	116	57.6	48.4-66.8	100	42.4	33.2-51.6
\$15,000- 24,999	339	325,749	216	67.8	60.7-74.9	123	32.2	25.1-39.3
\$25,000- 34,999	270	264,981	196	69.8	62.0-77.6	74	30.2	22.4-38.0
\$35,000- 49,999	382	361,621	311	86.2	82.1-90.3	71	13.8	9.7-17.9
\$50,000- 74,999	365	368,440	321	88.8	84.7-92.9	44	11.2	7.1-15.3
\$75,000+	653	630,394	606	93.6	91.2-96.0	47	6.4	4.0- 8.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (\_RFHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3548	2,678,296	2641	78.4	76.6-80.2	907	21.6	19.8-23.4
White/Non-Hisp	2847	2,002,088	2143	78.2	76.2-80.2	704	21.8	19.8-23.8
Black or Afr. Am./Non-Hisp	494	463,571	350	78.9	73.8-84.0	144	21.1	16.0-26.2
Oth. Race/Non-Hisp.	57	44,365	39	78.4	66.1-90.7	18	21.6	9.3-33.9
Hispanic	50	96,892	44	88.2	77.8-98.6	6	11.8	1.4-22.2
18-24	169	311,332	155	92.6	87.9-97.3	14	7.4	2.7-12.1
25-34	320	437,844	279	87.8	83.1-92.5	41	12.2	7.5-16.9
35-44	348	418,716	286	83.9	79.2-88.6	62	16.1	11.4-20.8
45-54	597	437,511	427	73.2	68.7-77.7	170	26.8	22.3-31.3
55-64	722	434,028	519	71.3	67.0-75.6	203	28.7	24.4-33.0
65+	1322	596,889	917	68.9	65.6-72.2	405	31.1	27.8-34.4
Less Than H.S.	403	394,939	183	54.2	47.3-61.1	220	45.8	38.9-52.7
H.S. or G.E.D.	1153	886,953	786	74.6	71.3-77.9	367	25.4	22.1-28.7
Some Post-H.S.	960	806,439	746	84.7	82.0-87.4	214	15.3	12.6-18.0
College Graduate	1016	583,559	915	92.1	89.9-94.3	101	7.9	5.7-10.1
Less than \$15,000	438	299,803	200	53.7	46.6-60.8	238	46.3	39.2-53.4
\$15,000- 24,999	641	495,187	402	69.3	64.6-74.0	239	30.7	26.0-35.4
\$25,000- 34,999	352	254,377	273	78.5	72.0-85.0	79	21.5	15.0-28.0
\$35,000- 49,999	434	329,291	370	87.8	83.9-91.7	64	12.2	8.3-16.1
\$50,000- 74,999	381	314,268	337	88.6	84.3-92.9	44	11.4	7.1-15.7
\$75,000+	559	453,377	525	94.2	91.8-96.6	34	5.8	3.4- 8.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS CONTENTS**

**\* NOTE \* \* \* \* \***  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

TABLE	PAGE
3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_PHYS14D)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (_MENT14D)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS**

**TABLE 1: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5969	5,042,478	3560	62.9	61.1-64.7	1331	22.1	20.5-23.7	1078	15.0	13.8-16.2
Male	2542	2,431,865	1652	68.1	65.6-70.6	479	18.7	16.5-20.9	411	13.2	11.6-14.8
Female	3424	2,607,099	1907	58.2	55.8-60.6	851	25.2	23.0-27.4	666	16.6	14.8-18.4
White/Non-Hisp	4814	3,781,832	2906	62.9	60.9-64.9	1061	21.8	20.2-23.4	847	15.3	13.9-16.7
Black or Afr. Am./Non-Hisp	732	793,984	435	63.8	58.5-69.1	175	23.5	18.8-28.2	122	12.6	9.5-15.7
Oth. Race/Non-Hisp.	116	114,470	57	61.4	48.7-74.1	24	15.9	7.1-24.7	35	22.7	12.3-33.1
MultiRacial/Non-Hisp.	96	50,242	33	32.4	17.7-47.1	25	37.4	21.7-53.1	38	30.2	18.2-42.2
Hispanic	116	217,938	72	65.4	54.2-76.6	29	23.1	13.5-32.7	15	11.6	4.5-18.7
18-24	374	629,727	262	71.5	65.8-77.2	98	24.3	18.8-29.8	14	4.2	1.7- 6.7
25-34	596	854,063	404	68.2	63.3-73.1	144	24.5	19.8-29.2	48	7.3	4.6-10.0
35-44	630	818,788	392	64.9	60.0-69.8	156	24.1	19.8-28.4	82	11.0	8.1-13.9
45-54	983	829,281	547	57.8	53.5-62.1	232	21.4	18.1-24.7	204	20.8	17.5-24.1
55-64	1276	817,472	716	56.6	53.1-60.1	271	20.2	17.5-22.9	289	23.2	20.1-26.3
65+	2006	1,016,759	1168	60.3	57.6-63.0	409	19.3	16.9-21.7	429	20.4	18.0-22.8
Less Than H.S.	600	710,760	255	51.9	46.2-57.6	120	17.1	13.2-21.0	225	31.0	26.1-35.9
H.S. or G.E.D.	1919	1,676,730	1093	60.5	57.4-63.6	415	23.0	20.3-25.7	411	16.5	14.3-18.7
Some Post-H.S.	1574	1,479,361	944	65.6	62.5-68.7	363	22.1	19.2-25.0	267	12.3	10.3-14.3
College Graduate	1856	1,166,329	1256	69.8	66.9-72.7	429	23.9	21.2-26.6	171	6.3	5.1- 7.5
Less than \$15,000	613	462,787	217	40.4	34.5-46.3	128	19.8	15.1-24.5	268	39.8	34.1-45.5
\$15,000- 24,999	945	803,568	462	52.2	47.5-56.9	236	24.5	20.2-28.8	247	23.2	19.5-26.9
\$25,000- 34,999	601	499,463	357	61.4	55.7-67.1	135	24.5	19.4-29.6	109	14.1	10.8-17.4
\$35,000- 49,999	803	682,705	521	68.2	63.7-72.7	185	22.2	18.3-26.1	97	9.6	6.9-12.3
\$50,000- 74,999	743	680,275	497	68.1	63.2-73.0	181	25.0	20.5-29.5	65	6.9	4.7- 9.1
\$75,000+	1206	1,079,902	885	74.4	71.1-77.7	247	19.9	16.8-23.0	74	5.6	3.8- 7.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS**

**TABLE 2: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2542	2,431,865	1652	68.1	65.6-70.6	479	18.7	16.5-20.9	411	13.2	11.6-14.8
White/Non-Hisp	2066	1,834,469	1361	68.4	65.7-71.1	393	18.8	16.4-21.2	312	12.8	11.0-14.6
Black or Afr. Am./Non-Hisp	255	343,070	166	68.2	60.4-76.0	46	19.3	12.2-26.4	43	12.5	7.8-17.2
Oth. Race/Non-Hisp.	61	70,863	32	60.1	42.3-77.9	10	12.9	1.3-24.5	19	27.0	11.5-42.5
Hispanic	66	121,046	45	69.5	55.2-83.8	13	19.9	8.1-31.7	8	10.6	0.8-20.4
18-24	206	319,016	152	75.9	68.6-83.2	48	20.5	13.8-27.2	6	3.6	0.0- 7.3
25-34	282	421,727	205	73.5	66.8-80.2	58	21.4	14.9-27.9	19	5.1	2.2- 8.0
35-44	287	406,409	198	72.3	65.6-79.0	58	19.9	13.8-26.0	31	7.9	4.6-11.2
45-54	397	398,837	252	64.4	58.1-70.7	76	17.8	12.9-22.7	69	17.8	12.9-22.7
55-64	575	399,356	339	58.2	52.9-63.5	110	17.9	14.0-21.8	126	23.9	19.2-28.6
65+	759	451,071	482	65.2	60.9-69.5	123	15.8	12.5-19.1	154	18.9	15.4-22.4
Less Than H.S.	228	334,733	112	60.9	52.7-69.1	39	12.9	8.0-17.8	77	26.2	19.1-33.3
H.S. or G.E.D.	816	813,379	514	65.8	61.3-70.3	146	19.4	15.5-23.3	156	14.8	11.7-17.9
Some Post-H.S.	643	694,589	415	69.7	65.0-74.4	124	19.4	15.1-23.7	104	10.9	8.2-13.6
College Graduate	849	585,285	608	73.7	69.8-77.6	169	20.2	16.5-23.9	72	6.1	4.3- 7.9
Less than \$15,000	204	176,429	85	46.9	37.1-56.7	29	9.9	5.2-14.6	90	43.2	33.4-53.0
\$15,000- 24,999	327	318,605	170	56.1	48.5-63.7	61	19.4	13.1-25.7	96	24.6	18.5-30.7
\$25,000- 34,999	262	252,601	155	60.2	52.2-68.2	59	26.5	18.9-34.1	48	13.3	8.8-17.8
\$35,000- 49,999	378	359,621	254	69.7	63.4-76.0	75	19.7	14.2-25.2	49	10.6	6.7-14.5
\$50,000- 74,999	362	367,147	260	74.8	68.5-81.1	75	20.1	14.0-26.2	27	5.1	2.6- 7.6
\$75,000+	649	626,628	498	78.5	74.2-82.8	114	16.9	13.0-20.8	37	4.6	2.6- 6.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS**

**TABLE 3: 3 LEVEL NOT GOOD PHYSICAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_PHYS14D)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when physical health not good			1-13 days when physical health not good			14+ days when physical health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3424	2,607,099	1907	58.2	55.8-60.6	851	25.2	23.0-27.4	666	16.6	14.8-18.4
White/Non-Hisp	2746	1,945,760	1544	57.8	55.3-60.3	668	24.6	22.2-27.0	534	17.6	15.6-19.6
Black or Afr. Am./Non-Hisp	477	450,914	269	60.5	53.6-67.4	129	26.8	20.5-33.1	79	12.8	8.5-17.1
Oth. Race/Non-Hisp.	55	43,606	25	63.6	46.7-80.5	14	20.7	6.8-34.6	16	15.7	5.3-26.1
Hispanic	50	96,892	27	60.2	43.0-77.4	16	27.0	11.3-42.7	7	12.8	2.4-23.2
18-24	168	310,711	110	67.0	58.2-75.8	50	28.2	19.6-36.8	8	4.8	1.1- 8.5
25-34	313	431,010	199	63.2	55.9-70.5	86	27.7	21.0-34.4	28	9.1	4.6-13.6
35-44	343	412,379	194	57.7	50.6-64.8	98	28.2	21.9-34.5	51	14.1	9.6-18.6
45-54	585	428,534	295	51.9	46.4-57.4	155	24.4	19.7-29.1	135	23.6	19.1-28.1
55-64	701	418,116	377	55.0	50.1-59.9	161	22.5	18.6-26.4	163	22.5	18.4-26.6
65+	1246	565,411	685	56.3	52.6-60.0	286	22.1	19.0-25.2	275	21.6	18.7-24.5
Less Than H.S.	371	374,117	143	44.2	36.6-51.8	80	20.4	14.7-26.1	148	35.5	28.8-42.2
H.S. or G.E.D.	1103	863,351	579	55.5	51.2-59.8	269	26.5	22.4-30.6	255	18.1	15.0-21.2
Some Post-H.S.	930	783,445	529	62.0	57.5-66.5	239	24.5	20.6-28.4	162	13.5	10.8-16.2
College Graduate	1006	580,768	647	65.9	61.8-70.0	260	27.5	23.4-31.6	99	6.5	4.7- 8.3
Less than \$15,000	409	286,358	132	36.4	29.0-43.8	99	25.9	19.0-32.8	178	37.7	30.8-44.6
\$15,000- 24,999	618	484,962	292	49.7	43.6-55.8	175	27.9	22.2-33.6	151	22.4	17.9-26.9
\$25,000- 34,999	339	246,861	202	62.6	54.8-70.4	76	22.5	15.8-29.2	61	14.9	9.8-20.0
\$35,000- 49,999	425	323,084	267	66.5	60.4-72.6	110	24.9	19.4-30.4	48	8.5	5.2-11.8
\$50,000- 74,999	381	313,128	237	60.2	53.1-67.3	106	30.8	23.9-37.7	38	8.9	5.2-12.6
\$75,000+	556	451,364	387	69.1	63.8-74.4	132	23.9	19.0-28.8	37	7.1	4.2-10.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS**

**TABLE 4: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6038	5,085,345	4047	64.7	62.9-66.5	1172	21.6	20.0-23.2	819	13.7	12.5-14.9
Male	2570	2,461,469	1871	70.6	68.1-73.1	428	19.1	16.9-21.3	271	10.3	8.7-11.9
Female	3465	2,620,362	2175	59.3	56.8-61.8	744	23.9	21.7-26.1	546	16.8	15.0-18.6
White/Non-Hisp	4869	3,814,316	3298	65.8	63.8-67.8	930	21.2	19.6-22.8	641	13.0	11.8-14.2
Black or Afr. Am./Non-Hisp	742	800,347	478	60.6	55.3-65.9	160	24.0	19.1-28.9	104	15.4	11.7-19.1
Oth. Race/Non-Hisp.	119	116,249	79	59.2	45.7-72.7	24	24.4	12.6-36.2	16	16.4	6.0-26.8
MultiRacial/Non-Hisp.	96	51,326	50	50.7	35.4-66.0	22	17.6	7.4-27.8	24	31.6	16.9-46.3
Hispanic	118	220,170	77	64.8	53.2-76.4	25	22.5	12.7-32.3	16	12.7	4.1-21.3
18-24	372	628,374	195	52.9	46.6-59.2	126	33.5	27.6-39.4	51	13.6	9.3-17.9
25-34	601	858,166	354	59.5	54.4-64.6	147	26.3	21.6-31.0	100	14.2	10.9-17.5
35-44	629	820,620	374	61.9	56.8-67.0	148	23.9	19.4-28.4	107	14.2	11.1-17.3
45-54	991	832,903	592	60.6	56.3-64.9	210	21.5	18.0-25.0	189	18.0	14.7-21.3
55-64	1296	831,729	874	67.3	64.0-70.6	233	17.0	14.5-19.5	189	15.8	13.1-18.5
65+	2048	1,039,086	1576	78.5	76.1-80.9	298	13.2	11.2-15.2	174	8.3	6.7- 9.9
Less Than H.S.	621	726,916	348	56.0	50.3-61.7	104	18.3	14.0-22.6	169	25.7	21.0-30.4
H.S. or G.E.D.	1949	1,689,511	1339	67.7	64.8-70.6	327	19.0	16.3-21.7	283	13.3	11.3-15.3
Some Post-H.S.	1586	1,491,220	1044	63.8	60.5-67.1	324	22.8	19.9-25.7	218	13.3	10.9-15.7
College Graduate	1862	1,168,456	1302	67.0	64.1-69.9	415	25.8	22.9-28.7	145	7.2	5.6- 8.8
Less than \$15,000	628	468,468	328	47.1	41.2-53.0	116	23.0	17.5-28.5	184	30.0	24.5-35.5
\$15,000- 24,999	961	807,310	563	58.1	53.4-62.8	198	21.5	17.4-25.6	200	20.4	16.7-24.1
\$25,000- 34,999	607	511,048	412	67.4	62.1-72.7	116	19.2	14.9-23.5	79	13.3	9.6-17.0
\$35,000- 49,999	806	684,793	554	66.9	62.2-71.6	164	22.7	18.4-27.0	88	10.4	7.7-13.1
\$50,000- 74,999	742	679,802	520	67.8	62.9-72.7	167	23.5	19.0-28.0	55	8.7	5.8-11.6
\$75,000+	1210	1,082,847	914	71.3	67.6-75.0	235	22.5	19.2-25.8	61	6.1	4.1- 8.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 2: HEALTHY DAYS**

**TABLE 5: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2570	2,461,469	1871	70.6	68.1-73.1	428	19.1	16.9-21.3	271	10.3	8.7-11.9
White/Non-Hisp	2085	1,852,807	1535	71.5	68.8-74.2	340	18.6	16.2-21.0	210	9.8	8.0-11.6
Black or Afr. Am./Non-Hisp	259	349,296	178	67.1	59.1-75.1	51	21.9	14.5-29.3	30	11.0	5.9-16.1
Oth. Race/Non-Hisp.	63	72,630	47	69.7	52.8-86.6	11	19.6	5.9-33.3	5	10.7	0.0-23.4
MultiRacial/Non-Hisp.	50	28,561	29	57.3	37.7-76.9	9	21.3	5.0-37.6	12	21.5	7.2-35.8
Hispanic	68	123,278	52	72.3	56.6-88.0	11	16.8	5.0-28.6	5	10.9	0.0-24.0
18-24	206	322,704	119	57.6	49.2-66.0	70	35.4	27.2-43.6	17	7.1	2.8-11.4
25-34	284	423,365	169	62.2	55.1-69.3	74	24.7	18.4-31.0	41	13.1	8.4-17.8
35-44	288	406,975	200	72.9	66.2-79.6	54	19.0	12.9-25.1	34	8.1	4.6-11.6
45-54	404	407,827	279	68.2	61.7-74.7	70	17.4	12.5-22.3	55	14.5	9.0-20.0
55-64	585	403,678	443	76.1	71.6-80.6	80	12.8	9.3-16.3	62	11.1	7.6-14.6
65+	767	460,678	634	82.3	78.8-85.8	75	10.1	7.2-13.0	58	7.6	5.1-10.1
Less Than H.S.	240	352,968	147	63.9	55.7-72.1	40	16.9	10.8-23.0	53	19.2	12.3-26.1
H.S. or G.E.D.	829	823,460	616	72.6	68.3-76.9	121	17.4	13.7-21.1	92	10.0	7.5-12.5
Some Post-H.S.	642	693,298	459	70.1	65.2-75.0	117	20.8	16.3-25.3	66	9.1	6.2-12.0
College Graduate	854	588,739	647	72.7	68.6-76.8	149	20.8	16.9-24.7	58	6.5	4.3- 8.7
Less than \$15,000	210	180,846	120	53.5	43.7-63.3	33	17.7	9.5-25.9	57	28.8	19.4-38.2
\$15,000- 24,999	336	324,153	206	58.1	50.3-65.9	66	22.1	15.2-29.0	64	19.8	13.3-26.3
\$25,000- 34,999	266	261,391	188	71.9	64.6-79.2	53	18.5	12.6-24.4	25	9.7	4.6-14.8
\$35,000- 49,999	378	359,230	279	72.0	65.5-78.5	61	18.9	13.0-24.8	38	9.1	5.4-12.8
\$50,000- 74,999	365	368,692	276	75.1	69.0-81.2	62	18.8	13.3-24.3	27	6.1	3.2- 9.0
\$75,000+	650	627,560	532	77.1	72.4-81.8	98	19.3	14.8-23.8	20	3.6	1.6- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 2: HEALTHY DAYS**

**TABLE 6: 3 LEVEL NOT GOOD MENTAL HEALTH STATUS: 0 DAYS, 1-13 DAYS, 14-30 DAYS (\_MENT14D)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Zero days when mental health not good			1-13 days when mental health not good			14+ days when mental health not good		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3465	2,620,362	2175	59.3	56.8-61.8	744	23.9	21.7-26.1	546	16.8	15.0-18.6
White/Non-Hisp	2782	1,959,905	1762	60.5	58.0-63.0	590	23.5	21.1-25.9	430	16.0	14.0-18.0
Black or Afr. Am./Non-Hisp	483	451,051	300	55.5	48.4-62.6	109	25.7	19.2-32.2	74	18.9	13.4-24.4
Oth. Race/Non-Hisp.	56	43,619	32	41.8	23.8-59.8	13	32.3	12.5-52.1	11	25.9	8.7-43.1
Hispanic	50	96,892	25	55.3	37.9-72.7	14	29.7	13.6-45.8	11	15.0	4.8-25.2
18-24	166	305,671	76	48.0	38.6-57.4	56	31.5	22.9-40.1	34	20.5	13.1-27.9
25-34	316	433,475	185	57.1	49.7-64.5	73	27.8	20.7-34.9	58	15.0	10.1-19.9
35-44	341	413,645	174	51.1	43.8-58.4	94	28.7	22.0-35.4	73	20.2	15.1-25.3
45-54	586	423,166	313	53.5	48.0-59.0	140	25.5	20.8-30.2	133	21.0	16.7-25.3
55-64	711	428,051	431	58.9	54.2-63.6	153	20.9	17.2-24.6	127	20.2	16.1-24.3
65+	1280	578,131	941	75.4	72.5-78.3	223	15.8	13.3-18.3	116	8.8	6.8-10.8
Less Than H.S.	380	372,037	201	48.8	41.4-56.2	64	19.8	13.5-26.1	115	31.4	24.9-37.9
H.S. or G.E.D.	1120	866,051	723	63.1	58.8-67.4	206	20.5	16.6-24.4	191	16.4	13.5-19.3
Some Post-H.S.	943	796,596	585	58.5	53.8-63.2	207	24.7	20.6-28.8	151	16.9	13.4-20.4
College Graduate	1007	579,440	654	61.2	56.9-65.5	266	31.0	26.9-35.1	87	7.9	5.5-10.3
Less than \$15,000	418	287,622	208	43.0	35.7-50.3	83	26.3	19.0-33.6	127	30.7	23.8-37.6
\$15,000- 24,999	625	483,157	357	58.1	52.2-64.0	132	21.1	16.2-26.0	136	20.8	16.5-25.1
\$25,000- 34,999	341	249,656	224	62.8	55.0-70.6	63	20.0	13.7-26.3	54	17.2	11.5-22.9
\$35,000- 49,999	428	325,563	275	61.3	54.6-68.0	103	26.9	20.6-33.2	50	11.7	7.6-15.8
\$50,000- 74,999	377	311,110	244	59.2	51.8-66.6	105	29.1	22.2-36.0	28	11.7	6.6-16.8
\$75,000+	559	453,377	382	63.6	57.9-69.3	137	27.2	21.9-32.5	40	9.2	5.7-12.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 3: HEALTH CARE ACCESS CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	14
2	MALES ONLY	15
3	FEMALES ONLY	16

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3922	3,999,024	3422	86.1	84.5-87.7	500	13.9	12.3-15.5
Male	1775	1,966,103	1516	84.2	81.8-86.6	259	15.8	13.4-18.2
Female	2145	2,029,684	1904	87.9	85.7-90.1	241	12.1	9.9-14.3
White/Non-Hisp	3080	2,900,794	2729	89.0	87.6-90.4	351	11.0	9.6-12.4
Black or Afr. Am./Non-Hisp	536	695,624	457	83.0	78.3-87.7	79	17.0	12.3-21.7
Oth. Race/Non-Hisp.	83	95,929	66	77.9	64.0-91.8	17	22.1	8.2-36.0
MultiRacial/Non-Hisp.	69	45,629	60	83.4	68.9-97.9	9	16.6	2.1-31.1
Hispanic	107	206,739	73	59.5	46.8-72.2	34	40.5	27.8-53.2
18-24	371	627,055	322	87.0	82.9-91.1	49	13.0	8.9-17.1
25-34	603	857,221	520	86.0	82.3-89.7	83	14.0	10.3-17.7
35-44	638	829,728	544	84.0	79.9-88.1	94	16.0	11.9-20.1
45-54	1000	845,828	871	85.7	82.4-89.0	129	14.3	11.0-17.6
55-64	1310	839,192	1165	87.9	85.4-90.4	145	12.1	9.6-14.6
Less Than H.S.	346	518,943	256	73.2	66.7-79.7	90	26.8	20.3-33.3
H.S. or G.E.D.	1262	1,329,445	1042	81.7	78.6-84.8	220	18.3	15.2-21.4
Some Post-H.S.	1046	1,208,876	926	89.4	87.0-91.8	120	10.6	8.2-13.0
College Graduate	1259	937,240	1189	95.0	93.6-96.4	70	5.0	3.6- 6.4
Less than \$15,000	425	380,506	296	72.4	66.3-78.5	129	27.6	21.5-33.7
\$15,000- 24,999	571	605,189	452	76.8	71.3-82.3	119	23.2	17.7-28.7
\$25,000- 34,999	388	398,163	343	84.7	79.4-90.0	45	15.3	10.0-20.6
\$35,000- 49,999	526	535,736	471	87.6	83.3-91.9	55	12.4	8.1-16.7
\$50,000- 74,999	525	565,783	484	91.7	88.4-95.0	41	8.3	5.0-11.6
\$75,000+	950	952,132	923	95.3	93.1-97.5	27	4.7	2.5- 6.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1775	1,966,103	1516	84.2	81.8-86.6	259	15.8	13.4-18.2
White/Non-Hisp	1404	1,441,517	1219	87.5	85.3-89.7	185	12.5	10.3-14.7
Black or Afr. Am./Non-Hisp	201	304,464	165	79.3	71.7-86.9	36	20.7	13.1-28.3
Hispanic	60	111,618	41	57.1	39.7-74.5	19	42.9	25.5-60.3
18-24	204	317,971	175	85.1	79.0-91.2	29	14.9	8.8-21.0
25-34	283	420,270	228	82.3	76.6-88.0	55	17.7	12.0-23.4
35-44	292	411,985	240	83.3	77.8-88.8	52	16.7	11.2-22.2
45-54	406	409,727	354	85.2	79.7-90.7	52	14.8	9.3-20.3
55-64	590	406,150	519	85.4	81.3-89.5	71	14.6	10.5-18.7
Less Than H.S.	156	264,257	113	71.8	62.2-81.4	43	28.2	18.6-37.8
H.S. or G.E.D.	614	683,554	488	78.3	73.6-83.0	126	21.7	17.0-26.4
Some Post-H.S.	444	565,800	390	88.6	84.9-92.3	54	11.4	7.7-15.1
College Graduate	559	450,577	523	94.8	92.6-97.0	36	5.2	3.0- 7.4
Less than \$15,000	162	150,876	109	71.1	61.5-80.7	53	28.9	19.3-38.5
\$15,000- 24,999	217	252,169	157	69.9	60.9-78.9	60	30.1	21.1-39.1
\$25,000- 34,999	179	199,937	150	77.5	68.7-86.3	29	22.5	13.7-31.3
\$35,000- 49,999	252	283,978	219	86.5	80.4-92.6	33	13.5	7.4-19.6
\$50,000- 74,999	256	305,648	232	90.3	85.4-95.2	24	9.7	4.8-14.6
\$75,000+	496	546,380	479	94.0	90.7-97.3	17	6.0	2.7- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (\_HCVU651)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2145	2,029,684	1904	87.9	85.7-90.1	241	12.1	9.9-14.3
White/Non-Hisp	1675	1,457,950	1509	90.4	88.4-92.4	166	9.6	7.6-11.6
Black or Afr. Am./Non-Hisp	335	391,159	292	85.9	80.0-91.8	43	14.1	8.2-20.0
18-24	167	309,083	147	89.0	83.3-94.7	20	11.0	5.3-16.7
25-34	319	435,625	291	89.5	84.6-94.4	28	10.5	5.6-15.4
35-44	346	417,743	304	84.8	78.7-90.9	42	15.2	9.1-21.3
45-54	593	434,191	516	86.1	82.2-90.0	77	13.9	10.0-17.8
55-64	720	433,042	646	90.3	87.6-93.0	74	9.7	7.0-12.4
Less Than H.S.	189	252,775	142	74.4	65.6-83.2	47	25.6	16.8-34.4
H.S. or G.E.D.	648	645,891	554	85.3	81.2-89.4	94	14.7	10.6-18.8
Some Post-H.S.	601	641,750	535	90.1	86.8-93.4	66	9.9	6.6-13.2
College Graduate	700	486,663	666	95.2	93.0-97.4	34	4.8	2.6- 7.0
Less than \$15,000	263	229,630	187	73.2	65.4-81.0	76	26.8	19.0-34.6
\$15,000- 24,999	354	353,020	295	81.7	75.0-88.4	59	18.3	11.6-25.0
\$25,000- 34,999	209	198,226	193	91.9	87.2-96.6	16	8.1	3.4-12.8
\$35,000- 49,999	274	251,757	252	88.8	82.7-94.9	22	11.2	5.1-17.3
\$50,000- 74,999	269	260,135	252	93.3	89.0-97.6	17	6.7	2.4-11.0
\$75,000+	453	403,842	443	97.0	94.3-99.7	10	3.0	0.3- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 4: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	18
2	MALES ONLY	19
3	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6159	5,172,639	4285	71.6	70.0-73.2	1874	28.4	26.8-30.0
Male	2607	2,490,272	1938	76.1	73.7-78.5	669	23.9	21.5-26.3
Female	3549	2,678,853	2344	67.4	65.0-69.8	1205	32.6	30.2-35.0
White/Non-Hisp	4964	3,882,390	3478	72.8	71.0-74.6	1486	27.2	25.4-29.0
Black or Afr. Am./Non-Hisp	754	813,946	504	68.0	62.9-73.1	250	32.0	26.9-37.1
Oth. Race/Non-Hisp.	121	116,937	82	74.8	64.4-85.2	39	25.2	14.8-35.6
MultiRacial/Non-Hisp.	104	53,948	64	69.0	55.9-82.1	40	31.0	17.9-44.1
Hispanic	118	220,170	85	66.6	54.4-78.8	33	33.4	21.2-45.6
18-24	377	636,165	325	84.9	80.0-89.8	52	15.1	10.2-20.0
25-34	609	865,992	494	79.8	75.5-84.1	115	20.2	15.9-24.5
35-44	641	833,472	499	77.1	72.2-82.0	142	22.9	18.0-27.8
45-54	1005	849,716	678	65.4	61.3-69.5	327	34.6	30.5-38.7
55-64	1315	842,056	881	66.5	63.2-69.8	434	33.5	30.2-36.8
65+	2105	1,066,223	1328	61.5	58.8-64.2	777	38.5	35.8-41.2
Less Than H.S.	645	752,606	315	48.9	43.4-54.4	330	51.1	45.6-56.6
H.S. or G.E.D.	2002	1,726,720	1240	66.5	63.6-69.4	762	33.5	30.6-36.4
Some Post-H.S.	1612	1,508,461	1149	76.6	73.9-79.3	463	23.4	20.7-26.1
College Graduate	1878	1,174,566	1570	87.3	85.3-89.3	308	12.7	10.7-14.7
Less than \$15,000	653	486,084	349	59.4	53.9-64.9	304	40.6	35.1-46.1
\$15,000- 24,999	981	823,588	598	64.5	60.0-69.0	383	35.5	31.0-40.0
\$25,000- 34,999	622	519,358	401	65.5	59.8-71.2	221	34.5	28.8-40.2
\$35,000- 49,999	816	690,912	579	69.1	64.4-73.8	237	30.9	26.2-35.6
\$50,000- 74,999	749	685,150	591	79.6	75.3-83.9	158	20.4	16.1-24.7
\$75,000+	1213	1,085,681	1046	87.4	84.9-89.9	167	12.6	10.1-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2607	2,490,272	1938	76.1	73.7-78.5	669	23.9	21.5-26.3
White/Non-Hisp	2113	1,875,677	1584	76.9	74.5-79.3	529	23.1	20.7-25.5
Black or Afr. Am./Non-Hisp	261	351,058	190	74.6	67.5-81.7	71	25.4	18.3-32.5
Oth. Race/Non-Hisp.	64	74,353	47	84.2	74.2-94.2	17	15.8	5.8-25.8
MultiRacial/Non-Hisp.	55	30,133	34	72.9	59.0-86.8	21	27.1	13.2-41.0
Hispanic	68	123,278	48	66.3	49.4-83.2	20	33.7	16.8-50.6
18-24	208	324,833	189	89.8	84.5-95.1	19	10.2	4.9-15.5
25-34	287	425,670	243	84.6	78.9-90.3	44	15.4	9.7-21.1
35-44	292	411,985	238	81.4	74.5-88.3	54	18.6	11.7-25.5
45-54	407	410,295	291	69.7	63.2-76.2	116	30.3	23.8-36.8
55-64	592	407,400	420	70.3	65.6-75.0	172	29.7	25.0-34.4
65+	784	473,049	528	64.5	60.0-69.0	256	35.5	31.0-40.0
Less Than H.S.	245	359,510	131	54.9	46.3-63.5	114	45.1	36.5-53.7
H.S. or G.E.D.	846	836,250	583	74.0	70.1-77.9	263	26.0	22.1-29.9
Some Post-H.S.	652	700,464	491	79.2	75.1-83.3	161	20.8	16.7-24.9
College Graduate	858	590,169	730	88.6	86.2-91.0	128	11.4	9.0-13.8
Less than \$15,000	216	186,304	125	60.2	51.0-69.4	91	39.8	30.6-49.0
\$15,000- 24,999	339	325,749	221	71.0	63.9-78.1	118	29.0	21.9-36.1
\$25,000- 34,999	270	264,981	183	70.3	63.0-77.6	87	29.7	22.4-37.0
\$35,000- 49,999	382	361,621	281	70.1	63.4-76.8	101	29.9	23.2-36.6
\$50,000- 74,999	367	370,597	295	81.8	75.3-88.3	72	18.2	11.7-24.7
\$75,000+	653	630,394	566	87.8	84.3-91.3	87	12.2	8.7-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 4: EXERCISE (PHYSICAL ACTIVITY)**

**TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (\_TOTINDA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3549	2,678,853	2344	67.4	65.0-69.8	1205	32.6	30.2-35.0
White/Non-Hisp	2849	2,005,109	1892	69.0	66.6-71.4	957	31.0	28.6-33.4
Black or Afr. Am./Non-Hisp	493	462,889	314	63.0	56.1-69.9	179	37.0	30.1-43.9
Oth. Race/Non-Hisp.	57	42,584	35	58.4	39.4-77.4	22	41.6	22.6-60.6
Hispanic	50	96,892	37	67.0	49.4-84.6	13	33.0	15.4-50.6
18-24	169	311,332	136	79.8	71.8-87.8	33	20.2	12.2-28.2
25-34	321	438,995	250	75.1	68.6-81.6	71	24.9	18.4-31.4
35-44	349	421,487	261	72.9	65.8-80.0	88	27.1	20.0-34.2
45-54	597	437,511	386	61.3	56.0-66.6	211	38.7	33.4-44.0
55-64	723	434,656	461	62.8	58.1-67.5	262	37.2	32.5-41.9
65+	1320	592,897	799	59.1	55.6-62.6	521	40.9	37.4-44.4
Less Than H.S.	399	391,185	183	43.2	36.1-50.3	216	56.8	49.7-63.9
H.S. or G.E.D.	1156	890,471	657	59.5	55.4-63.6	499	40.5	36.4-44.6
Some Post-H.S.	959	806,670	657	74.3	70.6-78.0	302	25.7	22.0-29.4
College Graduate	1019	584,120	839	86.1	83.0-89.2	180	13.9	10.8-17.0
Less than \$15,000	437	299,780	224	58.9	52.0-65.8	213	41.1	34.2-48.0
\$15,000- 24,999	642	497,839	377	60.3	54.6-66.0	265	39.7	34.0-45.4
\$25,000- 34,999	352	254,377	218	60.6	52.0-69.2	134	39.4	30.8-48.0
\$35,000- 49,999	434	329,291	298	67.9	61.4-74.4	136	32.1	25.6-38.6
\$50,000- 74,999	382	314,554	296	76.9	71.0-82.8	86	23.1	17.2-29.0
\$75,000+	559	453,377	479	86.7	82.8-90.6	80	13.3	9.4-17.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \*\*\*\*\*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \*\*\*\*\*

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6107	5,140,828	691	8.4	7.6- 9.2	5416	91.6	90.8-92.4
Male	2587	2,475,159	356	9.9	8.7-11.1	2231	90.1	88.9-91.3
Female	3517	2,662,154	335	7.0	6.0- 8.0	3182	93.0	92.0-94.0
White/Non-Hisp	4925	3,855,048	579	9.4	8.4-10.4	4346	90.6	89.6-91.6
Black or Afr. Am./Non-Hisp	745	809,487	58	4.5	2.9- 6.1	687	95.5	93.9-97.1
Oth. Race/Non-Hisp.	121	118,718	19	10.3	4.4-16.2	102	89.7	83.8-95.6
MultiRacial/Non-Hisp.	103	53,489	13	5.4	1.5- 9.3	90	94.6	90.7-98.5
Hispanic	118	220,170	7	3.8	0.3- 7.3	111	96.2	92.7-99.7
18-24	377	636,165	3	0.5	0.0- 1.1	374	99.5	98.9- 100
25-34	606	859,478	9	1.2	0.2- 2.2	597	98.8	97.8-99.8
35-44	638	831,440	16	2.4	1.0- 3.8	622	97.6	96.2-99.0
45-54	994	842,905	75	6.9	4.9- 8.9	919	93.1	91.1-95.1
55-64	1305	836,261	155	12.5	10.1-14.9	1150	87.5	85.1-89.9
65+	2082	1,056,666	426	21.9	19.5-24.3	1656	78.1	75.7-80.5
Less Than H.S.	634	745,206	118	13.1	10.2-16.0	516	86.9	84.0-89.8
H.S. or G.E.D.	1975	1,707,361	257	9.8	8.2-11.4	1718	90.2	88.6-91.8
Some Post-H.S.	1609	1,507,359	181	7.3	5.9- 8.7	1428	92.7	91.3-94.1
College Graduate	1868	1,171,295	130	4.7	3.7- 5.7	1738	95.3	94.3-96.3
Less than \$15,000	642	480,831	103	12.9	9.8-16.0	539	87.1	84.0-90.2
\$15,000- 24,999	970	814,863	152	11.4	9.0-13.8	818	88.6	86.2-91.0
\$25,000- 34,999	617	513,510	63	8.2	5.5-10.9	554	91.8	89.1-94.5
\$35,000- 49,999	808	685,609	84	7.0	5.0- 9.0	724	93.0	91.0-95.0
\$50,000- 74,999	748	684,864	70	7.2	5.0- 9.4	678	92.8	90.6-95.0
\$75,000+	1211	1,085,256	59	3.1	2.1- 4.1	1152	96.9	95.9-97.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2587	2,475,159	356	9.9	8.7-11.1	2231	90.1	88.9-91.3
White/Non-Hisp	2098	1,864,248	305	11.4	9.8-13.0	1793	88.6	87.0-90.2
Black or Afr. Am./Non-Hisp	259	348,937	20	4.3	2.1- 6.5	239	95.7	93.5-97.9
Oth. Race/Non-Hisp.	64	74,353	12	12.4	3.8-21.0	52	87.6	79.0-96.2
MultiRacial/Non-Hisp.	54	29,674	7	6.7	0.0-13.4	47	93.3	86.6- 100
Hispanic	68	123,278	3	2.1	0.0- 4.6	65	97.9	95.4- 100
18-24	208	324,833	1	0.6	0.0- 1.8	207	99.4	98.2- 100
25-34	285	422,790	6	1.6	0.2- 3.0	279	98.4	97.0-99.8
35-44	292	411,985	10	2.7	0.7- 4.7	282	97.3	95.3-99.3
45-54	403	407,224	36	8.0	5.1-10.9	367	92.0	89.1-94.9
55-64	586	404,567	84	13.9	10.4-17.4	502	86.1	82.6-89.6
65+	778	467,823	215	28.8	24.7-32.9	563	71.2	67.1-75.3
Less Than H.S.	240	356,031	45	12.1	8.0-16.2	195	87.9	83.8-92.0
H.S. or G.E.D.	837	827,580	130	11.6	9.2-14.0	707	88.4	86.0-90.8
Some Post-H.S.	652	700,464	99	9.2	7.0-11.4	553	90.8	88.6-93.0
College Graduate	853	587,884	78	6.7	4.9- 8.5	775	93.3	91.5-95.1
Less than \$15,000	212	183,812	39	16.5	10.4-22.6	173	83.5	77.4-89.6
\$15,000- 24,999	335	323,697	67	14.3	10.2-18.4	268	85.7	81.6-89.8
\$25,000- 34,999	269	261,867	38	11.1	6.8-15.4	231	88.9	84.6-93.2
\$35,000- 49,999	378	358,211	57	9.4	6.3-12.5	321	90.6	87.5-93.7
\$50,000- 74,999	367	370,597	43	7.7	4.8-10.6	324	92.3	89.4-95.2
\$75,000+	651	629,968	48	4.5	2.9- 6.1	603	95.5	93.9-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (\_MICHD)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3517	2,662,154	335	7.0	6.0- 8.0	3182	93.0	92.0-94.0
White/Non-Hisp	2825	1,989,197	274	7.7	6.5- 8.9	2551	92.3	91.1-93.5
Black or Afr. Am./Non-Hisp	486	460,551	38	4.6	2.2- 7.0	448	95.4	93.0-97.8
Oth. Race/Non-Hisp.	57	44,365	7	6.7	0.4-13.0	50	93.3	87.0-99.6
Hispanic	50	96,892	4	6.1	0.0-13.4	46	93.9	86.6- 100
18-24	169	311,332	2	0.5	0.0- 1.1	167	99.5	98.9- 100
25-34	320	435,362	3	0.9	0.0- 2.3	317	99.1	97.7- 100
35-44	346	419,455	6	2.2	0.2- 4.2	340	97.8	95.8-99.8
45-54	590	433,771	39	5.8	3.4- 8.2	551	94.2	91.8-96.6
55-64	719	431,693	71	11.1	8.0-14.2	648	88.9	85.8-92.0
65+	1303	588,566	211	16.4	13.7-19.1	1092	83.6	80.9-86.3
Less Than H.S.	393	387,265	73	14.0	10.1-17.9	320	86.0	82.1-89.9
H.S. or G.E.D.	1138	879,781	127	8.0	6.0-10.0	1011	92.0	90.0-94.0
Some Post-H.S.	956	805,569	82	5.6	3.8- 7.4	874	94.4	92.6-96.2
College Graduate	1014	583,133	52	2.8	1.8- 3.8	962	97.2	96.2-98.2
Less than \$15,000	430	297,019	64	10.7	7.2-14.2	366	89.3	85.8-92.8
\$15,000- 24,999	635	491,166	85	9.6	6.7-12.5	550	90.4	87.5-93.3
\$25,000- 34,999	348	251,643	25	5.2	2.3- 8.1	323	94.8	91.9-97.7
\$35,000- 49,999	430	327,398	27	4.5	2.5- 6.5	403	95.5	93.5-97.5
\$50,000- 74,999	381	314,268	27	6.6	3.5- 9.7	354	93.4	90.3-96.5
\$75,000+	559	453,377	11	1.3	0.3- 2.3	548	98.7	97.7-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6150	5,163,630	5218	83.9	82.5-85.3	932	16.1	14.7-17.5
Male	2602	2,486,115	2284	86.4	84.4-88.4	318	13.6	11.6-15.6
Female	3545	2,674,001	2931	81.5	79.5-83.5	614	18.5	16.5-20.5
White/Non-Hisp	4960	3,873,213	4228	84.5	83.1-85.9	732	15.5	14.1-16.9
Black or Afr. Am./Non-Hisp	754	814,307	635	82.4	78.1-86.7	119	17.6	13.3-21.9
Oth. Race/Non-Hisp.	122	119,004	105	87.1	79.1-95.1	17	12.9	4.9-20.9
MultiRacial/Non-Hisp.	101	53,241	73	66.6	52.1-81.1	28	33.4	18.9-47.9
Hispanic	118	220,170	97	84.0	75.4-92.6	21	16.0	7.4-24.6
18-24	376	634,871	306	81.8	77.1-86.5	70	18.2	13.5-22.9
25-34	609	865,992	506	81.3	77.0-85.6	103	18.7	14.4-23.0
35-44	640	830,110	546	83.5	79.0-88.0	94	16.5	12.0-21.0
45-54	1002	848,846	848	84.4	81.3-87.5	154	15.6	12.5-18.7
55-64	1311	839,679	1100	84.1	81.6-86.6	211	15.9	13.4-18.4
65+	2107	1,065,972	1822	86.5	84.5-88.5	285	13.5	11.5-15.5
Less Than H.S.	645	754,342	486	75.2	70.1-80.3	159	24.8	19.7-29.9
H.S. or G.E.D.	1997	1,719,500	1703	85.3	82.9-87.7	294	14.7	12.3-17.1
Some Post-H.S.	1611	1,507,094	1366	84.6	82.1-87.1	245	15.4	12.9-17.9
College Graduate	1876	1,173,088	1648	86.6	84.2-89.0	228	13.4	11.0-15.8
Less than \$15,000	652	486,099	495	73.5	68.2-78.8	157	26.5	21.2-31.8
\$15,000- 24,999	981	820,287	778	78.7	75.0-82.4	203	21.3	17.6-25.0
\$25,000- 34,999	620	517,333	520	82.5	77.4-87.6	100	17.5	12.4-22.6
\$35,000- 49,999	813	686,533	711	85.4	81.7-89.1	102	14.6	10.9-18.3
\$50,000- 74,999	748	684,941	671	88.5	84.6-92.4	77	11.5	7.6-15.4
\$75,000+	1213	1,085,681	1097	89.7	87.0-92.4	116	10.3	7.6-13.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2602	2,486,115	2284	86.4	84.4-88.4	318	13.6	11.6-15.6
White/Non-Hisp	2111	1,872,516	1863	86.7	84.5-88.9	248	13.3	11.1-15.5
Black or Afr. Am./Non-Hisp	261	351,058	226	85.5	79.4-91.6	35	14.5	8.4-20.6
Oth. Race/Non-Hisp.	64	74,353	55	90.2	82.0-98.4	9	9.8	1.6-18.0
MultiRacial/Non-Hisp.	53	29,816	39	74.6	58.1-91.1	14	25.4	8.9-41.9
Hispanic	68	123,278	60	84.2	71.3-97.1	8	15.8	2.9-28.7
18-24	208	324,833	172	83.9	77.8-90.0	36	16.1	10.0-22.2
25-34	287	425,670	240	82.3	76.2-88.4	47	17.7	11.6-23.8
35-44	292	411,985	265	87.5	81.2-93.8	27	12.5	6.2-18.8
45-54	406	410,102	360	87.1	82.4-91.8	46	12.9	8.2-17.6
55-64	590	407,048	514	86.6	83.1-90.1	76	13.4	9.9-16.9
65+	784	470,290	701	89.6	87.1-92.1	83	10.4	7.9-12.9
Less Than H.S.	245	359,510	187	78.1	70.7-85.5	58	21.9	14.5-29.3
H.S. or G.E.D.	844	833,148	745	87.2	83.9-90.5	99	12.8	9.5-16.1
Some Post-H.S.	651	700,271	575	88.1	84.6-91.6	76	11.9	8.4-15.4
College Graduate	857	589,985	774	88.7	85.6-91.8	83	11.3	8.2-14.4
Less than \$15,000	216	186,304	177	76.1	67.5-84.7	39	23.9	15.3-32.5
\$15,000- 24,999	339	325,749	270	79.6	73.5-85.7	69	20.4	14.3-26.5
\$25,000- 34,999	270	264,981	236	87.2	81.9-92.5	34	12.8	7.5-18.1
\$35,000- 49,999	380	358,536	333	84.6	78.9-90.3	47	15.4	9.7-21.1
\$50,000- 74,999	366	370,387	339	90.2	84.3-96.1	27	9.8	3.9-15.7
\$75,000+	653	630,394	601	92.2	89.3-95.1	52	7.8	4.9-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (\_LTASTH1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3545	2,674,001	2931	81.5	79.5-83.5	614	18.5	16.5-20.5
White/Non-Hisp	2847	1,999,093	2363	82.5	80.5-84.5	484	17.5	15.5-19.5
Black or Afr. Am./Non-Hisp	493	463,249	409	80.1	74.0-86.2	84	19.9	13.8-26.0
Oth. Race/Non-Hisp.	58	44,651	50	82.0	66.3-97.7	8	18.0	2.3-33.7
Hispanic	50	96,892	37	83.8	73.4-94.2	13	16.2	5.8-26.6
18-24	168	310,038	134	79.5	72.1-86.9	34	20.5	13.1-27.9
25-34	321	438,995	265	80.3	73.8-86.8	56	19.7	13.2-26.2
35-44	348	418,125	281	79.5	73.0-86.0	67	20.5	14.0-27.0
45-54	595	436,833	487	81.9	78.0-85.8	108	18.1	14.2-22.0
55-64	721	432,631	586	81.7	78.0-85.4	135	18.3	14.6-22.0
65+	1322	595,404	1120	84.0	81.3-86.7	202	16.0	13.3-18.7
Less Than H.S.	399	392,921	298	72.5	65.6-79.4	101	27.5	20.6-34.4
H.S. or G.E.D.	1153	886,352	958	83.5	80.4-86.6	195	16.5	13.4-19.6
Some Post-H.S.	959	805,496	790	81.6	77.9-85.3	169	18.4	14.7-22.1
College Graduate	1018	582,826	873	84.5	81.2-87.8	145	15.5	12.2-18.8
Less than \$15,000	436	299,795	318	71.8	65.1-78.5	118	28.2	21.5-34.9
\$15,000- 24,999	642	494,538	508	78.1	73.4-82.8	134	21.9	17.2-26.6
\$25,000- 34,999	350	252,353	284	77.6	69.2-86.0	66	22.4	14.0-30.8
\$35,000- 49,999	433	327,996	378	86.3	81.8-90.8	55	13.7	9.2-18.2
\$50,000- 74,999	382	314,554	332	86.5	81.6-91.4	50	13.5	8.6-18.4
\$75,000+	559	453,377	495	86.2	81.3-91.1	64	13.8	8.9-18.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6110	5,134,032	5468	89.1	87.9-90.3	642	10.9	9.7-12.1
Male	2588	2,474,074	2409	92.8	91.2-94.4	179	7.2	5.6-8.8
Female	3519	2,656,444	3056	85.7	83.9-87.5	463	14.3	12.5-16.1
White/Non-Hisp	4929	3,850,943	4422	89.4	88.2-90.6	507	10.6	9.4-11.8
Black or Afr. Am./Non-Hisp	749	809,675	662	88.2	84.7-91.7	87	11.8	8.3-15.3
Oth. Race/Non-Hisp.	122	119,004	112	89.3	81.5-97.1	10	10.7	2.9-18.5
MultiRacial/Non-Hisp.	100	52,759	85	82.4	69.9-94.9	15	17.6	5.1-30.1
Hispanic	117	219,053	104	92.7	88.0-97.4	13	7.3	2.6-12.0
18-24	374	633,146	329	88.4	84.5-92.3	45	11.6	7.7-15.5
25-34	602	857,841	549	91.3	88.4-94.2	53	8.7	5.8-11.6
35-44	638	826,367	571	87.6	83.3-91.9	67	12.4	8.1-16.7
45-54	998	846,353	894	88.9	86.2-91.6	104	11.1	8.4-13.8
55-64	1304	836,013	1150	87.4	85.0-89.8	154	12.6	10.2-15.0
65+	2091	1,057,580	1881	90.0	88.2-91.8	210	10.0	8.2-11.8
Less Than H.S.	639	748,781	515	80.2	75.3-85.1	124	19.8	14.9-24.7
H.S. or G.E.D.	1984	1,710,233	1769	89.6	87.6-91.6	215	10.4	8.4-12.4
Some Post-H.S.	1601	1,501,639	1448	91.1	89.1-93.1	153	8.9	6.9-10.9
College Graduate	1866	1,164,503	1720	91.8	90.0-93.6	146	8.2	6.4-10.0
Less than \$15,000	646	483,162	524	79.0	74.1-83.9	122	21.0	16.1-25.9
\$15,000- 24,999	969	811,845	822	85.1	82.0-88.2	147	14.9	11.8-18.0
\$25,000- 34,999	616	515,032	553	89.4	84.9-93.9	63	10.6	6.1-15.1
\$35,000- 49,999	812	685,227	750	92.3	89.9-94.7	62	7.7	5.3-10.1
\$50,000- 74,999	746	681,799	697	92.0	88.5-95.5	49	8.0	4.5-11.5
\$75,000+	1210	1,082,955	1137	93.5	91.3-95.7	73	6.5	4.3-8.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2588	2,474,074	2409	92.8	91.2-94.4	179	7.2	5.6- 8.8
White/Non-Hisp	2102	1,864,812	1961	92.6	90.8-94.4	141	7.4	5.6- 9.2
Black or Afr. Am./Non-Hisp	259	348,687	236	91.5	86.6-96.4	23	8.5	3.6-13.4
Oth. Race/Non-Hisp.	64	74,353	59	92.5	84.7- 100	5	7.5	0.0-15.3
MultiRacial/Non-Hisp.	52	29,335	46	94.8	89.9-99.7	6	5.2	0.3-10.1
Hispanic	67	122,161	65	98.2	95.5- 100	2	1.8	0.0- 4.5
18-24	206	323,109	191	94.2	90.9-97.5	15	5.8	2.5- 9.1
25-34	283	421,552	266	95.3	92.4-98.2	17	4.7	1.8- 7.6
35-44	291	410,409	274	90.6	84.5-96.7	17	9.4	3.3-15.5
45-54	404	408,608	379	92.8	88.9-96.7	25	7.2	3.3-11.1
55-64	588	406,178	541	90.6	87.5-93.7	47	9.4	6.3-12.5
65+	782	468,981	725	92.8	90.6-95.0	57	7.2	5.0- 9.4
Less Than H.S.	243	357,707	206	85.5	78.6-92.4	37	14.5	7.6-21.4
H.S. or G.E.D.	838	827,654	777	93.6	91.6-95.6	61	6.4	4.4- 8.4
Some Post-H.S.	648	697,433	611	94.4	91.9-96.9	37	5.6	3.1- 8.1
College Graduate	854	588,079	812	94.4	92.0-96.8	42	5.6	3.2- 8.0
Less than \$15,000	215	185,938	189	84.6	77.2-92.0	26	15.4	8.0-22.8
\$15,000- 24,999	337	323,537	290	88.5	84.2-92.8	47	11.5	7.2-15.8
\$25,000- 34,999	267	263,190	251	94.7	91.6-97.8	16	5.3	2.2- 8.4
\$35,000- 49,999	379	357,231	356	93.4	90.1-96.7	23	6.6	3.3- 9.9
\$50,000- 74,999	365	369,270	350	94.0	88.5-99.5	15	6.0	0.5-11.5
\$75,000+	652	630,161	628	95.6	93.1-98.1	24	4.4	1.9- 6.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (\_CASTHM1)**

Denominator excludes: Respondents not reporting they have been told they have asthma  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3519	2,656,444	3056	85.7	83.9-87.5	463	14.3	12.5-16.1
White/Non-Hisp	2825	1,984,528	2459	86.5	84.7-88.3	366	13.5	11.7-15.3
Black or Afr. Am./Non-Hisp	490	460,988	426	85.7	80.6-90.8	64	14.3	9.2-19.4
Oth. Race/Non-Hisp.	58	44,651	53	83.9	68.4-99.4	5	16.1	0.6-31.6
Hispanic	50	96,892	39	85.8	75.8-95.8	11	14.2	4.2-24.2
18-24	168	310,038	138	82.5	75.4-89.6	30	17.5	10.4-24.6
25-34	318	434,963	282	87.3	82.0-92.6	36	12.7	7.4-18.0
35-44	347	415,958	297	84.7	78.6-90.8	50	15.3	9.2-21.4
45-54	593	435,834	514	85.2	81.5-88.9	79	14.8	11.1-18.5
55-64	716	429,835	609	84.4	80.9-87.9	107	15.6	12.1-19.1
65+	1308	588,322	1155	87.8	85.3-90.3	153	12.2	9.7-14.7
Less Than H.S.	395	389,163	308	75.2	68.3-82.1	87	24.8	17.9-31.7
H.S. or G.E.D.	1146	882,578	992	85.8	82.7-88.9	154	14.2	11.1-17.3
Some Post-H.S.	952	802,879	836	88.2	85.3-91.1	116	11.8	8.9-14.7
College Graduate	1011	576,147	907	89.1	86.4-91.8	104	10.9	8.2-13.6
Less than \$15,000	431	297,224	335	75.4	68.9-81.9	96	24.6	18.1-31.1
\$15,000- 24,999	632	488,308	532	82.8	78.5-87.1	100	17.2	12.9-21.5
\$25,000- 34,999	349	251,842	302	83.9	75.7-92.1	47	16.1	7.9-24.3
\$35,000- 49,999	433	327,996	394	91.2	87.7-94.7	39	8.8	5.3-12.3
\$50,000- 74,999	381	312,528	347	89.7	85.2-94.2	34	10.3	5.8-14.8
\$75,000+	557	450,884	508	90.4	86.9-93.9	49	9.6	6.1-13.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 10: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6110	5,134,032	642	10.9	9.7-12.1	250	4.7	3.9- 5.5	5218	84.4	83.0-85.8
Male	2588	2,474,074	179	7.2	5.6- 8.8	125	5.9	4.5- 7.3	2284	86.8	84.8-88.8
Female	3519	2,656,444	463	14.3	12.5-16.1	125	3.7	2.7- 4.7	2931	82.0	80.0-84.0
White/Non-Hisp	4929	3,850,943	507	10.6	9.4-11.8	194	4.4	3.6- 5.2	4228	85.0	83.6-86.4
Black or Afr. Am./Non-Hisp	749	809,675	87	11.8	8.3-15.3	27	5.3	2.4- 8.2	635	82.9	78.6-87.2
Oth. Race/Non-Hisp.	122	119,004	10	10.7	2.9-18.5	7	2.2	0.2- 4.2	105	87.1	79.1-95.1
MultiRacial/Non-Hisp.	100	52,759	15	17.6	5.1-30.1	12	15.2	4.4-26.0	73	67.2	52.5-81.9
Hispanic	117	219,053	13	7.3	2.6-12.0	7	8.3	0.9-15.7	97	84.5	75.9-93.1
18-24	374	633,146	45	11.6	7.7-15.5	23	6.4	3.3- 9.5	306	82.0	77.3-86.7
25-34	602	857,841	53	8.7	5.8-11.6	43	9.2	5.7-12.7	506	82.1	77.6-86.6
35-44	638	826,367	67	12.4	8.1-16.7	25	3.8	2.0- 5.6	546	83.9	79.4-88.4
45-54	998	846,353	104	11.1	8.4-13.8	46	4.2	2.6- 5.8	848	84.7	81.6-87.8
55-64	1304	836,013	154	12.6	10.2-15.0	50	3.0	2.0- 4.0	1100	84.4	81.9-86.9
65+	2091	1,057,580	210	10.0	8.2-11.8	59	2.8	1.8- 3.8	1822	87.2	85.2-89.2
Less Than H.S.	639	748,781	124	19.8	14.9-24.7	29	4.4	2.2- 6.6	486	75.8	70.7-80.9
H.S. or G.E.D.	1984	1,710,233	215	10.4	8.4-12.4	66	3.8	2.4- 5.2	1703	85.8	83.4-88.2
Some Post-H.S.	1601	1,501,639	153	8.9	6.9-10.9	82	6.2	4.2- 8.2	1366	84.9	82.4-87.4
College Graduate	1866	1,164,503	146	8.2	6.4-10.0	72	4.6	3.0- 6.2	1648	87.2	84.8-89.6
Less than \$15,000	646	483,162	122	21.0	16.1-25.9	29	5.1	2.6- 7.6	495	73.9	68.6-79.2
\$15,000- 24,999	969	811,845	147	14.9	11.8-18.0	44	5.6	3.2- 8.0	778	79.5	75.8-83.2
\$25,000- 34,999	616	515,032	63	10.6	6.1-15.1	33	6.5	3.6- 9.4	520	82.9	77.8-88.0
\$35,000- 49,999	812	685,227	62	7.7	5.3-10.1	39	6.7	3.8- 9.6	711	85.6	81.9-89.3
\$50,000- 74,999	746	681,799	49	8.0	4.5-11.5	26	3.1	1.3- 4.9	671	88.9	85.0-92.8
\$75,000+	1210	1,082,955	73	6.5	4.3- 8.7	40	3.5	1.5- 5.5	1097	89.9	87.2-92.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 11: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2588	2,474,074	179	7.2	5.6- 8.8	125	5.9	4.5- 7.3	2284	86.8	84.8-88.8
White/Non-Hisp	2102	1,864,812	141	7.4	5.6- 9.2	98	5.5	4.1- 6.9	1863	87.0	84.8-89.2
Black or Afr. Am./Non-Hisp	259	348,687	23	8.5	3.6-13.4	10	5.4	1.3- 9.5	226	86.1	80.0-92.2
Oth. Race/Non-Hisp.	64	74,353	5	7.5	0.0-15.3	4	2.3	0.0- 4.8	55	90.2	82.0-98.4
MultiRacial/Non-Hisp.	52	29,335	6	5.2	0.3-10.1	7	18.9	2.8-35.0	39	75.8	59.3-92.3
Hispanic	67	122,161	2	1.8	0.0- 4.5	5	13.2	0.5-25.9	60	85.0	72.1-97.9
18-24	206	323,109	15	5.8	2.5- 9.1	19	9.8	4.5-15.1	172	84.4	78.5-90.3
25-34	283	421,552	17	4.7	1.8- 7.6	26	12.3	6.6-18.0	240	83.1	77.0-89.2
35-44	291	410,409	17	9.4	3.3-15.5	9	2.8	0.6- 5.0	265	87.8	81.5-94.1
45-54	404	408,608	25	7.2	3.3-11.1	19	5.4	2.7- 8.1	360	87.4	82.7-92.1
55-64	588	406,178	47	9.4	6.3-12.5	27	3.8	2.0- 5.6	514	86.8	83.3-90.3
65+	782	468,981	57	7.2	5.0- 9.4	24	2.9	1.5- 4.3	701	89.9	87.4-92.4
Less Than H.S.	243	357,707	37	14.5	7.6-21.4	19	7.0	2.9-11.1	187	78.5	70.9-86.1
H.S. or G.E.D.	838	827,654	61	6.4	4.4- 8.4	32	5.8	3.1- 8.5	745	87.8	84.5-91.1
Some Post-H.S.	648	697,433	37	5.6	3.1- 8.1	36	6.0	3.5- 8.5	575	88.5	85.0-92.0
College Graduate	854	588,079	42	5.6	3.2- 8.0	38	5.4	3.0- 7.8	774	88.9	85.8-92.0
Less than \$15,000	215	185,938	26	15.4	8.0-22.8	12	8.4	2.7-14.1	177	76.2	67.6-84.8
\$15,000- 24,999	337	323,537	47	11.5	7.2-15.8	20	8.4	3.7-13.1	270	80.1	74.0-86.2
\$25,000- 34,999	267	263,190	16	5.3	2.2- 8.4	15	7.0	2.5-11.5	236	87.8	82.5-93.1
\$35,000- 49,999	379	357,231	23	6.6	3.3- 9.9	23	8.5	3.6-13.4	333	84.9	79.2-90.6
\$50,000- 74,999	365	369,270	15	6.0	0.5-11.5	11	3.5	0.8- 6.2	339	90.5	84.6-96.4
\$75,000+	652	630,161	24	4.4	1.9- 6.9	27	3.4	1.8- 5.0	601	92.2	89.3-95.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 12: COMPUTED ASTHMA STATUS (\_ASTHMS1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3519	2,656,444	463	14.3	12.5-16.1	125	3.7	2.7- 4.7	2931	82.0	80.0-84.0
White/Non-Hisp	2825	1,984,528	366	13.5	11.7-15.3	96	3.4	2.4- 4.4	2363	83.1	81.1-85.1
Black or Afr. Am./Non-Hisp	490	460,988	64	14.3	9.2-19.4	17	5.3	1.2- 9.4	409	80.5	74.4-86.6
Oth. Race/Non-Hisp.	58	44,651	5	16.1	0.6-31.6	3	1.9	0.0- 4.6	50	82.0	66.3-97.7
Hispanic	50	96,892	11	14.2	4.2-24.2	2	2.1	0.0- 5.0	37	83.8	73.4-94.2
18-24	168	310,038	30	17.5	10.4-24.6	4	2.9	0.0- 6.0	134	79.5	72.1-86.9
25-34	318	434,963	36	12.7	7.4-18.0	17	6.3	2.0-10.6	265	81.0	74.5-87.5
35-44	347	415,958	50	15.3	9.2-21.4	16	4.7	1.8- 7.6	281	80.0	73.5-86.5
45-54	593	435,834	79	14.8	11.1-18.5	27	3.2	1.6- 4.8	487	82.1	78.2-86.0
55-64	716	429,835	107	15.6	12.1-19.1	23	2.2	1.2- 3.2	586	82.3	78.6-86.0
65+	1308	588,322	153	12.2	9.7-14.7	35	2.7	1.3- 4.1	1120	85.0	82.3-87.7
Less Than H.S.	395	389,163	87	24.8	17.9-31.7	10	2.0	0.6- 3.4	298	73.2	66.3-80.1
H.S. or G.E.D.	1146	882,578	154	14.2	11.1-17.3	34	1.9	0.9- 2.9	958	83.9	80.8-87.0
Some Post-H.S.	952	802,879	116	11.8	8.9-14.7	46	6.3	3.6- 9.0	790	81.8	78.1-85.5
College Graduate	1011	576,147	104	10.9	8.2-13.6	34	3.7	1.7- 5.7	873	85.4	82.1-88.7
Less than \$15,000	431	297,224	96	24.6	18.1-31.1	17	3.0	1.0- 5.0	318	72.4	65.7-79.1
\$15,000- 24,999	632	488,308	100	17.2	12.9-21.5	24	3.7	1.7- 5.7	508	79.1	74.4-83.8
\$25,000- 34,999	349	251,842	47	16.1	7.9-24.3	18	6.1	2.6- 9.6	284	77.8	69.4-86.2
\$35,000- 49,999	433	327,996	39	8.8	5.3-12.3	16	4.9	1.8- 8.0	378	86.3	81.8-90.8
\$50,000- 74,999	381	312,528	34	10.3	5.8-14.8	15	2.7	0.9- 4.5	332	87.0	82.3-91.7
\$75,000+	557	450,884	49	9.6	6.1-13.1	13	3.7	0.0- 7.6	495	86.7	81.8-91.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6133	5,153,063	2496	31.0	29.4-32.6	3637	69.0	67.4-70.6
Male	2591	2,477,365	871	25.8	23.6-28.0	1720	74.2	72.0-76.4
Female	3539	2,672,185	1624	35.9	33.7-38.1	1915	64.1	61.9-66.3
White/Non-Hisp	4944	3,867,554	2025	33.3	31.5-35.1	2919	66.7	64.9-68.5
Black or Afr. Am./Non-Hisp	753	810,147	313	27.0	22.9-31.1	440	73.0	68.9-77.1
Oth. Race/Non-Hisp.	122	119,004	49	21.3	12.9-29.7	73	78.7	70.3-87.1
MultiRacial/Non-Hisp.	103	53,774	57	40.7	27.2-54.2	46	59.3	45.8-72.8
Hispanic	117	218,586	20	10.9	4.2-17.6	97	89.1	82.4-95.8
18-24	374	628,211	17	3.5	1.5- 5.5	357	96.5	94.5-98.5
25-34	606	864,884	53	7.1	4.7- 9.5	553	92.9	90.5-95.3
35-44	636	829,619	142	20.3	16.4-24.2	494	79.7	75.8-83.6
45-54	1001	846,249	342	32.3	28.4-36.2	659	67.7	63.8-71.6
55-64	1308	838,378	664	49.8	46.3-53.3	644	50.2	46.7-53.7
65+	2102	1,067,308	1233	58.5	55.8-61.2	869	41.5	38.8-44.2
Less Than H.S.	647	754,166	381	45.3	40.0-50.6	266	54.7	49.4-60.0
H.S. or G.E.D.	1993	1,721,595	874	32.4	29.7-35.1	1119	67.6	64.9-70.3
Some Post-H.S.	1601	1,495,219	641	28.3	25.6-31.0	960	71.7	69.0-74.4
College Graduate	1871	1,172,477	591	23.4	21.0-25.8	1280	76.6	74.2-79.0
Less than \$15,000	651	485,537	382	46.4	40.7-52.1	269	53.6	47.9-59.3
\$15,000- 24,999	975	819,915	489	37.7	33.6-41.8	486	62.3	58.2-66.4
\$25,000- 34,999	618	517,621	258	31.0	26.3-35.7	360	69.0	64.3-73.7
\$35,000- 49,999	814	689,503	289	26.9	23.0-30.8	525	73.1	69.2-77.0
\$50,000- 74,999	748	683,566	264	27.2	23.1-31.3	484	72.8	68.7-76.9
\$75,000+	1211	1,083,337	305	19.9	17.2-22.6	906	80.1	77.4-82.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2591	2,477,365	871	25.8	23.8-27.8	1720	74.2	72.2-76.2
White/Non-Hisp	2102	1,869,027	722	28.8	26.4-31.2	1380	71.2	68.8-73.6
Black or Afr. Am./Non-Hisp	260	347,259	87	20.3	14.6-26.0	173	79.7	74.0-85.4
Oth. Race/Non-Hisp.	64	74,353	19	14.4	5.8-23.0	45	85.6	77.0-94.2
MultiRacial/Non-Hisp.	54	29,959	25	28.9	14.2-43.6	29	71.1	56.4-85.8
Hispanic	67	121,694	8	4.9	0.4- 9.4	59	95.1	90.6-99.6
18-24	206	320,457	9	3.8	0.9- 6.7	197	96.2	93.3-99.1
25-34	286	425,425	21	5.3	2.6- 8.0	265	94.7	92.0-97.4
35-44	288	408,481	48	16.1	11.0-21.2	240	83.9	78.8-89.0
45-54	405	408,101	112	24.6	19.1-30.1	293	75.4	69.9-80.9
55-64	588	405,622	281	45.5	40.4-50.6	307	54.5	49.4-59.6
65+	782	472,838	384	50.7	46.2-55.2	398	49.3	44.8-53.8
Less Than H.S.	243	357,317	112	35.3	27.9-42.7	131	64.7	57.3-72.1
H.S. or G.E.D.	842	833,418	305	26.7	23.0-30.4	537	73.3	69.6-77.0
Some Post-H.S.	646	693,951	215	24.1	20.2-28.0	431	75.9	72.0-79.8
College Graduate	855	589,479	238	20.7	17.4-24.0	617	79.3	76.0-82.6
Less than \$15,000	213	185,046	99	39.4	30.4-48.4	114	60.6	51.6-69.6
\$15,000- 24,999	335	322,793	142	32.4	26.1-38.7	193	67.6	61.3-73.9
\$25,000- 34,999	269	264,816	101	28.2	21.7-34.7	168	71.8	65.3-78.3
\$35,000- 49,999	381	361,253	120	22.0	16.9-27.1	261	78.0	72.9-83.1
\$50,000- 74,999	366	369,013	117	25.3	19.4-31.2	249	74.7	68.8-80.6
\$75,000+	652	629,121	153	17.5	14.0-21.0	499	82.5	79.0-86.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (\_DRDXAR1)  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3539	2,672,185	1624	35.9	33.7-38.1	1915	64.1	61.9-66.3
White/Non-Hisp	2840	1,996,924	1303	37.6	35.2-40.0	1537	62.4	60.0-64.8
Black or Afr. Am./Non-Hisp	493	462,889	226	32.0	26.1-37.9	267	68.0	62.1-73.9
Oth. Race/Non-Hisp.	58	44,651	30	32.6	16.7-48.5	28	67.4	51.5-83.3
Hispanic	50	96,892	12	18.3	5.0-31.6	38	81.7	68.4-95.0
18-24	168	307,754	8	3.2	0.7- 5.7	160	96.8	94.3-99.3
25-34	319	438,132	32	8.9	5.0-12.8	287	91.1	87.2-95.0
35-44	348	421,138	94	24.5	18.8-30.2	254	75.5	69.8-81.2
45-54	595	436,237	229	39.3	34.0-44.6	366	60.7	55.4-66.0
55-64	720	432,755	383	53.9	49.2-58.6	337	46.1	41.4-50.8
65+	1319	594,193	849	64.7	61.4-68.0	470	35.3	32.0-38.6
Less Than H.S.	403	394,939	268	54.0	46.7-61.3	135	46.0	38.7-53.3
H.S. or G.E.D.	1151	888,177	569	37.7	33.8-41.6	582	62.3	58.4-66.2
Some Post-H.S.	954	799,943	426	32.0	28.1-35.9	528	68.0	64.1-71.9
College Graduate	1015	582,720	353	26.1	22.6-29.6	662	73.9	70.4-77.4
Less than \$15,000	438	300,491	283	50.7	43.4-58.0	155	49.3	42.0-56.6
\$15,000- 24,999	640	497,123	347	41.2	35.7-46.7	293	58.8	53.3-64.3
\$25,000- 34,999	349	252,805	157	33.9	26.8-41.0	192	66.1	59.0-73.2
\$35,000- 49,999	433	328,251	169	32.2	26.1-38.3	264	67.8	61.7-73.9
\$50,000- 74,999	382	314,554	147	29.5	23.6-35.4	235	70.5	64.6-76.4
\$75,000+	558	452,306	151	22.9	18.4-27.4	407	77.1	72.6-81.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 7: ORAL HEALTH CONTENTS**

**\* NOTE \* \* \* \* \***  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

TABLE		PAGE
	ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40
	ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4	MALES AND FEMALES	41
5	MALES ONLY	42
6	FEMALES ONLY	43
	ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST2)	
7	MALES AND FEMALES	44
8	MALES ONLY	45
9	FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 1: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5947	5,028,237	2635	51.4	49.6-53.2	3312	48.6	46.8-50.4
Male	2530	2,420,576	1182	53.2	50.5-55.9	1348	46.8	44.1-49.5
Female	3414	2,604,148	1452	49.8	47.3-52.3	1962	50.2	47.7-52.7
White/Non-Hisp	4787	3,763,816	2149	51.1	49.1-53.1	2638	48.9	46.9-50.9
Black or Afr. Am./Non-Hisp	734	799,413	278	46.2	40.7-51.7	456	53.8	48.3-59.3
Oth. Race/Non-Hisp.	119	116,168	54	62.4	50.6-74.2	65	37.6	25.8-49.4
MultiRacial/Non-Hisp.	101	52,843	28	30.8	17.7-43.9	73	69.2	56.1-82.3
Hispanic	117	215,417	83	75.7	65.5-85.9	34	24.3	14.1-34.5
18-24	376	635,422	332	84.7	79.4-90.0	44	15.3	10.0-20.6
25-34	606	863,465	440	72.0	67.3-76.7	166	28.0	23.3-32.7
35-44	629	812,507	388	58.9	53.4-64.4	241	41.1	35.6-46.6
45-54	973	822,240	448	45.2	40.9-49.5	525	54.8	50.5-59.1
55-64	1276	811,452	454	35.9	32.6-39.2	822	64.1	60.8-67.4
65+	1987	1,009,194	525	23.9	21.5-26.3	1462	76.1	73.7-78.5
Less Than H.S.	612	718,860	112	26.7	21.0-32.4	500	73.3	67.6-79.0
H.S. or G.E.D.	1912	1,672,958	661	45.7	42.4-49.0	1251	54.3	51.0-57.6
Some Post-H.S.	1567	1,476,791	671	52.9	49.4-56.4	896	47.1	43.6-50.6
College Graduate	1838	1,153,003	1184	73.2	70.7-75.7	654	26.8	24.3-29.3
Less than \$15,000	625	470,476	167	35.8	29.7-41.9	458	64.2	58.1-70.3
\$15,000- 24,999	944	804,379	272	36.7	32.0-41.4	672	63.3	58.6-68.0
\$25,000- 34,999	605	507,229	217	44.3	38.4-50.2	388	55.7	49.8-61.6
\$35,000- 49,999	797	676,799	368	53.7	48.8-58.6	429	46.3	41.4-51.2
\$50,000- 74,999	732	669,953	373	54.1	48.6-59.6	359	45.9	40.4-51.4
\$75,000+	1194	1,066,553	786	69.2	65.7-72.7	408	30.8	27.3-34.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 2: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2530	2,420,576	1182	53.2	50.5-55.9	1348	46.8	44.1-49.5
White/Non-Hisp	2056	1,820,787	956	51.7	48.8-54.6	1100	48.3	45.4-51.2
Black or Afr. Am./Non-Hisp	251	341,724	109	49.8	41.2-58.4	142	50.2	41.6-58.8
Oth. Race/Non-Hisp.	62	72,603	31	63.7	47.8-79.6	31	36.3	20.4-52.2
MultiRacial/Non-Hisp.	52	29,028	17	37.9	18.5-57.3	35	62.1	42.7-81.5
Hispanic	68	123,278	47	79.8	69.2-90.4	21	20.2	9.6-30.8
18-24	208	324,833	189	89.3	83.8-94.8	19	10.7	5.2-16.2
25-34	285	423,991	208	73.5	67.0-80.0	77	26.5	20.0-33.0
35-44	287	401,021	183	58.6	50.6-66.6	104	41.4	33.4-49.4
45-54	397	402,067	191	47.2	40.3-54.1	206	52.8	45.9-59.7
55-64	573	388,218	197	35.4	30.3-40.5	376	64.6	59.5-69.7
65+	744	445,698	191	22.4	18.7-26.1	553	77.6	73.9-81.3
Less Than H.S.	229	337,429	51	31.2	22.0-40.4	178	68.8	59.6-78.0
H.S. or G.E.D.	821	821,173	304	48.7	44.0-53.4	517	51.3	46.6-56.0
Some Post-H.S.	637	683,256	285	53.1	47.8-58.4	352	46.9	41.6-52.2
College Graduate	839	577,140	539	72.5	68.8-76.2	300	27.5	23.8-31.2
Less than \$15,000	209	180,496	64	36.8	27.0-46.6	145	63.2	53.4-73.0
\$15,000- 24,999	328	319,314	104	40.2	32.2-48.2	224	59.8	51.8-67.8
\$25,000- 34,999	262	257,830	85	43.4	35.0-51.8	177	56.6	48.2-65.0
\$35,000- 49,999	371	353,355	164	51.6	44.3-58.9	207	48.4	41.1-55.7
\$50,000- 74,999	359	361,505	186	54.1	46.3-61.9	173	45.9	38.1-53.7
\$75,000+	645	616,871	403	65.9	60.8-71.0	242	34.1	29.0-39.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 3: ADULTS AGED 18+ WHO HAVE HAD PERMANENT TEETH EXTRACTED (\_EXTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3414	2,604,148	1452	49.8	47.3-52.3	1962	50.2	47.7-52.7
White/Non-Hisp	2729	1,941,426	1192	50.6	48.1-53.1	1537	49.4	46.9-51.9
Black or Afr. Am./Non-Hisp	483	457,689	169	43.4	36.1-50.7	314	56.6	49.3-63.9
Oth. Race/Non-Hisp.	57	43,565	23	60.2	43.1-77.3	34	39.8	22.7-56.9
18-24	168	310,589	143	79.9	71.1-88.7	25	20.1	11.3-28.9
25-34	320	438,148	232	70.7	63.8-77.6	88	29.3	22.4-36.2
35-44	342	411,486	205	59.1	51.7-66.5	137	40.9	33.5-48.3
45-54	575	418,262	257	43.6	38.1-49.1	318	56.4	50.9-61.9
55-64	703	423,234	257	36.4	31.9-40.9	446	63.6	59.1-68.1
65+	1242	563,219	333	25.1	22.0-28.2	909	74.9	71.8-78.0
Less Than H.S.	382	379,521	61	22.7	16.0-29.4	321	77.3	70.6-84.0
H.S. or G.E.D.	1091	851,785	357	42.8	38.3-47.3	734	57.2	52.7-61.7
Some Post-H.S.	929	792,208	386	52.7	48.0-57.4	543	47.3	42.6-52.0
College Graduate	998	575,586	644	73.9	70.4-77.4	354	26.1	22.6-29.6
Less than \$15,000	416	289,979	103	35.2	27.6-42.8	313	64.8	57.2-72.4
\$15,000- 24,999	616	485,066	168	34.3	28.4-40.2	448	65.7	59.8-71.6
\$25,000- 34,999	343	249,399	132	45.2	36.8-53.6	211	54.8	46.4-63.2
\$35,000- 49,999	426	323,444	204	55.9	49.2-62.6	222	44.1	37.4-50.8
\$50,000- 74,999	373	308,448	187	54.0	46.6-61.4	186	46.0	38.6-53.4
\$75,000+	548	447,771	383	73.9	69.2-78.6	165	26.1	21.4-30.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1987	1,009,194	1616	78.4	76.0-80.8	371	21.6	19.2-24.0
Male	744	445,698	614	78.7	74.6-82.8	130	21.3	17.2-25.4
Female	1242	563,219	1001	78.2	75.1-81.3	241	21.8	18.7-24.9
White/Non-Hisp	1695	868,699	1389	78.4	75.9-80.9	306	21.6	19.1-24.1
Black or Afr. Am./Non-Hisp	194	95,886	153	80.1	71.7-88.5	41	19.9	11.5-28.3
65+	1987	1,009,194	1616	78.4	76.0-80.8	371	21.6	19.2-24.0
Less Than H.S.	272	209,927	151	52.2	44.9-59.5	121	47.8	40.5-55.1
H.S. or G.E.D.	666	350,840	515	79.5	75.8-83.2	151	20.5	16.8-24.2
Some Post-H.S.	490	247,446	414	84.8	80.5-89.1	76	15.2	10.9-19.5
College Graduate	554	198,865	534	96.2	94.2-98.2	20	3.8	1.8- 5.8
Less than \$15,000	209	95,301	129	62.6	54.4-70.8	80	37.4	29.2-45.6
\$15,000- 24,999	381	206,503	281	67.6	60.9-74.3	100	32.4	25.7-39.1
\$25,000- 34,999	213	108,228	175	78.7	71.3-86.1	38	21.3	13.9-28.7
\$35,000- 49,999	273	139,449	235	81.6	75.3-87.9	38	18.4	12.1-24.7
\$50,000- 74,999	209	110,217	197	93.6	88.1-99.1	12	6.4	0.9-11.9
\$75,000+	245	117,689	239	97.2	94.7-99.7	6	2.8	0.3- 5.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	744	445,698	614	78.7	74.8-82.6	130	21.3	17.4-25.2
White/Non-Hisp	651	389,855	537	78.2	73.9-82.5	114	21.8	17.5-26.1
Black or Afr. Am./Non-Hisp	50	31,737	44	83.7	66.8- 100	6	16.3	0.0-33.2
65+	744	445,698	614	78.7	74.8-82.6	130	21.3	17.4-25.2
Less Than H.S.	77	80,160	44	53.3	40.0-66.6	33	46.7	33.4-60.0
H.S. or G.E.D.	210	132,062	157	75.3	68.4-82.2	53	24.7	17.8-31.6
Some Post-H.S.	186	113,614	157	83.6	76.3-90.9	29	16.4	9.1-23.7
College Graduate	271	119,863	256	94.7	91.6-97.8	15	5.3	2.2- 8.4
\$15,000- 24,999	114	70,545	80	61.0	48.1-73.9	34	39.0	26.1-51.9
\$25,000- 34,999	84	58,849	64	74.0	62.8-85.2	20	26.0	14.8-37.2
\$35,000- 49,999	123	71,287	104	80.4	71.4-89.4	19	19.6	10.6-28.6
\$50,000- 74,999	104	60,720	95	90.3	80.9-99.7	9	9.7	0.3-19.1
\$75,000+	148	74,719	145	96.4	92.5- 100	3	3.6	0.0- 7.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (\_ALTETH2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1242	563,219	1001	78.2	75.3-81.1	241	21.8	18.9-24.7
White/Non-Hisp	1043	478,567	851	78.6	75.5-81.7	192	21.4	18.3-24.5
Black or Afr. Am./Non-Hisp	144	64,149	109	78.3	68.7-87.9	35	21.7	12.1-31.3
65+	1242	563,219	1001	78.2	75.3-81.1	241	21.8	18.9-24.7
Less Than H.S.	195	129,767	107	51.6	43.2-60.0	88	48.4	40.0-56.8
H.S. or G.E.D.	456	218,777	358	82.1	78.0-86.2	98	17.9	13.8-22.0
Some Post-H.S.	304	133,832	257	85.8	80.9-90.7	47	14.2	9.3-19.1
College Graduate	282	78,726	277	98.5	96.9- 100	5	1.5	0.0- 3.1
Less than \$15,000	161	64,262	99	59.8	50.0-69.6	62	40.2	30.4-50.0
\$15,000- 24,999	267	135,958	201	71.0	63.6-78.4	66	29.0	21.6-36.4
\$25,000- 34,999	129	49,380	111	84.4	75.4-93.4	18	15.6	6.6-24.6
\$35,000- 49,999	150	68,162	131	83.0	74.8-91.2	19	17.0	8.8-25.2
\$50,000- 74,999	105	49,496	102	97.6	94.7- 100	3	2.4	0.0- 5.3
\$75,000+	97	42,970	94	98.6	96.8- 100	3	1.4	0.0- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 7: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6071	5,102,500	3691	59.1	57.3-60.9	2380	40.9	39.1-42.7
Male	2572	2,458,217	1535	57.0	54.3-59.7	1037	43.0	40.3-45.7
Female	3496	2,640,770	2154	60.9	58.5-63.3	1342	39.1	36.7-41.5
White/Non-Hisp	4896	3,835,282	3063	61.2	59.2-63.2	1833	38.8	36.8-40.8
Black or Afr. Am./Non-Hisp	743	807,111	411	54.2	48.7-59.7	332	45.8	40.3-51.3
Oth. Race/Non-Hisp.	121	118,239	57	46.5	33.2-59.8	64	53.5	40.2-66.8
MultiRacial/Non-Hisp.	101	52,491	43	42.9	27.8-58.0	58	57.1	42.0-72.2
Hispanic	116	216,945	60	48.1	35.9-60.3	56	51.9	39.7-64.1
18-24	370	628,623	246	66.9	61.0-72.8	124	33.1	27.2-39.0
25-34	603	860,437	339	55.3	50.0-60.6	264	44.7	39.4-50.0
35-44	634	816,695	395	59.5	54.2-64.8	239	40.5	35.2-45.8
45-54	991	841,356	592	57.1	52.8-61.4	399	42.9	38.6-47.2
55-64	1295	829,550	788	61.1	57.6-64.6	507	38.9	35.4-42.4
65+	2072	1,048,180	1258	56.7	53.8-59.6	814	43.3	40.4-46.2
Less Than H.S.	629	725,216	192	34.2	28.7-39.7	437	65.8	60.3-71.3
H.S. or G.E.D.	1951	1,693,330	1008	53.9	50.8-57.0	943	46.1	43.0-49.2
Some Post-H.S.	1601	1,503,365	988	61.9	58.6-65.2	613	38.1	34.8-41.4
College Graduate	1870	1,171,922	1491	78.1	75.4-80.8	379	21.9	19.2-24.6
Less than \$15,000	634	472,332	201	36.0	30.1-41.9	433	64.0	58.1-69.9
\$15,000- 24,999	967	814,843	426	45.7	41.0-50.4	541	54.3	49.6-59.0
\$25,000- 34,999	613	501,079	326	50.4	44.7-56.1	287	49.6	43.9-55.3
\$35,000- 49,999	804	684,868	512	59.3	54.2-64.4	292	40.7	35.6-45.8
\$50,000- 74,999	747	683,017	564	70.2	65.1-75.3	183	29.8	24.7-34.9
\$75,000+	1212	1,084,701	1026	79.0	75.5-82.5	186	21.0	17.5-24.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 8: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2572	2,458,217	1535	57.0	54.3-59.7	1037	43.0	40.3-45.7
White/Non-Hisp	2085	1,850,835	1288	60.6	57.7-63.5	797	39.4	36.5-42.3
Black or Afr. Am./Non-Hisp	260	350,090	133	47.7	39.3-56.1	127	52.3	43.9-60.7
Oth. Race/Non-Hisp.	63	73,589	30	38.6	21.7-55.5	33	61.4	44.5-78.3
MultiRacial/Non-Hisp.	54	29,398	22	45.8	25.4-66.2	32	54.2	33.8-74.6
Hispanic	66	120,053	37	41.3	26.2-56.4	29	58.7	43.6-73.8
18-24	204	319,642	130	58.9	50.3-67.5	74	41.1	32.5-49.7
25-34	283	422,332	152	53.9	46.5-61.3	131	46.1	38.7-53.5
35-44	288	406,619	181	59.7	51.7-67.7	107	40.3	32.3-48.3
45-54	401	406,407	230	53.0	46.1-59.9	171	47.0	40.1-53.9
55-64	582	399,924	350	62.5	57.4-67.6	232	37.5	32.4-42.6
65+	777	466,875	468	55.7	51.0-60.4	309	44.3	39.6-49.0
Less Than H.S.	235	347,675	74	37.2	28.2-46.2	161	62.8	53.8-71.8
H.S. or G.E.D.	829	821,554	410	51.0	46.3-55.7	419	49.0	44.3-53.7
Some Post-H.S.	648	697,203	387	58.2	52.9-63.5	261	41.8	36.5-47.1
College Graduate	855	588,781	662	76.0	72.1-79.9	193	24.0	20.1-27.9
Less than \$15,000	209	179,007	61	35.1	25.5-44.7	148	64.9	55.3-74.5
\$15,000- 24,999	336	323,235	137	42.2	34.6-49.8	199	57.8	50.2-65.4
\$25,000- 34,999	266	259,344	123	43.1	35.1-51.1	143	56.9	48.9-64.9
\$35,000- 49,999	374	356,786	214	52.5	45.2-59.8	160	47.5	40.2-54.8
\$50,000- 74,999	367	370,597	259	64.4	56.8-72.0	108	35.6	28.0-43.2
\$75,000+	652	629,414	542	77.5	72.6-82.4	110	22.5	17.6-27.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 9: ADULTS WHO HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (\_DENVST2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3496	2,640,770	2154	60.9	58.5-63.3	1342	39.1	36.7-41.5
White/Non-Hisp	2809	1,982,843	1774	61.8	59.3-64.3	1035	38.2	35.7-40.7
Black or Afr. Am./Non-Hisp	483	457,020	278	59.1	52.0-66.2	205	40.9	33.8-48.0
Oth. Race/Non-Hisp.	58	44,651	27	59.6	41.8-77.4	31	40.4	22.6-58.2
Hispanic	50	96,892	23	56.5	39.4-73.6	27	43.5	26.4-60.6
18-24	166	308,981	116	75.3	67.9-82.7	50	24.7	17.3-32.1
25-34	319	436,778	187	56.9	49.5-64.3	132	43.1	35.7-50.5
35-44	346	410,076	214	59.3	52.2-66.4	132	40.7	33.6-47.8
45-54	589	433,038	361	60.8	55.5-66.1	228	39.2	33.9-44.5
55-64	713	429,627	438	59.7	55.0-64.4	275	40.3	35.6-45.0
65+	1294	581,028	789	57.5	54.0-61.0	505	42.5	39.0-46.0
Less Than H.S.	393	375,630	117	31.2	24.5-37.9	276	68.8	62.1-75.5
H.S. or G.E.D.	1122	871,776	598	56.6	52.3-60.9	524	43.4	39.1-47.7
Some Post-H.S.	952	804,836	601	65.3	61.0-69.6	351	34.7	30.4-39.0
College Graduate	1014	582,863	828	80.3	76.8-83.8	186	19.7	16.2-23.2
Less than \$15,000	425	293,325	140	36.6	29.3-43.9	285	63.4	56.1-70.7
\$15,000- 24,999	631	491,608	289	47.9	42.0-53.8	342	52.1	46.2-58.0
\$25,000- 34,999	347	241,735	203	58.2	50.8-65.6	144	41.8	34.4-49.2
\$35,000- 49,999	430	328,082	298	66.7	60.2-73.2	132	33.3	26.8-39.8
\$50,000- 74,999	380	312,421	305	77.0	70.9-83.1	75	23.0	16.9-29.1
\$75,000+	559	453,377	483	81.0	75.7-86.3	76	19.0	13.7-24.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \* \* \* \* \*

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	50
2 MALES ONLY	51
3 FEMALES ONLY	52
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	53
5 MALES ONLY	54
6 FEMALES ONLY	55
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	56
8 MALES ONLY	57
9 FEMALES ONLY	58
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	59
11 MALES ONLY	60
12 FEMALES ONLY	61
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	62
14 MALES ONLY	63
15 FEMALES ONLY	64
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	65
17 MALES ONLY	66
18 FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \* \* \* \* \*

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	68
20 MALES ONLY	69
21 FEMALES ONLY	70
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	71
23 MALES ONLY	72
24 FEMALES ONLY	73
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	74
26 MALES ONLY	75
27 FEMALES ONLY	76
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	77
29 MALES ONLY	78
30 FEMALES ONLY	79
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	80
32 MALES ONLY	81
33 FEMALES ONLY	82
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	83
35 MALES ONLY	84
36 FEMALES ONLY	85
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	86
38 MALES ONLY	87
39 FEMALES ONLY	88



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).	
40	MALES AND FEMALES	89
41	MALES ONLY	90
42	FEMALES ONLY	91
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).	
43	MALES AND FEMALES	92
44	MALES ONLY	93
45	FEMALES ONLY	94
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).	
46	MALES AND FEMALES	95
47	MALES ONLY	96
48	FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (\_PRACE1).  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6098	5,101,368	5126	79.7	78.1-81.3	785	16.4	15.0-17.8	69	1.4	0.8- 2.0	36	0.8	0.4- 1.2	13	0.2	0.0- 0.4	69	1.5	0.9- 2.1
Male	2574	2,454,840	2194	80.4	78.0-82.8	275	14.7	12.5-16.9	40	1.9	0.9- 2.9	20	0.9	0.3- 1.5	7	0.2	0.0- 0.4	38	1.8	1.0- 2.6
Female	3521	2,643,014	2930	79.2	77.0-81.4	510	18.0	15.8-20.2	29	1.0	0.4- 1.6	16	0.7	0.3- 1.1	6	0.1	0.0- 0.3	30	1.1	0.5- 1.7
18-24	369	625,193	291	73.1	67.0-79.2	63	22.5	16.6-28.4	3	0.5	0.0- 1.1	7	2.1	0.1- 4.1				5	1.9	0.0- 3.9
25-34	600	853,450	480	75.3	70.4-80.2	96	21.2	16.5-25.9	5	1.0	0.0- 2.2	6	0.7	0.0- 1.5				13	1.8	0.4- 3.2
35-44	632	812,064	525	78.4	73.9-82.9	78	16.8	12.5-21.1	8	0.9	0.1- 1.7	7	1.3	0.1- 2.5	1	0.1	0.0- 0.3	13	2.6	0.8- 4.4
45-54	996	843,372	838	77.8	73.7-81.9	120	16.5	12.8-20.2	15	2.7	0.7- 4.7	7	1.1	0.0- 2.3	3	0.2	0.0- 0.4	13	1.7	0.3- 3.1
55-64	1308	838,648	1071	82.1	79.4-84.8	204	15.1	12.6-17.6	17	1.7	0.3- 3.1	3	0.1	0.0- 0.3	3	0.1	0.0- 0.3	10	0.8	0.2- 1.4
65+	2098	1,063,972	1845	88.1	86.1-90.1	213	9.8	8.0-11.6	18	1.3	0.5- 2.1	6	0.2	0.0- 0.4	5	0.3	0.0- 0.7	11	0.3	0.1- 0.5
Less Than H.S.	644	739,111	518	78.4	73.7-83.1	96	16.3	12.0-20.6	19	3.6	1.6- 5.6	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	8	1.5	0.1- 2.9
H.S. or G.E.D.	1986	1,703,365	1668	80.2	77.3-83.1	275	16.5	13.8-19.2	19	1.2	0.2- 2.2	5	0.7	0.0- 1.5	2	0.2	0.0- 0.4	17	1.2	0.4- 2.0
Some Post-H.S.	1597	1,495,839	1316	75.7	72.4-79.0	227	20.2	17.1-23.3	21	1.4	0.6- 2.2	8	0.7	0.1- 1.3	4	0.1	0.0- 0.3	21	1.9	0.7- 3.1
College Graduate	1854	1,156,103	1614	85.3	82.9-87.7	182	11.4	9.2-13.6	10	0.5	0.1- 0.9	21	1.4	0.6- 2.2	5	0.2	0.0- 0.4	22	1.3	0.5- 2.1
Less than \$15,000	651	484,857	468	63.0	57.1-68.9	153	31.5	25.8-37.2	14	3.5	1.0- 6.0	4	0.4	0.0- 0.8	1	0.2	0.0- 0.6	11	1.4	0.2- 2.6
\$15,000- 24,999	977	807,105	778	75.1	70.8-79.4	161	20.8	16.7-24.9	18	1.6	0.6- 2.6	3	0.3	0.0- 0.7	3	0.1	0.0- 0.3	14	2.0	0.6- 3.4
\$25,000- 34,999	612	509,281	505	80.6	75.9-85.3	87	15.6	11.3-19.9	9	1.5	0.3- 2.7	1	0.9	0.0- 2.7	2	0.5	0.0- 1.3	8	1.0	0.2- 1.8
\$35,000- 49,999	812	687,954	700	77.9	73.0-82.8	97	18.0	13.5-22.5	8	2.3	0.0- 4.7	4	0.2	0.0- 0.4				3	1.7	0.0- 3.9
\$50,000- 74,999	748	684,033	641	81.6	77.3-85.9	82	14.8	10.7-18.9	3	0.7	0.0- 1.7	5	1.4	0.0- 2.8	2	0.1	0.0- 0.3	15	1.4	0.4- 2.4
\$75,000+	1202	1,071,683	1100	88.5	85.4-91.6	80	9.4	6.5-12.3	4	0.7	0.0- 1.5	6	0.6	0.0- 1.2	4	0.2	0.0- 0.4	8	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 2: PREFERRED RACE CATEGORY (\_PRACE1).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2574	2,454,840	2194	80.4	78.0-82.8	275	14.7	12.5-16.9	40	1.9	0.9- 2.9	20	0.9	0.3- 1.5	7	0.2	0.0- 0.4	38	1.8	1.0- 2.6
18-24	204	317,706	163	72.1	63.7-80.5	30	21.5	13.7-29.3	3	1.0	0.0- 2.2	4	2.0	0.0- 4.5				4	3.3	0.0- 7.0
25-34	284	422,769	238	80.8	74.7-86.9	34	16.4	10.7-22.1	2	0.2	0.0- 0.4	3	1.0	0.0- 2.6				7	1.6	0.0- 3.4
35-44	288	406,354	252	81.6	75.1-88.1	21	12.9	7.0-18.8	3	1.2	0.0- 2.8	3	0.8	0.0- 1.6	1	0.1	0.0- 0.3	8	3.5	0.8- 6.2
45-54	401	405,957	328	73.5	66.6-80.4	50	18.5	12.4-24.6	11	4.6	0.7- 8.5	5	1.9	0.0- 4.3	2	0.4	0.0- 1.0	5	1.1	0.1- 2.1
55-64	586	405,028	488	82.4	78.1-86.7	81	13.9	10.2-17.6	7	2.0	0.0- 4.4	2	0.2	0.0- 0.6	2	0.2	0.0- 0.6	6	1.2	0.2- 2.2
65+	779	470,756	701	89.4	86.5-92.3	57	7.8	5.3-10.3	11	1.9	0.3- 3.5	3	0.2	0.0- 0.4	2	0.5	0.0- 1.3	5	0.3	0.0- 0.7
Less Than H.S.	244	358,710	198	79.7	72.6-86.8	32	14.1	7.8-20.4	10	4.3	1.0- 7.6				1	0.1	0.0- 0.3	3	1.8	0.0- 4.2
H.S. or G.E.D.	833	813,804	704	81.2	77.1-85.3	100	14.1	10.6-17.6	14	2.0	0.0- 4.0	2	0.7	0.0- 1.9	2	0.3	0.0- 0.9	11	1.7	0.3- 3.1
Some Post-H.S.	647	695,870	531	73.1	68.0-78.2	89	21.8	16.9-26.7	10	1.7	0.3- 3.1	4	0.9	0.0- 2.1	2	0.2	0.0- 0.6	11	2.4	0.6- 4.2
College Graduate	846	583,801	758	88.5	85.4-91.6	54	7.6	5.1-10.1	6	0.7	0.0- 1.5	14	1.9	0.5- 3.3	2	0.1	0.0- 0.3	12	1.2	0.4- 2.0
Less than \$15,000	213	184,333	154	68.5	59.3-77.7	45	24.2	16.0-32.4	7	5.3	0.0-10.6	3	0.8	0.0- 2.0				4	1.2	0.0- 2.6
\$15,000- 24,999	336	322,248	264	70.1	62.5-77.7	50	22.5	15.2-29.8	11	3.1	0.7- 5.5	2	0.4	0.0- 1.2	1	0.2	0.0- 0.6	8	3.6	0.7- 6.5
\$25,000- 34,999	266	261,995	221	80.0	72.9-87.1	31	14.0	7.9-20.1	5	1.7	0.1- 3.3	1	1.8	0.0- 5.1	2	0.9	0.0- 2.5	6	1.6	0.2- 3.0
\$35,000- 49,999	380	360,284	333	78.9	71.6-86.2	38	16.1	10.0-22.2	5	3.2	0.0- 7.3	2	0.2	0.0- 0.4				2	1.7	0.0- 4.4
\$50,000- 74,999	366	369,480	319	84.7	78.8-90.6	37	13.7	8.0-19.4	2	0.4	0.0- 1.2	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	6	0.9	0.0- 1.9
\$75,000+	645	618,598	591	87.9	84.0-91.8	38	9.5	5.8-13.2	3	1.2	0.0- 2.6	4	0.5	0.0- 1.1	3	0.3	0.0- 0.7	6	0.7	0.1- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 3: PREFERRED RACE CATEGORY (\_PRACE1).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3521	2,643,014	2930	79.2	77.0-81.4	510	18.0	16.0-20.0	29	1.0	0.4- 1.6	16	0.7	0.3- 1.1	6	0.1	0.0- 0.3	30	1.1	0.5- 1.7
18-24	165	307,487	128	74.0	65.0-83.0	33	23.6	14.8-32.4				3	2.1	0.0- 4.8				1	0.4	0.0- 1.2
25-34	315	429,355	241	69.9	62.6-77.2	62	25.9	18.6-33.2	3	1.9	0.0- 4.1	3	0.4	0.0- 0.8				6	2.0	0.0- 4.0
35-44	344	405,709	273	75.1	68.6-81.6	57	20.7	14.6-26.8	5	0.7	0.1- 1.3	4	1.8	0.0- 3.8				5	1.8	0.0- 4.2
45-54	594	435,505	510	82.1	77.2-87.0	70	14.8	10.5-19.1	4	1.0	0.0- 2.0	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	7	1.7	0.0- 4.2
55-64	722	433,620	583	81.8	78.1-85.5	123	16.2	12.7-19.7	10	1.5	0.3- 2.7	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	4	0.4	0.0- 1.0
65+	1318	592,939	1143	87.1	84.6-89.6	156	11.3	8.9-13.7	7	0.8	0.0- 1.6	3	0.2	0.0- 0.6	3	0.3	0.0- 0.7	6	0.2	0.0- 0.6
Less Than H.S.	399	378,490	320	77.6	71.3-83.9	64	18.4	12.3-24.5	9	2.9	0.5- 5.3	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	4	0.7	0.0- 1.5
H.S. or G.E.D.	1153	889,561	964	79.3	75.2-83.4	175	18.8	14.9-22.7	5	0.5	0.0- 1.1	3	0.7	0.0- 1.7				6	0.7	0.0- 1.7
Some Post-H.S.	949	798,642	784	77.9	73.6-82.2	138	18.8	14.7-22.9	11	1.2	0.2- 2.2	4	0.6	0.0- 1.4	2	0.1	0.0- 0.3	10	1.4	0.0- 2.8
College Graduate	1007	572,024	855	81.9	78.2-85.6	128	15.3	11.8-18.8	4	0.2	0.0- 0.4	7	0.9	0.0- 2.1	3	0.3	0.0- 0.7	10	1.4	0.2- 2.6
Less than \$15,000	438	300,523	314	59.6	52.2-67.0	108	36.0	28.6-43.4	7	2.4	0.0- 4.8	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	7	1.6	0.0- 3.2
\$15,000- 24,999	641	484,857	514	78.4	73.3-83.5	111	19.7	14.6-24.8	7	0.7	0.1- 1.3	1	0.3	0.0- 0.9	2	0.0	0.0- 0.0	6	0.9	0.0- 1.9
\$25,000- 34,999	346	247,286	284	81.1	74.8-87.4	56	17.3	11.0-23.6	4	1.3	0.0- 2.9							2	0.3	0.0- 0.7
\$35,000- 49,999	432	327,670	367	76.8	69.9-83.7	59	20.0	13.5-26.5	3	1.3	0.0- 2.9	2	0.2	0.0- 0.6				1	1.7	0.0- 4.8
\$50,000- 74,999	382	314,554	322	78.1	71.6-84.6	45	16.1	10.4-21.8	1	1.1	0.0- 3.1	4	2.7	0.0- 5.8	1	0.1	0.0- 0.3	9	1.9	0.0- 3.9
\$75,000+	556	451,174	509	89.6	84.7-94.5	42	9.3	4.6-14.0	1	0.1	0.0- 0.3	2	0.8	0.0- 2.2	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6098	5,101,368	5061	79.2	77.6-80.8	770	16.2	14.8-17.6	55	1.3	0.9- 1.7	33	0.8	0.4- 1.2	13	0.2	0.0- 0.4	166	2.4	1.8- 3.0
Male	2574	2,454,840	2160	79.6	77.2-82.0	267	14.6	12.4-16.8	31	1.8	0.8- 2.8	17	0.9	0.3- 1.5	7	0.2	0.0- 0.4	92	3.0	2.0- 4.0
Female	3521	2,643,014	2899	78.8	76.6-81.0	503	17.8	15.6-20.0	24	0.8	0.4- 1.2	16	0.7	0.3- 1.1	6	0.1	0.0- 0.3	73	1.8	1.0- 2.6
18-24	369	625,193	290	73.0	66.9-79.1	62	22.4	16.5-28.3	3	0.5	0.0- 1.1	7	2.1	0.1- 4.1				7	2.0	0.0- 4.0
25-34	600	853,450	476	74.8	69.9-79.7	95	21.0	16.3-25.7	2	0.4	0.0- 1.2	6	0.7	0.0- 1.5				21	3.0	1.4- 4.6
35-44	632	812,064	519	77.5	72.8-82.2	76	16.3	12.0-20.6	6	0.9	0.1- 1.7	6	1.1	0.1- 2.1	1	0.1	0.0- 0.3	24	4.1	1.9- 6.3
45-54	996	843,372	824	77.0	72.9-81.1	117	16.4	12.7-20.1	12	2.5	0.5- 4.5	6	1.0	0.0- 2.2	3	0.2	0.0- 0.4	34	2.9	1.3- 4.5
55-64	1308	838,648	1057	81.5	78.6-84.4	200	14.8	12.3-17.3	14	1.6	0.2- 3.0	2	0.1	0.0- 0.3	3	0.1	0.0- 0.3	32	1.8	1.0- 2.6
65+	2098	1,063,972	1821	87.7	85.7-89.7	209	9.7	7.9-11.5	16	1.2	0.4- 2.0	6	0.2	0.0- 0.4	5	0.3	0.0- 0.7	41	0.8	0.4- 1.2
Less Than H.S.	644	739,111	510	78.0	73.3-82.7	94	16.1	11.8-20.4	15	2.8	1.0- 4.6	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	22	2.8	1.2- 4.4
H.S. or G.E.D.	1986	1,703,365	1647	79.7	76.8-82.6	270	16.3	13.6-19.0	14	1.1	0.1- 2.1	4	0.6	0.0- 1.4	2	0.2	0.0- 0.4	49	2.0	1.0- 3.0
Some Post-H.S.	1597	1,495,839	1288	74.7	71.4-78.0	222	20.0	16.9-23.1	17	1.2	0.4- 2.0	8	0.7	0.1- 1.3	4	0.1	0.0- 0.3	58	3.2	1.8- 4.6
College Graduate	1854	1,156,103	1607	85.0	82.6-87.4	179	11.3	9.1-13.5	9	0.5	0.1- 0.9	19	1.4	0.6- 2.2	5	0.2	0.0- 0.4	35	1.7	0.9- 2.5
Less than \$15,000	651	484,857	453	61.6	55.7-67.5	149	31.0	25.3-36.7	9	2.4	0.2- 4.6	4	0.4	0.0- 0.8	1	0.2	0.0- 0.6	35	4.3	2.3- 6.3
\$15,000- 24,999	977	807,105	769	74.7	70.4-79.0	156	20.6	16.5-24.7	15	1.5	0.5- 2.5	2	0.2	0.0- 0.6	3	0.1	0.0- 0.3	32	3.0	1.6- 4.4
\$25,000- 34,999	612	509,281	497	80.1	75.4-84.8	86	15.5	11.2-19.8	8	1.2	0.2- 2.2	1	0.9	0.0- 2.7	2	0.5	0.0- 1.3	18	1.8	0.8- 2.8
\$35,000- 49,999	812	687,954	693	77.5	72.6-82.4	95	17.6	13.1-22.1	7	2.2	0.0- 4.6	4	0.2	0.0- 0.4				13	2.5	0.3- 4.7
\$50,000- 74,999	748	684,033	632	80.9	76.6-85.2	82	14.8	10.7-18.9	3	0.7	0.0- 1.7	5	1.4	0.0- 2.8	2	0.1	0.0- 0.3	24	2.1	0.9- 3.3
\$75,000+	1202	1,071,683	1095	87.9	84.8-91.0	79	9.4	6.5-12.3	4	0.7	0.0- 1.5	5	0.6	0.0- 1.2	4	0.2	0.0- 0.4	15	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 5: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2574	2,454,840	2160	79.6	77.2-82.0	267	14.6	12.4-16.8	31	1.8	0.8- 2.8	17	0.9	0.3- 1.5	7	0.2	0.0- 0.4	92	3.0	2.0- 4.0
18-24	204	317,706	162	72.0	63.6-80.4	29	21.3	13.5-29.1	3	1.0	0.0- 2.2	4	2.0	0.0- 4.5				6	3.7	0.0- 7.4
25-34	284	422,769	235	80.0	73.9-86.1	33	16.2	10.5-21.9	1	0.1	0.0- 0.3	3	1.0	0.0- 2.6				12	2.7	0.7- 4.7
35-44	288	406,354	247	80.0	73.3-86.7	21	12.9	7.0-18.8	3	1.2	0.0- 2.8	2	0.5	0.0- 1.1	1	0.1	0.0- 0.3	14	5.4	1.9- 8.9
45-54	401	405,957	322	72.7	65.8-79.6	49	18.4	12.3-24.5	8	4.1	0.2- 8.0	4	1.8	0.0- 4.2	2	0.4	0.0- 1.0	16	2.6	1.0- 4.2
55-64	586	405,028	478	81.4	77.1-85.7	78	13.5	9.8-17.2	5	1.8	0.0- 4.2	1	0.2	0.0- 0.6	2	0.2	0.0- 0.6	22	2.9	1.5- 4.3
65+	779	470,756	693	89.0	86.1-91.9	55	7.7	5.2-10.2	9	1.8	0.4- 3.2	3	0.2	0.0- 0.4	2	0.5	0.0- 1.3	17	0.9	0.3- 1.5
Less Than H.S.	244	358,710	192	78.9	71.8-86.0	31	13.9	7.6-20.2	7	3.7	0.4- 7.0				1	0.1	0.0- 0.3	13	3.4	0.9- 5.9
H.S. or G.E.D.	833	813,804	695	80.7	76.6-84.8	96	13.9	10.4-17.4	10	1.8	0.0- 3.8	1	0.6	0.0- 1.8	2	0.3	0.0- 0.9	29	2.7	1.3- 4.1
Some Post-H.S.	647	695,870	514	71.5	66.4-76.6	87	21.7	16.8-26.6	9	1.6	0.2- 3.0	4	0.9	0.0- 2.1	2	0.2	0.0- 0.6	31	4.1	1.9- 6.3
College Graduate	846	583,801	756	88.1	85.0-91.2	53	7.5	5.0-10.0	5	0.7	0.0- 1.5	12	1.8	0.4- 3.2	2	0.1	0.0- 0.3	18	1.7	0.7- 2.7
Less than \$15,000	213	184,333	146	66.6	57.4-75.8	43	23.3	15.1-31.5	5	4.4	0.0- 9.7	3	0.8	0.0- 2.0				16	4.9	2.2- 7.6
\$15,000- 24,999	336	322,248	258	69.1	61.5-76.7	47	22.5	15.2-29.8	8	2.7	0.5- 4.9	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6	21	5.5	2.4- 8.6
\$25,000- 34,999	266	261,995	215	79.3	72.2-86.4	30	13.9	7.8-20.0	5	1.7	0.1- 3.3	1	1.8	0.0- 5.1	2	0.9	0.0- 2.5	13	2.5	0.9- 4.1
\$35,000- 49,999	380	360,284	332	78.4	71.1-85.7	37	15.9	9.8-22.0	4	3.0	0.0- 7.1	2	0.2	0.0- 0.4				5	2.4	0.0- 5.3
\$50,000- 74,999	366	369,480	314	83.6	77.7-89.5	37	13.7	8.0-19.4	2	0.4	0.0- 1.2	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3	11	2.0	0.6- 3.4
\$75,000+	645	618,598	588	87.2	83.1-91.3	38	9.5	5.8-13.2	3	1.2	0.0- 2.6	3	0.4	0.0- 1.0	3	0.3	0.0- 0.7	10	1.5	0.1- 2.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 6: MULTIRACIAL RACE CATEGORIZATION (\_MRACE1).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3521	2,643,014	2899	78.8	76.6-81.0	503	17.8	15.8-19.8	24	0.8	0.4- 1.2	16	0.7	0.3- 1.1	6	0.1	0.0- 0.3	73	1.8	1.0- 2.6
18-24	165	307,487	128	74.0	65.0-83.0	33	23.6	14.8-32.4				3	2.1	0.0- 4.8				1	0.4	0.0- 1.2
25-34	315	429,355	240	69.7	62.4-77.0	62	25.9	18.6-33.2	1	0.8	0.0- 2.4	3	0.4	0.0- 0.8				9	3.4	0.9- 5.9
35-44	344	405,709	272	75.0	68.5-81.5	55	19.8	13.7-25.9	3	0.5	0.0- 1.1	4	1.8	0.0- 3.8				10	2.9	0.4- 5.4
45-54	594	435,505	502	81.3	76.4-86.2	68	14.6	10.3-18.9	4	1.0	0.0- 2.0	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	17	2.7	0.2- 5.2
55-64	722	433,620	579	81.6	77.9-85.3	122	16.1	12.6-19.6	9	1.5	0.3- 2.7	1	0.0	0.0- 0.0	1	0.0	0.0- 0.0	10	0.7	0.1- 1.3
65+	1318	592,939	1127	86.6	84.1-89.1	154	11.3	8.9-13.7	7	0.8	0.0- 1.6	3	0.2	0.0- 0.6	3	0.3	0.0- 0.7	24	0.8	0.4- 1.2
Less Than H.S.	399	378,490	318	77.5	71.2-83.8	63	18.3	12.2-24.4	8	2.0	0.4- 3.6	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	8	1.8	0.0- 3.6
H.S. or G.E.D.	1153	889,561	952	78.9	74.8-83.0	174	18.6	14.7-22.5	4	0.5	0.0- 1.1	3	0.7	0.0- 1.7				20	1.3	0.1- 2.5
Some Post-H.S.	949	798,642	773	77.4	73.1-81.7	135	18.5	14.4-22.6	8	0.9	0.0- 1.9	4	0.6	0.0- 1.4	2	0.1	0.0- 0.3	27	2.5	0.9- 4.1
College Graduate	1007	572,024	850	81.8	78.1-85.5	126	15.2	11.7-18.7	4	0.2	0.0- 0.4	7	0.9	0.0- 2.1	3	0.3	0.0- 0.7	17	1.6	0.4- 2.8
Less than \$15,000	438	300,523	307	58.6	51.2-66.0	106	35.8	28.4-43.2	4	1.2	0.0- 2.4	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9	19	4.0	1.3- 6.7
\$15,000- 24,999	641	484,857	511	78.3	73.2-83.4	109	19.3	14.2-24.4	7	0.7	0.1- 1.3	1	0.3	0.0- 0.9	2	0.0	0.0- 0.0	11	1.4	0.2- 2.6
\$25,000- 34,999	346	247,286	282	81.0	74.7-87.3	56	17.3	11.0-23.6	3	0.6	0.0- 1.4							5	1.1	0.0- 2.5
\$35,000- 49,999	432	327,670	361	76.4	69.5-83.3	58	19.4	12.9-25.9	3	1.3	0.0- 2.9	2	0.2	0.0- 0.6				8	2.7	0.0- 6.2
\$50,000- 74,999	382	314,554	318	77.8	71.3-84.3	45	16.1	10.4-21.8	1	1.1	0.0- 3.1	4	2.7	0.0- 5.8	1	0.1	0.0- 0.3	13	2.2	0.2- 4.2
\$75,000+	556	451,174	507	89.3	84.4-94.2	41	9.3	4.6-14.0	1	0.1	0.0- 0.3	2	0.8	0.0- 2.2	1	0.1	0.0- 0.3	4	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 7: RACE/ETHNICITY CATEGORIES (\_RACE).  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6069	5,092,450	4970	76.3	74.5-78.1	755	16.0	14.6-17.4	61	1.3	0.9- 1.7	32	0.8	0.4- 1.2	133	1.3	0.9- 1.7	118	4.3	3.3- 5.3
Male	2563	2,454,885	2115	76.4	73.9-78.9	261	14.3	12.1-16.5	32	1.7	0.9- 2.5	17	0.9	0.3- 1.5	70	1.7	1.1- 2.3	68	5.0	3.4- 6.6
Female	3503	2,634,051	2853	76.2	73.8-78.6	494	17.6	15.4-19.8	29	0.9	0.5- 1.3	15	0.7	0.3- 1.1	62	1.0	0.6- 1.4	50	3.7	2.3- 5.1
18-24	371	628,046	269	65.5	59.2-71.8	61	22.0	16.1-27.9	1	0.2	0.0- 0.6	7	2.1	0.1- 4.1	4	0.8	0.0- 1.8	29	9.4	5.5-13.3
25-34	599	851,665	459	70.4	65.3-75.5	92	20.3	15.6-25.0	2	0.4	0.0- 1.2	5	0.6	0.0- 1.4	14	1.5	0.5- 2.5	27	6.7	3.6- 9.8
35-44	632	812,071	512	74.9	70.0-79.8	76	16.3	12.0-20.6	7	0.9	0.1- 1.7	6	1.1	0.1- 2.1	15	1.7	0.5- 2.9	16	5.0	2.1- 7.9
45-54	992	841,262	809	74.1	69.6-78.6	115	16.3	12.6-20.0	13	2.5	0.5- 4.5	6	1.0	0.0- 2.2	28	1.8	1.0- 2.6	21	4.2	1.5- 6.9
55-64	1304	836,485	1048	80.7	77.8-83.6	197	14.6	12.1-17.1	16	1.7	0.3- 3.1	2	0.1	0.0- 0.3	27	1.2	0.6- 1.8	14	1.7	0.7- 2.7
65+	2079	1,054,388	1802	87.3	85.3-89.3	203	9.7	7.9-11.5	19	1.3	0.5- 2.1	6	0.2	0.0- 0.4	39	0.8	0.4- 1.2	10	0.7	0.1- 1.3
Less Than H.S.	635	732,295	495	73.6	68.3-78.9	93	16.2	11.9-20.5	16	2.9	1.1- 4.7	1	0.1	0.0- 0.3	17	1.7	0.5- 2.9	13	5.5	2.0- 9.0
H.S. or G.E.D.	1976	1,703,059	1609	75.4	72.3-78.5	264	16.0	13.5-18.5	13	1.1	0.1- 2.1	4	0.6	0.0- 1.4	40	0.9	0.5- 1.3	46	5.9	3.9- 7.9
Some Post-H.S.	1594	1,494,718	1272	73.6	70.3-76.9	217	19.6	16.5-22.7	20	1.3	0.5- 2.1	8	0.7	0.1- 1.3	49	2.0	1.2- 2.8	28	2.9	1.5- 4.3
College Graduate	1849	1,156,341	1585	82.8	80.3-85.3	177	11.2	9.0-13.4	12	0.5	0.1- 0.9	18	1.3	0.5- 2.1	26	0.9	0.5- 1.3	31	3.1	1.7- 4.5
Less than \$15,000	643	477,996	443	59.0	53.1-64.9	144	30.6	24.7-36.5	9	2.5	0.3- 4.7	4	0.4	0.0- 0.8	31	3.4	1.6- 5.2	12	4.2	1.1- 7.3
\$15,000- 24,999	972	813,917	749	68.7	63.8-73.6	156	20.4	16.3-24.5	16	1.4	0.4- 2.4	2	0.2	0.0- 0.6	24	1.6	0.6- 2.6	25	7.7	4.0-11.4
\$25,000- 34,999	608	499,367	484	76.2	71.1-81.3	86	15.8	11.5-20.1	8	1.1	0.1- 2.1	1	0.9	0.0- 2.7	15	1.4	0.4- 2.4	14	4.5	1.8- 7.2
\$35,000- 49,999	811	688,316	681	73.8	68.5-79.1	92	17.0	12.5-21.5	6	2.0	0.0- 4.2	3	0.2	0.0- 0.4	11	1.0	0.2- 1.8	18	6.0	2.7- 9.3
\$50,000- 74,999	749	685,150	625	79.9	75.4-84.4	81	14.7	10.6-18.8	4	0.8	0.0- 1.8	5	1.4	0.0- 2.8	19	1.2	0.4- 2.0	15	2.1	0.7- 3.5
\$75,000+	1204	1,074,512	1087	86.7	83.4-90.0	78	9.2	6.3-12.1	8	0.9	0.1- 1.7	5	0.6	0.0- 1.2	13	1.1	0.3- 1.9	13	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 8: RACE/ETHNICITY CATEGORIES (\_RACE).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2563	2,454,885	2115	76.4	73.9-78.9	261	14.3	12.3-16.3	32	1.7	0.9- 2.5	17	0.9	0.3- 1.5	70	1.7	1.1- 2.3	68	5.0	3.4- 6.6
18-24	204	320,442	151	63.8	55.0-72.6	29	21.1	13.3-28.9	1	0.4	0.0- 1.2	4	2.0	0.0- 4.5	4	1.7	0.0- 3.7	15	11.0	4.7-17.3
25-34	284	421,344	226	74.6	67.7-81.5	31	15.4	9.7-21.1	1	0.1	0.0- 0.3	3	1.0	0.0- 2.6	9	1.5	0.3- 2.7	14	7.4	2.7-12.1
35-44	287	405,735	246	80.0	73.3-86.7	21	12.9	7.0-18.8	4	1.3	0.0- 2.9	2	0.5	0.0- 1.1	7	1.9	0.0- 3.9	7	3.5	0.6- 6.4
45-54	398	404,316	312	68.4	61.1-75.7	48	18.3	12.2-24.4	8	4.0	0.1- 7.9	4	1.8	0.0- 4.2	12	1.9	0.7- 3.1	14	5.5	1.0-10.0
55-64	586	405,759	475	80.8	76.5-85.1	76	13.0	9.5-16.5	6	1.9	0.0- 4.3	1	0.2	0.0- 0.6	18	1.9	0.7- 3.1	10	2.2	0.6- 3.8
65+	773	466,351	683	88.1	85.0-91.2	54	7.7	5.2-10.2	10	1.8	0.2- 3.4	3	0.2	0.0- 0.4	16	0.9	0.3- 1.5	7	1.3	0.1- 2.5
Less Than H.S.	240	354,536	185	74.2	66.2-82.2	31	14.1	7.8-20.4	8	3.8	0.5- 7.1				9	1.4	0.4- 2.4	7	6.5	0.8-12.2
H.S. or G.E.D.	832	820,857	676	75.3	70.6-80.0	93	13.5	10.0-17.0	9	1.7	0.0- 3.5	1	0.6	0.0- 1.8	22	1.2	0.6- 1.8	31	7.6	4.3-10.9
Some Post-H.S.	645	695,304	510	71.0	65.9-76.1	84	21.1	16.2-26.0	10	1.7	0.3- 3.1	4	0.9	0.0- 2.1	25	2.6	1.0- 4.2	12	2.7	0.7- 4.7
College Graduate	843	582,212	741	85.7	82.2-89.2	53	7.5	5.0-10.0	5	0.5	0.0- 1.1	12	1.8	0.4- 3.2	14	1.3	0.3- 2.3	18	3.2	1.2- 5.2
Less than \$15,000	210	181,621	139	60.3	50.5-70.1	42	23.5	15.1-31.9	5	4.5	0.0- 9.8	3	0.8	0.0- 2.0	14	4.0	1.6- 6.4	7	6.9	0.2-13.6
\$15,000- 24,999	334	323,893	251	62.7	54.7-70.7	47	22.4	15.1-29.7	7	2.4	0.2- 4.6	1	0.0	0.0- 0.0	15	3.0	0.8- 5.2	13	9.6	2.9-16.3
\$25,000- 34,999	265	261,033	210	77.0	69.7-84.3	30	13.9	7.8-20.0	5	1.5	0.0- 3.1	1	1.8	0.0- 5.1	10	1.6	0.4- 2.8	9	4.2	1.1- 7.3
\$35,000- 49,999	380	361,006	327	75.2	67.6-82.8	34	14.7	8.6-20.8	3	2.7	0.0- 6.6	2	0.2	0.0- 0.4	4	1.0	0.0- 2.2	10	6.2	1.3-11.1
\$50,000- 74,999	367	370,597	310	82.1	76.2-88.0	37	13.6	7.9-19.3	2	0.4	0.0- 1.2	1	0.2	0.0- 0.6	9	1.4	0.2- 2.6	8	2.2	0.6- 3.8
\$75,000+	646	619,933	582	85.8	81.5-90.1	37	9.1	5.4-12.8	6	1.4	0.0- 2.8	3	0.4	0.0- 1.0	8	1.2	0.0- 2.6	10	2.0	0.4- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 9: RACE/ETHNICITY CATEGORIES (\_RACE).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3503	2,634,051	2853	76.2	74.0-78.4	494	17.6	15.6-19.6	29	0.9	0.5- 1.3	15	0.7	0.3- 1.1	62	1.0	0.6- 1.4	50	3.7	2.3- 5.1
18-24	167	307,604	118	67.2	58.0-76.4	32	23.0	14.2-31.8				3	2.1	0.0- 4.8				14	7.8	3.3-12.3
25-34	314	428,995	232	66.2	58.8-73.6	61	25.1	18.0-32.2	1	0.8	0.0- 2.4	2	0.3	0.0- 0.7	5	1.6	0.0- 3.4	13	6.1	2.2-10.0
35-44	345	406,336	266	69.9	62.8-77.0	55	19.8	13.9-25.7	3	0.5	0.0- 1.1	4	1.8	0.0- 3.8	8	1.5	0.1- 2.9	9	6.5	1.6-11.4
45-54	593	435,035	497	79.6	74.5-84.7	67	14.5	10.2-18.8	5	1.1	0.1- 2.1	2	0.3	0.0- 0.7	15	1.4	0.6- 2.2	7	3.1	0.0- 6.2
55-64	718	430,726	573	80.7	76.8-84.6	121	16.1	12.6-19.6	10	1.5	0.3- 2.7	1	0.0	0.0- 0.0	9	0.4	0.0- 0.8	4	1.2	0.0- 2.6
65+	1305	587,759	1118	86.6	84.1-89.1	149	11.2	8.8-13.6	9	0.9	0.1- 1.7	3	0.2	0.0- 0.6	23	0.8	0.4- 1.2	3	0.3	0.0- 0.7
Less Than H.S.	394	375,848	310	73.4	66.5-80.3	62	18.4	12.3-24.5	8	2.0	0.4- 3.6	1	0.2	0.0- 0.6	7	1.5	0.0- 3.3	6	4.6	0.1- 9.1
H.S. or G.E.D.	1144	882,202	933	75.5	71.2-79.8	171	18.3	14.4-22.2	4	0.5	0.0- 1.1	3	0.7	0.0- 1.7	18	0.7	0.3- 1.1	15	4.3	1.9- 6.7
Some Post-H.S.	948	798,087	761	75.7	71.4-80.0	133	18.2	14.1-22.3	10	1.0	0.0- 2.0	4	0.6	0.0- 1.4	24	1.4	0.6- 2.2	16	3.0	1.0- 5.0
College Graduate	1005	573,852	843	80.0	76.1-83.9	124	15.0	11.5-18.5	7	0.5	0.0- 1.1	6	0.9	0.0- 1.9	12	0.5	0.1- 0.9	13	3.1	1.1- 5.1
Less than \$15,000	433	296,376	304	58.1	50.7-65.5	102	35.0	27.6-42.4	4	1.2	0.0- 2.4	1	0.1	0.0- 0.3	17	3.1	0.7- 5.5	5	2.5	0.0- 5.0
\$15,000- 24,999	638	490,024	498	72.8	66.9-78.7	109	19.1	14.0-24.2	9	0.7	0.1- 1.3	1	0.3	0.0- 0.9	9	0.7	0.1- 1.3	12	6.5	2.0-11.0
\$25,000- 34,999	343	238,334	274	75.4	68.1-82.7	56	17.9	11.6-24.2	3	0.7	0.0- 1.7				5	1.1	0.0- 2.5	5	4.9	0.4- 9.4
\$35,000- 49,999	431	327,311	354	72.3	65.2-79.4	58	19.5	13.0-26.0	3	1.3	0.0- 2.9	1	0.1	0.0- 0.3	7	1.0	0.0- 2.2	8	5.8	1.3-10.3
\$50,000- 74,999	382	314,554	315	77.2	70.7-83.7	44	15.9	10.2-21.6	2	1.2	0.0- 3.4	4	2.7	0.0- 5.8	10	0.9	0.3- 1.5	7	2.1	0.1- 4.1
\$75,000+	557	452,669	505	88.2	83.3-93.1	41	9.3	4.6-14.0	2	0.2	0.0- 0.4	2	0.8	0.0- 2.2	4	0.4	0.0- 1.0	3	1.1	0.0- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 10: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6069	5,092,450	4970	76.3	74.5-78.1	1099	23.7	21.9-25.5
Male	2563	2,454,885	2115	76.4	73.9-78.9	448	23.6	21.1-26.1
Female	3503	2,634,051	2853	76.2	73.8-78.6	650	23.8	21.4-26.2
18-24	371	628,046	269	65.5	59.2-71.8	102	34.5	28.2-40.8
25-34	599	851,665	459	70.4	65.3-75.5	140	29.6	24.5-34.7
35-44	632	812,071	512	74.9	70.0-79.8	120	25.1	20.2-30.0
45-54	992	841,262	809	74.1	69.6-78.6	183	25.9	21.4-30.4
55-64	1304	836,485	1048	80.7	77.8-83.6	256	19.3	16.4-22.2
65+	2079	1,054,388	1802	87.3	85.3-89.3	277	12.7	10.7-14.7
Less Than H.S.	635	732,295	495	73.6	68.3-78.9	140	26.4	21.1-31.7
H.S. or G.E.D.	1976	1,703,059	1609	75.4	72.3-78.5	367	24.6	21.5-27.7
Some Post-H.S.	1594	1,494,718	1272	73.6	70.3-76.9	322	26.4	23.1-29.7
College Graduate	1849	1,156,341	1585	82.8	80.3-85.3	264	17.2	14.7-19.7
Less than \$15,000	643	477,996	443	59.0	53.1-64.9	200	41.0	35.1-46.9
\$15,000- 24,999	972	813,917	749	68.7	63.8-73.6	223	31.3	26.4-36.2
\$25,000- 34,999	608	499,367	484	76.2	71.1-81.3	124	23.8	18.7-28.9
\$35,000- 49,999	811	688,316	681	73.8	68.5-79.1	130	26.2	20.9-31.5
\$50,000- 74,999	749	685,150	625	79.9	75.4-84.4	124	20.1	15.6-24.6
\$75,000+	1204	1,074,512	1087	86.7	83.4-90.0	117	13.3	10.0-16.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2563	2,454,885	2115	76.4	73.9-78.9	448	23.6	21.1-26.1
18-24	204	320,442	151	63.8	55.0-72.6	53	36.2	27.4-45.0
25-34	284	421,344	226	74.6	67.7-81.5	58	25.4	18.5-32.3
35-44	287	405,735	246	80.0	73.3-86.7	41	20.0	13.3-26.7
45-54	398	404,316	312	68.4	61.1-75.7	86	31.6	24.3-38.9
55-64	586	405,759	475	80.8	76.5-85.1	111	19.2	14.9-23.5
65+	773	466,351	683	88.1	85.0-91.2	90	11.9	8.8-15.0
Less Than H.S.	240	354,536	185	74.2	66.2-82.2	55	25.8	17.8-33.8
H.S. or G.E.D.	832	820,857	676	75.3	70.6-80.0	156	24.7	20.0-29.4
Some Post-H.S.	645	695,304	510	71.0	65.9-76.1	135	29.0	23.9-34.1
College Graduate	843	582,212	741	85.7	82.2-89.2	102	14.3	10.8-17.8
Less than \$15,000	210	181,621	139	60.3	50.5-70.1	71	39.7	29.9-49.5
\$15,000- 24,999	334	323,893	251	62.7	54.7-70.7	83	37.3	29.3-45.3
\$25,000- 34,999	265	261,033	210	77.0	69.7-84.3	55	23.0	15.7-30.3
\$35,000- 49,999	380	361,006	327	75.2	67.6-82.8	53	24.8	17.2-32.4
\$50,000- 74,999	367	370,597	310	82.1	76.2-88.0	57	17.9	12.0-23.8
\$75,000+	646	619,933	582	85.8	81.5-90.1	64	14.2	9.9-18.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 12: WHITE/HISPANIC RACE GROUP (\_RACEG21).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3503	2,634,051	2853	76.2	74.0-78.4	650	23.8	21.6-26.0
18-24	167	307,604	118	67.2	58.0-76.4	49	32.8	23.6-42.0
25-34	314	428,995	232	66.2	58.8-73.6	82	33.8	26.4-41.2
35-44	345	406,336	266	69.9	62.8-77.0	79	30.1	23.0-37.2
45-54	593	435,035	497	79.6	74.5-84.7	96	20.4	15.3-25.5
55-64	718	430,726	573	80.7	76.8-84.6	145	19.3	15.4-23.2
65+	1305	587,759	1118	86.6	84.1-89.1	187	13.4	10.9-15.9
Less Than H.S.	394	375,848	310	73.4	66.5-80.3	84	26.6	19.7-33.5
H.S. or G.E.D.	1144	882,202	933	75.5	71.2-79.8	211	24.5	20.2-28.8
Some Post-H.S.	948	798,087	761	75.7	71.4-80.0	187	24.3	20.0-28.6
College Graduate	1005	573,852	843	80.0	76.1-83.9	162	20.0	16.1-23.9
Less than \$15,000	433	296,376	304	58.1	50.7-65.5	129	41.9	34.5-49.3
\$15,000- 24,999	638	490,024	498	72.8	66.9-78.7	140	27.2	21.3-33.1
\$25,000- 34,999	343	238,334	274	75.4	68.1-82.7	69	24.6	17.3-31.9
\$35,000- 49,999	431	327,311	354	72.3	65.2-79.4	77	27.7	20.6-34.8
\$50,000- 74,999	382	314,554	315	77.2	70.7-83.7	67	22.8	16.3-29.3
\$75,000+	557	452,669	505	88.2	83.3-93.1	52	11.8	6.9-16.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS  
 TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6069	5,092,450	4970	76.3	74.5-78.1	755	16.0	14.6-17.4	122	2.3	1.7- 2.9	104	1.1	0.7- 1.5	118	4.3	3.3- 5.3
Male	2563	2,454,885	2115	76.4	73.9-78.9	261	14.3	12.1-16.5	64	3.0	1.8- 4.2	55	1.2	0.8- 1.6	68	5.0	3.4- 6.6
Female	3503	2,634,051	2853	76.2	73.8-78.6	494	17.6	15.4-19.8	58	1.7	1.1- 2.3	48	0.8	0.4- 1.2	50	3.7	2.3- 5.1
18-24	371	628,046	269	65.5	59.2-71.8	61	22.0	16.1-27.9	9	2.6	0.6- 4.6	3	0.5	0.0- 1.1	29	9.4	5.5-13.3
25-34	599	851,665	459	70.4	65.3-75.5	92	20.3	15.6-25.0	10	1.2	0.0- 2.4	11	1.4	0.4- 2.4	27	6.7	3.6- 9.8
35-44	632	812,071	512	74.9	70.0-79.8	76	16.3	12.0-20.6	16	2.3	0.9- 3.7	12	1.4	0.2- 2.6	16	5.0	2.1- 7.9
45-54	992	841,262	809	74.1	69.6-78.6	115	16.3	12.6-20.0	26	4.0	1.6- 6.4	21	1.3	0.5- 2.1	21	4.2	1.5- 6.9
55-64	1304	836,485	1048	80.7	77.8-83.6	197	14.6	12.1-17.1	22	2.0	0.6- 3.4	23	1.0	0.4- 1.6	14	1.7	0.7- 2.7
65+	2079	1,054,388	1802	87.3	85.3-89.3	203	9.7	7.9-11.5	34	1.7	0.9- 2.5	30	0.6	0.4- 0.8	10	0.7	0.1- 1.3
Less Than H.S.	635	732,295	495	73.6	68.3-78.9	93	16.2	11.9-20.5	19	3.1	1.3- 4.9	15	1.6	0.4- 2.8	13	5.5	2.0- 9.0
H.S. or G.E.D.	1976	1,703,059	1609	75.4	72.3-78.5	264	16.0	13.5-18.5	24	1.9	0.7- 3.1	33	0.8	0.4- 1.2	46	5.9	3.9- 7.9
Some Post-H.S.	1594	1,494,718	1272	73.6	70.3-76.9	217	19.6	16.5-22.7	36	2.4	1.2- 3.6	41	1.6	0.8- 2.4	28	2.9	1.5- 4.3
College Graduate	1849	1,156,341	1585	82.8	80.3-85.3	177	11.2	9.0-13.4	42	2.4	1.4- 3.4	14	0.4	0.0- 0.8	31	3.1	1.7- 4.5
Less than \$15,000	643	477,996	443	59.0	53.1-64.9	144	30.6	24.7-36.5	19	3.2	0.8- 5.6	25	3.0	1.2- 4.8	12	4.2	1.1- 7.3
\$15,000- 24,999	972	813,917	749	68.7	63.8-73.6	156	20.4	16.3-24.5	24	2.0	0.8- 3.2	18	1.2	0.4- 2.0	25	7.7	4.0-11.4
\$25,000- 34,999	608	499,367	484	76.2	71.1-81.3	86	15.8	11.5-20.1	15	2.7	0.5- 4.9	9	0.8	0.0- 1.6	14	4.5	1.8- 7.2
\$35,000- 49,999	811	688,316	681	73.8	68.5-79.1	92	17.0	12.5-21.5	10	2.3	0.0- 4.7	10	0.9	0.1- 1.7	18	6.0	2.7- 9.3
\$50,000- 74,999	749	685,150	625	79.9	75.4-84.4	81	14.7	10.6-18.8	15	2.5	0.7- 4.3	13	0.8	0.2- 1.4	15	2.1	0.7- 3.5
\$75,000+	1204	1,074,512	1087	86.7	83.4-90.0	78	9.2	6.3-12.1	16	1.7	0.7- 2.7	10	0.8	0.0- 1.6	13	1.6	0.6- 2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2563	2,454,885	2115	76.4	73.9-78.9	261	14.3	12.3-16.3	64	3.0	1.8- 4.2	55	1.2	0.8- 1.6	68	5.0	3.4- 6.6
18-24	204	320,442	151	63.8	55.0-72.6	29	21.1	13.3-28.9	6	3.1	0.2- 6.0	3	1.0	0.0- 2.4	15	11.0	4.7-17.3
25-34	284	421,344	226	74.6	67.7-81.5	31	15.4	9.7-21.1	7	1.5	0.0- 3.1	6	1.2	0.2- 2.2	14	7.4	2.7-12.1
35-44	287	405,735	246	80.0	73.3-86.7	21	12.9	7.0-18.8	7	2.0	0.2- 3.8	6	1.7	0.0- 3.7	7	3.5	0.6- 6.4
45-54	398	404,316	312	68.4	61.1-75.7	48	18.3	12.2-24.4	15	6.5	2.0-11.0	9	1.2	0.2- 2.2	14	5.5	1.0-10.0
55-64	586	405,759	475	80.8	76.5-85.1	76	13.0	9.5-16.5	9	2.3	0.0- 4.7	16	1.7	0.7- 2.7	10	2.2	0.6- 3.8
65+	773	466,351	683	88.1	85.0-91.2	54	7.7	5.2-10.2	17	2.3	0.7- 3.9	12	0.6	0.2- 1.0	7	1.3	0.1- 2.5
Less Than H.S.	240	354,536	185	74.2	66.2-82.2	31	14.1	7.8-20.4	8	3.8	0.5- 7.1	9	1.4	0.4- 2.4	7	6.5	0.8-12.2
H.S. or G.E.D.	832	820,857	676	75.3	70.6-80.0	93	13.5	10.0-17.0	14	2.6	0.4- 4.8	18	0.9	0.3- 1.5	31	7.6	4.3-10.9
Some Post-H.S.	645	695,304	510	71.0	65.9-76.1	84	21.1	16.2-26.0	18	3.1	1.1- 5.1	21	2.1	0.7- 3.5	12	2.7	0.7- 4.7
College Graduate	843	582,212	741	85.7	82.2-89.2	53	7.5	5.0-10.0	24	3.1	1.5- 4.7	7	0.6	0.0- 1.2	18	3.2	1.2- 5.2
Less than \$15,000	210	181,621	139	60.3	50.5-70.1	42	23.5	15.1-31.9	11	6.0	0.5-11.5	11	3.2	1.0- 5.4	7	6.9	0.2-13.6
\$15,000- 24,999	334	323,893	251	62.7	54.7-70.7	47	22.4	15.1-29.7	11	3.3	0.8- 5.8	12	2.1	0.5- 3.7	13	9.6	2.9-16.3
\$25,000- 34,999	265	261,033	210	77.0	69.7-84.3	30	13.9	7.8-20.0	10	4.2	0.5- 7.9	6	0.7	0.1- 1.3	9	4.2	1.1- 7.3
\$35,000- 49,999	380	361,006	327	75.2	67.6-82.8	34	14.7	8.6-20.8	6	3.1	0.0- 7.2	3	0.7	0.0- 1.7	10	6.2	1.3-11.1
\$50,000- 74,999	367	370,597	310	82.1	76.2-88.0	37	13.6	7.9-19.3	5	0.9	0.0- 1.9	7	1.2	0.0- 2.4	8	2.2	0.6- 3.8
\$75,000+	646	619,933	582	85.8	81.5-90.1	37	9.1	5.4-12.8	11	2.2	0.6- 3.8	6	0.9	0.0- 2.1	10	2.0	0.4- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (\_RACEGR3.)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3503	2,634,051	2853	76.2	74.0-78.4	494	17.6	15.6-19.6	58	1.7	1.1- 2.3	48	0.8	0.4- 1.2	50	3.7	2.3- 5.1
18-24	167	307,604	118	67.2	58.0-76.4	32	23.0	14.2-31.8	3	2.1	0.0- 4.8				14	7.8	3.3-12.3
25-34	314	428,995	232	66.2	58.8-73.6	61	25.1	18.0-32.2	3	1.0	0.0- 2.6	5	1.6	0.0- 3.4	13	6.1	2.2-10.0
35-44	345	406,336	266	69.9	62.8-77.0	55	19.8	13.9-25.7	9	2.5	0.3- 4.7	6	1.2	0.0- 2.4	9	6.5	1.6-11.4
45-54	593	435,035	497	79.6	74.5-84.7	67	14.5	10.2-18.8	11	1.8	0.6- 3.0	11	1.0	0.2- 1.8	7	3.1	0.0- 6.2
55-64	718	430,726	573	80.7	76.8-84.6	121	16.1	12.6-19.6	13	1.6	0.4- 2.8	7	0.4	0.0- 0.8	4	1.2	0.0- 2.6
65+	1305	587,759	1118	86.6	84.1-89.1	149	11.2	8.8-13.6	17	1.2	0.2- 2.2	18	0.7	0.3- 1.1	3	0.3	0.0- 0.7
Less Than H.S.	394	375,848	310	73.4	66.5-80.3	62	18.4	12.3-24.5	11	2.3	0.7- 3.9	5	1.3	0.0- 3.1	6	4.6	0.1- 9.1
H.S. or G.E.D.	1144	882,202	933	75.5	71.2-79.8	171	18.3	14.4-22.2	10	1.2	0.0- 2.4	15	0.6	0.2- 1.0	15	4.3	1.9- 6.7
Some Post-H.S.	948	798,087	761	75.7	71.4-80.0	133	18.2	14.1-22.3	18	1.8	0.6- 3.0	20	1.2	0.4- 2.0	16	3.0	1.0- 5.0
College Graduate	1005	573,852	843	80.0	76.1-83.9	124	15.0	11.5-18.5	18	1.6	0.4- 2.8	7	0.3	0.1- 0.5	13	3.1	1.1- 5.1
Less than \$15,000	433	296,376	304	58.1	50.7-65.5	102	35.0	27.6-42.4	8	1.5	0.1- 2.9	14	2.8	0.4- 5.2	5	2.5	0.0- 5.0
\$15,000- 24,999	638	490,024	498	72.8	66.9-78.7	109	19.1	14.0-24.2	13	1.1	0.3- 1.9	6	0.6	0.0- 1.2	12	6.5	2.0-11.0
\$25,000- 34,999	343	238,334	274	75.4	68.1-82.7	56	17.9	11.6-24.2	5	1.0	0.0- 2.0	3	0.8	0.0- 2.2	5	4.9	0.4- 9.4
\$35,000- 49,999	431	327,311	354	72.3	65.2-79.4	58	19.5	13.0-26.0	4	1.4	0.0- 3.0	7	1.0	0.0- 2.2	8	5.8	1.3-10.3
\$50,000- 74,999	382	314,554	315	77.2	70.7-83.7	44	15.9	10.2-21.6	10	4.4	0.7- 8.1	6	0.4	0.0- 0.8	7	2.1	0.1- 4.1
\$75,000+	557	452,669	505	88.2	83.3-93.1	41	9.3	4.6-14.0	5	1.0	0.0- 2.4	3	0.4	0.0- 1.0	3	1.1	0.0- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6059	5,098,429	675	20.7	18.9-22.5	627	16.9	15.3-18.5	806	16.3	14.7-17.9	1137	16.6	15.4-17.8	1414	15.9	14.9-16.9	1400	13.6	12.6-14.6
Male	2571	2,453,365	347	21.6	19.1-24.1	296	17.0	14.8-19.2	342	17.3	14.9-19.7	497	16.4	14.6-18.2	588	15.6	14.0-17.2	501	12.1	10.7-13.5
Female	3485	2,641,550	327	19.8	17.4-22.2	331	16.8	14.6-19.0	464	15.5	13.7-17.3	639	16.8	15.2-18.4	826	16.2	14.8-17.6	898	15.0	13.8-16.2
White/Non-Hisp	4899	3,837,746	495	18.2	16.4-20.0	478	15.7	14.1-17.3	648	16.0	14.4-17.6	922	17.1	15.7-18.5	1155	17.3	16.1-18.5	1201	15.7	14.5-16.9
Black or Afr. Am./Non-Hisp	744	805,207	106	27.9	22.4-33.4	86	19.0	14.5-23.5	92	15.4	11.7-19.1	145	16.5	12.8-20.2	196	14.3	11.6-17.0	119	6.9	5.1- 8.7
Oth. Race/Non-Hisp.	117	113,918	16	20.2	8.8-31.6	12	12.1	3.3-20.9	22	25.7	12.0-39.4	20	20.4	9.6-31.2	22	9.4	3.5-15.3	25	12.2	5.3-19.1
MultiRacial/Non-Hisp.	100	52,648	7	15.1	2.0-28.2	15	29.9	14.2-45.6	14	15.4	6.4-24.4	24	19.5	9.1-29.9	20	12.0	5.5-18.5	20	8.1	3.0-13.2
Hispanic	117	214,398	42	41.2	29.2-53.2	25	26.8	15.8-37.8	19	17.5	7.5-27.5	14	8.0	2.7-13.3	10	4.1	1.0- 7.2	7	2.3	0.3- 4.3
Less Than H.S.	642	749,892	31	10.0	6.3-13.7	32	11.2	6.9-15.5	75	17.9	12.4-23.4	133	20.1	16.0-24.2	153	18.5	15.0-22.0	218	22.3	18.8-25.8
H.S. or G.E.D.	1985	1,711,598	235	22.7	19.6-25.8	156	14.4	11.7-17.1	232	14.5	12.1-16.9	391	17.3	15.1-19.5	464	16.4	14.4-18.4	507	14.5	12.9-16.1
Some Post-H.S.	1572	1,474,813	212	25.9	22.4-29.4	193	18.0	15.1-20.9	206	15.8	13.3-18.3	280	15.5	13.1-17.9	362	14.3	12.3-16.3	319	10.5	8.9-12.1
College Graduate	1845	1,154,872	196	18.0	15.3-20.7	245	22.7	19.6-25.8	293	18.9	16.4-21.4	328	14.7	12.7-16.7	431	15.2	13.4-17.0	352	10.6	9.2-12.0
Less than \$15,000	653	484,355	65	22.1	16.2-28.0	53	11.7	7.8-15.6	70	13.2	9.1-17.3	146	20.5	16.2-24.8	169	17.7	14.2-21.2	150	14.7	11.6-17.8
\$15,000- 24,999	979	823,019	116	22.1	17.6-26.6	90	16.0	11.9-20.1	99	13.0	9.7-16.3	152	14.4	11.5-17.3	249	17.0	14.3-19.7	273	17.5	14.8-20.2
\$25,000- 34,999	613	514,499	77	21.0	15.9-26.1	63	16.4	11.5-21.3	67	15.7	10.4-21.0	114	16.8	12.9-20.7	140	15.3	12.2-18.4	152	14.7	11.6-17.8
\$35,000- 49,999	810	684,356	116	25.4	20.5-30.3	88	15.8	11.9-19.7	102	14.9	11.2-18.6	129	14.7	11.6-17.8	198	16.3	13.4-19.2	177	13.1	10.6-15.6
\$50,000- 74,999	744	681,922	69	15.9	11.6-20.2	105	22.2	17.5-26.9	124	21.0	15.9-26.1	137	15.7	12.0-19.4	168	14.2	11.5-16.9	141	11.1	8.7-13.5
\$75,000+	1204	1,076,533	98	15.5	12.0-19.0	174	21.9	18.4-25.4	256	23.0	19.7-26.3	290	20.3	17.6-23.0	251	13.6	11.4-15.8	135	5.7	4.5- 6.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2571	2,453,365	347	21.6	19.2-24.0	296	17.0	14.8-19.2	342	17.3	14.9-19.7	497	16.4	14.6-18.2	588	15.6	14.0-17.2	501	12.1	10.7-13.5
White/Non-Hisp	2093	1,858,453	263	19.3	16.8-21.8	237	16.8	14.3-19.3	265	16.4	13.9-18.9	405	16.6	14.6-18.6	485	17.0	15.0-19.0	438	13.9	12.3-15.5
Black or Afr. Am./Non-Hisp	259	347,951	43	28.4	20.2-36.6	27	16.0	9.3-22.7	36	18.4	11.7-25.1	56	17.7	11.2-24.2	67	13.9	9.4-18.4	30	5.6	3.1- 8.1
Oth. Race/Non-Hisp.	61	70,876	10	17.1	4.2-30.0	7	9.3	0.0-18.9	12	32.4	12.4-52.4	10	23.3	7.6-39.0	8	4.4	0.5- 8.3	14	13.5	3.5-23.5
MultiRacial/Non-Hisp.	52	29,161	4	12.0	0.0-25.3	9	35.1	13.0-57.2	9	18.8	5.9-31.7	11	15.4	4.2-26.6	12	13.8	4.0-23.6	7	5.0	0.3- 9.7
Hispanic	67	117,506	22	44.2	27.7-60.7	12	21.6	8.9-34.3	12	17.9	4.0-31.8	8	7.1	0.8-13.4	9	6.4	1.1-11.7	4	2.8	0.0- 5.9
Less Than H.S.	242	356,069	19	12.7	6.6-18.8	14	8.6	3.5-13.7	34	21.5	12.5-30.5	57	21.1	14.6-27.6	55	19.1	13.2-25.0	63	17.0	12.1-21.9
H.S. or G.E.D.	843	828,255	127	23.7	19.4-28.0	87	15.8	11.9-19.7	110	17.0	13.1-20.9	188	17.9	14.8-21.0	174	14.1	11.6-16.6	157	11.6	9.4-13.8
Some Post-H.S.	641	687,406	104	27.3	22.2-32.4	89	18.5	14.2-22.8	77	15.2	11.3-19.1	107	15.0	11.5-18.5	153	14.3	11.4-17.2	111	9.7	7.3-12.1
College Graduate	843	579,719	97	17.5	13.6-21.4	106	22.0	17.5-26.5	121	17.8	14.3-21.3	143	12.9	10.4-15.4	206	17.0	14.1-19.9	170	12.7	10.3-15.1
Less than \$15,000	215	184,634	26	21.3	12.1-30.5	20	9.7	4.4-15.0	23	12.8	5.4-20.2	55	24.6	16.8-32.4	65	22.1	15.2-29.0	26	9.5	5.0-14.0
\$15,000- 24,999	339	325,749	46	24.0	16.7-31.3	31	13.0	7.3-18.7	30	13.7	7.0-20.4	61	16.3	11.4-21.2	91	17.9	13.2-22.6	80	15.0	10.7-19.3
\$25,000- 34,999	268	263,808	40	21.2	13.9-28.5	32	18.0	11.1-24.9	27	14.5	8.0-21.0	45	14.7	9.4-20.0	63	15.1	10.4-19.8	61	16.6	11.5-21.7
\$35,000- 49,999	381	360,606	65	30.1	22.7-37.5	49	15.5	10.4-20.6	41	13.0	7.7-18.3	61	14.2	9.9-18.5	90	15.5	11.2-19.8	75	11.7	8.4-15.0
\$50,000- 74,999	365	369,663	40	14.2	9.1-19.3	49	21.6	14.9-28.3	64	24.1	16.1-32.1	63	15.2	9.7-20.7	74	13.1	9.2-17.0	75	11.9	8.4-15.4
\$75,000+	648	624,904	63	16.0	11.7-20.3	92	21.7	16.8-26.6	126	24.3	19.6-29.0	147	17.9	14.4-21.4	131	13.4	10.5-16.3	89	6.8	5.0- 8.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (\_AGEG5YR).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3485	2,641,550	327	19.8	17.4-22.2	331	16.8	14.6-19.0	464	15.5	13.7-17.3	639	16.8	15.2-18.4	826	16.2	14.8-17.6	898	15.0	13.8-16.2
White/Non-Hisp	2804	1,977,690	231	17.2	14.8-19.6	241	14.6	12.4-16.8	383	15.7	13.7-17.7	517	17.6	15.8-19.4	670	17.5	15.9-19.1	762	17.3	15.7-18.9
Black or Afr. Am./Non-Hisp	485	457,256	63	27.6	20.2-35.0	59	21.3	15.0-27.6	56	13.1	9.0-17.2	89	15.6	11.1-20.1	129	14.6	11.1-18.1	89	7.9	5.4-10.4
Oth. Race/Non-Hisp.	56	43,042	6	25.3	5.1-45.5	5	16.9	0.4-33.4	10	14.6	4.4-24.8	10	15.6	3.8-27.4	14	17.7	4.2-31.2	11	10.0	2.0-18.0
Hispanic	50	96,892	20	37.6	20.7-54.5	13	33.2	15.4-51.0	7	16.9	3.0-30.8	6	9.1	0.5-17.7	1	1.4	0.0- 4.1	3	1.8	0.0- 4.2
Less Than H.S.	399	391,912	12	7.6	2.7-12.5	18	13.7	6.8-20.6	41	14.7	8.4-21.0	75	18.8	13.9-23.7	98	18.0	13.7-22.3	155	27.2	22.1-32.3
H.S. or G.E.D.	1142	883,343	108	21.8	17.3-26.3	69	13.1	9.6-16.6	122	12.2	9.5-14.9	203	16.8	13.9-19.7	290	18.7	16.0-21.4	350	17.3	14.9-19.7
Some Post-H.S.	930	786,081	107	24.6	19.9-29.3	104	17.6	13.7-21.5	129	16.3	12.8-19.8	173	16.0	13.1-18.9	209	14.3	11.8-16.8	208	11.3	9.3-13.3
College Graduate	1001	574,876	99	18.5	14.6-22.4	139	23.4	19.3-27.5	172	20.0	16.5-23.5	185	16.5	13.6-19.4	225	13.4	11.2-15.6	181	8.3	6.7- 9.9
Less than \$15,000	438	299,721	39	22.6	15.0-30.2	33	13.0	7.5-18.5	47	13.5	8.6-18.4	91	18.0	13.1-22.9	104	15.1	11.2-19.0	124	17.9	13.8-22.0
\$15,000- 24,999	640	497,270	70	20.9	15.2-26.6	59	18.0	12.3-23.7	69	12.6	9.1-16.1	91	13.1	9.6-16.6	158	16.3	13.0-19.6	193	19.1	15.6-22.6
\$25,000- 34,999	345	250,691	37	20.8	13.4-28.2	31	14.8	8.1-21.5	40	17.1	8.7-25.5	69	19.0	13.3-24.7	77	15.5	11.0-20.0	91	12.8	9.3-16.3
\$35,000- 49,999	429	323,750	51	20.1	14.2-26.0	39	16.1	9.8-22.4	61	16.9	11.6-22.2	68	15.2	10.5-19.9	108	17.1	13.0-21.2	102	14.6	10.9-18.3
\$50,000- 74,999	379	312,260	29	18.0	10.7-25.3	56	22.9	16.4-29.4	60	17.2	11.9-22.5	74	16.2	11.5-20.9	94	15.5	11.6-19.4	66	10.2	6.9-13.5
\$75,000+	555	449,719	35	14.9	9.2-20.6	82	22.3	17.0-27.6	130	21.2	16.7-25.7	142	23.3	18.8-27.8	120	13.9	10.6-17.2	46	4.4	2.8- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 19: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6059	5,098,429	3947	79.0	77.8-80.2	2112	21.0	19.8-22.2
Male	2571	2,453,365	1786	80.7	78.9-82.5	785	19.3	17.5-21.1
Female	3485	2,641,550	2159	77.4	75.8-79.0	1326	22.6	21.0-24.2
White/Non-Hisp	4899	3,837,746	3097	76.0	74.6-77.4	1802	24.0	22.6-25.4
Black or Afr. Am./Non-Hisp	744	805,207	541	87.4	84.9-89.9	203	12.6	10.1-15.1
Oth. Race/Non-Hisp.	117	113,918	83	84.2	76.4-92.0	34	15.8	8.0-23.6
MultiRacial/Non-Hisp.	100	52,648	70	87.1	80.8-93.4	30	12.9	6.6-19.2
Hispanic	117	214,398	107	96.4	93.7-99.1	10	3.6	0.9- 6.3
Less Than H.S.	642	749,892	349	69.9	65.6-74.2	293	30.1	25.8-34.4
H.S. or G.E.D.	1985	1,711,598	1274	78.3	76.1-80.5	711	21.7	19.5-23.9
Some Post-H.S.	1572	1,474,813	1051	82.3	80.3-84.3	521	17.7	15.7-19.7
College Graduate	1845	1,154,872	1264	81.7	79.7-83.7	581	18.3	16.3-20.3
Less than \$15,000	653	484,355	428	78.9	75.2-82.6	225	21.1	17.4-24.8
\$15,000- 24,999	979	823,019	572	73.9	70.6-77.2	407	26.1	22.8-29.4
\$25,000- 34,999	613	514,499	388	77.4	73.5-81.3	225	22.6	18.7-26.5
\$35,000- 49,999	810	684,356	526	78.3	75.0-81.6	284	21.7	18.4-25.0
\$50,000- 74,999	744	681,922	525	83.0	80.1-85.9	219	17.0	14.1-19.9
\$75,000+	1204	1,076,533	952	88.6	86.8-90.4	252	11.4	9.6-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 20: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2571	2,453,365	1786	80.7	78.9-82.5	785	19.3	17.5-21.1
White/Non-Hisp	2093	1,858,453	1410	77.9	75.9-79.9	683	22.1	20.1-24.1
Black or Afr. Am./Non-Hisp	259	347,951	205	89.6	85.9-93.3	54	10.4	6.7-14.1
Oth. Race/Non-Hisp.	61	70,876	44	84.8	74.4-95.2	17	15.2	4.8-25.6
MultiRacial/Non-Hisp.	52	29,161	40	90.7	84.0-97.4	12	9.3	2.6-16.0
Hispanic	67	117,506	60	95.0	90.3-99.7	7	5.0	0.3- 9.7
Less Than H.S.	242	356,069	158	75.6	69.5-81.7	84	24.4	18.3-30.5
H.S. or G.E.D.	843	828,255	621	83.2	80.5-85.9	222	16.8	14.1-19.5
Some Post-H.S.	641	687,406	445	82.5	79.4-85.6	196	17.5	14.4-20.6
College Graduate	843	579,719	560	78.1	75.0-81.2	283	21.9	18.8-25.0
Less than \$15,000	215	184,634	164	82.4	76.5-88.3	51	17.6	11.7-23.5
\$15,000- 24,999	339	325,749	217	77.4	72.1-82.7	122	22.6	17.3-27.9
\$25,000- 34,999	268	263,808	179	75.8	69.7-81.9	89	24.2	18.1-30.3
\$35,000- 49,999	381	360,606	252	78.8	73.9-83.7	129	21.2	16.3-26.1
\$50,000- 74,999	365	369,663	256	82.7	78.4-87.0	109	17.3	13.0-21.6
\$75,000+	648	624,904	497	87.7	85.2-90.2	151	12.3	9.8-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 21: TWO-LEVEL AGE CATEGORY (\_AGE65YR).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3485	2,641,550	2159	77.4	75.8-79.0	1326	22.6	21.0-24.2
White/Non-Hisp	2804	1,977,690	1686	74.3	72.5-76.1	1118	25.7	23.9-27.5
Black or Afr. Am./Non-Hisp	485	457,256	336	85.6	82.1-89.1	149	14.4	10.9-17.9
Oth. Race/Non-Hisp.	56	43,042	39	83.2	71.0-95.4	17	16.8	4.6-29.0
Hispanic	50	96,892	47	98.2	95.8- 100	3	1.8	0.0- 4.2
Less Than H.S.	399	391,912	190	64.6	58.7-70.5	209	35.4	29.5-41.3
H.S. or G.E.D.	1142	883,343	653	73.7	70.6-76.8	489	26.3	23.2-29.4
Some Post-H.S.	930	786,081	605	82.2	79.7-84.7	325	17.8	15.3-20.3
College Graduate	1001	574,876	704	85.4	83.2-87.6	297	14.6	12.4-16.8
Less than \$15,000	438	299,721	264	76.7	72.0-81.4	174	23.3	18.6-28.0
\$15,000- 24,999	640	497,270	355	71.6	67.3-75.9	285	28.4	24.1-32.7
\$25,000- 34,999	345	250,691	209	79.1	74.2-84.0	136	20.9	16.0-25.8
\$35,000- 49,999	429	323,750	274	77.8	73.3-82.3	155	22.2	17.7-26.7
\$50,000- 74,999	379	312,260	269	83.3	79.0-87.6	110	16.7	12.4-21.0
\$75,000+	555	449,719	454	89.9	87.4-92.4	101	10.1	7.6-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5950	5,010,882	1	0.0	0.0- 0.0	259	3.8	3.0- 4.6	2632	40.2	38.4-42.0	2482	45.3	43.5-47.1	576	10.6	9.4-11.8	
Male	2545	2,440,443				6	0.6	0.0- 1.4	218	8.8	7.2-10.4	1756	69.1	66.6-71.6	565	21.6	19.4-23.8	
Female	3402	2,566,926	1	0.0	0.0- 0.0	253	6.9	5.7- 8.1	2413	70.1	67.7-72.5	724	22.8	20.6-25.0	11	0.2	0.0- 0.4	
White/Non-Hisp	4823	3,785,489	1	0.0	0.0- 0.0	194	3.0	2.4- 3.6	2102	39.6	37.6-41.6	2037	46.2	44.2-48.2	489	11.2	10.0-12.4	
Black or Afr. Am./Non-Hisp	717	779,375				38	5.9	3.2- 8.6	360	43.3	37.8-48.8	269	42.4	36.9-47.9	50	8.4	5.1-11.7	
Oth. Race/Non-Hisp.	115	115,399				7	5.5	1.0-10.0	44	33.6	20.7-46.5	52	45.5	32.0-59.0	12	15.4	2.9-27.9	
MultiRacial/Non-Hisp.	102	53,648				3	1.2	0.0- 2.6	41	30.3	17.8-42.8	52	60.2	46.3-74.1	6	8.3	0.3-16.3	
Hispanic	107	197,974				9	11.5	1.3-21.7	46	45.6	32.9-58.3	42	36.6	24.6-48.6	10	6.3	2.0-10.6	
18-24	364	609,500				10	3.9	1.2- 6.6	142	40.6	34.3-46.9	152	41.2	34.9-47.5	60	14.4	10.1-18.7	
25-34	591	842,582				19	2.5	0.7- 4.3	209	35.5	30.4-40.6	301	51.3	46.0-56.6	62	10.7	7.6-13.8	
35-44	628	810,240				15	2.2	0.8- 3.6	260	38.3	33.2-43.4	266	47.8	42.3-53.3	87	11.7	8.6-14.8	
45-54	972	825,463				36	5.5	2.8- 8.2	422	38.5	34.4-42.6	424	45.3	41.0-49.6	90	10.8	7.9-13.7	
55-64	1278	819,306				51	3.3	2.1- 4.5	550	41.5	38.0-45.0	546	45.3	41.8-48.8	131	10.0	8.0-12.0	
65+	2042	1,042,174	1	0.1	0.0- 0.3	126	5.3	4.1- 6.5	1014	46.0	43.1-48.9	762	40.9	38.0-43.8	139	7.8	6.2- 9.4	
Less Than H.S.	624	728,090	1	0.1	0.0- 0.3	43	5.9	3.2- 8.6	316	43.4	37.9-48.9	230	45.0	39.3-50.7	34	5.6	3.2- 8.0	
H.S. or G.E.D.	1933	1,666,844				90	4.6	3.0- 6.2	903	42.7	39.6-45.8	761	41.6	38.5-44.7	179	11.1	8.9-13.3	
Some Post-H.S.	1555	1,463,427				69	2.8	1.8- 3.8	690	37.7	34.4-41.0	639	48.2	44.7-51.7	157	11.4	9.0-13.8	
College Graduate	1826	1,145,853				56	2.7	1.7- 3.7	716	37.8	34.7-40.9	850	47.6	44.5-50.7	204	11.9	9.7-14.1	
Less than \$15,000	641	474,684				39	4.5	2.5- 6.5	333	49.2	43.3-55.1	225	39.1	33.4-44.8	44	7.2	4.5- 9.9	
\$15,000- 24,999	963	801,418				57	5.9	3.0- 8.8	488	49.0	44.3-53.7	349	37.9	33.4-42.4	69	7.3	5.1- 9.5	
\$25,000- 34,999	605	512,435				31	5.0	2.3- 7.7	267	35.5	30.2-40.8	254	50.6	44.7-56.5	53	8.9	5.8-12.0	
\$35,000- 49,999	802	677,905				33	3.4	1.8- 5.0	327	38.5	33.6-43.4	354	44.7	39.8-49.6	88	13.4	9.5-17.3	
\$50,000- 74,999	742	681,386				17	1.8	0.6- 3.0	286	35.5	30.4-40.6	352	50.1	44.6-55.6	87	12.5	9.2-15.8	
\$75,000+	1204	1,078,022				28	2.5	1.1- 3.9	416	31.1	27.6-34.6	594	52.1	48.2-56.0	166	14.3	11.6-17.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2545	2,440,443	6	0.6	0.0- 1.4	218	8.8	7.2-10.4	1756	69.1	66.6-71.6	565	21.6	19.4-23.8
White/Non-Hisp	2075	1,849,169	2	0.3	0.0- 0.7	155	6.7	5.3- 8.1	1437	70.3	67.8-72.8	481	22.7	20.3-25.1
Black or Afr. Am./Non-Hisp	251	342,530	1	0.2	0.0- 0.6	30	13.8	7.3-20.3	173	67.1	58.7-75.5	47	18.9	11.8-26.0
Oth. Race/Non-Hisp.	60	71,989				9	14.1	0.8-27.4	39	61.2	41.8-80.6	12	24.7	6.1-43.3
MultiRacial/Non-Hisp.	54	29,959				5	3.8	0.0- 7.7	43	81.3	66.8-95.8	6	14.9	0.8-29.0
Hispanic	62	112,927	2	8.5	0.0-22.4	11	22.2	6.9-37.5	39	58.3	40.9-75.7	10	11.0	3.4-18.6
18-24	201	315,083	1	0.3	0.0- 0.9	18	8.1	3.2-13.0	122	63.8	55.4-72.2	60	27.8	20.0-35.6
25-34	280	417,042				21	7.2	2.9-11.5	197	71.3	64.4-78.2	62	21.5	15.6-27.4
35-44	289	404,710				20	6.9	3.0-10.8	184	70.1	63.4-76.8	85	23.1	17.2-29.0
45-54	395	402,343	3	3.4	0.0- 7.9	34	9.6	5.1-14.1	271	65.1	58.0-72.2	87	21.9	16.2-27.6
55-64	581	401,716	1	0.0	0.0- 0.0	52	10.9	7.2-14.6	400	69.0	64.1-73.9	128	20.1	16.2-24.0
65+	771	467,588	1	0.1	0.0- 0.3	72	10.3	7.4-13.2	562	72.4	68.3-76.5	136	17.3	14.0-20.6
Less Than H.S.	237	345,906	1	2.5	0.0- 7.2	34	14.1	8.0-20.2	168	71.7	63.7-79.7	34	11.7	7.0-16.4
H.S. or G.E.D.	822	817,666	4	0.7	0.0- 1.7	91	11.0	7.9-14.1	551	65.9	61.4-70.4	176	22.4	18.5-26.3
Some Post-H.S.	647	697,618	1	0.1	0.0- 0.3	48	5.2	3.2- 7.2	443	70.9	66.2-75.6	155	23.8	19.5-28.1
College Graduate	837	577,337				45	6.9	4.4- 9.4	594	69.9	65.6-74.2	198	23.2	19.3-27.1
Less than \$15,000	216	184,382				25	11.2	5.3-17.1	149	70.5	62.1-78.9	42	18.3	11.4-25.2
\$15,000- 24,999	333	320,763	3	3.2	0.0- 8.3	33	11.7	6.0-17.4	231	67.2	59.6-74.8	66	18.0	12.7-23.3
\$25,000- 34,999	263	261,729	2	1.8	0.0- 5.1	30	8.8	5.3-12.3	178	72.0	64.9-79.1	53	17.5	11.6-23.4
\$35,000- 49,999	378	357,668				31	10.3	5.2-15.4	261	64.5	57.2-71.8	86	25.3	18.6-32.0
\$50,000- 74,999	365	369,696				17	5.8	1.3-10.3	262	71.3	64.4-78.2	86	22.9	16.8-29.0
\$75,000+	651	630,100				33	5.0	2.8- 7.2	455	70.7	66.0-75.4	163	24.3	19.8-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<=48in		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3402	2,566,926	1	0.0	0.0- 0.0	253	6.9	5.7- 8.1	2413	70.1	67.7-72.5	724	22.8	20.6-25.0	11	0.2	0.0- 0.4
White/Non-Hisp	2746	1,934,717	1	0.0	0.0- 0.0	192	5.5	4.5- 6.5	1947	71.1	68.7-73.5	598	23.2	21.0-25.4	8	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	466	436,845				37	10.4	5.7-15.1	330	66.4	59.3-73.5	96	23.1	16.8-29.4	3	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	55	43,410				7	14.5	2.7-26.3	35	66.1	49.4-82.8	13	19.4	6.9-31.9			
18-24	163	294,417				9	7.7	2.2-13.2	124	75.3	67.3-83.3	30	17.0	10.3-23.7			
25-34	310	424,213				19	5.1	1.6- 8.6	188	63.5	56.2-70.8	103	31.5	24.4-38.6			
35-44	339	405,530				15	4.5	1.8- 7.2	240	69.7	62.6-76.8	82	25.5	18.6-32.4	2	0.3	0.0- 0.7
45-54	576	421,210				33	7.5	4.2-10.8	387	65.8	60.5-71.1	153	26.5	21.6-31.4	3	0.2	0.0- 0.4
55-64	697	417,591				50	6.4	4.2- 8.6	498	70.9	66.4-75.4	146	22.4	18.3-26.5	3	0.3	0.0- 0.7
65+	1270	574,309	1	0.1	0.0- 0.3	125	9.5	7.5-11.5	942	75.1	72.0-78.2	199	15.2	12.7-17.7	3	0.1	0.0- 0.3
Less Than H.S.	386	380,274	1	0.1	0.0- 0.3	42	9.1	5.8-12.4	281	69.8	62.7-76.9	62	21.0	14.1-27.9			
H.S. or G.E.D.	1111	849,178				86	8.4	5.7-11.1	812	73.3	69.4-77.2	210	18.2	15.1-21.3	3	0.1	0.0- 0.3
Some Post-H.S.	907	764,483				68	5.1	3.3- 6.9	642	67.5	63.0-72.0	195	27.3	22.8-31.8	2	0.1	0.0- 0.3
College Graduate	988	568,239				56	5.4	3.4- 7.4	671	69.2	65.1-73.3	255	24.9	21.2-28.6	6	0.4	0.0- 0.8
Less than \$15,000	425	290,302				39	7.3	4.0-10.6	308	73.4	66.9-79.9	76	19.2	13.1-25.3	2	0.1	0.0- 0.3
\$15,000- 24,999	630	480,655				54	7.7	4.4-11.0	455	73.8	68.9-78.7	118	18.3	14.2-22.4	3	0.2	0.0- 0.4
\$25,000- 34,999	342	250,706				29	8.4	3.7-13.1	237	63.4	54.6-72.2	76	28.3	19.5-37.1			
\$35,000- 49,999	424	320,238				33	7.2	3.9-10.5	296	70.0	63.7-76.3	93	22.5	16.8-28.2	2	0.2	0.0- 0.6
\$50,000- 74,999	377	311,690				17	4.0	1.3- 6.7	269	70.8	63.9-77.7	90	25.0	18.5-31.5	1	0.3	0.0- 0.9
\$75,000+	552	446,012				28	5.9	2.8- 9.0	382	67.6	61.7-73.5	139	26.2	20.5-31.9	3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: REPORTED HEIGHT IN METERS (HTM4).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5954	5,014,228	1	0.0	0.0- 0.0	260	3.9	3.1- 4.7	2633	40.2	38.4-42.0	2484	45.3	43.5-47.1	576	10.6	9.4-11.8
Male	2548	2,442,473				6	0.6	0.0- 1.4	219	8.8	7.2-10.4	1758	69.0	66.5-71.5	565	21.5	19.3-23.7
Female	3403	2,568,241	1	0.0	0.0- 0.0	254	6.9	5.7- 8.1	2413	70.1	67.7-72.5	724	22.8	20.6-25.0	11	0.2	0.0- 0.4
White/Non-Hisp	4823	3,785,489	1	0.0	0.0- 0.0	194	3.0	2.4- 3.6	2102	39.6	37.6-41.6	2037	46.2	44.2-48.2	489	11.2	10.0-12.4
Black or Afr. Am./Non-Hisp	717	779,375				38	5.9	3.2- 8.6	360	43.3	37.8-48.8	269	42.4	36.9-47.9	50	8.4	5.1-11.7
Oth. Race/Non-Hisp.	117	116,691				7	5.4	0.9- 9.9	44	33.3	20.6-46.0	54	46.1	32.8-59.4	12	15.2	2.9-27.5
MultiRacial/Non-Hisp.	102	53,648				3	1.2	0.0- 2.6	41	30.3	17.8-42.8	52	60.2	46.3-74.1	6	8.3	0.3-16.3
Hispanic	109	200,028				10	12.0	2.0-22.0	47	45.5	33.0-58.0	42	36.3	24.5-48.1	10	6.2	1.9-10.5
18-24	365	610,548				10	3.9	1.2- 6.6	142	40.5	34.2-46.8	153	41.3	35.0-47.6	60	14.3	10.0-18.6
25-34	592	842,825				19	2.5	0.7- 4.3	209	35.5	30.4-40.6	302	51.3	46.0-56.6	62	10.7	7.6-13.8
35-44	628	810,240				15	2.2	0.8- 3.6	260	38.3	33.2-43.4	266	47.8	42.3-53.3	87	11.7	8.6-14.8
45-54	973	826,201				36	5.5	2.8- 8.2	423	38.5	34.4-42.6	424	45.2	40.9-49.5	90	10.8	7.9-13.7
55-64	1279	820,622				52	3.4	2.2- 4.6	550	41.4	37.9-44.9	546	45.2	41.7-48.7	131	10.0	8.0-12.0
65+	2042	1,042,174	1	0.1	0.0- 0.3	126	5.3	4.1- 6.5	1014	46.0	43.1-48.9	762	40.9	38.0-43.8	139	7.8	6.2- 9.4
Less Than H.S.	625	729,406	1	0.1	0.0- 0.3	44	6.1	3.4- 8.8	316	43.3	37.8-48.8	230	45.0	39.3-50.7	34	5.6	3.2- 8.0
H.S. or G.E.D.	1934	1,667,582				90	4.6	3.0- 6.2	904	42.7	39.6-45.8	761	41.6	38.5-44.7	179	11.1	8.9-13.3
Some Post-H.S.	1556	1,464,476				69	2.7	1.7- 3.7	690	37.7	34.4-41.0	640	48.2	44.7-51.7	157	11.4	9.2-13.6
College Graduate	1827	1,146,097				56	2.7	1.7- 3.7	716	37.8	34.7-40.9	851	47.6	44.5-50.7	204	11.9	9.7-14.1
Less than \$15,000	641	474,684				39	4.5	2.5- 6.5	333	49.2	43.3-55.1	225	39.1	33.4-44.8	44	7.2	4.5- 9.9
\$15,000- 24,999	965	803,472				58	6.0	3.1- 8.9	489	48.9	44.2-53.6	349	37.8	33.3-42.3	69	7.3	5.1- 9.5
\$25,000- 34,999	606	512,679				31	5.0	2.3- 7.7	267	35.5	30.2-40.8	255	50.6	44.7-56.5	53	8.9	5.8-12.0
\$35,000- 49,999	802	677,905				33	3.4	1.8- 5.0	327	38.5	33.6-43.4	354	44.7	39.8-49.6	88	13.4	9.5-17.3
\$50,000- 74,999	742	681,386				17	1.8	0.6- 3.0	286	35.5	30.4-40.6	352	50.1	44.6-55.6	87	12.5	9.2-15.8
\$75,000+	1204	1,078,022				28	2.5	1.1- 3.9	416	31.1	27.6-34.6	594	52.1	48.2-56.0	166	14.3	11.6-17.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2548	2,442,473	6	0.6	0.0- 1.4	219	8.8	7.2-10.4	1758	69.0	66.5-71.5	565	21.5	19.3-23.7
White/Non-Hisp	2075	1,849,169	2	0.3	0.0- 0.7	155	6.7	5.3- 8.1	1437	70.3	67.8-72.8	481	22.7	20.3-25.1
Black or Afr. Am./Non-Hisp	251	342,530	1	0.2	0.0- 0.6	30	13.8	7.3-20.3	173	67.1	58.7-75.5	47	18.9	11.8-26.0
Oth. Race/Non-Hisp.	62	73,282				9	13.8	0.7-26.9	41	61.9	42.9-80.9	12	24.3	5.9-42.7
MultiRacial/Non-Hisp.	54	29,959				5	3.8	0.0- 7.7	43	81.3	66.8-95.8	6	14.9	0.8-29.0
Hispanic	63	113,665	2	8.4	0.0-22.3	12	22.7	7.4-38.0	39	58.0	40.8-75.2	10	10.9	3.5-18.3
18-24	202	316,131	1	0.3	0.0- 0.9	18	8.1	3.2-13.0	123	63.9	55.5-72.3	60	27.7	19.9-35.5
25-34	281	417,286				21	7.2	2.9-11.5	198	71.3	64.4-78.2	62	21.5	15.6-27.4
35-44	289	404,710				20	6.9	3.0-10.8	184	70.1	63.4-76.8	85	23.1	17.2-29.0
45-54	396	403,081	3	3.4	0.0- 7.9	35	9.8	5.3-14.3	271	65.0	57.9-72.1	87	21.8	16.1-27.5
55-64	581	401,716	1	0.0	0.0- 0.0	52	10.9	7.2-14.6	400	69.0	64.1-73.9	128	20.1	16.2-24.0
65+	771	467,588	1	0.1	0.0- 0.3	72	10.3	7.4-13.2	562	72.4	68.3-76.5	136	17.3	14.0-20.6
Less Than H.S.	237	345,906	1	2.5	0.0- 7.2	34	14.1	8.0-20.2	168	71.7	63.7-79.7	34	11.7	7.0-16.4
H.S. or G.E.D.	823	818,404	4	0.7	0.0- 1.7	92	11.1	8.0-14.2	551	65.8	61.3-70.3	176	22.4	18.5-26.3
Some Post-H.S.	648	698,666	1	0.1	0.0- 0.3	48	5.1	3.1- 7.1	444	71.0	66.3-75.7	155	23.7	19.4-28.0
College Graduate	838	577,581				45	6.9	4.4- 9.4	595	69.9	65.6-74.2	198	23.2	19.3-27.1
Less than \$15,000	216	184,382				25	11.2	5.3-17.1	149	70.5	62.1-78.9	42	18.3	11.4-25.2
\$15,000- 24,999	334	321,501	3	3.2	0.0- 8.3	34	11.9	6.2-17.6	231	67.0	59.4-74.6	66	17.9	12.6-23.2
\$25,000- 34,999	264	261,973	2	1.8	0.0- 5.1	30	8.8	5.3-12.3	179	72.0	64.9-79.1	53	17.5	11.6-23.4
\$35,000- 49,999	378	357,668				31	10.3	5.2-15.4	261	64.5	57.2-71.8	86	25.3	18.6-32.0
\$50,000- 74,999	365	369,696				17	5.8	1.3-10.3	262	71.3	64.4-78.2	86	22.9	16.8-29.0
\$75,000+	651	630,100				33	5.0	2.8- 7.2	455	70.7	66.0-75.4	163	24.3	19.8-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: REPORTED HEIGHT IN METERS (HTM4).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3403	2,568,241	1	0.0	0.0- 0.0	254	6.9	5.7- 8.1	2413	70.1	67.7-72.5	724	22.8	20.6-25.0	11	0.2	0.0- 0.4
White/Non-Hisp	2746	1,934,717	1	0.0	0.0- 0.0	192	5.5	4.5- 6.5	1947	71.1	68.7-73.5	598	23.2	21.0-25.4	8	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	466	436,845				37	10.4	5.7-15.1	330	66.4	59.3-73.5	96	23.1	16.8-29.4	3	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	55	43,410				7	14.5	2.7-26.3	35	66.1	49.4-82.8	13	19.4	6.9-31.9			
18-24	163	294,417				9	7.7	2.2-13.2	124	75.3	67.3-83.3	30	17.0	10.3-23.7			
25-34	310	424,213				19	5.1	1.6- 8.6	188	63.5	56.2-70.8	103	31.5	24.4-38.6			
35-44	339	405,530				15	4.5	1.8- 7.2	240	69.7	62.6-76.8	82	25.5	18.6-32.4	2	0.3	0.0- 0.7
45-54	576	421,210				33	7.5	4.2-10.8	387	65.8	60.5-71.1	153	26.5	21.6-31.4	3	0.2	0.0- 0.4
55-64	698	418,907				51	6.7	4.3- 9.1	498	70.7	66.2-75.2	146	22.4	18.3-26.5	3	0.3	0.0- 0.7
65+	1270	574,309	1	0.1	0.0- 0.3	125	9.5	7.5-11.5	942	75.1	72.0-78.2	199	15.2	12.7-17.7	3	0.1	0.0- 0.3
Less Than H.S.	387	381,589	1	0.1	0.0- 0.3	43	9.4	6.1-12.7	281	69.6	62.5-76.7	62	20.9	14.0-27.8			
H.S. or G.E.D.	1111	849,178				86	8.4	5.7-11.1	812	73.3	69.4-77.2	210	18.2	15.1-21.3	3	0.1	0.0- 0.3
Some Post-H.S.	907	764,483				68	5.1	3.3- 6.9	642	67.5	63.0-72.0	195	27.3	22.8-31.8	2	0.1	0.0- 0.3
College Graduate	988	568,239				56	5.4	3.4- 7.4	671	69.2	65.1-73.3	255	24.9	21.2-28.6	6	0.4	0.0- 0.8
Less than \$15,000	425	290,302				39	7.3	4.0-10.6	308	73.4	66.9-79.9	76	19.2	13.1-25.3	2	0.1	0.0- 0.3
\$15,000- 24,999	631	481,971				55	7.9	4.6-11.2	455	73.6	68.7-78.5	118	18.3	14.2-22.4	3	0.2	0.0- 0.4
\$25,000- 34,999	342	250,706				29	8.4	3.7-13.1	237	63.4	54.6-72.2	76	28.3	19.5-37.1			
\$35,000- 49,999	424	320,238				33	7.2	3.9-10.5	296	70.0	63.7-76.3	93	22.5	16.8-28.2	2	0.2	0.0- 0.6
\$50,000- 74,999	377	311,690				17	4.0	1.3- 6.7	269	70.8	63.9-77.7	90	25.0	18.5-31.5	1	0.3	0.0- 0.9
\$75,000+	552	446,012				28	5.9	2.8- 9.0	382	67.6	61.7-73.5	139	26.2	20.5-31.9	3	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5720	4,845,570	54	0.7	0.5- 0.9	1594	26.4	24.8-28.0	2467	42.5	40.5-44.5	1200	22.4	20.8-24.0	304	5.9	4.9- 6.9	101	2.1	1.5- 2.7
Male	2524	2,415,775				234	10.7	8.7-12.7	1169	44.8	42.1-47.5	834	32.4	29.9-34.9	210	8.7	7.1-10.3	77	3.3	2.3- 4.3
Female	3193	2,426,281	54	1.4	0.8- 2.0	1359	42.0	39.5-44.5	1296	40.2	37.7-42.7	366	12.4	10.6-14.2	94	3.1	2.3- 3.9	24	0.8	0.4- 1.2
White/Non-Hisp	4623	3,646,459	42	0.7	0.5- 0.9	1330	27.6	25.8-29.4	1971	42.1	40.1-44.1	960	22.1	20.5-23.7	236	5.4	4.6- 6.2	84	2.1	1.5- 2.7
Black or Afr. Am./Non-Hisp	691	755,274	4	0.3	0.1- 0.5	143	18.8	14.7-22.9	317	44.4	38.9-49.9	168	25.8	20.7-30.9	49	8.2	5.1-11.3	10	2.5	0.3- 4.7
Oth. Race/Non-Hisp.	117	114,558	5	1.8	0.0- 3.8	30	28.8	15.5-42.1	59	45.3	32.0-58.6	17	17.9	5.2-30.6	3	4.0	0.0- 9.3	3	2.2	0.0- 5.5
MultiRacial/Non-Hisp.	101	52,969				30	25.7	14.1-37.3	42	38.1	24.4-51.8	19	26.4	10.3-42.5	9	9.0	1.0-17.0	1	0.9	0.0- 2.7
Hispanic	110	202,878	1	1.4	0.0- 4.1	38	31.9	20.9-42.9	40	37.9	25.6-50.2	25	21.6	11.6-31.6	4	6.1	0.0-14.3	2	1.1	0.0- 2.7
18-24	357	594,027	3	0.6	0.0- 1.4	123	38.3	32.0-44.6	142	40.1	33.8-46.4	73	17.5	12.8-22.2	9	1.7	0.3- 3.1	7	1.8	0.0- 3.6
25-34	571	820,284	7	0.9	0.1- 1.7	167	26.6	21.9-31.3	221	40.4	35.1-45.7	133	24.1	19.4-28.8	26	4.9	2.7- 7.1	17	3.1	1.3- 4.9
35-44	605	798,108	2	0.2	0.0- 0.4	135	23.1	18.4-27.8	236	40.9	35.4-46.4	165	24.7	20.4-29.0	47	8.2	5.3-11.1	20	3.0	1.0- 5.0
45-54	928	787,984	6	0.5	0.0- 1.1	232	21.7	18.2-25.2	382	41.2	36.9-45.5	211	25.3	21.0-29.6	74	8.8	5.9-11.7	23	2.3	1.1- 3.5
55-64	1218	785,243	10	0.7	0.1- 1.3	273	22.3	19.2-25.4	552	44.1	40.6-47.6	285	23.4	20.3-26.5	75	7.5	5.5- 9.5	23	2.0	1.0- 3.0
65+	1982	1,006,522	26	1.1	0.5- 1.7	640	28.4	25.9-30.9	912	47.0	44.1-49.9	322	18.7	16.3-21.1	71	4.1	2.9- 5.3	11	0.7	0.1- 1.3
Less Than H.S.	616	711,581	12	1.1	0.3- 1.9	192	28.1	23.2-33.0	272	45.1	39.4-50.8	98	17.8	13.7-21.9	34	6.4	3.5- 9.3	8	1.5	0.1- 2.9
H.S. or G.E.D.	1847	1,597,084	20	0.9	0.5- 1.3	527	27.8	24.9-30.7	786	40.8	37.7-43.9	380	22.4	19.7-25.1	93	5.5	3.9- 7.1	41	2.7	1.5- 3.9
Some Post-H.S.	1492	1,419,585	12	0.4	0.2- 0.6	394	23.5	20.6-26.4	608	40.1	36.6-43.6	344	26.4	23.1-29.7	102	7.2	5.4- 9.0	32	2.4	1.2- 3.6
College Graduate	1756	1,111,731	9	0.5	0.0- 1.1	479	27.0	24.1-29.9	798	46.5	43.2-49.8	377	20.3	17.8-22.8	74	4.5	3.1- 5.9	19	1.2	0.4- 2.0
Less than \$15,000	626	458,965	13	1.0	0.4- 1.6	184	30.6	25.1-36.1	248	41.7	35.8-47.6	120	19.1	14.4-23.8	47	6.3	3.8- 8.8	14	1.4	0.6- 2.2
\$15,000- 24,999	939	781,598	15	1.5	0.5- 2.5	275	26.8	22.7-30.9	410	43.6	38.9-48.3	171	19.3	15.8-22.8	50	6.2	3.5- 8.9	18	2.6	0.8- 4.4
\$25,000- 34,999	583	496,408	4	0.6	0.0- 1.4	149	23.6	18.5-28.7	273	45.9	39.8-52.0	112	21.0	16.1-25.9	31	5.7	3.2- 8.2	14	3.2	1.0- 5.4
\$35,000- 49,999	776	661,663	5	0.6	0.0- 1.2	204	23.6	19.5-27.7	328	38.1	33.2-43.0	176	28.1	23.0-33.2	51	8.2	5.3-11.1	12	1.4	0.4- 2.4
\$50,000- 74,999	719	665,696	2	0.4	0.0- 1.2	158	21.0	16.3-25.7	325	45.8	40.3-51.3	172	23.7	19.2-28.2	42	5.9	3.5- 8.3	20	3.3	1.3- 5.3
\$75,000+	1171	1,051,474	2	0.1	0.0- 0.3	296	25.2	21.7-28.7	508	42.2	38.3-46.1	300	26.1	22.6-29.6	51	4.9	3.1- 6.7	14	1.5	0.5- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2524	2,415,775	234	10.7	8.7-12.7	1169	44.8	42.1-47.5	834	32.4	29.9-34.9	210	8.7	7.1-10.3	77	3.3	2.3- 4.3
White/Non-Hisp	2060	1,832,738	169	9.3	7.3-11.3	958	45.9	43.0-48.8	700	33.4	30.7-36.1	166	8.0	6.4- 9.6	67	3.4	2.4- 4.4
Black or Afr. Am./Non-Hisp	247	339,403	29	10.6	5.9-15.3	108	42.9	34.3-51.5	79	30.6	22.4-38.8	25	11.4	6.1-16.7	6	4.4	0.1- 8.7
Oth. Race/Non-Hisp.	62	73,118	9	22.8	5.2-40.4	36	44.7	27.1-62.3	11	22.7	4.3-41.1	3	6.3	0.0-14.5	3	3.5	0.0- 8.6
MultiRacial/Non-Hisp.	53	29,279	7	13.1	2.9-23.3	22	38.6	20.0-57.2	14	30.5	9.1-51.9	9	16.2	2.3-30.1	1	1.6	0.0- 4.7
Hispanic	62	109,263	12	19.6	6.7-32.5	25	36.9	20.8-53.0	21	32.2	16.9-47.5	4	11.3	0.0-26.0			
18-24	200	305,869	42	21.4	14.3-28.5	88	45.3	36.7-53.9	59	28.1	20.5-35.7	7	2.5	0.1- 4.9	4	2.6	0.0- 5.9
25-34	276	413,043	35	13.3	7.8-18.8	117	41.3	33.9-48.7	95	33.8	26.7-40.9	19	8.2	4.3-12.1	10	3.4	0.9- 5.9
35-44	285	401,621	20	8.9	3.2-14.6	106	39.5	31.5-47.5	114	36.0	28.7-43.3	30	10.4	5.9-14.9	15	5.2	1.5- 8.9
45-54	392	400,151	26	8.2	4.3-12.1	174	43.4	36.7-50.1	125	30.8	24.1-37.5	48	13.3	7.8-18.8	19	4.2	1.8- 6.6
55-64	577	399,338	42	7.4	4.5-10.3	257	43.8	38.5-49.1	201	34.4	29.5-39.3	57	10.7	7.4-14.0	20	3.7	1.7- 5.7
65+	767	464,471	69	8.7	6.2-11.2	410	53.4	48.7-58.1	230	29.9	25.6-34.2	49	6.8	4.4- 9.2	9	1.3	0.3- 2.3
Less Than H.S.	235	340,518	30	15.0	7.7-22.3	124	49.0	40.2-57.8	54	23.6	16.5-30.7	20	9.6	3.7-15.5	7	2.8	0.1- 5.5
H.S. or G.E.D.	809	800,252	104	15.1	11.4-18.8	354	41.3	36.6-46.0	250	30.7	26.2-35.2	69	8.3	5.9-10.7	32	4.7	2.5- 6.9
Some Post-H.S.	644	696,623	41	6.4	3.7- 9.1	274	39.7	34.6-44.8	242	39.8	34.7-44.9	65	10.8	7.5-14.1	22	3.2	1.4- 5.0
College Graduate	834	576,466	59	7.3	4.9- 9.7	417	53.5	49.0-58.0	287	31.2	27.1-35.3	55	6.2	4.0- 8.4	16	1.9	0.5- 3.3
Less than \$15,000	210	175,512	33	17.9	9.9-25.9	96	49.5	40.1-58.9	52	22.0	14.9-29.1	20	8.0	3.3-12.7	9	2.5	0.5- 4.5
\$15,000- 24,999	334	318,779	44	13.0	7.7-18.3	154	45.2	37.6-52.8	93	26.6	20.1-33.1	32	11.0	5.1-16.9	11	4.2	0.3- 8.1
\$25,000- 34,999	260	259,895	27	13.6	7.3-19.9	131	44.7	36.7-52.7	72	29.6	21.8-37.4	21	8.6	4.1-13.1	9	3.5	0.8- 6.2
\$35,000- 49,999	376	356,896	31	10.3	6.0-14.6	172	40.6	33.7-47.5	126	35.8	28.4-43.2	37	11.0	6.5-15.5	10	2.3	0.5- 4.1
\$50,000- 74,999	363	369,026	24	8.3	2.6-14.0	153	41.8	34.0-49.6	134	36.3	29.0-43.6	33	7.9	4.4-11.4	19	5.7	2.4- 9.0
\$75,000+	648	626,794	38	7.1	3.8-10.4	299	46.3	41.0-51.6	255	37.4	32.3-42.5	43	6.9	4.2- 9.6	13	2.3	0.7- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3193	2,426,281	54	1.4	0.8- 2.0	1359	42.0	39.5-44.5	1296	40.2	37.7-42.7	366	12.4	10.6-14.2	94	3.1	2.3- 3.9	24	0.8	0.4- 1.2
White/Non-Hisp	2561	1,812,117	42	1.4	0.8- 2.0	1160	46.0	43.3-48.7	1012	38.4	35.7-41.1	260	10.6	9.0-12.2	70	2.9	2.1- 3.7	17	0.8	0.2- 1.4
Black or Afr. Am./Non-Hisp	444	415,870	4	0.5	0.0- 1.1	114	25.5	19.2-31.8	209	45.7	38.4-53.0	89	21.8	15.1-28.5	24	5.6	2.1- 9.1	4	0.9	0.0- 2.1
Oth. Race/Non-Hisp.	55	41,440	5	4.9	0.0-10.4	21	39.4	20.0-58.8	23	46.2	26.4-66.0	6	9.5	0.0-20.5						
18-24	157	288,158	3	1.3	0.0- 2.9	81	56.3	46.9-65.7	54	34.5	25.5-43.5	14	6.2	2.1-10.3	2	0.8	0.0- 2.0	3	0.9	0.0- 2.1
25-34	294	405,914	7	1.9	0.1- 3.7	131	39.9	32.5-47.3	104	39.5	31.9-47.1	38	14.3	8.2-20.4	7	1.6	0.0- 3.2	7	2.8	0.3- 5.3
35-44	320	396,487	2	0.3	0.0- 0.9	115	37.6	30.3-44.9	130	42.3	34.7-49.9	51	13.2	8.7-17.7	17	5.9	2.2- 9.6	5	0.7	0.1- 1.3
45-54	535	385,923	6	1.1	0.0- 2.3	206	35.9	30.6-41.2	207	38.6	33.1-44.1	86	19.8	14.5-25.1	26	4.2	2.2- 6.2	4	0.5	0.0- 1.1
55-64	641	385,905	10	1.4	0.2- 2.6	231	37.7	32.8-42.6	295	44.4	39.5-49.3	84	12.1	9.0-15.2	18	4.1	1.7- 6.5	3	0.2	0.0- 0.6
65+	1214	541,774	26	2.1	1.1- 3.1	571	45.2	41.5-48.9	501	41.5	37.8-45.2	92	9.1	6.6-11.6	22	1.8	0.8- 2.8	2	0.2	0.0- 0.6
Less Than H.S.	380	369,153	12	2.1	0.5- 3.7	162	40.4	33.5-47.3	147	41.2	33.6-48.8	44	12.6	7.9-17.3	14	3.5	1.5- 5.5	1	0.2	0.0- 0.6
H.S. or G.E.D.	1038	796,832	20	1.8	0.8- 2.8	423	40.6	36.1-45.1	432	40.4	35.9-44.9	130	14.0	10.7-17.3	24	2.6	0.8- 4.4	9	0.6	0.0- 1.2
Some Post-H.S.	847	721,636	12	0.7	0.1- 1.3	352	39.9	35.0-44.8	334	40.6	35.7-45.5	102	13.6	9.9-17.3	37	3.7	2.1- 5.3	10	1.6	0.2- 3.0
College Graduate	921	534,988	9	1.1	0.0- 2.3	420	48.3	43.6-53.0	380	38.9	34.4-43.4	90	8.5	6.1-10.9	19	2.7	0.9- 4.5	3	0.5	0.0- 1.1
Less than \$15,000	416	283,453	13	1.6	0.6- 2.6	151	38.4	31.1-45.7	152	36.8	29.5-44.1	68	17.3	11.2-23.4	27	5.3	2.6- 8.0	5	0.6	0.0- 1.2
\$15,000- 24,999	605	462,818	15	2.5	0.9- 4.1	231	36.3	30.8-41.8	256	42.6	36.5-48.7	78	14.2	10.1-18.3	18	3.0	1.4- 4.6	7	1.5	0.1- 2.9
\$25,000- 34,999	323	236,513	4	1.3	0.0- 2.9	122	34.6	26.4-42.8	142	47.2	38.2-56.2	40	11.6	7.1-16.1	10	2.5	0.7- 4.3	5	2.9	0.0- 6.4
\$35,000- 49,999	400	304,767	5	1.4	0.0- 2.8	173	39.2	32.3-46.1	156	35.2	28.5-41.9	50	19.0	12.5-25.5	14	4.9	1.0- 8.8	2	0.3	0.0- 0.7
\$50,000- 74,999	356	296,670	2	1.0	0.0- 3.0	134	36.7	29.4-44.0	172	50.7	43.3-58.1	38	8.0	4.7-11.3	9	3.4	0.5- 6.3	1	0.2	0.0- 0.6
\$75,000+	522	422,770	2	0.2	0.0- 0.6	258	52.1	46.0-58.2	208	35.9	30.2-41.6	45	9.5	5.0-14.0	8	2.0	0.2- 3.8	1	0.4	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5657	4,772,062	75	1.4	1.0- 1.8	1719	30.1	28.3-31.9	1968	33.8	32.0-35.6	1123	19.9	18.3-21.5	772	14.6	13.2-16.0
Male	2515	2,410,383	20	1.1	0.5- 1.7	624	25.5	23.1-27.9	977	37.8	35.1-40.5	589	22.4	20.2-24.6	305	13.2	11.2-15.2
Female	3139	2,358,166	54	1.8	1.0- 2.6	1095	35.0	32.5-37.5	990	29.9	27.5-32.3	533	17.3	15.3-19.3	467	16.1	14.1-18.1
White/Non-Hisp	4584	3,601,768	63	1.4	1.0- 1.8	1418	30.9	28.9-32.9	1632	35.4	33.4-37.4	895	19.6	18.0-21.2	576	12.8	11.4-14.2
Black or Afr. Am./Non-Hisp	675	739,048	7	1.9	0.1- 3.7	155	23.2	18.5-27.9	210	29.3	24.2-34.4	161	22.9	18.0-27.8	142	22.8	17.9-27.7
Oth. Race/Non-Hisp.	115	114,380	2	0.4	0.0- 1.0	43	35.7	22.8-48.6	41	38.7	24.8-52.6	18	15.4	6.2-24.6	11	9.9	2.6-17.2
MultiRacial/Non-Hisp.	101	52,969	2	2.8	0.0- 6.7	32	29.8	17.3-42.3	29	24.8	13.6-36.0	19	23.3	8.8-37.8	19	19.3	6.2-32.4
Hispanic	105	191,603	1	1.5	0.0- 4.4	43	38.1	25.9-50.3	30	21.4	12.2-30.6	15	18.5	7.5-29.5	16	20.5	8.5-32.5
18-24	343	570,551	3	0.8	0.0- 1.8	163	51.1	44.6-57.6	96	26.9	21.2-32.6	47	12.5	8.4-16.6	34	8.7	5.2-12.2
25-34	561	804,076	8	2.5	0.5- 4.5	194	30.8	25.9-35.7	182	31.8	26.9-36.7	86	17.3	13.0-21.6	91	17.6	13.3-21.9
35-44	592	776,353	5	1.1	0.0- 2.3	153	26.6	21.7-31.5	186	30.8	25.5-36.1	138	23.3	18.8-27.8	110	18.1	14.0-22.2
45-54	923	784,234	15	1.7	0.5- 2.9	231	21.0	17.7-24.3	317	37.8	33.5-42.1	192	20.8	17.1-24.5	168	18.8	15.1-22.5
55-64	1215	784,341	16	1.1	0.5- 1.7	298	24.9	21.8-28.0	424	33.3	30.0-36.6	291	25.4	22.1-28.7	186	15.3	12.8-17.8
65+	1965	999,390	27	1.4	0.8- 2.0	655	31.3	28.6-34.0	742	38.9	36.0-41.8	361	18.8	16.4-21.2	180	9.7	7.9-11.5
Less Than H.S.	605	699,294	17	3.3	1.1- 5.5	177	29.0	23.9-34.1	211	32.6	27.1-38.1	108	19.2	14.5-23.9	92	16.0	11.9-20.1
H.S. or G.E.D.	1831	1,579,878	27	1.1	0.5- 1.7	545	30.5	27.4-33.6	607	31.8	28.7-34.9	381	20.5	18.0-23.0	271	16.2	13.7-18.7
Some Post-H.S.	1473	1,389,910	13	0.9	0.1- 1.7	419	27.6	24.3-30.9	510	34.6	31.3-37.9	300	21.1	18.2-24.0	231	15.9	13.2-18.6
College Graduate	1739	1,097,392	17	1.5	0.5- 2.5	575	33.6	30.5-36.7	637	36.7	33.6-39.8	333	18.2	15.8-20.6	177	10.0	8.0-12.0
Less than \$15,000	618	452,215	17	4.1	1.0- 7.2	184	28.5	23.4-33.6	185	33.4	27.7-39.1	103	15.3	11.4-19.2	129	18.7	14.0-23.4
\$15,000- 24,999	929	772,270	15	1.9	0.5- 3.3	284	31.1	26.8-35.4	303	29.3	25.2-33.4	176	19.2	15.3-23.1	151	18.5	14.6-22.4
\$25,000- 34,999	575	487,737	9	1.1	0.1- 2.1	154	26.7	21.6-31.8	201	33.1	27.2-39.0	120	23.5	18.4-28.6	91	15.7	11.6-19.8
\$35,000- 49,999	769	653,427	9	1.2	0.2- 2.2	210	28.4	23.7-33.1	284	32.7	28.0-37.4	150	18.1	14.4-21.8	116	19.6	14.9-24.3
\$50,000- 74,999	714	656,564	4	0.9	0.0- 1.9	186	24.4	19.5-29.3	270	40.4	34.9-45.9	158	22.3	17.8-26.8	96	11.9	8.8-15.0
\$75,000+	1164	1,044,424	6	0.7	0.0- 1.5	379	32.1	28.4-35.8	419	35.6	31.7-39.5	257	21.5	18.2-24.8	103	10.0	7.5-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2515	2,410,383	20	1.1	0.5- 1.7	624	25.5	23.1-27.9	977	37.8	35.1-40.5	589	22.4	20.2-24.6	305	13.2	11.2-15.2
White/Non-Hisp	2054	1,829,861	16	1.0	0.2- 1.8	484	23.8	21.3-26.3	825	40.0	37.1-42.9	490	23.2	20.7-25.7	239	11.9	10.1-13.7
Black or Afr. Am./Non-Hisp	246	339,297	2	1.5	0.0- 3.9	65	26.3	18.7-33.9	86	33.4	25.4-41.4	60	21.7	14.6-28.8	33	17.0	10.1-23.9
Oth. Race/Non-Hisp.	61	73,038				23	38.4	20.4-56.4	22	35.1	16.7-53.5	8	15.2	3.8-26.6	8	11.2	1.4-21.0
MultiRacial/Non-Hisp.	53	29,279	2	5.1	0.0-12.0	14	26.6	10.3-42.9	14	21.6	7.7-35.5	10	28.7	6.9-50.5	13	18.0	4.3-31.7
Hispanic	61	106,935				24	36.0	19.9-52.1	18	25.4	11.7-39.1	10	13.9	3.9-23.9	9	24.8	6.8-42.8
18-24	198	302,931	2	0.8	0.0- 2.0	90	47.8	39.2-56.4	61	28.3	20.5-36.1	31	15.7	9.4-22.0	14	7.4	2.9-11.9
25-34	276	413,043	3	2.0	0.0- 4.5	80	28.1	21.2-35.0	109	38.2	30.9-45.5	47	16.0	10.7-21.3	37	15.7	9.8-21.6
35-44	284	400,442	4	1.6	0.0- 3.8	55	21.5	14.2-28.8	100	34.8	27.2-42.4	83	26.8	20.1-33.5	42	15.2	9.5-20.9
45-54	390	399,649	4	1.1	0.0- 2.3	70	15.6	11.3-19.9	145	40.8	33.9-47.7	103	25.0	18.9-31.1	68	17.5	11.8-23.2
55-64	576	399,116	2	0.4	0.0- 1.0	105	18.4	14.3-22.5	229	37.3	32.2-42.4	159	29.1	24.2-34.0	81	14.8	11.1-18.5
65+	764	463,921	5	0.5	0.0- 1.1	218	27.0	22.9-31.1	317	42.7	38.0-47.4	161	20.8	17.1-24.5	63	9.0	6.3-11.7
Less Than H.S.	233	338,109	5	3.0	0.0- 6.1	65	26.6	18.8-34.4	93	37.5	28.9-46.1	40	18.2	11.5-24.9	30	14.6	7.9-21.3
H.S. or G.E.D.	807	799,420	8	0.7	0.1- 1.3	212	27.9	23.6-32.2	287	34.8	30.1-39.5	182	21.0	17.3-24.7	118	15.5	11.8-19.2
Some Post-H.S.	644	696,623	3	0.7	0.0- 1.9	141	21.8	17.3-26.3	243	37.0	32.1-41.9	173	26.6	21.9-31.3	84	13.9	10.2-17.6
College Graduate	829	574,314	4	0.8	0.0- 1.6	206	25.9	21.8-30.0	353	43.1	38.4-47.8	193	21.7	18.2-25.2	73	8.5	6.0-11.0
Less than \$15,000	210	175,512	5	3.4	0.0- 7.9	65	31.5	22.7-40.3	73	39.1	29.7-48.5	40	16.2	10.1-22.3	27	9.8	4.7-14.9
\$15,000- 24,999	331	317,559	5	2.0	0.0- 4.5	96	29.0	21.7-36.3	115	33.9	26.8-41.0	74	18.6	13.3-23.9	41	16.5	9.4-23.6
\$25,000- 34,999	259	259,638	1	0.2	0.0- 0.6	65	26.9	19.6-34.2	101	34.5	26.9-42.1	56	24.5	16.9-32.1	36	13.8	8.5-19.1
\$35,000- 49,999	376	356,896	2	0.6	0.0- 1.6	84	26.5	20.0-33.0	153	36.3	29.4-43.2	88	21.3	15.8-26.8	49	15.3	9.4-21.2
\$50,000- 74,999	363	369,026	2	0.8	0.0- 2.0	74	19.0	12.5-25.5	143	41.3	33.5-49.1	91	25.3	18.6-32.0	53	13.6	9.1-18.1
\$75,000+	647	626,688	2	0.7	0.0- 1.9	151	24.5	19.8-29.2	264	39.7	34.6-44.8	169	24.6	20.3-28.9	61	10.6	7.3-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (\_BMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3139	2,358,166	54	1.8	1.0- 2.6	1095	35.0	32.5-37.5	990	29.9	27.5-32.3	533	17.3	15.1-19.5	467	16.1	14.1-18.1
White/Non-Hisp	2528	1,770,303	46	1.6	1.0- 2.2	934	38.3	35.6-41.0	806	30.5	28.0-33.0	405	15.8	13.8-17.8	337	13.8	12.0-15.6
Black or Afr. Am./Non-Hisp	429	399,751	5	2.3	0.0- 5.0	90	20.5	14.8-26.2	124	25.7	19.4-32.0	101	23.8	17.3-30.3	109	27.7	20.8-34.6
Oth. Race/Non-Hisp.	54	41,343	2	1.0	0.0- 2.6	20	30.9	15.0-46.8	19	45.0	24.8-65.2	10	15.7	0.4-31.0	3	7.5	0.0-17.9
18-24	145	267,620	1	0.8	0.0- 2.4	73	54.8	45.0-64.6	35	25.3	16.7-33.9	16	8.9	4.0-13.8	20	10.2	4.5-15.9
25-34	284	389,707	4	2.6	0.0- 5.5	114	33.8	26.9-40.7	73	25.1	18.4-31.8	39	18.8	11.7-25.9	54	19.7	13.4-26.0
35-44	308	375,911	1	0.6	0.0- 1.8	98	32.1	25.0-39.2	86	26.4	19.1-33.7	55	19.6	13.1-26.1	68	21.3	15.2-27.4
45-54	532	382,675	11	2.2	0.4- 4.0	161	26.8	22.1-31.5	172	34.8	29.3-40.3	88	16.0	11.9-20.1	100	20.2	15.3-25.1
55-64	639	385,225	14	1.7	0.5- 2.9	193	31.6	26.9-36.3	195	29.2	24.9-33.5	132	21.6	17.3-25.9	105	15.8	12.1-19.5
65+	1200	535,192	22	2.1	0.9- 3.3	437	35.0	31.5-38.5	424	35.6	32.1-39.1	200	17.0	14.1-19.9	117	10.3	7.8-12.8
Less Than H.S.	371	359,274	12	3.5	0.4- 6.6	112	31.4	24.9-37.9	118	28.0	21.1-34.9	67	19.7	13.2-26.2	62	17.4	12.1-22.7
H.S. or G.E.D.	1024	780,458	19	1.4	0.6- 2.2	333	33.1	28.8-37.4	320	28.7	24.8-32.6	199	19.9	16.2-23.6	153	16.8	13.1-20.5
Some Post-H.S.	828	691,960	9	0.9	0.1- 1.7	278	33.4	28.7-38.1	267	32.3	27.6-37.0	127	15.5	11.6-19.4	147	17.9	14.0-21.8
College Graduate	909	522,801	13	2.1	0.3- 3.9	369	42.1	37.4-46.8	283	29.7	25.4-34.0	140	14.3	11.4-17.2	104	11.7	8.8-14.6
Less than \$15,000	408	276,703	12	4.6	0.5- 8.7	119	26.6	20.7-32.5	112	29.8	22.5-37.1	63	14.7	9.6-19.8	102	24.4	17.7-31.1
\$15,000- 24,999	598	454,710	10	1.8	0.4- 3.2	188	32.7	27.2-38.2	188	26.0	21.1-30.9	102	19.6	13.9-25.3	110	19.9	15.4-24.4
\$25,000- 34,999	316	228,099	8	2.1	0.3- 3.9	89	26.4	19.1-33.7	100	31.4	22.4-40.4	64	22.2	15.3-29.1	55	17.8	11.3-24.3
\$35,000- 49,999	393	296,531	7	1.8	0.2- 3.4	126	30.7	24.0-37.4	131	28.3	22.4-34.2	62	14.3	9.4-19.2	67	24.9	17.6-32.2
\$50,000- 74,999	351	287,538	2	1.1	0.0- 3.1	112	31.4	24.1-38.7	127	39.3	31.9-46.7	67	18.5	12.8-24.2	43	9.7	5.8-13.6
\$75,000+	516	415,826	4	0.8	0.0- 2.0	228	43.6	37.5-49.7	155	29.7	24.0-35.4	87	16.6	11.5-21.7	42	9.2	5.5-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5657	4,772,062	106	1.9	1.3- 2.5	1678	29.5	27.7-31.3	1967	33.8	32.0-35.6	1906	34.8	33.0-36.6
Male	2515	2,410,383	24	1.2	0.6- 1.8	612	25.0	22.6-27.4	976	37.6	34.9-40.3	903	36.2	33.5-38.9
Female	3139	2,358,166	81	2.6	1.8- 3.4	1066	34.1	31.7-36.5	990	29.9	27.5-32.3	1002	33.4	30.9-35.9
White/Non-Hisp	4584	3,601,768	87	1.9	1.3- 2.5	1385	30.2	28.2-32.2	1632	35.4	33.4-37.4	1480	32.5	30.5-34.5
Black or Afr. Am./Non-Hisp	675	739,048	9	2.2	0.2- 4.2	152	22.9	18.2-27.6	209	28.3	23.4-33.2	305	46.6	40.9-52.3
Oth. Race/Non-Hisp.	115	114,380	5	0.7	0.0- 1.5	40	35.3	22.4-48.2	41	38.7	24.8-52.6	29	25.3	14.1-36.5
MultiRacial/Non-Hisp.	101	52,969	2	2.8	0.0- 6.7	32	29.8	17.3-42.3	29	24.8	13.6-36.0	38	42.6	27.1-58.1
Hispanic	105	191,603	2	3.2	0.0- 7.5	42	36.4	24.4-48.4	30	21.4	12.2-30.6	31	39.1	25.8-52.4
18-24	343	570,551	8	2.0	0.4- 3.6	156	49.2	42.5-55.9	96	26.3	20.8-31.8	83	22.5	17.0-28.0
25-34	561	804,076	11	2.7	0.7- 4.7	191	30.6	25.7-35.5	181	31.7	26.8-36.6	178	35.0	29.7-40.3
35-44	592	776,353	8	1.3	0.1- 2.5	148	26.2	21.3-31.1	188	31.0	25.7-36.3	248	41.5	36.0-47.0
45-54	923	784,234	21	2.6	1.2- 4.0	224	20.0	16.9-23.1	317	37.6	33.3-41.9	361	39.8	35.3-44.3
55-64	1215	784,341	17	1.2	0.4- 2.0	294	24.6	21.5-27.7	424	33.4	30.1-36.7	480	40.8	37.3-44.3
65+	1965	999,390	40	1.8	1.0- 2.6	640	30.7	28.2-33.2	741	38.9	36.0-41.8	544	28.6	25.9-31.3
Less Than H.S.	605	699,294	20	3.6	1.2- 6.0	174	28.7	23.6-33.8	211	32.6	27.1-38.1	200	35.2	29.7-40.7
H.S. or G.E.D.	1831	1,579,878	43	1.9	1.1- 2.7	524	29.2	26.1-32.3	609	32.1	29.0-35.2	655	36.7	33.6-39.8
Some Post-H.S.	1473	1,389,910	20	1.3	0.3- 2.3	411	27.1	23.8-30.4	509	34.0	30.7-37.3	533	37.5	34.0-41.0
College Graduate	1739	1,097,392	22	1.6	0.6- 2.6	566	33.3	30.2-36.4	635	36.6	33.5-39.7	516	28.5	25.8-31.2
Less than \$15,000	618	452,215	23	5.0	1.9- 8.1	178	27.6	22.5-32.7	185	33.4	27.7-39.1	232	34.0	28.5-39.5
\$15,000- 24,999	929	772,270	24	3.0	1.4- 4.6	272	29.5	25.2-33.8	305	29.8	25.7-33.9	328	37.8	33.1-42.5
\$25,000- 34,999	575	487,737	12	1.3	0.3- 2.3	150	26.4	21.3-31.5	200	32.9	27.0-38.8	213	39.4	33.5-45.3
\$35,000- 49,999	769	653,427	12	1.5	0.5- 2.5	205	27.7	23.0-32.4	285	32.0	27.5-36.5	267	38.8	33.7-43.9
\$50,000- 74,999	714	656,564	6	1.0	0.0- 2.2	184	24.3	19.4-29.2	269	40.4	34.9-45.9	255	34.2	29.1-39.3
\$75,000+	1164	1,044,424	9	1.1	0.1- 2.1	372	31.5	27.8-35.2	421	35.6	31.7-39.5	362	31.8	28.1-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2515	2,410,383	24	1.2	0.6- 1.8	612	25.0	22.6-27.4	976	37.6	34.9-40.3	903	36.2	33.5-38.9
White/Non-Hisp	2054	1,829,861	20	1.2	0.4- 2.0	472	23.3	20.8-25.8	826	40.2	37.3-43.1	736	35.4	32.7-38.1
Black or Afr. Am./Non-Hisp	246	339,297	2	1.5	0.0- 3.9	65	26.3	18.7-33.9	84	31.3	23.7-38.9	95	40.8	32.2-49.4
Oth. Race/Non-Hisp.	61	73,038				23	38.4	20.4-56.4	22	35.1	16.7-53.5	16	26.5	12.0-41.0
MultiRacial/Non-Hisp.	53	29,279	2	5.1	0.0-12.0	14	26.6	10.3-42.9	14	21.6	7.7-35.5	23	46.7	26.3-67.1
Hispanic	61	106,935				24	36.0	19.9-52.1	18	25.4	11.7-39.1	19	38.6	20.8-56.4
18-24	198	302,931	4	1.4	0.0- 2.8	86	45.9	37.3-54.5	61	27.2	19.9-34.5	47	25.5	17.7-33.3
25-34	276	413,043	3	2.0	0.0- 4.5	80	28.1	21.2-35.0	108	38.0	30.7-45.3	85	31.8	24.7-38.9
35-44	284	400,442	4	1.6	0.0- 3.8	53	21.1	13.8-28.4	102	35.3	27.7-42.9	125	42.0	34.2-49.8
45-54	390	399,649	6	1.3	0.1- 2.5	67	15.2	10.9-19.5	145	40.5	33.6-47.4	172	43.0	35.9-50.1
55-64	576	399,116	2	0.4	0.0- 1.0	103	18.2	14.1-22.3	228	37.3	32.2-42.4	243	44.1	38.8-49.4
65+	764	463,921	5	0.5	0.0- 1.1	217	26.9	22.8-31.0	317	42.7	38.0-47.4	225	29.9	25.6-34.2
Less Than H.S.	233	338,109	5	3.0	0.0- 6.1	65	26.6	18.8-34.4	93	37.5	28.9-46.1	70	32.8	24.4-41.2
H.S. or G.E.D.	807	799,420	11	1.0	0.4- 1.6	204	26.8	22.5-31.1	290	35.5	30.8-40.2	302	36.6	31.9-41.3
Some Post-H.S.	644	696,623	3	0.7	0.0- 1.9	141	21.8	17.3-26.3	241	35.8	30.9-40.7	259	41.7	36.4-47.0
College Graduate	829	574,314	5	0.9	0.1- 1.7	202	25.6	21.5-29.7	351	42.9	38.2-47.6	271	30.6	26.5-34.7
Less than \$15,000	210	175,512	6	3.7	0.0- 8.2	64	31.2	22.4-40.0	73	39.1	29.7-48.5	67	26.0	18.4-33.6
\$15,000- 24,999	331	317,559	5	2.0	0.0- 4.5	93	27.6	20.5-34.7	117	35.2	28.1-42.3	116	35.2	27.6-42.8
\$25,000- 34,999	259	259,638	1	0.2	0.0- 0.6	65	26.9	19.6-34.2	100	34.3	26.7-41.9	93	38.6	30.4-46.8
\$35,000- 49,999	376	356,896	3	0.9	0.0- 1.9	81	25.6	19.1-32.1	154	35.0	28.3-41.7	138	38.5	31.2-45.8
\$50,000- 74,999	363	369,026	3	0.9	0.0- 2.1	73	18.9	12.4-25.4	142	41.3	33.5-49.1	145	38.9	31.5-46.3
\$75,000+	647	626,688	3	0.7	0.0- 1.9	147	24.2	19.5-28.9	265	39.5	34.4-44.6	232	35.5	30.4-40.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (\_BMI5CAT).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3139	2,358,166	81	2.6	1.8- 3.4	1066	34.1	31.7-36.5	990	29.9	27.5-32.3	1002	33.4	30.9-35.9
White/Non-Hisp	2528	1,770,303	66	2.5	1.7- 3.3	913	37.4	34.7-40.1	805	30.5	28.0-33.0	744	29.6	27.1-32.1
Black or Afr. Am./Non-Hisp	429	399,751	7	2.7	0.0- 5.4	87	20.0	14.5-25.5	125	25.8	19.5-32.1	210	51.5	44.1-58.9
Oth. Race/Non-Hisp.	54	41,343	5	2.0	0.0- 4.2	17	29.8	14.1-45.5	19	45.0	24.8-65.2	13	23.1	5.7-40.5
18-24	145	267,620	4	2.8	0.0- 5.9	70	52.9	43.1-62.7	35	25.3	16.7-33.9	36	19.1	11.8-26.4
25-34	284	389,707	7	3.1	0.0- 6.2	111	33.3	26.4-40.2	73	25.1	18.4-31.8	93	38.5	30.5-46.5
35-44	308	375,911	4	1.0	0.0- 2.2	95	31.7	24.6-38.8	86	26.4	19.1-33.7	123	40.9	33.3-48.5
45-54	532	382,675	15	4.0	1.3- 6.7	157	25.1	20.6-29.6	172	34.8	29.3-40.3	188	36.1	30.4-41.8
55-64	639	385,225	15	2.0	0.6- 3.4	191	31.2	26.5-35.9	196	29.3	25.0-33.6	237	37.5	32.6-42.4
65+	1200	535,192	35	3.0	1.8- 4.2	423	34.1	30.6-37.6	423	35.5	32.0-39.0	319	27.4	23.9-30.9
Less Than H.S.	371	359,274	15	4.1	1.0- 7.2	109	30.8	24.3-37.3	118	28.0	21.1-34.9	129	37.1	29.8-44.4
H.S. or G.E.D.	1024	780,458	32	2.8	1.4- 4.2	320	31.7	27.4-36.0	319	28.6	24.7-32.5	353	36.8	32.3-41.3
Some Post-H.S.	828	691,960	16	1.7	0.3- 3.1	270	32.5	27.8-37.2	268	32.4	27.7-37.1	274	33.4	28.7-38.1
College Graduate	909	522,801	17	2.5	0.7- 4.3	364	41.7	37.0-46.4	283	29.7	25.4-34.0	245	26.1	22.2-30.0
Less than \$15,000	408	276,703	17	5.7	1.4-10.0	114	25.4	19.5-31.3	112	29.8	22.5-37.1	165	39.1	31.7-46.5
\$15,000- 24,999	598	454,710	19	3.6	1.4- 5.8	179	30.8	25.3-36.3	188	26.0	21.1-30.9	212	39.5	33.4-45.6
\$25,000- 34,999	316	228,099	11	2.5	0.5- 4.5	85	25.9	18.8-33.0	100	31.3	22.3-40.3	120	40.3	31.9-48.7
\$35,000- 49,999	393	296,531	9	2.3	0.5- 4.1	124	30.3	23.6-37.0	131	28.3	22.4-34.2	129	39.1	31.7-46.5
\$50,000- 74,999	351	287,538	3	1.2	0.0- 3.2	111	31.3	24.0-38.6	127	39.3	31.9-46.7	110	28.2	21.7-34.7
\$75,000+	516	415,826	6	1.7	0.0- 3.7	225	42.6	36.5-48.7	156	29.8	24.1-35.5	129	25.9	20.2-31.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5657	4,772,062	1784	31.4	29.6-33.2	3873	68.6	66.8-70.4
Male	2515	2,410,383	636	26.2	23.7-28.7	1879	73.8	71.3-76.3
Female	3139	2,358,166	1147	36.7	34.2-39.2	1992	63.3	60.8-65.8
White/Non-Hisp	4584	3,601,768	1472	32.1	30.1-34.1	3112	67.9	65.9-69.9
Black or Afr. Am./Non-Hisp	675	739,048	161	25.1	20.2-30.0	514	74.9	70.0-79.8
Oth. Race/Non-Hisp.	115	114,380	45	36.0	23.1-48.9	70	64.0	51.1-76.9
MultiRacial/Non-Hisp.	101	52,969	34	32.6	19.7-45.5	67	67.4	54.5-80.3
Hispanic	105	191,603	44	39.6	27.4-51.8	61	60.4	48.2-72.6
18-24	343	570,551	164	51.2	44.7-57.7	179	48.8	42.3-55.3
25-34	561	804,076	202	33.3	28.4-38.2	359	66.7	61.8-71.6
35-44	592	776,353	156	27.5	22.4-32.6	436	72.5	67.4-77.6
45-54	923	784,234	245	22.6	19.3-25.9	678	77.4	74.1-80.7
55-64	1215	784,341	311	25.8	22.7-28.9	904	74.2	71.1-77.3
65+	1965	999,390	680	32.6	29.9-35.3	1285	67.4	64.7-70.1
Less Than H.S.	605	699,294	194	32.3	27.0-37.6	411	67.7	62.4-73.0
H.S. or G.E.D.	1831	1,579,878	567	31.1	28.0-34.2	1264	68.9	65.8-72.0
Some Post-H.S.	1473	1,389,910	431	28.4	25.1-31.7	1042	71.6	68.3-74.9
College Graduate	1739	1,097,392	588	34.9	31.8-38.0	1151	65.1	62.0-68.2
Less than \$15,000	618	452,215	201	32.6	27.1-38.1	417	67.4	61.9-72.9
\$15,000- 24,999	929	772,270	296	32.5	28.0-37.0	633	67.5	63.0-72.0
\$25,000- 34,999	575	487,737	162	27.7	22.6-32.8	413	72.3	67.2-77.4
\$35,000- 49,999	769	653,427	217	29.2	24.5-33.9	552	70.8	66.1-75.5
\$50,000- 74,999	714	656,564	190	25.4	20.5-30.3	524	74.6	69.7-79.5
\$75,000+	1164	1,044,424	381	32.6	28.7-36.5	783	67.4	63.5-71.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2515	2,410,383	636	26.2	23.7-28.7	1879	73.8	71.3-76.3
White/Non-Hisp	2054	1,829,861	492	24.4	21.9-26.9	1562	75.6	73.1-78.1
Black or Afr. Am./Non-Hisp	246	339,297	67	27.9	20.1-35.7	179	72.1	64.3-79.9
Oth. Race/Non-Hisp.	61	73,038	23	38.4	20.4-56.4	38	61.6	43.6-79.6
MultiRacial/Non-Hisp.	53	29,279	16	31.7	14.5-48.9	37	68.3	51.1-85.5
Hispanic	61	106,935	24	36.0	19.9-52.1	37	64.0	47.9-80.1
18-24	198	302,931	90	47.3	38.7-55.9	108	52.7	44.1-61.3
25-34	276	413,043	83	30.1	23.0-37.2	193	69.9	62.8-77.0
35-44	284	400,442	57	22.7	15.4-30.0	227	77.3	70.0-84.6
45-54	390	399,649	73	16.5	12.0-21.0	317	83.5	79.0-88.0
55-64	576	399,116	105	18.6	14.5-22.7	471	81.4	77.3-85.5
65+	764	463,921	222	27.4	23.3-31.5	542	72.6	68.5-76.7
Less Than H.S.	233	338,109	70	29.7	21.5-37.9	163	70.3	62.1-78.5
H.S. or G.E.D.	807	799,420	215	27.8	23.5-32.1	592	72.2	67.9-76.5
Some Post-H.S.	644	696,623	144	22.5	18.0-27.0	500	77.5	73.0-82.0
College Graduate	829	574,314	207	26.5	22.4-30.6	622	73.5	69.4-77.6
Less than \$15,000	210	175,512	70	34.9	25.7-44.1	140	65.1	55.9-74.3
\$15,000- 24,999	331	317,559	98	29.6	22.3-36.9	233	70.4	63.1-77.7
\$25,000- 34,999	259	259,638	66	27.1	19.8-34.4	193	72.9	65.6-80.2
\$35,000- 49,999	376	356,896	84	26.5	20.0-33.0	292	73.5	67.0-80.0
\$50,000- 74,999	363	369,026	76	19.8	13.3-26.3	287	80.2	73.7-86.7
\$75,000+	647	626,688	150	24.9	20.0-29.8	497	75.1	70.2-80.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (\_RFBMI5).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3139	2,358,166	1147	36.7	34.2-39.2	1992	63.3	60.8-65.8
White/Non-Hisp	2528	1,770,303	979	39.9	37.2-42.6	1549	60.1	57.4-62.8
Black or Afr. Am./Non-Hisp	429	399,751	94	22.7	16.6-28.8	335	77.3	71.2-83.4
Oth. Race/Non-Hisp.	54	41,343	22	31.9	15.8-48.0	32	68.1	52.0-84.2
18-24	145	267,620	74	55.6	45.8-65.4	71	44.4	34.6-54.2
25-34	284	389,707	118	36.4	29.1-43.7	166	63.6	56.3-70.9
35-44	308	375,911	99	32.7	25.6-39.8	209	67.3	60.2-74.4
45-54	532	382,675	172	29.1	24.2-34.0	360	70.9	66.0-75.8
55-64	639	385,225	206	33.2	28.3-38.1	433	66.8	61.9-71.7
65+	1200	535,192	458	37.1	33.6-40.6	742	62.9	59.4-66.4
Less Than H.S.	371	359,274	124	34.9	28.0-41.8	247	65.1	58.2-72.0
H.S. or G.E.D.	1024	780,458	352	34.5	30.2-38.8	672	65.5	61.2-69.8
Some Post-H.S.	828	691,960	286	34.2	29.5-38.9	542	65.8	61.1-70.5
College Graduate	909	522,801	381	44.2	39.5-48.9	528	55.8	51.1-60.5
Less than \$15,000	408	276,703	131	31.2	24.5-37.9	277	68.8	62.1-75.5
\$15,000- 24,999	598	454,710	198	34.5	28.8-40.2	400	65.5	59.8-71.2
\$25,000- 34,999	316	228,099	96	28.4	21.1-35.7	220	71.6	64.3-78.9
\$35,000- 49,999	393	296,531	133	32.5	25.8-39.2	260	67.5	60.8-74.2
\$50,000- 74,999	351	287,538	114	32.5	25.2-39.8	237	67.5	60.2-74.8
\$75,000+	516	415,826	231	44.3	38.2-50.4	285	55.7	49.6-61.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6123	5,133,547	4451	63.0	61.2-64.8	766	15.5	14.1-16.9	589	13.3	11.9-14.7	217	5.8	4.8- 6.8	64	1.5	0.9- 2.1	36	0.9	0.5- 1.3
Male	2594	2,471,462	1894	64.2	61.5-66.9	311	14.9	12.9-16.9	264	13.8	11.8-15.8	80	4.5	3.3- 5.7	29	1.9	0.9- 2.9	16	0.7	0.3- 1.1
Female	3526	2,658,571	2554	61.8	59.3-64.3	455	16.1	14.1-18.1	325	12.8	11.0-14.6	137	7.0	5.4- 8.6	35	1.1	0.7- 1.5	20	1.1	0.5- 1.7
White/Non-Hisp	4946	3,864,295	3654	65.4	63.4-67.4	596	14.3	12.9-15.7	465	13.1	11.7-14.5	163	5.5	4.3- 6.7	45	1.2	0.8- 1.6	23	0.6	0.2- 1.0
Black or Afr. Am./Non-Hisp	749	807,969	513	55.8	50.3-61.3	108	20.1	15.6-24.6	78	14.2	10.3-18.1	31	5.5	3.0- 8.0	9	2.0	0.2- 3.8	10	2.5	0.5- 4.5
Oth. Race/Non-Hisp.	122	119,004	79	56.9	43.4-70.4	20	18.6	9.2-28.0	14	14.2	4.2-24.2	5	3.0	0.3- 5.7	4	7.3	0.0-18.7			
MultiRacial/Non-Hisp.	103	53,823	81	71.5	56.8-86.2	9	5.5	1.6- 9.4	8	15.9	1.8-30.0	2	3.0	0.0- 7.9	2	1.0	0.0- 2.6	1	3.0	0.0- 8.7
Hispanic	116	212,340	60	50.7	38.5-62.9	21	17.7	9.7-25.7	18	13.3	5.5-21.1	11	14.2	4.8-23.6	4	2.6	0.0- 5.5	2	1.4	0.0- 3.4
18-24	376	634,409	242	65.7	59.8-71.6	84	20.7	15.8-25.6	31	7.3	4.4-10.2	13	4.7	1.6- 7.8	3	0.9	0.0- 2.1	3	0.7	0.0- 1.5
25-34	605	859,384	237	40.2	35.1-45.3	133	18.3	14.6-22.0	140	24.3	19.8-28.8	69	13.7	9.8-17.6	19	2.3	0.9- 3.7	7	1.1	0.1- 2.1
35-44	637	825,906	169	26.5	21.8-31.2	155	24.0	19.3-28.7	204	30.9	26.0-35.8	78	13.1	9.4-16.8	21	3.3	1.3- 5.3	10	2.2	0.4- 4.0
45-54	998	843,331	606	59.1	54.8-63.4	198	20.3	17.0-23.6	134	13.8	10.9-16.7	34	3.3	1.9- 4.7	16	2.3	0.3- 4.3	10	1.3	0.3- 2.3
55-64	1307	838,302	1128	84.5	82.0-87.0	109	9.7	7.5-11.9	50	4.1	2.7- 5.5	13	1.2	0.4- 2.0	4	0.4	0.0- 0.8	3	0.2	0.0- 0.6
65+	2105	1,067,979	1992	93.0	91.4-94.6	79	5.0	3.8- 6.2	22	1.4	0.6- 2.2	9	0.5	0.1- 0.9	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4
Less Than H.S.	646	754,447	493	67.5	61.8-73.2	80	16.9	12.2-21.6	38	6.9	4.2- 9.6	19	5.6	2.3- 8.9	9	1.2	0.2- 2.2	7	2.0	0.2- 3.8
H.S. or G.E.D.	1990	1,705,460	1474	61.5	58.2-64.8	245	15.3	12.9-17.7	166	13.1	10.6-15.6	72	7.3	5.1- 9.5	20	2.2	0.8- 3.6	13	0.7	0.3- 1.1
Some Post-H.S.	1607	1,502,761	1120	60.8	57.3-64.3	221	16.3	13.8-18.8	175	14.7	12.2-17.2	62	5.8	4.0- 7.6	20	1.4	0.6- 2.2	9	1.1	0.3- 1.9
College Graduate	1866	1,163,667	1350	64.9	61.8-68.0	220	14.1	11.9-16.3	210	16.0	13.5-18.5	64	3.9	2.7- 5.1	15	0.8	0.4- 1.2	7	0.3	0.0- 0.7
Less than \$15,000	656	487,511	509	71.0	65.5-76.5	68	15.0	10.7-19.3	51	7.7	5.0-10.4	22	5.7	2.4- 9.0	5	0.4	0.0- 0.8	1	0.1	0.0- 0.3
\$15,000- 24,999	982	822,406	719	63.1	58.4-67.8	123	14.9	11.8-18.0	87	12.0	8.5-15.5	36	7.2	4.1-10.3	9	1.6	0.0- 3.2	8	1.1	0.1- 2.1
\$25,000- 34,999	622	519,358	459	62.4	56.3-68.5	79	18.4	13.1-23.7	44	8.8	5.5-12.1	26	6.7	3.4-10.0	11	3.2	0.8- 5.6	3	0.5	0.0- 1.1
\$35,000- 49,999	816	690,912	591	62.2	57.1-67.3	113	15.6	11.9-19.3	77	15.1	11.2-19.0	22	4.0	2.0- 6.0	7	1.7	0.0- 3.9	6	1.4	0.0- 2.8
\$50,000- 74,999	749	685,150	523	59.7	54.2-65.2	92	15.7	11.6-19.8	85	15.4	11.3-19.5	37	6.9	3.8-10.0	7	1.0	0.0- 2.0	5	1.2	0.0- 2.6
\$75,000+	1212	1,084,177	765	53.9	50.0-57.8	185	17.0	14.1-19.9	183	20.0	16.7-23.3	53	7.0	4.5- 9.5	17	1.5	0.5- 2.5	9	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2594	2,471,462	1894	64.2	61.5-66.9	311	14.9	12.9-16.9	264	13.8	11.8-15.8	80	4.5	3.3- 5.7	29	1.9	0.9- 2.9	16	0.7	0.3- 1.1
White/Non-Hisp	2107	1,869,208	1558	65.6	62.7-68.5	245	14.0	11.8-16.2	207	13.6	11.2-16.0	64	4.9	3.3- 6.5	21	1.5	0.7- 2.3	12	0.5	0.1- 0.9
Black or Afr. Am./Non-Hisp	260	348,523	181	56.4	47.8-65.0	32	19.4	12.0-26.8	32	17.0	10.3-23.7	8	2.5	0.0- 5.2	4	2.8	0.0- 6.3	3	2.1	0.0- 4.5
Oth. Race/Non-Hisp.	64	74,353	42	60.4	41.6-79.2	12	16.5	5.1-27.9	6	10.3	0.0-22.5	3	3.0	0.0- 6.5	1	9.8	0.0-27.4			
MultiRacial/Non-Hisp.	55	30,133	45	70.8	49.0-92.6	3	3.2	0.0- 7.1	5	24.1	1.8-46.4				2	1.9	0.0- 4.8			
Hispanic	66	115,448	40	65.3	51.0-79.6	11	15.4	5.4-25.4	10	10.2	2.8-17.6	3	6.5	0.0-14.3	1	1.3	0.0- 3.8	1	1.2	0.0- 3.6
18-24	207	323,077	140	66.3	58.1-74.5	41	20.1	13.0-27.2	19	9.6	4.7-14.5	5	2.7	0.0- 5.6	2	1.4	0.0- 3.8			
25-34	286	424,166	142	47.7	40.3-55.1	54	18.2	12.9-23.5	52	21.1	14.6-27.6	27	9.4	4.7-14.1	8	2.6	0.2- 5.0	3	1.0	0.0- 2.4
35-44	291	409,926	92	30.9	23.5-38.3	57	19.5	13.0-26.0	98	32.8	25.5-40.1	29	11.4	6.7-16.1	11	4.1	0.8- 7.4	4	1.4	0.0- 3.2
45-54	404	408,578	247	58.3	51.6-65.0	79	20.5	15.2-25.8	56	14.8	10.1-19.5	12	2.9	0.9- 4.9	6	2.8	0.0- 6.3	4	0.8	0.0- 1.8
55-64	590	406,502	506	84.0	80.1-87.9	50	9.7	6.4-13.0	25	4.4	2.4- 6.4	5	0.9	0.1- 1.7	2	0.6	0.0- 1.4	2	0.4	0.0- 1.2
65+	785	473,182	742	93.2	90.8-95.6	27	4.6	2.6- 6.6	13	1.8	0.4- 3.2	1	0.0	0.0- 0.0				2	0.4	0.0- 1.0
Less Than H.S.	245	359,510	184	68.4	60.2-76.6	32	18.2	10.9-25.5	16	7.2	2.7-11.7	7	4.0	0.7- 7.3	2	0.5	0.0- 1.3	4	1.7	0.0- 3.5
H.S. or G.E.D.	842	825,529	604	61.6	56.7-66.5	105	14.0	10.9-17.1	84	13.9	10.2-17.6	31	6.6	3.9- 9.3	13	3.4	0.9- 5.9	5	0.4	0.0- 0.8
Some Post-H.S.	651	697,930	458	60.8	55.5-66.1	82	15.9	11.8-20.0	78	17.1	12.8-21.4	22	3.5	1.7- 5.3	8	1.7	0.3- 3.1	3	0.9	0.0- 1.9
College Graduate	853	585,701	645	68.9	64.4-73.4	92	12.8	9.9-15.7	86	14.0	10.3-17.7	20	3.2	1.4- 5.0	6	0.8	0.0- 1.6	4	0.3	0.0- 0.7
Less than \$15,000	217	186,557	176	77.0	69.0-85.0	21	14.9	8.0-21.8	15	6.6	1.7-11.5	4	1.3	0.0- 2.7	1	0.2	0.0- 0.6			
\$15,000- 24,999	339	325,749	267	70.5	63.1-77.9	28	10.9	6.2-15.6	24	11.0	5.3-16.7	10	2.7	0.5- 4.9	6	3.4	0.0- 7.1	4	1.6	0.0- 3.4
\$25,000- 34,999	270	264,981	201	65.6	57.8-73.4	35	16.5	10.4-22.6	20	9.0	4.1-13.9	9	5.1	1.4- 8.8	5	3.8	0.0- 7.7			
\$35,000- 49,999	382	361,621	270	62.2	54.9-69.5	63	17.8	12.3-23.3	37	13.8	8.7-18.9	7	3.0	0.5- 5.5	4	2.9	0.0- 6.8	1	0.4	0.0- 1.2
\$50,000- 74,999	367	370,597	263	61.0	53.2-68.8	44	16.6	9.9-23.3	39	13.8	8.1-19.5	15	6.1	2.4- 9.8	3	1.1	0.0- 2.5	3	1.4	0.0- 3.2
\$75,000+	652	628,890	419	52.7	47.4-58.0	89	15.6	11.7-19.5	100	21.5	16.8-26.2	29	7.9	4.4-11.4	9	1.5	0.1- 2.9	6	0.7	0.0- 1.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (\_CHLDCNT).  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3526	2,658,571	2554	61.8	59.3-64.3	455	16.1	14.1-18.1	325	12.8	11.0-14.6	137	7.0	5.4- 8.6	35	1.1	0.7- 1.5	20	1.1	0.5- 1.7
White/Non-Hisp	2837	1,993,484	2094	65.2	62.7-67.7	351	14.5	12.7-16.3	258	12.6	10.6-14.6	99	6.0	4.2- 7.8	24	0.9	0.5- 1.3	11	0.7	0.1- 1.3
Black or Afr. Am./Non-Hisp	489	459,445	332	55.4	48.3-62.5	76	20.6	14.9-26.3	46	12.1	7.4-16.8	23	7.8	3.7-11.9	5	1.4	0.0- 3.0	7	2.8	0.1- 5.5
Oth. Race/Non-Hisp.	58	44,651	37	51.1	32.1-70.1	8	22.1	6.2-38.0	8	20.8	3.9-37.7	2	3.0	0.0- 7.3	3	3.0	0.0- 6.7			
Hispanic	50	96,892	20	33.4	16.9-49.9	10	20.5	7.6-33.4	8	17.0	2.9-31.1	8	23.5	6.3-40.7	3	4.1	0.0- 9.6	1	1.5	0.0- 4.4
18-24	169	311,332	102	65.2	56.6-73.8	43	21.4	14.3-28.5	12	5.1	1.8- 8.4	8	6.8	1.3-12.3	1	0.2	0.0- 0.6	3	1.3	0.0- 2.9
25-34	318	433,892	94	32.8	25.5-40.1	79	18.5	13.4-23.6	88	27.5	20.8-34.2	42	17.9	11.6-24.2	11	2.0	0.6- 3.4	4	1.2	0.0- 2.4
35-44	346	415,980	77	22.2	16.7-27.7	98	28.4	21.7-35.1	106	29.1	22.6-35.6	49	14.8	8.9-20.7	10	2.6	0.4- 4.8	6	2.9	0.0- 6.0
45-54	593	432,842	358	59.7	54.4-65.0	119	20.2	15.9-24.5	78	12.9	9.6-16.2	22	3.6	1.8- 5.4	10	1.8	0.4- 3.2	6	1.8	0.0- 3.8
55-64	717	431,800	622	84.9	81.4-88.4	59	9.7	6.8-12.6	25	3.7	1.9- 5.5	8	1.5	0.3- 2.7	2	0.2	0.0- 0.4	1	0.0	0.0- 0.0
65+	1319	594,520	1249	92.7	90.7-94.7	52	5.3	3.5- 7.1	9	1.1	0.1- 2.1	8	0.8	0.2- 1.4	1	0.2	0.0- 0.6			
Less Than H.S.	400	393,026	308	66.5	58.9-74.1	48	15.8	9.5-22.1	22	6.7	3.2-10.2	12	7.0	1.5-12.5	7	1.8	0.2- 3.4	3	2.2	0.0- 5.1
H.S. or G.E.D.	1148	879,931	870	61.3	56.8-65.8	140	16.4	13.1-19.7	82	12.2	8.7-15.7	41	8.0	5.1-10.9	7	1.1	0.1- 2.1	8	0.9	0.1- 1.7
Some Post-H.S.	955	803,505	661	60.7	56.2-65.2	139	16.7	13.4-20.0	97	12.5	9.4-15.6	40	7.7	4.8-10.6	12	1.1	0.3- 1.9	6	1.3	0.1- 2.5
College Graduate	1012	577,689	704	60.8	56.5-65.1	128	15.4	12.1-18.7	124	18.0	14.3-21.7	44	4.6	3.0- 6.2	9	0.7	0.1- 1.3	3	0.4	0.0- 1.0
Less than \$15,000	439	300,954	333	67.2	59.9-74.5	47	15.1	9.4-20.8	36	8.4	5.1-11.7	18	8.5	3.2-13.8	4	0.6	0.0- 1.2	1	0.2	0.0- 0.6
\$15,000- 24,999	643	496,657	452	58.3	52.2-64.4	95	17.6	13.5-21.7	63	12.7	8.4-17.0	26	10.2	5.3-15.1	3	0.5	0.0- 1.1	4	0.8	0.0- 1.6
\$25,000- 34,999	352	254,377	258	59.2	50.4-68.0	44	20.3	11.5-29.1	24	8.5	4.4-12.6	17	8.4	2.9-13.9	6	2.6	0.0- 5.3	3	0.9	0.0- 2.3
\$35,000- 49,999	434	329,291	321	62.1	55.2-69.0	50	13.1	8.4-17.8	40	16.5	10.6-22.4	15	5.2	1.9- 8.5	3	0.4	0.0- 1.0	5	2.6	0.0- 5.3
\$50,000- 74,999	382	314,554	260	58.3	51.0-65.6	48	14.6	9.9-19.3	46	17.3	11.4-23.2	22	7.9	2.8-13.0	4	1.0	0.0- 2.2	2	1.0	0.0- 2.8
\$75,000+	559	453,377	345	55.3	49.4-61.2	96	18.9	14.2-23.6	83	17.9	13.2-22.6	24	5.8	2.7- 8.9	8	1.6	0.2- 3.0	3	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).  
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6145	5,167,412	649	14.6	13.2-16.0	2003	33.4	31.6-35.2	1614	29.2	27.4-31.0	1879	22.7	21.3-24.1
Male	2603	2,486,779	245	14.5	12.1-16.9	847	33.6	31.1-36.1	652	28.2	25.7-30.7	859	23.7	21.7-25.7
Female	3539	2,677,119	403	14.8	12.8-16.8	1156	33.3	30.9-35.7	961	30.2	27.8-32.6	1019	21.8	20.0-23.6
White/Non-Hisp	4961	3,880,646	495	13.9	12.3-15.5	1609	33.1	31.3-34.9	1272	28.3	26.5-30.1	1585	24.7	23.1-26.3
Black or Afr. Am./Non-Hisp	751	813,538	93	14.6	10.5-18.7	264	33.5	28.4-38.6	217	35.9	30.6-41.2	177	16.0	12.7-19.3
Oth. Race/Non-Hisp.	121	118,236	19	18.9	8.5-29.3	24	27.3	13.6-41.0	36	30.7	18.7-42.7	42	23.0	13.4-32.6
MultiRacial/Non-Hisp.	103	53,823	15	22.1	8.8-35.4	33	24.6	14.0-35.2	41	44.4	29.5-59.3	14	8.9	2.2-15.6
Hispanic	118	220,170	13	18.3	7.5-29.1	46	45.8	33.8-57.8	28	19.4	10.6-28.2	31	16.5	9.4-23.6
18-24	376	635,422	19	7.3	3.8-10.8	153	39.7	33.4-46.0	130	39.1	32.8-45.4	74	14.0	10.3-17.7
25-34	608	865,190	29	8.1	4.8-11.4	166	31.8	26.7-36.9	165	29.4	24.7-34.1	248	30.7	26.2-35.2
35-44	641	833,472	41	13.5	8.4-18.6	157	26.2	21.5-30.9	197	32.4	27.5-37.3	246	28.0	23.7-32.3
45-54	1003	849,111	116	17.4	13.7-21.1	324	35.6	31.5-39.7	250	25.9	22.2-29.6	313	21.1	18.2-24.0
55-64	1310	839,684	144	17.6	14.5-20.7	474	34.9	31.6-38.2	309	26.4	23.3-29.5	383	21.1	18.6-23.6
65+	2106	1,068,295	293	21.1	18.6-23.6	711	34.7	32.0-37.4	521	24.4	22.0-26.8	581	19.8	17.8-21.8
Less Than H.S.	649	756,359	649	100.0	100.0- 100									
H.S. or G.E.D.	2003	1,726,973				2003	100.0	100.0- 100						
Some Post-H.S.	1614	1,509,380							1614	100.0	100.0- 100			
College Graduate	1879	1,174,699										1879	100.0	100.0- 100
Less than \$15,000	654	487,160	172	35.1	29.6-40.6	268	37.5	31.8-43.2	151	21.0	16.5-25.5	63	6.4	4.0- 8.8
\$15,000- 24,999	982	823,777	172	23.9	19.6-28.2	429	43.9	39.2-48.6	269	24.2	20.5-27.9	112	8.0	5.8-10.2
\$25,000- 34,999	622	519,358	58	15.6	10.3-20.9	263	41.7	36.0-47.4	162	28.9	23.4-34.4	139	13.8	10.7-16.9
\$35,000- 49,999	815	690,397	34	5.9	3.7- 8.1	292	38.0	33.1-42.9	252	35.6	30.7-40.5	237	20.5	17.0-24.0
\$50,000- 74,999	749	685,150	12	6.3	1.6-11.0	193	30.1	25.2-35.0	233	34.8	29.9-39.7	311	28.7	24.4-33.0
\$75,000+	1213	1,085,681	15	2.6	1.0- 4.2	151	16.9	13.8-20.0	281	32.5	28.6-36.4	766	48.0	44.1-51.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2603	2,486,779	245	14.5	12.3-16.7	847	33.6	31.1-36.1	652	28.2	25.7-30.7	859	23.7	21.7-25.7
White/Non-Hisp	2112	1,874,088	185	14.0	11.5-16.5	676	33.0	30.3-35.7	510	26.4	23.9-28.9	741	26.6	24.2-29.0
Black or Afr. Am./Non-Hisp	261	351,058	31	14.2	7.9-20.5	93	31.5	23.9-39.1	84	41.8	33.4-50.2	53	12.5	8.0-17.0
Oth. Race/Non-Hisp.	64	74,353	8	18.3	3.8-32.8	14	28.7	9.7-47.7	18	29.0	13.3-44.7	24	23.9	11.2-36.6
MultiRacial/Non-Hisp.	55	30,133	9	16.4	4.8-28.0	18	25.1	11.0-39.2	21	47.4	27.4-67.4	7	11.1	0.1-22.1
Hispanic	68	123,278	7	18.8	3.9-33.7	31	50.9	34.6-67.2	12	15.3	4.9-25.7	18	15.1	6.1-24.1
18-24	208	324,833	14	10.8	4.9-16.7	83	38.3	30.3-46.3	70	37.4	29.0-45.8	41	13.5	8.6-18.4
25-34	287	425,670	12	6.0	2.3-9.7	92	34.3	27.0-41.6	74	28.7	22.0-35.4	109	31.0	24.5-37.5
35-44	292	411,985	20	13.7	6.1-21.3	79	28.4	21.5-35.3	86	32.6	25.3-39.9	107	25.3	19.4-31.2
45-54	406	409,805	43	17.9	11.4-24.4	154	40.3	33.6-47.0	82	20.8	15.5-26.1	127	21.0	16.5-25.5
55-64	591	405,973	69	19.4	14.5-24.3	213	33.7	29.0-38.4	133	25.6	20.9-30.3	176	21.3	17.6-25.0
65+	785	473,182	84	18.4	14.3-22.5	222	29.3	25.2-33.4	196	25.5	21.6-29.4	283	26.8	23.1-30.5
Less Than H.S.	245	359,510	245	100.0	100.0- 100									
H.S. or G.E.D.	847	836,502				847	100.0	100.0- 100						
Some Post-H.S.	652	700,464							652	100.0	100.0- 100			
College Graduate	859	590,302										859	100.0	100.0- 100
Less than \$15,000	217	186,557	59	38.7	29.3-48.1	83	31.6	23.0-40.2	44	22.3	14.3-30.3	31	7.4	4.1-10.7
\$15,000- 24,999	339	325,749	58	22.9	16.0-29.8	150	44.9	37.3-52.5	87	23.1	17.0-29.2	44	9.1	5.2-13.0
\$25,000- 34,999	270	264,981	35	17.5	11.0-24.0	113	43.6	35.6-51.6	70	27.4	20.0-34.8	52	11.5	7.6-15.4
\$35,000- 49,999	382	361,621	18	7.7	4.0-11.4	143	39.9	32.8-47.0	121	34.0	26.9-41.1	100	18.3	13.6-23.0
\$50,000- 74,999	367	370,597	11	11.4	3.2-19.6	110	32.1	25.2-39.0	106	30.8	24.1-37.5	140	25.7	19.8-31.6
\$75,000+	653	630,394	11	3.6	1.1- 6.1	90	17.8	13.5-22.1	154	33.2	27.9-38.5	398	45.4	40.3-50.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (\_EDUCAG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3539	2,677,119	403	14.8	12.8-16.8	1156	33.3	30.9-35.7	961	30.2	27.8-32.6	1019	21.8	20.0-23.6
White/Non-Hisp	2847	2,004,955	310	13.8	12.0-15.6	933	33.2	30.7-35.7	761	30.1	27.6-32.6	843	22.9	20.9-24.9
Black or Afr. Am./Non-Hisp	490	462,481	62	14.9	9.6-20.2	171	35.0	28.1-41.9	133	31.5	24.8-38.2	124	18.6	13.9-23.3
Oth. Race/Non-Hisp.	57	43,883	11	20.0	6.5-33.5	10	24.9	6.3-43.5	18	33.5	15.3-51.7	18	21.6	7.1-36.1
Hispanic	50	96,892	6	17.8	1.9-33.7	15	39.3	21.7-56.9	16	24.6	9.7-39.5	13	18.3	7.1-29.5
18-24	168	310,589	5	3.5	0.0- 7.0	70	41.1	31.7-50.5	60	40.9	31.7-50.1	33	14.5	9.0-20.0
25-34	320	438,193	17	10.2	4.7-15.7	74	29.5	22.4-36.6	90	29.8	22.9-36.7	139	30.5	24.4-36.6
35-44	349	421,487	21	13.3	6.4-20.2	78	24.1	18.0-30.2	111	32.1	25.4-38.8	139	30.5	24.4-36.6
45-54	596	437,395	72	16.7	12.4-21.0	170	31.2	26.1-36.3	168	30.9	25.8-36.0	186	21.3	17.6-25.0
55-64	719	433,711	75	15.8	11.9-19.7	261	36.0	31.5-40.5	176	27.2	22.9-31.5	207	20.9	17.6-24.2
65+	1320	594,836	209	23.3	20.2-26.4	489	39.0	35.5-42.5	325	23.5	20.6-26.4	297	14.1	12.1-16.1
Less Than H.S.	403	394,939	403	100.0	100.0- 100									
H.S. or G.E.D.	1156	890,471				1156	100.0	100.0- 100						
Some Post-H.S.	961	807,589							961	100.0	100.0- 100			
College Graduate	1019	584,120										1019	100.0	100.0- 100
Less than \$15,000	437	300,603	113	32.9	26.0-39.8	185	41.2	33.9-48.5	107	20.1	14.8-25.4	32	5.8	2.7- 8.9
\$15,000- 24,999	643	498,028	114	24.6	19.3-29.9	279	43.2	37.3-49.1	182	25.0	20.1-29.9	68	7.3	4.8- 9.8
\$25,000- 34,999	352	254,377	23	13.6	5.2-22.0	150	39.8	32.2-47.4	92	30.4	22.6-38.2	87	16.2	11.3-21.1
\$35,000- 49,999	433	328,776	16	4.0	1.8- 6.2	149	35.8	29.1-42.5	131	37.2	30.3-44.1	137	23.0	17.9-28.1
\$50,000- 74,999	382	314,554	1	0.3	0.0- 0.9	83	27.9	21.0-34.8	127	39.4	32.1-46.7	171	32.4	26.1-38.7
\$75,000+	559	453,377	3	0.8	0.0- 1.8	61	15.7	11.0-20.4	127	31.6	25.5-37.7	368	51.9	45.8-58.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 lt 25,000			\$25,000 lt 35,000			\$35,000 lt 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5039	4,293,120	656	11.4	10.2-12.6	983	19.2	17.6-20.8	622	12.1	10.7-13.5	816	16.1	14.7-17.5	1962	41.2	39.2-43.2
Male	2228	2,139,899	217	8.7	7.1-10.3	339	15.2	13.0-17.4	270	12.4	10.4-14.4	382	16.9	14.7-19.1	1020	46.8	43.9-49.7
Female	2810	2,151,311	439	14.0	12.0-16.0	644	23.2	20.8-25.6	352	11.8	10.0-13.6	434	15.3	13.3-17.3	941	35.7	33.2-38.2
White/Non-Hisp	4069	3,208,944	443	8.8	7.6-10.0	749	17.4	15.8-19.0	484	11.9	10.5-13.3	681	15.8	14.2-17.4	1712	46.1	43.9-48.3
Black or Afr. Am./Non-Hisp	637	707,468	144	20.7	16.0-25.4	156	23.5	18.6-28.4	86	11.2	7.9-14.5	92	16.5	12.0-21.0	159	28.2	22.7-33.7
Oth. Race/Non-Hisp.	99	96,115	19	16.2	5.6-26.8	24	16.7	7.3-26.1	15	13.8	3.6-24.0	10	16.6	2.1-31.1	31	36.8	22.5-51.1
MultiRacial/Non-Hisp.	85	47,940	25	29.7	15.2-44.2	18	19.7	7.9-31.5	9	7.8	0.5-15.1	10	12.4	2.0-22.8	23	30.4	14.3-46.5
Hispanic	97	178,792	12	11.2	3.2-19.2	25	35.1	21.4-48.8	14	12.6	5.0-20.2	18	23.3	11.5-35.1	28	17.8	9.8-25.8
18-24	279	471,301	34	13.0	7.9-18.1	71	24.5	18.0-31.0	35	11.6	7.3-15.9	59	21.0	15.1-26.9	80	29.8	22.9-36.7
25-34	539	773,959	54	10.0	6.5-13.5	93	18.0	13.5-22.5	75	13.3	9.6-17.0	103	17.7	13.6-21.8	214	41.0	35.5-46.5
35-44	591	754,203	57	6.9	4.4- 9.4	80	13.8	9.9-17.7	60	11.2	7.3-15.1	82	11.8	8.7-14.9	312	56.3	50.8-61.8
45-54	882	748,315	115	12.4	9.5-15.3	131	16.5	12.8-20.2	87	9.8	7.1-12.5	121	14.3	10.8-17.8	428	47.0	42.3-51.7
55-64	1100	696,238	168	14.2	11.5-16.9	197	18.0	15.1-20.9	131	12.0	9.5-14.5	161	14.8	12.1-17.5	443	41.0	37.3-44.7
65+	1612	820,670	225	12.5	10.5-14.5	407	26.2	23.3-29.1	225	14.2	11.8-16.6	284	18.1	15.6-20.6	471	29.1	26.2-32.0
Less Than H.S.	463	561,834	172	30.4	24.9-35.9	172	35.1	29.0-41.2	58	14.4	9.3-19.5	34	7.3	4.6-10.0	27	12.8	6.7-18.9
H.S. or G.E.D.	1596	1,413,071	268	12.9	10.5-15.3	429	25.6	22.5-28.7	263	15.3	12.9-17.7	292	18.6	15.9-21.3	344	27.6	24.3-30.9
Some Post-H.S.	1348	1,287,873	151	7.9	6.1- 9.7	269	15.5	13.0-18.0	162	11.6	9.1-14.1	252	19.1	16.0-22.2	514	45.9	42.2-49.6
College Graduate	1628	1,028,746	63	3.0	1.8- 4.2	112	6.4	4.6- 8.2	139	7.0	5.4- 8.6	237	13.8	11.4-16.2	1077	69.8	66.7-72.9
Less than \$15,000	656	487,511	656	100.0	100.0- 100												
\$15,000- 24,999	983	824,508				983	100.0	100.0- 100									
\$25,000- 34,999	622	519,358							622	100.0	100.0- 100						
\$35,000- 49,999	816	690,912										816	100.0	100.0- 100			
\$50,000- 74,999	749	685,150													749	100.0	100.0- 100
\$75,000+	1213	1,085,681													1213	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2228	2,139,899	217	8.7	7.1-10.3	339	15.2	13.0-17.4	270	12.4	10.4-14.4	382	16.9	14.7-19.1	1020	46.8	43.9-49.7
White/Non-Hisp	1819	1,621,351	139	6.8	5.2- 8.4	251	12.5	10.5-14.5	210	12.4	10.2-14.6	327	16.7	14.5-18.9	892	51.6	48.5-54.7
Black or Afr. Am./Non-Hisp	227	311,860	42	13.7	8.2-19.2	47	23.2	15.2-31.2	30	11.7	6.4-17.0	34	17.1	10.0-24.2	74	34.4	25.6-43.2
Oth. Race/Non-Hisp.	54	60,878	11	18.0	2.5-33.5	11	17.4	4.3-30.5	10	18.0	2.7-33.3	6	18.7	0.0-39.7	16	27.9	12.0-43.8
Hispanic	57	97,376	7	12.8	0.5-25.1	13	32.0	13.4-50.6	9	11.2	2.6-19.8	10	23.1	6.6-39.6	18	20.9	9.1-32.7
18-24	156	248,962	17	13.5	6.2-20.8	29	19.3	11.5-27.1	19	10.5	5.2-15.8	37	26.8	17.8-35.8	54	29.9	21.3-38.5
25-34	256	383,810	16	3.1	1.1- 5.1	35	13.6	8.3-18.9	39	15.4	9.5-21.3	54	19.5	13.2-25.8	112	48.3	40.5-56.1
35-44	278	389,829	20	4.6	1.7- 7.5	25	9.7	4.6-14.8	24	9.2	4.9-13.5	39	11.2	7.1-15.3	170	65.3	58.0-72.6
45-54	357	363,225	34	10.0	5.7-14.3	42	14.3	8.4-20.2	37	11.7	6.8-16.6	55	14.2	9.1-19.3	189	49.9	42.6-57.2
55-64	518	355,913	77	14.7	10.4-19.0	86	17.6	13.5-21.7	60	10.2	7.1-13.3	67	13.2	9.3-17.1	228	44.3	38.8-49.8
65+	651	387,626	51	8.4	5.7-11.1	122	19.0	14.9-23.1	89	16.5	12.6-20.4	129	19.8	15.7-23.9	260	36.4	31.7-41.1
Less Than H.S.	192	286,151	59	25.2	17.6-32.8	58	26.1	17.9-34.3	35	16.2	9.9-22.5	18	9.8	5.1-14.5	22	22.7	11.9-33.5
H.S. or G.E.D.	689	696,171	83	8.5	6.0-11.0	150	21.0	16.7-25.3	113	16.6	12.9-20.3	143	20.7	16.4-25.0	200	33.2	28.1-38.3
Some Post-H.S.	582	636,172	44	6.6	4.1- 9.1	87	11.8	8.7-14.9	70	11.4	7.9-14.9	121	19.4	14.9-23.9	260	50.9	45.4-56.4
College Graduate	765	521,405	31	2.6	1.4- 3.8	44	5.7	3.3- 8.1	52	5.9	3.9- 7.9	100	12.7	9.6-15.8	538	73.1	69.0-77.2
Less than \$15,000	217	186,557	217	100.0	100.0- 100												
\$15,000- 24,999	339	325,749				339	100.0	100.0- 100									
\$25,000- 34,999	270	264,981							270	100.0	100.0- 100						
\$35,000- 49,999	382	361,621										382	100.0	100.0- 100			
\$50,000- 74,999	367	370,597													367	100.0	100.0- 100
\$75,000+	653	630,394													653	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (\_INCOMG).**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2810	2,151,311	439	14.0	12.2-15.8	644	23.2	20.8-25.6	352	11.8	10.0-13.6	434	15.3	13.3-17.3	941	35.7	33.2-38.2
White/Non-Hisp	2250	1,587,593	304	10.9	9.3-12.5	498	22.5	20.0-25.0	274	11.3	9.5-13.1	354	14.9	12.9-16.9	820	40.5	37.6-43.4
Black or Afr. Am./Non-Hisp	410	395,608	102	26.2	19.3-33.1	109	23.7	17.4-30.0	56	10.8	6.7-14.9	58	16.1	10.4-21.8	85	23.3	16.6-30.0
18-24	123	222,339	17	12.5	5.6-19.4	42	30.4	20.2-40.6	16	12.9	5.8-20.0	22	14.5	7.6-21.4	26	29.7	18.9-40.5
25-34	283	390,149	38	16.7	10.4-23.0	58	22.3	15.4-29.2	36	11.1	6.4-15.8	49	16.0	10.5-21.5	102	33.9	26.5-41.3
35-44	313	364,374	37	9.3	5.4-13.2	55	18.3	12.2-24.4	36	13.2	6.7-19.7	43	12.4	7.7-17.1	142	46.8	39.2-54.4
45-54	524	383,179	81	14.8	10.7-18.9	89	18.7	14.0-23.4	50	8.1	5.6-10.6	66	14.5	9.8-19.2	238	43.9	38.2-49.6
55-64	582	340,325	91	13.6	10.3-16.9	111	18.5	14.4-22.6	71	13.8	9.9-17.7	94	16.6	12.5-20.7	215	37.6	32.5-42.7
65+	961	433,044	174	16.1	13.2-19.0	285	32.6	28.5-36.7	136	12.1	9.6-14.6	155	16.6	13.5-19.7	211	22.5	19.0-26.0
Less Than H.S.	270	273,773	113	36.1	28.1-44.1	114	44.8	36.2-53.4	23	12.7	4.7-20.7	16	4.8	2.3- 7.3	4	1.7	0.0- 3.7
H.S. or G.E.D.	907	716,900	185	17.3	13.6-21.0	279	30.0	25.5-34.5	150	14.1	11.2-17.0	149	16.4	12.9-19.9	144	22.2	17.9-26.5
Some Post-H.S.	766	651,701	107	9.3	6.8-11.8	182	19.1	15.4-22.8	92	11.9	8.4-15.4	131	18.8	14.7-22.9	254	41.0	35.7-46.3
College Graduate	863	507,341	32	3.5	1.5- 5.5	68	7.1	4.7- 9.5	87	8.1	5.6-10.6	137	14.9	11.6-18.2	539	66.4	61.9-70.9
Less than \$15,000	439	300,954	439	100.0	100.0- 100												
\$15,000- 24,999	644	498,759				644	100.0	100.0- 100									
\$25,000- 34,999	352	254,377							352	100.0	100.0- 100						
\$35,000- 49,999	434	329,291										434	100.0	100.0- 100			
\$50,000- 74,999	382	314,554													382	100.0	100.0- 100
\$75,000+	559	453,377													559	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 9: TOBACCO USE CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	99
2	MALES ONLY	100
3	FEMALES ONLY	101
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	102
5	MALES ONLY	103
6	FEMALES ONLY	104

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5904	4,960,284	853	15.1	13.7-16.5	325	6.9	5.9- 7.9	1590	23.8	22.2-25.4	3136	54.1	52.3-55.9
Male	2514	2,400,828	371	15.5	13.5-17.5	154	8.4	6.6-10.2	824	28.1	25.7-30.5	1165	48.0	45.3-50.7
Female	3387	2,555,942	481	14.8	13.0-16.6	171	5.5	4.3- 6.7	765	19.8	17.8-21.8	1970	59.8	57.4-62.2
White/Non-Hisp	4785	3,743,527	705	16.2	14.6-17.8	237	6.0	5.0- 7.0	1373	26.5	24.9-28.1	2470	51.3	49.3-53.3
Black or Afr. Am./Non-Hisp	706	765,061	87	12.5	9.0-16.0	53	8.5	5.2-11.8	128	13.2	9.9-16.5	438	65.8	60.7-70.9
Oth. Race/Non-Hisp.	116	114,162	18	11.9	5.0-18.8	5	9.1	0.0-18.7	31	25.4	12.5-38.3	62	53.6	39.7-67.5
MultiRacial/Non-Hisp.	102	53,680	24	36.4	21.3-51.5	12	9.4	3.1-15.7	20	11.1	4.8-17.4	46	43.2	28.5-57.9
Hispanic	108	205,029	7	3.9	0.2- 7.6	14	17.1	6.3-27.9	19	12.8	6.1-19.5	68	66.1	54.1-78.1
18-24	356	596,097	43	9.4	6.1-12.7	34	9.7	5.8-13.6	31	8.2	5.1-11.3	248	72.7	67.2-78.2
25-34	581	822,266	93	15.6	11.7-19.5	46	8.8	5.5-12.1	88	15.7	12.0-19.4	354	59.9	54.6-65.2
35-44	621	811,396	115	18.3	14.0-22.6	46	6.5	4.1- 8.9	128	19.9	15.4-24.4	332	55.4	49.9-60.9
45-54	961	812,611	206	21.1	17.6-24.6	53	8.7	5.4-12.0	201	21.3	17.8-24.8	501	48.9	44.6-53.2
55-64	1262	811,314	207	17.0	14.3-19.7	77	7.0	4.8- 9.2	388	30.9	27.6-34.2	590	45.1	41.6-48.6
65+	2032	1,036,397	184	10.2	8.2-12.2	67	3.1	2.1- 4.1	728	38.5	35.8-41.2	1053	48.2	45.3-51.1
Less Than H.S.	625	727,117	165	27.5	22.4-32.6	53	11.1	6.8-15.4	197	28.4	23.5-33.3	210	33.0	27.5-38.5
H.S. or G.E.D.	1907	1,651,643	356	18.6	16.2-21.0	128	8.2	6.2-10.2	512	23.6	21.1-26.1	911	49.6	46.3-52.9
Some Post-H.S.	1550	1,446,601	224	13.4	11.2-15.6	87	6.3	4.5- 8.1	420	23.1	20.4-25.8	819	57.3	54.0-60.6
College Graduate	1810	1,130,440	107	4.5	3.3- 5.7	56	3.2	2.2- 4.2	458	22.1	19.6-24.6	1189	70.1	67.4-72.8
Less than \$15,000	637	467,664	170	27.7	22.4-33.0	68	12.0	8.1-15.9	147	18.4	14.7-22.1	252	41.8	35.9-47.7
\$15,000- 24,999	947	794,015	186	21.0	17.5-24.5	71	9.2	5.9-12.5	274	22.8	19.3-26.3	416	47.0	42.3-51.7
\$25,000- 34,999	597	508,729	103	17.9	13.6-22.2	36	7.9	4.6-11.2	167	27.7	22.2-33.2	291	46.5	40.6-52.4
\$35,000- 49,999	794	668,919	101	12.3	9.4-15.2	48	8.5	5.4-11.6	185	22.0	17.9-26.1	460	57.2	52.3-62.1
\$50,000- 74,999	733	671,574	78	12.8	8.5-17.1	30	6.6	3.3- 9.9	223	25.2	21.1-29.3	402	55.4	49.9-60.9
\$75,000+	1192	1,054,574	82	6.9	5.1- 8.7	37	3.8	2.0- 5.6	333	26.2	22.9-29.5	740	63.1	59.4-66.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2514	2,400,828	371	15.5	13.5-17.5	154	8.4	6.6-10.2	824	28.1	25.7-30.5	1165	48.0	45.3-50.7
White/Non-Hisp	2045	1,819,137	289	15.9	13.5-18.3	105	6.8	5.0- 8.6	718	31.5	29.0-34.0	933	45.9	43.0-48.8
Black or Afr. Am./Non-Hisp	247	328,944	44	14.9	9.4-20.4	26	11.6	5.3-17.9	48	15.9	10.2-21.6	129	57.5	49.1-65.9
Oth. Race/Non-Hisp.	63	73,362	9	11.8	2.8-20.8	3	9.2	0.0-21.5	21	30.8	12.6-49.0	30	48.2	30.0-66.4
MultiRacial/Non-Hisp.	54	29,991	17	48.0	28.0-68.0	6	7.2	0.3-14.1	14	13.9	4.9-22.9	17	31.0	13.9-48.1
Hispanic	63	115,674	4	3.2	0.0- 6.9	12	26.9	10.0-43.8	13	13.5	4.7-22.3	34	56.4	39.5-73.3
18-24	199	306,043	21	8.8	4.3-13.3	26	14.6	8.1-21.1	20	10.0	5.3-14.7	132	66.6	58.6-74.6
25-34	275	406,392	45	15.9	10.2-21.6	24	10.6	5.3-15.9	49	17.6	12.1-23.1	157	55.9	48.3-63.5
35-44	286	404,636	48	18.8	12.1-25.5	25	7.3	3.8-10.8	72	23.7	17.2-30.2	141	50.1	42.1-58.1
45-54	387	390,724	73	19.0	13.7-24.3	25	11.6	5.5-17.7	101	26.2	20.1-32.3	188	43.1	36.4-49.8
55-64	574	398,263	101	17.3	13.4-21.2	30	6.1	3.0- 9.2	207	35.5	30.4-40.6	236	41.1	35.8-46.4
65+	758	459,692	81	12.9	9.6-16.2	23	3.0	1.4- 4.6	368	49.4	44.7-54.1	286	34.7	30.4-39.0
Less Than H.S.	237	346,755	77	29.9	21.9-37.9	23	15.0	7.4-22.6	84	28.4	21.5-35.3	53	26.7	18.5-34.9
H.S. or G.E.D.	807	803,551	153	18.8	15.1-22.5	67	10.9	7.6-14.2	274	28.3	24.2-32.4	313	42.1	37.2-47.0
Some Post-H.S.	638	681,730	94	13.1	9.8-16.4	38	6.5	3.8- 9.2	215	29.5	24.8-34.2	291	50.9	45.6-56.2
College Graduate	830	568,054	47	4.8	3.0- 6.6	26	3.3	1.7- 4.9	251	26.2	22.5-29.9	506	65.8	61.7-69.9
Less than \$15,000	213	181,869	78	34.0	25.0-43.0	26	13.5	6.8-20.2	45	14.5	9.2-19.8	64	38.0	28.4-47.6
\$15,000- 24,999	327	314,471	69	21.9	16.0-27.8	29	14.6	7.3-21.9	117	26.9	20.8-33.0	112	36.7	29.3-44.1
\$25,000- 34,999	265	263,433	50	21.8	14.7-28.9	20	8.3	3.4-13.2	104	34.1	26.8-41.4	91	35.8	27.8-43.8
\$35,000- 49,999	373	352,739	51	13.4	9.1-17.7	31	12.2	6.9-17.5	102	23.5	17.4-29.6	189	50.9	43.6-58.2
\$50,000- 74,999	360	364,499	37	15.1	8.2-22.0	19	8.7	3.4-14.0	138	32.3	25.6-39.0	166	43.9	36.1-51.7
\$75,000+	640	609,106	47	7.4	4.7-10.1	16	3.4	0.9- 5.9	200	29.5	24.6-34.4	377	59.6	54.3-64.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (\_SMOKER3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3387	2,555,942	481	14.8	13.0-16.6	171	5.5	4.3- 6.7	765	19.8	17.8-21.8	1970	59.8	57.4-62.2
White/Non-Hisp	2738	1,922,786	415	16.4	14.4-18.4	132	5.4	4.2- 6.6	654	21.8	19.8-23.8	1537	56.4	53.9-58.9
Black or Afr. Am./Non-Hisp	459	436,117	43	10.6	5.9-15.3	27	6.2	2.7- 9.7	80	11.2	7.5-14.9	309	72.0	65.7-78.3
Oth. Race/Non-Hisp.	53	40,800	9	12.1	2.5-21.7	2	8.9	0.0-23.8	10	15.6	3.1-28.1	32	63.3	44.5-82.1
18-24	157	290,054	22	10.1	5.0-15.2	8	4.5	0.8- 8.2	11	6.2	2.3-10.1	116	79.1	72.0-86.2
25-34	305	414,547	47	15.0	9.7-20.3	22	7.1	3.4-10.8	39	14.0	9.1-18.9	197	64.0	56.7-71.3
35-44	335	406,760	67	17.8	12.7-22.9	21	5.6	2.7- 8.5	56	16.0	9.9-22.1	191	60.6	53.3-67.9
45-54	573	419,976	133	23.2	18.7-27.7	28	5.9	3.0- 8.8	100	16.9	13.0-20.8	312	54.0	48.5-59.5
55-64	688	413,050	106	16.7	13.0-20.4	47	7.8	4.7-10.9	181	26.5	22.4-30.6	354	49.0	44.1-53.9
65+	1273	576,429	103	8.0	6.0-10.0	44	3.2	2.0- 4.4	359	29.9	26.6-33.2	767	59.0	55.5-62.5
Less Than H.S.	387	378,452	88	25.4	19.3-31.5	30	7.6	3.7-11.5	113	28.6	21.9-35.3	156	38.4	31.3-45.5
H.S. or G.E.D.	1100	848,092	203	18.4	15.3-21.5	61	5.7	3.7- 7.7	238	19.1	16.0-22.2	598	56.8	52.5-61.1
Some Post-H.S.	911	763,545	129	13.4	10.5-16.3	49	6.1	3.7- 8.5	205	17.4	14.5-20.3	528	63.1	58.8-67.4
College Graduate	979	562,109	60	4.3	2.9- 5.7	30	3.2	1.8- 4.6	206	18.0	14.9-21.1	683	74.5	70.8-78.2
Less than \$15,000	424	285,795	92	23.7	17.4-30.0	42	11.0	6.1-15.9	102	21.0	15.9-26.1	188	44.3	37.0-51.6
\$15,000- 24,999	620	479,544	117	20.5	16.0-25.0	42	5.6	3.2- 8.0	157	20.1	16.0-24.2	304	53.8	47.9-59.7
\$25,000- 34,999	332	245,296	53	13.7	9.2-18.2	16	7.4	2.9-11.9	63	20.9	12.5-29.3	200	58.0	49.4-66.6
\$35,000- 49,999	421	316,181	50	11.2	7.1-15.3	17	4.4	1.9- 6.9	83	20.3	14.8-25.8	271	64.2	57.7-70.7
\$50,000- 74,999	373	307,076	41	10.0	6.1-13.9	11	4.0	0.7- 7.3	85	16.9	12.2-21.6	236	69.0	62.5-75.5
\$75,000+	551	443,558	35	6.2	3.8- 8.6	21	4.4	2.0- 6.8	133	21.7	17.2-26.2	362	67.7	62.4-73.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 9: TOBACCO USE**

**TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5904	4,960,284	4726	77.9	76.3-79.5	1178	22.1	20.5-23.7
Male	2514	2,400,828	1989	76.1	73.6-78.6	525	23.9	21.4-26.4
Female	3387	2,555,942	2735	79.6	77.6-81.6	652	20.4	18.4-22.4
White/Non-Hisp	4785	3,743,527	3843	77.8	76.0-79.6	942	22.2	20.4-24.0
Black or Afr. Am./Non-Hisp	706	765,061	566	79.0	74.5-83.5	140	21.0	16.5-25.5
Oth. Race/Non-Hisp.	116	114,162	93	79.0	68.0-90.0	23	21.0	10.0-32.0
MultiRacial/Non-Hisp.	102	53,680	66	54.2	39.3-69.1	36	45.8	30.9-60.7
Hispanic	108	205,029	87	79.0	68.0-90.0	21	21.0	10.0-32.0
18-24	356	596,097	279	80.9	76.0-85.8	77	19.1	14.2-24.0
25-34	581	822,266	442	75.6	70.9-80.3	139	24.4	19.7-29.1
35-44	621	811,396	460	75.2	70.5-79.9	161	24.8	20.1-29.5
45-54	961	812,611	702	70.2	65.9-74.5	259	29.8	25.5-34.1
55-64	1262	811,314	978	76.0	72.9-79.1	284	24.0	20.9-27.1
65+	2032	1,036,397	1781	86.7	84.7-88.7	251	13.3	11.3-15.3
Less Than H.S.	625	727,117	407	61.4	55.7-67.1	218	38.6	32.9-44.3
H.S. or G.E.D.	1907	1,651,643	1423	73.2	70.3-76.1	484	26.8	23.9-29.7
Some Post-H.S.	1550	1,446,601	1239	80.4	77.7-83.1	311	19.6	16.9-22.3
College Graduate	1810	1,130,440	1647	92.2	90.6-93.8	163	7.8	6.2- 9.4
Less than \$15,000	637	467,664	399	60.3	54.6-66.0	238	39.7	34.0-45.4
\$15,000- 24,999	947	794,015	690	69.8	65.3-74.3	257	30.2	25.7-34.7
\$25,000- 34,999	597	508,729	458	74.2	69.1-79.3	139	25.8	20.7-30.9
\$35,000- 49,999	794	668,919	645	79.2	75.1-83.3	149	20.8	16.7-24.9
\$50,000- 74,999	733	671,574	625	80.7	75.8-85.6	108	19.3	14.4-24.2
\$75,000+	1192	1,054,574	1073	89.3	86.8-91.8	119	10.7	8.2-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2514	2,400,828	1989	76.1	73.6-78.6	525	23.9	21.4-26.4
White/Non-Hisp	2045	1,819,137	1651	77.3	74.6-80.0	394	22.7	20.0-25.4
Black or Afr. Am./Non-Hisp	247	328,944	177	73.4	65.8-81.0	70	26.6	19.0-34.2
Oth. Race/Non-Hisp.	63	73,362	51	79.1	64.6-93.6	12	20.9	6.4-35.4
MultiRacial/Non-Hisp.	54	29,991	31	44.9	26.1-63.7	23	55.1	36.3-73.9
Hispanic	63	115,674	47	69.9	53.0-86.8	16	30.1	13.2-47.0
18-24	199	306,043	152	76.6	69.2-84.0	47	23.4	16.0-30.8
25-34	275	406,392	206	73.5	66.4-80.6	69	26.5	19.4-33.6
35-44	286	404,636	213	73.9	66.6-81.2	73	26.1	18.8-33.4
45-54	387	390,724	289	69.4	62.3-76.5	98	30.6	23.5-37.7
55-64	574	398,263	443	76.6	72.1-81.1	131	23.4	18.9-27.9
65+	758	459,692	654	84.0	80.3-87.7	104	16.0	12.3-19.7
Less Than H.S.	237	346,755	137	55.1	46.1-64.1	100	44.9	35.9-53.9
H.S. or G.E.D.	807	803,551	587	70.3	65.8-74.8	220	29.7	25.2-34.2
Some Post-H.S.	638	681,730	506	80.4	76.3-84.5	132	19.6	15.5-23.7
College Graduate	830	568,054	757	91.9	89.5-94.3	73	8.1	5.7-10.5
Less than \$15,000	213	181,869	109	52.5	42.9-62.1	104	47.5	37.9-57.1
\$15,000- 24,999	327	314,471	229	63.6	55.8-71.4	98	36.4	28.6-44.2
\$25,000- 34,999	265	263,433	195	69.9	62.1-77.7	70	30.1	22.3-37.9
\$35,000- 49,999	373	352,739	291	74.5	68.2-80.8	82	25.5	19.2-31.8
\$50,000- 74,999	360	364,499	304	76.2	68.4-84.0	56	23.8	16.0-31.6
\$75,000+	640	609,106	577	89.2	85.7-92.7	63	10.8	7.3-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 9: TOBACCO USE**

**TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (\_RFSMOK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3387	2,555,942	2735	79.6	77.6-81.6	652	20.4	18.4-22.4
White/Non-Hisp	2738	1,922,786	2191	78.2	76.0-80.4	547	21.8	19.6-24.0
Black or Afr. Am./Non-Hisp	459	436,117	389	83.2	77.5-88.9	70	16.8	11.1-22.5
Oth. Race/Non-Hisp.	53	40,800	42	79.0	62.5-95.5	11	21.0	4.5-37.5
18-24	157	290,054	127	85.3	79.0-91.6	30	14.7	8.4-21.0
25-34	305	414,547	236	77.9	71.6-84.2	69	22.1	15.8-28.4
35-44	335	406,760	247	76.5	70.8-82.2	88	23.5	17.8-29.2
45-54	573	419,976	412	70.9	65.8-76.0	161	29.1	24.0-34.2
55-64	688	413,050	535	75.5	71.0-80.0	153	24.5	20.0-29.0
65+	1273	576,429	1126	88.9	86.7-91.1	147	11.1	8.9-13.3
Less Than H.S.	387	378,452	269	67.0	60.3-73.7	118	33.0	26.3-39.7
H.S. or G.E.D.	1100	848,092	836	75.9	72.4-79.4	264	24.1	20.6-27.6
Some Post-H.S.	911	763,545	733	80.5	76.8-84.2	178	19.5	15.8-23.2
College Graduate	979	562,109	889	92.5	90.5-94.5	90	7.5	5.5- 9.5
Less than \$15,000	424	285,795	290	65.2	58.1-72.3	134	34.8	27.7-41.9
\$15,000- 24,999	620	479,544	461	73.9	69.0-78.8	159	26.1	21.2-31.0
\$25,000- 34,999	332	245,296	263	78.9	72.8-85.0	69	21.1	15.0-27.2
\$35,000- 49,999	421	316,181	354	84.5	79.8-89.2	67	15.5	10.8-20.2
\$50,000- 74,999	373	307,076	321	85.9	81.0-90.8	52	14.1	9.2-19.0
\$75,000+	551	443,558	495	89.4	86.1-92.7	56	10.6	7.3-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 10: E-Cigarettes CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\* \* \* \* \*

TABLE		PAGE
	FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (_ECIGSTS)	
1	MALES AND FEMALES	106
2	MALES ONLY	107
3	FEMALES ONLY	108
	ADULTS WHO ARE CURRENT E-CIGARETTE USERS (_CURECIG)	
4	MALES AND FEMALES	109
5	MALES ONLY	110
6	FEMALES ONLY	111

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 10: E-Cigarettes**

**TABLE 1: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (\_ECIGSTS)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5906	4,967,568	92	2.1	1.5- 2.7	169	3.6	2.8- 4.4	910	19.3	17.7-20.9	4735	75.0	73.2-76.8
Male	2512	2,406,996	47	2.7	1.5- 3.9	84	4.6	3.4- 5.8	434	21.5	19.0-24.0	1947	71.1	68.4-73.8
Female	3391	2,557,058	45	1.6	1.0- 2.2	85	2.7	1.9- 3.5	475	17.1	15.1-19.1	2786	78.7	76.5-80.9
White/Non-Hisp	4788	3,743,048	83	2.5	1.7- 3.3	138	3.7	2.9- 4.5	737	19.3	17.5-21.1	3830	74.6	72.6-76.6
Black or Afr. Am./Non-Hisp	707	774,054	1	0.1	0.0- 0.3	16	2.9	0.9- 4.9	93	18.1	13.6-22.6	597	78.9	74.2-83.6
Oth. Race/Non-Hisp.	114	112,792	1	1.6	0.0- 4.7	2	1.1	0.0- 2.7	18	12.7	4.9-20.5	93	84.6	76.0-93.2
MultiRacial/Non-Hisp.	101	53,506	2	1.6	0.0- 4.3	5	5.8	0.1-11.5	28	43.9	28.4-59.4	66	48.7	34.0-63.4
Hispanic	107	203,900	3	4.3	0.0- 9.8	7	6.5	0.6-12.4	18	14.9	6.5-23.3	79	74.3	63.5-85.1
18-24	358	601,429	12	3.2	0.7- 5.7	27	7.1	4.0-10.2	123	32.3	26.4-38.2	196	57.5	51.0-64.0
25-34	580	821,016	16	3.2	1.0- 5.4	32	4.7	2.5- 6.9	163	30.5	25.6-35.4	369	61.6	56.3-66.9
35-44	620	809,748	20	3.0	1.4- 4.6	28	4.8	2.4- 7.2	124	20.4	15.5-25.3	448	71.9	66.6-77.2
45-54	960	815,370	20	2.3	0.9- 3.7	28	2.7	1.5- 3.9	184	20.0	16.3-23.7	728	75.1	71.2-79.0
55-64	1261	811,824	14	1.6	0.6- 2.6	35	3.5	2.1- 4.9	185	14.3	11.9-16.7	1027	80.6	77.7-83.5
65+	2037	1,037,373	10	0.3	0.1- 0.5	18	0.8	0.4- 1.2	124	6.2	4.8- 7.6	1885	92.7	91.1-94.3
Less Than H.S.	621	724,659	6	1.3	0.0- 2.7	26	3.9	2.1- 5.7	132	27.7	21.8-33.6	457	67.1	61.2-73.0
H.S. or G.E.D.	1910	1,652,275	43	3.4	2.0- 4.8	56	3.7	2.5- 4.9	348	20.8	18.3-23.3	1463	72.2	69.3-75.1
Some Post-H.S.	1554	1,455,137	30	2.3	1.3- 3.3	58	5.1	3.3- 6.9	250	18.6	15.7-21.5	1216	74.0	70.9-77.1
College Graduate	1810	1,131,074	13	0.6	0.2- 1.0	29	1.3	0.7- 1.9	179	12.6	10.2-15.0	1589	85.5	83.1-87.9
Less than \$15,000	638	470,611	15	2.8	0.4- 5.2	35	6.3	3.6- 9.0	135	24.7	19.4-30.0	453	66.2	60.5-71.9
\$15,000- 24,999	948	794,736	15	2.2	0.8- 3.6	34	3.7	2.1- 5.3	196	24.8	20.7-28.9	703	69.2	64.9-73.5
\$25,000- 34,999	596	507,875	13	4.3	1.4- 7.2	12	2.8	0.6- 5.0	121	26.3	20.4-32.2	450	66.5	60.4-72.6
\$35,000- 49,999	793	668,986	13	1.8	0.6- 3.0	27	6.3	3.4- 9.2	120	16.5	13.0-20.0	633	75.4	70.9-79.9
\$50,000- 74,999	736	673,559	9	1.6	0.2- 3.0	17	2.5	0.9- 4.1	98	19.8	14.3-25.3	612	76.1	70.6-81.6
\$75,000+	1190	1,057,059	15	2.1	0.5- 3.7	19	2.2	0.8- 3.6	123	14.1	11.2-17.0	1033	81.7	78.4-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 10: E-Cigarettes**

**TABLE 2: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (\_ECIGSTS)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2512	2,406,996	47	2.7	1.5-3.9	84	4.6	3.4-5.8	434	21.5	19.0-24.0	1947	71.1	68.4-73.8
White/Non-Hisp	2043	1,817,763	40	3.0	1.6-4.4	69	4.7	3.3-6.1	339	21.4	18.7-24.1	1595	70.9	68.0-73.8
Black or Afr. Am./Non-Hisp	250	338,554	7	2.8	0.7-6.9	7	3.8	0.7-6.9	47	23.3	15.5-31.1	196	72.9	64.9-80.9
Oth. Race/Non-Hisp.	61	71,991	1	2.5	0.0-7.4	8	9.0	1.6-16.4	8	9.0	1.6-16.4	52	88.6	79.8-97.4
MultiRacial/Non-Hisp.	53	29,816	2	3.0	0.0-8.1	2	3.6	0.0-9.7	18	47.5	27.5-67.5	31	46.0	27.0-65.0
Hispanic	62	114,545	2	6.2	0.0-15.6	5	10.2	0.2-20.2	12	16.4	4.2-28.6	43	67.3	51.2-83.4
18-24	201	311,375	7	3.9	0.0-8.0	18	10.1	4.6-15.6	76	37.0	28.6-45.4	100	49.0	40.4-57.6
25-34	274	405,231	10	5.0	0.7-9.3	15	5.3	2.2-8.4	93	35.6	28.3-42.9	156	54.1	46.5-61.7
35-44	285	402,988	11	3.2	0.8-5.6	16	6.6	2.5-10.7	62	24.0	16.2-31.8	196	66.2	58.2-74.2
45-54	385	393,030	8	2.6	0.2-5.0	11	2.9	0.9-4.9	73	19.3	13.6-25.0	293	75.2	69.1-81.3
55-64	574	399,196	8	2.1	0.5-3.7	17	4.1	1.9-6.3	80	13.1	9.6-16.6	469	80.7	76.6-84.8
65+	760	460,334	3	0.3	0.0-0.7	7	0.8	0.0-1.6	47	6.8	4.4-9.2	703	92.1	89.6-94.6
Less Than H.S.	235	345,090	2	1.7	0.0-4.4	13	5.5	2.0-9.0	57	30.6	21.2-40.0	163	62.2	53.0-71.4
H.S. or G.E.D.	809	805,750	25	5.1	2.4-7.8	32	4.8	2.8-6.8	160	22.0	17.9-26.1	592	68.1	63.4-72.8
Some Post-H.S.	637	687,240	12	1.9	0.7-3.1	27	6.7	3.6-9.8	129	23.6	19.1-28.1	469	67.8	62.7-72.9
College Graduate	830	568,236	8	0.9	0.1-1.7	12	1.3	0.3-2.3	88	12.8	9.5-16.1	722	85.0	81.5-88.5
Less than \$15,000	212	183,831	8	5.4	0.0-11.3	14	9.2	3.3-15.1	47	26.3	17.5-35.1	143	59.0	49.2-68.8
\$15,000- 24,999	328	314,826	5	2.0	0.2-3.8	14	5.3	2.0-8.6	79	28.7	21.4-36.0	230	63.9	56.3-71.5
\$25,000- 34,999	264	262,593	6	4.9	0.2-9.6	8	4.4	0.5-8.3	62	26.9	19.5-34.3	188	63.7	55.5-71.9
\$35,000- 49,999	371	351,443	6	2.0	0.2-3.8	18	8.0	3.5-12.5	61	16.6	11.7-21.5	286	73.4	67.1-79.7
\$50,000- 74,999	361	366,034	5	2.0	0.0-4.4	6	1.9	0.1-3.7	59	27.9	19.3-36.5	291	68.1	59.5-76.7
\$75,000+	640	613,009	9	2.7	0.2-5.2	12	2.9	0.7-5.1	79	14.7	11.0-18.4	540	79.6	74.9-84.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 10: E-Cigarettes**

**TABLE 3: FOUR-LEVEL E-CIGARETTE SMOKER STATUS: EVERYDAY E-CIGARETTE USER, SOMEDAY E-CIGARETTE USER, FORMER E-CIGARETTE USER, NON-E-CIGARETTE USER (\_ECIGSTS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current E-cigarette user-uses every day			Current E-cigarette user-uses some days			Former E-cigarette user			Never used E-cigarettes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3391	2,557,058	45	1.6	1.0-2.2	85	2.7	1.9-3.5	475	17.1	15.1-19.1	2786	78.7	76.5-80.9
White/Non-Hisp	2743	1,923,682	43	1.9	1.1-2.7	69	2.8	2.0-3.6	397	17.2	15.2-19.2	2234	78.1	75.9-80.3
Black or Afr. Am./Non-Hisp	457	435,500	1	0.1	0.0-0.3	9	2.2	0.0-4.7	46	14.0	8.7-19.3	401	83.6	77.9-89.3
Oth. Race/Non-Hisp.	53	40,800				2	2.9	0.0-7.0	10	19.4	2.9-35.9	41	77.7	61.0-94.4
18-24	157	290,054	5	2.5	0.0-5.2	9	3.8	0.9-6.7	47	27.2	19.0-35.4	96	66.5	57.7-75.3
25-34	305	414,459	6	1.4	0.0-2.8	17	4.2	1.3-7.1	69	25.3	18.6-32.0	213	69.1	62.2-76.0
35-44	335	406,760	9	2.8	0.4-5.2	12	3.1	1.1-5.1	62	16.8	10.7-22.9	252	77.4	70.9-83.9
45-54	574	420,430	12	2.0	0.6-3.4	17	2.4	1.0-3.8	111	20.7	16.2-25.2	434	74.8	70.1-79.5
55-64	687	412,629	6	1.2	0.0-2.4	18	2.9	0.9-4.9	105	15.4	12.1-18.7	558	80.5	76.6-84.4
65+	1276	576,763	7	0.4	0.0-0.8	11	0.8	0.2-1.4	77	5.6	4.0-7.2	1181	93.2	91.4-95.0
Less Than H.S.	385	377,659	4	0.9	0.0-1.9	13	2.5	0.9-4.1	75	25.2	18.1-32.3	293	71.4	64.3-78.5
H.S. or G.E.D.	1101	846,525	18	1.8	0.8-2.8	24	2.6	1.0-4.2	188	19.6	16.1-23.1	871	76.1	72.4-79.8
Some Post-H.S.	916	766,570	18	2.6	1.0-4.2	31	3.8	2.0-5.6	120	14.0	10.7-17.3	747	79.7	75.8-83.6
College Graduate	979	562,560	5	0.2	0.0-0.4	17	1.4	0.6-2.2	91	12.4	9.1-15.7	866	86.0	82.7-89.3
Less than \$15,000	426	286,780	7	1.1	0.1-2.1	21	4.4	2.0-6.8	88	23.6	17.1-30.1	310	70.8	64.1-77.5
\$15,000- 24,999	620	479,909	10	2.4	0.6-4.2	20	2.6	1.2-4.0	117	22.3	17.4-27.2	473	72.7	67.6-77.8
\$25,000- 34,999	332	245,282	7	3.6	0.1-7.1	4	1.1	0.0-2.5	59	25.7	16.7-34.7	262	69.5	60.5-78.5
\$35,000- 49,999	422	317,543	7	1.7	0.1-3.3	9	4.4	0.5-8.3	59	16.4	11.1-21.7	347	77.5	71.2-83.8
\$50,000- 74,999	375	307,525	4	1.0	0.0-2.2	11	3.2	0.7-5.7	39	10.2	5.9-14.5	321	85.6	80.5-90.7
\$75,000+	549	442,140	6	1.2	0.0-2.6	7	1.1	0.1-2.1	44	13.2	8.7-17.7	492	84.4	79.7-89.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 10: E-Cigarettes**

**TABLE 4: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECIG)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5906	4,967,568	5645	94.3	93.3-95.3	261	5.7	4.7- 6.7
Male	2512	2,406,996	2381	92.7	91.1-94.3	131	7.3	5.7- 8.9
Female	3391	2,557,058	3261	95.8	94.8-96.8	130	4.2	3.2- 5.2
White/Non-Hisp	4788	3,743,048	4567	93.9	92.9-94.9	221	6.1	5.1- 7.1
Black or Afr. Am./Non-Hisp	707	774,054	690	97.0	95.0-99.0	17	3.0	1.0- 5.0
Oth. Race/Non-Hisp.	114	112,792	111	97.3	93.8- 100	3	2.7	0.0- 6.2
MultiRacial/Non-Hisp.	101	53,506	94	92.6	86.3-98.9	7	7.4	1.1-13.7
Hispanic	107	203,900	97	89.3	81.5-97.1	10	10.7	2.9-18.5
18-24	358	601,429	319	89.7	85.8-93.6	39	10.3	6.4-14.2
25-34	580	821,016	532	92.1	89.2-95.0	48	7.9	5.0-10.8
35-44	620	809,748	572	92.2	89.5-94.9	48	7.8	5.1-10.5
45-54	960	815,370	912	95.1	93.3-96.9	48	4.9	3.1- 6.7
55-64	1261	811,824	1212	94.9	93.1-96.7	49	5.1	3.3- 6.9
65+	2037	1,037,373	2009	98.9	98.3-99.5	28	1.1	0.5- 1.7
Less Than H.S.	621	724,659	589	94.8	92.4-97.2	32	5.2	2.8- 7.6
H.S. or G.E.D.	1910	1,652,275	1811	92.9	91.1-94.7	99	7.1	5.3- 8.9
Some Post-H.S.	1554	1,455,137	1466	92.6	90.6-94.6	88	7.4	5.4- 9.4
College Graduate	1810	1,131,074	1768	98.1	97.3-98.9	42	1.9	1.1- 2.7
Less than \$15,000	638	470,611	588	90.9	87.4-94.4	50	9.1	5.6-12.6
\$15,000- 24,999	948	794,736	899	94.1	92.1-96.1	49	5.9	3.9- 7.9
\$25,000- 34,999	596	507,875	571	92.9	89.4-96.4	25	7.1	3.6-10.6
\$35,000- 49,999	793	668,986	753	91.9	88.8-95.0	40	8.1	5.0-11.2
\$50,000- 74,999	736	673,559	710	96.0	94.0-98.0	26	4.0	2.0- 6.0
\$75,000+	1190	1,057,059	1156	95.8	93.8-97.8	34	4.2	2.2- 6.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 10: E-Cigarettes**

**TABLE 5: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECIG)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2512	2,406,996	2381	92.7	91.1-94.3	131	7.3	5.7- 8.9
White/Non-Hisp	2043	1,817,763	1934	92.3	90.5-94.1	109	7.7	5.9- 9.5
Black or Afr. Am./Non-Hisp	250	338,554	243	96.2	93.1-99.3	7	3.8	0.7- 6.9
Oth. Race/Non-Hisp.	61	71,991	60	97.5	92.6- 100	1	2.5	0.0- 7.4
MultiRacial/Non-Hisp.	53	29,816	49	93.5	85.7- 100	4	6.5	0.0-14.3
Hispanic	62	114,545	55	83.7	70.8-96.6	7	16.3	3.4-29.2
18-24	201	311,375	176	86.0	79.5-92.5	25	14.0	7.5-20.5
25-34	274	405,231	249	89.7	84.6-94.8	25	10.3	5.2-15.4
35-44	285	402,988	258	90.3	85.6-95.0	27	9.7	5.0-14.4
45-54	385	393,030	366	94.5	91.6-97.4	19	5.5	2.6- 8.4
55-64	574	399,196	549	93.8	91.1-96.5	25	6.2	3.5- 8.9
65+	760	460,334	750	98.9	98.1-99.7	10	1.1	0.3- 1.9
Less Than H.S.	235	345,090	220	92.8	88.5-97.1	15	7.2	2.9-11.5
H.S. or G.E.D.	809	805,750	752	90.1	87.0-93.2	57	9.9	6.8-13.0
Some Post-H.S.	637	687,240	598	91.4	88.1-94.7	39	8.6	5.3-11.9
College Graduate	830	568,236	810	97.8	96.6-99.0	20	2.2	1.0- 3.4
Less than \$15,000	212	183,831	190	85.4	77.6-93.2	22	14.6	6.8-22.4
\$15,000- 24,999	328	314,826	309	92.7	89.0-96.4	19	7.3	3.6-11.0
\$25,000- 34,999	264	262,593	250	90.6	84.7-96.5	14	9.4	3.5-15.3
\$35,000- 49,999	371	351,443	347	90.1	85.4-94.8	24	9.9	5.2-14.6
\$50,000- 74,999	361	366,034	350	96.1	93.4-98.8	11	3.9	1.2- 6.6
\$75,000+	640	613,009	619	94.4	91.1-97.7	21	5.6	2.3- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 10: E-Cigarettes**

**TABLE 6: ADULTS WHO ARE CURRENT E-CIGARETTE USERS (\_CURECIG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not currently using E-cigarettes			Current E-cigarette user		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3391	2,557,058	3261	95.8	94.8-96.8	130	4.2	3.2- 5.2
White/Non-Hisp	2743	1,923,682	2631	95.3	94.1-96.5	112	4.7	3.5- 5.9
Black or Afr. Am./Non-Hisp	457	435,500	447	97.6	95.1- 100	10	2.4	0.0- 4.9
Oth. Race/Non-Hisp.	53	40,800	51	97.1	93.0- 100	2	2.9	0.0- 7.0
18-24	157	290,054	143	93.7	89.8-97.6	14	6.3	2.4-10.2
25-34	305	414,459	282	94.4	91.3-97.5	23	5.6	2.5- 8.7
35-44	335	406,760	314	94.2	91.3-97.1	21	5.8	2.9- 8.7
45-54	574	420,430	545	95.6	93.6-97.6	29	4.4	2.4- 6.4
55-64	687	412,629	663	95.9	93.5-98.3	24	4.1	1.7- 6.5
65+	1276	576,763	1258	98.8	98.0-99.6	18	1.2	0.4- 2.0
Less Than H.S.	385	377,659	368	96.6	94.6-98.6	17	3.4	1.4- 5.4
H.S. or G.E.D.	1101	846,525	1059	95.6	93.8-97.4	42	4.4	2.6- 6.2
Some Post-H.S.	916	766,570	867	93.7	91.3-96.1	49	6.3	3.9- 8.7
College Graduate	979	562,560	957	98.4	97.6-99.2	22	1.6	0.8- 2.4
Less than \$15,000	426	286,780	398	94.4	92.0-96.8	28	5.6	3.2- 8.0
\$15,000- 24,999	620	479,909	590	95.0	92.8-97.2	30	5.0	2.8- 7.2
\$25,000- 34,999	332	245,282	321	95.2	91.5-98.9	11	4.8	1.1- 8.5
\$35,000- 49,999	422	317,543	406	93.9	89.8-98.0	16	6.1	2.0-10.2
\$50,000- 74,999	375	307,525	360	95.8	92.9-98.7	15	4.2	1.3- 7.1
\$75,000+	549	442,140	536	97.6	95.8-99.4	13	2.4	0.6- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 11: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
 \* \* \* \* \*

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5849	4,913,795	2344	45.8	44.0-47.6	3505	54.2	52.4-56.0
Male	2479	2,370,791	1197	51.7	49.0-54.4	1282	48.3	45.6-51.0
Female	3367	2,539,490	1144	40.3	37.8-42.8	2223	59.7	57.2-62.2
White/Non-Hisp	4747	3,706,355	1884	44.0	42.0-46.0	2863	56.0	54.0-58.0
Black or Afr. Am./Non-Hisp	694	759,831	290	52.3	46.8-57.8	404	47.7	42.2-53.2
Oth. Race/Non-Hisp.	115	112,504	47	40.4	26.5-54.3	68	59.6	45.7-73.5
MultiRacial/Non-Hisp.	101	53,511	32	46.3	31.0-61.6	69	53.7	38.4-69.0
Hispanic	107	203,900	60	57.4	44.9-69.9	47	42.6	30.1-55.1
18-24	347	582,740	192	53.4	46.7-60.1	155	46.6	39.9-53.3
25-34	575	814,513	348	62.5	57.4-67.6	227	37.5	32.4-42.6
35-44	613	803,152	322	56.4	50.9-61.9	291	43.6	38.1-49.1
45-54	954	811,850	404	43.4	38.9-47.9	550	56.6	52.1-61.1
55-64	1247	801,208	473	39.1	35.6-42.6	774	60.9	57.4-64.4
65+	2023	1,029,452	572	27.4	24.9-29.9	1451	72.6	70.1-75.1
Less Than H.S.	616	720,941	114	24.0	18.5-29.5	502	76.0	70.5-81.5
H.S. or G.E.D.	1876	1,620,450	572	38.7	35.4-42.0	1304	61.3	58.0-64.6
Some Post-H.S.	1548	1,444,065	629	49.0	45.5-52.5	919	51.0	47.5-54.5
College Graduate	1798	1,124,105	1026	66.0	63.1-68.9	772	34.0	31.1-36.9
Less than \$15,000	635	464,066	158	31.9	26.2-37.6	477	68.1	62.4-73.8
\$15,000- 24,999	939	789,109	286	37.8	32.9-42.7	653	62.2	57.3-67.1
\$25,000- 34,999	592	502,817	230	46.3	40.2-52.4	362	53.7	47.6-59.8
\$35,000- 49,999	789	665,066	320	45.7	40.6-50.8	469	54.3	49.2-59.4
\$50,000- 74,999	732	667,380	347	48.6	43.1-54.1	385	51.4	45.9-56.9
\$75,000+	1181	1,052,374	739	67.5	64.0-71.0	442	32.5	29.0-36.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2479	2,370,791	1197	51.7	49.0-54.4	1282	48.3	45.6-51.0
White/Non-Hisp	2018	1,792,709	975	51.8	48.9-54.7	1043	48.2	45.3-51.1
Black or Afr. Am./Non-Hisp	242	328,073	121	52.6	43.8-61.4	121	47.4	38.6-56.2
Oth. Race/Non-Hisp.	63	73,098	28	40.7	22.3-59.1	35	59.3	40.9-77.7
MultiRacial/Non-Hisp.	54	29,991	21	52.4	33.2-71.6	33	47.6	28.4-66.8
Hispanic	62	114,545	36	56.9	39.8-74.0	26	43.1	26.0-60.2
18-24	192	294,670	110	54.8	46.0-63.6	82	45.2	36.4-54.0
25-34	271	402,990	180	67.6	60.5-74.7	91	32.4	25.3-39.5
35-44	281	399,659	161	60.6	52.8-68.4	120	39.4	31.6-47.2
45-54	382	391,041	190	49.8	42.7-56.9	192	50.2	43.1-57.3
55-64	566	393,251	261	45.0	39.7-50.3	305	55.0	49.7-60.3
65+	754	454,262	275	34.4	30.1-38.7	479	65.6	61.3-69.9
Less Than H.S.	230	339,835	65	30.7	21.9-39.5	165	69.3	60.5-78.1
H.S. or G.E.D.	788	785,894	313	45.7	40.8-50.6	475	54.3	49.4-59.2
Some Post-H.S.	636	679,978	308	54.5	49.2-59.8	328	45.5	40.2-50.8
College Graduate	824	564,595	510	69.3	65.4-73.2	314	30.7	26.8-34.6
Less than \$15,000	210	178,295	75	35.8	26.4-45.2	135	64.2	54.8-73.6
\$15,000- 24,999	324	312,721	127	45.9	37.9-53.9	197	54.1	46.1-62.1
\$25,000- 34,999	263	259,381	112	46.2	38.0-54.4	151	53.8	45.6-62.0
\$35,000- 49,999	370	350,012	163	48.2	40.8-55.6	207	51.8	44.4-59.2
\$50,000- 74,999	358	363,527	184	51.3	43.5-59.1	174	48.7	40.9-56.5
\$75,000+	633	608,814	409	70.1	65.4-74.8	224	29.9	25.2-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3367	2,539,490	1144	40.3	37.8-42.8	2223	59.7	57.2-62.2
White/Non-Hisp	2727	1,912,043	907	36.7	34.2-39.2	1820	63.3	60.8-65.8
Black or Afr. Am./Non-Hisp	452	431,758	169	52.0	44.7-59.3	283	48.0	40.7-55.3
Oth. Race/Non-Hisp.	52	39,406	19	39.8	19.6-60.0	33	60.2	40.0-80.4
18-24	155	288,069	82	52.0	42.2-61.8	73	48.0	38.2-57.8
25-34	303	410,197	167	57.4	50.0-64.8	136	42.6	35.2-50.0
35-44	332	403,493	161	52.3	44.9-59.7	171	47.7	40.3-55.1
45-54	571	418,899	213	37.3	31.8-42.8	358	62.7	57.2-68.2
55-64	681	407,957	212	33.4	28.7-38.1	469	66.6	61.9-71.3
65+	1268	574,913	296	21.9	19.0-24.8	972	78.1	75.2-81.0
Less Than H.S.	385	379,196	48	17.7	11.0-24.4	337	82.3	75.6-89.0
H.S. or G.E.D.	1088	834,556	259	32.1	27.6-36.6	829	67.9	63.4-72.4
Some Post-H.S.	911	762,761	320	44.1	39.2-49.0	591	55.9	51.0-60.8
College Graduate	973	559,233	515	62.7	58.6-66.8	458	37.3	33.2-41.4
Less than \$15,000	425	285,771	83	29.5	22.1-36.9	342	70.5	63.1-77.9
\$15,000- 24,999	615	476,387	159	32.4	26.3-38.5	456	67.6	61.5-73.7
\$25,000- 34,999	329	243,436	118	46.4	37.6-55.2	211	53.6	44.8-62.4
\$35,000- 49,999	419	315,054	157	42.9	35.8-50.0	262	57.1	50.0-64.2
\$50,000- 74,999	374	303,853	163	45.3	38.0-52.6	211	54.7	47.4-62.0
\$75,000+	547	441,649	329	63.8	58.3-69.3	218	36.2	30.7-41.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 11: ALCOHOL CONSUMPTION  
 TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5849	4,913,795	1399	27.3	25.5-29.1	489	9.8	8.6-11.0	172	3.5	2.7- 4.3	284	5.2	4.4- 6.0	3505	54.2	52.4-56.0
Male	2479	2,370,791	639	27.9	25.4-30.4	264	12.0	10.0-14.0	95	4.2	3.0- 5.4	199	7.6	6.2- 9.0	1282	48.3	45.6-51.0
Female	3367	2,539,490	758	26.7	24.3-29.1	225	7.8	6.4- 9.2	77	3.0	2.2- 3.8	84	2.9	2.1- 3.7	2223	59.7	57.2-62.2
White/Non-Hisp	4747	3,706,355	1100	24.7	22.9-26.5	403	10.3	8.9-11.7	142	3.5	2.7- 4.3	239	5.6	4.6- 6.6	2863	56.0	54.0-58.0
Black or Afr. Am./Non-Hisp	694	759,831	194	35.8	30.1-41.5	55	8.9	5.8-12.0	18	4.0	1.6- 6.4	23	3.6	1.4- 5.8	404	47.7	42.2-53.2
Oth. Race/Non-Hisp.	115	112,504	24	23.9	11.0-36.8	12	8.6	1.9-15.3	2	0.5	0.0- 1.3	9	7.4	0.7-14.1	68	59.6	45.7-73.5
MultiRacial/Non-Hisp.	101	53,511	20	34.5	18.4-50.6	3	2.3	0.0- 5.0	2	4.0	0.0-11.3	7	5.4	0.0-11.1	69	53.7	38.4-69.0
Hispanic	107	203,900	43	40.4	27.9-52.9	7	8.1	1.0-15.2	6	5.5	0.4-10.6	4	3.3	0.0- 7.4	47	42.6	30.1-55.1
18-24	347	582,740	130	33.8	27.5-40.1	40	12.5	8.0-17.0	13	3.8	1.4- 6.2	9	3.4	1.0- 5.8	155	46.6	39.9-53.3
25-34	575	814,513	215	36.1	30.8-41.4	82	16.1	12.0-20.2	25	5.7	3.3- 8.1	26	4.6	2.4- 6.8	227	37.5	32.4-42.6
35-44	613	803,152	196	34.7	29.4-40.0	72	12.9	9.0-16.8	29	4.7	2.7- 6.7	25	4.2	2.0- 6.4	291	43.6	38.1-49.1
45-54	954	811,850	261	28.1	24.0-32.2	82	7.0	5.2- 8.8	21	2.7	1.1- 4.3	40	5.6	3.4- 7.8	550	56.6	52.1-61.1
55-64	1247	801,208	281	22.1	19.2-25.0	105	8.2	6.2-10.2	26	2.6	1.4- 3.8	61	6.3	4.3- 8.3	774	60.9	57.4-64.4
65+	2023	1,029,452	300	15.0	12.8-17.2	99	4.1	3.1- 5.1	56	2.3	1.5- 3.1	117	6.1	4.7- 7.5	1451	72.6	70.1-75.1
Less Than H.S.	616	720,941	80	16.0	11.3-20.7	14	3.9	0.8- 7.0	6	0.8	0.2- 1.4	14	3.4	1.4- 5.4	502	76.0	70.5-81.5
H.S. or G.E.D.	1876	1,620,450	372	25.1	22.0-28.2	102	7.2	5.2- 9.2	29	2.2	1.2- 3.2	69	4.3	2.9- 5.7	1304	61.3	58.0-64.6
Some Post-H.S.	1548	1,444,065	386	29.9	26.6-33.2	116	8.9	6.7-11.1	48	4.3	2.9- 5.7	79	6.0	4.2- 7.8	919	51.0	47.5-54.5
College Graduate	1798	1,124,105	559	34.5	31.4-37.6	256	18.5	15.8-21.2	89	6.4	4.6- 8.2	122	6.7	5.1- 8.3	772	34.0	31.1-36.9
Less than \$15,000	635	464,066	105	22.0	16.7-27.3	32	5.8	3.1- 8.5	7	0.8	0.0- 1.6	14	3.2	0.8- 5.6	477	68.1	62.4-73.8
\$15,000- 24,999	939	789,109	201	27.3	22.6-32.0	39	4.9	2.7- 7.1	20	3.1	1.3- 4.9	26	2.5	1.1- 3.9	653	62.2	57.3-67.1
\$25,000- 34,999	592	502,817	136	29.0	22.9-35.1	52	8.8	5.7-11.9	12	3.2	1.0- 5.4	30	5.3	2.9- 7.7	362	53.7	47.6-59.8
\$35,000- 49,999	789	665,066	213	30.1	25.2-35.0	58	9.0	5.7-12.3	14	3.0	1.0- 5.0	35	3.6	2.0- 5.2	469	54.3	49.2-59.4
\$50,000- 74,999	732	667,380	203	26.6	22.1-31.1	69	12.2	7.9-16.5	29	4.1	2.1- 6.1	46	5.8	3.6- 8.0	385	51.4	45.9-56.9
\$75,000+	1181	1,052,374	378	33.1	29.4-36.8	188	17.8	14.5-21.1	73	6.6	4.6- 8.6	100	10.1	7.6-12.6	442	32.5	29.0-36.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 11: ALCOHOL CONSUMPTION  
 TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2479	2,370,791	639	27.9	25.4-30.4	264	12.0	10.0-14.0	95	4.2	3.0- 5.4	199	7.6	6.2- 9.0	1282	48.3	45.6-51.0
White/Non-Hisp	2018	1,792,709	517	27.2	24.5-29.9	218	12.6	10.2-15.0	76	3.7	2.7- 4.7	164	8.2	6.6- 9.8	1043	48.2	45.3-51.1
Black or Afr. Am./Non-Hisp	242	328,073	63	27.7	19.9-35.5	27	10.7	5.2-16.2	13	7.5	2.6-12.4	18	6.7	2.2-11.2	121	47.4	38.6-56.2
Oth. Race/Non-Hisp.	63	73,098	16	26.5	8.7-44.3	6	7.7	0.0-16.7	1	0.7	0.0- 2.1	5	5.8	0.0-11.7	35	59.3	40.9-77.7
MultiRacial/Non-Hisp.	54	29,991	11	39.0	17.8-60.2	2	3.2	0.0- 7.7	1	0.4	0.0- 1.2	7	9.7	0.0-19.9	33	47.6	28.4-66.8
Hispanic	62	114,545	23	36.4	19.7-53.1	6	11.3	0.1-22.5	4	6.1	0.0-13.4	3	3.2	0.0- 8.3	26	43.1	26.0-60.2
18-24	192	294,670	71	32.4	24.4-40.4	25	14.2	7.3-21.1	5	1.6	0.0- 3.2	9	6.7	2.0-11.4	82	45.2	36.4-54.0
25-34	271	402,990	95	31.3	24.4-38.2	49	20.7	14.0-27.4	18	9.1	4.6-13.6	18	6.4	2.9- 9.9	91	32.4	25.3-39.5
35-44	281	399,659	95	36.0	28.4-43.6	34	14.6	7.9-21.3	16	4.5	1.8- 7.2	16	5.4	1.9- 8.9	120	39.4	31.6-47.2
45-54	382	391,041	112	29.8	23.1-36.5	38	7.5	4.8-10.2	13	4.2	1.3- 7.1	27	8.3	4.4-12.2	192	50.2	43.1-57.3
55-64	566	393,251	145	24.9	20.4-29.4	56	8.9	6.0-11.8	16	2.6	1.2- 4.0	44	8.6	5.7-11.5	305	55.0	49.7-60.3
65+	754	454,262	113	16.1	12.6-19.6	57	6.4	4.4- 8.4	26	2.6	1.4- 3.8	79	9.3	6.8-11.8	479	65.6	61.3-69.9
Less Than H.S.	230	339,835	42	19.7	12.4-27.0	8	5.1	0.0-11.2	5	1.4	0.0- 2.8	10	4.5	1.2- 7.8	165	69.3	60.5-78.1
H.S. or G.E.D.	788	785,894	174	25.1	20.8-29.4	65	10.5	7.0-14.0	21	3.6	1.6- 5.6	53	6.4	4.2- 8.6	475	54.3	49.4-59.2
Some Post-H.S.	636	679,978	174	31.4	26.5-36.3	60	10.6	7.1-14.1	25	4.0	2.0- 6.0	49	8.4	5.3-11.5	328	45.5	40.2-50.8
College Graduate	824	564,595	248	32.5	28.2-36.8	131	19.7	15.8-23.6	44	6.9	4.2- 9.6	87	10.2	7.5-12.9	314	30.7	26.8-34.6
Less than \$15,000	210	178,295	46	25.9	16.9-34.9	15	5.5	2.2- 8.8	5	1.5	0.0- 3.3	9	2.9	0.5- 5.3	135	64.2	54.8-73.6
\$15,000- 24,999	324	312,721	78	29.3	21.5-37.1	19	6.0	1.9-10.1	11	5.4	1.3- 9.5	19	5.2	1.9- 8.5	197	54.1	46.1-62.1
\$25,000- 34,999	263	259,381	54	25.9	18.3-33.5	30	9.4	5.1-13.7	7	3.6	0.5- 6.7	21	7.3	3.4-11.2	151	53.8	45.6-62.0
\$35,000- 49,999	370	350,012	102	29.0	22.1-35.9	28	10.7	5.2-16.2	9	3.3	0.8- 5.8	24	5.3	2.6- 8.0	207	51.8	44.4-59.2
\$50,000- 74,999	358	363,527	95	25.1	18.8-31.4	38	14.8	7.7-21.9	17	4.0	1.5- 6.5	34	7.4	4.5-10.3	174	48.7	40.9-56.5
\$75,000+	633	608,814	196	32.8	27.7-37.9	102	18.1	13.8-22.4	41	6.5	4.0- 9.0	70	12.7	8.8-16.6	224	29.9	25.2-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 11: ALCOHOL CONSUMPTION  
 TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3\_)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3367	2,539,490	758	26.7	24.3-29.1	225	7.8	6.4-9.2	77	3.0	2.2-3.8	84	2.9	2.1-3.7	2223	59.7	57.2-62.2
White/Non-Hisp	2727	1,912,043	582	22.3	20.1-24.5	185	8.1	6.5-9.7	66	3.2	2.2-4.2	74	3.1	2.1-4.1	1820	63.3	60.8-65.8
Black or Afr. Am./Non-Hisp	452	431,758	131	41.9	34.5-49.3	28	7.6	4.1-11.1	5	1.3	0.0-2.7	5	1.3	0.0-3.1	283	48.0	40.7-55.3
Oth. Race/Non-Hisp.	52	39,406	8	19.1	2.8-35.4	6	10.2	1.2-19.2	1	0.3	0.0-0.9	4	10.2	0.0-25.7	33	60.2	40.0-80.4
18-24	155	288,069	59	35.3	25.9-44.7	15	10.7	4.8-16.6	8	6.0	1.7-10.3				73	48.0	38.2-57.8
25-34	303	410,197	120	41.0	33.4-48.6	33	11.6	6.9-16.3	7	2.4	0.4-4.4	7	2.5	0.1-4.9	136	42.6	35.2-50.0
35-44	332	403,493	101	33.4	26.0-40.8	38	11.1	6.8-15.4	13	4.9	2.2-7.6	9	2.9	0.5-5.3	171	47.7	40.3-55.1
45-54	571	418,899	148	26.1	21.0-31.2	44	6.6	4.2-9.0	8	1.4	0.2-2.6	13	3.1	0.7-5.5	358	62.7	57.2-68.2
55-64	681	407,957	136	19.3	15.6-23.0	49	7.5	5.0-10.0	10	2.5	0.5-4.5	17	4.1	1.7-6.5	469	66.6	61.9-71.3
65+	1268	574,913	186	14.0	11.6-16.4	42	2.2	1.4-3.0	30	1.9	1.1-2.7	38	3.7	2.1-5.3	972	78.1	75.2-81.0
Less Than H.S.	385	379,196	37	12.3	6.0-18.6	6	2.7	0.2-5.2	1	0.3	0.0-0.9	4	2.3	0.0-4.7	337	82.3	75.6-89.0
H.S. or G.E.D.	1088	834,556	198	25.1	20.8-29.4	37	4.0	2.4-5.6	8	0.8	0.0-1.6	16	2.2	0.8-3.6	829	67.9	63.4-72.4
Some Post-H.S.	911	762,761	212	28.6	23.9-33.3	56	7.4	4.7-10.1	23	4.5	2.3-6.7	29	3.7	1.9-5.5	591	55.9	51.0-60.8
College Graduate	973	559,233	310	36.4	32.1-40.7	125	17.2	13.5-20.9	45	5.8	3.6-8.0	35	3.1	1.7-4.5	458	37.3	33.2-41.4
Less than \$15,000	425	285,771	59	19.6	12.9-26.3	17	5.9	2.2-9.6	2	0.4	0.0-1.0	5	3.5	0.0-7.0	342	70.5	63.1-77.9
\$15,000- 24,999	615	476,387	123	25.9	20.0-31.8	20	4.2	1.7-6.7	9	1.5	0.1-2.9	7	0.8	0.0-1.8	456	67.6	61.5-73.7
\$25,000- 34,999	329	243,436	82	32.2	23.0-41.4	22	8.3	3.8-12.8	5	2.9	0.0-6.0	9	3.1	0.6-5.6	211	53.6	44.8-62.4
\$35,000- 49,999	419	315,054	111	31.3	24.2-38.4	30	7.1	3.8-10.4	5	2.7	0.0-5.4	11	1.7	0.5-2.9	262	57.1	50.0-64.2
\$50,000- 74,999	374	303,853	108	28.3	21.8-34.8	31	9.1	5.0-13.2	12	4.1	1.0-7.2	12	3.8	0.9-6.7	211	54.7	47.4-62.0
\$75,000+	547	441,649	181	33.1	27.2-39.0	86	17.5	12.6-22.4	32	6.7	4.0-9.4	30	6.5	3.6-9.4	218	36.2	30.7-41.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5793	4,849,683	5239	86.9	85.5-88.3	554	13.1	11.7-14.5
Male	2450	2,335,804	2114	83.4	81.2-85.6	336	16.6	14.4-18.8
Female	3340	2,510,365	3123	90.2	88.6-91.8	217	9.8	8.2-11.4
White/Non-Hisp	4717	3,676,346	4272	86.7	85.3-88.1	445	13.3	11.9-14.7
Black or Afr. Am./Non-Hisp	679	736,041	610	86.9	83.0-90.8	69	13.1	9.2-17.0
Oth. Race/Non-Hisp.	113	109,088	103	93.3	88.6-98.0	10	6.7	2.0-11.4
MultiRacial/Non-Hisp.	99	52,465	92	91.6	83.8-99.4	7	8.4	0.6-16.2
Hispanic	103	200,033	84	82.0	72.8-91.2	19	18.0	8.8-27.2
18-24	341	565,652	250	72.9	67.0-78.8	91	27.1	21.2-33.0
25-34	562	792,916	441	77.8	73.3-82.3	121	22.2	17.7-26.7
35-44	606	796,483	505	85.1	81.8-88.4	101	14.9	11.6-18.2
45-54	944	805,347	856	89.5	86.8-92.2	88	10.5	7.8-13.2
55-64	1237	794,663	1148	92.0	90.0-94.0	89	8.0	6.0-10.0
65+	2014	1,024,200	1956	96.7	95.5-97.9	58	3.3	2.1- 4.5
Less Than H.S.	612	715,947	584	94.3	91.9-96.7	28	5.7	3.3- 8.1
H.S. or G.E.D.	1857	1,602,987	1692	86.7	84.2-89.2	165	13.3	10.8-15.8
Some Post-H.S.	1535	1,422,982	1366	86.6	84.2-89.0	169	13.4	11.0-15.8
College Graduate	1778	1,103,533	1587	82.7	80.0-85.4	191	17.3	14.6-20.0
Less than \$15,000	631	460,422	588	90.6	86.9-94.3	43	9.4	5.7-13.1
\$15,000- 24,999	929	781,360	853	87.7	84.4-91.0	76	12.3	9.0-15.6
\$25,000- 34,999	584	496,310	526	87.3	83.6-91.0	58	12.7	9.0-16.4
\$35,000- 49,999	783	652,268	704	86.2	82.5-89.9	79	13.8	10.1-17.5
\$50,000- 74,999	723	655,403	644	86.8	83.5-90.1	79	13.2	9.9-16.5
\$75,000+	1173	1,042,394	1005	80.2	76.9-83.5	168	19.8	16.5-23.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2450	2,335,804	2114	83.4	81.2-85.6	336	16.6	14.4-18.8
White/Non-Hisp	2001	1,772,772	1729	83.0	80.6-85.4	272	17.0	14.6-19.4
Black or Afr. Am./Non-Hisp	236	317,410	200	84.7	78.6-90.8	36	15.3	9.2-21.4
Oth. Race/Non-Hisp.	62	72,998	54	91.2	84.3-98.1	8	8.8	1.9-15.7
MultiRacial/Non-Hisp.	53	29,224	47	86.9	73.6- 100	6	13.1	0.0-26.4
Hispanic	59	111,647	46	75.5	61.2-89.8	13	24.5	10.2-38.8
18-24	188	282,548	134	71.2	63.2-79.2	54	28.8	20.8-36.8
25-34	264	391,241	194	73.9	67.2-80.6	70	26.1	19.4-32.8
35-44	278	397,258	213	79.2	73.5-84.9	65	20.8	15.1-26.5
45-54	378	387,799	325	85.5	80.8-90.2	53	14.5	9.8-19.2
55-64	560	389,611	499	89.1	86.0-92.2	61	10.9	7.8-14.0
65+	749	452,430	720	95.6	93.6-97.6	29	4.4	2.4- 6.4
Less Than H.S.	228	335,665	208	91.4	87.1-95.7	20	8.6	4.3-12.9
H.S. or G.E.D.	779	778,354	671	81.7	77.6-85.8	108	18.3	14.2-22.4
Some Post-H.S.	630	668,987	531	83.6	79.9-87.3	99	16.4	12.7-20.1
College Graduate	812	552,309	703	80.4	76.3-84.5	109	19.6	15.5-23.7
Less than \$15,000	208	177,428	188	91.8	87.5-96.1	20	8.2	3.9-12.5
\$15,000- 24,999	319	308,911	273	81.9	75.6-88.2	46	18.1	11.8-24.4
\$25,000- 34,999	257	254,359	224	86.8	81.5-92.1	33	13.2	7.9-18.5
\$35,000- 49,999	369	343,678	320	82.8	77.1-88.5	49	17.2	11.5-22.9
\$50,000- 74,999	354	361,367	299	83.4	78.3-88.5	55	16.6	11.5-21.7
\$75,000+	627	599,633	521	76.7	71.8-81.6	106	23.3	18.4-28.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (\_RFBING5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3340	2,510,365	3123	90.2	88.6-91.8	217	9.8	8.2-11.4
White/Non-Hisp	2714	1,901,971	2542	90.2	88.4-92.0	172	9.8	8.0-11.6
Black or Afr. Am./Non-Hisp	443	418,630	410	88.5	83.4-93.6	33	11.5	6.4-16.6
Oth. Race/Non-Hisp.	51	36,090	49	97.5	93.8- 100	2	2.5	0.0- 6.2
18-24	153	283,105	116	74.5	66.1-82.9	37	25.5	17.1-33.9
25-34	297	400,348	247	81.8	75.9-87.7	50	18.2	12.3-24.1
35-44	328	399,226	292	91.1	87.8-94.4	36	8.9	5.6-12.2
45-54	565	415,638	530	93.2	90.3-96.1	35	6.8	3.9- 9.7
55-64	677	405,052	649	94.8	92.4-97.2	28	5.2	2.8- 7.6
65+	1264	571,493	1235	97.5	96.1-98.9	29	2.5	1.1- 3.9
Less Than H.S.	383	378,372	375	96.9	94.4-99.4	8	3.1	0.6- 5.6
H.S. or G.E.D.	1078	824,633	1021	91.4	88.7-94.1	57	8.6	5.9-11.3
Some Post-H.S.	904	752,669	835	89.3	86.2-92.4	69	10.7	7.6-13.8
College Graduate	965	550,947	883	85.1	81.4-88.8	82	14.9	11.2-18.6
Less than \$15,000	423	282,994	400	89.9	84.4-95.4	23	10.1	4.6-15.6
\$15,000- 24,999	610	472,448	580	91.5	87.8-95.2	30	8.5	4.8-12.2
\$25,000- 34,999	327	241,952	302	87.9	82.4-93.4	25	12.1	6.6-17.6
\$35,000- 49,999	414	308,590	384	90.0	85.3-94.7	30	10.0	5.3-14.7
\$50,000- 74,999	369	294,036	345	91.0	86.7-95.3	24	9.0	4.7-13.3
\$75,000+	545	440,850	483	84.9	80.4-89.4	62	15.1	10.6-19.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5782	4,835,821	885	16.5	14.9-18.1	290	5.7	4.7- 6.7	466	9.2	8.0-10.4	333	7.0	5.8- 8.2	303	6.7	5.7- 7.7	3505	55.0	53.2-56.8
Male	2443	2,327,756	350	14.4	12.4-16.4	133	6.0	4.6- 7.4	245	10.1	8.5-11.7	210	10.1	8.1-12.1	223	10.2	8.4-12.0	1282	49.2	46.5-51.9
Female	3336	2,504,551	534	18.4	16.2-20.6	156	5.3	4.1- 6.5	221	8.3	6.7- 9.9	123	4.1	3.1- 5.1	79	3.4	2.4- 4.4	2223	60.6	58.1-63.1
White/Non-Hisp	4708	3,666,236	691	14.3	12.9-15.7	233	5.3	4.3- 6.3	386	9.4	8.2-10.6	286	7.5	6.3- 8.7	249	6.9	5.7- 8.1	2863	56.6	54.6-58.6
Black or Afr. Am./Non-Hisp	675	728,509	132	25.0	19.5-30.5	32	6.4	3.7- 9.1	50	8.5	5.4-11.6	26	4.9	2.4- 7.4	31	5.4	2.9- 7.9	404	49.8	44.1-55.5
Oth. Race/Non-Hisp.	114	110,834	16	12.9	5.3-20.5	9	12.1	0.0-24.4	7	5.0	0.0-10.9	7	3.5	0.4- 6.6	7	6.0	0.0-12.3	68	60.5	46.6-74.4
MultiRacial/Non-Hisp.	97	51,949	13	24.6	7.9-41.3	2	3.4	0.0- 9.1	5	10.0	0.0-20.2	4	2.3	0.0- 4.8	4	4.4	0.0-10.1	69	55.3	39.4-71.2
Hispanic	104	201,221	19	18.9	8.9-28.9	9	7.8	1.3-14.3	14	12.1	4.8-19.4	5	8.6	0.0-18.0	10	9.4	2.5-16.3	47	43.2	30.5-55.9
18-24	339	563,574	58	15.9	10.8-21.0	26	7.4	4.1-10.7	45	11.0	7.1-14.9	28	9.2	5.3-13.1	27	8.4	4.9-11.9	155	48.1	41.4-54.8
25-34	566	794,585	118	19.4	14.9-23.9	52	9.6	6.5-12.7	74	13.8	10.1-17.5	40	7.4	4.5-10.3	55	11.3	7.8-14.8	227	38.4	33.1-43.7
35-44	604	792,905	114	22.1	17.2-27.0	41	5.3	3.3- 7.3	64	12.1	8.6-15.6	51	10.1	6.2-14.0	43	6.3	4.1- 8.5	291	44.1	38.6-49.6
45-54	942	803,498	161	16.6	13.5-19.7	56	5.5	3.1- 7.9	83	8.2	6.0-10.4	47	6.2	3.5- 8.9	45	6.3	3.9- 8.7	550	57.1	52.6-61.6
55-64	1233	790,292	189	14.8	12.3-17.3	58	4.8	3.2- 6.4	88	7.3	5.3- 9.3	69	5.7	3.9- 7.5	55	5.7	3.9- 7.5	774	61.8	58.3-65.3
65+	2011	1,023,449	235	11.7	9.7-13.7	51	2.3	1.5- 3.1	107	4.7	3.5- 5.9	91	4.4	3.2- 5.6	76	3.8	2.6- 5.0	1451	73.0	70.5-75.5
Less Than H.S.	605	708,907	49	10.4	6.3-14.5	11	1.9	0.5- 3.3	17	2.7	1.1- 4.3	12	4.3	0.4- 8.2	14	3.4	1.4- 5.4	502	77.3	71.8-82.8
H.S. or G.E.D.	1853	1,594,136	220	13.7	11.2-16.2	75	5.5	3.7- 7.3	108	7.0	5.2- 8.8	67	5.1	3.3- 6.9	79	6.3	4.5- 8.1	1304	62.3	59.0-65.6
Some Post-H.S.	1530	1,417,014	258	18.8	15.9-21.7	63	4.8	3.2- 6.4	110	9.8	7.4-12.2	91	7.5	5.5- 9.5	89	7.2	5.4- 9.0	919	51.9	48.4-55.4
College Graduate	1783	1,111,530	356	21.4	18.7-24.1	140	9.3	7.3-11.3	231	15.5	13.0-18.0	163	10.7	8.7-12.7	121	8.8	6.8-10.8	772	34.4	31.5-37.3
Less than \$15,000	626	450,110	63	12.6	8.5-16.7	21	4.9	1.8- 8.0	29	5.3	2.6- 8.0	15	2.1	0.7- 3.5	21	4.8	2.1- 7.5	477	70.2	64.5-75.9
\$15,000- 24,999	927	780,074	130	17.0	12.9-21.1	37	5.3	2.9- 7.7	47	5.7	3.5- 7.9	28	4.6	1.7- 7.5	32	4.4	2.4- 6.4	653	62.9	58.0-67.8
\$25,000- 34,999	582	494,089	86	17.9	12.2-23.6	18	3.6	1.4- 5.8	44	10.1	6.2-14.0	38	6.4	3.7- 9.1	34	7.4	4.3-10.5	362	54.7	48.6-60.8
\$35,000- 49,999	781	649,587	135	16.2	12.5-19.9	41	7.3	4.0-10.6	67	10.8	7.3-14.3	32	5.0	2.8- 7.2	37	5.2	3.0- 7.4	469	55.6	50.5-60.7
\$50,000- 74,999	721	657,991	122	14.4	11.1-17.7	45	5.8	3.6- 8.0	65	8.9	6.2-11.6	53	10.6	6.1-15.1	51	8.1	5.4-10.8	385	52.1	46.6-57.6
\$75,000+	1176	1,043,118	243	21.2	17.9-24.5	95	7.5	5.5- 9.5	170	14.6	11.9-17.3	122	12.0	9.3-14.7	104	11.8	8.9-14.7	442	32.8	29.3-36.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2443	2,327,756	350	14.4	12.4-16.4	133	6.0	4.6- 7.4	245	10.1	8.5-11.7	210	10.1	8.1-12.1	223	10.2	8.4-12.0	1282	49.2	46.5-51.9
White/Non-Hisp	1997	1,766,543	281	13.7	11.7-15.7	112	5.7	4.3- 7.1	205	10.7	8.9-12.5	172	10.4	8.2-12.6	184	10.6	8.6-12.6	1043	48.9	46.0-51.8
Black or Afr. Am./Non-Hisp	235	317,459	38	17.2	10.1-24.3	10	5.2	1.3- 9.1	22	9.8	4.9-14.7	22	8.9	4.0-13.8	22	9.8	4.5-15.1	121	49.0	40.2-57.8
Oth. Race/Non-Hisp.	62	71,427	9	10.0	2.6-17.4	5	15.0	0.0-33.2	5	7.0	0.0-16.0	4	4.4	0.0- 8.9	4	2.9	0.0- 6.0	35	60.7	42.1-79.3
MultiRacial/Non-Hisp.	51	28,707	6	23.8	1.5-46.1	1	5.4	0.0-15.6	3	9.0	0.0-21.9	4	4.1	0.0- 8.8	4	8.0	0.0-18.2	33	49.8	29.6-70.0
Hispanic	59	111,867	9	12.1	3.1-21.1	4	9.0	0.0-19.4	7	6.7	1.0-12.4	5	15.5	0.0-31.6	8	12.6	2.0-23.2	26	44.1	26.9-61.3
18-24	188	284,902	24	12.0	6.5-17.5	15	8.3	3.0-13.6	25	8.0	4.3-11.7	21	12.4	6.3-18.5	21	12.5	6.6-18.4	82	46.7	37.7-55.7
25-34	266	393,311	51	15.4	10.1-20.7	20	7.3	3.6-11.0	37	15.4	9.7-21.1	25	10.7	5.4-16.0	42	17.9	11.8-24.0	91	33.2	25.9-40.5
35-44	275	390,803	43	17.5	11.2-23.8	22	7.0	3.5-10.5	30	11.3	6.4-16.2	30	15.4	8.3-22.5	30	8.5	5.0-12.0	120	40.3	32.3-48.3
45-54	375	385,387	55	12.8	8.7-16.9	22	6.0	1.9-10.1	43	10.3	6.6-14.0	34	11.2	5.7-16.7	29	8.8	4.9-12.7	192	50.9	43.8-58.0
55-64	558	387,704	89	15.8	12.1-19.5	27	4.6	2.4- 6.8	55	9.7	6.6-12.8	36	4.9	2.9- 6.9	46	9.2	6.1-12.3	305	55.8	50.5-61.1
65+	749	452,402	83	12.1	8.8-15.4	24	3.0	1.4- 4.6	52	6.4	4.4- 8.4	58	6.6	4.6- 8.6	53	6.0	3.8- 8.2	479	65.9	61.6-70.2
Less Than H.S.	224	331,737	22	10.0	4.9-15.1	6	2.5	0.1- 4.9	12	3.5	1.3- 5.7	8	8.1	0.3-15.9	11	4.9	1.6- 8.2	165	71.0	62.0-80.0
H.S. or G.E.D.	775	772,910	90	11.3	8.2-14.4	36	6.6	3.5- 9.7	64	8.4	5.9-10.9	46	8.0	4.7-11.3	64	10.5	7.4-13.6	475	55.2	50.1-60.3
Some Post-H.S.	625	663,285	96	16.7	12.8-20.6	27	4.6	2.4- 6.8	58	11.2	7.7-14.7	57	10.4	6.9-13.9	59	10.3	7.2-13.4	328	46.7	41.4-52.0
College Graduate	818	559,335	141	18.3	14.6-22.0	64	9.0	6.3-11.7	111	15.1	11.6-18.6	99	13.9	10.6-17.2	89	12.7	9.4-16.0	314	31.0	27.1-34.9
Less than \$15,000	207	175,596	23	13.3	6.2-20.4	10	8.3	1.2-15.4	16	5.4	2.1- 8.7	9	2.5	0.5- 4.5	14	5.3	2.2- 8.4	135	65.2	55.8-74.6
\$15,000- 24,999	318	308,807	41	13.3	7.6-19.0	13	5.7	1.8- 9.6	22	7.1	3.6-10.6	18	9.8	2.9-16.7	27	9.3	4.8-13.8	197	54.8	46.8-62.8
\$25,000- 34,999	254	251,343	26	13.0	6.7-19.3	7	4.0	0.5- 7.5	25	11.3	5.8-16.8	22	7.6	3.3-11.9	23	8.6	4.3-12.9	151	55.6	47.2-64.0
\$35,000- 49,999	367	340,128	59	13.9	9.2-18.6	21	7.9	3.0-12.8	33	11.0	6.1-15.9	20	6.0	2.7- 9.3	27	7.9	4.2-11.6	207	53.3	46.0-60.6
\$50,000- 74,999	353	361,018	46	10.1	6.2-14.0	23	5.8	2.9- 8.7	38	9.8	5.9-13.7	35	15.4	8.0-22.8	37	9.9	6.2-13.6	174	49.0	41.0-57.0
\$75,000+	628	599,558	113	19.3	15.2-23.4	45	6.2	3.8- 8.6	88	13.3	9.8-16.8	80	14.2	10.3-18.1	78	16.6	12.1-21.1	224	30.4	25.7-35.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (\_DRNKWEK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3336	2,504,551	534	18.4	16.2-20.6	156	5.3	4.1- 6.5	221	8.3	6.7- 9.9	123	4.1	3.1- 5.1	79	3.4	2.4- 4.4	2223	60.6	58.1-63.1
White/Non-Hisp	2709	1,898,090	410	14.9	13.1-16.7	120	4.8	3.6- 6.0	181	8.2	6.6- 9.8	114	4.9	3.7- 6.1	64	3.5	2.3- 4.7	1820	63.7	61.2-66.2
Black or Afr. Am./Non-Hisp	440	411,050	94	31.0	23.4-38.6	22	7.3	3.4-11.2	28	7.5	3.4-11.6	4	1.7	0.0- 3.9	9	2.0	0.0- 4.0	283	50.4	43.0-57.8
Oth. Race/Non-Hisp.	52	39,406	7	18.2	1.9-34.5	4	6.9	0.0-14.7	2	1.3	0.0- 3.5	3	1.7	0.0- 4.4	3	11.7	0.0-27.4	33	60.2	40.0-80.4
18-24	151	278,672	34	20.0	11.6-28.4	11	6.4	2.3-10.5	20	14.0	7.3-20.7	7	5.8	1.1-10.5	6	4.2	0.3- 8.1	73	49.6	39.6-59.6
25-34	299	399,947	67	23.4	16.3-30.5	32	12.0	7.1-16.9	37	12.3	7.4-17.2	15	4.2	1.8- 6.6	12	4.6	1.5- 7.7	136	43.7	36.1-51.3
35-44	329	402,102	71	26.6	19.3-33.9	19	3.6	1.4- 5.8	34	12.8	7.7-17.9	21	5.0	2.6- 7.4	13	4.1	1.4- 6.8	171	47.8	40.4-55.2
45-54	566	416,201	105	19.7	15.0-24.4	34	5.1	2.9- 7.3	40	6.3	3.8- 8.8	13	1.7	0.5- 2.9	16	4.1	1.6- 6.6	358	63.1	57.6-68.6
55-64	675	402,587	100	13.8	10.5-17.1	31	5.0	2.8- 7.2	33	5.0	3.0- 7.0	33	6.4	3.5- 9.3	9	2.4	0.6- 4.2	469	67.5	62.8-72.2
65+	1261	570,770	152	11.3	9.1-13.5	26	1.8	0.8- 2.8	55	3.5	2.3- 4.7	33	2.7	1.5- 3.9	23	2.0	0.8- 3.2	972	78.7	75.8-81.6
Less Than H.S.	380	375,259	26	10.2	3.9-16.5	5	1.5	0.0- 3.1	5	2.0	0.0- 4.2	4	0.9	0.0- 2.1	3	2.1	0.0- 4.5	337	83.2	76.3-90.1
H.S. or G.E.D.	1078	821,226	130	16.0	12.1-19.9	39	4.5	2.5- 6.5	44	5.7	3.3- 8.1	21	2.5	1.3- 3.7	15	2.3	0.7- 3.9	829	69.0	64.5-73.5
Some Post-H.S.	904	752,403	162	20.7	16.6-24.8	36	5.0	2.8- 7.2	52	8.6	5.7-11.5	34	4.9	2.7- 7.1	29	4.2	2.2- 6.2	591	56.6	51.7-61.5
College Graduate	964	551,919	215	24.5	20.6-28.4	75	9.5	6.8-12.2	120	15.9	12.2-19.6	64	7.4	5.0- 9.8	32	4.8	2.6- 7.0	458	37.8	33.7-41.9
Less than \$15,000	419	274,514	40	12.2	6.9-17.5	11	2.8	0.6- 5.0	13	5.3	1.2- 9.4	6	1.8	0.0- 3.6	7	4.4	0.5- 8.3	342	73.4	66.3-80.5
\$15,000- 24,999	609	471,268	89	19.4	13.7-25.1	24	5.0	2.3- 7.7	25	4.8	2.3- 7.3	10	1.2	0.0- 2.4	5	1.2	0.0- 2.6	456	68.3	62.2-74.4
\$25,000- 34,999	328	242,745	60	23.0	13.8-32.2	11	3.1	0.4- 5.8	19	8.9	3.6-14.2	16	5.2	2.1- 8.3	11	6.1	1.8-10.4	211	53.8	45.0-62.6
\$35,000- 49,999	414	309,459	76	18.7	13.0-24.4	20	6.6	2.3-10.9	34	10.4	5.3-15.5	12	3.9	1.2- 6.6	10	2.2	0.2- 4.2	262	58.1	51.0-65.2
\$50,000- 74,999	368	296,973	76	19.7	14.0-25.4	22	5.8	2.7- 8.9	27	8.0	4.1-11.9	18	4.6	2.1- 7.1	14	5.9	2.0- 9.8	211	55.9	48.6-63.2
\$75,000+	547	441,649	129	23.4	17.9-28.9	50	9.3	6.0-12.6	82	16.4	11.7-21.1	42	9.2	5.5-12.9	26	5.4	2.7- 8.1	218	36.2	30.7-41.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV5)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5779	4,832,308	5534	94.4	93.4-95.4	245	5.6	4.6- 6.6
Male	2443	2,327,756	2315	93.8	92.4-95.2	128	6.2	4.8- 7.6
Female	3336	2,504,551	3219	94.9	93.7-96.1	117	5.1	3.9- 6.3
White/Non-Hisp	4706	3,664,633	4501	94.1	93.1-95.1	205	5.9	4.9- 6.9
Black or Afr. Am./Non-Hisp	675	728,509	653	95.6	93.1-98.1	22	4.4	1.9- 6.9
Oth. Race/Non-Hisp.	114	110,834	109	94.7	88.6- 100	5	5.3	0.0-11.4
MultiRacial/Non-Hisp.	96	50,038	95	99.0	97.0- 100	1	1.0	0.0- 3.0
Hispanic	104	201,221	96	91.5	84.6-98.4	8	8.5	1.6-15.4
18-24	339	563,574	314	91.5	87.8-95.2	25	8.5	4.8-12.2
25-34	565	793,258	522	91.7	89.0-94.4	43	8.3	5.6-11.0
35-44	604	792,905	562	93.8	91.6-96.0	42	6.2	4.0- 8.4
45-54	941	801,588	901	94.4	92.0-96.8	40	5.6	3.2- 8.0
55-64	1233	790,292	1191	95.5	93.7-97.3	42	4.5	2.7- 6.3
65+	2010	1,023,172	1959	97.3	96.3-98.3	51	2.7	1.7- 3.7
Less Than H.S.	604	706,997	593	96.8	94.8-98.8	11	3.2	1.2- 5.2
H.S. or G.E.D.	1853	1,594,136	1794	95.3	93.9-96.7	59	4.7	3.3- 6.1
Some Post-H.S.	1529	1,415,688	1457	93.9	92.1-95.7	72	6.1	4.3- 7.9
College Graduate	1782	1,111,253	1679	91.9	89.9-93.9	103	8.1	6.1-10.1
Less than \$15,000	626	450,110	610	95.8	93.1-98.5	16	4.2	1.5- 6.9
\$15,000- 24,999	927	780,074	902	96.1	94.1-98.1	25	3.9	1.9- 5.9
\$25,000- 34,999	582	494,089	554	93.2	90.3-96.1	28	6.8	3.9- 9.7
\$35,000- 49,999	781	649,587	748	94.6	92.2-97.0	33	5.4	3.0- 7.8
\$50,000- 74,999	721	657,991	677	93.0	90.5-95.5	44	7.0	4.5- 9.5
\$75,000+	1175	1,041,208	1096	91.2	88.8-93.6	79	8.8	6.4-11.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV5)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2443	2,327,756	2315	93.8	92.4-95.2	128	6.2	4.8- 7.6
White/Non-Hisp	1997	1,766,543	1891	93.8	92.4-95.2	106	6.2	4.8- 7.6
Black or Afr. Am./Non-Hisp	235	317,459	223	93.9	89.6-98.2	12	6.1	1.8-10.4
Oth. Race/Non-Hisp.	62	71,427	60	98.3	95.8- 100	2	1.7	0.0- 4.2
MultiRacial/Non-Hisp.	51	28,707	50	98.3	95.0- 100	1	1.7	0.0- 5.0
Hispanic	59	111,867	53	89.0	78.6-99.4	6	11.0	0.6-21.4
18-24	188	284,902	174	91.9	87.4-96.4	14	8.1	3.6-12.6
25-34	266	393,311	242	90.1	85.8-94.4	24	9.9	5.6-14.2
35-44	275	390,803	255	94.2	91.3-97.1	20	5.8	2.9- 8.7
45-54	375	385,387	352	92.8	89.1-96.5	23	7.2	3.5-10.9
55-64	558	387,704	536	95.6	93.4-97.8	22	4.4	2.2- 6.6
65+	749	452,402	725	96.8	95.0-98.6	24	3.2	1.4- 5.0
Less Than H.S.	224	331,737	217	96.1	93.0-99.2	7	3.9	0.8- 7.0
H.S. or G.E.D.	775	772,910	734	93.2	90.8-95.6	41	6.8	4.4- 9.2
Some Post-H.S.	625	663,285	591	94.3	91.9-96.7	34	5.7	3.3- 8.1
College Graduate	818	559,335	772	92.6	89.9-95.3	46	7.4	4.7-10.1
Less than \$15,000	207	175,596	199	97.3	95.1-99.5	8	2.7	0.5- 4.9
\$15,000- 24,999	318	308,807	300	92.8	88.5-97.1	18	7.2	2.9-11.5
\$25,000- 34,999	254	251,343	241	94.0	90.1-97.9	13	6.0	2.1- 9.9
\$35,000- 49,999	367	340,128	348	93.4	89.9-96.9	19	6.6	3.1-10.1
\$50,000- 74,999	353	361,018	329	93.6	90.7-96.5	24	6.4	3.5- 9.3
\$75,000+	628	599,558	592	92.3	89.2-95.4	36	7.7	4.6-10.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (\_RFDRHV5)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3336	2,504,551	3219	94.9	93.7-96.1	117	5.1	3.9- 6.3
White/Non-Hisp	2709	1,898,090	2610	94.5	93.1-95.9	99	5.5	4.1- 6.9
Black or Afr. Am./Non-Hisp	440	411,050	430	96.9	94.2-99.6	10	3.1	0.4- 5.8
Oth. Race/Non-Hisp.	52	39,406	49	88.3	72.6- 100	3	11.7	0.0-27.4
18-24	151	278,672	140	91.1	85.4-96.8	11	8.9	3.2-14.6
25-34	299	399,947	280	93.3	89.8-96.8	19	6.7	3.2-10.2
35-44	329	402,102	307	93.4	90.1-96.7	22	6.6	3.3- 9.9
45-54	566	416,201	549	95.8	93.3-98.3	17	4.2	1.7- 6.7
55-64	675	402,587	655	95.3	92.8-97.8	20	4.7	2.2- 7.2
65+	1261	570,770	1234	97.7	96.5-98.9	27	2.3	1.1- 3.5
Less Than H.S.	380	375,259	376	97.4	94.9-99.9	4	2.6	0.1- 5.1
H.S. or G.E.D.	1078	821,226	1060	97.3	95.7-98.9	18	2.7	1.1- 4.3
Some Post-H.S.	904	752,403	866	93.6	91.1-96.1	38	6.4	3.9- 8.9
College Graduate	964	551,919	907	91.1	88.4-93.8	57	8.9	6.2-11.6
Less than \$15,000	419	274,514	411	94.9	90.8-99.0	8	5.1	1.0- 9.2
\$15,000- 24,999	609	471,268	602	98.3	96.7-99.9	7	1.7	0.1- 3.3
\$25,000- 34,999	328	242,745	313	92.3	87.6-97.0	15	7.7	3.0-12.4
\$35,000- 49,999	414	309,459	400	95.9	93.0-98.8	14	4.1	1.2- 7.0
\$50,000- 74,999	368	296,973	348	92.3	88.0-96.6	20	7.7	3.4-12.0
\$75,000+	547	441,649	504	89.6	85.7-93.5	43	10.4	6.5-14.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 12: IMMUNIZATION CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	129
2	MALES ONLY	130
3	FEMALES ONLY	131
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	132
5	MALES ONLY	133
6	FEMALES ONLY	134



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2019	1,029,704	1141	56.9	54.0-59.8	878	43.1	40.2-46.0
Male	754	457,908	414	56.8	52.1-61.5	340	43.2	38.5-47.9
Female	1264	571,518	726	56.9	53.4-60.4	538	43.1	39.6-46.6
White/Non-Hisp	1730	888,174	990	58.6	55.7-61.5	740	41.4	38.5-44.3
Black or Afr. Am./Non-Hisp	187	94,213	80	35.7	26.1-45.3	107	64.3	54.7-73.9
65+	2019	1,029,704	1141	56.9	54.0-59.8	878	43.1	40.2-46.0
Less Than H.S.	280	218,864	163	59.6	52.5-66.7	117	40.4	33.3-47.5
H.S. or G.E.D.	679	356,934	376	57.3	52.4-62.2	303	42.7	37.8-47.6
Some Post-H.S.	498	249,720	270	53.5	47.6-59.4	228	46.5	40.6-52.4
College Graduate	558	202,345	330	57.4	52.1-62.7	228	42.6	37.3-47.9
Less than \$15,000	217	99,748	117	49.3	40.7-57.9	100	50.7	42.1-59.3
\$15,000- 24,999	392	209,785	216	57.2	50.5-63.9	176	42.8	36.1-49.5
\$25,000- 34,999	214	112,897	120	61.5	53.1-69.9	94	38.5	30.1-46.9
\$35,000- 49,999	274	141,105	158	53.8	45.8-61.8	116	46.2	38.2-54.2
\$50,000- 74,999	214	113,157	120	57.7	48.9-66.5	94	42.3	33.5-51.1
\$75,000+	246	120,211	139	55.7	47.7-63.7	107	44.3	36.3-52.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	754	457,908	414	56.8	52.1-61.5	340	43.2	38.5-47.9
White/Non-Hisp	655	396,495	362	58.4	53.5-63.3	293	41.6	36.7-46.5
Black or Afr. Am./Non-Hisp	52	35,350	19	31.3	14.6-48.0	33	68.7	52.0-85.4
65+	754	457,908	414	56.8	52.1-61.5	340	43.2	38.5-47.9
Less Than H.S.	82	84,596	49	57.6	44.5-70.7	33	42.4	29.3-55.5
H.S. or G.E.D.	213	134,079	111	58.1	49.7-66.5	102	41.9	33.5-50.3
Some Post-H.S.	188	117,677	103	55.9	46.7-65.1	85	44.1	34.9-53.3
College Graduate	271	121,556	151	55.5	48.1-62.9	120	44.5	37.1-51.9
\$15,000- 24,999	116	71,467	61	56.5	44.0-69.0	55	43.5	31.0-56.0
\$25,000- 34,999	87	63,537	49	63.5	51.2-75.8	38	36.5	24.2-48.8
\$35,000- 49,999	124	74,154	69	51.8	39.6-64.0	55	48.2	36.0-60.4
\$50,000- 74,999	108	63,620	61	60.8	49.2-72.4	47	39.2	27.6-50.8
\$75,000+	147	75,651	83	54.8	44.4-65.2	64	45.2	34.8-55.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 12: IMMUNIZATION**

**TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (\_FLSHOT6)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1264	571,518	726	56.9	53.4-60.4	538	43.1	39.6-46.6
White/Non-Hisp	1074	491,401	627	58.7	55.0-62.4	447	41.3	37.6-45.0
Black or Afr. Am./Non-Hisp	135	58,862	61	38.3	26.5-50.1	74	61.7	49.9-73.5
65+	1264	571,518	726	56.9	53.4-60.4	538	43.1	39.6-46.6
Less Than H.S.	198	134,269	114	60.9	52.9-68.9	84	39.1	31.1-47.1
H.S. or G.E.D.	466	222,855	265	56.8	50.9-62.7	201	43.2	37.3-49.1
Some Post-H.S.	310	132,043	167	51.3	44.0-58.6	143	48.7	41.4-56.0
College Graduate	286	80,512	178	60.0	52.7-67.3	108	40.0	32.7-47.3
Less than \$15,000	169	68,088	95	48.9	38.9-58.9	74	51.1	41.1-61.1
\$15,000- 24,999	276	138,317	155	57.6	50.0-65.2	121	42.4	34.8-50.0
\$25,000- 34,999	127	49,361	71	58.9	48.1-69.7	56	41.1	30.3-51.9
\$35,000- 49,999	150	66,952	89	56.1	46.3-65.9	61	43.9	34.1-53.7
\$50,000- 74,999	106	49,537	59	53.6	40.5-66.7	47	46.4	33.3-59.5
\$75,000+	99	44,560	56	57.2	44.3-70.1	43	42.8	29.9-55.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents aged 64 or younger**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1962	992,113	1473	74.1	71.6-76.6	489	25.9	23.4-28.4
Male	720	435,745	521	73.8	69.7-77.9	199	26.2	22.1-30.3
Female	1241	556,092	951	74.4	71.1-77.7	290	25.6	22.3-28.9
White/Non-Hisp	1686	861,800	1300	76.4	73.7-79.1	386	23.6	20.9-26.3
Black or Afr. Am./Non-Hisp	177	84,563	100	53.0	42.6-63.4	77	47.0	36.6-57.4
65+	1962	992,113	1473	74.1	71.6-76.6	489	25.9	23.4-28.4
Less Than H.S.	268	205,180	197	72.8	66.1-79.5	71	27.2	20.5-33.9
H.S. or G.E.D.	664	346,340	502	74.6	70.1-79.1	162	25.4	20.9-29.9
Some Post-H.S.	486	242,989	357	73.2	67.9-78.5	129	26.8	21.5-32.1
College Graduate	540	195,763	414	76.0	71.7-80.3	126	24.0	19.7-28.3
Less than \$15,000	210	93,745	154	72.0	63.6-80.4	56	28.0	19.6-36.4
\$15,000- 24,999	391	208,834	289	75.7	70.2-81.2	102	24.3	18.8-29.8
\$25,000- 34,999	203	103,372	151	73.5	65.5-81.5	52	26.5	18.5-34.5
\$35,000- 49,999	270	139,087	200	72.0	64.6-79.4	70	28.0	20.6-35.4
\$50,000- 74,999	208	111,956	155	73.1	64.9-81.3	53	26.9	18.7-35.1
\$75,000+	240	118,002	183	72.3	64.9-79.7	57	27.7	20.3-35.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	720	435,745	521	73.8	69.7-77.9	199	26.2	22.1-30.3
White/Non-Hisp	630	381,511	470	76.1	71.8-80.4	160	23.9	19.6-28.2
65+	720	435,745	521	73.8	69.7-77.9	199	26.2	22.1-30.3
Less Than H.S.	77	77,778	60	77.3	65.7-88.9	17	22.7	11.1-34.3
H.S. or G.E.D.	205	129,068	143	71.0	63.0-79.0	62	29.0	21.0-37.0
Some Post-H.S.	180	112,677	131	73.6	65.4-81.8	49	26.4	18.2-34.6
College Graduate	258	116,222	187	74.6	68.3-80.9	71	25.4	19.1-31.7
\$15,000- 24,999	115	70,462	77	74.0	64.2-83.8	38	26.0	16.2-35.8
\$25,000- 34,999	81	58,901	57	72.5	60.5-84.5	24	27.5	15.5-39.5
\$35,000- 49,999	119	71,180	87	71.5	59.9-83.1	32	28.5	16.9-40.1
\$50,000- 74,999	104	62,757	74	71.1	59.5-82.7	30	28.9	17.3-40.5
\$75,000+	143	73,758	107	72.6	63.4-81.8	36	27.4	18.2-36.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (\_PNEUMO2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents aged 64 or younger

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1241	556,092	951	74.4	71.1-77.7	290	25.6	22.3-28.9
White/Non-Hisp	1055	480,012	829	76.7	73.4-80.0	226	23.3	20.0-26.6
Black or Afr. Am./Non-Hisp	132	54,925	81	58.8	46.5-71.1	51	41.2	28.9-53.5
65+	1241	556,092	951	74.4	71.1-77.7	290	25.6	22.3-28.9
Less Than H.S.	191	127,402	137	70.1	62.3-77.9	54	29.9	22.1-37.7
H.S. or G.E.D.	459	217,272	359	76.7	71.6-81.8	100	23.3	18.2-28.4
Some Post-H.S.	306	130,313	226	72.9	66.2-79.6	80	27.1	20.4-33.8
College Graduate	281	79,264	226	77.9	72.0-83.8	55	22.1	16.2-28.0
Less than \$15,000	167	65,919	124	69.9	59.7-80.1	43	30.1	19.9-40.3
\$15,000- 24,999	276	138,371	212	76.6	70.1-83.1	64	23.4	16.9-29.9
\$25,000- 34,999	122	44,470	94	74.9	65.1-84.7	28	25.1	15.3-34.9
\$35,000- 49,999	151	67,908	113	72.6	63.8-81.4	38	27.4	18.6-36.2
\$50,000- 74,999	104	49,199	81	75.7	64.7-86.7	23	24.3	13.3-35.3
\$75,000+	97	44,243	76	71.9	59.0-84.8	21	28.1	15.2-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 14: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	136
2	MALES ONLY	137
3	FEMALES ONLY	138
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	139
5	MALES ONLY	140
6	FEMALES ONLY	141

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5787	4,859,538	5481	93.7	92.7-94.7	306	6.3	5.3- 7.3
Male	2455	2,344,646	2262	90.8	89.0-92.6	193	9.2	7.4-11.0
Female	3329	2,511,378	3216	96.4	95.4-97.4	113	3.6	2.6- 4.6
White/Non-Hisp	4694	3,663,994	4451	94.1	93.1-95.1	243	5.9	4.9- 6.9
Black or Afr. Am./Non-Hisp	689	750,379	656	93.1	90.2-96.0	33	6.9	4.0- 9.8
Oth. Race/Non-Hisp.	113	112,276	102	95.2	91.3-99.1	11	4.8	0.9- 8.7
MultiRacial/Non-Hisp.	101	53,548	96	97.5	95.0- 100	5	2.5	0.0- 5.0
Hispanic	103	199,809	96	89.5	79.7-99.3	7	10.5	0.7-20.3
18-24	348	581,064	321	91.8	88.1-95.5	27	8.2	4.5-11.9
25-34	570	806,925	531	93.1	90.4-95.8	39	6.9	4.2- 9.6
35-44	606	799,860	565	92.6	89.5-95.7	41	7.4	4.3-10.5
45-54	935	790,277	885	93.1	90.2-96.0	50	6.9	4.0- 9.8
55-64	1239	795,716	1174	94.8	93.2-96.4	65	5.2	3.6- 6.8
65+	1999	1,014,758	1917	95.4	94.0-96.8	82	4.6	3.2- 6.0
Less Than H.S.	607	710,907	568	91.6	87.5-95.7	39	8.4	4.3-12.5
H.S. or G.E.D.	1865	1,614,594	1725	91.3	89.3-93.3	140	8.7	6.7-10.7
Some Post-H.S.	1521	1,418,360	1457	95.5	93.9-97.1	64	4.5	2.9- 6.1
College Graduate	1781	1,110,706	1719	96.4	95.2-97.6	62	3.6	2.4- 4.8
Less than \$15,000	628	462,830	582	91.9	88.8-95.0	46	8.1	5.0-11.2
\$15,000- 24,999	921	772,408	873	92.4	89.1-95.7	48	7.6	4.3-10.9
\$25,000- 34,999	582	494,091	543	92.8	89.9-95.7	39	7.2	4.3-10.1
\$35,000- 49,999	779	652,216	735	93.7	91.3-96.1	44	6.3	3.9- 8.7
\$50,000- 74,999	724	661,257	693	93.5	90.0-97.0	31	6.5	3.0-10.0
\$75,000+	1170	1,040,057	1118	95.3	93.7-96.9	52	4.7	3.1- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2455	2,344,646	2262	90.8	89.0-92.6	193	9.2	7.4-11.0
White/Non-Hisp	2001	1,774,830	1849	91.5	89.5-93.5	152	8.5	6.5-10.5
Black or Afr. Am./Non-Hisp	242	324,439	224	89.6	84.1-95.1	18	10.4	4.9-15.9
Oth. Race/Non-Hisp.	60	71,476	53	93.7	87.6-99.8	7	6.3	0.2-12.4
MultiRacial/Non-Hisp.	53	29,859	48	95.6	91.1- 100	5	4.4	0.0- 8.9
Hispanic	58	110,455	53	84.8	68.5- 100	5	15.2	0.0-31.5
18-24	196	299,847	177	88.5	82.4-94.6	19	11.5	5.4-17.6
25-34	265	391,777	240	89.9	85.2-94.6	25	10.1	5.4-14.8
35-44	277	396,505	249	89.6	83.9-95.3	28	10.4	4.7-16.1
45-54	374	380,680	344	89.6	84.1-95.1	30	10.4	4.9-15.9
55-64	565	389,882	521	91.7	88.8-94.6	44	8.3	5.4-11.2
65+	744	450,691	698	93.9	91.5-96.3	46	6.1	3.7- 8.5
Less Than H.S.	227	335,460	204	86.2	78.2-94.2	23	13.8	5.8-21.8
H.S. or G.E.D.	791	786,310	700	88.0	84.9-91.1	91	12.0	8.9-15.1
Some Post-H.S.	620	665,356	580	92.7	89.8-95.6	40	7.3	4.4-10.2
College Graduate	814	556,293	776	95.4	93.4-97.4	38	4.6	2.6- 6.6
Less than \$15,000	205	177,784	185	88.4	82.1-94.7	20	11.6	5.3-17.9
\$15,000- 24,999	316	307,259	294	88.5	81.2-95.8	22	11.5	4.2-18.8
\$25,000- 34,999	256	251,905	230	89.7	84.4-95.0	26	10.3	5.0-15.6
\$35,000- 49,999	365	339,917	333	91.1	87.4-94.8	32	8.9	5.2-12.6
\$50,000- 74,999	357	361,539	333	89.5	83.2-95.8	24	10.5	4.2-16.8
\$75,000+	626	599,513	584	93.2	90.5-95.9	42	6.8	4.1- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3329	2,511,378	3216	96.4	95.4-97.4	113	3.6	2.6- 4.6
White/Non-Hisp	2691	1,887,561	2600	96.5	95.5-97.5	91	3.5	2.5- 4.5
Black or Afr. Am./Non-Hisp	447	425,940	432	95.7	92.6-98.8	15	4.3	1.2- 7.4
Oth. Race/Non-Hisp.	53	40,800	49	97.8	95.4- 100	4	2.2	0.0- 4.6
18-24	152	281,217	144	95.3	91.4-99.2	8	4.7	0.8- 8.6
25-34	304	413,822	290	96.1	93.4-98.8	14	3.9	1.2- 6.6
35-44	329	403,354	316	95.6	92.9-98.3	13	4.4	1.7- 7.1
45-54	560	407,686	540	96.3	94.1-98.5	20	3.7	1.5- 5.9
55-64	674	405,834	653	97.8	96.6-99.0	21	2.2	1.0- 3.4
65+	1254	563,790	1218	96.7	95.3-98.1	36	3.3	1.9- 4.7
Less Than H.S.	379	373,536	363	96.4	94.2-98.6	16	3.6	1.4- 5.8
H.S. or G.E.D.	1074	828,284	1025	94.4	92.2-96.6	49	5.6	3.4- 7.8
Some Post-H.S.	900	751,678	876	97.9	96.7-99.1	24	2.1	0.9- 3.3
College Graduate	966	554,136	942	97.4	96.0-98.8	24	2.6	1.2- 4.0
Less than \$15,000	423	285,046	397	94.1	91.0-97.2	26	5.9	2.8- 9.0
\$15,000- 24,999	605	465,150	579	95.0	92.1-97.9	26	5.0	2.1- 7.9
\$25,000- 34,999	326	242,186	313	96.1	93.4-98.8	13	3.9	1.2- 6.6
\$35,000- 49,999	414	312,300	402	96.5	94.1-98.9	12	3.5	1.1- 5.9
\$50,000- 74,999	367	299,718	360	98.3	96.9-99.7	7	1.7	0.3- 3.1
\$75,000+	543	438,634	533	98.2	96.8-99.6	10	1.8	0.4- 3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 14: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5787	4,859,538	4987	84.2	82.8-85.6	800	15.8	14.4-17.2
Male	2455	2,344,646	1971	78.3	75.9-80.7	484	21.7	19.3-24.1
Female	3329	2,511,378	3013	89.7	88.1-91.3	316	10.3	8.7-11.9
White/Non-Hisp	4694	3,663,994	4031	83.8	82.2-85.4	663	16.2	14.6-17.8
Black or Afr. Am./Non-Hisp	689	750,379	608	84.6	80.5-88.7	81	15.4	11.3-19.5
Oth. Race/Non-Hisp.	113	112,276	93	85.9	77.9-93.9	20	14.1	6.1-22.1
MultiRacial/Non-Hisp.	101	53,548	90	94.1	89.8-98.4	11	5.9	1.6-10.2
Hispanic	103	199,809	90	86.3	76.1-96.5	13	13.7	3.5-23.9
18-24	348	581,064	268	75.7	70.0-81.4	80	24.3	18.6-30.0
25-34	570	806,925	469	82.4	78.5-86.3	101	17.6	13.7-21.5
35-44	606	799,860	500	81.7	77.4-86.0	106	18.3	14.0-22.6
45-54	935	790,277	811	84.1	80.4-87.8	124	15.9	12.2-19.6
55-64	1239	795,716	1077	87.5	85.1-89.9	162	12.5	10.1-14.9
65+	1999	1,014,758	1780	89.4	87.6-91.2	219	10.6	8.8-12.4
Less Than H.S.	607	710,907	530	83.4	78.7-88.1	77	16.6	11.9-21.3
H.S. or G.E.D.	1865	1,614,594	1557	82.0	79.5-84.5	308	18.0	15.5-20.5
Some Post-H.S.	1521	1,418,360	1320	84.6	81.9-87.3	201	15.4	12.7-18.1
College Graduate	1781	1,110,706	1568	87.4	85.2-89.6	213	12.6	10.4-14.8
Less than \$15,000	628	462,830	544	84.2	79.7-88.7	84	15.8	11.3-20.3
\$15,000- 24,999	921	772,408	800	84.7	80.8-88.6	121	15.3	11.4-19.2
\$25,000- 34,999	582	494,091	488	82.1	77.8-86.4	94	17.9	13.6-22.2
\$35,000- 49,999	779	652,216	655	82.1	78.2-86.0	124	17.9	14.0-21.8
\$50,000- 74,999	724	661,257	617	82.7	78.2-87.2	107	17.3	12.8-21.8
\$75,000+	1170	1,040,057	1013	85.1	82.2-88.0	157	14.9	12.0-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2455	2,344,646	1971	78.3	75.9-80.7	484	21.7	19.3-24.1
White/Non-Hisp	2001	1,774,830	1599	78.0	75.5-80.5	402	22.0	19.5-24.5
Black or Afr. Am./Non-Hisp	242	324,439	201	77.6	70.2-85.0	41	22.4	15.0-29.8
Oth. Race/Non-Hisp.	60	71,476	45	79.5	67.0-92.0	15	20.5	8.0-33.0
MultiRacial/Non-Hisp.	53	29,859	43	89.8	82.2-97.4	10	10.2	2.6-17.8
Hispanic	58	110,455	51	83.9	67.8- 100	7	16.1	0.0-32.2
18-24	196	299,847	145	70.7	62.5-78.9	51	29.3	21.1-37.5
25-34	265	391,777	203	76.6	70.1-83.1	62	23.4	16.9-29.9
35-44	277	396,505	205	73.3	66.0-80.6	72	26.7	19.4-34.0
45-54	374	380,680	307	79.1	72.8-85.4	67	20.9	14.6-27.2
55-64	565	389,882	460	82.0	78.1-85.9	105	18.0	14.1-21.9
65+	744	450,691	622	84.7	81.4-88.0	122	15.3	12.0-18.6
Less Than H.S.	227	335,460	176	72.3	63.5-81.1	51	27.7	18.9-36.5
H.S. or G.E.D.	791	786,310	604	77.2	73.3-81.1	187	22.8	18.9-26.7
Some Post-H.S.	620	665,356	496	77.4	72.9-81.9	124	22.6	18.1-27.1
College Graduate	814	556,293	693	84.8	81.3-88.3	121	15.2	11.7-18.7
Less than \$15,000	205	177,784	166	76.6	68.0-85.2	39	23.4	14.8-32.0
\$15,000- 24,999	316	307,259	253	76.5	68.9-84.1	63	23.5	15.9-31.1
\$25,000- 34,999	256	251,905	194	74.6	67.5-81.7	62	25.4	18.3-32.5
\$35,000- 49,999	365	339,917	288	78.1	72.2-84.0	77	21.9	16.0-27.8
\$50,000- 74,999	357	361,539	282	77.1	69.8-84.4	75	22.9	15.6-30.2
\$75,000+	626	599,513	513	80.3	76.0-84.6	113	19.7	15.4-24.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 14: SEATBELT USE**

**TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (\_RFSEAT3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3329	2,511,378	3013	89.7	88.1-91.3	316	10.3	8.7-11.9
White/Non-Hisp	2691	1,887,561	2430	89.2	87.4-91.0	261	10.8	9.0-12.6
Black or Afr. Am./Non-Hisp	447	425,940	407	89.9	85.2-94.6	40	10.1	5.4-14.8
Oth. Race/Non-Hisp.	53	40,800	48	97.1	94.4-99.8	5	2.9	0.2- 5.6
18-24	152	281,217	123	81.1	73.7-88.5	29	18.9	11.5-26.3
25-34	304	413,822	265	87.9	83.2-92.6	39	12.1	7.4-16.8
35-44	329	403,354	295	90.0	86.1-93.9	34	10.0	6.1-13.9
45-54	560	407,686	503	88.6	84.5-92.7	57	11.4	7.3-15.5
55-64	674	405,834	617	92.8	90.4-95.2	57	7.2	4.8- 9.6
65+	1254	563,790	1157	93.1	91.3-94.9	97	6.9	5.1- 8.7
Less Than H.S.	379	373,536	353	93.3	90.2-96.4	26	6.7	3.6- 9.8
H.S. or G.E.D.	1074	828,284	953	86.6	83.3-89.9	121	13.4	10.1-16.7
Some Post-H.S.	900	751,678	823	90.9	88.2-93.6	77	9.1	6.4-11.8
College Graduate	966	554,136	874	90.0	87.3-92.7	92	10.0	7.3-12.7
Less than \$15,000	423	285,046	378	88.9	84.0-93.8	45	11.1	6.2-16.0
\$15,000- 24,999	605	465,150	547	90.0	86.5-93.5	58	10.0	6.5-13.5
\$25,000- 34,999	326	242,186	294	89.8	85.5-94.1	32	10.2	5.9-14.5
\$35,000- 49,999	414	312,300	367	86.4	81.1-91.7	47	13.6	8.3-18.9
\$50,000- 74,999	367	299,718	335	89.4	84.7-94.1	32	10.6	5.9-15.3
\$75,000+	543	438,634	499	91.6	88.3-94.9	44	8.4	5.1-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 15: DRINKING AND DRIVING CONTENTS

\* NOTE \* \* \* \* \*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DRINKING AND DRIVING (_DRNKDRV)	
1	MALES AND FEMALES	143
2	MALES ONLY	144
3	FEMALES ONLY	145

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 15: DRINKING AND DRIVING**

**TABLE 1: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2337	2,230,849	76	4.9	3.5- 6.3	2261	95.1	93.7-96.5
Male	1193	1,214,132	52	6.7	4.5- 8.9	1141	93.3	91.1-95.5
Female	1141	1,013,203	24	2.9	1.3- 4.5	1117	97.1	95.5-98.7
White/Non-Hisp	1878	1,619,558	60	4.8	3.2- 6.4	1818	95.2	93.6-96.8
Black or Afr. Am./Non-Hisp	289	388,102	12	7.2	2.7-11.7	277	92.8	88.3-97.3
Hispanic	57	114,101	2	3.4	0.0- 8.3	55	96.6	91.7- 100
18-24	195	311,531	17	10.4	5.1-15.7	178	89.6	84.3-94.9
25-34	343	505,499	18	4.8	2.3- 7.3	325	95.2	92.7-97.7
35-44	320	452,608	15	6.3	2.6-10.0	305	93.7	90.0-97.4
45-54	395	336,863	9	4.2	1.1- 7.3	386	95.8	92.7-98.9
55-64	474	310,922	10	2.4	0.6- 4.2	464	97.6	95.8-99.4
65+	576	283,199	7	1.1	0.0- 2.3	569	98.9	97.7- 100
Less Than H.S.	112	170,649	2	4.0	0.0- 9.5	110	96.0	90.5- 100
H.S. or G.E.D.	581	630,275	20	4.8	2.4- 7.2	561	95.2	92.8-97.6
Some Post-H.S.	622	696,584	15	4.3	1.8- 6.8	607	95.7	93.2-98.2
College Graduate	1017	731,313	39	5.8	3.6- 8.0	978	94.2	92.0-96.4
Less than \$15,000	159	153,650	5	5.5	0.0-11.8	154	94.5	88.2- 100
\$15,000- 24,999	284	291,084	4	2.1	0.0- 4.3	280	97.9	95.7- 100
\$25,000- 34,999	223	230,048	8	5.7	1.4-10.0	215	94.3	90.0-98.6
\$35,000- 49,999	315	291,526	17	7.3	3.2-11.4	298	92.7	88.6-96.8
\$50,000- 74,999	347	323,122	12	4.7	1.4- 8.0	335	95.3	92.0-98.6
\$75,000+	733	696,984	23	5.7	3.0- 8.4	710	94.3	91.6-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 15: DRINKING AND DRIVING  
 TABLE 2: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1193	1,214,132	52	6.7	4.5- 8.9	1141	93.3	91.1-95.5
White/Non-Hisp	975	923,539	40	6.1	3.9- 8.3	935	93.9	91.7-96.1
Black or Afr. Am./Non-Hisp	121	167,489	10	13.9	4.9-22.9	111	86.1	77.1-95.1
18-24	116	169,311	13	14.1	5.9-22.3	103	85.9	77.7-94.1
25-34	175	266,104	10	5.5	2.0- 9.0	165	94.5	91.0-98.0
35-44	159	239,790	12	10.7	3.8-17.6	147	89.3	82.4-96.2
45-54	184	184,284	7	4.9	0.6- 9.2	177	95.1	90.8-99.4
55-64	261	174,188	7	3.3	0.6- 6.0	254	96.7	94.0-99.4
65+	277	158,513	3	1.4	0.0- 3.4	274	98.6	96.6- 100
Less Than H.S.	64	102,331	1	3.3	0.0- 9.8	63	96.7	90.2- 100
H.S. or G.E.D.	321	361,687	18	7.4	3.7-11.1	303	92.6	88.9-96.3
Some Post-H.S.	302	363,101	13	7.4	2.7-12.1	289	92.6	87.9-97.3
College Graduate	503	385,785	20	6.3	3.2- 9.4	483	93.7	90.6-96.8
Less than \$15,000	74	67,727	4	7.3	0.0-17.5	70	92.7	82.5- 100
\$15,000- 24,999	128	143,424	4	4.3	0.0- 8.6	124	95.7	91.4- 100
\$25,000- 34,999	107	117,978	6	9.1	1.7-16.5	101	90.9	83.5-98.3
\$35,000- 49,999	160	158,467	11	9.8	3.1-16.5	149	90.2	83.5-96.9
\$50,000- 74,999	185	187,061	9	7.3	1.6-13.0	176	92.7	87.0-98.4
\$75,000+	403	414,287	15	6.7	2.6-10.8	388	93.3	89.2-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 15: DRINKING AND DRIVING  
 TABLE 3: DRINKING AND DRIVING (\_DRNKDRV)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		have driven after having too much to drink			Have not driven after having too much to drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1141	1,013,203	24	2.9	1.3- 4.5	1117	97.1	95.5-98.7
White/Non-Hisp	901	694,416	20	3.1	1.3- 4.9	881	96.9	95.1-98.7
Black or Afr. Am./Non-Hisp	168	220,613	2	2.2	0.0- 5.5	166	97.8	94.5- 100
18-24	79	142,221	4	5.9	0.0-11.8	75	94.1	88.2- 100
25-34	167	238,069	8	4.1	0.2- 8.0	159	95.9	92.0-99.8
35-44	161	212,818	3	1.4	0.0- 3.0	158	98.6	97.0- 100
45-54	210	150,669	2	3.3	0.0- 8.2	208	96.7	91.8- 100
55-64	213	136,733	3	1.3	0.0- 3.3	210	98.7	96.7- 100
65+	298	124,409	4	0.8	0.0- 1.6	294	99.2	98.4- 100
H.S. or G.E.D.	260	268,588	2	1.5	0.0- 3.7	258	98.5	96.3- 100
Some Post-H.S.	319	332,157	2	0.9	0.0- 2.5	317	99.1	97.5- 100
College Graduate	513	345,251	19	5.4	2.3- 8.5	494	94.6	91.5-97.7
Less than \$15,000	85	85,923	1	4.1	0.0-11.9	84	95.9	88.1- 100
\$15,000- 24,999	156	147,660				156	100.0	100.0- 100
\$25,000- 34,999	116	112,071	2	2.1	0.0- 5.6	114	97.9	94.4- 100
\$35,000- 49,999	155	133,060	6	4.4	0.0- 8.9	149	95.6	91.1- 100
\$50,000- 74,999	162	136,061	3	1.1	0.0- 2.5	159	98.9	97.5- 100
\$75,000+	329	280,786	8	4.2	0.7- 7.7	321	95.8	92.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 16: BREAST/CERVICAL CANCER SCREENING CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
1	WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	147
2	WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM5021) FEMALES ONLY	148
3	WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP33) FEMALES ONLY	149

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: WOMEN RESPONDENTS AGED 40+ WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_RFMAM2Y)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents that reported being less than 40 years old  
 Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2602	1,544,072	1917	71.1	68.6-73.6	685	28.9	26.4-31.4
White/Non-Hisp	2161	1,251,344	1580	71.7	69.2-74.2	581	28.3	25.8-30.8
Black or Afr. Am./Non-Hisp	320	208,185	255	73.4	66.0-80.8	65	26.6	19.2-34.0
40-44	169	194,624	92	52.0	41.4-62.6	77	48.0	37.4-58.6
45-54	553	402,619	394	70.7	65.6-75.8	159	29.3	24.2-34.4
55-64	660	397,957	510	75.1	70.8-79.4	150	24.9	20.6-29.2
65+	1220	548,872	921	75.2	72.1-78.3	299	24.8	21.7-27.9
Less Than H.S.	332	283,134	216	59.7	52.1-67.3	116	40.3	32.7-47.9
H.S. or G.E.D.	881	521,287	647	74.1	70.2-78.0	234	25.9	22.0-29.8
Some Post-H.S.	670	424,227	476	69.3	64.4-74.2	194	30.7	25.8-35.6
College Graduate	714	313,600	575	78.7	74.2-83.2	139	21.3	16.8-25.8
Less than \$15,000	342	178,481	203	53.5	45.9-61.1	139	46.5	38.9-54.1
\$15,000- 24,999	471	279,781	334	70.9	65.4-76.4	137	29.1	23.6-34.6
\$25,000- 34,999	250	150,052	181	65.4	53.8-77.0	69	34.6	23.0-46.2
\$35,000- 49,999	323	195,509	250	78.6	72.9-84.3	73	21.4	15.7-27.1
\$50,000- 74,999	282	179,075	220	77.0	69.9-84.1	62	23.0	15.9-30.1
\$75,000+	421	271,042	346	79.6	74.1-85.1	75	20.4	14.9-25.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: WOMEN RESPONDENTS AGED 50-74 WHO HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (\_MAM5021)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old  
 Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1662	938,379	1295	77.1	74.4-79.8	367	22.9	20.2-25.6
White/Non-Hisp	1363	766,444	1049	76.2	73.3-79.1	314	23.8	20.9-26.7
Black or Afr. Am./Non-Hisp	226	132,713	190	83.7	76.8-90.6	36	16.3	9.4-23.2
50-54	294	217,860	223	76.8	70.7-82.9	71	23.2	17.1-29.3
55-64	660	397,957	510	75.1	70.8-79.4	150	24.9	20.6-29.2
65+	708	322,562	562	79.9	76.0-83.8	146	20.1	16.2-24.0
Less Than H.S.	194	156,493	138	69.9	62.1-77.7	56	30.1	22.3-37.9
H.S. or G.E.D.	579	344,558	448	79.2	75.1-83.3	131	20.8	16.7-24.9
Some Post-H.S.	426	256,692	322	75.7	70.2-81.2	104	24.3	18.8-29.8
College Graduate	459	179,070	384	81.7	76.8-86.6	75	18.3	13.4-23.2
Less than \$15,000	229	107,387	147	62.1	53.3-70.9	82	37.9	29.1-46.7
\$15,000- 24,999	286	166,212	220	78.7	72.6-84.8	66	21.3	15.2-27.4
\$25,000- 34,999	164	88,786	132	77.8	69.0-86.6	32	22.2	13.4-31.0
\$35,000- 49,999	210	119,375	168	78.1	70.8-85.4	42	21.9	14.6-29.2
\$50,000- 74,999	190	112,139	152	83.2	76.7-89.7	38	16.8	10.3-23.3
\$75,000+	276	169,590	239	85.8	80.5-91.1	37	14.2	8.9-19.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: WOMEN RESPONDENTS AGED 21-65 WHO HAVE HAD A PAP TEST IN THE PAST THREE YEARS (\_RFPAP33)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 21 years old or greater than 65 years old

Denominator excludes: Respondents who are male

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1434	1,347,512	1146	79.8	76.9-82.7	288	20.2	17.3-23.1
White/Non-Hisp	1130	969,630	902	79.8	76.7-82.9	228	20.2	17.1-23.3
Black or Afr. Am./Non-Hisp	210	248,607	177	81.9	74.1-89.7	33	18.1	10.3-25.9
18-24	87	143,873	61	67.4	55.4-79.4	26	32.6	20.6-44.6
25-34	276	374,693	247	90.2	85.7-94.7	29	9.8	5.3-14.3
35-44	265	321,293	221	82.7	76.4-89.0	44	17.3	11.0-23.6
45-54	376	266,343	298	76.2	70.1-82.3	78	23.8	17.7-29.9
55-64	388	225,026	288	71.0	64.9-77.1	100	29.0	22.9-35.1
Less Than H.S.	103	135,439	64	62.8	50.3-75.3	39	37.2	24.7-49.7
H.S. or G.E.D.	390	381,983	282	74.2	68.1-80.3	108	25.8	19.7-31.9
Some Post-H.S.	393	429,755	314	81.8	76.7-86.9	79	18.2	13.1-23.3
College Graduate	545	398,975	486	88.9	85.2-92.6	59	11.1	7.4-14.8
Less than \$15,000	170	150,243	109	67.7	57.1-78.3	61	32.3	21.7-42.9
\$15,000- 24,999	210	217,083	163	80.3	73.2-87.4	47	19.7	12.6-26.8
\$25,000- 34,999	141	123,342	108	81.3	74.0-88.6	33	18.7	11.4-26.0
\$35,000- 49,999	206	190,964	168	82.3	74.9-89.7	38	17.7	10.3-25.1
\$50,000- 74,999	179	169,389	157	87.3	80.2-94.4	22	12.7	5.6-19.8
\$75,000+	335	307,026	306	92.0	88.3-95.7	29	8.0	4.3-11.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 17: PROSTATE CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
1	MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA21) MALES ONLY	151

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 1: MALE RESPONDENTS AGED 40+ WHO HAVE HAD A PSA TEST IN THE PAST 2 YEARS (\_RFPSA21)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents that reported being less than 40 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1681	1,309,972	833	43.2	39.9-46.5	848	56.8	53.5-60.1
White/Non-Hisp	1392	1,034,717	705	45.2	41.7-48.7	687	54.8	51.3-58.3
Black or Afr. Am./Non-Hisp	165	167,723	72	37.8	27.0-48.6	93	62.2	51.4-73.0
40-44	126	194,167	25	19.3	10.7-27.9	101	80.7	72.1-89.3
45-54	353	349,277	101	26.5	20.0-33.0	252	73.5	67.0-80.0
55-64	520	359,524	259	47.7	42.2-53.2	261	52.3	46.8-57.8
65+	682	407,004	448	64.9	60.2-69.6	234	35.1	30.4-39.8
Less Than H.S.	164	228,517	52	29.3	19.9-38.7	112	70.7	61.3-80.1
H.S. or G.E.D.	548	432,678	236	39.3	33.8-44.8	312	60.7	55.2-66.2
Some Post-H.S.	396	333,125	196	43.9	37.4-50.4	200	56.1	49.6-62.6
College Graduate	572	315,163	349	57.9	52.4-63.4	223	42.1	36.6-47.6
Less than \$15,000	142	103,730	34	21.8	13.2-30.4	108	78.2	69.6-86.8
\$15,000- 24,999	222	174,574	90	34.7	26.1-43.3	132	65.3	56.7-73.9
\$25,000- 34,999	169	139,091	73	36.1	26.7-45.5	96	63.9	54.5-73.3
\$35,000- 49,999	234	171,336	118	39.8	31.4-48.2	116	60.2	51.8-68.6
\$50,000- 74,999	259	228,480	135	45.4	35.6-55.2	124	54.6	44.8-64.4
\$75,000+	455	348,544	272	52.8	46.3-59.3	183	47.2	40.7-53.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

**SECTION 18: COLORECTAL CANCER SCREENING CONTENTS**

**\* NOTE \* \* \* \* \***  
**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**  
**\* \* \* \* \***

TABLE		PAGE
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (_RFBLDS3)	
1	MALES AND FEMALES	153
2	MALES ONLY	154
3	FEMALES ONLY	155
	RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (_COL10YR)	
4	MALES AND FEMALES	156
5	MALES ONLY	157
6	FEMALES ONLY	158
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (_HFOB3YR)	
7	MALES AND FEMALES	159
8	MALES ONLY	160
9	FEMALES ONLY	161
	RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FS5YR)	
10	MALES AND FEMALES	162
11	MALES ONLY	163
12	FEMALES ONLY	164
	RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (_FOBTFS)	
13	MALES AND FEMALES	165
14	MALES ONLY	166
15	FEMALES ONLY	167
	RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (_CRCREC)	
16	MALES AND FEMALES	168
17	MALES ONLY	169
18	FEMALES ONLY	170



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 1: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2915	1,809,134	292	9.6	8.2-11.0	2623	90.4	89.0-91.8
Male	1223	855,160	121	9.1	7.1-11.1	1102	90.9	88.9-92.9
Female	1691	952,064	171	10.1	8.1-12.1	1520	89.9	87.9-91.9
White/Non-Hisp	2401	1,464,192	241	9.7	8.1-11.3	2160	90.3	88.7-91.9
Black or Afr. Am./Non-Hisp	357	246,572	40	10.6	6.3-14.9	317	89.4	85.1-93.7
Oth. Race/Non-Hisp.	50	37,186	3	6.0	0.0-13.8	47	94.0	86.2- 100
MultiRacial/Non-Hisp.	50	17,437	4	4.8	0.0-10.3	46	95.2	89.7- 100
50-54	477	397,475	31	5.4	2.9- 7.9	446	94.6	92.1-97.1
55-64	1199	768,690	87	8.0	6.0-10.0	1112	92.0	90.0-94.0
65+	1239	642,970	174	14.2	11.7-16.7	1065	85.8	83.3-88.3
Less Than H.S.	329	325,833	44	12.5	8.4-16.6	285	87.5	83.4-91.6
H.S. or G.E.D.	993	640,494	102	9.3	7.1-11.5	891	90.7	88.5-92.9
Some Post-H.S.	717	467,972	67	8.8	6.1-11.5	650	91.2	88.5-93.9
College Graduate	871	372,779	78	8.5	6.1-10.9	793	91.5	89.1-93.9
Less than \$15,000	355	197,306	45	11.2	6.9-15.5	310	88.8	84.5-93.1
\$15,000- 24,999	458	286,194	56	13.0	8.5-17.5	402	87.0	82.5-91.5
\$25,000- 34,999	295	187,111	30	9.9	5.6-14.2	265	90.1	85.8-94.4
\$35,000- 49,999	389	237,227	36	10.4	6.3-14.5	353	89.6	85.5-93.7
\$50,000- 74,999	367	235,847	32	8.3	4.8-11.8	335	91.7	88.2-95.2
\$75,000+	588	377,576	43	6.2	4.0- 8.4	545	93.8	91.6-96.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 2: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFB LDS3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1223	855,160	121	9.1	7.1-11.1	1102	90.9	88.9-92.9
White/Non-Hisp	1016	687,540	103	9.5	7.3-11.7	913	90.5	88.3-92.7
Black or Afr. Am./Non-Hisp	128	111,578	13	8.4	2.7-14.1	115	91.6	85.9-97.3
50-54	183	178,353	9	3.3	0.9- 5.7	174	96.7	94.3-99.1
55-64	548	377,644	38	6.9	4.2- 9.6	510	93.1	90.4-95.8
65+	492	299,163	74	15.2	11.3-19.1	418	84.8	80.9-88.7
Less Than H.S.	128	162,677	15	9.7	4.6-14.8	113	90.3	85.2-95.4
H.S. or G.E.D.	402	287,905	38	8.4	5.3-11.5	364	91.6	88.5-94.7
Some Post-H.S.	287	212,485	30	9.2	5.1-13.3	257	90.8	86.7-94.9
College Graduate	405	191,602	38	9.3	6.0-12.6	367	90.7	87.4-94.0
Less than \$15,000	124	87,982	8	4.7	0.8- 8.6	116	95.3	91.4-99.2
\$15,000- 24,999	168	117,187	21	10.5	5.0-16.0	147	89.5	84.0-95.0
\$25,000- 34,999	126	96,048	12	11.8	4.5-19.1	114	88.2	80.9-95.5
\$35,000- 49,999	176	119,390	22	12.2	5.9-18.5	154	87.8	81.5-94.1
\$50,000- 74,999	171	121,050	15	8.9	4.0-13.8	156	91.1	86.2-96.0
\$75,000+	310	206,605	26	7.0	3.9-10.1	284	93.0	89.9-96.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 3: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST YEAR (\_RFBlds3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1691	952,064	171	10.1	8.1-12.1	1520	89.9	87.9-91.9
White/Non-Hisp	1385	776,652	138	9.9	7.7-12.1	1247	90.1	87.9-92.3
Black or Afr. Am./Non-Hisp	229	134,994	27	12.5	6.0-19.0	202	87.5	81.0-94.0
50-54	293	217,212	22	7.2	3.1-11.3	271	92.8	88.7-96.9
55-64	651	391,046	49	9.0	6.1-11.9	602	91.0	88.1-93.9
65+	747	343,807	100	13.2	9.9-16.5	647	86.8	83.5-90.1
Less Than H.S.	200	161,246	29	15.4	8.7-22.1	171	84.6	77.9-91.3
H.S. or G.E.D.	591	352,588	64	10.1	7.0-13.2	527	89.9	86.8-93.0
Some Post-H.S.	430	255,487	37	8.5	4.8-12.2	393	91.5	87.8-95.2
College Graduate	466	181,177	40	7.7	4.6-10.8	426	92.3	89.2-95.4
Less than \$15,000	231	109,324	37	16.5	9.4-23.6	194	83.5	76.4-90.6
\$15,000- 24,999	290	169,007	35	14.7	8.2-21.2	255	85.3	78.8-91.8
\$25,000- 34,999	169	91,063	18	8.0	3.5-12.5	151	92.0	87.5-96.5
\$35,000- 49,999	213	117,837	14	8.7	3.2-14.2	199	91.3	85.8-96.8
\$50,000- 74,999	196	114,796	17	7.6	2.9-12.3	179	92.4	87.7-97.1
\$75,000+	277	169,060	17	5.2	1.9- 8.5	260	94.8	91.5-98.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 4: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (\_COL10YR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2853	1,769,387	1901	62.8	60.3-65.3	952	37.2	34.7-39.7
Male	1203	837,243	790	60.8	56.9-64.7	413	39.2	35.3-43.1
Female	1649	930,233	1110	64.4	61.3-67.5	539	35.6	32.5-38.7
White/Non-Hisp	2349	1,432,057	1555	63.2	60.7-65.7	794	36.8	34.3-39.3
Black or Afr. Am./Non-Hisp	354	241,377	247	59.3	51.1-67.5	107	40.7	32.5-48.9
50-54	465	389,022	219	41.7	35.8-47.6	246	58.3	52.4-64.2
55-64	1182	757,567	800	66.1	62.6-69.6	382	33.9	30.4-37.4
65+	1206	622,798	882	71.9	68.4-75.4	324	28.1	24.6-31.6
Less Than H.S.	326	322,977	166	50.5	43.6-57.4	160	49.5	42.6-56.4
H.S. or G.E.D.	969	624,664	616	60.3	56.2-64.4	353	39.7	35.6-43.8
Some Post-H.S.	705	453,874	470	64.5	59.6-69.4	235	35.5	30.6-40.4
College Graduate	847	365,200	647	75.8	72.1-79.5	200	24.2	20.5-27.9
Less than \$15,000	343	193,802	176	43.8	36.5-51.1	167	56.2	48.9-63.5
\$15,000- 24,999	446	282,167	275	59.3	53.2-65.4	171	40.7	34.6-46.8
\$25,000- 34,999	293	183,814	192	57.1	49.3-64.9	101	42.9	35.1-50.7
\$35,000- 49,999	386	234,849	269	64.0	57.1-70.9	117	36.0	29.1-42.9
\$50,000- 74,999	357	226,042	258	67.7	60.1-75.3	99	32.3	24.7-39.9
\$75,000+	578	371,869	438	74.0	69.1-78.9	140	26.0	21.1-30.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 5: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (\_COL10YR)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1203	837,243	790	60.8	56.9-64.7	413	39.2	35.3-43.1
White/Non-Hisp	997	671,905	655	61.5	57.6-65.4	342	38.5	34.6-42.4
Black or Afr. Am./Non-Hisp	129	111,204	87	57.7	44.2-71.2	42	42.3	28.8-55.8
50-54	180	176,006	83	36.1	27.1-45.1	97	63.9	54.9-72.9
55-64	542	373,934	362	67.0	61.9-72.1	180	33.0	27.9-38.1
65+	481	287,302	345	68.0	62.3-73.7	136	32.0	26.3-37.7
Less Than H.S.	126	159,028	52	43.7	32.9-54.5	74	56.3	45.5-67.1
H.S. or G.E.D.	393	281,799	236	59.2	52.9-65.5	157	40.8	34.5-47.1
Some Post-H.S.	281	205,899	184	60.5	52.7-68.3	97	39.5	31.7-47.3
College Graduate	402	190,027	318	78.2	72.9-83.5	84	21.8	16.5-27.1
Less than \$15,000	120	85,076	51	37.6	25.4-49.8	69	62.4	50.2-74.6
\$15,000- 24,999	162	114,622	95	55.3	45.5-65.1	67	44.7	34.9-54.5
\$25,000- 34,999	126	95,136	81	59.2	47.8-70.6	45	40.8	29.4-52.2
\$35,000- 49,999	173	117,379	113	60.4	50.4-70.4	60	39.6	29.6-49.6
\$50,000- 74,999	169	118,427	124	67.7	55.5-79.9	45	32.3	20.1-44.5
\$75,000+	307	203,432	238	71.9	64.5-79.3	69	28.1	20.7-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 6: RESPONDENTS AGED 50-75 THAT WHO HAVE HAD A COLONOSCOPY IN THE PAST 10 YEARS (\_COL10YR)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1649	930,233	1110	64.4	61.3-67.5	539	35.6	32.5-38.7
White/Non-Hisp	1352	760,152	900	64.7	61.4-68.0	452	35.3	32.0-38.6
Black or Afr. Am./Non-Hisp	225	130,173	160	60.6	50.4-70.8	65	39.4	29.2-49.6
50-54	284	211,106	135	45.8	38.0-53.6	149	54.2	46.4-62.0
55-64	640	383,633	438	65.2	60.3-70.1	202	34.8	29.9-39.7
65+	725	335,495	537	75.3	71.2-79.4	188	24.7	20.6-28.8
Less Than H.S.	199	162,038	113	56.6	48.2-65.0	86	43.4	35.0-51.8
H.S. or G.E.D.	576	342,865	380	61.3	55.8-66.8	196	38.7	33.2-44.2
Some Post-H.S.	424	247,974	286	67.8	61.9-73.7	138	32.2	26.3-38.1
College Graduate	445	175,173	329	73.3	67.8-78.8	116	26.7	21.2-32.2
Less than \$15,000	223	108,726	125	48.7	39.5-57.9	98	51.3	42.1-60.5
\$15,000- 24,999	284	167,545	180	62.0	54.4-69.6	104	38.0	30.4-45.6
\$25,000- 34,999	167	88,678	111	54.9	44.3-65.5	56	45.1	34.5-55.7
\$35,000- 49,999	213	117,470	156	67.6	58.0-77.2	57	32.4	22.8-42.0
\$50,000- 74,999	188	107,615	134	67.7	58.5-76.9	54	32.3	23.1-41.5
\$75,000+	270	166,526	199	76.3	69.8-82.8	71	23.7	17.2-30.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 7: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (\_HFOB3YR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2915	1,809,134	518	16.4	14.6-18.2	2397	83.6	81.8-85.4
Male	1223	855,160	223	16.7	14.0-19.4	1000	83.3	80.6-86.0
Female	1691	952,064	295	16.1	13.7-18.5	1396	83.9	81.5-86.3
White/Non-Hisp	2401	1,464,192	420	16.3	14.3-18.3	1981	83.7	81.7-85.7
Black or Afr. Am./Non-Hisp	357	246,572	72	17.2	11.9-22.5	285	82.8	77.5-88.1
Oth. Race/Non-Hisp.	50	37,186	10	17.6	5.1-30.1	40	82.4	69.9-94.9
MultiRacial/Non-Hisp.	50	17,437	7	10.4	1.6-19.2	43	89.6	80.8-98.4
50-54	477	397,475	46	9.1	5.6-12.6	431	90.9	87.4-94.4
55-64	1199	768,690	168	13.9	11.4-16.4	1031	86.1	83.6-88.6
65+	1239	642,970	304	23.8	20.7-26.9	935	76.2	73.1-79.3
Less Than H.S.	329	325,833	64	18.7	13.6-23.8	265	81.3	76.2-86.4
H.S. or G.E.D.	993	640,494	180	15.8	12.9-18.7	813	84.2	81.3-87.1
Some Post-H.S.	717	467,972	120	15.4	11.9-18.9	597	84.6	81.1-88.1
College Graduate	871	372,779	153	16.6	13.5-19.7	718	83.4	80.3-86.5
Less than \$15,000	355	197,306	69	17.0	11.7-22.3	286	83.0	77.7-88.3
\$15,000- 24,999	458	286,194	101	20.6	15.5-25.7	357	79.4	74.3-84.5
\$25,000- 34,999	295	187,111	53	17.2	11.7-22.7	242	82.8	77.3-88.3
\$35,000- 49,999	389	237,227	65	15.7	11.0-20.4	324	84.3	79.6-89.0
\$50,000- 74,999	367	235,847	61	16.3	11.0-21.6	306	83.7	78.4-89.0
\$75,000+	588	377,576	86	13.1	9.8-16.4	502	86.9	83.6-90.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 8: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (\_HFOB3YR)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1223	855,160	223	16.7	14.2-19.2	1000	83.3	80.8-85.8
White/Non-Hisp	1016	687,540	182	16.7	13.8-19.6	834	83.3	80.4-86.2
Black or Afr. Am./Non-Hisp	128	111,578	23	15.5	7.7-23.3	105	84.5	76.7-92.3
50-54	183	178,353	15	8.8	3.1-14.5	168	91.2	85.5-96.9
55-64	548	377,644	84	14.3	10.6-18.0	464	85.7	82.0-89.4
65+	492	299,163	124	24.4	19.7-29.1	368	75.6	70.9-80.3
Less Than H.S.	128	162,677	23	16.5	9.2-23.8	105	83.5	76.2-90.8
H.S. or G.E.D.	402	287,905	68	14.6	10.3-18.9	334	85.4	81.1-89.7
Some Post-H.S.	287	212,485	56	17.4	11.9-22.9	231	82.6	77.1-88.1
College Graduate	405	191,602	76	19.2	14.5-23.9	329	80.8	76.1-85.5
Less than \$15,000	124	87,982	14	10.6	3.3-17.9	110	89.4	82.1-96.7
\$15,000- 24,999	168	117,187	40	18.8	11.7-25.9	128	81.2	74.1-88.3
\$25,000- 34,999	126	96,048	23	19.8	11.2-28.4	103	80.2	71.6-88.8
\$35,000- 49,999	176	119,390	39	18.5	11.2-25.8	137	81.5	74.2-88.8
\$50,000- 74,999	171	121,050	29	17.4	9.0-25.8	142	82.6	74.2-91.0
\$75,000+	310	206,605	50	15.2	10.5-19.9	260	84.8	80.1-89.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 9: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS (\_HFOB3YR)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported being less than 50 years old or those that reported being older than 75 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1691	952,064	295	16.1	13.7-18.5	1396	83.9	81.5-86.3
White/Non-Hisp	1385	776,652	238	16.0	13.5-18.5	1147	84.0	81.5-86.5
Black or Afr. Am./Non-Hisp	229	134,994	49	18.6	11.5-25.7	180	81.4	74.3-88.5
50-54	293	217,212	31	9.4	4.9-13.9	262	90.6	86.1-95.1
55-64	651	391,046	84	13.5	10.2-16.8	567	86.5	83.2-89.8
65+	747	343,807	180	23.2	19.1-27.3	567	76.8	72.7-80.9
Less Than H.S.	200	161,246	41	21.0	13.9-28.1	159	79.0	71.9-86.1
H.S. or G.E.D.	591	352,588	112	16.8	13.1-20.5	479	83.2	79.5-86.9
Some Post-H.S.	430	255,487	64	13.7	9.4-18.0	366	86.3	82.0-90.6
College Graduate	466	181,177	77	13.9	10.0-17.8	389	86.1	82.2-90.0
Less than \$15,000	231	109,324	55	22.2	14.8-29.6	176	77.8	70.4-85.2
\$15,000- 24,999	290	169,007	61	21.8	14.9-28.7	229	78.2	71.3-85.1
\$25,000- 34,999	169	91,063	30	14.5	7.6-21.4	139	85.5	78.6-92.4
\$35,000- 49,999	213	117,837	26	12.8	6.9-18.7	187	87.2	81.3-93.1
\$50,000- 74,999	196	114,796	32	15.2	8.7-21.7	164	84.8	78.3-91.3
\$75,000+	277	169,060	36	10.6	6.1-15.1	241	89.4	84.9-93.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 10: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FS5YR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1406	915,829	24	1.5	0.7- 2.3	1382	98.5	97.7-99.3
Male	597	445,650	9	1.5	0.1- 2.9	588	98.5	97.1-99.9
Female	809	470,179	15	1.5	0.5- 2.5	794	98.5	97.5-99.5
White/Non-Hisp	1164	736,528	21	1.8	0.8- 2.8	1143	98.2	97.2-99.2
Black or Afr. Am./Non-Hisp	161	126,346	3	0.5	0.0- 1.3	158	99.5	98.7- 100
50-54	284	250,682	6	0.9	0.1- 1.7	278	99.1	98.3-99.9
55-64	593	387,551	6	1.1	0.1- 2.1	587	98.9	97.9-99.9
65+	529	277,595	12	2.7	0.3- 5.1	517	97.3	94.9-99.7
Less Than H.S.	198	195,748	3	1.9	0.0- 4.6	195	98.1	95.4- 100
H.S. or G.E.D.	492	328,861	7	1.1	0.0- 2.3	485	98.9	97.7- 100
Some Post-H.S.	350	232,689	4	1.2	0.0- 2.6	346	98.8	97.4- 100
College Graduate	362	156,680	10	2.3	0.7- 3.9	352	97.7	96.1-99.3
Less than \$15,000	207	131,813	2	0.3	0.0- 0.7	205	99.7	99.3- 100
\$15,000- 24,999	232	150,466	4	0.6	0.0- 1.2	228	99.4	98.8- 100
\$25,000- 34,999	145	100,527	1	0.5	0.0- 1.5	144	99.5	98.5- 100
\$35,000- 49,999	189	121,133	2	0.6	0.0- 1.4	187	99.4	98.6- 100
\$50,000- 74,999	161	105,060				161	100.0	100.0- 100
\$75,000+	247	166,902	7	2.4	0.2- 4.6	240	97.6	95.4-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 11: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FS5YR)  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	597	445,650	9	1.5	0.1- 2.9	588	98.5	97.1-99.9
White/Non-Hisp	495	353,399	8	1.8	0.0- 3.6	487	98.2	96.4- 100
Black or Afr. Am./Non-Hisp	60	58,936	1	0.7	0.0- 2.1	59	99.3	97.9- 100
50-54	108	119,672	2	0.5	0.0- 1.3	106	99.5	98.7- 100
55-64	265	184,009	2	1.0	0.0- 2.6	263	99.0	97.4- 100
65+	224	141,968	5	3.0	0.0- 6.7	219	97.0	93.3- 100
Less Than H.S.	86	108,637	1	2.5	0.0- 7.4	85	97.5	92.6- 100
H.S. or G.E.D.	206	145,804	2	0.6	0.0- 1.4	204	99.4	98.6- 100
Some Post-H.S.	143	112,546	2	1.6	0.0- 4.1	141	98.4	95.9- 100
College Graduate	161	78,172	4	1.8	0.0- 3.6	157	98.2	96.4- 100
Less than \$15,000	83	64,313				83	100.0	100.0- 100
\$15,000- 24,999	87	65,570	1	0.6	0.0- 1.8	86	99.4	98.2- 100
\$25,000- 34,999	68	51,154				68	100.0	100.0- 100
\$35,000- 49,999	88	63,713	2	1.1	0.0- 2.7	86	98.9	97.3- 100
\$50,000- 74,999	72	50,552				72	100.0	100.0- 100
\$75,000+	126	95,575	5	3.1	0.0- 6.4	121	96.9	93.6- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 12: RESPONDENTS AGED 50-75 WHO HAVE HAD A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FS5YR)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	809	470,179	15	1.5	0.5- 2.5	794	98.5	97.5-99.5
White/Non-Hisp	669	383,129	13	1.8	0.6- 3.0	656	98.2	97.0-99.4
Black or Afr. Am./Non-Hisp	101	67,410	2	0.3	0.0- 0.7	99	99.7	99.3- 100
50-54	176	131,011	4	1.1	0.0- 2.3	172	98.9	97.7- 100
55-64	328	203,542	4	1.2	0.0- 2.4	324	98.8	97.6- 100
65+	305	135,627	7	2.5	0.0- 5.2	298	97.5	94.8- 100
Less Than H.S.	112	87,111	2	1.3	0.0- 3.5	110	98.7	96.5- 100
H.S. or G.E.D.	286	183,057	5	1.6	0.0- 3.8	281	98.4	96.2- 100
Some Post-H.S.	207	120,143	2	0.8	0.0- 2.0	205	99.2	98.0- 100
College Graduate	201	78,508	6	2.9	0.4- 5.4	195	97.1	94.6-99.6
Less than \$15,000	124	67,500	2	0.5	0.0- 1.5	122	99.5	98.5- 100
\$15,000- 24,999	145	84,896	3	0.6	0.0- 1.2	142	99.4	98.8- 100
\$25,000- 34,999	77	49,373	1	1.1	0.0- 3.3	76	98.9	96.7- 100
\$35,000- 49,999	101	57,420				101	100.0	100.0- 100
\$50,000- 74,999	89	54,508				89	100.0	100.0- 100
\$75,000+	121	71,327	2	1.5	0.0- 3.7	119	98.5	96.3- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 13: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FOBTFS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2622	1,638,564	8	0.3	0.0- 0.7	2614	99.7	99.3- 100
Male	1091	768,019	4	0.5	0.0- 1.3	1087	99.5	98.7- 100
Female	1530	868,635	4	0.1	0.0- 0.3	1526	99.9	99.7- 100
White/Non-Hisp	2162	1,328,847	6	0.3	0.0- 0.7	2156	99.7	99.3- 100
Black or Afr. Am./Non-Hisp	316	219,130	2	0.1	0.0- 0.3	314	99.9	99.7- 100
50-54	451	377,596				451	100.0	100.0- 100
55-64	1110	711,629	1	0.1	0.0- 0.3	1109	99.9	99.7- 100
65+	1061	549,339	7	0.8	0.0- 1.8	1054	99.2	98.2- 100
Less Than H.S.	297	295,489	1	0.9	0.0- 2.7	296	99.1	97.3- 100
H.S. or G.E.D.	889	580,509	2	0.1	0.0- 0.3	887	99.9	99.7- 100
Some Post-H.S.	650	424,648				650	100.0	100.0- 100
College Graduate	781	335,864	5	0.4	0.0- 0.8	776	99.6	99.2- 100
Less than \$15,000	321	183,421	1	0.0	0.0- 0.0	320	100.0	100.0- 100
\$15,000- 24,999	398	251,159	3	0.3	0.0- 0.7	395	99.7	99.3- 100
\$25,000- 34,999	270	175,056				270	100.0	100.0- 100
\$35,000- 49,999	355	214,671				355	100.0	100.0- 100
\$50,000- 74,999	326	208,204				326	100.0	100.0- 100
\$75,000+	536	346,391	2	0.2	0.0- 0.6	534	99.8	99.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 14: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FOBTFS)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1091	768,019	4	0.5	0.0- 1.3	1087	99.5	98.7- 100
White/Non-Hisp	907	617,770	4	0.6	0.0- 1.4	903	99.4	98.6- 100
Black or Afr. Am./Non-Hisp	114	99,593				114	100.0	100.0- 100
50-54	175	167,850				175	100.0	100.0- 100
55-64	498	343,265	1	0.1	0.0- 0.3	497	99.9	99.7- 100
65+	418	256,904	3	1.3	0.0- 3.5	415	98.7	96.5- 100
Less Than H.S.	117	148,809	1	1.8	0.0- 5.3	116	98.2	94.7- 100
H.S. or G.E.D.	358	258,910	1	0.1	0.0- 0.3	357	99.9	99.7- 100
Some Post-H.S.	261	193,721				261	100.0	100.0- 100
College Graduate	354	166,090	2	0.5	0.0- 1.1	352	99.5	98.9- 100
Less than \$15,000	119	83,358				119	100.0	100.0- 100
\$15,000- 24,999	143	103,456	1	0.4	0.0- 1.2	142	99.6	98.8- 100
\$25,000- 34,999	117	89,128				117	100.0	100.0- 100
\$35,000- 49,999	154	105,069				154	100.0	100.0- 100
\$50,000- 74,999	151	106,391				151	100.0	100.0- 100
\$75,000+	277	185,492	2	0.4	0.0- 1.0	275	99.6	99.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 15: RESPONDENTS AGED 50-75 WHO HAVE HAD A BLOOD STOOL TEST WITHIN THE PAST 3 YEARS AND A SIGMOIDOSCOPY WITHIN THE PAST 5 YEARS (\_FOBTFS)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1530	868,635	4	0.1	0.0- 0.3	1526	99.9	99.7- 100
White/Non-Hisp	1255	711,077	2	0.1	0.0- 0.3	1253	99.9	99.7- 100
Black or Afr. Am./Non-Hisp	202	119,537	2	0.2	0.0- 0.4	200	99.8	99.6- 100
50-54	275	207,836				275	100.0	100.0- 100
55-64	612	368,365				612	100.0	100.0- 100
65+	643	292,435	4	0.3	0.0- 0.7	639	99.7	99.3- 100
Less Than H.S.	179	144,770				179	100.0	100.0- 100
H.S. or G.E.D.	531	321,599	1	0.0	0.0- 0.0	530	100.0	100.0- 100
Some Post-H.S.	389	230,927				389	100.0	100.0- 100
College Graduate	427	169,774	3	0.4	0.0- 1.0	424	99.6	99.0- 100
Less than \$15,000	202	100,063	1	0.0	0.0- 0.0	201	100.0	100.0- 100
\$15,000- 24,999	255	147,703	2	0.2	0.0- 0.4	253	99.8	99.6- 100
\$25,000- 34,999	153	85,928				153	100.0	100.0- 100
\$35,000- 49,999	201	109,602				201	100.0	100.0- 100
\$50,000- 74,999	175	101,814				175	100.0	100.0- 100
\$75,000+	258	158,988				258	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 16: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2862	1,777,359	2010	66.4	64.0-68.8	852	33.6	31.2-36.0
Male	1207	845,170	831	64.2	60.5-67.9	376	35.8	32.1-39.5
Female	1654	930,278	1178	68.3	65.2-71.4	476	31.7	28.6-34.8
White/Non-Hisp	2356	1,439,360	1644	66.9	64.4-69.4	712	33.1	30.6-35.6
Black or Afr. Am./Non-Hisp	356	241,697	262	62.4	54.0-70.8	94	37.6	29.2-46.0
Oth. Race/Non-Hisp.	50	37,458	36	67.8	48.8-86.8	14	32.2	13.2-51.2
50-54	463	388,650	230	44.5	38.4-50.6	233	55.5	49.4-61.6
55-64	1183	757,036	834	69.0	65.7-72.3	349	31.0	27.7-34.3
65+	1216	631,673	946	76.8	73.5-80.1	270	23.2	19.9-26.5
Less Than H.S.	326	324,074	187	57.5	50.6-64.4	139	42.5	35.6-49.4
H.S. or G.E.D.	973	627,272	654	63.6	59.5-67.7	319	36.4	32.3-40.5
Some Post-H.S.	706	456,498	490	67.3	62.6-72.0	216	32.7	28.0-37.4
College Graduate	851	366,842	676	78.1	74.4-81.8	175	21.9	18.2-25.6
Less than \$15,000	345	193,532	200	51.0	43.6-58.4	145	49.0	41.6-56.4
\$15,000- 24,999	451	283,907	296	63.5	57.6-69.4	155	36.5	30.6-42.4
\$25,000- 34,999	295	185,785	205	63.0	55.2-70.8	90	37.0	29.2-44.8
\$35,000- 49,999	384	235,081	279	66.8	59.9-73.7	105	33.2	26.3-40.1
\$50,000- 74,999	357	226,042	266	70.1	62.5-77.7	91	29.9	22.3-37.5
\$75,000+	578	372,683	451	75.3	70.4-80.2	127	24.7	19.8-29.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 17: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1207	845,170	831	64.2	60.5-67.9	376	35.8	32.1-39.5
White/Non-Hisp	1001	679,222	689	64.9	61.0-68.8	312	35.1	31.2-39.0
Black or Afr. Am./Non-Hisp	128	111,153	90	59.8	46.1-73.5	38	40.2	26.5-53.9
50-54	178	175,634	86	37.7	28.7-46.7	92	62.3	53.3-71.3
55-64	542	374,238	374	69.0	64.1-73.9	168	31.0	26.1-35.9
65+	487	295,298	371	73.8	68.5-79.1	116	26.2	20.9-31.5
Less Than H.S.	127	161,892	61	49.9	38.9-60.9	66	50.1	39.1-61.1
H.S. or G.E.D.	395	283,622	250	62.0	55.7-68.3	145	38.0	31.7-44.3
Some Post-H.S.	282	208,524	195	64.7	56.9-72.5	87	35.3	27.5-43.1
College Graduate	402	190,643	325	79.1	73.8-84.4	77	20.9	15.6-26.2
Less than \$15,000	121	86,349	58	42.5	30.3-54.7	63	57.5	45.3-69.7
\$15,000- 24,999	165	116,190	105	59.7	49.9-69.5	60	40.3	30.5-50.1
\$25,000- 34,999	127	96,664	86	66.1	54.9-77.3	41	33.9	22.7-45.1
\$35,000- 49,999	172	117,983	119	64.5	54.7-74.3	53	35.5	25.7-45.3
\$50,000- 74,999	169	118,427	129	71.5	59.3-83.7	40	28.5	16.3-40.7
\$75,000+	307	204,049	242	72.3	64.9-79.7	65	27.7	20.3-35.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 18: RESPONDENTS AGED 50-75 WHO HAVE FULLY MET THE USPSTF RECOMMENDATION (\_CRCREC)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1654	930,278	1178	68.3	65.2-71.4	476	31.7	28.6-34.8
White/Non-Hisp	1355	760,138	955	68.7	65.4-72.0	400	31.3	28.0-34.6
Black or Afr. Am./Non-Hisp	228	130,544	172	64.7	54.5-74.9	56	35.3	25.1-45.5
50-54	284	211,106	143	49.6	41.8-57.4	141	50.4	42.6-58.2
55-64	641	382,798	460	68.9	64.2-73.6	181	31.1	26.4-35.8
65+	729	336,374	575	79.5	75.6-83.4	154	20.5	16.6-24.4
Less Than H.S.	198	160,272	125	64.7	56.7-72.7	73	35.3	27.3-43.3
H.S. or G.E.D.	578	343,650	404	65.0	59.5-70.5	174	35.0	29.5-40.5
Some Post-H.S.	424	247,974	295	69.5	63.6-75.4	129	30.5	24.6-36.4
College Graduate	449	176,199	351	76.9	71.6-82.2	98	23.1	17.8-28.4
Less than \$15,000	224	107,183	142	57.9	48.3-67.5	82	42.1	32.5-51.7
\$15,000- 24,999	286	167,717	191	66.2	58.9-73.5	95	33.8	26.5-41.1
\$25,000- 34,999	168	89,121	119	59.5	48.7-70.3	49	40.5	29.7-51.3
\$35,000- 49,999	212	117,098	160	69.2	59.6-78.8	52	30.8	21.2-40.4
\$50,000- 74,999	188	107,615	137	68.5	59.3-77.7	51	31.5	22.3-40.7
\$75,000+	270	166,724	208	78.6	72.5-84.7	62	21.4	15.3-27.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016

SECTION 19: HIV/AIDS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	172
2	MALES ONLY	173
3	FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5385	4,581,819	1657	36.9	34.9-38.9	3728	63.1	61.1-65.1
Male	2299	2,221,719	730	35.7	33.0-38.4	1569	64.3	61.6-67.0
Female	3084	2,356,863	925	38.0	35.3-40.7	2159	62.0	59.3-64.7
White/Non-Hisp	4356	3,438,089	1165	30.5	28.5-32.5	3191	69.5	67.5-71.5
Black or Afr. Am./Non-Hisp	650	721,081	332	63.0	57.7-68.3	318	37.0	31.7-42.3
Oth. Race/Non-Hisp.	104	105,591	38	30.2	17.7-42.7	66	69.8	57.3-82.3
MultiRacial/Non-Hisp.	97	51,654	50	63.3	48.6-78.0	47	36.7	22.0-51.4
Hispanic	99	195,830	45	49.2	36.1-62.3	54	50.8	37.7-63.9
18-24	333	561,935	104	33.2	26.7-39.7	229	66.8	60.3-73.3
25-34	551	786,400	272	52.4	46.9-57.9	279	47.6	42.1-53.1
35-44	575	767,504	298	52.7	47.0-58.4	277	47.3	41.6-53.0
45-54	870	732,553	363	43.0	38.3-47.7	507	57.0	52.3-61.7
55-64	1150	741,613	353	31.5	28.0-35.0	797	68.5	65.0-72.0
65+	1824	928,876	250	13.6	11.4-15.8	1574	86.4	84.2-88.6
Less Than H.S.	552	662,676	159	34.2	28.3-40.1	393	65.8	59.9-71.7
H.S. or G.E.D.	1720	1,514,544	448	34.2	30.7-37.7	1272	65.8	62.3-69.3
Some Post-H.S.	1427	1,347,587	506	41.4	37.7-45.1	921	58.6	54.9-62.3
College Graduate	1676	1,053,520	542	37.0	33.7-40.3	1134	63.0	59.7-66.3
Less than \$15,000	570	430,079	206	42.0	35.7-48.3	364	58.0	51.7-64.3
\$15,000- 24,999	855	729,871	288	42.5	37.4-47.6	567	57.5	52.4-62.6
\$25,000- 34,999	550	473,618	175	41.6	35.3-47.9	375	58.4	52.1-64.7
\$35,000- 49,999	732	621,323	205	34.4	29.3-39.5	527	65.6	60.5-70.7
\$50,000- 74,999	682	624,927	232	39.8	34.3-45.3	450	60.2	54.7-65.7
\$75,000+	1108	988,715	351	36.4	32.3-40.5	757	63.6	59.5-67.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
 SECTION 19: HIV/AIDS**

**TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2299	2,221,719	730	35.7	33.0-38.4	1569	64.3	61.6-67.0
White/Non-Hisp	1868	1,674,016	518	30.7	27.8-33.6	1350	69.3	66.4-72.2
Black or Afr. Am./Non-Hisp	231	312,245	130	62.1	53.7-70.5	101	37.9	29.5-46.3
Oth. Race/Non-Hisp.	56	69,454	18	29.8	12.9-46.7	38	70.2	53.3-87.1
MultiRacial/Non-Hisp.	50	28,258	27	56.5	35.3-77.7	23	43.5	22.3-64.7
Hispanic	57	109,044	24	38.4	21.7-55.1	33	61.6	44.9-78.3
18-24	189	292,553	51	28.9	20.7-37.1	138	71.1	62.9-79.3
25-34	257	380,888	113	45.5	37.7-53.3	144	54.5	46.7-62.3
35-44	268	389,500	128	48.7	40.5-56.9	140	51.3	43.1-59.5
45-54	344	347,303	134	40.6	33.2-48.0	210	59.4	52.0-66.8
55-64	530	369,554	173	33.2	27.9-38.5	357	66.8	61.5-72.1
65+	681	411,766	125	18.1	14.2-22.0	556	81.9	78.0-85.8
Less Than H.S.	209	318,700	70	32.2	23.8-40.6	139	67.8	59.4-76.2
H.S. or G.E.D.	732	736,054	212	34.5	29.4-39.6	520	65.5	60.4-70.6
Some Post-H.S.	587	638,583	207	39.4	33.9-44.9	380	60.6	55.1-66.1
College Graduate	769	527,833	241	35.0	30.3-39.7	528	65.0	60.3-69.7
Less than \$15,000	191	170,001	80	43.6	33.4-53.8	111	56.4	46.2-66.6
\$15,000- 24,999	295	290,921	116	45.3	37.1-53.5	179	54.7	46.5-62.9
\$25,000- 34,999	239	240,467	81	38.8	30.4-47.2	158	61.2	52.8-69.6
\$35,000- 49,999	347	327,772	95	31.0	23.9-38.1	252	69.0	61.9-76.1
\$50,000- 74,999	334	336,688	107	39.2	31.0-47.4	227	60.8	52.6-69.0
\$75,000+	599	573,603	186	35.3	29.8-40.8	413	64.7	59.2-70.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (\_AIDTST3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3084	2,356,863	925	38.0	35.5-40.5	2159	62.0	59.5-64.5
White/Non-Hisp	2487	1,762,747	646	30.3	27.8-32.8	1841	69.7	67.2-72.2
Black or Afr. Am./Non-Hisp	419	408,836	202	63.7	56.8-70.6	217	36.3	29.4-43.2
18-24	144	269,382	53	37.9	27.9-47.9	91	62.1	52.1-72.1
25-34	293	404,186	158	58.7	51.3-66.1	135	41.3	33.9-48.7
35-44	307	378,004	170	56.9	49.5-64.3	137	43.1	35.7-50.5
45-54	525	383,339	228	44.8	38.9-50.7	297	55.2	49.3-61.1
55-64	620	372,059	180	29.9	25.2-34.6	440	70.1	65.4-74.8
65+	1143	517,110	125	10.0	7.6-12.4	1018	90.0	87.6-92.4
Less Than H.S.	342	342,066	88	35.7	27.7-43.7	254	64.3	56.3-72.3
H.S. or G.E.D.	988	778,489	236	33.9	29.2-38.6	752	66.1	61.4-70.8
Some Post-H.S.	839	707,678	298	43.1	38.0-48.2	541	56.9	51.8-62.0
College Graduate	907	525,687	301	38.9	34.2-43.6	606	61.1	56.4-65.8
Less than \$15,000	379	260,078	126	40.9	33.1-48.7	253	59.1	51.3-66.9
\$15,000- 24,999	560	438,950	172	40.6	33.9-47.3	388	59.4	52.7-66.1
\$25,000- 34,999	311	233,152	94	44.4	35.0-53.8	217	55.6	46.2-65.0
\$35,000- 49,999	385	293,550	110	38.1	30.7-45.5	275	61.9	54.5-69.3
\$50,000- 74,999	348	288,239	125	40.6	33.3-47.9	223	59.4	52.1-66.7
\$75,000+	508	413,202	164	37.7	31.2-44.2	344	62.3	55.8-68.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CALCULATED VARIABLE DATA REPORT, 2016**

End of Calculated Variable Data Report