

# TENNESSEE

## 2016 Core Variables Report

### Behavioral Risk Factor Surveillance System

June 2, 2017



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 1: HEALTH STATUS CONTENTS

\* NOTE \*\*\*\*\*  
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION  
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS  
TO THE STATES SURVEY.  
\*\*\*\*\*

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6156	5,168,898	890	16.6	15.2-18.0	1815	31.0	29.2-32.8	1983	31.9	30.1-33.7	937	13.4	12.2-14.6	531	7.1	6.3- 7.9
Male	2605	2,487,089	420	17.6	15.4-19.8	752	31.1	28.6-33.6	874	32.2	29.7-34.7	353	12.2	10.6-13.8	206	7.0	5.6- 8.4
Female	3548	2,678,296	470	15.7	13.7-17.7	1063	31.0	28.6-33.4	1108	31.7	29.3-34.1	582	14.3	12.7-15.9	325	7.2	6.2- 8.2
White/Non-Hisp	4960	3,876,185	728	16.4	14.8-18.0	1518	32.6	30.8-34.4	1581	30.9	29.1-32.7	702	12.8	11.6-14.0	431	7.3	6.3- 8.3
Black or Afr. Am./Non-Hisp	755	814,629	93	18.9	14.4-23.4	176	23.5	19.0-28.0	274	36.8	31.5-42.1	155	15.9	12.4-19.4	57	4.9	3.1- 6.7
Oth. Race/Non-Hisp.	121	118,718	18	10.3	4.2-16.4	39	38.5	24.8-52.2	27	22.1	11.7-32.5	22	15.6	6.0-25.2	15	13.5	4.5-22.5
MultiRacial/Non-Hisp.	104	53,948	15	18.3	4.6-32.0	20	24.4	12.1-36.7	29	21.4	11.0-31.8	26	23.5	10.4-36.6	14	12.4	4.8-20.0
Hispanic	118	220,170	19	16.5	7.7-25.3	35	25.1	15.7-34.5	48	43.1	31.1-55.1	11	7.8	2.3-13.3	5	7.3	0.0-15.9
18-24	377	636,165	101	29.4	23.3-35.5	148	39.0	32.9-45.1	98	23.7	18.4-29.0	26	6.5	3.4- 9.6	4	1.5	0.0- 3.3
25-34	608	864,841	132	23.3	18.8-27.8	225	34.3	29.4-39.2	189	32.8	27.7-37.9	57	8.8	5.9-11.7	5	0.7	0.0- 1.5
35-44	640	830,701	107	16.7	12.6-20.8	228	37.6	32.3-42.9	207	32.7	27.6-37.8	60	8.3	5.8-10.8	38	4.7	2.9- 6.5
45-54	1005	849,716	143	13.7	10.8-16.6	283	26.4	22.7-30.1	316	33.9	29.8-38.0	155	14.8	11.9-17.7	108	11.2	8.3-14.1
55-64	1312	840,082	146	10.7	8.5-12.9	370	27.2	24.1-30.3	435	32.7	29.4-36.0	226	18.0	15.3-20.7	135	11.4	8.9-13.9
65+	2106	1,068,124	245	10.9	9.3-12.5	520	23.8	21.4-26.2	707	33.6	30.9-36.3	399	20.6	18.2-23.0	235	11.1	9.3-12.9
Less Than H.S.	649	756,359	39	7.0	3.7-10.3	86	17.3	12.4-22.2	194	33.9	28.6-39.2	163	21.5	17.6-25.4	167	20.4	16.3-24.5
H.S. or G.E.D.	1999	1,722,704	202	13.7	11.2-16.2	479	27.8	24.9-30.7	717	34.2	31.3-37.1	397	17.0	14.8-19.2	204	7.3	5.9- 8.7
Some Post-H.S.	1611	1,506,072	221	17.7	15.0-20.4	489	33.1	29.8-36.4	562	34.3	31.0-37.6	233	10.5	8.7-12.3	106	4.3	3.1- 5.5
College Graduate	1875	1,173,476	426	25.7	22.8-28.6	755	41.9	38.8-45.0	504	24.4	21.7-27.1	139	6.2	4.8- 7.6	51	1.7	1.1- 2.3
Less than \$15,000	654	485,609	41	9.5	5.2-13.8	81	14.1	9.8-18.4	194	31.6	26.3-36.9	184	23.6	19.1-28.1	154	21.2	16.9-25.5
\$15,000- 24,999	980	820,936	87	12.4	8.9-15.9	186	21.3	17.6-25.0	345	34.9	30.4-39.4	231	19.9	16.8-23.0	131	11.4	8.5-14.3
\$25,000- 34,999	622	519,358	73	13.5	9.4-17.6	167	25.9	20.4-31.4	229	34.8	29.5-40.1	108	20.0	15.1-24.9	45	6.0	3.8- 8.2
\$35,000- 49,999	816	690,912	114	16.1	12.2-20.0	275	35.0	30.3-39.7	292	35.9	31.2-40.6	99	9.3	6.9-11.7	36	3.7	1.9- 5.5
\$50,000- 74,999	746	682,707	128	19.1	14.4-23.8	270	37.0	31.9-42.1	260	32.6	27.7-37.5	69	9.2	6.5-11.9	19	2.1	0.9- 3.3
\$75,000+	1213	1,085,681	306	25.2	21.7-28.7	525	43.3	39.4-47.2	300	25.2	21.7-28.7	66	5.1	3.5- 6.7	16	1.2	0.6- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2605	2,487,089	420	17.6	15.4-19.8	752	31.1	28.6-33.6	874	32.2	29.7-34.7	353	12.2	10.6-13.8	206	7.0	5.6- 8.4
White/Non-Hisp	2111	1,872,494	339	17.2	14.8-19.6	632	32.7	30.0-35.4	712	31.8	29.1-34.5	267	11.7	9.9-13.5	161	6.6	5.2- 8.0
Black or Afr. Am./Non-Hisp	261	351,058	43	21.0	14.1-27.9	59	24.1	16.7-31.5	91	34.7	26.5-42.9	47	15.3	9.6-21.0	21	5.1	2.4- 7.8
Oth. Race/Non-Hisp.	64	74,353	12	12.4	3.6-21.2	20	35.5	16.7-54.3	13	18.5	6.3-30.7	11	18.3	4.2-32.4	8	15.3	2.0-28.6
MultiRacial/Non-Hisp.	55	30,133	7	23.4	1.6-45.2	12	25.7	9.4-42.0	17	24.8	9.7-39.9	13	14.9	4.5-25.3	6	11.2	1.8-20.6
Hispanic	68	123,278	11	17.2	4.5-29.9	19	23.5	11.2-35.8	28	41.4	25.9-56.9	6	5.8	0.3-11.3	4	12.0	0.0-26.7
18-24	208	324,833	60	28.6	20.8-36.4	83	41.4	33.0-49.8	49	21.4	14.3-28.5	13	5.9	2.0- 9.8	3	2.6	0.0- 6.1
25-34	287	425,670	65	26.4	19.5-33.3	103	33.9	27.0-40.8	99	33.3	26.4-40.2	17	5.4	2.1- 8.7	3	1.0	0.0- 2.4
35-44	292	411,985	51	18.5	11.8-25.2	107	35.7	28.4-43.0	98	35.9	28.1-43.7	22	6.6	3.5- 9.7	14	3.2	1.2- 5.2
45-54	407	410,295	55	11.8	8.1-15.5	113	29.7	23.2-36.2	147	33.7	27.6-39.8	55	14.4	9.5-19.3	37	10.4	5.3-15.5
55-64	590	406,054	70	10.7	7.8-13.6	163	26.9	22.4-31.4	199	32.3	27.4-37.2	99	17.7	13.8-21.6	59	12.4	8.3-16.5
65+	783	470,958	110	12.2	9.5-14.9	173	20.9	17.2-24.6	271	34.5	30.2-38.8	143	21.4	17.5-25.3	86	11.0	8.1-13.9
Less Than H.S.	245	359,510	20	9.7	3.4-16.0	35	17.0	10.1-23.9	81	36.0	27.6-44.4	51	18.0	12.5-23.5	58	19.2	12.5-25.9
H.S. or G.E.D.	846	835,751	91	12.9	9.4-16.4	211	30.5	26.0-35.0	310	33.4	29.1-37.7	154	15.8	12.7-18.9	80	7.4	5.2- 9.6
Some Post-H.S.	650	698,307	96	18.7	14.4-23.0	186	32.4	27.5-37.3	244	34.7	29.8-39.6	79	9.8	7.1-12.5	45	4.3	2.5- 6.1
College Graduate	858	589,640	212	27.6	23.3-31.9	319	39.0	34.5-43.5	238	25.4	21.5-29.3	67	6.1	4.3- 7.9	22	1.9	0.9- 2.9
Less than \$15,000	216	185,806	18	13.0	5.0-21.0	28	14.2	7.7-20.7	70	30.4	22.0-38.8	51	18.6	12.3-24.9	49	23.9	15.7-32.1
\$15,000- 24,999	339	325,749	36	14.4	8.9-19.9	62	21.6	15.1-28.1	118	31.8	24.7-38.9	70	18.1	13.0-23.2	53	14.1	7.8-20.4
\$25,000- 34,999	270	264,981	27	11.5	6.4-16.6	75	26.0	19.1-32.9	94	32.3	24.9-39.7	55	25.3	17.7-32.9	19	4.9	2.4- 7.4
\$35,000- 49,999	382	361,621	45	12.9	8.2-17.6	116	35.3	28.2-42.4	150	37.9	30.8-45.0	50	8.8	5.9-11.7	21	5.0	2.1- 7.9
\$50,000- 74,999	365	368,440	72	20.8	13.4-28.2	114	33.7	26.4-41.0	135	34.3	27.0-41.6	31	8.0	4.7-11.3	13	3.2	0.8- 5.6
\$75,000+	653	630,394	167	26.9	22.0-31.8	262	40.5	35.4-45.6	177	26.2	21.5-30.9	38	5.2	3.0- 7.4	9	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 1: HEALTH STATUS**

**TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3548	2,678,296	470	15.7	13.7-17.7	1063	31.0	28.6-33.4	1108	31.7	29.3-34.1	582	14.3	12.7-15.9	325	7.2	6.2- 8.2
White/Non-Hisp	2847	2,002,088	389	15.7	13.7-17.7	886	32.4	29.9-34.9	868	30.1	27.7-32.5	434	13.8	12.2-15.4	270	8.0	6.8- 9.2
Black or Afr. Am./Non-Hisp	494	463,571	50	17.3	11.0-23.6	117	23.1	17.2-29.0	183	38.5	31.6-45.4	108	16.3	11.6-21.0	36	4.8	2.6- 7.0
Oth. Race/Non-Hisp.	57	44,365	6	6.7	0.0-14.1	19	43.6	24.2-63.0	14	28.1	10.5-45.7	11	11.2	2.6-19.8	7	10.4	1.4-19.4
Hispanic	50	96,892	8	15.7	3.9-27.5	16	27.2	12.5-41.9	20	45.4	27.2-63.6	5	10.5	0.3-20.7	1	1.3	0.0- 3.8
18-24	169	311,332	41	30.1	20.9-39.3	65	36.4	27.6-45.2	49	26.1	18.3-33.9	13	7.1	2.4-11.8	1	0.2	0.0- 0.6
25-34	320	437,844	67	20.4	14.5-26.3	122	34.9	27.8-42.0	90	32.5	25.2-39.8	39	11.8	7.1-16.5	2	0.4	0.0- 1.0
35-44	348	418,716	56	14.9	10.0-19.8	121	39.4	32.0-46.8	109	29.6	23.1-36.1	38	9.9	6.0-13.8	24	6.1	3.2- 9.0
45-54	597	437,511	88	15.5	11.4-19.6	170	23.4	19.3-27.5	169	34.3	28.8-39.8	99	14.7	11.2-18.2	71	12.1	8.8-15.4
55-64	722	434,028	76	10.7	7.8-13.6	207	27.6	23.5-31.7	236	33.0	28.5-37.5	127	18.3	14.6-22.0	76	10.4	7.5-13.3
65+	1322	596,889	135	9.9	7.9-11.9	347	26.1	23.0-29.2	435	32.9	29.6-36.2	256	20.0	17.1-22.9	149	11.1	8.9-13.3
Less Than H.S.	403	394,939	19	4.6	2.2- 7.0	51	17.6	10.7-24.5	113	32.1	25.2-39.0	111	24.3	18.8-29.8	109	21.5	16.6-26.4
H.S. or G.E.D.	1153	886,953	111	14.4	10.7-18.1	268	25.2	21.3-29.1	407	35.0	30.9-39.1	243	18.2	15.1-21.3	124	7.2	5.4- 9.0
Some Post-H.S.	960	806,439	125	16.9	13.2-20.6	303	33.8	29.5-38.1	318	34.0	29.5-38.5	153	11.0	8.6-13.4	61	4.3	2.9- 5.7
College Graduate	1016	583,559	214	23.9	20.0-27.8	436	45.0	40.7-49.3	265	23.3	19.8-26.8	72	6.3	4.3- 8.3	29	1.5	0.7- 2.3
Less than \$15,000	438	299,803	23	7.2	2.7-11.7	53	14.1	8.2-20.0	124	32.3	25.2-39.4	133	26.8	20.7-32.9	105	19.5	14.6-24.4
\$15,000- 24,999	641	495,187	51	11.2	6.5-15.9	124	21.1	16.6-25.6	227	37.0	31.1-42.9	161	21.0	16.9-25.1	78	9.7	7.0-12.4
\$25,000- 34,999	352	254,377	46	15.5	9.2-21.8	92	25.6	17.2-34.0	135	37.4	29.8-45.0	53	14.4	8.9-19.9	26	7.1	3.6-10.6
\$35,000- 49,999	434	329,291	69	19.6	13.5-25.7	159	34.6	28.1-41.1	142	33.6	27.3-39.9	49	9.9	6.2-13.6	15	2.3	0.9- 3.7
\$50,000- 74,999	381	314,268	56	17.0	11.3-22.7	156	40.9	33.6-48.2	125	30.7	24.2-37.2	38	10.6	6.3-14.9	6	0.8	0.0- 1.6
\$75,000+	559	453,377	139	22.9	18.2-27.6	263	47.4	41.5-53.3	123	23.8	18.3-29.3	27	4.6	2.4- 6.8	7	1.2	0.2- 2.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	5969	5,042,478	3560	62.9	61.1-64.7	530	9.3	8.1-10.5	610	9.9	8.7-11.1	629	9.3	8.3-10.3	640	8.6	7.6- 9.6
Male	2542	2,431,865	1652	68.1	65.6-70.6	212	8.8	7.2-10.4	211	7.6	6.2- 9.0	203	7.0	5.8- 8.2	264	8.6	7.2-10.0
Female	3424	2,607,099	1907	58.2	55.8-60.6	318	9.8	8.2-11.4	398	12.0	10.4-13.6	426	11.4	9.8-13.0	375	8.6	7.4- 9.8
White/Non-Hisp	4814	3,781,832	2906	62.9	60.9-64.9	431	9.8	8.6-11.0	482	9.1	7.9-10.3	489	9.0	8.0-10.0	506	9.1	8.1-10.1
Black or Afr. Am./Non-Hisp	732	793,984	435	63.8	58.5-69.1	57	5.9	3.2- 8.6	89	14.4	10.5-18.3	84	9.9	6.8-13.0	67	6.0	4.0- 8.0
Oth. Race/Non-Hisp.	116	114,470	57	61.4	48.7-74.1	16	11.4	3.4-19.4	7	4.3	0.2- 8.4	15	11.1	2.5-19.7	21	11.7	5.2-18.2
MultiRacial/Non-Hisp.	96	50,242	33	32.4	17.7-47.1	8	12.8	2.0-23.6	14	19.3	5.2-33.4	16	13.2	3.6-22.8	25	22.3	11.9-32.7
Hispanic	116	217,938	72	65.4	54.2-76.6	12	12.2	4.2-20.2	12	8.2	2.9-13.5	13	9.2	3.3-15.1	7	5.0	0.0-10.3
18-24	374	629,727	262	71.5	65.8-77.2	46	13.2	8.7-17.7	41	8.5	5.4-11.6	21	5.4	2.7- 8.1	4	1.5	0.0- 3.3
25-34	596	854,063	404	68.2	63.3-73.1	64	10.4	7.1-13.7	63	11.5	8.0-15.0	49	7.9	5.2-10.6	16	2.0	0.6- 3.4
35-44	630	818,788	392	64.9	60.0-69.8	68	10.8	7.7-13.9	67	10.2	7.1-13.3	55	7.2	4.8- 9.6	48	6.7	4.3- 9.1
45-54	983	829,281	547	57.8	53.5-62.1	91	7.8	5.8- 9.8	109	10.9	8.2-13.6	122	12.0	9.5-14.5	114	11.4	8.9-13.9
55-64	1276	817,472	716	56.6	53.1-60.1	106	8.0	6.0-10.0	123	8.5	6.5-10.5	140	11.8	9.4-14.2	191	15.1	12.6-17.6
65+	2006	1,016,759	1168	60.3	57.6-63.0	144	7.1	5.5- 8.7	198	9.3	7.5-11.1	239	11.0	9.2-12.8	257	12.4	10.4-14.4
Less Than H.S.	600	710,760	255	51.9	46.2-57.6	24	3.9	1.9- 5.9	64	9.8	6.7-12.9	101	13.8	10.3-17.3	156	20.5	16.6-24.4
H.S. or G.E.D.	1919	1,676,730	1093	60.5	57.4-63.6	160	9.3	7.3-11.3	183	10.0	8.0-12.0	251	11.8	9.8-13.8	232	8.4	6.8-10.0
Some Post-H.S.	1574	1,479,361	944	65.6	62.5-68.7	141	9.6	7.4-11.8	174	9.9	7.9-11.9	161	8.0	6.4- 9.6	154	6.9	5.3- 8.5
College Graduate	1856	1,166,329	1256	69.8	66.9-72.7	204	12.1	9.9-14.3	188	9.9	7.9-11.9	113	4.6	3.4- 5.8	95	3.6	2.6- 4.6
Less than \$15,000	613	462,787	217	40.4	34.5-46.3	23	3.1	1.3- 4.9	72	12.7	8.6-16.8	136	21.0	16.1-25.9	165	22.8	18.3-27.3
\$15,000- 24,999	945	803,568	462	52.2	47.5-56.9	70	8.0	4.9-11.1	119	11.6	8.7-14.5	145	14.6	11.5-17.7	149	13.5	10.6-16.4
\$25,000- 34,999	601	499,463	357	61.4	55.7-67.1	53	11.9	7.8-16.0	63	8.8	6.1-11.5	62	9.8	6.5-13.1	66	8.0	5.5-10.5
\$35,000- 49,999	803	682,705	521	68.2	63.7-72.7	80	9.3	6.6-12.0	83	10.0	7.3-12.7	67	7.4	5.0- 9.8	52	5.1	3.1- 7.1
\$50,000- 74,999	743	680,275	497	68.1	63.2-73.0	98	12.7	9.4-16.0	68	10.5	7.0-14.0	49	5.7	3.5- 7.9	31	3.0	1.6- 4.4
\$75,000+	1206	1,079,902	885	74.4	71.1-77.7	121	10.1	7.7-12.5	106	8.3	6.1-10.5	52	3.6	2.4- 4.8	42	3.6	2.2- 5.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2542	2,431,865	1652	68.1	65.6-70.6	212	8.8	7.2-10.4	211	7.6	6.2- 9.0	203	7.0	5.8- 8.2	264	8.6	7.2-10.0
White/Non-Hisp	2066	1,834,469	1361	68.4	65.7-71.1	180	9.8	8.0-11.6	171	7.0	5.4- 8.6	149	6.2	5.0- 7.4	205	8.6	7.0-10.2
Black or Afr. Am./Non-Hisp	255	343,070	166	68.2	60.4-76.0	13	3.7	1.2- 6.2	25	12.1	6.0-18.2	27	9.0	4.5-13.5	24	7.0	3.5-10.5
Oth. Race/Non-Hisp.	61	70,863	32	60.1	42.3-77.9	9	12.1	0.7-23.5	1	0.8	0.0- 2.6	8	14.3	1.0-27.6	11	12.7	3.7-21.7
Hispanic	66	121,046	45	69.5	55.2-83.8	5	8.6	0.0-17.2	5	7.1	0.2-14.0	7	8.1	1.2-15.0	4	6.7	0.0-15.7
18-24	206	319,016	152	75.9	68.6-83.2	28	13.1	7.6-18.6	16	5.3	2.0- 8.6	8	3.4	0.7- 6.1	2	2.3	0.0- 5.8
25-34	282	421,727	205	73.5	66.8-80.2	29	12.0	6.9-17.1	21	6.8	2.7-10.9	18	4.8	1.9- 7.7	9	2.9	0.4- 5.4
35-44	287	406,409	198	72.3	65.6-79.0	27	7.9	4.2-11.6	25	9.3	4.4-14.2	18	5.6	2.7- 8.5	19	4.9	2.0- 7.8
45-54	397	398,837	252	64.4	58.1-70.7	29	6.5	3.8- 9.2	37	9.4	5.5-13.3	38	8.2	5.1-11.3	41	11.5	7.2-15.8
55-64	575	399,356	339	58.2	52.9-63.5	43	6.9	4.4- 9.4	51	7.8	4.9-10.7	58	11.8	8.1-15.5	84	15.3	11.4-19.2
65+	759	451,071	482	65.2	60.9-69.5	53	7.3	4.9- 9.7	59	6.6	4.4- 8.8	61	8.1	5.4-10.8	104	12.7	9.8-15.6
Less Than H.S.	228	334,733	112	60.9	52.7-69.1	9	3.7	0.8- 6.6	21	6.9	3.4-10.4	27	8.6	4.7-12.5	59	20.0	13.7-26.3
H.S. or G.E.D.	816	813,379	514	65.8	61.3-70.3	69	9.4	6.7-12.1	58	7.1	4.4- 9.8	81	8.9	6.4-11.4	94	8.7	6.3-11.1
Some Post-H.S.	643	694,589	415	69.7	65.0-74.4	51	7.4	4.7-10.1	58	9.3	6.2-12.4	56	6.8	4.4- 9.2	63	6.8	4.6- 9.0
College Graduate	849	585,285	608	73.7	69.8-77.6	82	12.5	9.0-16.0	74	6.5	4.5- 8.5	38	3.5	2.1- 4.9	47	3.8	2.4- 5.2
Less than \$15,000	204	176,429	85	46.9	37.1-56.7	9	3.8	0.3- 7.3	16	4.3	1.6- 7.0	37	18.1	10.8-25.4	57	26.9	18.3-35.5
\$15,000- 24,999	327	318,605	170	56.1	48.5-63.7	15	4.5	1.6- 7.4	35	11.7	6.2-17.2	47	11.1	7.2-15.0	60	16.6	11.1-22.1
\$25,000- 34,999	262	252,601	155	60.2	52.2-68.2	21	12.2	6.1-18.3	30	9.3	5.0-13.6	26	10.4	5.3-15.5	30	7.9	4.6-11.2
\$35,000- 49,999	378	359,621	254	69.7	63.4-76.0	33	8.3	4.6-12.0	30	7.9	4.4-11.4	30	8.2	4.3-12.1	31	5.9	3.2- 8.6
\$50,000- 74,999	362	367,147	260	74.8	68.5-81.1	41	10.0	6.1-13.9	28	8.0	3.5-12.5	15	3.9	1.4- 6.4	18	3.2	1.2- 5.2
\$75,000+	649	626,628	498	78.5	74.2-82.8	62	9.6	6.5-12.7	45	6.3	3.6- 9.0	20	2.1	0.9- 3.3	24	3.4	1.6- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	N	None		1-2 days			3-7 days			8-29 days			30 days					
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	3424	2,607,099	1907	58.2	55.8-60.6	318	9.8	8.2-11.4	398	12.0	10.4-13.6	426	11.4	9.8-13.0	375	8.6	7.4- 9.8			
White/Non-Hisp	2746	1,945,760	1544	57.8	55.3-60.3	251	9.9	8.3-11.5	311	11.1	9.5-12.7	340	11.8	10.2-13.4	300	9.4	8.0-10.8			
Black or Afr. Am./Non-Hisp	477	450,914	269	60.5	53.6-67.4	44	7.6	3.5-11.7	64	16.1	11.0-21.2	57	10.5	6.0-15.0	43	5.3	3.1- 7.5			
Oth. Race/Non-Hisp.	55	43,606	25	63.6	46.7-80.5	7	10.4	0.2-20.6	6	10.0	0.0-20.2	7	5.8	0.3-11.3	10	10.2	1.4-19.0			
Hispanic	50	96,892	27	60.2	43.0-77.4	7	16.6	2.1-31.1	7	9.5	1.1-17.9	6	10.7	0.7-20.7	3	3.0	0.0- 6.7			
18-24	168	310,711	110	67.0	58.2-75.8	18	13.2	5.9-20.5	25	11.8	6.5-17.1	13	7.4	2.5-12.3	2	0.6	0.0- 1.6			
25-34	313	431,010	199	63.2	55.9-70.5	35	8.9	4.6-13.2	42	16.2	10.5-21.9	31	10.9	6.2-15.6	6	0.8	0.0- 1.6			
35-44	343	412,379	194	57.7	50.6-64.8	41	13.8	8.9-18.7	42	11.2	7.1-15.3	37	8.8	5.3-12.3	29	8.5	4.8-12.2			
45-54	585	428,534	295	51.9	46.4-57.4	62	9.0	6.3-11.7	71	12.0	8.3-15.7	84	15.6	11.5-19.7	73	11.5	8.4-14.6			
55-64	701	418,116	377	55.0	50.1-59.9	63	9.0	6.3-11.7	72	9.3	6.6-12.0	82	11.9	8.8-15.0	107	14.9	11.4-18.4			
65+	1246	565,411	685	56.3	52.6-60.0	91	6.8	4.8- 8.8	139	11.5	9.1-13.9	178	13.3	10.9-15.7	153	12.1	9.7-14.5			
Less Than H.S.	371	374,117	143	44.2	36.6-51.8	15	4.2	1.5- 6.9	42	12.0	7.3-16.7	74	18.5	13.0-24.0	97	21.1	16.0-26.2			
H.S. or G.E.D.	1103	863,351	579	55.5	51.2-59.8	91	9.3	6.4-12.2	125	12.7	9.8-15.6	170	14.5	11.6-17.4	138	8.0	6.2- 9.8			
Some Post-H.S.	930	783,445	529	62.0	57.5-66.5	90	11.6	8.5-14.7	116	10.4	7.9-12.9	105	9.0	6.8-11.2	90	6.9	4.7- 9.1			
College Graduate	1006	580,768	647	65.9	61.8-70.0	122	11.8	9.1-14.5	114	13.3	10.0-16.6	75	5.7	3.7- 7.7	48	3.3	2.1- 4.5			
Less than \$15,000	409	286,358	132	36.4	29.0-43.8	14	2.7	0.7- 4.7	56	17.9	11.6-24.2	99	22.8	16.3-29.3	108	20.2	15.3-25.1			
\$15,000- 24,999	618	484,962	292	49.7	43.6-55.8	55	10.3	5.6-15.0	84	11.6	8.1-15.1	98	16.9	12.6-21.2	89	11.5	8.6-14.4			
\$25,000- 34,999	339	246,861	202	62.6	54.8-70.4	32	11.7	6.0-17.4	33	8.3	4.6-12.0	36	9.2	5.1-13.3	36	8.2	4.7-11.7			
\$35,000- 49,999	425	323,084	267	66.5	60.4-72.6	47	10.4	6.7-14.1	53	12.3	8.2-16.4	37	6.4	3.7- 9.1	21	4.3	1.8- 6.8			
\$50,000- 74,999	381	313,128	237	60.2	53.1-67.3	57	15.9	10.6-21.2	40	13.3	8.0-18.6	34	7.9	4.4-11.4	13	2.6	0.8- 4.4			
\$75,000+	556	451,364	387	69.1	63.8-74.4	59	10.7	7.2-14.2	60	10.7	7.0-14.4	32	5.7	3.2- 8.2	18	3.8	1.6- 6.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	6038	5,085,345	4047	64.7	62.9-66.5	410	7.5	6.5- 8.5	548	10.2	9.0-11.4	566	10.0	9.0-11.0	467	7.7	6.7- 8.7	
Male	2570	2,461,469	1871	70.6	68.1-73.1	159	6.7	5.3- 8.1	196	9.5	7.9-11.1	181	6.8	5.6- 8.0	163	6.4	5.0- 7.8	
Female	3465	2,620,362	2175	59.3	56.8-61.8	251	8.1	6.5- 9.7	352	10.9	9.3-12.5	384	12.9	11.3-14.5	303	8.8	7.4-10.2	
White/Non-Hisp	4869	3,814,316	3298	65.8	63.8-67.8	322	6.8	5.8- 7.8	434	10.2	9.0-11.4	460	10.0	8.8-11.2	355	7.1	6.1- 8.1	
Black or Afr. Am./Non-Hisp	742	800,347	478	60.6	55.3-65.9	60	9.8	6.1-13.5	74	10.7	7.2-14.2	68	10.7	7.6-13.8	62	8.2	5.5-10.9	
Oth. Race/Non-Hisp.	119	116,249	79	59.2	45.7-72.7	9	11.2	2.6-19.8	13	12.5	3.5-21.5	5	2.2	0.0- 4.4	13	14.9	4.7-25.1	
MultiRacial/Non-Hisp.	96	51,326	50	50.7	35.4-66.0	6	2.0	0.2- 3.8	11	11.9	2.5-21.3	15	23.5	9.2-37.8	14	11.9	3.9-19.9	
Hispanic	118	220,170	77	64.8	53.2-76.4	10	11.0	2.8-19.2	9	6.3	1.6-11.0	13	9.9	3.8-16.0	9	8.0	0.2-15.8	
18-24	372	628,374	195	52.9	46.6-59.2	43	12.5	8.0-17.0	58	15.5	11.2-19.8	52	11.8	8.1-15.5	24	7.3	4.0-10.6	
25-34	601	858,166	354	59.5	54.4-64.6	48	8.2	5.1-11.3	73	13.2	9.7-16.7	77	12.0	8.9-15.1	49	7.1	4.6- 9.6	
35-44	629	820,620	374	61.9	56.8-67.0	54	9.3	6.0-12.6	68	10.5	7.6-13.4	75	11.2	8.3-14.1	58	7.1	4.9- 9.3	
45-54	991	832,903	592	60.6	56.3-64.9	72	6.8	4.8- 8.8	100	10.9	8.2-13.6	112	11.1	8.6-13.6	115	10.6	7.7-13.5	
55-64	1296	831,729	874	67.3	64.0-70.6	84	5.6	4.0- 7.2	101	6.6	5.0- 8.2	121	10.2	8.0-12.4	116	10.4	8.0-12.8	
65+	2048	1,039,086	1576	78.5	76.1-80.9	104	4.5	3.5- 5.5	143	6.9	5.3- 8.5	125	5.7	4.3- 7.1	100	4.5	3.3- 5.7	
Less Than H.S.	621	726,916	348	56.0	50.3-61.7	30	5.6	2.9- 8.3	48	7.6	4.7-10.5	90	14.8	11.1-18.5	105	15.9	11.8-20.0	
H.S. or G.E.D.	1949	1,689,511	1339	67.7	64.8-70.6	98	6.7	4.7- 8.7	162	8.9	7.1-10.7	191	9.6	7.8-11.4	159	7.0	5.4- 8.6	
Some Post-H.S.	1586	1,491,220	1044	63.8	60.5-67.1	110	7.7	5.7- 9.7	148	10.7	8.5-12.9	162	10.2	8.0-12.4	122	7.6	5.8- 9.4	
College Graduate	1862	1,168,456	1302	67.0	64.1-69.9	170	9.3	7.5-11.1	190	13.0	10.6-15.4	121	7.0	5.4- 8.6	79	3.6	2.6- 4.6	
Less than \$15,000	628	468,468	328	47.1	41.2-53.0	31	6.8	2.7-10.9	52	10.5	6.6-14.4	91	17.2	12.7-21.7	126	18.4	13.9-22.9	
\$15,000- 24,999	961	807,310	563	58.1	53.4-62.8	58	6.9	4.0- 9.8	93	8.7	6.2-11.2	143	15.5	12.4-18.6	104	10.8	7.7-13.9	
\$25,000- 34,999	607	511,048	412	67.4	62.1-72.7	37	6.3	3.9- 8.7	59	10.0	6.7-13.3	62	9.6	6.5-12.7	37	6.6	3.7- 9.5	
\$35,000- 49,999	806	684,793	554	66.9	62.2-71.6	71	9.7	6.6-12.8	62	9.0	6.1-11.9	73	9.3	6.6-12.0	46	5.1	3.1- 7.1	
\$50,000- 74,999	742	679,802	520	67.8	62.9-72.7	57	7.6	4.7-10.5	84	12.0	8.7-15.3	58	8.5	5.8-11.2	23	4.1	1.9- 6.3	
\$75,000+	1210	1,082,847	914	71.3	67.6-75.0	96	8.0	5.8-10.2	107	11.5	8.8-14.2	56	5.3	3.5- 7.1	37	3.9	2.3- 5.5	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		1-2 days		3-7 days		8-29 days		30 days					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	2570	2,461,469	1871	70.6	68.1-73.1	159	6.7	5.3- 8.1	196	9.5	7.9-11.1	181	6.8	5.6- 8.0	163	6.4	5.0- 7.8
White/Non-Hisp	2085	1,852,807	1535	71.5	68.8-74.2	122	5.6	4.4- 6.8	154	9.7	7.7-11.7	153	7.4	6.0- 8.8	121	5.7	4.3- 7.1
Black or Afr. Am./Non-Hisp	259	349,296	178	67.1	59.1-75.1	24	10.9	5.0-16.8	21	9.0	4.1-13.9	16	5.2	1.7- 8.7	20	7.9	3.4-12.4
Oth. Race/Non-Hisp.	63	72,630	47	69.7	52.8-86.6	4	11.7	0.0-24.0	7	7.9	1.0-14.8				5	10.7	0.0-23.4
MultiRacial/Non-Hisp.	50	28,561	29	57.3	37.7-76.9	1	0.8	0.0- 2.4	7	17.8	2.1-33.5	6	11.7	1.7-21.7	7	12.4	0.8-24.0
Hispanic	68	123,278	52	72.3	56.6-88.0	6	10.8	0.2-21.4	4	4.9	0.0-10.6	3	3.4	0.0- 7.3	3	8.6	0.0-21.5
18-24	206	322,704	119	57.6	49.2-66.0	27	14.7	8.4-21.0	34	17.3	11.0-23.6	16	5.8	2.1- 9.5	10	4.7	1.2- 8.2
25-34	284	423,365	169	62.2	55.1-69.3	27	8.4	4.7-12.1	35	12.9	7.8-18.0	37	10.3	6.4-14.2	16	6.3	2.6-10.0
35-44	288	406,975	200	72.9	66.2-79.6	24	8.2	3.5-12.9	20	7.3	3.6-11.0	20	6.0	2.7- 9.3	24	5.7	3.0- 8.4
45-54	404	407,827	279	68.2	61.7-74.7	22	5.2	2.7- 7.7	35	9.8	5.7-13.9	36	7.4	4.7-10.1	32	9.3	4.2-14.4
55-64	585	403,678	443	76.1	71.6-80.6	27	2.9	1.5- 4.3	37	6.0	3.6- 8.4	36	7.3	4.4-10.2	42	7.8	4.7-10.9
65+	767	460,678	634	82.3	78.8-85.8	30	3.3	1.9- 4.7	32	5.6	3.1- 8.1	35	4.2	2.4- 6.0	36	4.6	2.8- 6.4
Less Than H.S.	240	352,968	147	63.9	55.7-72.1	12	5.1	1.6- 8.6	20	8.6	3.9-13.3	24	9.1	5.0-13.2	37	13.2	6.9-19.5
H.S. or G.E.D.	829	823,460	616	72.6	68.3-76.9	43	5.8	3.3- 8.3	58	9.2	6.5-11.9	55	6.0	4.0- 8.0	57	6.3	4.1- 8.5
Some Post-H.S.	642	693,298	459	70.1	65.2-75.0	46	8.3	5.2-11.4	48	9.0	5.9-12.1	52	6.9	4.4- 9.4	37	5.7	3.3- 8.1
College Graduate	854	588,739	647	72.7	68.6-76.8	57	7.0	4.6- 9.4	70	11.0	7.9-14.1	48	5.8	3.6- 8.0	32	3.4	1.8- 5.0
Less than \$15,000	210	180,846	120	53.5	43.7-63.3	9	4.6	0.0-10.5	12	5.2	1.1- 9.3	29	16.1	9.0-23.2	40	20.6	12.0-29.2
\$15,000- 24,999	336	324,153	206	58.1	50.3-65.9	25	8.1	3.0-13.2	31	10.4	5.7-15.1	34	10.0	5.9-14.1	40	13.4	7.3-19.5
\$25,000- 34,999	266	261,391	188	71.9	64.6-79.2	22	7.5	3.8-11.2	25	10.0	5.1-14.9	17	4.0	1.6- 6.4	14	6.7	2.0-11.4
\$35,000- 49,999	378	359,230	279	72.0	65.5-78.5	31	8.6	4.5-12.7	19	8.6	4.1-13.1	29	6.2	3.3- 9.1	20	4.6	1.9- 7.3
\$50,000- 74,999	365	368,692	276	75.1	69.0-81.2	17	4.7	2.0- 7.4	36	10.9	6.6-15.2	24	6.6	3.1-10.1	12	2.7	0.9- 4.5
\$75,000+	650	627,560	532	77.1	72.4-81.8	36	6.6	3.9- 9.3	45	9.9	6.2-13.6	25	3.8	2.0- 5.6	12	2.5	0.9- 4.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	3465	2,620,362	2175	59.3	56.8-61.8	251	8.1	6.5- 9.7	352	10.9	9.3-12.5	384	12.9	11.3-14.5	303	8.8	7.4-10.2	
White/Non-Hisp	2782	1,959,905	1762	60.5	58.0-63.0	200	8.0	6.4- 9.6	280	10.7	8.9-12.5	307	12.4	10.6-14.2	233	8.4	7.0- 9.8	
Black or Afr. Am./Non-Hisp	483	451,051	300	55.5	48.4-62.6	36	8.9	4.2-13.6	53	12.1	7.4-16.8	52	15.0	10.1-19.9	42	8.5	4.8-12.2	
Oth. Race/Non-Hisp.	56	43,619	32	41.8	23.8-59.8	5	10.4	0.0-21.2	6	20.0	0.6-39.4	5	6.0	0.3-11.7	8	21.9	4.8-39.0	
Hispanic	50	96,892	25	55.3	37.9-72.7	4	11.3	0.0-24.2	5	8.0	0.2-15.8	10	18.1	5.8-30.4	6	7.4	0.5-14.3	
18-24	166	305,671	76	48.0	38.6-57.4	16	10.3	4.2-16.4	24	13.6	7.5-19.7	36	18.1	11.4-24.8	14	10.0	4.3-15.7	
25-34	316	433,475	185	57.1	49.7-64.5	21	8.0	3.1-12.9	38	13.6	8.3-18.9	40	13.7	8.6-18.8	32	7.6	4.1-11.1	
35-44	341	413,645	174	51.1	43.8-58.4	30	10.4	5.7-15.1	48	13.6	8.9-18.3	55	16.3	11.4-21.2	34	8.6	5.1-12.1	
45-54	586	423,166	313	53.5	48.0-59.0	50	8.4	5.5-11.3	65	12.0	8.3-15.7	75	14.2	10.3-18.1	83	11.9	8.8-15.0	
55-64	711	428,051	431	58.9	54.2-63.6	57	8.1	5.6-10.6	64	7.2	5.0- 9.4	85	12.9	9.8-16.0	74	12.8	9.3-16.3	
65+	1280	578,131	941	75.4	72.5-78.3	74	5.5	3.9- 7.1	111	7.9	5.9- 9.9	90	6.9	5.1- 8.7	64	4.4	3.0- 5.8	
Less Than H.S.	380	372,037	201	48.8	41.4-56.2	18	6.1	2.0-10.2	28	6.7	3.0-10.4	65	19.9	14.0-25.8	68	18.5	13.4-23.6	
H.S. or G.E.D.	1120	866,051	723	63.1	58.8-67.4	55	7.6	4.5-10.7	104	8.7	6.3-11.1	136	13.0	10.3-15.7	102	7.6	5.4- 9.8	
Some Post-H.S.	943	796,596	585	58.5	53.8-63.2	64	7.1	4.7- 9.5	100	12.2	9.1-15.3	110	13.1	10.0-16.2	84	9.1	6.4-11.8	
College Graduate	1007	579,440	654	61.2	56.9-65.5	113	11.8	9.1-14.5	120	15.1	11.8-18.4	73	8.2	5.7-10.7	47	3.8	2.4- 5.2	
Less than \$15,000	418	287,622	208	43.0	35.7-50.3	22	8.2	2.5-13.9	40	13.9	8.0-19.8	62	17.8	11.9-23.7	86	17.1	12.0-22.2	
\$15,000- 24,999	625	483,157	357	58.1	52.2-64.0	33	6.0	2.7- 9.3	62	7.5	5.0-10.0	109	19.2	14.7-23.7	64	9.0	6.1-11.9	
\$25,000- 34,999	341	249,656	224	62.8	55.0-70.6	15	5.1	2.0- 8.2	34	10.0	5.3-14.7	45	15.4	9.7-21.1	23	6.6	3.3- 9.9	
\$35,000- 49,999	428	325,563	275	61.3	54.6-68.0	40	10.9	6.4-15.4	43	9.3	5.6-13.0	44	12.7	8.0-17.4	26	5.8	2.7- 8.9	
\$50,000- 74,999	377	311,110	244	59.2	51.8-66.6	40	11.0	5.7-16.3	48	13.3	8.2-18.4	34	10.8	6.5-15.1	11	5.7	1.6- 9.8	
\$75,000+	559	453,377	382	63.6	57.9-69.3	60	10.0	6.9-13.1	62	13.6	9.3-17.9	30	6.9	4.0- 9.8	25	5.9	3.0- 8.8	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3305	2,752,701	1788	54.3	51.9-56.7	290	10.4	8.8-12.0	344	11.1	9.5-12.7	507	14.9	13.1-16.7	376	9.3	8.1-10.5
Male	1235	1,176,449	677	56.8	52.9-60.7	120	10.7	8.3-13.1	140	10.8	8.4-13.2	156	11.7	9.2-14.2	142	10.1	7.9-12.3
Female	2068	1,573,015	1111	52.6	49.5-55.7	169	10.0	8.0-12.0	204	11.4	9.2-13.6	350	17.2	14.8-19.6	234	8.8	7.2-10.4
White/Non-Hisp	2619	2,051,012	1425	55.3	52.8-57.8	244	10.8	9.0-12.6	261	9.9	8.3-11.5	399	14.4	12.6-16.2	290	9.6	8.2-11.0
Black or Afr. Am./Non-Hisp	417	443,934	240	56.5	49.2-63.8	26	9.0	4.5-13.5	46	13.3	8.4-18.2	65	15.0	10.1-19.9	40	6.2	3.8-8.6
Oth. Race/Non-Hisp.	71	64,305	26	46.1	29.0-63.2	8	12.0	1.6-22.4	13	10.9	3.5-18.3	7	7.2	0.0-14.5	17	23.8	8.5-39.1
MultiRacial/Non-Hisp.	81	41,013	33	31.2	17.3-45.1	4	6.3	0.0-15.3	9	13.2	3.4-23.0	18	30.6	13.9-47.3	17	18.7	7.9-29.5
Hispanic	64	114,634	36	43.3	27.8-58.8	5	10.5	0.7-20.3	12	23.8	9.1-38.5	7	19.2	3.9-34.5	4	3.2	0.0-7.1
18-24	216	364,978	124	61.7	53.7-69.7	29	12.1	7.2-17.0	40	16.4	10.5-22.3	20	9.0	4.3-13.7	3	0.8	0.0-1.8
25-34	341	480,320	205	58.4	51.5-65.3	39	12.9	8.2-17.6	39	13.1	8.0-18.2	46	12.1	7.8-16.4	12	3.5	1.1-5.9
35-44	353	443,294	188	54.2	47.5-60.9	41	14.2	8.9-19.5	35	8.9	5.2-12.6	49	14.2	9.7-18.7	40	8.5	5.4-11.6
45-54	567	468,912	251	44.9	39.2-50.6	46	7.3	4.8-9.8	76	13.3	9.8-16.8	107	21.0	15.9-26.1	87	13.6	9.9-17.3
55-64	709	444,750	342	46.6	41.9-51.3	54	8.1	5.4-10.8	76	9.7	7.0-12.4	129	18.5	14.8-22.2	108	17.1	13.2-21.0
65+	1071	516,036	647	60.3	56.4-64.2	73	7.6	5.4-9.8	77	7.3	5.1-9.5	155	14.3	11.4-17.2	119	10.5	8.1-12.9
Less Than H.S.	424	452,089	188	42.4	36.1-48.7	17	3.6	1.4-5.8	38	10.3	6.0-14.6	86	22.1	16.2-28.0	95	21.6	16.5-26.7
H.S. or G.E.D.	1098	925,106	589	54.5	50.2-58.8	78	8.8	6.1-11.5	112	12.4	9.3-15.5	184	15.2	12.3-18.1	135	9.1	7.1-11.1
Some Post-H.S.	874	804,208	465	57.7	53.2-62.2	72	10.3	7.4-13.2	100	11.1	8.4-13.8	142	14.2	11.3-17.1	95	6.6	4.8-8.4
College Graduate	898	565,554	539	58.7	54.2-63.2	122	18.3	14.4-22.2	94	9.8	7.3-12.3	93	9.3	6.8-11.8	50	3.9	2.3-5.5
Less than \$15,000	478	353,879	168	33.1	26.6-39.6	18	5.5	1.6-9.4	45	12.7	7.4-18.0	119	22.1	16.6-27.6	128	26.6	20.9-32.3
\$15,000- 24,999	628	513,455	287	44.4	38.7-50.1	49	7.7	4.8-10.6	76	15.2	10.7-19.7	134	22.3	17.2-27.4	82	10.5	7.6-13.4
\$25,000- 34,999	343	269,456	199	56.2	48.9-63.5	25	8.3	4.6-12.0	30	11.3	6.2-16.4	53	16.0	10.7-21.3	36	8.2	4.5-11.9
\$35,000- 49,999	400	331,187	240	57.8	50.9-64.7	46	15.2	9.5-20.9	51	12.6	8.5-16.7	40	9.7	5.6-13.8	23	4.7	2.0-7.4
\$50,000- 74,999	358	342,222	214	58.7	51.4-66.0	46	15.9	10.2-21.6	42	11.2	6.3-16.1	38	11.0	6.5-15.5	18	3.3	1.5-5.1
\$75,000+	506	482,420	346	69.6	64.3-74.9	61	13.7	9.8-17.6	56	8.2	5.7-10.7	30	5.8	3.3-8.3	13	2.7	0.9-4.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1235	1,176,449	677	56.8	52.9-60.7	120	10.7	8.3-13.1	140	10.8	8.4-13.2	156	11.7	9.2-14.2	142	10.1	7.9-12.3
White/Non-Hisp	975	874,068	539	56.6	52.5-60.7	98	11.1	8.4-13.8	109	10.0	7.5-12.5	122	11.9	9.4-14.4	107	10.4	7.9-12.9
Black or Afr. Am./Non-Hisp	128	166,872	79	67.9	57.3-78.5	10	9.3	2.0-16.6	13	9.9	3.4-16.4	14	6.8	2.1-11.5	12	6.1	2.0-10.2
18-24	108	169,318	63	62.7	51.5-73.9	18	15.0	7.0-23.0	21	18.8	9.6-28.0	4	2.2	0.0- 4.7	2	1.2	0.0- 3.4
25-34	156	223,422	107	68.6	59.0-78.2	16	11.8	4.9-18.7	18	9.9	3.2-16.6	8	5.9	1.0-10.8	7	3.9	0.6- 7.2
35-44	137	174,753	79	58.1	47.5-68.7	18	15.5	7.3-23.7	9	6.3	1.4-11.2	13	10.2	3.7-16.7	18	9.8	4.5-15.1
45-54	197	201,671	93	51.0	41.4-60.6	13	4.7	1.8- 7.6	37	14.5	9.0-20.0	31	18.5	9.7-27.3	23	11.3	5.0-17.6
55-64	291	198,692	139	43.2	35.8-50.6	25	9.0	4.7-13.3	33	9.2	5.5-12.9	50	18.2	12.1-24.3	44	20.4	13.1-27.7
65+	330	194,694	190	58.1	51.0-65.2	25	7.8	4.3-11.3	22	7.3	3.0-11.6	50	15.3	9.8-20.8	43	11.6	7.3-15.9
Less Than H.S.	139	183,870	61	43.2	32.4-54.0	3	1.6	0.0- 3.8	15	10.0	4.5-15.5	24	20.1	9.9-30.3	36	25.0	15.6-34.4
H.S. or G.E.D.	411	401,642	225	57.9	51.4-64.4	34	8.4	4.7-12.1	46	12.0	7.1-16.9	58	13.0	8.9-17.1	48	8.7	5.8-11.6
Some Post-H.S.	316	333,185	174	63.1	56.0-70.2	23	8.5	4.0-13.0	42	11.1	7.0-15.2	42	9.9	6.2-13.6	35	7.4	4.1-10.7
College Graduate	365	254,420	215	56.7	49.6-63.8	59	23.6	16.9-30.3	37	9.1	5.4-12.8	31	5.6	3.1- 8.1	23	5.0	2.3- 7.7
Less than \$15,000	141	121,752	47	31.8	20.2-43.4	4	1.8	0.0- 4.2	18	13.0	5.6-20.4	29	16.0	8.0-24.0	43	37.3	25.3-49.3
\$15,000- 24,999	210	200,529	87	40.9	31.3-50.5	20	9.4	3.5-15.3	25	11.6	5.3-17.9	46	27.2	17.4-37.0	32	11.0	6.5-15.5
\$25,000- 34,999	149	138,277	84	60.0	49.6-70.4	13	9.1	3.4-14.8	18	12.3	4.9-19.7	20	11.5	5.8-17.2	14	7.1	2.2-12.0
\$35,000- 49,999	165	153,585	100	55.5	45.1-65.9	20	19.3	9.7-28.9	18	10.9	5.2-16.6	14	7.9	2.4-13.4	13	6.4	1.1-11.7
\$50,000- 74,999	153	154,561	99	66.9	56.3-77.5	18	11.1	4.8-17.4	19	14.4	5.0-23.8	8	3.7	0.0- 7.4	9	3.9	1.2- 6.6
\$75,000+	237	243,934	162	71.5	64.1-78.9	26	12.2	6.5-17.9	30	9.1	5.2-13.0	12	4.2	1.5- 6.9	7	2.9	0.2- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting no days of poor physical or mental health

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2068	1,573,015	1111	52.6	49.5-55.7	169	10.0	8.0-12.0	204	11.4	9.2-13.6	350	17.2	14.8-19.6	234	8.8	7.2-10.4
White/Non-Hisp	1643	1,175,617	886	54.4	51.1-57.7	146	10.6	8.2-13.0	152	9.8	7.8-11.8	276	16.1	13.7-18.5	183	9.0	7.4-10.6
Black or Afr. Am./Non-Hisp	289	277,062	161	49.6	40.4-58.8	16	8.8	2.9-14.7	33	15.3	8.6-22.0	51	20.0	12.9-27.1	28	6.2	3.3- 9.1
18-24	108	195,660	61	60.8	49.6-72.0	11	9.6	3.5-15.7	19	14.3	6.7-21.9	16	15.0	6.8-23.2	1	0.4	0.0- 1.2
25-34	184	255,572	98	49.7	39.9-59.5	23	14.0	7.1-20.9	21	15.9	8.1-23.7	37	17.2	10.3-24.1	5	3.2	0.0- 6.7
35-44	216	268,540	109	51.7	43.3-60.1	23	13.3	6.4-20.2	26	10.5	5.2-15.8	36	16.8	10.7-22.9	22	7.7	3.8-11.6
45-54	369	265,331	158	40.5	33.8-47.2	32	8.6	5.1-12.1	39	12.4	7.7-17.1	76	23.1	16.8-29.4	64	15.4	10.7-20.1
55-64	418	246,058	203	49.4	43.3-55.5	29	7.3	3.8-10.8	43	10.1	6.2-14.0	79	18.8	13.9-23.7	64	14.4	10.3-18.5
65+	741	321,342	457	61.6	56.9-66.3	48	7.4	4.7-10.1	55	7.4	5.0- 9.8	105	13.7	10.4-17.0	76	9.9	7.2-12.6
Less Than H.S.	284	266,309	127	42.2	34.4-50.0	13	4.3	1.4- 7.2	23	10.6	4.5-16.7	62	23.5	16.6-30.4	59	19.3	13.4-25.2
H.S. or G.E.D.	687	523,464	364	51.9	46.2-57.6	44	9.1	5.2-13.0	66	12.7	8.4-17.0	126	16.9	13.0-20.8	87	9.4	6.9-11.9
Some Post-H.S.	557	469,696	291	54.1	48.2-60.0	49	11.7	7.6-15.8	58	11.1	7.6-14.6	99	17.0	12.7-21.3	60	6.0	3.8- 8.2
College Graduate	533	311,133	324	60.4	54.5-66.3	63	14.1	9.8-18.4	57	10.3	6.8-13.8	62	12.3	8.2-16.4	27	3.0	1.4- 4.6
Less than \$15,000	337	232,127	121	33.8	26.0-41.6	14	7.4	1.5-13.3	27	12.6	5.5-19.7	90	25.2	18.1-32.3	85	20.9	15.2-26.6
\$15,000- 24,999	418	312,926	200	46.6	39.5-53.7	29	6.6	3.3- 9.9	51	17.5	11.4-23.6	88	19.1	14.0-24.2	50	10.2	6.3-14.1
\$25,000- 34,999	194	131,179	115	52.3	42.5-62.1	12	7.4	2.5-12.3	12	10.3	3.2-17.4	33	20.6	12.2-29.0	22	9.4	3.9-14.9
\$35,000- 49,999	235	177,603	140	59.7	50.7-68.7	26	11.6	4.9-18.3	33	14.1	8.0-20.2	26	11.4	5.3-17.5	10	3.2	0.8- 5.6
\$50,000- 74,999	205	187,661	115	51.9	41.9-61.9	28	19.9	11.1-28.7	23	8.5	4.4-12.6	30	17.0	9.6-24.4	9	2.7	0.5- 4.9
\$75,000+	268	236,576	184	68.3	61.0-75.6	34	14.5	8.8-20.2	26	7.2	3.7-10.7	18	7.4	2.9-11.9	6	2.5	0.1- 4.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 3: HEALTH CARE ACCESS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25
	ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10	MALES AND FEMALES	26
11	MALES ONLY	27
12	FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6129	5,144,105	5605	88.7	87.3-90.1	524	11.3	9.9-12.7
Male	2595	2,474,771	2322	86.7	84.7-88.7	273	13.3	11.3-15.3
Female	3531	2,665,821	3280	90.5	88.9-92.1	251	9.5	7.9-11.1
White/Non-Hisp	4946	3,865,746	4575	91.3	90.1-92.5	371	8.7	7.5- 9.9
Black or Afr. Am./Non-Hisp	749	806,162	669	85.2	81.1-89.3	80	14.8	10.7-18.9
Oth. Race/Non-Hisp.	122	119,004	104	80.8	69.0-92.6	18	19.2	7.4-31.0
MultiRacial/Non-Hisp.	103	53,731	94	85.9	73.6-98.2	9	14.1	1.8-26.4
Hispanic	118	220,170	83	59.3	47.0-71.6	35	40.7	28.4-53.0
18-24	371	627,055	322	87.0	82.9-91.1	49	13.0	8.9-17.1
25-34	603	857,221	520	86.0	82.3-89.7	83	14.0	10.3-17.7
35-44	638	829,728	544	84.0	79.9-88.1	94	16.0	11.9-20.1
45-54	1000	845,828	871	85.7	82.4-89.0	129	14.3	11.0-17.6
55-64	1310	839,192	1165	87.9	85.4-90.4	145	12.1	9.6-14.6
65+	2104	1,068,842	2084	98.4	97.4-99.4	20	1.6	0.6- 2.6
Less Than H.S.	644	750,631	547	80.3	75.6-85.0	97	19.7	15.0-24.4
H.S. or G.E.D.	1987	1,713,900	1758	85.2	82.7-87.7	229	14.8	12.3-17.3
Some Post-H.S.	1607	1,502,893	1481	91.2	89.2-93.2	126	8.8	6.8-10.8
College Graduate	1871	1,167,951	1799	96.0	94.8-97.2	72	4.0	2.8- 5.2
Less than \$15,000	652	485,795	521	77.9	73.0-82.8	131	22.1	17.2-27.0
\$15,000- 24,999	982	821,593	860	82.6	78.5-86.7	122	17.4	13.3-21.5
\$25,000- 34,999	621	519,139	570	87.4	83.3-91.5	51	12.6	8.5-16.7
\$35,000- 49,999	816	690,912	758	89.6	86.1-93.1	58	10.4	6.9-13.9
\$50,000- 74,999	749	685,150	707	93.1	90.4-95.8	42	6.9	4.2- 9.6
\$75,000+	1211	1,083,553	1183	95.9	93.9-97.9	28	4.1	2.1- 6.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)	
Male	2595	2,474,771	2322	86.7	84.7-88.7	273	13.3	11.3-15.3	
White/Non-Hisp	2108	1,869,744	1912	89.8	88.0-91.6	196	10.2	8.4-12.0	
Black or Afr. Am./Non-Hisp	257	343,690	220	81.4	74.7-88.1	37	18.6	11.9-25.3	
Oth. Race/Non-Hisp.	64	74,353	53	78.3	62.0-94.6	11	21.7	5.4-38.0	
MultiRacial/Non-Hisp.	55	30,133	52	95.4	89.1- 100	3	4.6	0.0-10.9	
Hispanic	68	123,278	48	56.5	39.8-73.2	20	43.5	26.8-60.2	
18-24	204	317,971	175	85.1	79.0-91.2	29	14.9	8.8-21.0	
25-34	283	420,270	228	82.3	76.6-88.0	55	17.7	12.0-23.4	
35-44	292	411,985	240	83.3	77.8-88.8	52	16.7	11.2-22.2	
45-54	406	409,727	354	85.2	79.7-90.7	52	14.8	9.3-20.3	
55-64	590	406,150	519	85.4	81.3-89.5	71	14.6	10.5-18.7	
65+	785	473,182	774	97.7	95.9-99.5	11	2.3	0.5- 4.1	
Less Than H.S.	243	354,623	196	77.3	69.9-84.7	47	22.7	15.3-30.1	
H.S. or G.E.D.	839	830,308	708	81.1	77.0-85.2	131	18.9	14.8-23.0	
Some Post-H.S.	651	699,349	593	90.2	87.3-93.1	58	9.8	6.9-12.7	
College Graduate	858	588,166	821	96.0	94.4-97.6	37	4.0	2.4- 5.6	
Less than \$15,000	214	185,058	159	75.2	67.2-83.2	55	24.8	16.8-32.8	
\$15,000- 24,999	339	325,749	277	76.3	69.0-83.6	62	23.7	16.4-31.0	
\$25,000- 34,999	270	264,981	236	81.9	75.0-88.8	34	18.1	11.2-25.0	
\$35,000- 49,999	382	361,621	346	87.9	82.8-93.0	36	12.1	7.0-17.2	
\$50,000- 74,999	367	370,597	343	92.0	88.1-95.9	24	8.0	4.1-11.9	
\$75,000+	652	628,890	635	94.8	91.9-97.7	17	5.2	2.3- 8.1	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE, OR INDIAN HEALTH SERVICE? (HLTHPLN1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3531	2,665,821	3280	90.5	88.9-92.1	251	9.5	7.9-11.1
White/Non-Hisp	2836	1,994,398	2661	92.7	91.3-94.1	175	7.3	5.9- 8.7
Black or Afr. Am./Non-Hisp	492	462,472	449	88.1	83.0-93.2	43	11.9	6.8-17.0
Oth. Race/Non-Hisp.	58	44,651	51	85.0	70.1-99.9	7	15.0	0.1-29.9
Hispanic	50	96,892	35	62.9	44.7-81.1	15	37.1	18.9-55.3
18-24	167	309,083	147	89.0	83.3-94.7	20	11.0	5.3-16.7
25-34	319	435,625	291	89.5	84.6-94.4	28	10.5	5.6-15.4
35-44	346	417,743	304	84.8	78.7-90.9	42	15.2	9.1-21.3
45-54	593	434,191	516	86.1	82.2-90.0	77	13.9	10.0-17.8
55-64	720	433,042	646	90.3	87.6-93.0	74	9.7	7.0-12.4
65+	1318	595,383	1309	99.0	98.2-99.8	9	1.0	0.2- 1.8
Less Than H.S.	400	394,097	350	82.9	77.0-88.8	50	17.1	11.2-23.0
H.S. or G.E.D.	1148	883,592	1050	88.9	85.8-92.0	98	11.1	8.0-14.2
Some Post-H.S.	955	802,218	887	92.0	89.3-94.7	68	8.0	5.3-10.7
College Graduate	1012	579,508	977	96.0	94.2-97.8	35	4.0	2.2- 5.8
Less than \$15,000	438	300,736	362	79.5	73.4-85.6	76	20.5	14.4-26.6
\$15,000- 24,999	643	495,844	583	86.8	81.9-91.7	60	13.2	8.3-18.1
\$25,000- 34,999	351	254,159	334	93.2	89.5-96.9	17	6.8	3.1-10.5
\$35,000- 49,999	434	329,291	412	91.4	86.7-96.1	22	8.6	3.9-13.3
\$50,000- 74,999	382	314,554	364	94.4	90.9-97.9	18	5.6	2.1- 9.1
\$75,000+	558	452,753	547	97.3	94.9-99.7	11	2.7	0.3- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6141	5,143,664	4643	70.6	68.8-72.4	514	7.4	6.4- 8.4	984	22.0	20.4-23.6
Male	2595	2,469,647	1827	65.0	62.3-67.7	216	7.0	5.6- 8.4	552	28.0	25.5-30.5
Female	3543	2,670,503	2815	75.8	73.6-78.0	297	7.7	6.5- 8.9	431	16.4	14.4-18.4
White/Non-Hisp	4958	3,874,381	3772	72.1	70.3-73.9	420	7.3	6.3- 8.3	766	20.6	18.8-22.4
Black or Afr. Am./Non-Hisp	747	800,199	588	71.9	66.8-77.0	47	7.8	4.5-11.1	112	20.3	15.6-25.0
Oth. Race/Non-Hisp.	119	111,381	77	63.8	51.3-76.3	17	11.0	4.1-17.9	25	25.2	13.8-36.6
MultiRacial/Non-Hisp.	104	53,948	77	73.8	60.7-86.9	11	5.9	1.8-10.0	16	20.3	7.4-33.2
Hispanic	118	220,170	63	43.3	31.5-55.1	8	4.8	0.9- 8.7	47	51.9	39.9-63.9
18-24	368	619,558	200	57.1	50.8-63.4	19	4.3	1.9- 6.7	149	38.6	32.5-44.7
25-34	607	864,110	340	54.1	48.8-59.4	46	6.4	4.0- 8.8	221	39.5	34.4-44.6
35-44	640	832,997	441	67.3	62.2-72.4	42	6.6	4.1- 9.1	157	26.1	21.2-31.0
45-54	1001	841,830	757	75.4	71.5-79.3	64	6.2	3.8- 8.6	180	18.4	15.1-21.7
55-64	1314	841,304	1057	78.9	76.0-81.8	113	9.1	7.1-11.1	144	12.0	9.6-14.4
65+	2107	1,068,524	1763	83.7	81.5-85.9	226	10.3	8.5-12.1	118	5.9	4.3- 7.5
Less Than H.S.	646	753,288	465	64.1	58.4-69.8	68	10.3	7.0-13.6	113	25.6	20.1-31.1
H.S. or G.E.D.	1990	1,707,050	1500	71.1	68.0-74.2	147	6.3	4.9- 7.7	343	22.6	19.7-25.5
Some Post-H.S.	1608	1,500,791	1199	71.5	68.4-74.6	154	7.5	5.9- 9.1	255	21.0	18.1-23.9
College Graduate	1875	1,172,248	1461	72.9	70.0-75.8	145	7.0	5.4- 8.6	269	20.1	17.4-22.8
Less than \$15,000	651	483,018	464	69.2	63.9-74.5	61	7.1	4.7- 9.5	126	23.8	18.7-28.9
\$15,000- 24,999	981	822,228	717	64.2	59.3-69.1	89	8.3	5.8-10.8	175	27.5	22.8-32.2
\$25,000- 34,999	620	514,464	459	70.7	65.4-76.0	49	6.1	3.9- 8.3	112	23.2	18.1-28.3
\$35,000- 49,999	815	689,567	612	71.3	66.8-75.8	67	6.5	4.3- 8.7	136	22.3	18.0-26.6
\$50,000- 74,999	747	682,894	575	69.8	64.5-75.1	60	9.1	5.8-12.4	112	21.1	16.2-26.0
\$75,000+	1211	1,080,420	964	76.0	72.5-79.5	83	5.8	4.2- 7.4	164	18.1	14.8-21.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2595	2,469,647	1827	65.0	62.3-67.7	216	7.0	5.6- 8.4	552	28.0	25.5-30.5
White/Non-Hisp	2108	1,869,572	1500	66.8	63.9-69.7	178	6.7	5.5- 7.9	430	26.5	23.8-29.2
Black or Afr. Am./Non-Hisp	258	344,556	189	64.3	55.7-72.9	15	9.2	2.9-15.5	54	26.5	18.9-34.1
Oth. Race/Non-Hisp.	61	66,731	40	68.8	53.5-84.1	5	6.8	0.0-13.9	16	24.4	10.5-38.3
MultiRacial/Non-Hisp.	55	30,133	38	77.8	64.7-90.9	7	6.1	0.6-11.6	10	16.1	4.3-27.9
Hispanic	68	123,278	34	36.9	21.8-52.0	4	3.5	0.0- 7.4	30	59.6	44.1-75.1
18-24	200	312,736	99	49.1	40.5-57.7	7	2.9	0.4- 5.4	94	48.1	39.5-56.7
25-34	287	425,670	133	44.3	37.0-51.6	16	4.2	1.7- 6.7	138	51.5	44.1-58.9
35-44	291	411,510	184	62.5	54.7-70.3	20	5.7	2.0- 9.4	87	31.8	24.2-39.4
45-54	406	405,672	298	73.0	66.7-79.3	22	5.9	2.0- 9.8	86	21.1	15.4-26.8
55-64	591	406,648	468	77.3	72.8-81.8	49	9.0	5.9-12.1	74	13.7	10.2-17.2
65+	783	471,788	620	79.6	75.9-83.3	101	12.7	9.8-15.6	62	7.7	5.0-10.4
Less Than H.S.	243	356,717	155	57.5	48.7-66.3	23	9.2	4.1-14.3	65	33.3	24.5-42.1
H.S. or G.E.D.	840	824,915	577	64.9	60.2-69.6	60	5.9	3.7- 8.1	203	29.2	24.7-33.7
Some Post-H.S.	650	695,829	440	64.7	59.6-69.8	74	8.4	5.9-10.9	136	26.9	22.2-31.6
College Graduate	856	588,306	651	70.0	65.5-74.5	59	5.5	3.7- 7.3	146	24.4	20.1-28.7
Less than \$15,000	215	184,411	141	65.8	57.0-74.6	16	6.7	2.6-10.8	58	27.4	19.2-35.6
\$15,000- 24,999	339	325,749	216	54.0	46.2-61.8	34	9.5	4.4-14.6	89	36.5	28.5-44.5
\$25,000- 34,999	268	260,087	176	64.6	56.8-72.4	23	5.0	2.6- 7.4	69	30.4	22.6-38.2
\$35,000- 49,999	381	360,276	264	63.9	57.0-70.8	37	8.8	5.1-12.5	80	27.3	20.8-33.8
\$50,000- 74,999	367	370,597	267	63.0	55.0-71.0	29	8.3	3.8-12.8	71	28.6	20.8-36.4
\$75,000+	652	629,643	511	72.9	68.0-77.8	39	4.3	2.7- 5.9	102	22.8	17.9-27.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3543	2,670,503	2815	75.8	73.6-78.0	297	7.7	6.5- 8.9	431	16.4	14.4-18.4
White/Non-Hisp	2848	2,003,206	2272	77.1	74.9-79.3	241	7.9	6.5- 9.3	335	15.0	13.0-17.0
Black or Afr. Am./Non-Hisp	489	455,643	399	77.7	71.6-83.8	32	6.7	3.4-10.0	58	15.6	10.1-21.1
Oth. Race/Non-Hisp.	58	44,651	37	56.3	37.1-75.5	12	17.3	4.4-30.2	9	26.4	7.2-45.6
Hispanic	50	96,892	29	51.5	33.5-69.5	4	6.5	0.0-13.8	17	42.1	23.9-60.3
18-24	168	306,822	101	65.3	56.7-73.9	12	5.8	2.1- 9.5	55	28.9	20.9-36.9
25-34	319	437,114	207	63.9	56.8-71.0	29	8.3	4.6-12.0	83	27.9	21.2-34.6
35-44	349	421,487	257	72.1	65.6-78.6	22	7.4	3.7-11.1	70	20.4	14.3-26.5
45-54	594	434,248	458	77.6	73.1-82.1	42	6.5	3.8- 9.2	94	15.9	12.0-19.8
55-64	723	434,656	589	80.4	76.7-84.1	64	9.1	6.6-11.6	70	10.5	7.6-13.4
65+	1323	596,459	1143	87.1	84.7-89.5	125	8.4	6.4-10.4	55	4.5	2.9- 6.1
Less Than H.S.	402	394,661	309	69.8	62.9-76.7	45	11.3	7.0-15.6	48	18.8	12.3-25.3
H.S. or G.E.D.	1150	882,135	923	76.9	73.0-80.8	87	6.7	4.7- 8.7	140	16.5	13.0-20.0
Some Post-H.S.	957	803,636	759	77.6	73.7-81.5	79	6.6	4.4- 8.8	119	15.9	12.4-19.4
College Graduate	1018	583,665	810	75.9	72.2-79.6	86	8.5	6.1-10.9	122	15.6	12.3-18.9
Less than \$15,000	436	298,606	323	71.2	64.5-77.9	45	7.3	4.4-10.2	68	21.5	15.0-28.0
\$15,000- 24,999	642	496,479	501	70.8	64.9-76.7	55	7.6	4.9-10.3	86	21.6	15.9-27.3
\$25,000- 34,999	352	254,377	283	76.9	70.2-83.6	26	7.3	3.6-11.0	43	15.8	9.9-21.7
\$35,000- 49,999	434	329,291	348	79.3	73.6-85.0	30	3.9	2.1- 5.7	56	16.8	11.3-22.3
\$50,000- 74,999	380	312,297	308	77.7	71.6-83.8	31	10.1	5.6-14.6	41	12.2	7.5-16.9
\$75,000+	558	448,867	452	80.3	75.8-84.8	44	8.0	4.9-11.1	62	11.7	8.2-15.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6146	5,157,922	696	12.4	11.2-13.6	5450	87.6	86.4-88.8
Male	2599	2,478,005	265	11.0	9.2-12.8	2334	89.0	87.2-90.8
Female	3544	2,676,403	431	13.6	11.8-15.4	3113	86.4	84.6-88.2
White/Non-Hisp	4957	3,876,658	520	11.0	9.8-12.2	4437	89.0	87.8-90.2
Black or Afr. Am./Non-Hisp	751	812,559	104	14.9	11.2-18.6	647	85.1	81.4-88.8
Oth. Race/Non-Hisp.	122	119,004	16	15.3	6.7-23.9	106	84.7	76.1-93.3
MultiRacial/Non-Hisp.	103	53,741	20	21.1	8.2-34.0	83	78.9	66.0-91.8
Hispanic	116	211,548	22	23.6	12.0-35.2	94	76.4	64.8-88.0
18-24	376	634,671	39	9.7	6.0-13.4	337	90.3	86.6-94.0
25-34	606	855,403	94	15.3	11.6-19.0	512	84.7	81.0-88.4
35-44	640	833,044	100	14.1	10.6-17.6	540	85.9	82.4-89.4
45-54	1000	845,432	177	18.2	14.7-21.7	823	81.8	78.3-85.3
55-64	1312	841,319	170	13.2	10.8-15.6	1142	86.8	84.4-89.2
65+	2105	1,069,037	106	4.9	3.7- 6.1	1999	95.1	93.9-96.3
Less Than H.S.	644	754,607	126	19.1	15.0-23.2	518	80.9	76.8-85.0
H.S. or G.E.D.	1995	1,714,689	259	13.5	11.1-15.9	1736	86.5	84.1-88.9
Some Post-H.S.	1610	1,505,006	174	11.4	9.2-13.6	1436	88.6	86.4-90.8
College Graduate	1875	1,173,333	135	7.6	5.8- 9.4	1740	92.4	90.6-94.2
Less than \$15,000	650	485,436	182	30.8	25.5-36.1	468	69.2	63.9-74.5
\$15,000- 24,999	982	823,284	181	21.6	17.5-25.7	801	78.4	74.3-82.5
\$25,000- 34,999	621	518,060	70	12.7	9.2-16.2	551	87.3	83.8-90.8
\$35,000- 49,999	813	683,089	72	9.2	6.7-11.7	741	90.8	88.3-93.3
\$50,000- 74,999	747	683,249	56	9.6	6.5-12.7	691	90.4	87.3-93.5
\$75,000+	1213	1,085,681	39	3.8	2.2- 5.4	1174	96.2	94.6-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2599	2,478,005	265	11.0	9.2-12.8	2334	89.0	87.2-90.8
White/Non-Hisp	2109	1,873,076	193	9.0	7.4-10.6	1916	91.0	89.4-92.6
Black or Afr. Am./Non-Hisp	261	351,058	40	17.8	11.3-24.3	221	82.2	75.7-88.7
Oth. Race/Non-Hisp.	64	74,353	6	10.3	1.5-19.1	58	89.7	80.9-98.5
MultiRacial/Non-Hisp.	54	29,926	7	7.0	0.5-13.5	47	93.0	86.5-99.5
Hispanic	66	114,656	12	24.0	7.3-40.7	54	76.0	59.3-92.7
18-24	207	323,339	19	9.2	3.9-14.5	188	90.8	85.5-96.1
25-34	286	418,542	46	14.0	9.5-18.5	240	86.0	81.5-90.5
35-44	292	411,985	31	9.5	5.0-14.0	261	90.5	86.0-95.0
45-54	404	407,633	52	15.1	9.6-20.6	352	84.9	79.4-90.4
55-64	591	407,153	73	12.0	8.9-15.1	518	88.0	84.9-91.1
65+	782	472,313	40	5.8	3.4- 8.2	742	94.2	91.8-96.6
Less Than H.S.	242	358,252	45	16.9	10.6-23.2	197	83.1	76.8-89.4
H.S. or G.E.D.	844	827,628	115	13.9	10.6-17.2	729	86.1	82.8-89.4
Some Post-H.S.	650	698,638	53	8.6	5.7-11.5	597	91.4	88.5-94.3
College Graduate	857	589,607	51	6.4	4.2- 8.6	806	93.6	91.4-95.8
Less than \$15,000	214	185,260	61	30.9	22.3-39.5	153	69.1	60.5-77.7
\$15,000- 24,999	338	324,526	63	23.5	16.1-30.9	275	76.5	69.1-83.9
\$25,000- 34,999	270	264,981	36	13.3	8.2-18.4	234	86.7	81.6-91.8
\$35,000- 49,999	379	353,799	31	8.3	5.0-11.6	348	91.7	88.4-95.0
\$50,000- 74,999	366	369,994	22	7.3	3.4-11.2	344	92.7	88.8-96.6
\$75,000+	653	630,394	17	2.7	1.1- 4.3	636	97.3	95.7-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3544	2,676,403	431	13.6	11.8-15.4	3113	86.4	84.6-88.2
White/Non-Hisp	2846	2,001,979	327	12.9	11.1-14.7	2519	87.1	85.3-88.9
Black or Afr. Am./Non-Hisp	490	461,502	64	12.7	8.4-17.0	426	87.3	83.0-91.6
Oth. Race/Non-Hisp.	58	44,651	10	23.7	6.8-40.6	48	76.3	59.4-93.2
Hispanic	50	96,892	10	23.0	7.7-38.3	40	77.0	61.7-92.3
18-24	169	311,332	20	10.1	4.8-15.4	149	89.9	84.6-95.2
25-34	319	435,534	48	16.6	10.9-22.3	271	83.4	77.7-89.1
35-44	348	421,059	69	18.5	13.4-23.6	279	81.5	76.4-86.6
45-54	595	435,889	125	21.2	16.7-25.7	470	78.8	74.3-83.3
55-64	721	434,167	97	14.3	11.0-17.6	624	85.7	82.4-89.0
65+	1322	596,446	66	4.2	2.8- 5.6	1256	95.8	94.4-97.2
Less Than H.S.	401	394,445	81	21.3	16.0-26.6	320	78.7	73.4-84.0
H.S. or G.E.D.	1151	887,062	144	13.2	10.1-16.3	1007	86.8	83.7-89.9
Some Post-H.S.	959	805,041	121	13.9	10.8-17.0	838	86.1	83.0-89.2
College Graduate	1017	583,448	84	8.8	6.3-11.3	933	91.2	88.7-93.7
Less than \$15,000	436	300,176	121	30.8	23.9-37.7	315	69.2	62.3-76.1
\$15,000- 24,999	644	498,759	118	20.4	15.5-25.3	526	79.6	74.7-84.5
\$25,000- 34,999	351	253,079	34	12.0	7.3-16.7	317	88.0	83.3-92.7
\$35,000- 49,999	434	329,291	41	10.1	6.4-13.8	393	89.9	86.2-93.6
\$50,000- 74,999	381	313,255	34	12.4	7.3-17.5	347	87.6	82.5-92.7
\$75,000+	559	453,377	22	5.4	2.5- 8.3	537	94.6	91.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6059	5,089,246	4619	69.8	68.0-71.6	617	12.5	11.1-13.9	392	8.3	7.1- 9.5	389	8.3	7.1- 9.5	42	1.0	0.4- 1.6
Male	2557	2,446,282	1824	64.2	61.5-66.9	292	13.4	11.4-15.4	196	9.8	8.0-11.6	217	10.7	8.7-12.7	28	1.8	0.8- 2.8
Female	3499	2,639,450	2794	75.0	72.6-77.4	324	11.7	9.9-13.5	196	7.0	5.6- 8.4	171	6.1	4.9- 7.3	14	0.3	0.1- 0.5
White/Non-Hisp	4878	3,815,602	3708	70.1	68.1-72.1	490	11.8	10.4-13.2	316	8.0	6.8- 9.2	332	9.0	7.6-10.4	32	1.0	0.4- 1.6
Black or Afr. Am./Non-Hisp	749	809,382	610	75.0	70.1-79.9	72	12.3	8.8-15.8	35	6.6	3.9- 9.3	28	5.5	2.8- 8.2	4	0.5	0.0- 1.1
Oth. Race/Non-Hisp.	120	118,113	90	65.9	52.0-79.8	16	20.7	7.6-33.8	5	5.0	0.3- 9.7	7	7.6	0.0-15.6	2	0.8	0.0- 2.2
MultiRacial/Non-Hisp.	102	52,846	67	45.3	31.0-59.6	14	17.3	6.7-27.9	11	19.8	6.3-33.3	9	16.7	2.2-31.2	1	0.9	0.0- 2.7
Hispanic	115	210,952	72	54.5	42.2-66.8	16	16.2	6.0-26.4	19	20.8	10.6-31.0	7	5.8	0.1-11.5	1	2.7	0.0- 8.0
18-24	363	616,650	206	60.1	53.8-66.4	84	20.7	15.8-25.6	45	12.4	8.3-16.5	24	6.0	2.9- 9.1	4	0.7	0.0- 1.5
25-34	599	854,058	344	55.9	50.6-61.2	87	14.3	10.6-18.0	78	13.7	10.0-17.4	84	15.1	11.2-19.0	6	0.9	0.1- 1.7
35-44	622	815,820	411	60.4	54.9-65.9	79	15.9	11.6-20.2	60	10.0	6.9-13.1	63	11.3	7.4-15.2	9	2.5	0.0- 5.0
45-54	995	840,934	706	68.7	64.6-72.8	124	13.5	10.4-16.6	68	7.2	5.0- 9.4	88	9.8	7.4-12.2	9	0.9	0.1- 1.7
55-64	1298	831,099	1039	78.5	75.6-81.4	115	8.9	6.9-10.9	70	6.3	4.5- 8.1	67	5.9	4.1- 7.7	7	0.5	0.1- 0.9
65+	2080	1,054,817	1832	87.7	85.7-89.7	121	6.1	4.7- 7.5	65	3.1	2.1- 4.1	56	2.8	1.8- 3.8	6	0.3	0.1- 0.5
Less Than H.S.	633	736,514	473	65.7	59.8-71.6	61	11.2	7.1-15.3	39	7.5	4.8-10.2	52	13.1	8.6-17.6	8	2.4	0.0- 5.1
H.S. or G.E.D.	1962	1,700,272	1479	69.7	66.6-72.8	188	12.0	9.6-14.4	142	8.9	6.9-10.9	137	8.2	6.4-10.0	16	1.1	0.3- 1.9
Some Post-H.S.	1593	1,488,868	1199	69.6	66.3-72.9	182	14.0	11.6-16.4	100	8.0	5.8-10.2	105	8.0	6.0-10.0	7	0.4	0.0- 0.8
College Graduate	1850	1,154,182	1451	72.6	69.5-75.7	186	12.3	9.9-14.7	110	8.5	6.5-10.5	92	5.8	4.2- 7.4	11	0.8	0.2- 1.4
Less than \$15,000	636	476,170	453	67.8	62.3-73.3	63	9.4	6.5-12.3	47	11.4	7.1-15.7	69	10.9	7.4-14.4	4	0.5	0.0- 1.1
\$15,000- 24,999	967	811,593	728	67.0	62.3-71.7	97	13.5	9.8-17.2	74	9.5	6.6-12.4	64	9.3	6.2-12.4	4	0.7	0.0- 1.5
\$25,000- 34,999	615	514,189	456	65.7	59.6-71.8	60	13.6	8.5-18.7	47	8.0	5.3-10.7	46	11.7	7.2-16.2	6	1.0	0.0- 2.0
\$35,000- 49,999	809	685,980	612	71.1	66.4-75.8	74	11.0	7.3-14.7	63	9.7	6.8-12.6	52	6.9	4.5- 9.3	8	1.3	0.3- 2.3
\$50,000- 74,999	742	678,777	579	70.7	65.2-76.2	80	12.6	9.3-15.9	35	5.2	2.8- 7.6	41	9.4	5.3-13.5	7	2.2	0.0- 5.1
\$75,000+	1206	1,073,788	933	72.6	68.9-76.3	130	12.1	9.6-14.6	79	9.4	6.7-12.1	59	5.4	3.8- 7.0	5	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2557	2,446,282	1824	64.2	61.5-66.9	292	13.4	11.4-15.4	196	9.8	8.0-11.6	217	10.7	8.7-12.7	28	1.8	0.8- 2.8
White/Non-Hisp	2073	1,846,522	1477	64.9	62.0-67.8	232	12.5	10.5-14.5	164	10.0	8.0-12.0	181	10.9	8.7-13.1	19	1.7	0.5- 2.9
Black or Afr. Am./Non-Hisp	259	349,440	197	67.1	58.7-75.5	29	15.4	8.9-21.9	10	5.9	1.4-10.4	20	10.4	4.7-16.1	3	1.1	0.0- 2.5
Oth. Race/Non-Hisp.	64	74,353	46	63.2	44.4-82.0	8	18.9	0.9-36.9	3	6.0	0.0-13.1	5	10.5	0.0-22.7	2	1.3	0.0- 3.7
MultiRacial/Non-Hisp.	53	29,031	35	43.0	24.6-61.4	8	21.9	6.0-37.8	5	16.3	1.0-31.6	4	17.1	0.0-39.4	1	1.7	0.0- 5.0
Hispanic	65	114,061	39	49.8	32.9-66.7	8	13.9	1.2-26.6	13	23.4	9.1-37.7	4	7.8	0.0-17.4	1	5.1	0.0-14.7
18-24	199	314,241	107	55.6	47.0-64.2	50	20.5	14.2-26.8	25	15.6	8.9-22.3	14	7.5	2.4-12.6	3	0.8	0.0- 2.0
25-34	280	417,690	138	46.0	38.6-53.4	41	17.1	11.0-23.2	40	15.5	9.8-21.2	56	19.8	13.7-25.9	5	1.6	0.0- 3.2
35-44	285	404,012	172	53.7	45.7-61.7	38	15.0	9.5-20.5	32	11.1	6.4-15.8	38	15.8	8.9-22.7	5	4.3	0.0- 9.4
45-54	404	408,243	267	63.3	56.8-69.8	53	14.7	9.6-19.8	31	8.4	4.7-12.1	46	11.9	7.8-16.0	7	1.7	0.1- 3.3
55-64	584	401,876	456	75.6	70.9-80.3	61	10.9	7.8-14.0	32	6.8	3.9- 9.7	31	5.8	2.9- 8.7	4	0.8	0.0- 1.6
65+	770	465,343	662	87.3	84.4-90.2	47	5.4	3.4- 7.4	31	3.5	2.1- 4.9	27	3.4	1.4- 5.4	3	0.4	0.0- 0.8
Less Than H.S.	238	348,616	156	59.3	50.3-68.3	26	9.7	5.6-13.8	22	9.3	4.8-13.8	28	16.9	9.3-24.5	6	4.8	0.0-10.5
H.S. or G.E.D.	824	819,413	570	63.2	58.3-68.1	93	13.1	9.4-16.8	73	10.8	7.7-13.9	75	10.7	7.6-13.8	13	2.2	0.4- 4.0
Some Post-H.S.	647	694,832	446	61.6	56.5-66.7	93	17.6	13.5-21.7	47	9.3	6.0-12.6	58	11.1	7.6-14.6	3	0.5	0.0- 1.1
College Graduate	843	580,417	649	71.8	67.3-76.3	80	11.2	8.1-14.3	54	9.6	6.5-12.7	54	6.4	4.0- 8.8	6	1.0	0.0- 2.0
Less than \$15,000	207	178,855	135	61.7	52.1-71.3	27	13.9	7.6-20.2	13	12.4	4.6-20.2	28	10.8	4.9-16.7	4	1.3	0.0- 2.7
\$15,000- 24,999	334	322,710	226	60.5	52.7-68.3	41	16.9	10.4-23.4	29	7.9	4.2-11.6	35	13.5	7.2-19.8	3	1.1	0.0- 2.5
\$25,000- 34,999	266	261,360	182	60.4	52.2-68.6	28	11.7	6.8-16.6	26	9.1	4.8-13.4	27	17.7	10.1-25.3	3	1.2	0.0- 3.2
\$35,000- 49,999	379	360,579	269	63.3	56.0-70.6	41	14.4	8.1-20.7	31	11.8	6.7-16.9	30	8.0	4.7-11.3	8	2.4	0.6- 4.2
\$50,000- 74,999	362	366,967	272	67.8	59.8-75.8	38	10.3	6.0-14.6	20	5.6	2.7- 8.5	27	12.5	5.8-19.2	5	3.8	0.0- 9.1
\$75,000+	650	623,777	486	67.0	61.7-72.3	69	12.4	9.1-15.7	53	12.9	8.6-17.2	40	6.8	4.3- 9.3	2	0.8	0.0- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 3: HEALTH CARE ACCESS**

**TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Past year < 12 months			Past 2 years 1 year < 2 years			Past 2-5 years 2 years < 5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3499	2,639,450	2794	75.0	72.6-77.4	324	11.7	9.9-13.5	196	7.0	5.6- 8.4	171	6.1	4.9- 7.3	14	0.3	0.1- 0.5
White/Non-Hisp	2803	1,967,477	2230	75.1	72.7-77.5	257	11.2	9.4-13.0	152	6.2	4.8- 7.6	151	7.2	5.8- 8.6	13	0.4	0.2- 0.6
Black or Afr. Am./Non-Hisp	490	459,942	413	81.0	75.5-86.5	43	10.0	6.1-13.9	25	7.1	3.6-10.6	8	1.8	0.0- 4.2	1	0.0	0.0- 0.0
Oth. Race/Non-Hisp.	56	43,760	44	70.5	51.7-89.3	8	23.6	5.0-42.2	2	3.4	0.0- 8.3	2	2.6	0.0- 7.5			
Hispanic	50	96,892	33	59.9	41.7-78.1	8	18.8	2.9-34.7	6	17.7	3.0-32.4	3	3.5	0.0- 8.0			
18-24	164	302,409	99	64.9	56.1-73.7	34	20.9	13.1-28.7	20	9.0	4.3-13.7	10	4.5	1.2- 7.8	1	0.7	0.0- 2.1
25-34	318	435,041	206	65.6	58.5-72.7	45	11.4	7.3-15.5	38	12.1	7.4-16.8	28	10.7	6.0-15.4	1	0.2	0.0- 0.6
35-44	337	411,808	239	66.9	59.5-74.3	41	16.9	10.0-23.8	28	8.8	4.5-13.1	25	6.9	3.2-10.6	4	0.6	0.0- 1.2
45-54	590	430,781	439	74.1	69.4-78.8	71	12.4	8.7-16.1	37	6.0	3.5- 8.5	41	7.3	4.6-10.0	2	0.1	0.0- 0.3
55-64	714	429,223	583	81.1	77.4-84.8	54	7.0	4.8- 9.2	38	5.8	3.6- 8.0	36	5.9	3.5- 8.3	3	0.2	0.0- 0.4
65+	1309	589,196	1169	88.0	85.5-90.5	74	6.6	4.6- 8.6	34	2.8	1.6- 4.0	29	2.3	1.3- 3.3	3	0.3	0.0- 0.7
Less Than H.S.	394	385,987	317	71.9	64.5-79.3	35	12.7	6.0-19.4	17	5.9	2.6- 9.2	23	9.4	4.7-14.1	2	0.2	0.0- 0.6
H.S. or G.E.D.	1138	880,859	909	75.8	71.9-79.7	95	11.0	7.9-14.1	69	7.2	4.7- 9.7	62	5.8	3.8- 7.8	3	0.1	0.0- 0.3
Some Post-H.S.	945	792,709	753	76.7	72.8-80.6	88	10.7	8.0-13.4	53	6.9	4.4- 9.4	47	5.3	3.3- 7.3	4	0.3	0.0- 0.7
College Graduate	1006	573,488	801	73.4	69.3-77.5	106	13.4	10.1-16.7	56	7.4	4.9- 9.9	38	5.2	3.0- 7.4	5	0.6	0.0- 1.4
Less than \$15,000	429	297,315	318	71.5	65.0-78.0	36	6.7	4.0- 9.4	34	10.8	5.9-15.7	41	10.9	6.6-15.2			
\$15,000- 24,999	633	488,883	502	71.2	65.3-77.1	56	11.2	6.9-15.5	45	10.6	6.5-14.7	29	6.5	3.4- 9.6	1	0.4	0.0- 1.2
\$25,000- 34,999	349	252,829	274	71.1	62.3-79.9	32	15.6	6.8-24.4	21	6.9	3.4-10.4	19	5.6	2.3- 8.9	3	0.7	0.0- 1.7
\$35,000- 49,999	430	325,401	343	79.7	74.6-84.8	33	7.2	4.1-10.3	32	7.4	4.5-10.3	22	5.7	2.4- 9.0			
\$50,000- 74,999	380	311,810	307	74.1	67.2-81.0	42	15.3	9.8-20.8	15	4.7	1.0- 8.4	14	5.7	1.8- 9.6	2	0.3	0.0- 0.7
\$75,000+	555	448,100	447	80.6	76.3-84.9	61	11.7	8.0-15.4	26	4.5	2.3- 6.7	18	3.1	1.3- 4.9	3	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 4: EXERCISE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	30
2	MALES ONLY	31
3	FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 4: EXERCISE**

**TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6159	5,172,639	4285	71.6	70.0-73.2	1874	28.4	26.8-30.0
Male	2607	2,490,272	1938	76.1	73.7-78.5	669	23.9	21.5-26.3
Female	3549	2,678,853	2344	67.4	65.0-69.8	1205	32.6	30.2-35.0
White/Non-Hisp	4964	3,882,390	3478	72.8	71.0-74.6	1486	27.2	25.4-29.0
Black or Afr. Am./Non-Hisp	754	813,946	504	68.0	62.9-73.1	250	32.0	26.9-37.1
Oth. Race/Non-Hisp.	121	116,937	82	74.8	64.4-85.2	39	25.2	14.8-35.6
MultiRacial/Non-Hisp.	104	53,948	64	69.0	55.9-82.1	40	31.0	17.9-44.1
Hispanic	118	220,170	85	66.6	54.4-78.8	33	33.4	21.2-45.6
18-24	377	636,165	325	84.9	80.0-89.8	52	15.1	10.2-20.0
25-34	609	865,992	494	79.8	75.5-84.1	115	20.2	15.9-24.5
35-44	641	833,472	499	77.1	72.2-82.0	142	22.9	18.0-27.8
45-54	1005	849,716	678	65.4	61.3-69.5	327	34.6	30.5-38.7
55-64	1315	842,056	881	66.5	63.2-69.8	434	33.5	30.2-36.8
65+	2105	1,066,223	1328	61.5	58.8-64.2	777	38.5	35.8-41.2
Less Than H.S.	645	752,606	315	48.9	43.4-54.4	330	51.1	45.6-56.6
H.S. or G.E.D.	2002	1,726,720	1240	66.5	63.6-69.4	762	33.5	30.6-36.4
Some Post-H.S.	1612	1,508,461	1149	76.6	73.9-79.3	463	23.4	20.7-26.1
College Graduate	1878	1,174,566	1570	87.3	85.3-89.3	308	12.7	10.7-14.7
Less than \$15,000	653	486,084	349	59.4	53.9-64.9	304	40.6	35.1-46.1
\$15,000- 24,999	981	823,588	598	64.5	60.0-69.0	383	35.5	31.0-40.0
\$25,000- 34,999	622	519,358	401	65.5	59.8-71.2	221	34.5	28.8-40.2
\$35,000- 49,999	816	690,912	579	69.1	64.4-73.8	237	30.9	26.2-35.6
\$50,000- 74,999	749	685,150	591	79.6	75.3-83.9	158	20.4	16.1-24.7
\$75,000+	1213	1,085,681	1046	87.4	84.9-89.9	167	12.6	10.1-15.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 4: EXERCISE**

**TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2607	2,490,272	1938	76.1	73.7-78.5	669	23.9	21.5-26.3
White/Non-Hisp	2113	1,875,677	1584	76.9	74.5-79.3	529	23.1	20.7-25.5
Black or Afr. Am./Non-Hisp	261	351,058	190	74.6	67.5-81.7	71	25.4	18.3-32.5
Oth. Race/Non-Hisp.	64	74,353	47	84.2	74.2-94.2	17	15.8	5.8-25.8
MultiRacial/Non-Hisp.	55	30,133	34	72.9	59.0-86.8	21	27.1	13.2-41.0
Hispanic	68	123,278	48	66.3	49.4-83.2	20	33.7	16.8-50.6
18-24	208	324,833	189	89.8	84.5-95.1	19	10.2	4.9-15.5
25-34	287	425,670	243	84.6	78.9-90.3	44	15.4	9.7-21.1
35-44	292	411,985	238	81.4	74.5-88.3	54	18.6	11.7-25.5
45-54	407	410,295	291	69.7	63.2-76.2	116	30.3	23.8-36.8
55-64	592	407,400	420	70.3	65.6-75.0	172	29.7	25.0-34.4
65+	784	473,049	528	64.5	60.0-69.0	256	35.5	31.0-40.0
Less Than H.S.	245	359,510	131	54.9	46.3-63.5	114	45.1	36.5-53.7
H.S. or G.E.D.	846	836,250	583	74.0	70.1-77.9	263	26.0	22.1-29.9
Some Post-H.S.	652	700,464	491	79.2	75.1-83.3	161	20.8	16.7-24.9
College Graduate	858	590,169	730	88.6	86.2-91.0	128	11.4	9.0-13.8
Less than \$15,000	216	186,304	125	60.2	51.0-69.4	91	39.8	30.6-49.0
\$15,000- 24,999	339	325,749	221	71.0	63.9-78.1	118	29.0	21.9-36.1
\$25,000- 34,999	270	264,981	183	70.3	63.0-77.6	87	29.7	22.4-37.0
\$35,000- 49,999	382	361,621	281	70.1	63.4-76.8	101	29.9	23.2-36.6
\$50,000- 74,999	367	370,597	295	81.8	75.3-88.3	72	18.2	11.7-24.7
\$75,000+	653	630,394	566	87.8	84.3-91.3	87	12.2	8.7-15.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 4: EXERCISE**

**TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3549	2,678,853	2344	67.4	65.0-69.8	1205	32.6	30.2-35.0
White/Non-Hisp	2849	2,005,109	1892	69.0	66.6-71.4	957	31.0	28.6-33.4
Black or Afr. Am./Non-Hisp	493	462,889	314	63.0	56.1-69.9	179	37.0	30.1-43.9
Oth. Race/Non-Hisp.	57	42,584	35	58.4	39.4-77.4	22	41.6	22.6-60.6
Hispanic	50	96,892	37	67.0	49.4-84.6	13	33.0	15.4-50.6
18-24	169	311,332	136	79.8	71.8-87.8	33	20.2	12.2-28.2
25-34	321	438,995	250	75.1	68.6-81.6	71	24.9	18.4-31.4
35-44	349	421,487	261	72.9	65.8-80.0	88	27.1	20.0-34.2
45-54	597	437,511	386	61.3	56.0-66.6	211	38.7	33.4-44.0
55-64	723	434,656	461	62.8	58.1-67.5	262	37.2	32.5-41.9
65+	1320	592,897	799	59.1	55.6-62.6	521	40.9	37.4-44.4
Less Than H.S.	399	391,185	183	43.2	36.1-50.3	216	56.8	49.7-63.9
H.S. or G.E.D.	1156	890,471	657	59.5	55.4-63.6	499	40.5	36.4-44.6
Some Post-H.S.	959	806,670	657	74.3	70.6-78.0	302	25.7	22.0-29.4
College Graduate	1019	584,120	839	86.1	83.0-89.2	180	13.9	10.8-17.0
Less than \$15,000	437	299,780	224	58.9	52.0-65.8	213	41.1	34.2-48.0
\$15,000- 24,999	642	497,839	377	60.3	54.6-66.0	265	39.7	34.0-45.4
\$25,000- 34,999	352	254,377	218	60.6	52.0-69.2	134	39.4	30.8-48.0
\$35,000- 49,999	434	329,291	298	67.9	61.4-74.4	136	32.1	25.6-38.6
\$50,000- 74,999	382	314,554	296	76.9	71.0-82.8	86	23.1	17.2-29.0
\$75,000+	559	453,377	479	86.7	82.8-90.6	80	13.3	9.4-17.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 5: INADEQUATE SLEEP CONTENTS

\* NOTE \*\*\*\*\*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\*\*\*\*\*

TABLE		PAGE
	I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)	
1	MALES AND FEMALES	34
2	MALES ONLY	35
3	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 5: INADEQUATE SLEEP**

**TABLE 1: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6057	5,114,113	2105	36.4	34.6-38.2	3674	59.4	57.6-61.2	278	4.1	3.3- 4.9
Male	2581	2,468,057	857	36.2	33.5-38.9	1608	59.7	57.0-62.4	116	4.0	3.0- 5.0
Female	3473	2,642,542	1246	36.6	34.2-39.0	2065	59.2	56.8-61.6	162	4.2	3.2- 5.2
White/Non-Hisp	4894	3,838,608	1634	34.5	32.5-36.5	3059	61.7	59.7-63.7	201	3.8	3.0- 4.6
Black or Afr. Am./Non-Hisp	730	804,655	302	46.1	40.6-51.6	371	47.9	42.4-53.4	57	6.0	3.6- 8.4
Oth. Race/Non-Hisp.	118	114,264	46	34.6	22.1-47.1	70	60.3	47.0-73.6	2	5.1	0.0-12.9
MultiRacial/Non-Hisp.	101	52,278	50	56.5	41.8-71.2	44	39.0	24.3-53.7	7	4.5	0.4- 8.6
Hispanic	118	220,170	42	32.4	21.4-43.4	73	64.9	53.7-76.1	3	2.6	0.0- 5.7
18-24	372	629,880	128	36.3	30.0-42.6	227	58.5	52.0-65.0	17	5.1	2.2- 8.0
25-34	606	863,483	234	40.3	35.2-45.4	353	56.8	51.5-62.1	19	2.9	1.1- 4.7
35-44	635	830,057	273	44.2	38.9-49.5	344	54.1	48.8-59.4	18	1.7	0.7- 2.7
45-54	996	844,771	434	41.4	37.3-45.5	517	54.6	50.3-58.9	45	4.0	2.2- 5.8
55-64	1295	831,889	470	36.1	32.8-39.4	765	58.3	54.8-61.8	60	5.6	3.6- 7.6
65+	2049	1,037,670	536	24.4	22.0-26.8	1394	69.9	67.4-72.4	119	5.7	4.3- 7.1
Less Than H.S.	620	733,857	254	38.8	33.3-44.3	314	53.9	48.2-59.6	52	7.3	4.9- 9.7
H.S. or G.E.D.	1959	1,703,209	711	37.9	34.8-41.0	1133	56.9	53.8-60.0	115	5.2	3.8- 6.6
Some Post-H.S.	1588	1,497,717	575	39.2	35.7-42.7	957	58.0	54.5-61.5	56	2.7	1.5- 3.9
College Graduate	1870	1,169,919	555	29.1	26.4-31.8	1261	68.5	65.6-71.4	54	2.3	1.3- 3.3
Less than \$15,000	626	470,883	297	48.4	42.5-54.3	264	41.9	36.0-47.8	65	9.7	6.2-13.2
\$15,000- 24,999	966	815,641	372	38.7	34.2-43.2	542	57.7	53.2-62.2	52	3.7	2.5- 4.9
\$25,000- 34,999	617	517,113	240	37.9	32.4-43.4	338	56.1	50.4-61.8	39	5.9	3.5- 8.3
\$35,000- 49,999	804	684,266	266	35.9	31.0-40.8	514	60.9	56.0-65.8	24	3.2	1.4- 5.0
\$50,000- 74,999	747	684,452	231	36.4	31.1-41.7	493	61.4	56.1-66.7	23	2.2	0.8- 3.6
\$75,000+	1211	1,084,351	370	33.7	29.8-37.6	817	64.2	60.3-68.1	24	2.2	0.8- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 5: INADEQUATE SLEEP**

**TABLE 2: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2581	2,468,057	857	36.2	33.5-38.9	1608	59.7	57.0-62.4	116	4.0	3.0- 5.0
White/Non-Hisp	2092	1,858,574	660	34.4	31.5-37.3	1348	61.9	59.0-64.8	84	3.6	2.6- 4.6
Black or Afr. Am./Non-Hisp	258	348,486	110	48.7	40.3-57.1	128	46.0	37.6-54.4	20	5.3	1.6- 9.0
Oth. Race/Non-Hisp.	63	72,683	21	26.4	12.1-40.7	40	65.6	48.5-82.7	2	8.1	0.0-20.3
MultiRacial/Non-Hisp.	54	29,263	27	61.8	44.0-79.6	24	33.3	16.4-50.2	3	4.8	0.0-11.1
Hispanic	68	123,278	22	27.5	14.4-40.6	44	69.8	56.1-83.5	2	2.7	0.0- 6.6
18-24	206	320,860	77	42.3	33.7-50.9	120	53.3	44.7-61.9	9	4.4	1.3- 7.5
25-34	286	424,800	117	40.2	32.9-47.5	160	57.6	50.3-64.9	9	2.3	0.3- 4.3
35-44	291	411,637	118	44.8	36.8-52.8	166	53.9	45.9-61.9	7	1.4	0.2- 2.6
45-54	405	409,135	155	37.9	31.6-44.2	231	58.1	51.6-64.6	19	4.0	1.3- 6.7
55-64	584	403,371	190	33.0	28.1-37.9	364	60.8	55.7-65.9	30	6.2	3.1- 9.3
65+	772	462,632	188	23.2	19.5-26.9	542	70.5	66.4-74.6	42	6.3	3.8- 8.8
Less Than H.S.	237	348,274	98	36.9	28.5-45.3	118	55.2	46.6-63.8	21	8.0	3.9-12.1
H.S. or G.E.D.	835	829,816	281	37.1	32.4-41.8	501	57.6	52.9-62.3	53	5.2	3.4- 7.0
Some Post-H.S.	647	697,343	225	41.5	36.2-46.8	402	56.2	50.9-61.5	20	2.3	0.7- 3.9
College Graduate	856	588,744	249	28.0	24.1-31.9	585	69.9	65.8-74.0	22	2.1	0.7- 3.5
Less than \$15,000	208	178,570	89	42.7	33.3-52.1	92	45.5	35.7-55.3	27	11.8	5.5-18.1
\$15,000- 24,999	336	323,196	122	39.3	31.7-46.9	196	57.2	49.6-64.8	18	3.5	1.5- 5.5
\$25,000- 34,999	269	264,546	96	38.7	30.7-46.7	152	54.2	46.2-62.2	21	7.2	3.5-10.9
\$35,000- 49,999	378	358,551	136	37.5	30.4-44.6	229	59.0	51.9-66.1	13	3.5	1.0- 6.0
\$50,000- 74,999	367	370,597	114	37.5	29.9-45.1	243	61.2	53.6-68.8	10	1.3	0.3- 2.3
\$75,000+	652	629,722	200	35.1	29.8-40.4	444	63.1	57.8-68.4	8	1.9	0.0- 3.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 5: INADEQUATE SLEEP**

**TABLE 3: I WOULD LIKE TO ASK YOU ABOUT YOUR SLEEP PATTERN. ON AVERAGE, HOW MANY HOURS OF SLEEP DO YOU GET IN A 24-HOUR PERIOD? (SLEPTIM1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Short Sleep Duration (<7 hrs)			Optimal Sleep (7-9 hrs)			Long Sleep Duration (>9 hrs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3473	2,642,542	1246	36.6	34.2-39.0	2065	59.2	56.8-61.6	162	4.2	3.2- 5.2
White/Non-Hisp	2800	1,978,431	973	34.6	32.1-37.1	1710	61.5	59.0-64.0	117	3.9	2.7- 5.1
Black or Afr. Am./Non-Hisp	472	456,169	192	44.0	36.9-51.1	243	49.4	42.3-56.5	37	6.6	3.5- 9.7
Oth. Race/Non-Hisp.	55	41,581	25	48.9	29.1-68.7	30	51.1	31.3-70.9			
Hispanic	50	96,892	20	38.7	21.3-56.1	29	58.7	41.1-76.3	1	2.6	0.0- 7.7
18-24	166	309,020	51	30.1	21.3-38.9	107	64.0	54.8-73.2	8	5.9	0.8-11.0
25-34	319	437,357	116	40.2	32.8-47.6	193	56.2	48.8-63.6	10	3.6	0.9- 6.3
35-44	344	418,420	155	43.6	36.5-50.7	178	54.4	47.1-61.7	11	2.0	0.4- 3.6
45-54	590	433,726	278	44.5	39.0-50.0	286	51.5	46.0-57.0	26	3.9	1.5- 6.3
55-64	711	428,518	280	38.9	34.2-43.6	401	56.0	51.3-60.7	30	5.1	2.9- 7.3
65+	1276	574,761	348	25.4	22.3-28.5	851	69.4	66.1-72.7	77	5.2	3.8- 6.6
Less Than H.S.	382	383,672	155	40.3	33.2-47.4	196	53.0	45.7-60.3	31	6.7	4.0- 9.4
H.S. or G.E.D.	1124	873,393	430	38.6	34.3-42.9	632	56.3	52.0-60.6	62	5.2	3.0- 7.4
Some Post-H.S.	940	799,048	349	37.1	32.6-41.6	555	59.8	55.3-64.3	36	3.1	1.5- 4.7
College Graduate	1013	580,898	306	30.3	26.2-34.4	675	67.2	63.1-71.3	32	2.6	1.4- 3.8
Less than \$15,000	418	292,313	208	52.0	44.6-59.4	172	39.6	32.3-46.9	38	8.4	4.3-12.5
\$15,000- 24,999	630	492,445	250	38.3	32.6-44.0	346	58.0	52.3-63.7	34	3.8	2.2- 5.4
\$25,000- 34,999	348	252,567	144	37.2	29.6-44.8	186	58.2	50.4-66.0	18	4.6	2.1- 7.1
\$35,000- 49,999	426	325,715	130	34.1	27.4-40.8	285	63.1	56.4-69.8	11	2.8	0.4- 5.2
\$50,000- 74,999	380	313,855	117	35.2	27.9-42.5	250	61.5	54.2-68.8	13	3.3	0.8- 5.8
\$75,000+	558	452,719	169	31.4	25.9-36.9	373	66.0	60.3-71.7	16	2.6	1.0- 4.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1	MALES AND FEMALES	39
2	MALES ONLY	40
3	FEMALES ONLY	41
	(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4	MALES AND FEMALES	42
5	MALES ONLY	43
6	FEMALES ONLY	44
	(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7	MALES AND FEMALES	45
8	MALES ONLY	46
9	FEMALES ONLY	47
	(EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)	
10	MALES AND FEMALES	48
11	MALES ONLY	49
12	FEMALES ONLY	50
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
13	MALES AND FEMALES	51
14	MALES ONLY	52
15	FEMALES ONLY	53
	(EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)	
16	MALES AND FEMALES	54
17	MALES ONLY	55
18	FEMALES ONLY	56
	(EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)	
19	MALES AND FEMALES	57
20	MALES ONLY	58
21	FEMALES ONLY	59
	(EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
22 MALES AND FEMALES	60
23 MALES ONLY	61
24 FEMALES ONLY	62
(EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)	
25 MALES AND FEMALES	63
26 MALES ONLY	64
27 FEMALES ONLY	65
(EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)	
28 MALES AND FEMALES	66
29 MALES ONLY	67
30 FEMALES ONLY	68
(EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)	
31 MALES AND FEMALES	69
32 MALES ONLY	70
33 FEMALES ONLY	71
(EVER TOLD) YOU HAVE DIABETES (DIABETE3)	
34 MALES AND FEMALES	72
35 MALES ONLY	73
36 FEMALES ONLY	74
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
37 MALES AND FEMALES	75
38 MALES ONLY	76
39 FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6138	5,156,037	451	5.6	5.0- 6.2	5687	94.4	93.8-95.0
Male	2597	2,482,956	241	7.0	5.8- 8.2	2356	93.0	91.8-94.2
Female	3538	2,669,568	210	4.4	3.6- 5.2	3328	95.6	94.8-96.4
White/Non-Hisp	4946	3,865,993	375	6.3	5.5- 7.1	4571	93.7	92.9-94.5
Black or Afr. Am./Non-Hisp	751	812,354	38	3.2	1.8- 4.6	713	96.8	95.4-98.2
Oth. Race/Non-Hisp.	122	119,004	12	5.6	1.7- 9.5	110	94.4	90.5-98.3
MultiRacial/Non-Hisp.	104	53,948	9	4.7	0.8- 8.6	95	95.3	91.4-99.2
Hispanic	118	220,170	5	1.9	0.0- 3.9	113	98.1	96.1- 100
18-24	377	636,165	3	0.5	0.0- 1.1	374	99.5	98.9- 100
25-34	608	862,359	4	0.5	0.0- 1.1	604	99.5	98.9- 100
35-44	641	833,472	11	1.5	0.5- 2.5	630	98.5	97.5-99.5
45-54	998	845,880	52	4.4	3.0- 5.8	946	95.6	94.2-97.0
55-64	1310	838,470	111	9.5	7.3-11.7	1199	90.5	88.3-92.7
65+	2099	1,062,571	267	14.2	12.0-16.4	1832	85.8	83.6-88.0
Less Than H.S.	644	752,653	92	10.6	8.1-13.1	552	89.4	86.9-91.9
H.S. or G.E.D.	1990	1,714,479	176	6.4	5.2- 7.6	1814	93.6	92.4-94.8
Some Post-H.S.	1608	1,505,826	108	4.5	3.3- 5.7	1500	95.5	94.3-96.7
College Graduate	1875	1,173,472	70	2.5	1.7- 3.3	1805	97.5	96.7-98.3
Less than \$15,000	647	483,576	71	8.9	6.4-11.4	576	91.1	88.6-93.6
\$15,000- 24,999	977	817,581	107	8.5	6.5-10.5	870	91.5	89.5-93.5
\$25,000- 34,999	621	516,244	43	5.6	3.4- 7.8	578	94.4	92.2-96.6
\$35,000- 49,999	813	689,190	54	4.5	2.9- 6.1	759	95.5	93.9-97.1
\$50,000- 74,999	747	684,441	45	5.1	3.3- 6.9	702	94.9	93.1-96.7
\$75,000+	1211	1,085,256	22	1.0	0.6- 1.4	1189	99.0	98.6-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE":  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2597	2,482,956	241	7.0	6.0- 8.0	2356	93.0	92.0-94.0
White/Non-Hisp	2104	1,869,040	204	8.1	6.7- 9.5	1900	91.9	90.5-93.3
Black or Afr. Am./Non-Hisp	261	351,058	13	2.9	1.1- 4.7	248	97.1	95.3-98.9
Oth. Race/Non-Hisp.	64	74,353	7	5.5	0.4-10.6	57	94.5	89.4-99.6
MultiRacial/Non-Hisp.	55	30,133	6	6.5	0.0-13.0	49	93.5	87.0- 100
Hispanic	68	123,278	3	2.1	0.0- 4.6	65	97.9	95.4- 100
18-24	208	324,833	1	0.6	0.0- 1.8	207	99.4	98.2- 100
25-34	287	425,670	3	1.0	0.0- 2.2	284	99.0	97.8- 100
35-44	292	411,985	9	2.4	0.4- 4.4	283	97.6	95.6-99.6
45-54	405	409,379	26	5.3	2.9- 7.7	379	94.7	92.3-97.1
55-64	589	405,832	64	10.8	7.7-13.9	525	89.2	86.1-92.3
65+	780	468,896	136	19.4	15.7-23.1	644	80.6	76.9-84.3
Less Than H.S.	245	359,510	42	11.4	7.3-15.5	203	88.6	84.5-92.7
H.S. or G.E.D.	842	831,463	95	8.1	6.1-10.1	747	91.9	89.9-93.9
Some Post-H.S.	650	699,706	55	5.6	3.8- 7.4	595	94.4	92.6-96.2
College Graduate	855	589,075	45	3.9	2.5- 5.3	810	96.1	94.7-97.5
Less than \$15,000	213	184,731	33	14.2	8.5-19.9	180	85.8	80.1-91.5
\$15,000- 24,999	339	325,749	48	10.8	7.3-14.3	291	89.2	85.7-92.7
\$25,000- 34,999	269	261,867	27	8.1	4.2-12.0	242	91.9	88.0-95.8
\$35,000- 49,999	381	361,191	37	6.1	3.6- 8.6	344	93.9	91.4-96.4
\$50,000- 74,999	365	369,888	28	5.7	3.2- 8.2	337	94.3	91.8-96.8
\$75,000+	651	629,968	20	1.6	0.8- 2.4	631	98.4	97.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:  
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3538	2,669,568	210	4.4	3.6- 5.2	3328	95.6	94.8-96.4
White/Non-Hisp	2840	1,995,349	171	4.7	3.7- 5.7	2669	95.3	94.3-96.3
Black or Afr. Am./Non-Hisp	490	461,296	25	3.4	1.4- 5.4	465	96.6	94.6-98.6
Oth. Race/Non-Hisp.	58	44,651	5	5.8	0.0-11.9	53	94.2	88.1- 100
Hispanic	50	96,892	2	1.7	0.0- 4.4	48	98.3	95.6- 100
18-24	169	311,332	2	0.5	0.0- 1.1	167	99.5	98.9- 100
25-34	320	435,362	1	0.1	0.0- 0.3	319	99.9	99.7- 100
35-44	349	421,487	2	0.7	0.0- 1.7	347	99.3	98.3- 100
45-54	592	434,591	26	3.6	2.0- 5.2	566	96.4	94.8-98.0
55-64	721	432,639	47	8.3	5.4-11.2	674	91.7	88.8-94.6
65+	1318	593,398	131	10.1	7.7-12.5	1187	89.9	87.5-92.3
Less Than H.S.	398	391,232	50	9.8	6.5-13.1	348	90.2	86.9-93.5
H.S. or G.E.D.	1148	883,016	81	4.8	3.4- 6.2	1067	95.2	93.8-96.6
Some Post-H.S.	957	804,793	53	3.5	2.1- 4.9	904	96.5	95.1-97.9
College Graduate	1019	584,120	25	1.1	0.5- 1.7	994	98.9	98.3-99.5
Less than \$15,000	434	298,845	38	5.7	3.3- 8.1	396	94.3	91.9-96.7
\$15,000- 24,999	638	491,832	59	6.9	4.5- 9.3	579	93.1	90.7-95.5
\$25,000- 34,999	352	254,377	16	2.9	0.9- 4.9	336	97.1	95.1-99.1
\$35,000- 49,999	432	328,000	17	2.6	1.0- 4.2	415	97.4	95.8-99.0
\$50,000- 74,999	382	314,554	17	4.5	1.8- 7.2	365	95.5	92.8-98.2
\$75,000+	559	453,377	2	0.2	0.0- 0.4	557	99.8	99.6- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6106	5,142,687	452	5.4	4.8- 6.0	5654	94.6	94.0-95.2
Male	2583	2,472,535	242	6.3	5.3- 7.3	2341	93.7	92.7-94.7
Female	3520	2,666,638	210	4.5	3.7- 5.3	3310	95.5	94.7-96.3
White/Non-Hisp	4925	3,858,336	386	6.1	5.3- 6.9	4539	93.9	93.1-94.7
Black or Afr. Am./Non-Hisp	746	809,031	34	2.8	1.4- 4.2	712	97.2	95.8-98.6
Oth. Race/Non-Hisp.	120	117,953	11	7.0	1.9-12.1	109	93.0	87.9-98.1
MultiRacial/Non-Hisp.	102	53,281	10	3.4	0.9- 5.9	92	96.6	94.1-99.1
Hispanic	118	220,170	4	2.6	0.0- 5.7	114	97.4	94.3- 100
18-24	377	636,165				377	100.0	100.0- 100
25-34	607	863,111	5	0.7	0.0- 1.5	602	99.3	98.5- 100
35-44	637	830,676	11	1.9	0.5- 3.3	626	98.1	96.7-99.5
45-54	996	843,604	44	4.1	2.5- 5.7	952	95.9	94.3-97.5
55-64	1304	833,731	99	7.5	5.7- 9.3	1205	92.5	90.7-94.3
65+	2080	1,057,488	289	14.5	12.5-16.5	1791	85.5	83.5-87.5
Less Than H.S.	632	744,100	68	7.2	5.0- 9.4	564	92.8	90.6-95.0
H.S. or G.E.D.	1978	1,713,248	161	6.2	5.0- 7.4	1817	93.8	92.6-95.0
Some Post-H.S.	1606	1,504,082	127	5.1	3.9- 6.3	1479	94.9	93.7-96.1
College Graduate	1870	1,172,139	96	3.4	2.6- 4.2	1774	96.6	95.8-97.4
Less than \$15,000	642	480,402	62	7.1	4.7- 9.5	580	92.9	90.5-95.3
\$15,000- 24,999	970	816,658	100	7.1	5.1- 9.1	870	92.9	90.9-94.9
\$25,000- 34,999	618	516,624	41	5.8	3.4- 8.2	577	94.2	91.8-96.6
\$35,000- 49,999	810	686,515	54	4.1	2.7- 5.5	756	95.9	94.5-97.3
\$50,000- 74,999	747	683,914	43	3.9	2.5- 5.3	704	96.1	94.7-97.5
\$75,000+	1213	1,085,681	51	2.8	1.8- 3.8	1162	97.2	96.2-98.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2583	2,472,535	242	6.3	5.3- 7.3	2341	93.7	92.7-94.7
White/Non-Hisp	2097	1,863,609	212	7.3	6.1- 8.5	1885	92.7	91.5-93.9
Black or Afr. Am./Non-Hisp	258	347,924	12	2.4	0.6- 4.2	246	97.6	95.8-99.4
Oth. Race/Non-Hisp.	63	73,589	7	8.9	1.1-16.7	56	91.1	83.3-98.9
MultiRacial/Non-Hisp.	53	29,466	5	3.5	0.0- 7.4	48	96.5	92.6- 100
Hispanic	68	123,278	2	1.3	0.0- 3.3	66	98.7	96.7- 100
18-24	208	324,833				208	100.0	100.0- 100
25-34	285	422,790	3	0.6	0.0- 1.2	282	99.4	98.8- 100
35-44	291	411,220	6	1.9	0.1- 3.7	285	98.1	96.3-99.9
45-54	402	406,212	19	4.4	2.2- 6.6	383	95.6	93.4-97.8
55-64	585	401,739	54	8.6	5.9-11.3	531	91.4	88.7-94.1
65+	777	469,804	158	19.7	16.2-23.2	619	80.3	76.8-83.8
Less Than H.S.	237	354,011	25	6.2	3.1- 9.3	212	93.8	90.7-96.9
H.S. or G.E.D.	836	828,847	83	7.4	5.4- 9.4	753	92.6	90.6-94.6
Some Post-H.S.	650	698,138	78	6.7	4.7- 8.7	572	93.3	91.3-95.3
College Graduate	856	588,828	56	4.4	3.0- 5.8	800	95.6	94.2-97.0
Less than \$15,000	209	182,229	22	8.4	3.9-12.9	187	91.6	87.1-96.1
\$15,000- 24,999	333	321,521	48	9.3	6.2-12.4	285	90.7	87.6-93.8
\$25,000- 34,999	270	264,981	26	7.4	3.9-10.9	244	92.6	89.1-96.1
\$35,000- 49,999	379	358,642	38	5.4	3.2- 7.6	341	94.6	92.4-96.8
\$50,000- 74,999	367	370,597	29	4.5	2.5- 6.5	338	95.5	93.5-97.5
\$75,000+	653	630,394	40	3.8	2.2- 5.4	613	96.2	94.6-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3520	2,666,638	210	4.5	3.7- 5.3	3310	95.5	94.7-96.3
White/Non-Hisp	2826	1,993,124	174	4.9	3.9- 5.9	2652	95.1	94.1-96.1
Black or Afr. Am./Non-Hisp	488	461,107	22	3.0	1.0- 5.0	466	97.0	95.0-99.0
Oth. Race/Non-Hisp.	57	44,365	4	3.9	0.0- 8.4	53	96.1	91.6- 100
Hispanic	50	96,892	2	4.4	0.0-11.3	48	95.6	88.7- 100
18-24	169	311,332				169	100.0	100.0- 100
25-34	321	438,995	2	0.8	0.0- 2.2	319	99.2	97.8- 100
35-44	346	419,455	5	1.9	0.0- 3.9	341	98.1	96.1- 100
45-54	593	435,482	25	3.9	1.9- 5.9	568	96.1	94.1-98.1
55-64	719	431,992	45	6.5	4.1- 8.9	674	93.5	91.1-95.9
65+	1302	587,407	131	10.3	7.9-12.7	1171	89.7	87.3-92.1
Less Than H.S.	394	388,179	43	8.1	5.0-11.2	351	91.9	88.8-95.0
H.S. or G.E.D.	1142	884,400	78	5.1	3.5- 6.7	1064	94.9	93.3-96.5
Some Post-H.S.	955	804,618	49	3.6	2.2- 5.0	906	96.4	95.0-97.8
College Graduate	1013	583,035	40	2.4	1.4- 3.4	973	97.6	96.6-98.6
Less than \$15,000	433	298,173	40	6.3	3.6- 9.0	393	93.7	91.0-96.4
\$15,000- 24,999	637	495,137	52	5.7	3.3- 8.1	585	94.3	91.9-96.7
\$25,000- 34,999	348	251,643	15	4.1	1.2- 7.0	333	95.9	93.0-98.8
\$35,000- 49,999	431	327,874	16	2.6	1.0- 4.2	415	97.4	95.8-99.0
\$50,000- 74,999	380	313,317	14	3.1	1.1- 5.1	366	96.9	94.9-98.9
\$75,000+	559	453,377	11	1.3	0.3- 2.3	548	98.7	97.7-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6155	5,168,688	390	4.8	4.2- 5.4	5765	95.2	94.6-95.8
Male	2603	2,485,390	155	4.5	3.5- 5.5	2448	95.5	94.5-96.5
Female	3549	2,679,784	235	5.2	4.2- 6.2	3314	94.8	93.8-95.8
White/Non-Hisp	4961	3,877,822	305	5.2	4.4- 6.0	4656	94.8	94.0-95.6
Black or Afr. Am./Non-Hisp	754	813,350	51	3.7	2.3- 5.1	703	96.3	94.9-97.7
Oth. Race/Non-Hisp.	122	119,004	9	5.8	0.5-11.1	113	94.2	88.9-99.5
MultiRacial/Non-Hisp.	103	53,774	13	8.4	2.7-14.1	90	91.6	85.9-97.3
Hispanic	118	220,170	4	2.0	0.0- 4.2	114	98.0	95.8- 100
18-24	377	636,165	4	0.9	0.0- 1.9	373	99.1	98.1- 100
25-34	606	862,588	6	1.0	0.0- 2.0	600	99.0	98.0- 100
35-44	641	833,472	19	3.2	1.4- 5.0	622	96.8	95.0-98.6
45-54	1003	848,155	43	4.2	2.6- 5.8	960	95.8	94.2-97.4
55-64	1312	839,584	85	6.3	4.5- 8.1	1227	93.7	91.9-95.5
65+	2110	1,070,309	229	10.9	9.1-12.7	1881	89.1	87.3-90.9
Less Than H.S.	647	754,444	75	8.7	6.3-11.1	572	91.3	88.9-93.7
H.S. or G.E.D.	1997	1,721,501	144	5.2	4.0- 6.4	1853	94.8	93.6-96.0
Some Post-H.S.	1613	1,509,011	100	4.2	3.0- 5.4	1513	95.8	94.6-97.0
College Graduate	1877	1,174,125	68	2.6	1.8- 3.4	1809	97.4	96.6-98.2
Less than \$15,000	655	486,238	83	8.8	6.3-11.3	572	91.2	88.7-93.7
\$15,000- 24,999	979	822,783	98	8.5	6.3-10.7	881	91.5	89.3-93.7
\$25,000- 34,999	622	519,358	33	3.6	1.6- 5.6	589	96.4	94.4-98.4
\$35,000- 49,999	815	690,512	37	3.8	2.0- 5.6	778	96.2	94.4-98.0
\$50,000- 74,999	748	682,783	26	3.2	1.6- 4.8	722	96.8	95.2-98.4
\$75,000+	1213	1,085,681	32	2.2	1.0- 3.4	1181	97.8	96.6-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2603	2,485,390	155	4.5	3.5- 5.5	2448	95.5	94.5-96.5
White/Non-Hisp	2112	1,872,928	123	4.9	3.7- 6.1	1989	95.1	93.9-96.3
Black or Afr. Am./Non-Hisp	260	349,779	17	3.8	1.6- 6.0	243	96.2	94.0-98.4
Oth. Race/Non-Hisp.	64	74,353	2	1.4	0.0- 3.9	62	98.6	96.1- 100
MultiRacial/Non-Hisp.	54	29,959	7	6.8	0.1-13.5	47	93.2	86.5-99.9
Hispanic	68	123,278	2	1.2	0.0- 3.0	66	98.8	97.0- 100
18-24	208	324,833	1	0.7	0.0- 2.1	207	99.3	97.9- 100
25-34	285	422,903	3	0.9	0.0- 2.1	282	99.1	97.9- 100
35-44	292	411,985	6	2.4	0.0- 4.9	286	97.6	95.1- 100
45-54	406	409,016	15	3.4	1.4- 5.4	391	96.6	94.6-98.6
55-64	591	407,031	40	5.8	3.3- 8.3	551	94.2	91.7-96.7
65+	785	473,182	88	12.0	8.9-15.1	697	88.0	84.9-91.1
Less Than H.S.	244	358,232	17	5.4	2.5- 8.3	227	94.6	91.7-97.5
H.S. or G.E.D.	846	834,135	63	4.9	3.3- 6.5	783	95.1	93.5-96.7
Some Post-H.S.	651	700,096	39	4.3	2.1- 6.5	612	95.7	93.5-97.9
College Graduate	857	589,728	35	3.6	2.2- 5.0	822	96.4	95.0-97.8
Less than \$15,000	217	186,557	27	10.0	5.1-14.9	190	90.0	85.1-94.9
\$15,000- 24,999	338	325,380	35	6.6	3.9- 9.3	303	93.4	90.7-96.1
\$25,000- 34,999	270	264,981	12	3.4	0.7- 6.1	258	96.6	93.9-99.3
\$35,000- 49,999	381	361,222	15	3.9	1.4- 6.4	366	96.1	93.6-98.6
\$50,000- 74,999	366	368,229	13	2.7	0.7- 4.7	353	97.3	95.3-99.3
\$75,000+	653	630,394	20	2.8	0.8- 4.8	633	97.2	95.2-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3549	2,679,784	235	5.2	4.2- 6.2	3314	94.8	93.8-95.8
White/Non-Hisp	2847	2,003,290	182	5.4	4.2- 6.6	2665	94.6	93.4-95.8
Black or Afr. Am./Non-Hisp	494	463,571	34	3.7	1.9- 5.5	460	96.3	94.5-98.1
Oth. Race/Non-Hisp.	58	44,651	7	13.1	0.4-25.8	51	86.9	74.2-99.6
Hispanic	50	96,892	2	3.1	0.0- 7.4	48	96.9	92.6- 100
18-24	169	311,332	3	1.2	0.0- 2.6	166	98.8	97.4- 100
25-34	320	438,358	3	1.2	0.0- 3.0	317	98.8	97.0- 100
35-44	349	421,487	13	3.9	1.4- 6.4	336	96.1	93.6-98.6
45-54	596	437,229	28	5.0	2.5- 7.5	568	95.0	92.5-97.5
55-64	721	432,552	45	6.8	4.3- 9.3	676	93.2	90.7-95.7
65+	1324	596,850	141	10.1	7.9-12.3	1183	89.9	87.7-92.1
Less Than H.S.	402	394,302	58	11.7	8.0-15.4	344	88.3	84.6-92.0
H.S. or G.E.D.	1151	887,366	81	5.5	3.7- 7.3	1070	94.5	92.7-96.3
Some Post-H.S.	961	807,589	61	4.1	2.5- 5.7	900	95.9	94.3-97.5
College Graduate	1019	584,120	33	1.6	0.8- 2.4	986	98.4	97.6-99.2
Less than \$15,000	438	299,681	56	8.0	5.3-10.7	382	92.0	89.3-94.7
\$15,000- 24,999	641	497,402	63	9.7	6.6-12.8	578	90.3	87.2-93.4
\$25,000- 34,999	352	254,377	21	3.9	1.4- 6.4	331	96.1	93.6-98.6
\$35,000- 49,999	434	329,291	22	3.7	1.5- 5.9	412	96.3	94.1-98.5
\$50,000- 74,999	382	314,554	13	3.7	1.2- 6.2	369	96.3	93.8-98.8
\$75,000+	559	453,377	12	1.2	0.2- 2.2	547	98.8	97.8-99.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 10: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6150	5,163,630	932	16.1	14.7-17.5	5218	83.9	82.5-85.3
Male	2602	2,486,115	318	13.6	11.6-15.6	2284	86.4	84.4-88.4
Female	3545	2,674,001	614	18.5	16.5-20.5	2931	81.5	79.5-83.5
White/Non-Hisp	4960	3,873,213	732	15.5	14.1-16.9	4228	84.5	83.1-85.9
Black or Afr. Am./Non-Hisp	754	814,307	119	17.6	13.3-21.9	635	82.4	78.1-86.7
Oth. Race/Non-Hisp.	122	119,004	17	12.9	4.9-20.9	105	87.1	79.1-95.1
MultiRacial/Non-Hisp.	101	53,241	28	33.4	18.9-47.9	73	66.6	52.1-81.1
Hispanic	118	220,170	21	16.0	7.4-24.6	97	84.0	75.4-92.6
18-24	376	634,871	70	18.2	13.5-22.9	306	81.8	77.1-86.5
25-34	609	865,992	103	18.7	14.4-23.0	506	81.3	77.0-85.6
35-44	640	830,110	94	16.5	12.0-21.0	546	83.5	79.0-88.0
45-54	1002	848,846	154	15.6	12.5-18.7	848	84.4	81.3-87.5
55-64	1311	839,679	211	15.9	13.4-18.4	1100	84.1	81.6-86.6
65+	2107	1,065,972	285	13.5	11.5-15.5	1822	86.5	84.5-88.5
Less Than H.S.	645	754,342	159	24.8	19.7-29.9	486	75.2	70.1-80.3
H.S. or G.E.D.	1997	1,719,500	294	14.7	12.3-17.1	1703	85.3	82.9-87.7
Some Post-H.S.	1611	1,507,094	245	15.4	12.9-17.9	1366	84.6	82.1-87.1
College Graduate	1876	1,173,088	228	13.4	11.0-15.8	1648	86.6	84.2-89.0
Less than \$15,000	652	486,099	157	26.5	21.2-31.8	495	73.5	68.2-78.8
\$15,000- 24,999	981	820,287	203	21.3	17.6-25.0	778	78.7	75.0-82.4
\$25,000- 34,999	620	517,333	100	17.5	12.4-22.6	520	82.5	77.4-87.6
\$35,000- 49,999	813	686,533	102	14.6	10.9-18.3	711	85.4	81.7-89.1
\$50,000- 74,999	748	684,941	77	11.5	7.6-15.4	671	88.5	84.6-92.4
\$75,000+	1213	1,085,681	116	10.3	7.6-13.0	1097	89.7	87.0-92.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 11: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2602	2,486,115	318	13.6	11.6-15.6	2284	86.4	84.4-88.4
White/Non-Hisp	2111	1,872,516	248	13.3	11.1-15.5	1863	86.7	84.5-88.9
Black or Afr. Am./Non-Hisp	261	351,058	35	14.5	8.4-20.6	226	85.5	79.4-91.6
Oth. Race/Non-Hisp.	64	74,353	9	9.8	1.6-18.0	55	90.2	82.0-98.4
MultiRacial/Non-Hisp.	53	29,816	14	25.4	8.9-41.9	39	74.6	58.1-91.1
Hispanic	68	123,278	8	15.8	2.9-28.7	60	84.2	71.3-97.1
18-24	208	324,833	36	16.1	10.0-22.2	172	83.9	77.8-90.0
25-34	287	425,670	47	17.7	11.6-23.8	240	82.3	76.2-88.4
35-44	292	411,985	27	12.5	6.2-18.8	265	87.5	81.2-93.8
45-54	406	410,102	46	12.9	8.2-17.6	360	87.1	82.4-91.8
55-64	590	407,048	76	13.4	9.9-16.9	514	86.6	83.1-90.1
65+	784	470,290	83	10.4	7.9-12.9	701	89.6	87.1-92.1
Less Than H.S.	245	359,510	58	21.9	14.5-29.3	187	78.1	70.7-85.5
H.S. or G.E.D.	844	833,148	99	12.8	9.5-16.1	745	87.2	83.9-90.5
Some Post-H.S.	651	700,271	76	11.9	8.4-15.4	575	88.1	84.6-91.6
College Graduate	857	589,985	83	11.3	8.2-14.4	774	88.7	85.6-91.8
Less than \$15,000	216	186,304	39	23.9	15.3-32.5	177	76.1	67.5-84.7
\$15,000- 24,999	339	325,749	69	20.4	14.3-26.5	270	79.6	73.5-85.7
\$25,000- 34,999	270	264,981	34	12.8	7.5-18.1	236	87.2	81.9-92.5
\$35,000- 49,999	380	358,536	47	15.4	9.7-21.1	333	84.6	78.9-90.3
\$50,000- 74,999	366	370,387	27	9.8	3.9-15.7	339	90.2	84.3-96.1
\$75,000+	653	630,394	52	7.8	4.9-10.7	601	92.2	89.3-95.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 12: (EVER TOLD) YOU HAD ASTHMA? (ASTHMA3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3545	2,674,001	614	18.5	16.5-20.5	2931	81.5	79.5-83.5
White/Non-Hisp	2847	1,999,093	484	17.5	15.5-19.5	2363	82.5	80.5-84.5
Black or Afr. Am./Non-Hisp	493	463,249	84	19.9	13.8-26.0	409	80.1	74.0-86.2
Oth. Race/Non-Hisp.	58	44,651	8	18.0	2.3-33.7	50	82.0	66.3-97.7
Hispanic	50	96,892	13	16.2	5.8-26.6	37	83.8	73.4-94.2
18-24	168	310,038	34	20.5	13.1-27.9	134	79.5	72.1-86.9
25-34	321	438,995	56	19.7	13.2-26.2	265	80.3	73.8-86.8
35-44	348	418,125	67	20.5	14.0-27.0	281	79.5	73.0-86.0
45-54	595	436,833	108	18.1	14.2-22.0	487	81.9	78.0-85.8
55-64	721	432,631	135	18.3	14.6-22.0	586	81.7	78.0-85.4
65+	1322	595,404	202	16.0	13.3-18.7	1120	84.0	81.3-86.7
Less Than H.S.	399	392,921	101	27.5	20.6-34.4	298	72.5	65.6-79.4
H.S. or G.E.D.	1153	886,352	195	16.5	13.4-19.6	958	83.5	80.4-86.6
Some Post-H.S.	959	805,496	169	18.4	14.7-22.1	790	81.6	77.9-85.3
College Graduate	1018	582,826	145	15.5	12.2-18.8	873	84.5	81.2-87.8
Less than \$15,000	436	299,795	118	28.2	21.5-34.9	318	71.8	65.1-78.5
\$15,000- 24,999	642	494,538	134	21.9	17.2-26.6	508	78.1	73.4-82.8
\$25,000- 34,999	350	252,353	66	22.4	14.0-30.8	284	77.6	69.2-86.0
\$35,000- 49,999	433	327,996	55	13.7	9.2-18.2	378	86.3	81.8-90.8
\$50,000- 74,999	382	314,554	50	13.5	8.6-18.4	332	86.5	81.6-91.4
\$75,000+	559	453,377	64	13.8	8.9-18.7	495	86.2	81.3-91.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 13: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	892	803,163	642	69.7	65.0-74.4	250	30.3	25.6-35.0
Male	304	325,401	179	55.1	46.9-63.3	125	44.9	36.7-53.1
Female	588	477,762	463	79.6	74.5-84.7	125	20.4	15.3-25.5
White/Non-Hisp	701	576,571	507	70.6	65.7-75.5	194	29.4	24.5-34.3
Black or Afr. Am./Non-Hisp	114	138,377	87	68.8	54.7-82.9	27	31.2	17.1-45.3
18-24	68	113,998	45	64.2	50.1-78.3	23	35.8	21.7-49.9
25-34	96	153,849	53	48.6	34.9-62.3	43	51.4	37.7-65.1
35-44	92	133,443	67	76.8	65.8-87.8	25	23.2	12.2-34.2
45-54	150	129,590	104	72.4	63.2-81.6	46	27.6	18.4-36.8
55-64	204	130,009	154	80.8	74.5-87.1	50	19.2	12.9-25.5
65+	269	135,583	210	78.0	71.1-84.9	59	22.0	15.1-28.9
Less Than H.S.	153	181,221	124	81.9	73.7-90.1	29	18.1	9.9-26.3
H.S. or G.E.D.	281	243,187	215	73.3	64.9-81.7	66	26.7	18.3-35.1
Some Post-H.S.	235	226,321	153	59.1	49.5-68.7	82	40.9	31.3-50.5
College Graduate	218	148,896	146	64.3	54.9-73.7	72	35.7	26.3-45.1
Less than \$15,000	151	126,120	122	80.6	71.6-89.6	29	19.4	10.4-28.4
\$15,000- 24,999	191	166,491	147	72.7	63.3-82.1	44	27.3	17.9-36.7
\$25,000- 34,999	96	88,120	63	61.9	46.6-77.2	33	38.1	22.8-53.4
\$35,000- 49,999	101	98,670	62	53.1	39.0-67.2	39	46.9	32.8-61.0
\$50,000- 74,999	75	75,692	49	71.8	57.1-86.5	26	28.2	13.5-42.9
\$75,000+	113	109,357	73	64.9	50.4-79.4	40	35.1	20.6-49.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 14: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	304	325,401	179	55.1	47.3-62.9	125	44.9	37.1-52.7
White/Non-Hisp	239	241,632	141	57.4	48.8-66.0	98	42.6	34.0-51.2
55-64	74	53,718	47	71.0	60.2-81.8	27	29.0	18.2-39.8
65+	81	47,433	57	71.1	58.9-83.3	24	28.9	16.7-41.1
Less Than H.S.	56	76,794	37	67.6	51.5-83.7	19	32.4	16.3-48.5
H.S. or G.E.D.	93	100,784	61	52.6	38.1-67.1	32	47.4	32.9-61.9
Some Post-H.S.	73	80,535	37	48.1	32.0-64.2	36	51.9	35.8-68.0
College Graduate	80	64,986	42	51.1	35.6-66.6	38	48.9	33.4-64.4
\$15,000- 24,999	67	64,384	47	57.6	41.3-73.9	20	42.4	26.1-58.7
\$75,000+	51	49,178	24	56.0	37.2-74.8	27	44.0	25.2-62.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 15: DO YOU STILL HAVE ASTHMA? (ASTHNOW)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	588	477,762	463	79.6	74.5-84.7	125	20.4	15.3-25.5
White/Non-Hisp	462	334,939	366	80.1	74.8-85.4	96	19.9	14.6-25.2
Black or Afr. Am./Non-Hisp	81	89,974	64	73.1	55.5-90.7	17	26.9	9.3-44.5
25-34	53	82,549	36	66.8	48.2-85.4	17	33.2	14.6-51.8
35-44	66	83,373	50	76.5	62.6-90.4	16	23.5	9.6-37.4
45-54	106	78,225	79	82.4	74.2-90.6	27	17.6	9.4-25.8
55-64	130	76,291	107	87.7	82.0-93.4	23	12.3	6.6-18.0
65+	188	88,150	153	81.7	73.5-89.9	35	18.3	10.1-26.5
Less Than H.S.	97	104,427	87	92.4	86.9-97.9	10	7.6	2.1-13.1
H.S. or G.E.D.	188	142,403	154	87.9	82.4-93.4	34	12.1	6.6-17.6
Some Post-H.S.	162	145,786	116	65.2	53.0-77.4	46	34.8	22.6-47.0
College Graduate	138	83,910	104	74.5	62.9-86.1	34	25.5	13.9-37.1
Less than \$15,000	113	81,894	96	89.2	82.1-96.3	17	10.8	3.7-17.9
\$15,000- 24,999	124	102,107	100	82.2	73.2-91.2	24	17.8	8.8-26.8
\$25,000- 34,999	65	55,901	47	72.7	56.0-89.4	18	27.3	10.6-44.0
\$35,000- 49,999	55	44,850	39	64.5	46.3-82.7	16	35.5	17.3-53.7
\$75,000+	62	60,178	49	72.1	49.0-95.2	13	27.9	4.8-51.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 16: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6153	5,167,299	649	7.4	6.6- 8.2	5504	92.6	91.8-93.4
Male	2599	2,482,912	287	8.1	6.7- 9.5	2312	91.9	90.5-93.3
Female	3551	2,680,873	362	6.8	5.8- 7.8	3189	93.2	92.2-94.2
White/Non-Hisp	4959	3,875,487	614	9.5	8.3-10.7	4345	90.5	89.3-91.7
Black or Afr. Am./Non-Hisp	754	814,329	9	0.7	0.1- 1.3	745	99.3	98.7-99.9
Oth. Race/Non-Hisp.	122	119,004	7	2.9	0.0- 5.8	115	97.1	94.2- 100
MultiRacial/Non-Hisp.	103	53,741	7	3.4	0.5- 6.3	96	96.6	93.7-99.5
Hispanic	118	220,170	2	1.1	0.0- 2.7	116	98.9	97.3- 100
18-24	376	632,909	3	1.1	0.0- 2.9	373	98.9	97.1- 100
25-34	609	865,992	3	0.9	0.0- 2.1	606	99.1	97.9- 100
35-44	641	833,472	11	2.3	0.0- 4.8	630	97.7	95.2- 100
45-54	1003	848,701	65	5.5	3.7- 7.3	938	94.5	92.7-96.3
55-64	1315	842,056	130	8.9	6.9-10.9	1185	91.1	89.1-93.1
65+	2102	1,065,580	421	20.5	18.1-22.9	1681	79.5	77.1-81.9
Less Than H.S.	644	753,321	85	11.3	7.6-15.0	559	88.7	85.0-92.4
H.S. or G.E.D.	1999	1,722,025	211	7.8	6.4- 9.2	1788	92.2	90.8-93.6
Some Post-H.S.	1613	1,509,080	145	5.6	4.4- 6.8	1468	94.4	93.2-95.6
College Graduate	1876	1,173,266	207	6.8	5.6- 8.0	1669	93.2	92.0-94.4
Less than \$15,000	653	486,383	63	7.0	4.8- 9.2	590	93.0	90.8-95.2
\$15,000- 24,999	983	824,508	96	6.9	5.1- 8.7	887	93.1	91.3-94.9
\$25,000- 34,999	622	519,358	70	8.4	5.9-10.9	552	91.6	89.1-94.1
\$35,000- 49,999	814	687,201	85	6.0	4.2- 7.8	729	94.0	92.2-95.8
\$50,000- 74,999	746	683,763	79	8.5	5.0-12.0	667	91.5	88.0-95.0
\$75,000+	1212	1,085,335	132	6.9	5.3- 8.5	1080	93.1	91.5-94.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 17: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2599	2,482,912	287	8.1	6.7- 9.5	2312	91.9	90.5-93.3
White/Non-Hisp	2108	1,869,504	267	10.2	8.4-12.0	1841	89.8	88.0-91.6
Black or Afr. Am./Non-Hisp	260	350,758	6	1.4	0.0- 2.8	254	98.6	97.2- 100
Oth. Race/Non-Hisp.	64	74,353	4	3.5	0.0- 8.0	60	96.5	92.0- 100
MultiRacial/Non-Hisp.	54	29,926	3	2.7	0.0- 6.2	51	97.3	93.8- 100
Hispanic	68	123,278	1	0.8	0.0- 2.4	67	99.2	97.6- 100
18-24	207	321,577	2	1.8	0.0- 4.9	205	98.2	95.1- 100
25-34	287	425,670				287	100.0	100.0- 100
35-44	292	411,985	3	3.1	0.0- 8.2	289	96.9	91.8- 100
45-54	405	409,280	18	4.3	1.6- 7.0	387	95.7	93.0-98.4
55-64	592	407,400	59	9.1	6.2-12.0	533	90.9	88.0-93.8
65+	779	470,386	198	26.0	21.9-30.1	581	74.0	69.9-78.1
Less Than H.S.	242	357,451	36	14.2	7.3-21.1	206	85.8	78.9-92.7
H.S. or G.E.D.	844	832,810	85	7.8	5.6-10.0	759	92.2	90.0-94.4
Some Post-H.S.	651	700,164	60	5.5	3.7- 7.3	591	94.5	92.7-96.3
College Graduate	857	589,287	106	8.1	6.1-10.1	751	91.9	89.9-93.9
Less than \$15,000	214	185,429	20	9.1	4.2-14.0	194	90.9	86.0-95.8
\$15,000- 24,999	339	325,749	33	6.7	4.0- 9.4	306	93.3	90.6-96.0
\$25,000- 34,999	270	264,981	30	8.1	4.4-11.8	240	91.9	88.2-95.6
\$35,000- 49,999	381	358,366	43	7.2	4.3-10.1	338	92.8	89.9-95.7
\$50,000- 74,999	365	369,628	36	9.9	3.8-16.0	329	90.1	84.0-96.2
\$75,000+	652	630,048	78	6.7	4.9- 8.5	574	93.3	91.5-95.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 18: (EVER TOLD) YOU HAD SKIN CANCER? (CHCSCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3551	2,680,873	362	6.8	5.8- 7.8	3189	93.2	92.2-94.2
White/Non-Hisp	2849	2,004,380	347	8.9	7.7-10.1	2502	91.1	89.9-92.3
Black or Afr. Am./Non-Hisp	494	463,571	3	0.1	0.0- 0.3	491	99.9	99.7- 100
Oth. Race/Non-Hisp.	58	44,651	3	2.0	0.0- 5.1	55	98.0	94.9- 100
Hispanic	50	96,892	1	1.5	0.0- 4.4	49	98.5	95.6- 100
18-24	169	311,332	1	0.5	0.0- 1.5	168	99.5	98.5- 100
25-34	321	438,995	3	1.7	0.0- 4.1	318	98.3	95.9- 100
35-44	349	421,487	8	1.5	0.3- 2.7	341	98.5	97.3-99.7
45-54	597	437,511	47	6.7	4.3- 9.1	550	93.3	90.9-95.7
55-64	723	434,656	71	8.7	6.2-11.2	652	91.3	88.8-93.8
65+	1322	594,917	223	16.1	13.6-18.6	1099	83.9	81.4-86.4
Less Than H.S.	401	393,960	49	8.6	5.9-11.3	352	91.4	88.7-94.1
H.S. or G.E.D.	1155	889,215	126	7.9	5.9- 9.9	1029	92.1	90.1-94.1
Some Post-H.S.	961	807,589	85	5.8	4.2- 7.4	876	94.2	92.6-95.8
College Graduate	1018	583,702	101	5.6	4.2- 7.0	917	94.4	93.0-95.8
Less than \$15,000	439	300,954	43	5.7	3.7- 7.7	396	94.3	92.3-96.3
\$15,000- 24,999	644	498,759	63	7.1	4.7- 9.5	581	92.9	90.5-95.3
\$25,000- 34,999	352	254,377	40	8.7	5.0-12.4	312	91.3	87.6-95.0
\$35,000- 49,999	433	328,835	42	4.8	2.8- 6.8	391	95.2	93.2-97.2
\$50,000- 74,999	381	314,135	43	6.9	4.4- 9.4	338	93.1	90.6-95.6
\$75,000+	559	453,377	54	7.3	4.8- 9.8	505	92.7	90.2-95.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 19: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6158	5,172,687	567	6.5	5.7- 7.3	5591	93.5	92.7-94.3
Male	2603	2,487,879	202	4.9	3.9- 5.9	2401	95.1	94.1-96.1
Female	3552	2,681,294	365	8.0	6.8- 9.2	3187	92.0	90.8-93.2
White/Non-Hisp	4963	3,880,575	472	7.3	6.5- 8.1	4491	92.7	91.9-93.5
Black or Afr. Am./Non-Hisp	755	814,629	59	5.0	2.8- 7.2	696	95.0	92.8-97.2
Oth. Race/Non-Hisp.	122	119,004	12	3.9	1.0- 6.8	110	96.1	93.2-99.0
MultiRacial/Non-Hisp.	103	53,741	14	10.2	2.9-17.5	89	89.8	82.5-97.1
Hispanic	118	220,170	5	1.3	0.0- 2.7	113	98.7	97.3- 100
18-24	377	636,165	1	0.3	0.0- 0.9	376	99.7	99.1- 100
25-34	608	864,794	9	1.9	0.3- 3.5	599	98.1	96.5-99.7
35-44	640	833,075	22	2.0	1.0- 3.0	618	98.0	97.0-99.0
45-54	1004	849,219	68	7.0	4.8- 9.2	936	93.0	90.8-95.2
55-64	1312	840,450	138	9.6	7.6-11.6	1174	90.4	88.4-92.4
65+	2110	1,070,395	320	14.7	12.7-16.7	1790	85.3	83.3-87.3
Less Than H.S.	648	756,152	77	9.0	6.5-11.5	571	91.0	88.5-93.5
H.S. or G.E.D.	1999	1,723,891	165	6.1	4.9- 7.3	1834	93.9	92.7-95.1
Some Post-H.S.	1613	1,509,162	160	6.5	5.1- 7.9	1453	93.5	92.1-94.9
College Graduate	1877	1,173,875	165	5.6	4.4- 6.8	1712	94.4	93.2-95.6
Less than \$15,000	652	485,658	67	8.8	5.7-11.9	585	91.2	88.1-94.3
\$15,000- 24,999	983	824,508	111	8.9	6.7-11.1	872	91.1	88.9-93.3
\$25,000- 34,999	620	518,504	58	7.0	4.6- 9.4	562	93.0	90.6-95.4
\$35,000- 49,999	816	690,912	67	5.3	3.3- 7.3	749	94.7	92.7-96.7
\$50,000- 74,999	749	685,150	44	4.5	2.5- 6.5	705	95.5	93.5-97.5
\$75,000+	1212	1,085,255	100	5.1	3.7- 6.5	1112	94.9	93.5-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 20: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2603	2,487,879	202	4.9	3.9- 5.9	2401	95.1	94.1-96.1
White/Non-Hisp	2111	1,874,171	165	5.4	4.2- 6.6	1946	94.6	93.4-95.8
Black or Afr. Am./Non-Hisp	261	351,058	23	4.2	1.8- 6.6	238	95.8	93.4-98.2
Oth. Race/Non-Hisp.	64	74,353	4	3.5	0.0- 7.6	60	96.5	92.4- 100
MultiRacial/Non-Hisp.	54	29,926	4	4.5	0.0- 9.6	50	95.5	90.4- 100
Hispanic	68	123,278	4	1.6	0.0- 3.4	64	98.4	96.6- 100
18-24	208	324,833				208	100.0	100.0- 100
25-34	287	425,670	1	0.3	0.0- 0.9	286	99.7	99.1- 100
35-44	292	411,985	4	0.8	0.0- 1.8	288	99.2	98.2- 100
45-54	406	409,798	13	3.6	1.1- 6.1	393	96.4	93.9-98.9
55-64	590	406,431	46	7.3	4.6-10.0	544	92.7	90.0-95.4
65+	783	472,548	138	15.5	12.2-18.8	645	84.5	81.2-87.8
Less Than H.S.	244	359,303	19	5.1	2.4- 7.8	225	94.9	92.2-97.6
H.S. or G.E.D.	845	835,254	55	4.9	3.1- 6.7	790	95.1	93.3-96.9
Some Post-H.S.	651	700,247	49	4.1	2.5- 5.7	602	95.9	94.3-97.5
College Graduate	858	589,875	79	5.8	4.2- 7.4	779	94.2	92.6-95.8
Less than \$15,000	214	185,101	12	5.1	1.6- 8.6	202	94.9	91.4-98.4
\$15,000- 24,999	339	325,749	37	7.7	4.6-10.8	302	92.3	89.2-95.4
\$25,000- 34,999	269	264,763	17	5.0	1.9- 8.1	252	95.0	91.9-98.1
\$35,000- 49,999	382	361,621	32	4.7	2.3- 7.1	350	95.3	92.9-97.7
\$50,000- 74,999	367	370,597	19	3.5	1.0- 6.0	348	96.5	94.0-99.0
\$75,000+	652	629,967	51	4.0	2.6- 5.4	601	96.0	94.6-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 21: (EVER TOLD) YOU HAD ANY OTHER TYPES OF CANCER? (CHCOCNCR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3552	2,681,294	365	8.0	6.8- 9.2	3187	92.0	90.8-93.2
White/Non-Hisp	2850	2,004,801	307	9.1	7.7-10.5	2543	90.9	89.5-92.3
Black or Afr. Am./Non-Hisp	494	463,571	36	5.5	2.4- 8.6	458	94.5	91.4-97.6
Oth. Race/Non-Hisp.	58	44,651	8	4.7	0.8- 8.6	50	95.3	91.4-99.2
Hispanic	50	96,892	1	1.0	0.0- 3.0	49	99.0	97.0- 100
18-24	169	311,332	1	0.6	0.0- 1.8	168	99.4	98.2- 100
25-34	320	437,798	8	3.5	0.4- 6.6	312	96.5	93.4-99.6
35-44	348	421,090	18	3.3	1.5- 5.1	330	96.7	94.9-98.5
45-54	597	437,511	55	10.1	6.8-13.4	542	89.9	86.6-93.2
55-64	722	434,019	92	11.8	9.1-14.5	630	88.2	85.5-90.9
65+	1326	597,570	182	14.1	11.6-16.6	1144	85.9	83.4-88.4
Less Than H.S.	403	394,939	58	12.6	8.5-16.7	345	87.4	83.3-91.5
H.S. or G.E.D.	1154	888,636	110	7.2	5.4- 9.0	1044	92.8	91.0-94.6
Some Post-H.S.	961	807,589	111	8.7	6.5-10.9	850	91.3	89.1-93.5
College Graduate	1018	583,723	86	5.4	4.0- 6.8	932	94.6	93.2-96.0
Less than \$15,000	438	300,557	55	11.0	6.7-15.3	383	89.0	84.7-93.3
\$15,000- 24,999	644	498,759	74	9.7	6.8-12.6	570	90.3	87.4-93.2
\$25,000- 34,999	351	253,740	41	9.0	5.5-12.5	310	91.0	87.5-94.5
\$35,000- 49,999	434	329,291	35	5.9	3.0- 8.8	399	94.1	91.2-97.0
\$50,000- 74,999	382	314,554	25	5.7	2.8- 8.6	357	94.3	91.4-97.2
\$75,000+	559	453,377	49	6.7	4.3- 9.1	510	93.3	90.9-95.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 22: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6136	5,154,113	766	10.1	9.1-11.1	5370	89.9	88.9-90.9
Male	2593	2,475,701	260	8.3	6.9-9.7	2333	91.7	90.3-93.1
Female	3541	2,675,175	506	11.8	10.4-13.2	3035	88.2	86.8-89.6
White/Non-Hisp	4949	3,870,091	614	10.6	9.4-11.8	4335	89.4	88.2-90.6
Black or Afr. Am./Non-Hisp	752	810,918	84	7.9	5.2-10.6	668	92.1	89.4-94.8
Oth. Race/Non-Hisp.	122	119,004	17	10.1	3.8-16.4	105	89.9	83.6-96.2
MultiRacial/Non-Hisp.	101	52,808	27	21.2	11.0-31.4	74	78.8	68.6-89.0
Hispanic	117	218,727	12	7.8	2.5-13.1	105	92.2	86.9-97.5
18-24	376	635,422	12	3.8	1.1-6.5	364	96.2	93.5-98.9
25-34	607	860,140	25	3.6	1.6-5.6	582	96.4	94.4-98.4
35-44	639	832,280	47	6.5	4.1-8.9	592	93.5	91.1-95.9
45-54	1000	844,850	123	10.8	8.4-13.2	877	89.2	86.8-91.6
55-64	1308	838,175	213	16.0	13.5-18.5	1095	84.0	81.5-86.5
65+	2101	1,065,311	333	17.0	14.8-19.2	1768	83.0	80.8-85.2
Less Than H.S.	645	751,542	190	24.1	20.0-28.2	455	75.9	71.8-80.0
H.S. or G.E.D.	1998	1,721,050	289	10.7	8.9-12.5	1709	89.3	87.5-91.1
Some Post-H.S.	1599	1,498,777	187	7.7	6.1-9.3	1412	92.3	90.7-93.9
College Graduate	1874	1,173,878	97	3.4	2.4-4.4	1777	96.6	95.6-97.6
Less than \$15,000	651	484,063	179	22.5	18.2-26.8	472	77.5	73.2-81.8
\$15,000- 24,999	978	815,599	185	16.9	13.8-20.0	793	83.1	80.0-86.2
\$25,000- 34,999	621	518,622	78	10.9	7.8-14.0	543	89.1	86.0-92.2
\$35,000- 49,999	815	690,444	74	8.5	5.6-11.4	741	91.5	88.6-94.4
\$50,000- 74,999	747	684,184	49	5.3	3.3-7.3	698	94.7	92.7-96.7
\$75,000+	1209	1,083,869	41	2.2	1.4-3.0	1168	97.8	97.0-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 23: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2593	2,475,701	260	8.3	6.9- 9.7	2333	91.7	90.3-93.1
White/Non-Hisp	2104	1,867,601	206	8.6	7.0-10.2	1898	91.4	89.8-93.0
Black or Afr. Am./Non-Hisp	260	348,121	27	8.1	3.4-12.8	233	91.9	87.2-96.6
Oth. Race/Non-Hisp.	64	74,353	8	7.7	0.8-14.6	56	92.3	85.4-99.2
MultiRacial/Non-Hisp.	54	29,959	13	18.2	5.9-30.5	41	81.8	69.5-94.1
Hispanic	67	121,835	3	2.1	0.0- 5.0	64	97.9	95.0- 100
18-24	208	324,833	5	4.9	0.0- 9.8	203	95.1	90.2- 100
25-34	286	422,734	10	2.0	0.4- 3.6	276	98.0	96.4-99.6
35-44	291	411,368	11	3.2	0.5- 5.9	280	96.8	94.1-99.5
45-54	404	406,273	33	7.7	4.2-11.2	371	92.3	88.8-95.8
55-64	589	405,423	88	14.8	11.1-18.5	501	85.2	81.5-88.9
65+	779	468,631	110	15.9	12.4-19.4	669	84.1	80.6-87.6
Less Than H.S.	241	354,693	56	18.5	12.4-24.6	185	81.5	75.4-87.6
H.S. or G.E.D.	844	834,230	106	9.0	6.8-11.2	738	91.0	88.8-93.2
Some Post-H.S.	645	693,450	61	6.9	4.4- 9.4	584	93.1	90.6-95.6
College Graduate	858	590,127	36	2.7	1.5- 3.9	822	97.3	96.1-98.5
Less than \$15,000	215	184,854	48	21.4	13.8-29.0	167	78.6	71.0-86.2
\$15,000- 24,999	336	320,208	66	15.2	10.7-19.7	270	84.8	80.3-89.3
\$25,000- 34,999	270	264,981	30	9.0	5.3-12.7	240	91.0	87.3-94.7
\$35,000- 49,999	381	361,153	38	10.0	5.1-14.9	343	90.0	85.1-94.9
\$50,000- 74,999	365	369,631	22	5.0	2.3- 7.7	343	95.0	92.3-97.7
\$75,000+	652	628,951	17	1.6	0.6- 2.6	635	98.4	97.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 24: (EVER TOLD) YOU HAVE CHRONIC OBSTRUCTIVE PULMONARY DISEASE OR COPD, EMPHYSEMA OR CHRONIC BRONCHITIS? (CHCCOPD1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3541	2,675,175	506	11.8	10.4-13.2	3035	88.2	86.8-89.6
White/Non-Hisp	2844	2,001,164	408	12.5	10.9-14.1	2436	87.5	85.9-89.1
Black or Afr. Am./Non-Hisp	492	462,797	57	7.9	4.6-11.2	435	92.1	88.8-95.4
Oth. Race/Non-Hisp.	58	44,651	9	14.0	2.2-25.8	49	86.0	74.2-97.8
Hispanic	50	96,892	9	14.9	3.9-25.9	41	85.1	74.1-96.1
18-24	168	310,589	7	2.6	0.4- 4.8	161	97.4	95.2-99.6
25-34	320	436,080	15	5.2	1.7- 8.7	305	94.8	91.3-98.3
35-44	348	420,912	36	9.8	5.9-13.7	312	90.2	86.3-94.1
45-54	595	436,668	90	13.8	10.5-17.1	505	86.2	82.9-89.5
55-64	719	432,752	125	17.1	13.4-20.8	594	82.9	79.2-86.6
65+	1322	596,680	223	17.8	14.9-20.7	1099	82.2	79.3-85.1
Less Than H.S.	403	394,939	134	29.2	23.3-35.1	269	70.8	64.9-76.7
H.S. or G.E.D.	1154	886,820	183	12.3	9.8-14.8	971	87.7	85.2-90.2
Some Post-H.S.	953	804,001	126	8.5	6.5-10.5	827	91.5	89.5-93.5
College Graduate	1016	583,751	61	4.1	2.7- 5.5	955	95.9	94.5-97.3
Less than \$15,000	436	299,209	131	23.1	18.0-28.2	305	76.9	71.8-82.0
\$15,000- 24,999	642	495,391	119	18.0	13.9-22.1	523	82.0	77.9-86.1
\$25,000- 34,999	351	253,642	48	12.9	8.0-17.8	303	87.1	82.2-92.0
\$35,000- 49,999	434	329,291	36	6.8	3.7- 9.9	398	93.2	90.1-96.3
\$50,000- 74,999	382	314,554	27	5.7	3.0- 8.4	355	94.3	91.6-97.0
\$75,000+	556	453,008	24	3.1	1.7- 4.5	532	96.9	95.5-98.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 25: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6133	5,153,063	2496	31.0	29.4-32.6	3637	69.0	67.4-70.6
Male	2591	2,477,365	871	25.8	23.6-28.0	1720	74.2	72.0-76.4
Female	3539	2,672,185	1624	35.9	33.7-38.1	1915	64.1	61.9-66.3
White/Non-Hisp	4944	3,867,554	2025	33.3	31.5-35.1	2919	66.7	64.9-68.5
Black or Afr. Am./Non-Hisp	753	810,147	313	27.0	22.9-31.1	440	73.0	68.9-77.1
Oth. Race/Non-Hisp.	122	119,004	49	21.3	12.9-29.7	73	78.7	70.3-87.1
MultiRacial/Non-Hisp.	103	53,774	57	40.7	27.2-54.2	46	59.3	45.8-72.8
Hispanic	117	218,586	20	10.9	4.2-17.6	97	89.1	82.4-95.8
18-24	374	628,211	17	3.5	1.5- 5.5	357	96.5	94.5-98.5
25-34	606	864,884	53	7.1	4.7- 9.5	553	92.9	90.5-95.3
35-44	636	829,619	142	20.3	16.4-24.2	494	79.7	75.8-83.6
45-54	1001	846,249	342	32.3	28.4-36.2	659	67.7	63.8-71.6
55-64	1308	838,378	664	49.8	46.3-53.3	644	50.2	46.7-53.7
65+	2102	1,067,308	1233	58.5	55.8-61.2	869	41.5	38.8-44.2
Less Than H.S.	647	754,166	381	45.3	40.0-50.6	266	54.7	49.4-60.0
H.S. or G.E.D.	1993	1,721,595	874	32.4	29.7-35.1	1119	67.6	64.9-70.3
Some Post-H.S.	1601	1,495,219	641	28.3	25.6-31.0	960	71.7	69.0-74.4
College Graduate	1871	1,172,477	591	23.4	21.0-25.8	1280	76.6	74.2-79.0
Less than \$15,000	651	485,537	382	46.4	40.7-52.1	269	53.6	47.9-59.3
\$15,000- 24,999	975	819,915	489	37.7	33.6-41.8	486	62.3	58.2-66.4
\$25,000- 34,999	618	517,621	258	31.0	26.3-35.7	360	69.0	64.3-73.7
\$35,000- 49,999	814	689,503	289	26.9	23.0-30.8	525	73.1	69.2-77.0
\$50,000- 74,999	748	683,566	264	27.2	23.1-31.3	484	72.8	68.7-76.9
\$75,000+	1211	1,083,337	305	19.9	17.2-22.6	906	80.1	77.4-82.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 26: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2591	2,477,365	871	25.8	23.8-27.8	1720	74.2	72.2-76.2
White/Non-Hisp	2102	1,869,027	722	28.8	26.4-31.2	1380	71.2	68.8-73.6
Black or Afr. Am./Non-Hisp	260	347,259	87	20.3	14.6-26.0	173	79.7	74.0-85.4
Oth. Race/Non-Hisp.	64	74,353	19	14.4	5.8-23.0	45	85.6	77.0-94.2
MultiRacial/Non-Hisp.	54	29,959	25	28.9	14.2-43.6	29	71.1	56.4-85.8
Hispanic	67	121,694	8	4.9	0.4- 9.4	59	95.1	90.6-99.6
18-24	206	320,457	9	3.8	0.9- 6.7	197	96.2	93.3-99.1
25-34	286	425,425	21	5.3	2.6- 8.0	265	94.7	92.0-97.4
35-44	288	408,481	48	16.1	11.0-21.2	240	83.9	78.8-89.0
45-54	405	408,101	112	24.6	19.1-30.1	293	75.4	69.9-80.9
55-64	588	405,622	281	45.5	40.4-50.6	307	54.5	49.4-59.6
65+	782	472,838	384	50.7	46.2-55.2	398	49.3	44.8-53.8
Less Than H.S.	243	357,317	112	35.3	27.9-42.7	131	64.7	57.3-72.1
H.S. or G.E.D.	842	833,418	305	26.7	23.0-30.4	537	73.3	69.6-77.0
Some Post-H.S.	646	693,951	215	24.1	20.2-28.0	431	75.9	72.0-79.8
College Graduate	855	589,479	238	20.7	17.4-24.0	617	79.3	76.0-82.6
Less than \$15,000	213	185,046	99	39.4	30.4-48.4	114	60.6	51.6-69.6
\$15,000- 24,999	335	322,793	142	32.4	26.1-38.7	193	67.6	61.3-73.9
\$25,000- 34,999	269	264,816	101	28.2	21.7-34.7	168	71.8	65.3-78.3
\$35,000- 49,999	381	361,253	120	22.0	16.9-27.1	261	78.0	72.9-83.1
\$50,000- 74,999	366	369,013	117	25.3	19.4-31.2	249	74.7	68.8-80.6
\$75,000+	652	629,121	153	17.5	14.0-21.0	499	82.5	79.0-86.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 27: (EVER TOLD) YOU HAVE SOME FORM OF ARTHRITIS, RHEUMATOID ARTHRITIS, GOUT, LUPUS, OR FIBROMYALGIA? (HAVARTH3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3539	2,672,185	1624	35.9	33.7-38.1	1915	64.1	61.9-66.3
White/Non-Hisp	2840	1,996,924	1303	37.6	35.2-40.0	1537	62.4	60.0-64.8
Black or Afr. Am./Non-Hisp	493	462,889	226	32.0	26.1-37.9	267	68.0	62.1-73.9
Oth. Race/Non-Hisp.	58	44,651	30	32.6	16.7-48.5	28	67.4	51.5-83.3
Hispanic	50	96,892	12	18.3	5.0-31.6	38	81.7	68.4-95.0
18-24	168	307,754	8	3.2	0.7- 5.7	160	96.8	94.3-99.3
25-34	319	438,132	32	8.9	5.0-12.8	287	91.1	87.2-95.0
35-44	348	421,138	94	24.5	18.8-30.2	254	75.5	69.8-81.2
45-54	595	436,237	229	39.3	34.0-44.6	366	60.7	55.4-66.0
55-64	720	432,755	383	53.9	49.2-58.6	337	46.1	41.4-50.8
65+	1319	594,193	849	64.7	61.4-68.0	470	35.3	32.0-38.6
Less Than H.S.	403	394,939	268	54.0	46.7-61.3	135	46.0	38.7-53.3
H.S. or G.E.D.	1151	888,177	569	37.7	33.8-41.6	582	62.3	58.4-66.2
Some Post-H.S.	954	799,943	426	32.0	28.1-35.9	528	68.0	64.1-71.9
College Graduate	1015	582,720	353	26.1	22.6-29.6	662	73.9	70.4-77.4
Less than \$15,000	438	300,491	283	50.7	43.4-58.0	155	49.3	42.0-56.6
\$15,000- 24,999	640	497,123	347	41.2	35.7-46.7	293	58.8	53.3-64.3
\$25,000- 34,999	349	252,805	157	33.9	26.8-41.0	192	66.1	59.0-73.2
\$35,000- 49,999	433	328,251	169	32.2	26.1-38.3	264	67.8	61.7-73.9
\$50,000- 74,999	382	314,554	147	29.5	23.6-35.4	235	70.5	64.6-76.4
\$75,000+	558	452,306	151	22.9	18.4-27.4	407	77.1	72.6-81.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 28: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6140	5,148,612	1375	21.1	19.7-22.5	4765	78.9	77.5-80.3
Male	2593	2,470,317	404	13.8	12.0-15.6	2189	86.2	84.4-88.0
Female	3544	2,674,781	969	27.8	25.6-30.0	2575	72.2	70.0-74.4
White/Non-Hisp	4952	3,862,921	1140	22.1	20.5-23.7	3812	77.9	76.3-79.5
Black or Afr. Am./Non-Hisp	753	813,141	124	16.5	12.4-20.6	629	83.5	79.4-87.6
Oth. Race/Non-Hisp.	121	117,955	26	20.1	9.3-30.9	95	79.9	69.1-90.7
MultiRacial/Non-Hisp.	103	53,774	44	47.0	32.3-61.7	59	53.0	38.3-67.7
Hispanic	115	216,492	21	15.1	7.1-23.1	94	84.9	76.9-92.9
18-24	372	626,886	68	17.7	12.8-22.6	304	82.3	77.4-87.2
25-34	607	864,054	138	21.0	16.9-25.1	469	79.0	74.9-83.1
35-44	637	822,863	159	23.2	18.7-27.7	478	76.8	72.3-81.3
45-54	1001	847,534	270	22.2	18.9-25.5	731	77.8	74.5-81.1
55-64	1312	841,113	345	26.9	23.8-30.0	967	73.1	70.0-76.2
65+	2106	1,067,989	383	16.8	14.6-19.0	1723	83.2	81.0-85.4
Less Than H.S.	646	745,550	220	32.3	27.2-37.4	426	67.7	62.6-72.8
H.S. or G.E.D.	1997	1,724,048	439	19.0	16.6-21.4	1558	81.0	78.6-83.4
Some Post-H.S.	1604	1,497,742	385	21.6	18.9-24.3	1219	78.4	75.7-81.1
College Graduate	1872	1,171,665	328	16.6	14.2-19.0	1544	83.4	81.0-85.8
Less than \$15,000	656	487,511	266	37.9	32.2-43.6	390	62.1	56.4-67.8
\$15,000- 24,999	978	819,789	307	29.2	25.3-33.1	671	70.8	66.9-74.7
\$25,000- 34,999	621	519,116	133	20.7	16.2-25.2	488	79.3	74.8-83.8
\$35,000- 49,999	816	690,912	149	16.1	12.6-19.6	667	83.9	80.4-87.4
\$50,000- 74,999	747	683,764	130	18.9	14.2-23.6	617	81.1	76.4-85.8
\$75,000+	1207	1,078,913	157	12.3	9.9-14.7	1050	87.7	85.3-90.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 29: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2593	2,470,317	404	13.8	12.0-15.6	2189	86.2	84.4-88.0
White/Non-Hisp	2104	1,860,322	331	15.1	12.9-17.3	1773	84.9	82.7-87.1
Black or Afr. Am./Non-Hisp	260	349,802	34	7.9	4.4-11.4	226	92.1	88.6-95.6
Oth. Race/Non-Hisp.	63	73,305	8	13.2	0.0-26.5	55	86.8	73.5- 100
MultiRacial/Non-Hisp.	54	29,959	17	40.1	21.1-59.1	37	59.9	40.9-78.9
Hispanic	67	121,835	5	3.4	0.0- 6.9	62	96.6	93.1- 100
18-24	204	317,049	20	7.8	3.9-11.7	184	92.2	88.3-96.1
25-34	287	425,670	47	13.7	9.2-18.2	240	86.3	81.8-90.8
35-44	290	405,027	52	15.8	9.7-21.9	238	84.2	78.1-90.3
45-54	405	408,611	67	13.5	9.6-17.4	338	86.5	82.6-90.4
55-64	589	406,457	107	18.5	14.2-22.8	482	81.5	77.2-85.8
65+	782	471,064	108	13.1	10.0-16.2	674	86.9	83.8-90.0
Less Than H.S.	243	348,980	60	22.7	15.1-30.3	183	77.3	69.7-84.9
H.S. or G.E.D.	844	835,272	116	9.9	7.7-12.1	728	90.1	87.9-92.3
Some Post-H.S.	645	693,110	116	14.7	11.4-18.0	529	85.3	82.0-88.6
College Graduate	856	589,755	112	13.0	10.1-15.9	744	87.0	84.1-89.9
Less than \$15,000	217	186,557	70	30.9	21.7-40.1	147	69.1	59.9-78.3
\$15,000- 24,999	337	324,805	87	21.1	15.8-26.4	250	78.9	73.6-84.2
\$25,000- 34,999	269	264,739	43	14.3	8.8-19.8	226	85.7	80.2-91.2
\$35,000- 49,999	382	361,621	49	9.9	6.4-13.4	333	90.1	86.6-93.6
\$50,000- 74,999	365	369,211	48	14.4	8.1-20.7	317	85.6	79.3-91.9
\$75,000+	650	626,365	55	8.5	5.8-11.2	595	91.5	88.8-94.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 30: (EVER TOLD) YOU THAT YOU HAVE A DEPRESSIVE DISORDER, INCLUDING DEPRESSION, MAJOR DEPRESSION, DYSTHYMIA, OR MINOR DEPRESSION? (ADDEPEV2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3544	2,674,781	969	27.8	25.6-30.0	2575	72.2	70.0-74.4
White/Non-Hisp	2846	2,000,996	808	28.5	26.1-30.9	2038	71.5	69.1-73.9
Black or Afr. Am./Non-Hisp	493	463,339	90	23.1	16.8-29.4	403	76.9	70.6-83.2
Oth. Race/Non-Hisp.	58	44,651	18	31.3	14.1-48.5	40	68.7	51.5-85.9
18-24	168	309,837	48	27.8	19.4-36.2	120	72.2	63.8-80.6
25-34	319	437,057	90	27.8	21.1-34.5	229	72.2	65.5-78.9
35-44	347	417,835	107	30.3	23.8-36.8	240	69.7	63.2-76.2
45-54	595	437,013	202	30.1	25.4-34.8	393	69.9	65.2-74.6
55-64	723	434,656	238	34.8	30.3-39.3	485	65.2	60.7-69.7
65+	1323	596,648	275	19.8	17.1-22.5	1048	80.2	77.5-82.9
Less Than H.S.	402	394,659	159	40.4	33.5-47.3	243	59.6	52.7-66.5
H.S. or G.E.D.	1153	888,776	323	27.5	23.6-31.4	830	72.5	68.6-76.4
Some Post-H.S.	958	803,306	268	27.4	23.3-31.5	690	72.6	68.5-76.7
College Graduate	1015	581,633	216	20.1	16.8-23.4	799	79.9	76.6-83.2
Less than \$15,000	439	300,954	196	42.3	35.2-49.4	243	57.7	50.6-64.8
\$15,000- 24,999	641	494,983	220	34.5	29.0-40.0	421	65.5	60.0-71.0
\$25,000- 34,999	352	254,377	90	27.4	20.3-34.5	262	72.6	65.5-79.7
\$35,000- 49,999	434	329,291	100	22.9	17.0-28.8	334	77.1	71.2-83.0
\$50,000- 74,999	382	314,554	82	24.3	17.4-31.2	300	75.7	68.8-82.6
\$75,000+	556	450,637	101	17.3	13.0-21.6	455	82.7	78.4-87.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 31: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6141	5,164,831	288	3.1	2.7- 3.5	5853	96.9	96.5-97.3
Male	2598	2,484,328	108	2.8	2.2- 3.4	2490	97.2	96.6-97.8
Female	3540	2,676,990	180	3.4	2.8- 4.0	3360	96.6	96.0-97.2
White/Non-Hisp	4951	3,874,831	237	3.3	2.7- 3.9	4714	96.7	96.1-97.3
Black or Afr. Am./Non-Hisp	755	814,629	31	2.2	1.0- 3.4	724	97.8	96.6-99.0
Oth. Race/Non-Hisp.	120	118,245	8	5.2	0.5- 9.9	112	94.8	90.1-99.5
MultiRacial/Non-Hisp.	101	53,400	4	2.7	0.0- 5.4	97	97.3	94.6- 100
Hispanic	118	220,170	3	1.3	0.0- 3.1	115	98.7	96.9- 100
18-24	377	636,165	2	0.2	0.0- 0.4	375	99.8	99.6- 100
25-34	609	865,992	6	0.8	0.0- 1.6	603	99.2	98.4- 100
35-44	641	833,472	15	1.9	0.7- 3.1	626	98.1	96.9-99.3
45-54	1001	848,157	37	3.1	1.9- 4.3	964	96.9	95.7-98.1
55-64	1312	840,850	60	3.9	2.7- 5.1	1252	96.1	94.9-97.3
65+	2094	1,061,607	163	6.9	5.5- 8.3	1931	93.1	91.7-94.5
Less Than H.S.	645	753,597	50	4.3	2.9- 5.7	595	95.7	94.3-97.1
H.S. or G.E.D.	1988	1,720,448	78	2.8	2.0- 3.6	1910	97.2	96.4-98.0
Some Post-H.S.	1611	1,507,182	84	2.9	2.1- 3.7	1527	97.1	96.3-97.9
College Graduate	1876	1,173,997	73	2.8	2.0- 3.6	1803	97.2	96.4-98.0
Less than \$15,000	648	484,714	56	5.0	3.4- 6.6	592	95.0	93.4-96.6
\$15,000- 24,999	980	823,166	64	4.2	3.0- 5.4	916	95.8	94.6-97.0
\$25,000- 34,999	621	518,668	27	3.7	1.7- 5.7	594	96.3	94.3-98.3
\$35,000- 49,999	814	690,133	28	1.6	0.8- 2.4	786	98.4	97.6-99.2
\$50,000- 74,999	748	684,927	29	3.1	1.7- 4.5	719	96.9	95.5-98.3
\$75,000+	1213	1,085,681	35	2.0	1.2- 2.8	1178	98.0	97.2-98.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 32: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2598	2,484,328	108	2.8	2.2- 3.4	2490	97.2	96.6-97.8
White/Non-Hisp	2107	1,871,048	89	2.9	2.1- 3.7	2018	97.1	96.3-97.9
Black or Afr. Am./Non-Hisp	261	351,058	11	2.9	0.5- 5.3	250	97.1	94.7-99.5
Oth. Race/Non-Hisp.	63	73,925	4	4.3	0.0- 9.4	59	95.7	90.6- 100
MultiRacial/Non-Hisp.	54	29,926	2	1.7	0.0- 4.1	52	98.3	95.9- 100
Hispanic	68	123,278	1	0.6	0.0- 1.8	67	99.4	98.2- 100
18-24	208	324,833	1	0.2	0.0- 0.6	207	99.8	99.4- 100
25-34	287	425,670	2	0.8	0.0- 2.0	285	99.2	98.0- 100
35-44	292	411,985	5	1.8	0.0- 3.8	287	98.2	96.2- 100
45-54	406	409,867	13	3.0	1.0- 5.0	393	97.0	95.0-99.0
55-64	590	406,413	23	2.8	1.4- 4.2	567	97.2	95.8-98.6
65+	778	468,946	60	6.7	4.5- 8.9	718	93.3	91.1-95.5
Less Than H.S.	244	359,102	11	1.5	0.5- 2.5	233	98.5	97.5-99.5
H.S. or G.E.D.	840	833,239	29	2.9	1.5- 4.3	811	97.1	95.7-98.5
Some Post-H.S.	651	698,721	36	3.1	1.7- 4.5	615	96.9	95.5-98.3
College Graduate	858	590,066	32	2.9	1.5- 4.3	826	97.1	95.7-98.5
Less than \$15,000	211	184,101	7	1.5	0.1- 2.9	204	98.5	97.1-99.9
\$15,000- 24,999	339	325,749	25	4.5	2.3- 6.7	314	95.5	93.3-97.7
\$25,000- 34,999	270	264,981	13	4.9	1.4- 8.4	257	95.1	91.6-98.6
\$35,000- 49,999	382	361,621	14	1.7	0.5- 2.9	368	98.3	97.1-99.5
\$50,000- 74,999	367	370,597	14	2.8	1.0- 4.6	353	97.2	95.4-99.0
\$75,000+	653	630,394	17	1.9	0.7- 3.1	636	98.1	96.9-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 33: (EVER TOLD) YOU HAVE KIDNEY DISEASE? DO NOT INCLUDE KIDNEY STONES, BLADDER INFECTION OR INCONTINENCE. (CHCKIDNY)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3540	2,676,990	180	3.4	2.8- 4.0	3360	96.6	96.0-97.2
White/Non-Hisp	2842	2,002,180	148	3.8	3.0- 4.6	2694	96.2	95.4-97.0
Black or Afr. Am./Non-Hisp	494	463,571	20	1.6	0.6- 2.6	474	98.4	97.4-99.4
Oth. Race/Non-Hisp.	57	44,320	4	6.7	0.0-15.9	53	93.3	84.1- 100
Hispanic	50	96,892	2	2.3	0.0- 6.0	48	97.7	94.0- 100
18-24	169	311,332	1	0.2	0.0- 0.6	168	99.8	99.4- 100
25-34	321	438,995	4	0.9	0.0- 1.9	317	99.1	98.1- 100
35-44	349	421,487	10	2.0	0.6- 3.4	339	98.0	96.6-99.4
45-54	594	436,380	24	3.2	1.6- 4.8	570	96.8	95.2-98.4
55-64	722	434,437	37	4.9	2.9- 6.9	685	95.1	93.1-97.1
65+	1315	592,384	103	7.1	5.1- 9.1	1212	92.9	90.9-94.9
Less Than H.S.	400	392,585	39	6.9	4.4- 9.4	361	93.1	90.6-95.6
H.S. or G.E.D.	1148	887,209	49	2.7	1.7- 3.7	1099	97.3	96.3-98.3
Some Post-H.S.	959	807,135	48	2.7	1.7- 3.7	911	97.3	96.3-98.3
College Graduate	1017	583,654	41	2.7	1.5- 3.9	976	97.3	96.1-98.5
Less than \$15,000	437	300,613	49	7.2	4.7- 9.7	388	92.8	90.3-95.3
\$15,000- 24,999	641	497,417	39	4.0	2.4- 5.6	602	96.0	94.4-97.6
\$25,000- 34,999	351	253,687	14	2.5	0.7- 4.3	337	97.5	95.7-99.3
\$35,000- 49,999	432	328,511	14	1.4	0.4- 2.4	418	98.6	97.6-99.6
\$50,000- 74,999	381	314,331	15	3.5	1.1- 5.9	366	96.5	94.1-98.9
\$75,000+	559	453,377	18	2.1	0.9- 3.3	541	97.9	96.7-99.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 34: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6154	5,168,513	1004	12.7	11.7-13.7	61	1.2	0.8- 1.6	4975	84.3	83.1-85.5	114	1.8	1.4- 2.2
Male	2602	2,484,887	446	13.4	11.8-15.0				2104	84.5	82.7-86.3	52	2.1	1.3- 2.9
Female	3549	2,680,112	557	12.0	10.6-13.4	61	2.3	1.5- 3.1	2869	84.2	82.6-85.8	62	1.5	0.9- 2.1
White/Non-Hisp	4963	3,878,681	793	13.0	11.8-14.2	46	0.8	0.6- 1.0	4033	84.4	83.2-85.6	91	1.8	1.2- 2.4
Black or Afr. Am./Non-Hisp	755	814,629	145	12.0	9.3-14.7	9	2.4	0.4- 4.4	589	84.6	81.3-87.9	12	1.1	0.3- 1.9
Oth. Race/Non-Hisp.	121	118,576	19	14.5	5.1-23.9	3	3.3	0.0- 8.4	95	80.0	69.6-90.4	4	2.1	0.0- 4.3
MultiRacial/Non-Hisp.	102	53,567	22	18.0	7.4-28.6	1	5.9	0.0-17.1	76	71.5	57.2-85.8	3	4.6	0.0-10.7
Hispanic	117	218,727	13	8.4	0.6-16.2	1	2.2	0.0- 6.3	100	85.7	76.3-95.1	3	3.7	0.0- 8.2
18-24	377	636,165	8	1.7	0.3- 3.1	2	0.3	0.0- 0.7	360	96.2	94.2-98.2	7	1.8	0.4- 3.2
25-34	609	865,992	11	1.5	0.1- 2.9	8	1.4	0.2- 2.6	584	95.3	92.9-97.7	6	1.8	0.2- 3.4
35-44	641	833,472	42	5.5	3.5- 7.5	16	2.7	0.7- 4.7	574	90.3	87.4-93.2	9	1.5	0.3- 2.7
45-54	1001	846,411	148	14.3	11.0-17.6	15	1.7	0.5- 2.9	819	82.3	78.8-85.8	19	1.7	0.7- 2.7
55-64	1314	839,881	295	23.2	20.3-26.1	10	0.7	0.3- 1.1	985	74.2	71.1-77.3	24	1.9	0.9- 2.9
65+	2107	1,069,411	484	24.1	21.7-26.5	9	0.3	0.1- 0.5	1568	73.4	70.9-75.9	46	2.1	1.3- 2.9
Less Than H.S.	646	753,724	171	20.1	16.2-24.0	4	1.4	0.0- 3.0	451	75.5	71.0-80.0	20	3.0	1.2- 4.8
H.S. or G.E.D.	2001	1,725,312	340	12.5	10.7-14.3	22	1.0	0.4- 1.6	1598	84.6	82.6-86.6	41	1.9	1.1- 2.7
Some Post-H.S.	1610	1,505,838	285	12.8	10.8-14.8	14	1.2	0.4- 2.0	1284	84.4	82.2-86.6	27	1.6	0.8- 2.4
College Graduate	1878	1,174,525	202	8.0	6.6- 9.4	21	1.2	0.4- 2.0	1630	89.6	87.8-91.4	25	1.2	0.6- 1.8
Less than \$15,000	650	482,979	152	16.5	13.2-19.8	10	1.9	0.3- 3.5	468	79.7	75.8-83.6	20	2.0	1.0- 3.0
\$15,000- 24,999	983	824,508	207	16.7	13.6-19.8	6	0.4	0.0- 0.8	750	80.7	77.4-84.0	20	2.2	1.0- 3.4
\$25,000- 34,999	621	518,327	106	15.0	11.1-18.9	6	0.6	0.0- 1.2	497	81.5	77.2-85.8	12	2.9	0.7- 5.1
\$35,000- 49,999	815	690,247	128	11.6	9.1-14.1	10	1.8	0.2- 3.4	664	84.7	81.6-87.8	13	1.9	0.5- 3.3
\$50,000- 74,999	749	685,150	102	10.4	7.9-12.9	5	0.8	0.0- 1.8	635	88.0	85.3-90.7	7	0.8	0.0- 1.6
\$75,000+	1212	1,084,239	113	6.8	5.0- 8.6	14	1.2	0.4- 2.0	1074	90.8	88.6-93.0	11	1.1	0.1- 2.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 6: CHRONIC HEALTH CONDITIONS  
 TABLE 35: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2602	2,484,887	446	13.4	11.8-15.0	2104	84.5	82.7-86.3	52	2.1	1.3- 2.9
White/Non-Hisp	2113	1,873,224	363	13.7	11.9-15.5	1710	84.2	82.2-86.2	40	2.1	1.3- 2.9
Black or Afr. Am./Non-Hisp	261	351,058	47	11.2	6.9-15.5	208	86.9	82.2-91.6	6	1.9	0.1- 3.7
Oth. Race/Non-Hisp.	63	73,925	11	18.2	4.1-32.3	49	79.0	64.7-93.3	3	2.9	0.0- 6.4
MultiRacial/Non-Hisp.	53	29,751	11	19.2	4.9-33.5	42	80.8	66.5-95.1			
Hispanic	67	121,835	7	9.4	0.0-22.3	58	86.8	73.1- 100	2	3.8	0.0- 9.7
18-24	208	324,833	4	2.2	0.0- 4.6	200	95.5	92.2-98.8	4	2.3	0.0- 4.7
25-34	287	425,670	4	0.8	0.0- 1.6	279	96.4	93.5-99.3	4	2.8	0.0- 5.7
35-44	292	411,985	18	5.1	2.2- 8.0	269	93.6	90.3-96.9	5	1.3	0.0- 2.7
45-54	405	408,424	60	17.3	11.4-23.2	337	81.0	74.9-87.1	8	1.7	0.1- 3.3
55-64	591	405,225	151	24.0	19.7-28.3	427	74.0	69.7-78.3	13	2.0	0.6- 3.4
65+	783	472,310	206	27.7	23.6-31.8	560	69.7	65.6-73.8	17	2.6	1.0- 4.2
Less Than H.S.	243	357,128	64	18.9	12.8-25.0	173	78.4	71.9-84.9	6	2.7	0.2- 5.2
H.S. or G.E.D.	846	836,074	143	12.4	9.7-15.1	686	85.2	82.3-88.1	17	2.3	0.9- 3.7
Some Post-H.S.	650	698,357	128	14.5	11.4-17.6	508	83.6	80.1-87.1	14	1.9	0.5- 3.3
College Graduate	858	590,127	109	9.7	7.3-12.1	734	88.5	86.0-91.0	15	1.8	0.6- 3.0
Less than \$15,000	214	183,747	44	16.6	10.9-22.3	160	80.5	74.4-86.6	10	2.9	0.7- 5.1
\$15,000- 24,999	339	325,749	72	18.2	12.1-24.3	258	78.7	72.2-85.2	9	3.2	0.8- 5.6
\$25,000- 34,999	270	264,981	55	18.0	11.7-24.3	210	79.4	72.7-86.1	5	2.5	0.0- 5.4
\$35,000- 49,999	381	360,957	71	13.3	9.4-17.2	302	84.3	79.8-88.8	8	2.3	0.1- 4.5
\$50,000- 74,999	367	370,597	56	11.2	7.5-14.9	308	87.8	83.9-91.7	3	1.0	0.0- 2.2
\$75,000+	652	628,951	77	7.4	5.0- 9.8	566	91.1	88.4-93.8	9	1.6	0.2- 3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS  
TABLE 36: (EVER TOLD) YOU HAVE DIABETES (DIABETE3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3549	2,680,112	557	12.0	10.6-13.4	61	2.3	1.5- 3.1	2869	84.2	82.6-85.8	62	1.5	0.9- 2.1
White/Non-Hisp	2848	2,003,854	430	12.4	11.0-13.8	46	1.5	0.9- 2.1	2321	84.5	82.9-86.1	51	1.6	1.0- 2.2
Black or Afr. Am./Non-Hisp	494	463,571	98	12.6	8.9-16.3	9	4.2	0.9- 7.5	381	82.8	78.1-87.5	6	0.4	0.0- 0.8
Oth. Race/Non-Hisp.	58	44,651	8	8.5	1.4-15.6	3	8.8	0.0-21.5	46	81.8	67.9-95.7	1	0.9	0.0- 2.7
Hispanic	50	96,892	6	7.0	0.9-13.1	1	4.9	0.0-14.1	42	84.4	72.1-96.7	1	3.7	0.0-10.8
18-24	169	311,332	4	1.2	0.0- 2.4	2	0.7	0.0- 1.7	160	96.9	94.7-99.1	3	1.3	0.0- 2.7
25-34	321	438,995	7	2.2	0.0- 4.7	8	2.7	0.5- 4.9	304	94.2	90.7-97.7	2	0.8	0.0- 2.0
35-44	349	421,487	24	5.8	3.1- 8.5	16	5.4	1.5- 9.3	305	87.2	82.3-92.1	4	1.6	0.0- 3.6
45-54	595	436,077	87	11.1	8.4-13.8	15	3.3	1.1- 5.5	482	83.9	80.4-87.4	11	1.7	0.3- 3.1
55-64	723	434,656	144	22.4	18.3-26.5	10	1.4	0.4- 2.4	558	74.5	70.2-78.8	11	1.7	0.3- 3.1
65+	1323	596,823	278	21.3	18.4-24.2	9	0.6	0.0- 1.2	1007	76.3	73.4-79.2	29	1.7	0.9- 2.5
Less Than H.S.	402	394,685	106	20.7	15.6-25.8	4	2.6	0.0- 5.7	278	73.2	67.3-79.1	14	3.4	1.0- 5.8
H.S. or G.E.D.	1155	889,238	197	12.5	10.3-14.7	22	2.0	0.8- 3.2	912	84.1	81.6-86.6	24	1.4	0.8- 2.0
Some Post-H.S.	959	806,155	157	11.2	9.0-13.4	14	2.3	0.7- 3.9	775	85.0	82.3-87.7	13	1.4	0.4- 2.4
College Graduate	1019	584,120	93	6.3	4.5- 8.1	21	2.4	0.8- 4.0	895	90.7	88.3-93.1	10	0.6	0.0- 1.2
Less than \$15,000	436	299,233	108	16.4	12.3-20.5	10	3.0	0.5- 5.5	308	79.2	74.3-84.1	10	1.4	0.4- 2.4
\$15,000- 24,999	644	498,759	135	15.7	12.4-19.0	6	0.7	0.0- 1.5	492	82.1	78.4-85.8	11	1.6	0.4- 2.8
\$25,000- 34,999	351	253,346	51	11.8	7.5-16.1	6	1.2	0.0- 2.4	287	83.7	78.4-89.0	7	3.3	0.0- 6.6
\$35,000- 49,999	434	329,291	57	9.7	6.4-13.0	10	3.8	0.7- 6.9	362	85.2	80.7-89.7	5	1.3	0.0- 2.7
\$50,000- 74,999	382	314,554	46	9.5	6.2-12.8	5	1.8	0.0- 4.0	327	88.2	84.3-92.1	4	0.5	0.0- 1.1
\$75,000+	559	453,377	35	5.7	3.5- 7.9	14	2.8	0.8- 4.8	508	90.9	87.8-94.0	2	0.6	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 37: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	888	571,529	18	3.1	1.3- 4.9	66	9.5	6.6-12.4	196	26.9	22.4-31.4	399	40.0	35.7-44.3	209	20.5	17.4-23.6
Male	405	292,608	6	3.3	0.6- 6.0	20	7.3	3.0-11.6	88	27.1	20.0-34.2	194	41.1	34.8-47.4	97	21.3	16.4-26.2
Female	482	277,011	12	3.0	1.0- 5.0	45	11.2	7.3-15.1	108	26.9	21.4-32.4	205	39.1	33.4-44.8	112	19.8	15.5-24.1
White/Non-Hisp	708	448,973	14	3.0	1.0- 5.0	44	7.4	4.7-10.1	157	26.6	22.1-31.1	316	40.2	35.7-44.7	177	22.8	19.1-26.5
Black or Afr. Am./Non-Hisp	123	79,201	2	2.7	0.0- 7.2	12	14.6	2.6-26.6	21	20.7	10.7-30.7	63	47.6	35.3-59.9	25	14.3	7.2-21.4
45-54	137	106,229	2	0.5	0.0- 1.3	20	16.5	6.1-26.9	71	55.4	42.7-68.1	44	27.6	17.6-37.6			
55-64	262	169,921	2	0.9	0.0- 2.3	11	4.0	1.1- 6.9	58	23.8	16.7-30.9	172	63.2	55.6-70.8	19	8.1	4.0-12.2
65+	421	225,196	3	1.2	0.0- 2.8	10	3.3	0.8- 5.8	42	11.6	7.5-15.7	179	39.5	33.6-45.4	187	44.4	38.3-50.5
Less Than H.S.	136	115,435	3	1.1	0.0- 2.3	6	3.5	0.0- 7.2	25	26.6	13.5-39.7	62	41.7	30.5-52.9	40	27.1	17.9-36.3
H.S. or G.E.D.	302	186,366	2	0.9	0.0- 2.3	25	10.0	5.7-14.3	63	26.5	19.2-33.8	146	43.8	36.7-50.9	66	18.8	13.5-24.1
Some Post-H.S.	256	177,942	8	6.8	2.1-11.5	20	13.2	5.9-20.5	65	27.3	20.0-34.6	101	33.0	25.7-40.3	62	19.7	13.8-25.6
College Graduate	190	89,458	4	3.2	0.0- 7.3	15	9.0	3.1-14.9	42	26.4	18.0-34.8	88	44.0	34.6-53.4	41	17.4	10.7-24.1
Less than \$15,000	135	70,841	3	3.3	0.0- 8.2	12	7.0	2.5-11.5	25	17.9	11.0-24.8	63	51.0	40.2-61.8	32	20.9	12.7-29.1
\$15,000- 24,999	186	127,886	6	3.8	0.3- 7.3	13	6.6	2.3-10.9	47	36.8	25.0-48.6	75	34.4	25.2-43.6	45	18.3	11.8-24.8
\$25,000- 34,999	93	62,203	3	8.5	0.0-18.3	10	15.8	4.8-26.8	23	25.3	13.1-37.5	42	37.8	25.8-49.8	15	12.6	5.2-20.0
\$35,000- 49,999	121	75,467	2	2.4	0.0- 6.5	4	3.8	0.0- 8.7	24	23.5	12.9-34.1	64	49.1	37.3-60.9	27	21.3	11.9-30.7
\$50,000- 74,999	91	65,299	3	5.1	0.0-11.4	4	5.4	0.0-11.3	25	30.8	17.9-43.7	39	39.1	26.6-51.6	20	19.5	10.1-28.9
\$75,000+	111	73,313	1	0.4	0.0- 1.2	10	20.1	6.0-34.2	29	27.3	16.7-37.9	53	36.9	25.3-48.5	18	15.3	6.7-23.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 38: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	405	292,608	6	3.3	0.6- 6.0	20	7.3	3.0-11.6	88	27.1	20.0-34.2	194	41.1	34.8-47.4	97	21.3	16.6-26.0
White/Non-Hisp	332	229,467	5	3.5	0.2- 6.8	13	4.9	2.0- 7.8	71	25.1	18.8-31.4	158	42.5	35.8-49.2	85	24.0	18.3-29.7
45-54	55	58,617				8	18.5	1.4-35.6	29	51.9	30.9-72.9	18	29.5	13.8-45.2			
55-64	139	87,279				3	2.0	0.0- 5.1	29	25.3	15.3-35.3	98	66.9	56.5-77.3	9	5.8	1.3-10.3
65+	186	116,954				1	1.5	0.0- 4.4	19	11.6	6.1-17.1	78	38.1	29.7-46.5	88	48.8	40.2-57.4
Less Than H.S.	54	57,487							10	33.3	10.8-55.8	25	34.7	18.8-50.6	19	32.0	16.3-47.7
H.S. or G.E.D.	129	85,444				8	7.3	1.8-12.8	27	26.1	15.3-36.9	70	49.2	38.2-60.2	24	17.4	9.8-25.0
Some Post-H.S.	116	93,673	4	8.2	0.4-16.0	5	11.4	0.2-22.6	28	26.1	15.5-36.7	49	34.0	23.4-44.6	30	20.3	11.7-28.9
College Graduate	105	54,578	2	3.6	0.0- 9.9	7	8.0	1.1-14.9	22	21.8	11.6-32.0	50	48.4	36.4-60.4	24	18.1	9.9-26.3
\$15,000- 24,999	67	57,110	1	2.8	0.0- 8.1	1	2.4	0.0- 7.1	15	36.8	14.8-58.8	31	37.7	20.6-54.8	19	20.3	8.9-31.7
\$35,000- 49,999	68	46,139	2	3.9	0.0-10.4	2	5.1	0.0-12.7	12	17.2	5.2-29.2	36	50.8	35.3-66.3	16	23.0	9.9-36.1
\$75,000+	76	45,715				6	22.4	2.6-42.2	20	27.1	14.0-40.2	37	35.4	20.7-50.1	13	15.1	5.1-25.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 39: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15			16-30			31-45			46-60			60+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	482	277,011	12	3.0	1.0- 5.0	45	11.2	7.3-15.1	108	26.9	21.4-32.4	205	39.1	33.4-44.8	112	19.8	15.5-24.1
White/Non-Hisp	376	219,505	9	2.4	0.6- 4.2	31	10.0	5.7-14.3	86	28.2	21.7-34.7	158	37.9	31.4-44.4	92	21.5	16.4-26.6
Black or Afr. Am./Non-Hisp	81	44,177	2	4.9	0.0-12.7	10	12.3	4.5-20.1	14	20.5	8.9-32.1	38	48.1	33.4-62.8	17	14.3	5.9-22.7
45-54	81	45,701	2	1.2	0.0- 3.2	11	10.4	3.7-17.1	42	62.2	50.2-74.2	26	26.2	15.2-37.2			
55-64	123	82,642	2	1.8	0.0- 4.5	8	6.0	0.9-11.1	29	22.3	11.9-32.7	74	59.3	47.9-70.7	10	10.6	3.3-17.9
65+	235	108,241	3	2.4	0.0- 5.7	9	5.3	1.2- 9.4	23	11.6	5.7-17.5	101	41.1	32.7-49.5	99	39.6	31.6-47.6
Less Than H.S.	81	56,038	3	2.3	0.0- 4.8	5	3.8	0.3- 7.3	15	20.7	9.9-31.5	37	50.2	36.5-63.9	21	23.0	12.4-33.6
H.S. or G.E.D.	173	100,922	2	1.6	0.0- 4.1	17	12.4	6.1-18.7	36	26.8	17.0-36.6	76	39.2	29.8-48.6	42	20.0	12.7-27.3
Some Post-H.S.	140	84,270	4	5.3	0.0-10.6	15	15.1	6.3-23.9	37	28.7	18.9-38.5	52	32.0	22.8-41.2	32	19.0	11.4-26.6
College Graduate	85	34,880	2	2.4	0.0- 5.9	8	10.6	0.2-21.0	20	33.7	19.2-48.2	38	37.0	23.5-50.5	17	16.3	5.7-26.9
Less than \$15,000	93	42,424	3	5.5	0.0-13.7	8	7.5	1.8-13.2	15	17.1	9.8-24.4	40	46.0	32.3-59.7	27	24.0	14.2-33.8
\$15,000- 24,999	119	70,776	5	4.7	0.2- 9.2	12	10.1	3.6-16.6	32	36.8	24.8-48.8	44	31.7	21.7-41.7	26	16.7	8.9-24.5
\$35,000- 49,999	53	29,328				2	1.8	0.0- 4.7	12	33.4	15.0-51.8	28	46.3	28.9-63.7	11	18.5	5.8-31.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 7: ORAL HEALTH CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	79
2	MALES ONLY	80
3	FEMALES ONLY	81
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	82
5	MALES ONLY	83
6	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6071	5,102,500	3691	59.1	57.3-60.9	706	12.6	11.4-13.8	641	11.2	10.0-12.4	1007	16.5	15.1-17.9	26	0.7	0.3- 1.1
Male	2572	2,458,217	1535	57.0	54.3-59.7	300	13.0	11.0-15.0	277	11.2	9.4-13.0	445	17.8	15.6-20.0	15	1.0	0.2- 1.8
Female	3496	2,640,770	2154	60.9	58.5-63.3	406	12.2	10.6-13.8	363	11.1	9.5-12.7	562	15.4	13.8-17.0	11	0.3	0.1- 0.5
White/Non-Hisp	4896	3,835,282	3063	61.2	59.2-63.2	530	11.3	10.1-12.5	508	11.2	9.8-12.6	784	16.0	14.6-17.4	11	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	743	807,111	411	54.2	48.7-59.7	117	15.9	12.0-19.8	82	11.2	7.3-15.1	128	18.0	13.9-22.1	5	0.7	0.1- 1.3
Oth. Race/Non-Hisp.	121	118,239	57	46.5	33.2-59.8	17	18.7	5.6-31.8	17	10.1	3.2-17.0	28	23.8	12.8-34.8	2	0.8	0.0- 2.2
MultiRacial/Non-Hisp.	101	52,491	43	42.9	27.8-58.0	10	10.9	3.1-18.7	12	10.3	1.1-19.5	35	34.3	20.4-48.2	1	1.7	0.0- 5.0
Hispanic	116	216,945	60	48.1	35.9-60.3	24	21.5	11.7-31.3	12	11.2	2.0-20.4	15	11.9	4.5-19.3	5	7.4	0.0-14.8
18-24	370	628,623	246	66.9	61.0-72.8	56	15.1	10.6-19.6	36	8.8	5.3-12.3	28	8.1	4.6-11.6	4	1.0	0.0- 2.0
25-34	603	860,437	339	55.3	50.0-60.6	96	14.6	11.1-18.1	65	12.1	8.4-15.8	94	16.2	12.3-20.1	9	1.8	0.0- 3.6
35-44	634	816,695	395	59.5	54.2-64.8	74	13.4	9.7-17.1	65	11.2	7.7-14.7	99	15.4	11.5-19.3	1	0.5	0.0- 1.5
45-54	991	841,356	592	57.1	52.8-61.4	111	12.0	8.9-15.1	120	14.3	11.0-17.6	167	16.4	13.5-19.3	1	0.1	0.0- 0.3
55-64	1295	829,550	788	61.1	57.6-64.6	151	11.0	8.8-13.2	139	10.6	8.2-13.0	215	17.2	14.5-19.9	2	0.2	0.0- 0.4
65+	2072	1,048,180	1258	56.7	53.8-59.6	211	10.8	9.0-12.6	208	9.6	7.8-11.4	388	22.4	19.9-24.9	7	0.4	0.0- 0.8
Less Than H.S.	629	725,216	192	34.2	28.7-39.7	82	10.8	7.9-13.7	87	15.7	11.4-20.0	262	38.3	33.0-43.6	6	1.0	0.0- 2.2
H.S. or G.E.D.	1951	1,693,330	1008	53.9	50.8-57.0	293	16.1	13.6-18.6	240	11.5	9.5-13.5	398	17.3	15.1-19.5	12	1.2	0.2- 2.2
Some Post-H.S.	1601	1,503,365	988	61.9	58.6-65.2	177	11.6	9.4-13.8	189	11.7	9.3-14.1	244	14.6	12.2-17.0	3	0.1	0.0- 0.3
College Graduate	1870	1,171,922	1491	78.1	75.4-80.8	153	9.8	7.8-11.8	123	7.5	5.7- 9.3	99	4.4	3.2- 5.6	4	0.2	0.0- 0.4
Less than \$15,000	634	472,332	201	36.0	30.1-41.9	96	16.7	12.2-21.2	101	12.9	9.4-16.4	233	34.2	28.7-39.7	3	0.2	0.0- 0.4
\$15,000- 24,999	967	814,843	426	45.7	41.0-50.4	137	12.8	9.9-15.7	152	17.0	13.1-20.9	247	23.9	20.4-27.4	5	0.7	0.0- 1.5
\$25,000- 34,999	613	501,079	326	50.4	44.7-56.1	91	15.0	11.1-18.9	73	10.2	7.1-13.3	120	23.5	18.6-28.4	3	1.0	0.0- 2.2
\$35,000- 49,999	804	684,868	512	59.3	54.2-64.4	98	14.1	10.2-18.0	87	11.4	8.3-14.5	105	14.1	10.8-17.4	2	1.1	0.0- 3.1
\$50,000- 74,999	747	683,017	564	70.2	65.1-75.3	73	11.4	8.1-14.7	48	7.8	4.9-10.7	61	10.5	6.8-14.2	1	0.1	0.0- 0.3
\$75,000+	1212	1,084,701	1026	79.0	75.5-82.5	89	9.9	7.4-12.4	64	7.7	5.2-10.2	31	3.2	1.8- 4.6	2	0.2	0.0- 0.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2572	2,458,217	1535	57.0	54.3-59.7	300	13.0	11.0-15.0	277	11.2	9.4-13.0	445	17.8	15.6-20.0	15	1.0	0.2- 1.8
White/Non-Hisp	2085	1,850,835	1288	60.6	57.7-63.5	232	11.8	9.8-13.8	215	10.9	9.1-12.7	346	16.5	14.3-18.7	4	0.3	0.1- 0.5
Black or Afr. Am./Non-Hisp	260	350,090	133	47.7	39.3-56.1	37	14.9	8.8-21.0	34	12.3	6.2-18.4	52	23.7	16.4-31.0	4	1.4	0.0- 3.0
Oth. Race/Non-Hisp.	63	73,589	30	38.6	21.7-55.5	11	27.7	8.5-46.9	9	8.6	1.3-15.9	11	23.8	8.1-39.5	2	1.3	0.0- 3.7
MultiRacial/Non-Hisp.	54	29,398	22	45.8	25.4-66.2	6	7.6	0.5-14.7	5	13.3	0.0-28.4	20	30.4	14.9-45.9	1	3.0	0.0- 8.7
Hispanic	66	120,053	37	41.3	26.2-56.4	8	18.2	4.9-31.5	10	17.2	1.9-32.5	8	13.2	2.0-24.4	3	10.1	0.0-22.6
18-24	204	319,642	130	58.9	50.3-67.5	38	20.0	12.9-27.1	18	9.9	4.2-15.6	16	10.6	4.7-16.5	2	0.7	0.0- 1.7
25-34	283	422,332	152	53.9	46.5-61.3	45	14.1	9.4-18.8	33	10.8	6.5-15.1	46	17.9	12.0-23.8	7	3.5	0.0- 7.0
35-44	288	406,619	181	59.7	51.7-67.7	35	13.8	8.1-19.5	20	8.4	3.7-13.1	51	17.1	10.8-23.4	1	1.0	0.0- 3.0
45-54	401	406,407	230	53.0	46.1-59.9	51	14.4	9.3-19.5	49	15.6	9.9-21.3	70	16.8	12.1-21.5	1	0.3	0.0- 0.9
55-64	582	399,924	350	62.5	57.4-67.6	59	8.7	6.0-11.4	66	10.8	7.7-13.9	105	17.7	13.6-21.8	2	0.3	0.0- 0.9
65+	777	466,875	468	55.7	51.0-60.4	69	9.0	6.3-11.7	88	10.8	7.9-13.7	151	24.4	20.1-28.7	1	0.1	0.0- 0.3
Less Than H.S.	235	347,675	74	37.2	28.2-46.2	26	9.2	5.3-13.1	36	17.7	10.4-25.0	96	34.4	26.2-42.6	3	1.6	0.0- 4.0
H.S. or G.E.D.	829	821,554	410	51.0	46.3-55.7	131	17.5	13.6-21.4	99	10.9	8.0-13.8	182	18.6	15.1-22.1	7	2.0	0.0- 4.0
Some Post-H.S.	648	697,203	387	58.2	52.9-63.5	75	12.3	8.6-16.0	75	10.3	7.0-13.6	109	19.0	14.7-23.3	2	0.2	0.0- 0.4
College Graduate	855	588,781	662	76.0	72.1-79.9	68	9.7	6.8-12.6	66	8.9	6.2-11.6	57	5.2	3.4- 7.0	2	0.2	0.0- 0.4
Less than \$15,000	209	179,007	61	35.1	25.5-44.7	32	15.3	8.0-22.6	35	11.5	6.8-16.2	78	37.7	28.3-47.1	3	0.4	0.0- 1.0
\$15,000- 24,999	336	323,235	137	42.2	34.6-49.8	42	12.6	7.3-17.9	54	17.8	10.9-24.7	99	25.6	19.5-31.7	4	1.7	0.0- 3.5
\$25,000- 34,999	266	259,344	123	43.1	35.1-51.1	42	16.5	10.4-22.6	34	10.4	5.9-14.9	66	29.1	21.3-36.9	1	0.9	0.0- 2.7
\$35,000- 49,999	374	356,786	214	52.5	45.2-59.8	47	13.5	8.0-19.0	45	12.6	7.7-17.5	67	19.3	13.6-25.0	1	2.0	0.0- 5.9
\$50,000- 74,999	367	370,597	259	64.4	56.8-72.0	37	11.5	6.8-16.2	31	8.9	4.8-13.0	39	14.9	8.4-21.4	1	0.2	0.0- 0.6
\$75,000+	652	629,414	542	77.5	72.6-82.4	52	11.1	7.4-14.8	34	7.1	4.0-10.2	24	4.3	1.9- 6.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.  
(LASTDEN3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3496	2,640,770	2154	60.9	58.5-63.3	406	12.2	10.6-13.8	363	11.1	9.5-12.7	562	15.4	13.8-17.0	11	0.3	0.1- 0.5
White/Non-Hisp	2809	1,982,843	1774	61.8	59.3-64.3	298	10.8	9.2-12.4	292	11.6	9.8-13.4	438	15.5	13.7-17.3	7	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	483	457,020	278	59.1	52.0-66.2	80	16.7	11.4-22.0	48	10.4	5.5-15.3	76	13.7	9.2-18.2	1	0.1	0.0- 0.3
Oth. Race/Non-Hisp.	58	44,651	27	59.6	41.8-77.4	6	3.9	0.0- 8.0	8	12.7	0.0-26.0	17	23.8	9.9-37.7			
Hispanic	50	96,892	23	56.5	39.4-73.6	16	25.5	11.2-39.8	2	3.7	0.0-10.2	7	10.4	1.6-19.2	2	4.0	0.0- 9.5
18-24	166	308,981	116	75.3	67.9-82.7	18	10.1	4.8-15.4	18	7.7	3.8-11.6	12	5.6	1.7- 9.5	2	1.2	0.0- 3.0
25-34	319	436,778	187	56.9	49.5-64.3	51	15.1	10.0-20.2	31	13.2	7.1-19.3	48	14.6	9.5-19.7	2	0.2	0.0- 0.4
35-44	346	410,076	214	59.3	52.2-66.4	39	13.0	7.9-18.1	45	14.1	9.0-19.2	48	13.7	9.2-18.2			
45-54	589	433,038	361	60.8	55.5-66.1	60	9.8	6.5-13.1	71	13.2	9.5-16.9	97	16.2	12.3-20.1			
55-64	713	429,627	438	59.7	55.0-64.4	92	13.1	10.0-16.2	73	10.4	7.1-13.7	110	16.7	13.0-20.4			
65+	1294	581,028	789	57.5	54.0-61.0	142	12.3	9.8-14.8	120	8.7	6.5-10.9	237	20.8	17.9-23.7	6	0.7	0.1- 1.3
Less Than H.S.	393	375,630	117	31.2	24.5-37.9	56	12.3	8.2-16.4	51	13.9	8.6-19.2	166	42.1	35.4-48.8	3	0.5	0.0- 1.1
H.S. or G.E.D.	1122	871,776	598	56.6	52.3-60.9	162	14.9	11.8-18.0	141	12.0	9.3-14.7	216	16.0	13.3-18.7	5	0.5	0.0- 1.1
Some Post-H.S.	952	804,836	601	65.3	61.0-69.6	102	11.0	8.3-13.7	113	12.8	9.3-16.3	135	10.8	8.4-13.2	1	0.1	0.0- 0.3
College Graduate	1014	582,863	828	80.3	76.8-83.8	85	9.8	7.1-12.5	57	6.0	3.6- 8.4	42	3.6	2.0- 5.2	2	0.3	0.0- 0.9
Less than \$15,000	425	293,325	140	36.6	29.3-43.9	64	17.5	11.6-23.4	66	13.8	8.9-18.7	155	32.1	25.4-38.8			
\$15,000- 24,999	631	491,608	289	47.9	42.0-53.8	95	12.9	9.6-16.2	98	16.4	11.7-21.1	148	22.8	18.3-27.3	1	0.1	0.0- 0.3
\$25,000- 34,999	347	241,735	203	58.2	50.8-65.6	49	13.3	8.2-18.4	39	9.9	5.8-14.0	54	17.5	12.2-22.8	2	1.1	0.0- 3.1
\$35,000- 49,999	430	328,082	298	66.7	60.2-73.2	51	14.7	9.2-20.2	42	10.0	6.3-13.7	38	8.5	5.2-11.8	1	0.1	0.0- 0.3
\$50,000- 74,999	380	312,421	305	77.0	70.9-83.1	36	11.3	6.8-15.8	17	6.6	2.5-10.7	22	5.2	2.5- 7.9			
\$75,000+	559	453,377	483	81.0	75.7-86.3	37	8.2	5.1-11.3	30	8.6	4.1-13.1	7	1.8	0.2- 3.4	2	0.4	0.0- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5947	5,028,237	1781	28.8	27.0-30.6	912	11.8	10.8-12.8	619	8.0	7.2- 8.8	2635	51.4	49.6-53.2
Male	2530	2,420,576	757	28.1	25.7-30.5	352	11.1	9.7-12.5	239	7.6	6.2- 9.0	1182	53.2	50.5-55.9
Female	3414	2,604,148	1022	29.3	26.9-31.7	560	12.5	11.1-13.9	380	8.4	7.2- 9.6	1452	49.8	47.3-52.3
White/Non-Hisp	4787	3,763,816	1420	27.1	25.3-28.9	709	12.6	11.4-13.8	509	9.2	8.2-10.2	2149	51.1	49.1-53.1
Black or Afr. Am./Non-Hisp	734	799,413	248	38.8	33.3-44.3	141	10.7	8.2-13.2	67	4.4	2.6- 6.2	278	46.2	40.7-51.7
Oth. Race/Non-Hisp.	119	116,168	32	22.1	12.7-31.5	25	12.6	5.7-19.5	8	3.0	0.1- 5.9	54	62.4	50.6-74.2
MultiRacial/Non-Hisp.	101	52,843	33	45.5	30.0-61.0	23	13.8	6.7-20.9	17	9.9	3.6-16.2	28	30.8	17.7-43.9
Hispanic	117	215,417	27	20.0	10.4-29.6	4	1.5	0.0- 3.1	3	2.8	0.0- 6.5	83	75.7	65.5-85.9
18-24	376	635,422	38	14.3	9.2-19.4	5	0.9	0.0- 1.9	1	0.1	0.0- 0.3	332	84.7	79.4-90.0
25-34	606	863,465	135	22.8	18.5-27.1	18	2.8	1.2- 4.4	13	2.5	0.7- 4.3	440	72.0	67.3-76.7
35-44	629	812,507	195	33.5	28.2-38.8	38	5.3	3.1- 7.5	8	2.3	0.0- 4.8	388	58.9	53.4-64.4
45-54	973	822,240	333	36.1	31.8-40.4	133	13.6	10.7-16.5	59	5.0	3.4- 6.6	448	45.2	40.9-49.5
55-64	1276	811,452	417	32.8	29.5-36.1	245	19.0	16.3-21.7	160	12.3	9.9-14.7	454	35.9	32.6-39.2
65+	1987	1,009,194	631	30.2	27.5-32.9	460	24.3	21.8-26.8	371	21.6	19.1-24.1	525	23.9	21.5-26.3
Less Than H.S.	612	718,860	137	26.8	21.5-32.1	174	21.9	17.8-26.0	189	24.6	20.1-29.1	112	26.7	21.0-32.4
H.S. or G.E.D.	1912	1,672,958	624	32.3	29.2-35.4	366	13.8	12.0-15.6	261	8.2	7.0- 9.4	661	45.7	42.4-49.0
Some Post-H.S.	1567	1,476,791	524	32.0	28.9-35.1	249	10.6	8.8-12.4	123	4.6	3.4- 5.8	671	52.9	49.4-56.4
College Graduate	1838	1,153,003	491	20.9	18.5-23.3	120	4.1	3.1- 5.1	43	1.9	0.9- 2.9	1184	73.2	70.7-75.7
Less than \$15,000	625	470,476	153	27.5	22.2-32.8	162	22.0	17.5-26.5	143	14.7	11.6-17.8	167	35.8	29.7-41.9
\$15,000- 24,999	944	804,379	291	32.9	28.2-37.6	232	18.2	15.3-21.1	149	12.3	9.8-14.8	272	36.7	32.0-41.4
\$25,000- 34,999	605	507,229	207	32.0	26.3-37.7	102	12.5	9.6-15.4	79	11.2	8.1-14.3	217	44.3	38.4-50.2
\$35,000- 49,999	797	676,799	256	29.6	25.1-34.1	114	10.4	7.9-12.9	59	6.3	4.3- 8.3	368	53.7	48.8-58.6
\$50,000- 74,999	732	669,953	240	30.9	25.8-36.0	90	10.7	8.0-13.4	29	4.3	1.2- 7.4	373	54.1	48.6-59.6
\$75,000+	1194	1,066,553	341	26.6	23.1-30.1	48	3.0	2.0- 4.0	19	1.3	0.5- 2.1	786	69.2	65.7-72.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2530	2,420,576	757	28.1	25.6-30.6	352	11.1	9.7-12.5	239	7.6	6.2- 9.0	1182	53.2	50.5-55.9
White/Non-Hisp	2056	1,820,787	618	27.3	24.8-29.8	277	12.0	10.2-13.8	205	8.9	7.1-10.7	956	51.7	48.8-54.6
Black or Afr. Am./Non-Hisp	251	341,724	84	39.5	30.9-48.1	43	7.9	4.6-11.2	15	2.7	0.7- 4.7	109	49.8	41.2-58.4
Oth. Race/Non-Hisp.	62	72,603	16	20.0	8.0-32.0	11	13.2	3.4-23.0	4	3.2	0.0- 7.3	31	63.7	47.8-79.6
MultiRacial/Non-Hisp.	52	29,028	14	34.7	13.3-56.1	13	17.3	5.9-28.7	8	10.1	1.5-18.7	17	37.9	18.5-57.3
Hispanic	68	123,278	17	15.0	6.4-23.6	3	2.1	0.0- 4.6	1	3.1	0.0- 9.2	47	79.8	69.2-90.4
18-24	208	324,833	16	9.5	4.2-14.8	2	1.0	0.0- 2.6	1	0.2	0.0- 0.6	189	89.3	83.8-94.8
25-34	285	423,991	67	23.0	16.7-29.3	2	0.5	0.0- 1.3	8	3.0	0.6- 5.4	208	73.5	67.0-80.0
35-44	287	401,021	85	32.9	25.5-40.3	15	5.0	1.9- 8.1	4	3.5	0.0- 8.4	183	58.6	50.6-66.6
45-54	397	402,067	137	35.8	29.1-42.5	49	12.9	8.6-17.2	20	4.1	2.1- 6.1	191	47.2	40.3-54.1
55-64	573	388,218	190	33.4	28.5-38.3	110	19.5	15.4-23.6	76	11.7	8.6-14.8	197	35.4	30.3-40.5
65+	744	445,698	250	30.9	26.6-35.2	173	25.4	21.3-29.5	130	21.3	17.2-25.4	191	22.4	18.7-26.1
Less Than H.S.	229	337,429	54	25.0	17.6-32.4	66	22.9	16.4-29.4	58	21.0	13.7-28.3	51	31.2	22.0-40.4
H.S. or G.E.D.	821	821,173	270	30.3	26.0-34.6	139	12.6	10.1-15.1	108	8.4	6.4-10.4	304	48.7	44.0-53.4
Some Post-H.S.	637	683,256	220	33.7	28.8-38.6	84	8.8	6.4-11.2	48	4.4	2.8- 6.0	285	53.1	47.8-58.4
College Graduate	839	577,140	212	20.3	17.0-23.6	63	4.6	3.2- 6.0	25	2.6	0.8- 4.4	539	72.5	68.8-76.2
Less than \$15,000	209	180,496	47	22.2	14.8-29.6	55	27.7	18.9-36.5	43	13.2	8.1-18.3	64	36.8	27.0-46.6
\$15,000- 24,999	328	319,314	89	28.7	21.6-35.8	80	17.9	13.2-22.6	55	13.2	8.5-17.9	104	40.2	32.2-48.2
\$25,000- 34,999	262	257,830	93	32.1	24.8-39.4	43	11.9	7.6-16.2	41	12.6	7.9-17.3	85	43.4	35.0-51.8
\$35,000- 49,999	371	353,355	125	31.0	24.5-37.5	50	9.9	6.2-13.6	32	7.5	4.6-10.4	164	51.6	44.3-58.9
\$50,000- 74,999	359	361,505	105	29.4	22.1-36.7	50	10.4	7.1-13.7	18	6.2	0.5-11.9	186	54.1	46.3-61.9
\$75,000+	645	616,871	199	29.3	24.4-34.2	31	3.2	1.8- 4.6	12	1.6	0.4- 2.8	403	65.9	60.8-71.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 7: ORAL HEALTH**

**TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3414	2,604,148	1022	29.3	26.9-31.7	560	12.5	11.1-13.9	380	8.4	7.2- 9.6	1452	49.8	47.3-52.3
White/Non-Hisp	2729	1,941,426	801	26.9	24.5-29.3	432	13.1	11.5-14.7	304	9.4	8.0-10.8	1192	50.6	48.1-53.1
Black or Afr. Am./Non-Hisp	483	457,689	164	38.2	31.1-45.3	98	12.7	9.0-16.4	52	5.7	3.0- 8.4	169	43.4	36.1-50.7
Oth. Race/Non-Hisp.	57	43,565	16	25.5	11.0-40.0	14	11.6	3.8-19.4	4	2.6	0.0- 5.7	23	60.2	43.1-77.3
18-24	168	310,589	22	19.3	10.5-28.1	3	0.8	0.0- 1.8				143	79.9	71.1-88.7
25-34	320	438,148	67	22.3	16.2-28.4	16	5.1	2.0- 8.2	5	1.9	0.0- 4.3	232	70.7	63.8-77.6
35-44	342	411,486	110	34.1	26.8-41.4	23	5.7	2.8- 8.6	4	1.1	0.0- 2.5	205	59.1	51.7-66.5
45-54	575	418,262	195	36.2	30.7-41.7	84	14.4	10.5-18.3	39	5.8	3.4- 8.2	257	43.6	38.1-49.1
55-64	703	423,234	227	32.3	27.8-36.8	135	18.4	14.9-21.9	84	12.8	9.5-16.1	257	36.4	31.9-40.9
65+	1242	563,219	381	29.7	26.4-33.0	287	23.4	20.3-26.5	241	21.8	18.7-24.9	333	25.1	22.0-28.2
Less Than H.S.	382	379,521	82	28.1	20.7-35.5	108	21.1	16.2-26.0	131	28.0	22.3-33.7	61	22.7	16.0-29.4
H.S. or G.E.D.	1091	851,785	354	34.1	29.8-38.4	227	15.0	12.5-17.5	153	8.0	6.4- 9.6	357	42.8	38.3-47.3
Some Post-H.S.	929	792,208	303	30.4	26.3-34.5	165	12.2	9.7-14.7	75	4.7	3.3- 6.1	386	52.7	48.0-57.4
College Graduate	998	575,586	279	21.5	18.2-24.8	57	3.5	2.1- 4.9	18	1.1	0.5- 1.7	644	73.9	70.4-77.4
Less than \$15,000	416	289,979	106	30.8	23.5-38.1	107	18.4	13.5-23.3	100	15.6	11.7-19.5	103	35.2	27.6-42.8
\$15,000- 24,999	616	485,066	202	35.7	29.6-41.8	152	18.4	14.7-22.1	94	11.6	8.7-14.5	168	34.3	28.4-40.2
\$25,000- 34,999	343	249,399	114	32.0	23.6-40.4	59	13.1	8.8-17.4	38	9.7	5.4-14.0	132	45.2	36.8-53.6
\$35,000- 49,999	426	323,444	131	28.1	22.0-34.2	64	11.0	7.3-14.7	27	4.9	2.7- 7.1	204	55.9	49.2-62.6
\$50,000- 74,999	373	308,448	135	32.8	25.9-39.7	40	11.0	6.3-15.7	11	2.2	0.6- 3.8	187	54.0	46.6-61.4
\$75,000+	548	447,771	141	22.5	18.0-27.0	17	2.7	1.1- 4.3	7	0.9	0.1- 1.7	383	73.9	69.2-78.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	INDICATE SEX OF RESPONDENT. (SEX)	
1	MALES AND FEMALES	89
	WHAT IS YOUR AGE? (AGE)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94
	ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)	
7	MALES AND FEMALES	95
8	MALES ONLY	96
9	FEMALES ONLY	97
	THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE? (MRACE1)	
10	MALES AND FEMALES	98
11	MALES ONLY	99
12	FEMALES ONLY	100
	WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)	
13	MALES AND FEMALES	101
14	MALES ONLY	102
15	FEMALES ONLY	103
	ARE YOU: (MARITAL STATUS) (MARITAL)	
16	MALES AND FEMALES	104
17	MALES ONLY	105
18	FEMALES ONLY	106
	WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19	MALES AND FEMALES	107
20	MALES ONLY	108
21	FEMALES ONLY	109

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)	
22	MALES AND FEMALES	110
23	MALES ONLY	111
24	FEMALES ONLY	112
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)	
25	MALES AND FEMALES	113
26	MALES ONLY	114
27	FEMALES ONLY	115
	WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)	
28	MALES AND FEMALES	116
29	MALES ONLY	117
30	FEMALES ONLY	118
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
31	MALES AND FEMALES	119
32	MALES ONLY	120
33	FEMALES ONLY	121
	HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
34	MALES AND FEMALES	122
35	MALES ONLY	123
36	FEMALES ONLY	124
	DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)	
37	MALES AND FEMALES	125
38	MALES ONLY	126
39	FEMALES ONLY	127
	HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN3)	
40	MALES AND FEMALES	128
41	MALES ONLY	129
42	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
ARE YOU CURRENTLY...? (EMPLOY1)	
43 MALES AND FEMALES	131
44 MALES ONLY	132
45 FEMALES ONLY	133
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
46 MALES AND FEMALES	134
47 MALES ONLY	135
48 FEMALES ONLY	136
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
49 MALES AND FEMALES	137
50 MALES ONLY	138
51 FEMALES ONLY	139
HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)	
52 MALES AND FEMALES	140
53 MALES ONLY	141
54 FEMALES ONLY	142
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
55 MALES AND FEMALES	143
56 MALES ONLY	144
57 FEMALES ONLY	145
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
58 MALES AND FEMALES	146
59 MALES ONLY	147
60 FEMALES ONLY	148
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
61 FEMALES ONLY	
ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)	
64 MALES AND FEMALES	152
65 MALES ONLY	153
66 FEMALES ONLY	154
ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)	
67 MALES AND FEMALES	155

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
68 MALES ONLY	156
69 FEMALES ONLY	157
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)	
70 MALES AND FEMALES	158
71 MALES ONLY	159
72 FEMALES ONLY	160
DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)	
73 MALES AND FEMALES	161
74 MALES ONLY	162
75 FEMALES ONLY	163
DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)	
76 MALES AND FEMALES	164
77 MALES ONLY	165
78 FEMALES ONLY	166
BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING? (DIFFALON)	
79 MALES AND FEMALES	167
80 MALES ONLY	168
81 FEMALES ONLY	169

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 1: Indicate sex of respondent. (SEX)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Males			Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6164	5,174,184	2609	48.1	46.3-49.9	3555	51.9	50.1-53.7
White/Non-Hisp	4968	3,883,096	2115	48.3	46.3-50.3	2853	51.7	49.7-53.7
Black or Afr. Am./Non-Hisp	755	814,629	261	43.1	37.6-48.6	494	56.9	51.4-62.4
Oth. Race/Non-Hisp.	122	119,004	64	62.5	50.2-74.8	58	37.5	25.2-49.8
MultiRacial/Non-Hisp.	103	52,038	55	57.9	43.4-72.4	48	42.1	27.6-56.6
Hispanic	118	220,170	68	56.0	44.0-68.0	50	44.0	32.0-56.0
18-24	377	636,165	208	51.1	44.8-57.4	169	48.9	42.6-55.2
25-34	608	864,665	287	49.2	43.9-54.5	321	50.8	45.5-56.1
35-44	641	833,472	292	49.4	44.1-54.7	349	50.6	45.3-55.9
45-54	1004	847,806	407	48.4	44.1-52.7	597	51.6	47.3-55.9
55-64	1315	842,056	592	48.4	44.9-51.9	723	51.6	48.1-55.1
65+	2111	1,070,752	785	44.2	41.3-47.1	1326	55.8	52.9-58.7
Less Than H.S.	648	754,449	245	47.7	42.0-53.4	403	52.3	46.6-58.0
H.S. or G.E.D.	2003	1,726,973	847	48.4	45.3-51.5	1156	51.6	48.5-54.7
Some Post-H.S.	1613	1,508,053	652	46.4	42.9-49.9	961	53.6	50.1-57.1
College Graduate	1878	1,174,422	859	50.3	47.2-53.4	1019	49.7	46.6-52.8
Less than \$15,000	656	487,511	217	38.3	32.6-44.0	439	61.7	56.0-67.4
\$15,000- 24,999	983	824,508	339	39.5	34.8-44.2	644	60.5	55.8-65.2
\$25,000- 34,999	622	519,358	270	51.0	45.1-56.9	352	49.0	43.1-54.9
\$35,000- 49,999	816	690,912	382	52.3	47.4-57.2	434	47.7	42.8-52.6
\$50,000- 74,999	749	685,150	367	54.1	48.8-59.4	382	45.9	40.6-51.2
\$75,000+	1212	1,083,771	653	58.2	54.3-62.1	559	41.8	37.9-45.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6059	5,098,429	377	12.5	11.1-13.9	609	17.0	15.4-18.6	641	16.3	14.7-17.9	1005	16.7	15.3-18.1	1315	16.5	15.3-17.7	2112	21.0	19.8-22.2
Male	2571	2,453,365	208	13.2	11.0-15.4	287	17.4	15.0-19.8	292	16.8	14.4-19.2	407	16.7	14.5-18.9	592	16.6	14.8-18.4	785	19.3	17.5-21.1
Female	3485	2,641,550	169	11.8	9.8-13.8	321	16.6	14.4-18.8	349	16.0	13.8-18.2	597	16.6	14.8-18.4	723	16.5	14.9-18.1	1326	22.6	21.0-24.2
White/Non-Hisp	4899	3,837,746	269	10.7	9.3-12.1	459	15.6	14.0-17.2	512	15.9	14.3-17.5	809	16.2	14.8-17.6	1048	17.6	16.2-19.0	1802	24.0	22.6-25.4
Black or Afr. Am./Non-Hisp	744	805,207	61	17.2	12.5-21.9	92	21.4	16.5-26.3	76	16.5	12.2-20.8	115	17.1	13.0-21.2	197	15.2	12.3-18.1	203	12.6	10.1-15.1
Oth. Race/Non-Hisp.	117	113,918	9	14.5	4.1-24.9	10	9.3	1.3-17.3	16	16.1	6.7-25.5	26	29.9	16.0-43.8	22	14.4	5.0-23.8	34	15.8	8.0-23.6
MultiRacial/Non-Hisp.	100	52,648	3	5.8	0.0-13.2	11	21.9	8.0-35.8	12	22.3	7.2-37.4	21	21.0	10.0-32.0	23	16.0	7.8-24.2	30	12.9	6.6-19.2
Hispanic	117	214,398	29	27.5	17.1-37.9	27	26.7	15.9-37.5	16	19.0	9.0-29.0	21	16.6	6.8-26.4	14	6.6	2.7-10.5	10	3.6	0.9- 6.3
Less Than H.S.	642	749,892	19	6.2	3.3- 9.1	29	9.4	5.5-13.3	41	15.0	9.5-20.5	116	19.7	15.2-24.2	144	19.7	16.0-23.4	293	30.1	25.8-34.4
H.S. or G.E.D.	1985	1,711,598	153	14.7	12.0-17.4	166	16.1	13.4-18.8	157	12.8	10.4-15.2	324	17.6	15.2-20.0	474	17.1	15.1-19.1	711	21.7	19.5-23.9
Some Post-H.S.	1572	1,474,813	130	16.8	13.7-19.9	165	17.2	14.3-20.1	197	18.3	15.4-21.2	250	14.9	12.5-17.3	309	15.0	12.8-17.2	521	17.7	15.7-19.7
College Graduate	1845	1,154,872	74	7.7	5.7- 9.7	248	23.0	19.9-26.1	246	20.2	17.5-22.9	313	15.5	13.5-17.5	383	15.3	13.3-17.3	581	18.3	16.3-20.3
Less than \$15,000	653	484,355	34	12.7	8.0-17.4	54	15.9	10.6-21.2	57	10.7	7.0-14.4	115	19.2	14.7-23.7	168	20.4	16.3-24.5	225	21.1	17.4-24.8
\$15,000- 24,999	979	823,019	71	14.0	10.3-17.7	93	16.9	12.8-21.0	80	12.7	9.2-16.2	131	15.0	11.7-18.3	197	15.2	12.5-17.9	407	26.1	22.8-29.4
\$25,000- 34,999	613	514,499	35	10.6	6.7-14.5	75	19.9	14.6-25.2	60	16.3	11.0-21.6	87	14.3	10.4-18.2	131	16.2	12.7-19.7	225	22.6	18.7-26.5
\$35,000- 49,999	810	684,356	59	14.5	10.4-18.6	103	20.1	15.6-24.6	82	13.0	9.7-16.3	121	15.6	11.9-19.3	161	15.1	12.2-18.0	284	21.7	18.4-25.0
\$50,000- 74,999	744	681,922	31	7.7	4.4-11.0	89	20.5	15.8-25.2	103	22.1	16.8-27.4	145	19.2	15.1-23.3	157	13.5	10.8-16.2	219	17.0	14.1-19.9
\$75,000+	1204	1,076,533	49	8.2	5.7-10.7	125	16.5	13.2-19.8	209	25.5	21.8-29.2	283	20.5	17.6-23.4	286	18.0	15.5-20.5	252	11.4	9.6-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 3: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2571	2,453,365	208	13.2	11.0-15.4	287	17.4	15.0-19.8	292	16.8	14.4-19.2	407	16.7	14.5-18.9	592	16.6	14.8-18.4	785	19.3	17.5-21.1
White/Non-Hisp	2093	1,858,453	151	11.0	9.0-13.0	226	16.9	14.4-19.4	246	17.5	14.8-20.2	312	14.9	12.9-16.9	475	17.6	15.6-19.6	683	22.1	20.1-24.1
Black or Afr. Am./Non-Hisp	259	347,951	29	19.5	12.1-26.9	31	18.6	11.9-25.3	21	15.0	8.1-21.9	48	21.3	14.0-28.6	76	15.2	10.7-19.7	54	10.4	6.7-14.1
Oth. Race/Non-Hisp.	61	70,876	6	14.2	1.5-26.9	7	8.7	0.0-18.1	7	11.3	1.3-21.3	15	37.1	17.5-56.7	9	13.4	0.3-26.5	17	15.2	4.8-25.6
MultiRacial/Non-Hisp.	52	29,161	3	10.5	0.0-23.6	6	16.8	2.7-30.9	6	23.3	0.8-45.8	9	16.9	4.6-29.2	16	23.1	9.4-36.8	12	9.3	2.6-16.0
Hispanic	67	117,506	15	29.9	14.6-45.2	14	26.5	11.6-41.4	7	12.1	2.5-21.7	14	18.9	4.6-33.2	10	7.5	2.0-13.0	7	5.0	0.3- 9.7
Less Than H.S.	242	356,069	14	9.9	4.4-15.4	12	7.2	2.7-11.7	20	15.8	7.2-24.4	43	20.5	13.1-27.9	69	22.2	15.9-28.5	84	24.4	18.3-30.5
H.S. or G.E.D.	843	828,255	83	15.0	11.5-18.5	92	17.6	13.5-21.7	79	14.1	10.4-17.8	154	20.0	16.1-23.9	213	16.5	13.8-19.2	222	16.8	14.1-19.5
Some Post-H.S.	641	687,406	70	17.7	13.2-22.2	74	17.8	13.5-22.1	86	19.5	15.0-24.0	82	12.4	9.1-15.7	133	15.1	12.0-18.2	196	17.5	14.4-20.6
College Graduate	843	579,719	41	7.6	4.9-10.3	109	22.7	18.2-27.2	107	18.0	14.1-21.9	127	14.9	12.0-17.8	176	14.9	12.2-17.6	283	21.9	18.8-25.0
Less than \$15,000	215	184,634	17	18.2	9.0-27.4	16	6.5	2.6-10.4	20	9.7	3.6-15.8	34	19.6	11.8-27.4	77	28.3	20.3-36.3	51	17.6	11.7-23.5
\$15,000- 24,999	339	325,749	29	14.7	8.6-20.8	35	16.0	9.9-22.1	25	11.6	5.7-17.5	42	15.9	9.4-22.4	86	19.2	14.3-24.1	122	22.6	17.3-27.9
\$25,000- 34,999	268	263,808	19	9.9	5.0-14.8	39	22.4	14.6-30.2	24	13.7	7.8-19.6	37	16.1	9.6-22.6	60	13.8	9.5-18.1	89	24.2	18.1-30.3
\$35,000- 49,999	381	360,606	37	18.5	12.0-25.0	54	20.8	14.3-27.3	39	12.1	7.8-16.4	55	14.3	9.2-19.4	67	13.0	9.1-16.9	129	21.2	16.3-26.1
\$50,000- 74,999	365	369,663	20	5.9	2.8- 9.0	44	21.3	14.6-28.0	54	24.0	16.0-32.0	66	18.7	12.6-24.8	72	12.8	9.1-16.5	109	17.3	13.0-21.6
\$75,000+	648	624,904	34	8.5	5.2-11.8	68	17.1	12.6-21.6	116	26.5	21.4-31.6	123	18.0	14.1-21.9	156	17.7	14.4-21.0	151	12.3	9.8-14.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 4: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3485	2,641,550	169	11.8	9.8-13.8	321	16.6	14.4-18.8	349	16.0	13.8-18.2	597	16.6	14.8-18.4	723	16.5	14.9-18.1	1326	22.6	21.0-24.2
White/Non-Hisp	2804	1,977,690	118	10.4	8.2-12.6	232	14.4	12.2-16.6	266	14.4	12.4-16.4	497	17.5	15.7-19.3	573	17.6	15.8-19.4	1118	25.7	23.9-27.5
Black or Afr. Am./Non-Hisp	485	457,256	32	15.5	9.2-21.8	61	23.6	16.7-30.5	55	17.6	12.1-23.1	67	13.8	9.3-18.3	121	15.2	11.5-18.9	149	14.4	10.9-17.9
Oth. Race/Non-Hisp.	56	43,042	3	14.9	0.0-32.5	3	10.4	0.0-24.9	9	24.0	6.8-41.2	11	17.9	5.9-29.9	13	16.0	4.0-28.0	17	16.8	4.6-29.0
Hispanic	50	96,892	14	24.7	11.0-38.4	13	26.9	11.0-42.8	9	27.2	9.6-44.8	7	13.9	1.0-26.8	4	5.5	0.0-11.4	3	1.8	0.0- 4.2
Less Than H.S.	399	391,912	5	2.8	0.1- 5.5	17	11.4	5.3-17.5	21	14.3	7.0-21.6	72	18.6	13.7-23.5	75	17.5	12.8-22.2	209	35.4	29.5-41.3
H.S. or G.E.D.	1142	883,343	70	14.5	10.6-18.4	74	14.6	10.7-18.5	78	11.5	8.4-14.6	170	15.5	12.6-18.4	261	17.7	15.2-20.2	489	26.3	23.2-29.4
Some Post-H.S.	930	786,081	60	16.2	12.1-20.3	90	16.6	12.5-20.7	111	17.2	13.5-20.9	168	17.2	13.9-20.5	176	15.0	12.3-17.7	325	17.8	15.3-20.3
College Graduate	1001	574,876	33	7.8	4.9-10.7	139	23.2	19.1-27.3	139	22.4	18.3-26.5	186	16.2	13.5-18.9	207	15.8	13.1-18.5	297	14.6	12.4-16.8
Less than \$15,000	438	299,721	17	9.3	4.2-14.4	38	21.7	14.1-29.3	37	11.3	6.6-16.0	81	19.0	13.7-24.3	91	15.4	11.3-19.5	174	23.3	18.6-28.0
\$15,000- 24,999	640	497,270	42	13.6	8.7-18.5	58	17.5	12.0-23.0	55	13.4	8.9-17.9	89	14.4	10.7-18.1	111	12.6	9.5-15.7	285	28.4	24.1-32.7
\$25,000- 34,999	345	250,691	16	11.4	5.1-17.7	36	17.3	10.4-24.2	36	19.2	10.4-28.0	50	12.4	8.3-16.5	71	18.7	13.0-24.4	136	20.9	16.0-25.8
\$35,000- 49,999	429	323,750	22	10.0	5.3-14.7	49	19.3	13.2-25.4	43	14.0	8.7-19.3	66	17.1	11.6-22.6	94	17.4	12.9-21.9	155	22.2	17.7-26.7
\$50,000- 74,999	379	312,260	11	9.8	3.5-16.1	45	19.6	13.3-25.9	49	19.8	13.7-25.9	79	19.8	14.5-25.1	85	14.4	10.7-18.1	110	16.7	12.4-21.0
\$75,000+	555	449,719	15	7.9	3.6-12.2	57	15.8	10.5-21.1	93	24.1	18.6-29.6	159	23.7	19.2-28.2	130	18.5	14.6-22.4	101	10.1	7.6-12.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 5: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPA3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6103	5,119,634	53	2.2	1.4- 3.0	13	0.4	0.2- 0.6	9	0.3	0.1- 0.5	38	1.1	0.7- 1.5	5	0.2	0.0- 0.4	5985	95.7	94.7-96.7
Male	2579	2,468,774	29	2.5	1.3- 3.7	9	0.7	0.1- 1.3	5	0.3	0.0- 0.7	22	1.3	0.5- 2.1	3	0.2	0.0- 0.4	2511	95.0	93.4-96.6
Female	3521	2,647,346	24	2.0	1.0- 3.0	4	0.2	0.0- 0.4	4	0.2	0.0- 0.4	16	0.9	0.3- 1.5	2	0.3	0.0- 0.7	3471	96.3	95.1-97.5
18-24	372	631,231	20	5.7	2.8- 8.6	2	1.1	0.0- 2.9	1	0.9	0.0- 2.7	5	1.2	0.0- 2.4	1	0.4	0.0- 1.2	343	90.7	86.8-94.6
25-34	605	857,954	12	3.7	1.2- 6.2	3	0.6	0.0- 1.2	2	0.3	0.0- 0.7	9	1.9	0.3- 3.5	1	0.1	0.0- 0.3	578	93.3	90.2-96.4
35-44	636	817,837	7	3.1	0.6- 5.6	3	0.4	0.0- 1.0	1	0.4	0.0- 1.2	4	0.7	0.0- 1.5	1	0.3	0.0- 0.9	620	95.0	92.1-97.9
45-54	997	844,148	8	1.7	0.0- 3.7	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	10	1.4	0.2- 2.6	1	0.6	0.0- 1.8	976	95.8	93.1-98.5
55-64	1308	838,735	4	0.6	0.0- 1.2	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	5	0.7	0.0- 1.5	1	0.1	0.0- 0.3	1294	98.3	97.3-99.3
65+	2090	1,059,681	2	0.2	0.0- 0.6	1	0.0	0.0- 0.0	3	0.1	0.0- 0.3	4	0.4	0.0- 0.8				2080	99.3	98.7-99.9
Less Than H.S.	637	734,256	10	4.6	1.1- 8.1	1	0.4	0.0- 1.2				2	0.5	0.0- 1.3				624	94.5	91.0-98.0
H.S. or G.E.D.	1984	1,712,683	22	2.8	1.4- 4.2	5	0.6	0.0- 1.4	3	0.5	0.0- 1.3	13	1.6	0.6- 2.6	3	0.4	0.0- 0.8	1938	94.1	92.1-96.1
Some Post-H.S.	1605	1,502,745	12	1.5	0.5- 2.5	4	0.3	0.0- 0.7	1	0.1	0.0- 0.3	10	0.5	0.1- 0.9	1	0.4	0.0- 1.2	1577	97.2	95.8-98.6
College Graduate	1861	1,163,111	9	0.9	0.3- 1.5	3	0.2	0.0- 0.6	5	0.3	0.0- 0.7	13	1.6	0.6- 2.6	1	0.1	0.0- 0.3	1830	96.9	95.5-98.3
Less than \$15,000	646	479,465	5	1.8	0.0- 3.6	2	1.3	0.0- 3.5				5	1.1	0.0- 2.5				634	95.8	92.7-98.9
\$15,000- 24,999	974	816,146	9	3.9	0.8- 7.0	3	0.6	0.0- 1.2	3	0.9	0.0- 2.3	9	2.0	0.4- 3.6	1	0.3	0.0- 0.9	949	92.3	88.6-96.0
\$25,000- 34,999	616	504,869	7	1.9	0.1- 3.7	3	0.9	0.0- 2.1	1	0.6	0.0- 1.8	2	0.5	0.0- 1.3	1	0.5	0.0- 1.5	602	95.5	92.8-98.2
\$35,000- 49,999	814	690,108	9	3.7	0.8- 6.6				3	0.5	0.0- 1.1	5	1.0	0.0- 2.0	1	0.8	0.0- 2.4	796	94.0	90.7-97.3
\$50,000- 74,999	749	685,150	7	1.2	0.2- 2.2	2	0.3	0.0- 0.7	1	0.1	0.0- 0.3	4	0.4	0.0- 0.8	1	0.2	0.0- 0.6	734	97.9	96.5-99.3
\$75,000+	1210	1,082,394	2	0.4	0.0- 1.0	3	0.3	0.0- 0.7				7	0.9	0.1- 1.7	1	0.1	0.0- 0.3	1197	98.4	97.4-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 6: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2579	2,468,774	29	2.5	1.3- 3.7	9	0.7	0.1- 1.3	5	0.3	0.0- 0.7	22	1.3	0.5- 2.1	3	0.2	0.0- 0.4	2511	95.0	93.4-96.6
18-24	205	323,626	11	6.4	2.1-10.7	1	1.7	0.0- 5.0	1	1.7	0.0- 5.0	2	1.1	0.0- 2.7				190	89.2	82.9-95.5
25-34	285	422,101	6	3.7	0.0- 7.4	2	0.7	0.0- 1.7	1	0.4	0.0- 1.2	4	2.4	0.0- 4.9	1	0.3	0.0- 0.9	271	92.6	87.9-97.3
35-44	290	410,340	2	1.5	0.0- 3.7	2	0.7	0.0- 1.7				2	0.6	0.0- 1.6	1	0.7	0.0- 2.1	283	96.5	93.8-99.2
45-54	401	406,550	6	3.4	0.0- 7.5	1	0.7	0.0- 2.1				7	1.4	0.2- 2.6				387	94.5	90.0-99.0
55-64	589	406,973	3	0.9	0.0- 1.9	2	0.4	0.0- 1.0	1	0.1	0.0- 0.3	3	0.6	0.0- 1.4	1	0.2	0.0- 0.6	579	97.8	96.2-99.4
65+	777	467,750	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	3	0.7	0.0- 1.7				770	98.7	97.5-99.9
Less Than H.S.	241	355,337	6	5.7	0.2-11.2	1	0.8	0.0- 2.4										234	93.5	87.8-99.2
H.S. or G.E.D.	837	829,571	15	3.3	1.1- 5.5	4	1.0	0.0- 2.4	2	0.7	0.0- 2.1	8	2.0	0.2- 3.8	2	0.5	0.0- 1.3	806	92.4	89.1-95.7
Some Post-H.S.	648	696,299	4	1.4	0.0- 3.0	3	0.6	0.0- 1.4				5	0.7	0.0- 1.5				636	97.3	95.3-99.3
College Graduate	850	585,592	4	0.7	0.0- 1.5	1	0.1	0.0- 0.3	3	0.4	0.0- 1.0	9	1.9	0.3- 3.5	1	0.1	0.0- 0.3	832	96.8	94.8-98.8
Less than \$15,000	212	182,659	3	3.1	0.0- 6.8	2	3.5	0.0- 9.4				2	0.3	0.0- 0.7				205	93.2	86.5-99.9
\$15,000- 24,999	335	323,959	4	3.6	0.0- 8.7	1	0.4	0.0- 1.2	2	1.8	0.0- 5.1	5	3.1	0.2- 6.0	1	0.8	0.0- 2.4	322	90.4	83.7-97.1
\$25,000- 34,999	268	262,992	5	1.7	0.1- 3.3	2	1.5	0.0- 3.9				2	0.9	0.0- 2.5				259	95.8	92.7-98.9
\$35,000- 49,999	381	361,177	6	5.0	0.1- 9.9				2	0.6	0.0- 1.6	2	0.6	0.0- 1.6				371	93.8	88.9-98.7
\$50,000- 74,999	367	370,597	2	0.8	0.0- 1.8	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3	3	0.5	0.0- 1.1	1	0.3	0.0- 0.9	359	97.8	96.2-99.4
\$75,000+	650	627,107	1	0.2	0.0- 0.6	3	0.5	0.0- 1.1				5	1.2	0.0- 2.6	1	0.1	0.0- 0.3	640	98.0	96.4-99.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 7: ARE YOU HISPANIC, LATINO/A, OR SPANISH ORIGIN? ONE OR MORE CATEGORIES MAY BE SELECTED. (HISPANC3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Mexican, Mexican American Chicano-a			Puerto Rican			Cuban			Another Hispanic, Latino-a or Spanish origin			Multiple Responses			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3521	2,647,346	24	2.0	1.0- 3.0	4	0.2	0.0- 0.4	4	0.2	0.0- 0.4	16	0.9	0.3- 1.5	2	0.3	0.0- 0.7	3471	96.3	95.1-97.5
18-24	167	307,604	9	5.0	1.3- 8.7	1	0.5	0.0- 1.5				3	1.4	0.0- 3.2	1	0.8	0.0- 2.4	153	92.2	87.7-96.7
25-34	319	434,527	6	3.7	0.2- 7.2	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9	5	1.5	0.0- 3.3				306	94.0	90.1-97.9
35-44	346	407,497	5	4.8	0.1- 9.5	1	0.2	0.0- 0.6	1	0.8	0.0- 2.4	2	0.7	0.0- 1.7				337	93.5	88.6-98.4
45-54	595	435,687	2	0.1	0.0- 0.3				1	0.3	0.0- 0.9	3	1.4	0.0- 3.2	1	1.3	0.0- 3.7	588	96.9	93.8- 100
55-64	719	431,762	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3				2	0.8	0.0- 2.0				715	98.8	97.4- 100
65+	1312	591,655	1	0.2	0.0- 0.6				1	0.0	0.0- 0.0	1	0.1	0.0- 0.3				1309	99.7	99.3- 100
Less Than H.S.	395	377,009	4	3.6	0.0- 7.9							2	1.0	0.0- 2.4				389	95.4	90.9-99.9
H.S. or G.E.D.	1147	883,112	7	2.4	0.4- 4.4	1	0.2	0.0- 0.6	1	0.4	0.0- 1.2	5	1.1	0.0- 2.3	1	0.3	0.0- 0.9	1132	95.7	93.3-98.1
Some Post-H.S.	956	805,120	8	1.7	0.3- 3.1	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6	5	0.4	0.0- 0.8	1	0.7	0.0- 2.1	940	97.0	95.0-99.0
College Graduate	1010	577,242	5	1.1	0.0- 2.3	2	0.4	0.0- 1.2	2	0.2	0.0- 0.6	4	1.3	0.1- 2.5				997	96.9	94.9-98.9
Less than \$15,000	434	296,806	2	1.0	0.0- 2.4							3	1.5	0.0- 3.7				429	97.5	95.0- 100
\$15,000- 24,999	639	492,187	5	4.1	0.0- 8.2	2	0.7	0.0- 1.7	1	0.3	0.0- 0.9	4	1.4	0.0- 3.0				627	93.6	89.1-98.1
\$25,000- 34,999	348	241,877	2	2.2	0.0- 5.3	1	0.3	0.0- 0.9	1	1.3	0.0- 3.8				1	1.0	0.0- 3.0	343	95.2	90.7-99.7
\$35,000- 49,999	433	328,931	3	2.3	0.0- 5.2				1	0.4	0.0- 1.2	3	1.5	0.0- 3.3	1	1.7	0.0- 4.8	425	94.2	89.7-98.7
\$50,000- 74,999	382	314,554	5	1.7	0.0- 3.7	1	0.2	0.0- 0.6				1	0.2	0.0- 0.6				375	97.9	95.9-99.9
\$75,000+	559	453,377	1	0.6	0.0- 1.8							2	0.5	0.0- 1.3				556	98.9	97.5- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 8: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6098	5,101,368	5932	97.6	97.0-98.2	102	1.0	0.6- 1.4	9	0.1	0.1- 0.1	1	0.0	0.0- 0.0	54	1.3	0.7- 1.9
Male	2574	2,454,840	2482	97.0	96.0-98.0	57	1.3	0.7- 1.9	5	0.1	0.1- 0.1				30	1.6	0.8- 2.4
Female	3521	2,643,014	3448	98.2	97.4-99.0	45	0.8	0.4- 1.2	3	0.0	0.0- 0.0	1	0.0	0.0- 0.0	24	1.0	0.4- 1.6
18-24	369	625,193	362	98.0	96.0- 100	3	0.5	0.0- 1.1							4	1.6	0.0- 3.4
25-34	600	853,450	579	97.0	95.4-98.6	11	1.3	0.3- 2.3	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	8	1.5	0.3- 2.7
35-44	632	812,064	608	95.9	93.7-98.1	13	1.6	0.4- 2.8							11	2.5	0.7- 4.3
45-54	996	843,372	962	97.1	95.5-98.7	21	1.2	0.6- 1.8	3	0.3	0.0- 0.7				10	1.4	0.0- 2.8
55-64	1308	838,648	1276	98.2	97.4-99.0	20	0.9	0.5- 1.3	3	0.1	0.0- 0.3				9	0.8	0.2- 1.4
65+	2098	1,063,972	2057	99.2	98.8-99.6	31	0.7	0.5- 0.9	1	0.0	0.0- 0.0				9	0.2	0.0- 0.4
Less Than H.S.	644	739,111	622	97.2	95.6-98.8	14	1.4	0.4- 2.4	2	0.4	0.0- 1.0				6	1.1	0.0- 2.3
H.S. or G.E.D.	1986	1,703,365	1937	98.0	97.0-99.0	32	0.8	0.4- 1.2	3	0.0	0.0- 0.0	1	0.1	0.0- 0.3	13	1.1	0.3- 1.9
Some Post-H.S.	1597	1,495,839	1539	96.8	95.4-98.2	39	1.5	0.7- 2.3	3	0.1	0.1- 0.1				16	1.6	0.4- 2.8
College Graduate	1854	1,156,103	1819	98.3	97.5-99.1	16	0.5	0.1- 0.9	1	0.0	0.0- 0.0				18	1.1	0.3- 1.9
Less than \$15,000	651	484,857	616	95.7	93.7-97.7	24	2.7	1.1- 4.3	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	9	1.2	0.2- 2.2
\$15,000- 24,999	977	807,105	945	97.0	95.6-98.4	17	1.3	0.5- 2.1	3	0.1	0.0- 0.3				12	1.7	0.5- 2.9
\$25,000- 34,999	612	509,281	594	98.2	97.2-99.2	10	0.9	0.1- 1.7	1	0.1	0.0- 0.3				7	0.8	0.0- 1.6
\$35,000- 49,999	812	687,954	799	97.5	95.3-99.7	10	0.9	0.1- 1.7							3	1.7	0.0- 3.9
\$50,000- 74,999	748	684,033	724	97.9	96.7-99.1	13	0.9	0.3- 1.5	1	0.0	0.0- 0.0				10	1.2	0.2- 2.2
\$75,000+	1202	1,071,683	1187	98.8	97.8-99.8	8	0.6	0.0- 1.4	2	0.2	0.0- 0.6				5	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 9: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2574	2,454,840	2482	97.0	96.0-98.0	57	1.3	0.7- 1.9	5	0.1	0.1- 0.1	30	1.6	0.8- 2.4
18-24	204	317,706	198	96.3	92.6- 100	3	1.0	0.0- 2.4				3	2.7	0.0- 6.2
25-34	284	422,769	272	97.3	95.3-99.3	7	1.4	0.2- 2.6	1	0.1	0.0- 0.3	4	1.2	0.0- 3.0
35-44	288	406,354	274	94.6	91.1-98.1	7	2.0	0.0- 4.2				7	3.4	0.7- 6.1
45-54	401	405,957	385	97.4	95.8-99.0	11	1.5	0.5- 2.5	1	0.1	0.0- 0.3	4	1.0	0.0- 2.0
55-64	586	405,028	564	97.1	95.7-98.5	14	1.5	0.5- 2.5	2	0.2	0.0- 0.6	6	1.2	0.2- 2.2
65+	779	470,756	762	99.1	98.5-99.7	12	0.6	0.2- 1.0	1	0.0	0.0- 0.0	4	0.3	0.0- 0.7
Less Than H.S.	244	358,710	231	96.6	94.1-99.1	9	1.4	0.4- 2.4	1	0.2	0.0- 0.6	3	1.8	0.0- 4.2
H.S. or G.E.D.	833	813,804	804	97.3	95.9-98.7	19	1.2	0.6- 1.8	2	0.1	0.0- 0.3	8	1.5	0.3- 2.7
Some Post-H.S.	647	695,870	616	95.9	93.7-98.1	21	2.1	0.7- 3.5	1	0.0	0.0- 0.0	9	2.1	0.3- 3.9
College Graduate	846	583,801	828	98.3	97.3-99.3	8	0.7	0.1- 1.3	1	0.1	0.0- 0.3	9	1.0	0.2- 1.8
Less than \$15,000	213	184,333	197	95.1	92.4-97.8	11	3.2	1.0- 5.4	1	0.4	0.0- 1.2	4	1.2	0.0- 2.6
\$15,000- 24,999	336	322,248	315	94.5	91.4-97.6	12	2.4	0.6- 4.2	2	0.0	0.0- 0.0	7	3.0	0.5- 5.5
\$25,000- 34,999	266	261,995	253	97.5	95.9-99.1	7	1.0	0.2- 1.8	1	0.2	0.0- 0.6	5	1.3	0.0- 2.7
\$35,000- 49,999	380	360,284	375	97.6	94.7- 100	3	0.7	0.0- 1.7				2	1.7	0.0- 4.4
\$50,000- 74,999	366	369,480	355	98.0	96.6-99.4	8	1.3	0.1- 2.5				3	0.7	0.0- 1.7
\$75,000+	645	618,598	635	98.5	97.1-99.9	5	0.8	0.0- 2.0	1	0.1	0.0- 0.3	4	0.6	0.0- 1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 10: THE NUMBER OF RACE CATEGORIES SELECTED WHEN ASKED WHICH ONE OR MORE WOULD YOU SAY IS YOUR RACE?(MRACE1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races			Three Reported Races			Four Reported Races			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3521	2,643,014	3448	98.2	97.4-99.0	45	0.8	0.4- 1.2	3	0.0	0.0- 0.0	1	0.0	0.0- 0.0	24	1.0	0.4- 1.6
18-24	165	307,487	164	99.6	98.8- 100							1	0.2	0.0- 0.6	1	0.4	0.0- 1.2
25-34	315	429,355	306	96.6	94.1-99.1	4	1.3	0.0- 2.9							4	1.8	0.0- 3.6
35-44	344	405,709	334	97.1	94.6-99.6	6	1.2	0.0- 2.4							4	1.7	0.0- 4.1
45-54	594	435,505	577	97.3	94.8-99.8	10	0.9	0.1- 1.7	1	0.1	0.0- 0.3				6	1.7	0.0- 4.2
55-64	722	433,620	712	99.3	98.7-99.9	6	0.4	0.0- 0.8	1	0.0	0.0- 0.0				3	0.3	0.0- 0.9
65+	1318	592,939	1294	99.2	98.8-99.6	19	0.7	0.3- 1.1							5	0.1	0.1- 0.1
Less Than H.S.	399	378,490	391	98.2	96.4- 100	5	1.3	0.0- 3.1							3	0.4	0.0- 1.0
H.S. or G.E.D.	1153	889,561	1133	98.7	97.5-99.9	13	0.5	0.1- 0.9	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	5	0.7	0.0- 1.7
Some Post-H.S.	949	798,642	922	97.5	95.9-99.1	18	1.1	0.3- 1.9	2	0.1	0.0- 0.3				7	1.3	0.0- 2.7
College Graduate	1007	572,024	990	98.4	97.2-99.6	8	0.3	0.1- 0.5							9	1.3	0.1- 2.5
Less than \$15,000	438	300,523	419	96.0	93.3-98.7	13	2.5	0.1- 4.9				1	0.3	0.0- 0.9	5	1.2	0.0- 2.6
\$15,000- 24,999	641	484,857	630	98.6	97.4-99.8	5	0.5	0.0- 1.1	1	0.1	0.0- 0.3				5	0.8	0.0- 1.8
\$25,000- 34,999	346	247,286	341	98.9	97.5- 100	3	0.8	0.0- 2.2							2	0.3	0.0- 0.7
\$35,000- 49,999	432	327,670	424	97.3	93.8- 100	7	1.0	0.0- 2.2							1	1.7	0.0- 4.8
\$50,000- 74,999	382	314,554	369	97.8	95.8-99.8	5	0.3	0.0- 0.7	1	0.0	0.0- 0.0				7	1.8	0.0- 3.8
\$75,000+	556	451,174	552	99.6	99.0- 100	3	0.4	0.0- 1.0							1	0.0	0.0- 0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian			Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	102	51,389	65	57.4	45.6-69.2	15	16.9	6.9-26.9	14	18.6	5.7-31.5	3	3.3	0.0- 8.2	5	3.8	0.5- 7.1
Male	57	31,213	34	65.0	51.1-78.9	8	12.0	3.0-21.0	9	13.0	4.0-22.0	3	5.5	0.0-13.3	3	4.5	0.0- 9.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS**

**TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)**

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			Am. Indian or Alaskan Native			Asian		N	Other		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%		C.I. (95%)	N	%
Male	57	31,213	34	65.0	51.7-78.3	8	12.0	4.2-19.8	9	13.0	4.2-21.8	3	5.5	0.0-13.5	3	4.5	0.0- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 13: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE3)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

There is not enough data (less than 50 total observations) to print this table.

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 14: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6134	5,158,716	3182	51.8	50.0-53.6	956	12.5	11.3-13.7	879	8.2	7.4- 9.0	132	2.1	1.5- 2.7	849	21.8	20.0-23.6	136	3.6	2.8- 4.4
Male	2596	2,482,186	1506	54.9	52.2-57.6	386	12.4	10.6-14.2	151	3.8	3.0- 4.6	49	1.9	1.1- 2.7	433	22.7	20.2-25.2	71	4.3	2.9- 5.7
Female	3535	2,673,017	1674	48.8	46.4-51.2	570	12.6	11.0-14.2	728	12.4	11.2-13.6	83	2.4	1.6- 3.2	416	21.0	18.6-23.4	64	2.8	1.8- 3.8
White/Non-Hisp	4950	3,873,139	2743	57.5	55.5-59.5	754	12.5	11.1-13.9	726	8.9	7.9- 9.9	77	1.4	1.0- 1.8	549	16.9	15.3-18.5	101	2.8	2.2- 3.4
Black or Afr. Am./Non-Hisp	751	813,006	234	28.6	23.9-33.3	130	12.0	9.1-14.9	107	7.4	5.2- 9.6	38	4.9	2.5- 7.3	223	41.9	36.4-47.4	19	5.2	2.3- 8.1
Oth. Race/Non-Hisp.	121	117,334	72	61.7	48.6-74.8	17	13.5	3.7-23.3	8	2.6	0.1- 5.1	8	4.6	0.5- 8.7	14	16.3	5.7-26.9	2	1.2	0.0- 3.0
MultiRacial/Non-Hisp.	103	53,774	42	37.0	22.5-51.5	27	19.5	10.7-28.3	14	6.3	1.6-11.0	2	1.9	0.0- 4.8	15	27.3	12.8-41.8	3	8.1	0.0-16.9
Hispanic	118	220,170	49	37.6	26.4-48.8	15	7.5	2.4-12.6	2	0.7	0.0- 1.7	7	4.4	0.9- 7.9	36	38.0	25.8-50.2	9	11.7	2.9-20.5
18-24	375	634,102	49	11.0	7.5-14.5	5	1.2	0.0- 2.4				5	1.0	0.0- 2.0	278	78.6	73.9-83.3	38	8.2	5.1-11.3
25-34	605	862,327	306	45.8	40.7-50.9	45	8.1	5.0-11.2	3	1.0	0.0- 2.4	11	1.7	0.5- 2.9	200	36.1	31.0-41.2	40	7.3	4.6-10.0
35-44	641	833,472	404	63.8	58.5-69.1	96	14.0	9.7-18.3	10	1.0	0.2- 1.8	26	3.6	1.6- 5.6	91	15.1	11.2-19.0	14	2.5	0.5- 4.5
45-54	1002	848,007	582	59.4	55.1-63.7	213	18.3	15.2-21.4	41	3.6	2.0- 5.2	41	4.4	2.6- 6.2	103	10.3	7.6-13.0	22	4.0	1.5- 6.5
55-64	1311	840,849	766	61.8	58.3-65.3	287	19.9	17.0-22.8	117	8.4	6.4-10.4	31	1.9	1.1- 2.7	99	7.0	5.0- 9.0	11	1.0	0.2- 1.8
65+	2104	1,066,408	1007	55.7	53.0-58.4	304	11.7	9.9-13.5	693	28.2	25.7-30.7	18	0.6	0.2- 1.0	71	3.4	2.2- 4.6	11	0.5	0.1- 0.9
Less Than H.S.	647	753,356	225	39.8	34.3-45.3	126	18.7	14.0-23.4	182	16.9	13.8-20.0	33	3.3	1.9- 4.7	67	16.3	11.6-21.0	14	4.9	1.8- 8.0
H.S. or G.E.D.	1997	1,724,521	944	47.6	44.5-50.7	346	13.6	11.4-15.8	344	9.1	7.7-10.5	47	2.7	1.5- 3.9	272	23.4	20.3-26.5	44	3.7	2.3- 5.1
Some Post-H.S.	1608	1,505,738	832	53.4	49.9-56.9	242	10.5	8.7-12.3	207	6.2	4.8- 7.6	30	1.6	0.8- 2.4	259	24.6	21.3-27.9	38	3.7	2.3- 5.1
College Graduate	1866	1,167,245	1174	63.6	60.5-66.7	241	9.5	7.7-11.3	141	3.8	2.8- 4.8	21	1.2	0.6- 1.8	250	19.4	16.5-22.3	39	2.4	1.4- 3.4
Less than \$15,000	654	485,644	91	16.8	12.7-20.9	224	24.9	20.6-29.2	153	14.7	11.6-17.8	37	5.7	3.2- 8.2	136	33.7	27.6-39.8	13	4.2	1.5- 6.9
\$15,000- 24,999	979	822,263	319	31.9	27.8-36.0	203	15.6	12.7-18.5	233	15.3	12.8-17.8	41	4.4	2.4- 6.4	161	28.2	23.5-32.9	22	4.5	1.8- 7.2
\$25,000- 34,999	620	518,433	284	45.5	39.8-51.2	117	16.4	11.5-21.3	83	8.0	5.1-10.9	10	1.4	0.4- 2.4	104	22.5	17.4-27.6	22	6.2	2.9- 9.5
\$35,000- 49,999	816	690,912	447	52.1	47.2-57.0	119	11.3	8.6-14.0	93	8.0	5.6-10.4	13	2.1	0.5- 3.7	127	24.4	19.5-29.3	17	2.1	0.7- 3.5
\$50,000- 74,999	749	685,150	502	64.6	59.1-70.1	93	12.5	8.2-16.8	49	3.0	1.8- 4.2	11	1.4	0.4- 2.4	71	14.9	10.6-19.2	23	3.6	1.6- 5.6
\$75,000+	1211	1,083,908	979	77.8	74.1-81.5	71	5.6	3.6- 7.6	48	1.8	1.0- 2.6	4	0.1	0.0- 0.3	93	12.6	9.5-15.7	16	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS  
 TABLE 15: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2596	2,482,186	1506	54.9	52.2-57.6	386	12.4	10.6-14.2	151	3.8	3.0- 4.6	49	1.9	1.1- 2.7	433	22.7	20.3-25.1	71	4.3	2.9- 5.7
White/Non-Hisp	2107	1,870,854	1285	59.3	56.4-62.2	305	13.2	11.0-15.4	126	4.1	3.1- 5.1	28	1.0	0.6- 1.4	311	18.9	16.5-21.3	52	3.4	2.2- 4.6
Black or Afr. Am./Non-Hisp	261	351,058	105	36.7	28.7-44.7	43	9.9	6.0-13.8	13	3.3	0.9- 5.7	13	5.7	1.6- 9.8	76	37.7	29.3-46.1	11	6.7	1.6-11.8
Oth. Race/Non-Hisp.	63	72,683	35	60.5	42.9-78.1	8	13.4	0.3-26.5	3	1.6	0.0- 4.3	4	3.4	0.0- 7.5	11	19.1	5.4-32.8	2	2.0	0.0- 4.9
MultiRacial/Non-Hisp.	54	29,959	24	43.0	22.8-63.2	14	21.0	8.1-33.9	4	3.2	0.0- 7.1	2	3.4	0.0- 8.7	8	20.2	5.1-35.3	2	9.2	0.0-21.4
Hispanic	68	123,278	33	39.2	24.3-54.1	10	5.9	1.2-10.6				2	2.7	0.0- 6.4	20	40.0	23.5-56.5	3	12.3	0.0-26.4
18-24	206	322,770	19	6.4	2.9- 9.9	2	0.9	0.0- 2.3							162	83.8	78.3-89.3	23	8.9	4.8-13.0
25-34	285	423,580	150	48.7	41.3-56.1	19	9.3	4.0-14.6	2	0.6	0.0- 1.6	4	1.0	0.0- 2.0	93	32.1	25.0-39.2	17	8.3	3.8-12.8
35-44	292	411,985	186	66.3	58.7-73.9	45	12.5	6.6-18.4				13	4.6	1.3- 7.9	42	13.1	8.0-18.2	6	3.4	0.0- 7.1
45-54	405	409,623	241	60.0	53.3-66.7	83	17.6	13.1-22.1	7	1.4	0.2- 2.6	12	3.3	1.1- 5.5	51	12.5	7.8-17.2	11	5.1	0.6- 9.6
55-64	591	407,206	362	64.5	59.4-69.6	128	20.0	15.7-24.3	23	4.5	2.1- 6.9	11	1.5	0.5- 2.5	59	8.0	5.3-10.7	8	1.4	0.2- 2.6
65+	784	472,856	522	69.0	64.7-73.3	106	12.4	9.3-15.5	119	14.1	10.8-17.4	9	0.8	0.2- 1.4	22	3.2	1.2- 5.2	6	0.6	0.0- 1.2
Less Than H.S.	244	357,840	110	46.0	37.4-54.6	48	16.9	10.0-23.8	29	8.4	4.7-12.1	15	3.6	1.6- 5.6	33	17.9	11.0-24.8	9	7.2	1.5-12.9
H.S. or G.E.D.	844	835,325	454	50.1	45.4-54.8	148	14.5	11.2-17.8	49	3.4	2.0- 4.8	19	2.7	0.9- 4.5	152	25.2	20.9-29.5	22	4.1	1.7- 6.5
Some Post-H.S.	652	700,464	369	56.6	51.5-61.7	95	10.3	7.6-13.0	34	2.6	1.4- 3.8	8	0.9	0.1- 1.7	126	25.0	20.1-29.9	20	4.6	2.1- 7.1
College Graduate	853	585,961	572	65.4	60.9-69.9	94	9.3	6.8-11.8	39	2.9	1.5- 4.3	7	0.8	0.0- 1.6	121	19.2	15.1-23.3	20	2.5	1.1- 3.9
Less than \$15,000	216	184,887	39	20.3	13.0-27.6	78	28.5	20.7-36.3	20	6.2	2.7- 9.7	13	6.5	2.0-11.0	60	34.5	24.7-44.3	6	4.0	0.1- 7.9
\$15,000- 24,999	338	325,381	147	36.7	29.8-43.6	65	13.9	9.8-18.0	34	7.6	4.3-10.9	13	5.0	1.1- 8.9	71	29.9	22.6-37.2	8	6.9	0.4-13.4
\$25,000- 34,999	268	264,055	136	48.0	40.0-56.0	45	12.8	7.9-17.7	14	3.6	1.1- 6.1	8	2.2	0.4- 4.0	51	23.7	16.3-31.1	14	9.8	3.9-15.7
\$35,000- 49,999	382	361,621	222	52.8	45.5-60.1	53	9.5	6.2-12.8	23	4.6	2.1- 7.1	4	0.7	0.0- 1.5	69	29.0	21.6-36.4	11	3.4	1.0- 5.8
\$50,000- 74,999	367	370,597	242	60.3	52.5-68.1	48	16.8	9.5-24.1	14	1.8	0.6- 3.0	8	2.0	0.4- 3.6	42	15.0	9.5-20.5	13	4.1	1.2- 7.0
\$75,000+	651	628,621	515	77.2	72.5-81.9	48	7.3	4.4-10.2	20	1.1	0.3- 1.9	1	0.0	0.0- 0.0	60	13.1	9.2-17.0	7	1.4	0.0- 2.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 8: DEMOGRAPHICS  
 TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3535	2,673,017	1674	48.8	46.4-51.2	570	12.6	11.0-14.2	728	12.4	11.2-13.6	83	2.4	1.6- 3.2	416	21.0	18.6-23.4	64	2.8	1.8- 3.8
White/Non-Hisp	2841	2,000,682	1457	55.7	53.2-58.2	449	11.8	10.2-13.4	600	13.5	12.1-14.9	49	1.7	1.1- 2.3	238	15.0	12.6-17.4	48	2.2	1.4- 3.0
Black or Afr. Am./Non-Hisp	490	461,948	129	22.4	17.3-27.5	87	13.6	9.3-17.9	94	10.5	7.0-14.0	25	4.3	1.8- 6.8	147	45.2	37.9-52.5	8	4.0	0.5- 7.5
Oth. Race/Non-Hisp.	58	44,651	37	63.7	44.5-82.9	9	13.7	0.0-28.0	5	4.4	0.0- 9.3	4	6.5	0.0-14.5	3	11.7	0.0-28.2			
Hispanic	50	96,892	16	35.7	18.6-52.8	5	9.5	0.0-19.5	2	1.7	0.0- 4.1	5	6.7	0.4-13.0	16	35.4	17.2-53.6	6	11.0	2.0-20.0
18-24	169	311,332	30	15.8	9.7-21.9	3	1.4	0.0- 3.4				5	2.0	0.2- 3.8	116	73.3	65.7-80.9	15	7.5	2.8-12.2
25-34	319	437,420	156	43.2	35.9-50.5	26	7.0	3.7-10.3	1	1.3	0.0- 3.8	7	2.4	0.2- 4.6	107	40.1	32.7-47.5	22	6.0	2.7- 9.3
35-44	349	421,487	218	61.3	54.0-68.6	51	15.5	9.2-21.8	10	2.0	0.4- 3.6	13	2.7	0.9- 4.5	49	17.0	11.3-22.7	8	1.7	0.5- 2.9
45-54	596	436,474	340	58.6	53.3-63.9	130	19.0	14.7-23.3	34	5.7	3.0- 8.4	29	5.4	2.9- 7.9	52	8.2	5.5-10.9	11	3.1	0.7- 5.5
55-64	720	433,644	404	59.2	54.5-63.9	159	19.8	15.9-23.7	94	12.0	8.9-15.1	20	2.3	0.9- 3.7	40	6.1	3.4- 8.8	3	0.6	0.0- 1.4
65+	1319	593,275	484	45.0	41.5-48.5	198	11.2	9.0-13.4	574	39.4	36.1-42.7	9	0.4	0.0- 0.8	49	3.6	2.2- 5.0	5	0.4	0.0- 0.8
Less Than H.S.	402	393,605	114	34.0	27.3-40.7	78	20.5	14.0-27.0	153	24.6	19.7-29.5	18	3.0	1.4- 4.6	34	15.0	8.7-21.3	5	2.8	0.0- 5.7
H.S. or G.E.D.	1153	889,196	490	45.2	41.1-49.3	198	12.7	10.2-15.2	295	14.4	12.0-16.8	28	2.7	1.3- 4.1	120	21.7	17.2-26.2	22	3.3	1.5- 5.1
Some Post-H.S.	955	803,947	463	50.8	46.1-55.5	147	10.6	8.1-13.1	173	9.4	7.2-11.6	22	2.2	0.8- 3.6	133	24.3	19.8-28.8	17	2.7	1.1- 4.3
College Graduate	1012	581,007	601	61.8	57.5-66.1	147	9.8	7.4-12.2	102	4.8	3.4- 6.2	14	1.7	0.5- 2.9	129	19.7	15.6-23.8	19	2.2	1.0- 3.4
Less than \$15,000	438	300,757	52	14.7	9.8-19.6	146	22.6	17.5-27.7	133	19.9	15.4-24.4	24	5.2	2.1- 8.3	76	33.3	25.7-40.9	7	4.3	0.6- 8.0
\$15,000- 24,999	641	496,882	172	28.8	23.5-34.1	138	16.8	12.9-20.7	199	20.4	16.7-24.1	28	4.0	2.0- 6.0	90	27.2	20.9-33.5	14	2.8	1.2- 4.4
\$25,000- 34,999	352	254,377	148	43.0	35.2-50.8	72	20.2	11.8-28.6	69	12.5	7.2-17.8	2	0.6	0.0- 1.6	53	21.2	13.9-28.5	8	2.4	0.2- 4.6
\$35,000- 49,999	434	329,291	225	51.3	44.4-58.2	66	13.2	8.7-17.7	70	11.7	7.6-15.8	9	3.7	0.8- 6.6	58	19.4	13.3-25.5	6	0.7	0.1- 1.3
\$50,000- 74,999	382	314,554	260	69.6	62.3-76.9	45	7.5	4.0-11.0	35	4.3	2.1- 6.5	3	0.7	0.0- 1.5	29	14.7	7.8-21.6	10	3.1	0.7- 5.5
\$75,000+	559	453,377	463	78.4	72.5-84.3	23	3.3	1.3- 5.3	28	2.8	1.4- 4.2	3	0.3	0.0- 0.7	33	12.0	6.5-17.5	9	3.2	0.7- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 17: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6145	5,167,412	7	0.2	0.0- 0.4	193	4.0	3.2- 4.8	449	10.5	9.1-11.9	2003	33.4	31.6-35.2	1614	29.2	27.4-31.0	1879	22.7	21.3-24.1
Male	2603	2,486,779	2	0.1	0.0- 0.3	72	4.0	2.8- 5.2	171	10.4	8.4-12.4	847	33.6	31.1-36.1	652	28.2	25.7-30.7	859	23.7	21.7-25.7
Female	3539	2,677,119	5	0.3	0.0- 0.7	121	4.0	3.0- 5.0	277	10.5	8.7-12.3	1156	33.3	30.9-35.7	961	30.2	27.8-32.6	1019	21.8	20.0-23.6
White/Non-Hisp	4961	3,880,646	4	0.2	0.0- 0.4	152	3.7	2.9- 4.5	339	10.0	8.6-11.4	1609	33.1	31.3-34.9	1272	28.3	26.5-30.1	1585	24.7	23.1-26.3
Black or Afr. Am./Non-Hisp	751	813,538	1	0.1	0.0- 0.3	16	2.2	0.2- 4.2	76	12.4	8.7-16.1	264	33.5	28.4-38.6	217	35.9	30.6-41.2	177	16.0	12.7-19.3
Oth. Race/Non-Hisp.	121	118,236				9	8.3	2.4-14.2	10	10.6	1.6-19.6	24	27.3	13.6-41.0	36	30.7	18.7-42.7	42	23.0	13.4-32.6
MultiRacial/Non-Hisp.	103	53,823				2	1.7	0.0- 4.4	13	20.4	7.3-33.5	33	24.6	14.0-35.2	41	44.4	29.5-59.3	14	8.9	2.2-15.6
Hispanic	118	220,170	2	1.7	0.0- 4.1	9	13.8	3.4-24.2	2	2.9	0.0- 6.8	46	45.8	33.8-57.8	28	19.4	10.6-28.2	31	16.5	9.4-23.6
18-24	376	635,422	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9	17	6.6	3.1-10.1	153	39.7	33.4-46.0	130	39.1	32.8-45.4	74	14.0	10.3-17.7
25-34	608	865,190				4	0.5	0.1- 0.9	25	7.7	4.4-11.0	166	31.8	26.7-36.9	165	29.4	24.7-34.1	248	30.7	26.2-35.2
35-44	641	833,472				6	2.3	0.1- 4.5	35	11.2	6.5-15.9	157	26.2	21.5-30.9	197	32.4	27.5-37.3	246	28.0	23.7-32.3
45-54	1003	849,111				34	5.8	2.9- 8.7	82	11.6	8.7-14.5	324	35.6	31.5-39.7	250	25.9	22.2-29.6	313	21.1	18.2-24.0
55-64	1310	839,684	3	0.7	0.0- 1.7	39	4.8	3.0- 6.6	102	12.1	9.6-14.6	474	34.9	31.6-38.2	309	26.4	23.3-29.5	383	21.1	18.6-23.6
65+	2106	1,068,295	3	0.2	0.0- 0.4	105	8.2	6.4-10.0	185	12.7	10.5-14.9	711	34.7	32.0-37.4	521	24.4	22.0-26.8	581	19.8	17.8-21.8
Less than \$15,000	654	487,160				58	10.4	7.5-13.3	114	24.7	19.4-30.0	268	37.5	31.8-43.2	151	21.0	16.5-25.5	63	6.4	4.0- 8.8
\$15,000- 24,999	982	823,777	2	0.2	0.0- 0.6	45	7.5	4.4-10.6	125	16.2	12.9-19.5	429	43.9	39.2-48.6	269	24.2	20.5-27.9	112	8.0	5.8-10.2
\$25,000- 34,999	622	519,358				11	2.5	0.5- 4.5	47	13.2	8.1-18.3	263	41.7	36.0-47.4	162	28.9	23.4-34.4	139	13.8	10.7-16.9
\$35,000- 49,999	815	690,397	1	0.1	0.0- 0.3	7	1.5	0.3- 2.7	26	4.4	2.6- 6.2	292	38.0	33.1-42.9	252	35.6	30.7-40.5	237	20.5	17.0-24.0
\$50,000- 74,999	749	685,150				1	1.1	0.0- 3.3	11	5.2	0.9- 9.5	193	30.1	25.2-35.0	233	34.8	29.9-39.7	311	28.7	24.4-33.0
\$75,000+	1213	1,085,681				3	0.5	0.0- 1.3	12	2.1	0.7- 3.5	151	16.9	13.8-20.0	281	32.5	28.6-36.4	766	48.0	44.1-51.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 18: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2603	2,486,779	2	0.1	0.0- 0.3	72	4.0	2.8- 5.2	171	10.4	8.4-12.4	847	33.6	31.1-36.1	652	28.2	25.7-30.7	859	23.7	21.7-25.7
White/Non-Hisp	2112	1,874,088				56	3.3	2.3- 4.3	129	10.7	8.3-13.1	676	33.0	30.3-35.7	510	26.4	23.9-28.9	741	26.6	24.2-29.0
Black or Afr. Am./Non-Hisp	261	351,058	1	0.2	0.0- 0.6	4	2.6	0.0- 6.7	26	11.4	6.3-16.5	93	31.5	23.9-39.1	84	41.8	33.4-50.2	53	12.5	8.0-17.0
Oth. Race/Non-Hisp.	64	74,353				4	7.9	0.1-15.7	4	10.4	0.0-23.5	14	28.7	9.7-47.7	18	29.0	13.3-44.7	24	23.9	11.2-36.6
MultiRacial/Non-Hisp.	55	30,133				1	2.5	0.0- 7.4	8	13.9	3.3-24.5	18	25.1	11.0-39.2	21	47.4	27.4-67.4	7	11.1	0.1-22.1
Hispanic	68	123,278	1	1.9	0.0- 5.6	5	14.6	0.3-28.9	1	2.3	0.0- 6.8	31	50.9	34.6-67.2	12	15.3	4.9-25.7	18	15.1	6.1-24.1
18-24	208	324,833	1	0.7	0.0- 2.1	1	0.6	0.0- 1.6	12	9.6	3.9-15.3	83	38.3	30.3-46.3	70	37.4	29.0-45.8	41	13.5	8.6-18.4
25-34	287	425,670				1	0.3	0.0- 0.9	11	5.7	2.0- 9.4	92	34.3	27.0-41.6	74	28.7	22.0-35.4	109	31.0	24.5-37.5
35-44	292	411,985				2	1.5	0.0- 3.7	18	12.2	4.8-19.6	79	28.4	21.5-35.3	86	32.6	25.3-39.9	107	25.3	19.4-31.2
45-54	406	409,805				12	7.2	1.7-12.7	31	10.6	6.3-14.9	154	40.3	33.6-47.0	82	20.8	15.5-26.1	127	21.0	16.5-25.5
55-64	591	405,973				19	5.3	2.6- 8.0	50	14.2	9.9-18.5	213	33.7	29.0-38.4	133	25.6	20.9-30.3	176	21.3	17.6-25.0
65+	785	473,182	1	0.1	0.0- 0.3	35	7.5	4.6-10.4	48	10.8	7.5-14.1	222	29.3	25.2-33.4	196	25.5	21.6-29.4	283	26.8	23.1-30.5
Less than \$15,000	217	186,557				22	11.7	6.4-17.0	37	27.0	17.8-36.2	83	31.6	23.0-40.2	44	22.3	14.3-30.3	31	7.4	4.1-10.7
\$15,000- 24,999	339	325,749	1	0.2	0.0- 0.6	17	7.9	2.2-13.6	40	14.8	9.9-19.7	150	44.9	37.3-52.5	87	23.1	17.0-29.2	44	9.1	5.2-13.0
\$25,000- 34,999	270	264,981				6	3.4	0.3- 6.5	29	14.1	8.2-20.0	113	43.6	35.6-51.6	70	27.4	20.0-34.8	52	11.5	7.6-15.4
\$35,000- 49,999	382	361,621				4	2.2	0.0- 4.4	14	5.5	2.4- 8.6	143	39.9	32.8-47.0	121	34.0	26.9-41.1	100	18.3	13.6-23.0
\$50,000- 74,999	367	370,597				1	2.0	0.0- 5.9	10	9.4	1.8-17.0	110	32.1	25.2-39.0	106	30.8	24.1-37.5	140	25.7	19.8-31.6
\$75,000+	653	630,394				3	0.9	0.0- 2.3	8	2.7	0.5- 4.9	90	17.8	13.5-22.1	154	33.2	27.9-38.5	398	45.4	40.3-50.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3539	2,677,119	5	0.3	0.0- 0.7	121	4.0	3.0- 5.0	277	10.5	8.7-12.3	1156	33.3	30.9-35.7	961	30.2	27.8-32.6	1019	21.8	20.0-23.6
White/Non-Hisp	2847	2,004,955	4	0.3	0.0- 0.7	96	4.0	3.0- 5.0	210	9.4	7.8-11.0	933	33.2	30.7-35.7	761	30.1	27.6-32.6	843	22.9	20.9-24.9
Black or Afr. Am./Non-Hisp	490	462,481				12	1.9	0.3- 3.5	50	13.1	8.0-18.2	171	35.0	28.1-41.9	133	31.5	24.8-38.2	124	18.6	13.9-23.3
Oth. Race/Non-Hisp.	57	43,883				5	9.1	0.3-17.9	6	11.0	0.2-21.8	10	24.9	6.3-43.5	18	33.5	15.3-51.7	18	21.6	7.1-36.1
Hispanic	50	96,892	1	1.4	0.0- 4.1	4	12.7	0.0-27.6	1	3.7	0.0-10.8	15	39.3	21.7-56.9	16	24.6	9.7-39.5	13	18.3	7.1-29.5
18-24	168	310,589							5	3.5	0.0- 7.0	70	41.1	31.7-50.5	60	40.9	31.7-50.1	33	14.5	9.0-20.0
25-34	320	438,193				3	0.6	0.0- 1.4	14	9.6	4.1-15.1	74	29.5	22.4-36.6	90	29.8	22.9-36.7	139	30.5	24.4-36.6
35-44	349	421,487				4	3.1	0.0- 6.8	17	10.2	4.1-16.3	78	24.1	18.0-30.2	111	32.1	25.4-38.8	139	30.5	24.4-36.6
45-54	596	437,395				22	4.6	2.2- 7.0	50	12.1	8.4-15.8	170	31.2	26.1-36.3	168	30.9	25.8-36.0	186	21.3	17.6-25.0
55-64	719	433,711	3	1.4	0.0- 3.4	20	4.3	2.1- 6.5	52	10.2	7.1-13.3	261	36.0	31.5-40.5	176	27.2	22.9-31.5	207	20.9	17.6-24.2
65+	1320	594,836	2	0.3	0.0- 0.9	70	8.8	6.4-11.2	137	14.2	11.5-16.9	489	39.0	35.5-42.5	325	23.5	20.6-26.4	297	14.1	12.1-16.1
Less than \$15,000	437	300,603				36	9.5	5.8-13.2	77	23.3	16.8-29.8	185	41.2	33.9-48.5	107	20.1	14.8-25.4	32	5.8	2.7- 8.9
\$15,000- 24,999	643	498,028	1	0.3	0.0- 0.9	28	7.2	3.5-10.9	85	17.2	12.7-21.7	279	43.2	37.3-49.1	182	25.0	20.1-29.9	68	7.3	4.8- 9.8
\$25,000- 34,999	352	254,377				5	1.5	0.0- 3.5	18	12.2	3.8-20.6	150	39.8	32.2-47.4	92	30.4	22.6-38.2	87	16.2	11.3-21.1
\$35,000- 49,999	433	328,776	1	0.2	0.0- 0.6	3	0.7	0.0- 1.5	12	3.1	1.1- 5.1	149	35.8	29.1-42.5	131	37.2	30.3-44.1	137	23.0	17.9-28.1
\$50,000- 74,999	382	314,554							1	0.3	0.0- 0.9	83	27.9	21.0-34.8	127	39.4	32.1-46.7	171	32.4	26.1-38.7
\$75,000+	559	453,377							3	0.8	0.0- 1.8	61	15.7	11.0-20.4	127	31.6	25.5-37.7	368	51.9	45.8-58.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 20: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6132	5,149,300	4442	69.9	68.1-71.7	1361	23.8	22.2-25.4	329	6.3	5.3- 7.3
Male	2597	2,477,628	1872	69.5	67.0-72.0	581	24.5	22.1-26.9	144	6.0	4.6- 7.4
Female	3532	2,668,158	2568	70.2	67.8-72.6	780	23.2	21.0-25.4	184	6.6	5.2- 8.0
18-24	374	627,005	65	22.9	17.0-28.8	204	49.0	42.7-55.3	105	28.1	22.4-33.8
25-34	605	861,559	290	55.1	50.0-60.2	284	40.5	35.4-45.6	31	4.4	2.2- 6.6
35-44	640	833,044	426	73.1	68.8-77.4	185	23.6	19.5-27.7	29	3.3	1.5- 5.1
45-54	1003	847,183	742	78.6	75.1-82.1	213	17.7	14.4-21.0	48	3.7	2.3- 5.1
55-64	1309	839,533	1040	83.2	80.7-85.7	222	13.8	11.3-16.3	47	3.0	1.8- 4.2
65+	2108	1,069,256	1799	88.8	87.0-90.6	241	8.5	6.9-10.1	68	2.6	1.8- 3.4
Less Than H.S.	646	753,753	368	59.3	53.8-64.8	211	29.6	24.5-34.7	67	11.1	7.8-14.4
H.S. or G.E.D.	1996	1,720,981	1391	69.4	66.5-72.3	481	24.2	21.5-26.9	124	6.4	4.8- 8.0
Some Post-H.S.	1606	1,498,051	1138	67.9	64.6-71.2	375	24.7	21.8-27.6	93	7.4	5.4- 9.4
College Graduate	1873	1,171,055	1538	79.8	77.3-82.3	292	18.3	15.8-20.8	43	1.8	1.0- 2.6
Less than \$15,000	654	486,459	270	41.2	35.7-46.7	315	48.3	42.6-54.0	69	10.5	7.0-14.0
\$15,000- 24,999	981	820,537	602	59.0	54.5-63.5	317	35.9	31.4-40.4	62	5.0	3.4- 6.6
\$25,000- 34,999	621	518,770	441	65.7	60.2-71.2	154	29.1	23.8-34.4	26	5.2	2.5- 7.9
\$35,000- 49,999	816	690,912	619	71.1	66.6-75.6	164	23.3	19.0-27.6	33	5.5	3.1- 7.9
\$50,000- 74,999	748	684,215	624	81.7	77.8-85.6	104	14.7	11.2-18.2	20	3.5	1.3- 5.7
\$75,000+	1212	1,081,344	1108	89.3	86.8-91.8	88	8.6	6.4-10.8	16	2.1	0.7- 3.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 21: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2597	2,477,628	1872	69.5	67.0-72.0	581	24.5	22.1-26.9	144	6.0	4.6- 7.4
18-24	206	320,010	31	20.3	12.9-27.7	118	51.6	43.0-60.2	57	28.1	20.5-35.7
25-34	284	422,040	134	55.5	48.2-62.8	134	41.3	34.0-48.6	16	3.2	1.2- 5.2
35-44	292	411,985	209	78.4	72.5-84.3	75	19.4	13.9-24.9	8	2.2	0.0- 4.7
45-54	407	410,295	316	80.4	74.9-85.9	75	17.0	11.5-22.5	16	2.6	1.0- 4.2
55-64	592	407,400	462	81.4	77.3-85.5	101	15.0	11.1-18.9	29	3.7	1.9- 5.5
65+	785	473,182	696	88.6	85.7-91.5	71	9.2	6.5-11.9	18	2.1	0.9- 3.3
Less Than H.S.	243	357,659	139	57.7	49.1-66.3	76	29.9	21.9-37.9	28	12.3	6.8-17.8
H.S. or G.E.D.	846	834,634	581	68.9	64.6-73.2	212	25.3	21.2-29.4	53	5.8	3.8- 7.8
Some Post-H.S.	650	695,980	463	67.9	63.0-72.8	148	25.6	20.9-30.3	39	6.5	3.8- 9.2
College Graduate	856	587,439	687	79.5	75.8-83.2	145	18.7	15.2-22.2	24	1.8	0.8- 2.8
Less than \$15,000	216	185,730	79	38.1	28.9-47.3	109	51.4	42.0-60.8	28	10.6	5.3-15.9
\$15,000- 24,999	338	323,881	208	54.5	46.9-62.1	115	42.0	34.4-49.6	15	3.5	1.1- 5.9
\$25,000- 34,999	270	264,981	184	64.2	56.2-72.2	74	32.8	24.8-40.8	12	3.0	0.6- 5.4
\$35,000- 49,999	382	361,621	280	67.7	60.8-74.6	79	24.4	18.1-30.7	23	7.8	3.7-11.9
\$50,000- 74,999	366	369,662	293	81.0	75.5-86.5	62	15.7	10.8-20.6	11	3.3	0.8- 5.8
\$75,000+	653	630,394	583	88.6	85.3-91.9	59	9.0	6.3-11.7	11	2.4	0.4- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 22: DO YOU OWN OR RENT YOUR HOME? (RENTHOM1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Own			Rent			Other Arrangement		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3532	2,668,158	2568	70.2	67.8-72.6	780	23.2	21.0-25.4	184	6.6	5.2- 8.0
18-24	168	306,995	34	25.7	16.7-34.7	86	46.2	37.0-55.4	48	28.1	19.9-36.3
25-34	320	438,193	156	54.8	47.5-62.1	150	39.9	32.8-47.0	14	5.3	1.8- 8.8
35-44	348	421,059	217	68.0	61.5-74.5	110	27.7	21.4-34.0	21	4.3	1.9- 6.7
45-54	595	434,978	425	76.8	72.5-81.1	138	18.5	14.6-22.4	32	4.7	2.7- 6.7
55-64	717	432,133	578	84.9	81.8-88.0	121	12.7	9.8-15.6	18	2.4	1.0- 3.8
65+	1322	595,797	1102	88.9	86.9-90.9	170	8.0	6.4- 9.6	50	3.1	1.9- 4.3
Less Than H.S.	402	394,184	228	60.6	53.7-67.5	135	29.4	23.1-35.7	39	10.0	5.9-14.1
H.S. or G.E.D.	1150	886,347	810	69.9	65.8-74.0	269	23.1	19.4-26.8	71	7.0	4.6- 9.4
Some Post-H.S.	955	800,744	675	68.1	63.6-72.6	227	24.0	20.1-27.9	53	7.9	5.2-10.6
College Graduate	1016	583,338	850	80.1	76.4-83.8	147	17.9	14.4-21.4	19	1.9	0.7- 3.1
Less than \$15,000	438	300,729	191	43.2	36.1-50.3	206	46.4	39.1-53.7	41	10.4	5.7-15.1
\$15,000- 24,999	643	496,657	394	61.9	56.2-67.6	202	32.0	26.5-37.5	47	6.1	3.9- 8.3
\$25,000- 34,999	351	253,789	257	67.3	59.5-75.1	80	25.2	18.3-32.1	14	7.5	2.4-12.6
\$35,000- 49,999	434	329,291	339	74.9	68.8-81.0	85	22.1	16.2-28.0	10	3.0	0.6- 5.4
\$50,000- 74,999	382	314,554	331	82.6	76.7-88.5	42	13.6	8.5-18.7	9	3.8	0.3- 7.3
\$75,000+	558	449,040	524	90.2	86.1-94.3	29	8.2	4.5-11.9	5	1.6	0.0- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 23: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5835	4,716,285	5603	96.0	95.2-96.8	154	2.3	1.9- 2.7	78	1.6	1.0- 2.2
Male	2433	2,245,611	2337	95.8	94.4-97.2	68	2.3	1.5- 3.1	28	1.9	0.7- 3.1
Female	3399	2,467,160	3263	96.2	95.4-97.0	86	2.4	1.8- 3.0	50	1.4	0.8- 2.0
White/Non-Hisp	4713	3,562,852	4539	96.2	95.2-97.2	119	2.2	1.6- 2.8	55	1.6	0.8- 2.4
Black or Afr. Am./Non-Hisp	727	756,122	696	95.7	93.7-97.7	24	3.0	1.4- 4.6	7	1.3	0.1- 2.5
Oth. Race/Non-Hisp.	108	100,931	103	95.3	90.8-99.8	2	1.2	0.0- 3.0	3	3.4	0.0- 7.5
MultiRacial/Non-Hisp.	100	51,361	97	98.4	96.6- 100	2	0.9	0.0- 2.3	1	0.6	0.0- 1.8
Hispanic	93	165,945	88	96.3	93.0-99.6	2	1.7	0.0- 4.1	3	2.1	0.0- 4.5
18-24	313	503,843	296	94.5	91.6-97.4	11	3.3	1.1- 5.5	6	2.2	0.2- 4.2
25-34	518	705,742	497	97.3	95.9-98.7	11	1.3	0.3- 2.3	10	1.4	0.2- 2.6
35-44	598	775,716	575	95.5	92.4-98.6	15	1.7	0.7- 2.7	8	2.8	0.0- 5.7
45-54	962	805,666	929	96.7	95.3-98.1	28	2.7	1.5- 3.9	5	0.6	0.0- 1.2
55-64	1263	801,806	1227	97.5	96.5-98.5	23	1.7	0.7- 2.7	13	0.8	0.2- 1.4
65+	2075	1,047,383	2001	96.3	95.3-97.3	56	2.8	1.8- 3.8	18	0.9	0.3- 1.5
Less Than H.S.	636	720,769	606	94.8	91.5-98.1	18	1.5	0.7- 2.3	12	3.7	0.4- 7.0
H.S. or G.E.D.	1933	1,629,805	1852	96.3	95.3-97.3	59	2.7	1.7- 3.7	22	0.9	0.3- 1.5
Some Post-H.S.	1525	1,373,666	1466	96.1	94.9-97.3	38	2.4	1.4- 3.4	21	1.5	0.7- 2.3
College Graduate	1719	981,759	1667	96.8	95.6-98.0	33	1.8	1.0- 2.6	19	1.3	0.5- 2.1
Less than \$15,000	633	447,911	607	95.9	93.7-98.1	14	1.5	0.3- 2.7	12	2.6	0.6- 4.6
\$15,000- 24,999	942	761,286	907	96.4	94.8-98.0	26	2.4	1.0- 3.8	9	1.2	0.2- 2.2
\$25,000- 34,999	593	466,361	573	97.6	96.4-98.8	17	1.8	0.8- 2.8	3	0.5	0.0- 1.3
\$35,000- 49,999	776	637,498	757	97.2	95.6-98.8	15	2.0	0.6- 3.4	4	0.8	0.0- 1.8
\$50,000- 74,999	703	630,625	689	96.6	93.3-99.9	11	1.4	0.4- 2.4	3	1.9	0.0- 5.2
\$75,000+	1107	955,999	1074	97.6	96.4-98.8	26	1.6	0.8- 2.4	7	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 24: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2433	2,245,611	2337	95.8	94.4-97.2	68	2.3	1.5- 3.1	28	1.9	0.7- 3.1
White/Non-Hisp	1983	1,713,338	1913	96.1	94.5-97.7	51	2.0	1.2- 2.8	19	1.8	0.4- 3.2
Black or Afr. Am./Non-Hisp	245	319,452	232	94.6	91.3-97.9	11	4.2	1.5- 6.9	2	1.2	0.0- 3.0
Oth. Race/Non-Hisp.	57	67,282	53	94.1	87.8- 100	1	0.7	0.0- 2.1	3	5.2	0.0-11.3
MultiRacial/Non-Hisp.	51	27,545	51	100.0	100.0- 100						
Hispanic	53	85,819	50	96.3	92.0- 100	1	1.4	0.0- 4.1	2	2.2	0.0- 5.3
18-24	176	264,274	168	94.9	91.0-98.8	6	3.4	0.3- 6.5	2	1.7	0.0- 4.2
25-34	241	342,144	233	97.8	96.0-99.6	5	1.2	0.0- 2.4	3	1.0	0.0- 2.4
35-44	266	376,824	255	93.3	87.2-99.4	6	1.7	0.1- 3.3	5	5.0	0.0-11.1
45-54	383	378,812	368	97.0	95.2-98.8	13	2.6	0.8- 4.4	2	0.4	0.0- 1.0
55-64	564	385,208	544	96.7	94.9-98.5	13	2.0	0.6- 3.4	7	1.3	0.3- 2.3
65+	767	464,196	744	97.3	95.9-98.7	21	2.3	0.9- 3.7	2	0.4	0.0- 1.0
Less Than H.S.	238	336,299	225	92.3	85.4-99.2	6	1.2	0.2- 2.2	7	6.4	0.0-13.3
H.S. or G.E.D.	809	787,697	773	96.0	94.4-97.6	30	3.3	1.7- 4.9	6	0.8	0.0- 1.6
Some Post-H.S.	605	626,984	584	96.7	94.9-98.5	18	2.6	1.2- 4.0	3	0.6	0.0- 1.6
College Graduate	775	490,752	753	97.2	95.4-99.0	12	0.9	0.3- 1.5	10	2.0	0.4- 3.6
Less than \$15,000	207	169,264	195	93.9	89.8-98.0	7	2.7	0.0- 5.4	5	3.4	0.3- 6.5
\$15,000- 24,999	320	287,068	310	97.4	95.4-99.4	8	1.7	0.3- 3.1	2	1.0	0.0- 2.6
\$25,000- 34,999	254	232,659	246	98.2	96.8-99.6	7	1.4	0.2- 2.6	1	0.4	0.0- 1.2
\$35,000- 49,999	360	333,031	352	97.6	95.2- 100	7	2.3	0.0- 4.7	1	0.1	0.0- 0.3
\$50,000- 74,999	343	348,875	331	94.4	88.3- 100	10	2.3	0.5- 4.1	2	3.3	0.0- 9.2
\$75,000+	590	553,482	576	98.2	96.8-99.6	10	0.8	0.2- 1.4	4	1.1	0.0- 2.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 25: WHAT COUNTY DO YOU LIVE IN? (CTYCODE1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3399	2,467,160	3263	96.2	95.4-97.0	86	2.4	1.8- 3.0	50	1.4	0.8- 2.0
White/Non-Hisp	2728	1,847,910	2624	96.3	95.3-97.3	68	2.4	1.6- 3.2	36	1.3	0.7- 1.9
Black or Afr. Am./Non-Hisp	482	436,670	464	96.5	94.1-98.9	13	2.1	0.5- 3.7	5	1.3	0.0- 2.9
Oth. Race/Non-Hisp.	51	33,649	50	97.7	93.2- 100	1	2.3	0.0- 6.8			
18-24	137	239,568	128	94.0	89.7-98.3	5	3.2	0.3- 6.1	4	2.9	0.0- 6.0
25-34	276	362,271	263	96.7	94.3-99.1	6	1.5	0.1- 2.9	7	1.8	0.0- 3.6
35-44	332	398,892	320	97.7	96.3-99.1	9	1.6	0.4- 2.8	3	0.7	0.0- 1.5
45-54	578	424,944	560	96.5	94.3-98.7	15	2.8	0.8- 4.8	3	0.7	0.0- 1.7
55-64	699	416,599	683	98.2	97.0-99.4	10	1.4	0.4- 2.4	6	0.4	0.0- 0.8
65+	1307	582,910	1256	95.5	93.9-97.1	35	3.1	1.9- 4.3	16	1.4	0.4- 2.4
Less Than H.S.	397	382,559	380	96.9	95.1-98.7	12	1.8	0.6- 3.0	5	1.2	0.0- 2.4
H.S. or G.E.D.	1124	842,108	1079	96.7	95.3-98.1	29	2.2	1.0- 3.4	16	1.1	0.3- 1.9
Some Post-H.S.	919	745,355	881	95.5	93.7-97.3	20	2.3	1.1- 3.5	18	2.2	0.8- 3.6
College Graduate	943	490,730	913	96.5	94.7-98.3	21	2.8	1.2- 4.4	9	0.7	0.1- 1.3
Less than \$15,000	426	278,646	412	97.1	94.6-99.6	7	0.7	0.1- 1.3	7	2.2	0.0- 4.7
\$15,000- 24,999	622	474,218	597	95.8	93.4-98.2	18	2.9	0.9- 4.9	7	1.3	0.1- 2.5
\$25,000- 34,999	339	233,702	327	97.0	95.0-99.0	10	2.3	0.7- 3.9	2	0.7	0.0- 1.9
\$35,000- 49,999	416	304,468	405	96.8	94.4-99.2	8	1.7	0.3- 3.1	3	1.5	0.0- 3.5
\$50,000- 74,999	360	281,749	358	99.4	98.6- 100	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6
\$75,000+	516	400,606	497	96.7	94.9-98.5	16	2.8	1.0- 4.6	3	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 26: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6167	5,177,698	5791	92.7	91.7-93.7	138	2.6	2.0- 3.2	238	4.8	4.0- 5.6
Male	2609	2,490,659	2454	92.6	91.2-94.0	65	2.7	1.9- 3.5	90	4.7	3.5- 5.9
Female	3555	2,683,526	3334	92.7	91.3-94.1	73	2.5	1.7- 3.3	148	4.8	3.8- 5.8
White/Non-Hisp	4970	3,884,699	4690	93.4	92.4-94.4	104	2.4	1.8- 3.0	176	4.2	3.4- 5.0
Black or Afr. Am./Non-Hisp	755	814,629	721	95.3	93.1-97.5	13	1.4	0.2- 2.6	21	3.3	1.5- 5.1
Oth. Race/Non-Hisp.	122	119,004	110	84.0	74.2-93.8	5	7.5	0.6-14.4	7	8.5	0.9-16.1
MultiRacial/Non-Hisp.	104	53,948	100	97.6	95.1- 100	4	2.4	0.0- 4.9	4	2.4	0.0- 4.9
Hispanic	118	220,170	101	84.7	76.7-92.7	9	7.3	2.0-12.6	8	8.0	1.5-14.5
18-24	377	636,165	337	86.7	82.4-91.0	20	6.4	3.3- 9.5	20	6.9	3.6-10.2
25-34	609	865,992	568	93.4	90.9-95.9	9	0.9	0.3- 1.5	32	5.8	3.4- 8.2
35-44	641	833,472	612	94.0	91.5-96.5	10	1.7	0.3- 3.1	19	4.3	2.1- 6.5
45-54	1005	849,716	953	94.3	92.3-96.3	21	2.1	1.1- 3.1	31	3.6	1.8- 5.4
55-64	1315	842,056	1253	94.1	92.3-95.9	21	1.9	0.9- 2.9	41	4.0	2.4- 5.6
65+	2112	1,071,029	2004	94.4	93.0-95.8	54	3.2	2.0- 4.4	54	2.4	1.6- 3.2
Less Than H.S.	649	756,359	598	92.7	90.2-95.2	34	4.1	2.3- 5.9	17	3.1	1.1- 5.1
H.S. or G.E.D.	2003	1,726,973	1896	93.7	92.1-95.3	45	2.6	1.6- 3.6	62	3.7	2.3- 5.1
Some Post-H.S.	1614	1,509,380	1509	92.1	90.1-94.1	29	2.3	1.3- 3.3	76	5.5	3.9- 7.1
College Graduate	1879	1,174,699	1775	92.2	90.2-94.2	28	1.7	0.9- 2.5	76	6.1	4.3- 7.9
Less than \$15,000	656	487,511	621	94.9	92.5-97.3	17	2.4	1.0- 3.8	18	2.7	0.7- 4.7
\$15,000- 24,999	983	824,508	935	93.0	90.5-95.5	25	2.8	1.4- 4.2	23	4.2	1.8- 6.6
\$25,000- 34,999	622	519,358	593	93.4	90.5-96.3	16	3.0	1.2- 4.8	13	3.6	1.1- 6.1
\$35,000- 49,999	816	690,912	787	94.8	92.6-97.0	13	2.5	0.9- 4.1	16	2.7	1.1- 4.3
\$50,000- 74,999	749	685,150	724	96.0	93.8-98.2	7	0.5	0.1- 0.9	18	3.5	1.3- 5.7
\$75,000+	1213	1,085,681	1167	94.8	92.8-96.8	14	1.3	0.3- 2.3	32	3.9	2.1- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 27: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2609	2,490,659	2454	92.6	91.2-94.0	65	2.7	1.9- 3.5	90	4.7	3.5- 5.9
White/Non-Hisp	2115	1,876,064	2006	94.1	92.7-95.5	48	2.2	1.4- 3.0	61	3.6	2.4- 4.8
Black or Afr. Am./Non-Hisp	261	351,058	251	95.0	91.5-98.5	4	1.2	0.0- 2.6	6	3.8	0.5- 7.1
Oth. Race/Non-Hisp.	64	74,353	54	79.1	65.4-92.8	4	11.4	0.6-22.2	6	9.5	0.0-19.1
MultiRacial/Non-Hisp.	55	30,133	54	99.4	98.2- 100				1	0.6	0.0- 1.8
Hispanic	68	123,278	57	79.9	67.2-92.6	5	7.7	0.0-15.5	6	12.4	1.2-23.6
18-24	208	324,833	188	87.7	81.8-93.6	9	4.0	1.1- 6.9	11	8.3	2.8-13.8
25-34	287	425,670	271	94.0	90.7-97.3	3	0.7	0.0- 1.5	13	5.3	2.2- 8.4
35-44	292	411,985	280	94.6	91.1-98.1	4	1.8	0.0- 4.2	8	3.6	0.9- 6.3
45-54	407	410,295	386	94.0	90.9-97.1	9	2.6	0.6- 4.6	12	3.5	0.8- 6.2
55-64	592	407,400	559	92.3	89.2-95.4	13	2.5	0.9- 4.1	20	5.2	2.5- 7.9
65+	785	473,182	749	94.7	92.5-96.9	25	4.3	2.1- 6.5	11	1.1	0.5- 1.7
Less Than H.S.	245	359,510	219	90.2	85.7-94.7	17	5.6	2.3- 8.9	9	4.1	1.0- 7.2
H.S. or G.E.D.	847	836,502	804	93.5	91.0-96.0	21	2.1	1.1- 3.1	22	4.4	2.0- 6.8
Some Post-H.S.	652	700,464	617	93.1	90.4-95.8	15	2.7	0.9- 4.5	20	4.2	2.0- 6.4
College Graduate	859	590,302	812	92.5	89.8-95.2	12	1.7	0.5- 2.9	35	5.8	3.4- 8.2
Less than \$15,000	217	186,557	203	92.2	86.9-97.5	8	3.7	0.8- 6.6	6	4.1	0.0- 8.6
\$15,000- 24,999	339	325,749	321	92.0	87.3-96.7	14	4.6	1.7- 7.5	4	3.4	0.0- 7.3
\$25,000- 34,999	270	264,981	255	93.4	89.3-97.5	8	2.6	0.2- 5.0	7	4.0	0.7- 7.3
\$35,000- 49,999	382	361,621	369	94.6	91.3-97.9	7	2.9	0.5- 5.3	6	2.5	0.1- 4.9
\$50,000- 74,999	367	370,597	353	94.9	91.6-98.2	4	0.7	0.0- 1.5	10	4.4	1.1- 7.7
\$75,000+	653	630,394	633	95.2	92.7-97.7	5	0.9	0.0- 1.9	15	3.9	1.5- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 28: WHAT IS THE ZIP CODE WHERE YOU CURRENTLY LIVE? (ZIPCODE1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3555	2,683,526	3334	92.7	91.3-94.1	73	2.5	1.7- 3.3	148	4.8	3.8- 5.8
White/Non-Hisp	2853	2,007,032	2682	92.7	91.3-94.1	56	2.5	1.5- 3.5	115	4.8	3.6- 6.0
Black or Afr. Am./Non-Hisp	494	463,571	470	95.5	92.8-98.2	9	1.6	0.0- 3.6	15	2.9	0.9- 4.9
Oth. Race/Non-Hisp.	58	44,651	56	92.3	79.6- 100	1	1.0	0.0- 3.0	1	6.8	0.0-19.3
Hispanic	50	96,892	44	90.7	82.9-98.5	4	6.8	0.0-13.7	2	2.4	0.0- 5.9
18-24	169	311,332	149	85.6	79.1-92.1	11	9.0	3.5-14.5	9	5.4	1.7- 9.1
25-34	321	438,995	296	92.7	89.2-96.2	6	1.1	0.1- 2.1	19	6.3	2.8- 9.8
35-44	349	421,487	332	93.4	89.7-97.1	6	1.5	0.0- 3.1	11	5.0	1.7- 8.3
45-54	597	437,511	566	94.6	92.1-97.1	12	1.6	0.6- 2.6	19	3.8	1.4- 6.2
55-64	723	434,656	694	95.7	93.7-97.7	8	1.4	0.2- 2.6	21	2.9	1.3- 4.5
65+	1326	597,570	1254	94.2	92.6-95.8	29	2.4	1.2- 3.6	43	3.4	2.0- 4.8
Less Than H.S.	403	394,939	378	94.9	92.2-97.6	17	2.8	1.2- 4.4	8	2.3	0.0- 4.7
H.S. or G.E.D.	1156	890,471	1092	93.8	91.6-96.0	24	3.2	1.4- 5.0	40	3.0	1.6- 4.4
Some Post-H.S.	961	807,589	891	91.3	88.6-94.0	14	2.0	0.6- 3.4	56	6.7	4.3- 9.1
College Graduate	1019	584,120	962	91.9	89.2-94.6	16	1.7	0.5- 2.9	41	6.4	3.9- 8.9
Less than \$15,000	439	300,954	418	96.5	94.5-98.5	9	1.6	0.0- 3.2	12	1.9	0.7- 3.1
\$15,000- 24,999	644	498,759	614	93.6	90.5-96.7	11	1.6	0.4- 2.8	19	4.8	1.9- 7.7
\$25,000- 34,999	352	254,377	338	93.4	88.9-97.9	8	3.4	0.5- 6.3	6	3.2	0.0- 6.7
\$35,000- 49,999	434	329,291	418	94.9	92.0-97.8	6	2.1	0.3- 3.9	10	3.0	0.8- 5.2
\$50,000- 74,999	382	314,554	371	97.3	94.9-99.7	3	0.3	0.0- 0.7	8	2.4	0.0- 4.8
\$75,000+	559	453,377	533	94.1	91.0-97.2	9	1.9	0.0- 4.1	17	3.9	1.5- 6.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 29: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2831	1,687,213	248	7.7	6.5- 8.9	2583	92.3	91.1-93.5
Male	989	697,369	103	8.6	6.4-10.8	886	91.4	89.2-93.6
Female	1839	986,330	145	7.1	5.5- 8.7	1694	92.9	91.3-94.5
White/Non-Hisp	2346	1,406,230	195	7.4	6.0- 8.8	2151	92.6	91.2-94.0
Black or Afr. Am./Non-Hisp	353	203,120	36	8.3	5.0-11.6	317	91.7	88.4-95.0
25-34	84	88,909	7	8.0	0.9-15.1	77	92.0	84.9-99.1
35-44	188	191,592	11	5.6	2.1- 9.1	177	94.4	90.9-97.9
45-54	400	286,314	39	10.5	6.4-14.6	361	89.5	85.4-93.6
55-64	665	381,809	50	6.7	4.5- 8.9	615	93.3	91.1-95.5
65+	1392	626,056	131	8.3	6.5-10.1	1261	91.7	89.9-93.5
Less Than H.S.	341	318,547	23	6.1	2.8- 9.4	318	93.9	90.6-97.2
H.S. or G.E.D.	949	567,193	71	6.3	4.5- 8.1	878	93.7	91.9-95.5
Some Post-H.S.	728	467,414	73	9.5	6.8-12.2	655	90.5	87.8-93.2
College Graduate	805	330,643	80	9.0	6.6-11.4	725	91.0	88.6-93.4
Less than \$15,000	316	162,141	12	3.4	1.0- 5.8	304	96.6	94.2-99.0
\$15,000- 24,999	455	256,182	40	7.8	4.7-10.9	415	92.2	89.1-95.3
\$25,000- 34,999	310	180,433	33	9.4	5.5-13.3	277	90.6	86.7-94.5
\$35,000- 49,999	333	205,177	24	6.4	2.7-10.1	309	93.6	89.9-97.3
\$50,000- 74,999	313	201,512	38	12.6	7.7-17.5	275	87.4	82.5-92.3
\$75,000+	500	323,400	49	8.5	5.6-11.4	451	91.5	88.6-94.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 30: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	989	697,369	103	8.6	6.4-10.8	886	91.4	89.2-93.6
White/Non-Hisp	845	583,342	84	8.5	6.1-10.9	761	91.5	89.1-93.9
Black or Afr. Am./Non-Hisp	81	72,718	9	6.2	1.1-11.3	72	93.8	88.7-98.9
35-44	72	79,370	5	7.2	0.7-13.7	67	92.8	86.3-99.3
45-54	142	116,648	16	11.2	4.1-18.3	126	88.8	81.7-95.9
55-64	257	161,668	20	7.1	3.4-10.8	237	92.9	89.2-96.6
65+	445	244,006	53	10.0	6.7-13.3	392	90.0	86.7-93.3
Less Than H.S.	101	135,317	5	6.3	0.0-12.6	96	93.7	87.4- 100
H.S. or G.E.D.	309	222,980	32	7.9	4.6-11.2	277	92.1	88.8-95.4
Some Post-H.S.	256	194,255	28	9.4	5.3-13.5	228	90.6	86.5-94.7
College Graduate	322	144,138	38	10.7	6.6-14.8	284	89.3	85.2-93.4
Less than \$15,000	86	58,900	3	2.2	0.0- 5.1	83	97.8	94.9- 100
\$15,000- 24,999	138	91,881	13	7.2	1.9-12.5	125	92.8	87.5-98.1
\$25,000- 34,999	100	75,432	16	13.8	6.0-21.6	84	86.2	78.4-94.0
\$35,000- 49,999	125	86,551	6	4.5	0.0- 9.2	119	95.5	90.8- 100
\$50,000- 74,999	127	89,932	20	16.5	7.7-25.3	107	83.5	74.7-92.3
\$75,000+	252	168,971	28	9.6	5.1-14.1	224	90.4	85.9-94.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 31: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1839	986,330	145	7.1	5.5- 8.7	1694	92.9	91.3-94.5
White/Non-Hisp	1499	821,285	111	6.6	5.0- 8.2	1388	93.4	91.8-95.0
Black or Afr. Am./Non-Hisp	272	130,402	27	9.4	5.1-13.7	245	90.6	86.3-94.9
35-44	116	112,222	6	4.5	0.6- 8.4	110	95.5	91.6-99.4
45-54	257	167,756	23	10.2	5.5-14.9	234	89.8	85.1-94.5
55-64	408	220,142	30	6.5	3.8- 9.2	378	93.5	90.8-96.2
65+	946	381,774	78	7.2	5.2- 9.2	868	92.8	90.8-94.8
Less Than H.S.	239	181,319	18	6.1	2.8- 9.4	221	93.9	90.6-97.2
H.S. or G.E.D.	640	344,213	39	5.3	3.3- 7.3	601	94.7	92.7-96.7
Some Post-H.S.	471	271,833	45	9.5	5.8-13.2	426	90.5	86.8-94.2
College Graduate	482	186,228	42	7.6	4.9-10.3	440	92.4	89.7-95.1
Less than \$15,000	230	103,241	9	4.0	0.7- 7.3	221	96.0	92.7-99.3
\$15,000- 24,999	317	164,301	27	8.2	4.3-12.1	290	91.8	87.9-95.7
\$25,000- 34,999	210	105,002	17	6.3	2.6-10.0	193	93.7	90.0-97.4
\$35,000- 49,999	208	118,626	18	7.8	2.3-13.3	190	92.2	86.7-97.7
\$50,000- 74,999	186	111,581	18	9.4	4.1-14.7	168	90.6	85.3-95.9
\$75,000+	247	152,518	21	7.4	3.7-11.1	226	92.6	88.9-96.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 8: DEMOGRAPHICS**

**TABLE 32: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	243	126,825	162	82.1	77.0-87.2	66	14.8	10.1-19.5	10	2.2	0.6- 3.8	4	0.7	0.0- 1.7	1	0.1	0.0- 0.3
Male	100	58,362	67	80.2	71.0-89.4	27	16.4	7.8-25.0	6	3.4	0.1- 6.7						
Female	143	68,463	95	83.7	78.2-89.2	39	13.5	8.4-18.6	4	1.2	0.0- 2.4	4	1.3	0.0- 2.9	1	0.2	0.0- 0.6
White/Non-Hisp	190	101,133	127	83.9	78.6-89.2	50	13.5	8.4-18.6	9	2.1	0.7- 3.5	3	0.4	0.0- 0.8	1	0.1	0.0- 0.3
55-64	50	25,768	40	89.8	82.5-97.1	8	8.4	1.7-15.1	2	1.8	0.0- 4.3						
65+	128	49,903	76	77.6	69.8-85.4	43	19.9	12.5-27.3	5	1.4	0.4- 2.4	3	0.7	0.0- 1.7	1	0.3	0.0- 0.9
H.S. or G.E.D.	71	35,655	50	85.1	77.5-92.7	15	10.5	4.0-17.0	5	4.2	0.3- 8.1	1	0.2	0.0- 0.6			
Some Post-H.S.	71	43,064	48	88.8	82.5-95.1	16	7.2	2.3-12.1	3	1.7	0.0- 4.4	3	1.9	0.0- 4.4	1	0.3	0.0- 1.1
College Graduate	78	29,113	49	73.1	61.9-84.3	28	25.9	14.7-37.1	1	1.0	0.0- 3.2						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 8: DEMOGRAPHICS

TABLE 33: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	100	58,362	67	80.2	72.6-87.8	27	16.4	9.5-23.3	6	3.4	0.1- 6.7
White/Non-Hisp	81	48,192	54	81.0	73.4-88.6	22	16.3	9.2-23.4	5	2.7	0.0- 5.6
65+	52	24,242	32	78.2	66.8-89.6	17	20.1	9.1-31.1	3	1.7	0.0- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 34: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)**

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	143	68,463	95	83.7	78.2-89.2	39	13.5	8.4-18.6	4	1.2	0.0- 2.4	4	1.3	0.0- 2.9	1	0.2	0.0- 0.6
White/Non-Hisp	109	52,941	73	86.6	81.5-91.7	28	10.9	6.2-15.6	4	1.6	1.0- 2.2	3	0.7	0.0- 1.5	1	0.3	0.0- 0.9
65+	76	25,662	44	76.9	67.3-86.5	26	19.8	10.8-28.8	2	1.2	0.6- 1.8	3	1.5	0.0- 3.3	1	0.6	0.0- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 35: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2821	1,682,644	2310	84.6	83.0-86.2	511	15.4	13.8-17.0
Male	986	696,273	817	85.5	83.0-88.0	169	14.5	12.0-17.0
Female	1832	982,857	1490	84.0	81.8-86.2	342	16.0	13.8-18.2
White/Non-Hisp	2341	1,403,377	1951	85.2	83.4-87.0	390	14.8	13.0-16.6
Black or Afr. Am./Non-Hisp	351	202,674	266	82.9	78.2-87.6	85	17.1	12.4-21.8
25-34	84	88,909	73	87.8	80.0-95.6	11	12.2	4.4-20.0
35-44	187	191,245	171	92.1	87.6-96.6	16	7.9	3.4-12.4
45-54	399	285,514	337	85.2	80.9-89.5	62	14.8	10.5-19.1
55-64	660	380,292	569	88.1	85.2-91.0	91	11.9	9.0-14.8
65+	1388	624,093	1075	78.9	76.2-81.6	313	21.1	18.4-23.8
Less Than H.S.	336	316,100	200	66.2	59.9-72.5	136	33.8	27.5-40.1
H.S. or G.E.D.	947	566,542	744	83.9	81.4-86.4	203	16.1	13.6-18.6
Some Post-H.S.	727	466,745	616	91.0	88.8-93.2	111	9.0	6.8-11.2
College Graduate	803	329,836	744	94.8	93.2-96.4	59	5.2	3.6- 6.8
Less than \$15,000	314	160,513	206	67.5	60.2-74.8	108	32.5	25.2-39.8
\$15,000- 24,999	455	256,871	303	68.7	63.0-74.4	152	31.3	25.6-37.0
\$25,000- 34,999	310	180,433	261	85.8	81.1-90.5	49	14.2	9.5-18.9
\$35,000- 49,999	333	204,625	288	87.7	83.2-92.2	45	12.3	7.8-16.8
\$50,000- 74,999	312	201,364	294	95.1	92.4-97.8	18	4.9	2.2- 7.6
\$75,000+	500	323,400	487	98.1	96.9-99.3	13	1.9	0.7- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 36: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	986	696,273	817	85.5	83.0-88.0	169	14.5	12.0-17.0
White/Non-Hisp	844	582,781	707	86.0	83.3-88.7	137	14.0	11.3-16.7
Black or Afr. Am./Non-Hisp	81	72,718	63	84.3	75.1-93.5	18	15.7	6.5-24.9
35-44	71	79,024	66	92.9	86.4-99.4	5	7.1	0.6-13.6
45-54	141	115,848	115	80.5	72.7-88.3	26	19.5	11.7-27.3
55-64	256	161,394	222	89.6	85.5-93.7	34	10.4	6.3-14.5
65+	444	244,272	349	80.6	76.1-85.1	95	19.4	14.9-23.9
Less Than H.S.	98	134,246	65	74.7	65.3-84.1	33	25.3	15.9-34.7
H.S. or G.E.D.	309	223,526	239	82.4	77.7-87.1	70	17.6	12.9-22.3
Some Post-H.S.	255	193,981	219	90.9	87.6-94.2	36	9.1	5.8-12.4
College Graduate	322	143,781	292	92.8	89.7-95.9	30	7.2	4.1-10.3
Less than \$15,000	85	58,256	57	69.3	56.2-82.4	28	30.7	17.6-43.8
\$15,000- 24,999	139	92,872	85	63.0	53.0-73.0	54	37.0	27.0-47.0
\$25,000- 34,999	100	75,432	85	88.1	80.8-95.4	15	11.9	4.6-19.2
\$35,000- 49,999	126	86,648	104	84.6	77.0-92.2	22	15.4	7.8-23.0
\$50,000- 74,999	127	89,932	117	94.2	89.9-98.5	10	5.8	1.5-10.1
\$75,000+	252	168,971	241	96.7	94.3-99.1	11	3.3	0.9- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 37: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1832	982,857	1490	84.0	81.8-86.2	342	16.0	13.8-18.2
White/Non-Hisp	1495	818,993	1242	84.5	82.1-86.9	253	15.5	13.1-17.9
Black or Afr. Am./Non-Hisp	270	129,956	203	82.2	76.9-87.5	67	17.8	12.5-23.1
35-44	116	112,222	105	91.6	85.3-97.9	11	8.4	2.1-14.7
45-54	257	167,756	221	88.2	83.5-92.9	36	11.8	7.1-16.5
55-64	404	218,898	347	87.0	82.9-91.1	57	13.0	8.9-17.1
65+	943	379,544	725	77.8	74.3-81.3	218	22.2	18.7-25.7
Less Than H.S.	237	179,944	134	59.6	51.8-67.4	103	40.4	32.6-48.2
H.S. or G.E.D.	638	343,016	505	84.8	81.7-87.9	133	15.2	12.1-18.3
Some Post-H.S.	471	271,437	396	90.9	88.4-93.4	75	9.1	6.6-11.6
College Graduate	480	185,778	451	96.4	94.8-98.0	29	3.6	2.0- 5.2
Less than \$15,000	229	102,257	149	66.5	57.9-75.1	80	33.5	24.9-42.1
\$15,000- 24,999	316	163,999	218	71.9	65.2-78.6	98	28.1	21.4-34.8
\$25,000- 34,999	210	105,002	176	84.2	77.9-90.5	34	15.8	9.5-22.1
\$35,000- 49,999	207	117,977	184	90.0	84.9-95.1	23	10.0	4.9-15.1
\$50,000- 74,999	185	111,432	177	95.8	92.3-99.3	8	4.2	0.7- 7.7
\$75,000+	247	152,518	245	99.5	98.9- 100	2	0.5	0.0- 1.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 38: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6151	5,168,384	818	11.0	10.0-12.0	5333	89.0	88.0-90.0
Male	2596	2,482,227	751	21.3	19.3-23.3	1845	78.7	76.7-80.7
Female	3552	2,682,643	67	1.6	1.0- 2.2	3485	98.4	97.8-99.0
18-24	376	634,409	15	3.5	1.3- 5.7	361	96.5	94.3-98.7
25-34	609	865,992	39	6.3	3.8- 8.8	570	93.7	91.2-96.2
35-44	639	831,539	46	6.7	4.2- 9.2	593	93.3	90.8-95.8
45-54	1001	848,167	96	9.1	6.7-11.5	905	90.9	88.5-93.3
55-64	1313	841,473	165	12.7	10.3-15.1	1148	87.3	84.9-89.7
65+	2112	1,071,029	447	22.8	20.4-25.2	1665	77.2	74.8-79.6
Less Than H.S.	648	755,968	35	4.4	2.6- 6.2	613	95.6	93.8-97.4
H.S. or G.E.D.	2003	1,726,973	243	11.0	9.0-13.0	1760	89.0	87.0-91.0
Some Post-H.S.	1611	1,506,762	258	13.3	11.1-15.5	1353	86.7	84.5-88.9
College Graduate	1871	1,170,788	282	12.5	10.7-14.3	1589	87.5	85.7-89.3
Less than \$15,000	656	487,511	50	4.4	2.8- 6.0	606	95.6	94.0-97.2
\$15,000- 24,999	983	824,508	109	8.5	6.1-10.9	874	91.5	89.1-93.9
\$25,000- 34,999	622	519,358	94	12.6	9.1-16.1	528	87.4	83.9-90.9
\$35,000- 49,999	816	690,912	132	13.9	10.8-17.0	684	86.1	83.0-89.2
\$50,000- 74,999	748	684,404	135	14.7	11.6-17.8	613	85.3	82.2-88.4
\$75,000+	1211	1,084,064	191	13.8	11.1-16.5	1020	86.2	83.5-88.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 39: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2596	2,482,227	751	21.3	19.3-23.3	1845	78.7	76.7-80.7
18-24	207	323,077	10	4.9	1.0- 8.8	197	95.1	91.2-99.0
25-34	287	425,670	36	12.4	7.5-17.3	251	87.6	82.7-92.5
35-44	290	410,052	37	11.1	6.6-15.6	253	88.9	84.4-93.4
45-54	404	408,921	74	16.4	11.7-21.1	330	83.6	78.9-88.3
55-64	591	407,208	154	24.6	20.3-28.9	437	75.4	71.1-79.7
65+	785	473,182	430	50.3	45.8-54.8	355	49.7	45.2-54.2
Less Than H.S.	245	359,510	35	9.2	5.7-12.7	210	90.8	87.3-94.3
H.S. or G.E.D.	847	836,502	230	21.1	17.4-24.8	617	78.9	75.2-82.6
Some Post-H.S.	649	697,846	234	26.6	22.5-30.7	415	73.4	69.3-77.5
College Graduate	853	586,882	252	22.6	19.3-25.9	601	77.4	74.1-80.7
Less than \$15,000	217	186,557	45	10.6	6.7-14.5	172	89.4	85.5-93.3
\$15,000- 24,999	339	325,749	97	19.3	14.0-24.6	242	80.7	75.4-86.0
\$25,000- 34,999	270	264,981	83	22.0	15.9-28.1	187	78.0	71.9-84.1
\$35,000- 49,999	382	361,621	125	24.0	18.9-29.1	257	76.0	70.9-81.1
\$50,000- 74,999	366	369,850	128	26.3	20.4-32.2	238	73.7	67.8-79.6
\$75,000+	651	628,777	175	22.5	18.2-26.8	476	77.5	73.2-81.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 40: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?  
(VETERAN3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3552	2,682,643	67	1.6	1.0- 2.2	3485	98.4	97.8-99.0
18-24	169	311,332	5	2.1	0.0- 4.3	164	97.9	95.7- 100
25-34	321	438,995	3	0.4	0.0- 0.8	318	99.6	99.2- 100
35-44	349	421,487	9	2.5	0.0- 5.0	340	97.5	95.0- 100
45-54	596	437,335	22	2.4	1.0- 3.8	574	97.6	96.2-99.0
55-64	722	434,265	11	1.5	0.5- 2.5	711	98.5	97.5-99.5
65+	1326	597,570	17	1.0	0.4- 1.6	1309	99.0	98.4-99.6
Less Than H.S.	402	394,548				402	100.0	100.0- 100
H.S. or G.E.D.	1156	890,471	13	1.4	0.0- 2.8	1143	98.6	97.2- 100
Some Post-H.S.	961	807,589	24	1.8	0.8- 2.8	937	98.2	97.2-99.2
College Graduate	1017	583,629	30	2.4	1.2- 3.6	987	97.6	96.4-98.8
Less than \$15,000	439	300,954	5	0.5	0.0- 1.1	434	99.5	98.9- 100
\$15,000- 24,999	644	498,759	12	1.5	0.3- 2.7	632	98.5	97.3-99.7
\$25,000- 34,999	352	254,377	11	2.8	0.3- 5.3	341	97.2	94.7-99.7
\$35,000- 49,999	434	329,291	7	2.8	0.0- 6.1	427	97.2	93.9- 100
\$50,000- 74,999	382	314,554	7	1.2	0.2- 2.2	375	98.8	97.8-99.8
\$75,000+	559	453,377	16	1.7	0.7- 2.7	543	98.3	97.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 41: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6126	5,148,917	2844	56.1	54.3-57.9	255	4.9	4.1- 5.7	364	5.9	5.1- 6.7	161	5.4	4.4- 6.4	1757	17.6	16.6-18.6	745	10.1	9.1-11.1
Male	2592	2,476,836	1437	65.0	62.6-67.4	120	4.8	3.6- 6.0	6	0.3	0.1- 0.5	76	4.8	3.4- 6.2	689	17.0	15.4-18.6	264	8.2	6.8- 9.6
Female	3531	2,668,567	1405	47.9	45.5-50.3	135	5.0	3.6- 6.4	358	11.0	9.4-12.6	85	5.9	4.3- 7.5	1068	18.3	16.9-19.7	480	11.9	10.5-13.3
White/Non-Hisp	4946	3,865,843	2294	55.9	54.1-57.7	194	3.8	3.2- 4.4	314	6.2	5.4- 7.0	113	4.5	3.5- 5.5	1494	20.0	18.8-21.2	537	9.6	8.6-10.6
Black or Afr. Am./Non-Hisp	750	810,516	353	59.0	53.7-64.3	44	7.8	4.7-10.9	17	2.2	0.6- 3.8	24	7.5	4.0-11.0	180	11.7	9.2-14.2	132	11.8	8.9-14.7
Oth. Race/Non-Hisp.	118	117,108	46	45.8	32.1-59.5	3	6.9	0.0-15.3	6	5.2	0.0-11.1	10	13.3	3.5-23.1	28	11.1	4.8-17.4	25	17.7	8.1-27.3
MultiRacial/Non-Hisp.	102	53,631	42	57.4	43.7-71.1	4	3.9	0.0- 9.0	7	3.2	0.5- 5.9	1	0.5	0.0- 1.5	22	13.0	5.4-20.6	26	22.0	12.2-31.8
Hispanic	118	220,170	76	60.4	48.4-72.4	7	12.7	2.9-22.5	10	10.3	3.2-17.4	10	10.4	3.0-17.8	8	3.4	0.5- 6.3	7	2.8	0.3- 5.3
18-24	374	632,693	214	55.0	48.7-61.3	30	7.0	3.9-10.1	11	2.3	0.7- 3.9	117	35.2	28.9-41.5	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9
25-34	604	857,255	459	77.2	72.9-81.5	43	6.7	4.0- 9.4	39	5.5	3.3- 7.7	29	4.5	2.5- 6.5	2	0.4	0.0- 1.0	32	5.8	3.1- 8.5
35-44	640	833,044	484	76.6	72.3-80.9	35	5.9	3.2- 8.6	50	8.5	5.6-11.4	9	0.9	0.1- 1.7	3	0.6	0.0- 1.6	59	7.4	5.0- 9.8
45-54	1001	844,409	679	70.0	66.3-73.7	53	5.5	3.5- 7.5	61	6.0	4.2- 7.8	3	0.7	0.0- 1.9	20	1.7	0.7- 2.7	185	16.1	13.2-19.0
55-64	1311	840,386	661	52.6	49.1-56.1	65	4.6	3.2- 6.0	59	4.9	3.3- 6.5	1	0.1	0.0- 0.3	224	15.5	13.1-17.9	301	22.4	19.5-25.3
65+	2098	1,067,548	300	15.5	13.3-17.7	25	1.2	0.6- 1.8	136	7.0	5.6- 8.4	1	0.0	0.0- 0.0	1475	68.7	66.0-71.4	161	7.5	5.9- 9.1
Less Than H.S.	645	753,659	129	32.2	26.3-38.1	37	7.1	4.2-10.0	65	8.7	6.0-11.4	6	1.6	0.0- 3.2	184	21.1	17.4-24.8	224	29.3	24.6-34.0
H.S. or G.E.D.	1992	1,719,718	836	53.4	50.3-56.5	105	6.9	4.9- 8.9	124	6.2	4.8- 7.6	42	4.5	2.7- 6.3	594	18.3	16.3-20.3	291	10.6	9.0-12.2
Some Post-H.S.	1608	1,500,872	748	60.0	56.7-63.3	72	3.9	2.7- 5.1	78	4.3	2.9- 5.7	72	9.2	6.8-11.6	471	16.2	14.2-18.2	167	6.4	5.0- 7.8
College Graduate	1866	1,167,490	1126	70.5	67.8-73.2	41	1.9	1.1- 2.7	96	5.6	4.2- 7.0	41	4.1	2.7- 5.5	502	16.1	14.1-18.1	60	1.8	1.2- 2.4
Less than \$15,000	654	486,970	101	21.7	16.6-26.8	65	11.3	7.2-15.4	40	5.5	3.3- 7.7	23	7.2	3.9-10.5	159	16.5	13.0-20.0	266	37.8	32.3-43.3
\$15,000- 24,999	979	822,738	304	39.3	34.6-44.0	56	9.2	5.9-12.5	57	6.1	3.9- 8.3	31	7.1	4.0-10.2	342	22.7	19.6-25.8	189	15.6	12.9-18.3
\$25,000- 34,999	618	516,424	284	56.4	50.9-61.9	29	6.2	3.3- 9.1	31	5.3	2.9- 7.7	9	2.9	0.7- 5.1	202	19.2	15.7-22.7	63	10.0	7.1-12.9
\$35,000- 49,999	815	687,122	453	67.0	62.7-71.3	25	2.5	1.3- 3.7	37	4.5	2.7- 6.3	20	4.9	2.2- 7.6	242	17.5	14.8-20.2	38	3.6	2.0- 5.2
\$50,000- 74,999	747	684,537	455	71.6	67.3-75.9	13	2.0	0.6- 3.4	40	5.5	3.3- 7.7	10	2.6	0.4- 4.8	207	16.1	13.2-19.0	22	2.2	1.0- 3.4
\$75,000+	1209	1,083,591	896	81.0	78.3-83.7	16	1.4	0.6- 2.2	68	4.9	3.5- 6.3	21	3.1	1.5- 4.7	196	9.0	7.4-10.6	12	0.6	0.2- 1.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 42: ARE YOU CURRENTLY...? (EMPLOY1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2592	2,476,836	1437	65.0	62.6-67.4	120	4.8	3.6- 6.0	6	0.3	0.1- 0.5	76	4.8	3.4- 6.2	689	17.0	15.4-18.6	264	8.2	6.8- 9.6
White/Non-Hisp	2106	1,867,094	1175	64.7	62.2-67.2	92	4.0	3.0- 5.0	4	0.2	0.0- 0.6	56	4.1	2.7- 5.5	587	19.1	17.3-20.9	192	7.8	6.4- 9.2
Black or Afr. Am./Non-Hisp	260	349,610	137	66.9	59.5-74.3	21	7.8	3.1-12.5	8	6.2	1.7-10.7	8	6.2	1.7-10.7	58	11.2	7.5-14.9	36	7.9	4.8-11.0
Oth. Race/Non-Hisp.	62	73,169	27	48.7	30.3-67.1	3	11.1	0.0-24.2	7	14.1	1.8-26.4	15	11.4	2.6-20.2	10	14.7	1.8-27.6	10	14.7	1.8-27.6
MultiRacial/Non-Hisp.	53	29,816	25	57.9	39.7-76.1	1	1.3	0.0- 3.8							13	16.0	4.2-27.8	14	24.8	10.5-39.1
Hispanic	68	123,278	52	79.2	67.0-91.4	2	5.4	0.0-14.0	2	2.2	0.0- 5.7	3	5.6	0.0-12.5	6	5.1	0.2-10.0	3	2.5	0.0- 5.8
18-24	207	323,077	132	61.6	53.2-70.0	13	7.4	2.5-12.3				61	30.4	22.6-38.2				1	0.6	0.0- 1.8
25-34	285	420,433	237	87.7	83.6-91.8	19	4.0	2.0- 6.0	2	0.3	0.0- 0.7	13	4.7	1.6- 7.8	2	0.7	0.0- 1.7	12	2.5	0.5- 4.5
35-44	292	411,985	251	87.9	83.2-92.6	18	6.3	2.6-10.0	1	0.5	0.0- 1.5	2	0.3	0.0- 0.9	1	0.3	0.0- 0.9	19	4.7	2.0- 7.4
45-54	407	410,295	314	79.5	74.4-84.6	18	4.4	1.7- 7.1	2	0.8	0.0- 2.2				11	2.1	0.7- 3.5	62	13.2	9.1-17.3
55-64	590	406,577	326	57.2	52.1-62.3	37	5.6	3.4- 7.8	1	0.1	0.0- 0.3				103	15.6	12.1-19.1	123	21.6	17.1-26.1
65+	780	471,681	158	20.8	16.9-24.7	12	1.8	0.6- 3.0							565	71.6	67.5-75.7	45	5.9	3.9- 7.9
Less Than H.S.	245	359,510	83	48.3	39.5-57.1	17	5.9	2.6- 9.2				5	3.0	0.0- 6.3	70	20.4	14.7-26.1	70	22.4	16.1-28.7
H.S. or G.E.D.	843	834,012	457	64.7	60.6-68.8	49	6.7	4.2- 9.2	2	0.3	0.0- 0.9	21	4.0	2.0- 6.0	203	15.6	13.1-18.1	111	8.7	6.7-10.7
Some Post-H.S.	650	696,469	337	65.7	61.2-70.2	34	4.2	2.4- 6.0	3	0.5	0.0- 1.3	33	8.2	5.1-11.3	184	16.0	13.1-18.9	59	5.5	3.7- 7.3
College Graduate	852	584,927	559	74.9	71.4-78.4	20	2.2	1.0- 3.4	1	0.1	0.0- 0.3	17	3.1	1.1- 5.1	232	18.0	15.1-20.9	23	1.7	0.9- 2.5
Less than \$15,000	217	186,557	43	25.8	16.8-34.8	26	9.6	5.1-14.1				11	10.0	3.5-16.5	47	15.0	9.7-20.3	90	39.6	30.4-48.8
\$15,000- 24,999	339	325,749	111	43.1	35.3-50.9	22	9.2	3.9-14.5				11	7.5	2.6-12.4	122	24.3	18.8-29.8	73	16.0	11.5-20.5
\$25,000- 34,999	269	264,775	133	57.7	49.9-65.5	21	9.1	4.2-14.0				6	2.9	0.2- 5.6	82	21.6	15.9-27.3	27	8.7	4.6-12.8
\$35,000- 49,999	381	357,832	228	71.0	65.3-76.7	12	3.4	1.2- 5.6				10	3.9	1.2- 6.6	113	18.0	13.9-22.1	18	3.7	1.2- 6.2
\$50,000- 74,999	365	369,983	247	81.2	76.7-85.7	4	0.7	0.0- 1.5	3	1.0	0.0- 2.6	3	0.6	0.0- 1.4	101	15.2	11.3-19.1	7	1.2	0.2- 2.2
\$75,000+	652	629,881	517	85.7	82.6-88.8	9	1.4	0.4- 2.4	1	0.1	0.0- 0.3	14	3.4	1.2- 5.6	106	9.0	6.8-11.2	5	0.4	0.0- 0.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 43: ARE YOU CURRENTLY...? (EMPLOY1)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3531	2,668,567	1405	47.9	45.5-50.3	135	5.0	3.6- 6.4	358	11.0	9.4-12.6	85	5.9	4.3- 7.5	1068	18.3	16.9-19.7	480	11.9	10.5-13.3
White/Non-Hisp	2838	1,997,146	1118	47.7	45.2-50.2	102	3.6	2.6- 4.6	310	11.9	10.3-13.5	57	4.8	3.2- 6.4	907	20.9	19.3-22.5	344	11.2	9.6-12.8
Black or Afr. Am./Non-Hisp	490	460,906	216	52.9	45.8-60.0	23	7.8	3.5-12.1	17	3.9	1.2- 6.6	16	8.4	3.3-13.5	122	12.1	8.8-15.4	96	14.8	10.1-19.5
Oth. Race/Non-Hisp.	56	43,939	19	40.9	22.1-59.7				6	13.8	0.0-28.5	3	11.9	0.0-28.6	13	10.5	2.7-18.3	15	22.8	8.9-36.7
Hispanic	50	96,892	24	36.5	20.8-52.2	5	22.1	3.9-40.3	8	20.5	6.2-34.8	7	16.6	2.7-30.5	2	1.1	0.0- 3.1	4	3.3	0.0- 7.2
18-24	167	309,616	82	48.1	38.7-57.5	17	6.6	2.7-10.5	11	4.7	1.6- 7.8	56	40.3	30.9-49.7	1	0.2	0.0- 0.6			
25-34	318	435,495	222	67.2	59.9-74.5	24	9.3	4.4-14.2	37	10.5	6.4-14.6	16	4.3	1.9- 6.7				19	8.7	3.8-13.6
35-44	348	421,059	233	65.6	58.7-72.5	17	5.5	1.2- 9.8	49	16.3	10.8-21.8	7	1.5	0.1- 2.9	2	1.0	0.0- 2.8	40	10.0	6.3-13.7
45-54	593	432,204	364	60.8	55.5-66.1	35	6.6	3.7- 9.5	59	10.9	7.6-14.2	3	1.4	0.0- 3.9	9	1.3	0.1- 2.5	123	19.0	14.9-23.1
55-64	721	433,809	335	48.3	43.6-53.0	28	3.7	1.9- 5.5	58	9.4	6.7-12.1	1	0.1	0.0- 0.3	121	15.4	12.1-18.7	178	23.2	19.3-27.1
65+	1317	595,591	141	11.3	8.9-13.7	13	0.8	0.2- 1.4	136	12.5	10.0-15.0	1	0.0	0.0- 0.0	910	66.6	63.1-70.1	116	8.8	6.6-11.0
Less Than H.S.	399	392,239	45	17.2	10.3-24.1	20	8.2	3.3-13.1	65	16.7	11.8-21.6	1	0.3	0.0- 0.9	114	21.8	17.1-26.5	154	35.8	29.1-42.5
H.S. or G.E.D.	1149	885,706	379	42.8	38.5-47.1	56	7.1	4.4- 9.8	122	11.7	9.0-14.4	21	5.1	2.2- 8.0	391	20.9	18.2-23.6	180	12.4	10.0-14.8
Some Post-H.S.	957	803,076	411	55.2	50.7-59.7	38	3.6	2.0- 5.2	75	7.5	5.1- 9.9	39	10.1	6.6-13.6	287	16.5	14.0-19.0	107	7.0	5.2- 8.8
College Graduate	1013	582,285	566	66.2	62.3-70.1	21	1.6	0.6- 2.6	95	11.2	8.5-13.9	24	5.0	2.8- 7.2	270	14.2	11.8-16.6	37	1.8	1.0- 2.6
Less than \$15,000	437	300,413	58	19.1	13.2-25.0	39	12.4	6.3-18.5	40	8.9	5.4-12.4	12	5.5	1.8- 9.2	112	17.3	12.8-21.8	176	36.8	29.9-43.7
\$15,000- 24,999	640	496,989	193	36.9	31.2-42.6	34	9.2	4.7-13.7	57	10.1	6.6-13.6	20	6.8	2.7-10.9	220	21.7	17.8-25.6	116	15.4	11.7-19.1
\$25,000- 34,999	349	251,649	151	55.0	47.0-63.0	8	3.3	0.2- 6.4	31	10.9	6.4-15.4	3	2.9	0.0- 6.4	120	16.7	12.6-20.8	36	11.3	6.8-15.8
\$35,000- 49,999	434	329,291	225	62.6	56.3-68.9	13	1.6	0.4- 2.8	37	9.4	5.9-12.9	10	6.0	1.5-10.5	129	16.9	13.2-20.6	20	3.4	1.6- 5.2
\$50,000- 74,999	382	314,554	208	60.3	53.4-67.2	9	3.4	0.5- 6.3	37	10.8	6.5-15.1	7	5.0	0.7- 9.3	106	17.1	12.8-21.4	15	3.4	1.0- 5.8
\$75,000+	556	451,800	378	74.4	69.7-79.1	7	1.3	0.1- 2.5	67	11.7	8.4-15.0	7	2.7	0.3- 5.1	90	9.1	6.7-11.5	7	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 44: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6123	5,133,547	766	15.5	14.1-16.9	589	13.3	11.9-14.7	217	5.8	4.8- 6.8	64	1.5	0.9- 2.1	36	0.9	0.5- 1.3	4451	63.0	61.2-64.8
Male	2594	2,471,462	311	14.9	12.9-16.9	264	13.8	11.8-15.8	80	4.5	3.3- 5.7	29	1.9	0.9- 2.9	16	0.7	0.3- 1.1	1894	64.2	61.5-66.9
Female	3526	2,658,571	455	16.1	14.1-18.1	325	12.8	11.0-14.6	137	7.0	5.4- 8.6	35	1.1	0.7- 1.5	20	1.1	0.5- 1.7	2554	61.8	59.3-64.3
White/Non-Hisp	4946	3,864,295	596	14.3	12.9-15.7	465	13.1	11.7-14.5	163	5.5	4.3- 6.7	45	1.2	0.8- 1.6	23	0.6	0.2- 1.0	3654	65.4	63.4-67.4
Black or Afr. Am./Non-Hisp	749	807,969	108	20.1	15.6-24.6	78	14.2	10.3-18.1	31	5.5	3.0- 8.0	9	2.0	0.2- 3.8	10	2.5	0.5- 4.5	513	55.8	50.3-61.3
Oth. Race/Non-Hisp.	122	119,004	20	18.6	9.2-28.0	14	14.2	4.2-24.2	5	3.0	0.3- 5.7	4	7.3	0.0-18.7				79	56.9	43.4-70.4
MultiRacial/Non-Hisp.	103	53,823	9	5.5	1.6- 9.4	8	15.9	1.8-30.0	2	3.0	0.0- 7.9	2	1.0	0.0- 2.6	1	3.0	0.0- 8.7	81	71.5	56.8-86.2
Hispanic	116	212,340	21	17.7	9.7-25.7	18	13.3	5.5-21.1	11	14.2	4.8-23.6	4	2.6	0.0- 5.5	2	1.4	0.0- 3.4	60	50.7	38.5-62.9
18-24	376	634,409	84	20.7	15.8-25.6	31	7.3	4.4-10.2	13	4.7	1.6- 7.8	3	0.9	0.0- 2.1	3	0.7	0.0- 1.5	242	65.7	59.8-71.6
25-34	605	859,384	133	18.3	14.6-22.0	140	24.3	19.8-28.8	69	13.7	9.8-17.6	19	2.3	0.9- 3.7	7	1.1	0.1- 2.1	237	40.2	35.1-45.3
35-44	637	825,906	155	24.0	19.3-28.7	204	30.9	26.0-35.8	78	13.1	9.4-16.8	21	3.3	1.3- 5.3	10	2.2	0.4- 4.0	169	26.5	21.8-31.2
45-54	998	843,331	198	20.3	17.0-23.6	134	13.8	10.9-16.7	34	3.3	1.9- 4.7	16	2.3	0.3- 4.3	10	1.3	0.3- 2.3	606	59.1	54.8-63.4
55-64	1307	838,302	109	9.7	7.5-11.9	50	4.1	2.7- 5.5	13	1.2	0.4- 2.0	4	0.4	0.0- 0.8	3	0.2	0.0- 0.6	1128	84.5	82.0-87.0
65+	2105	1,067,979	79	5.0	3.8- 6.2	22	1.4	0.6- 2.2	9	0.5	0.1- 0.9	1	0.1	0.0- 0.3	2	0.2	0.0- 0.4	1992	93.0	91.4-94.6
Less Than H.S.	646	754,447	80	16.9	12.2-21.6	38	6.9	4.2- 9.6	19	5.6	2.3- 8.9	9	1.2	0.2- 2.2	7	2.0	0.2- 3.8	493	67.5	61.8-73.2
H.S. or G.E.D.	1990	1,705,460	245	15.3	12.9-17.7	166	13.1	10.6-15.6	72	7.3	5.1- 9.5	20	2.2	0.8- 3.6	13	0.7	0.3- 1.1	1474	61.5	58.2-64.8
Some Post-H.S.	1607	1,502,761	221	16.3	13.8-18.8	175	14.7	12.2-17.2	62	5.8	4.0- 7.6	20	1.4	0.6- 2.2	9	1.1	0.3- 1.9	1120	60.8	57.3-64.3
College Graduate	1866	1,163,667	220	14.1	11.9-16.3	210	16.0	13.5-18.5	64	3.9	2.7- 5.1	15	0.8	0.4- 1.2	7	0.3	0.0- 0.7	1350	64.9	61.8-68.0
Less than \$15,000	656	487,511	68	15.0	10.7-19.3	51	7.7	5.0-10.4	22	5.7	2.4- 9.0	5	0.4	0.0- 0.8	1	0.1	0.0- 0.3	509	71.0	65.5-76.5
\$15,000- 24,999	982	822,406	123	14.9	11.8-18.0	87	12.0	8.5-15.5	36	7.2	4.1-10.3	9	1.6	0.0- 3.2	8	1.1	0.1- 2.1	719	63.1	58.4-67.8
\$25,000- 34,999	622	519,358	79	18.4	13.1-23.7	44	8.8	5.5-12.1	26	6.7	3.4-10.0	11	3.2	0.8- 5.6	3	0.5	0.0- 1.1	459	62.4	56.3-68.5
\$35,000- 49,999	816	690,912	113	15.6	11.9-19.3	77	15.1	11.2-19.0	22	4.0	2.0- 6.0	7	1.7	0.0- 3.9	6	1.4	0.0- 2.8	591	62.2	57.1-67.3
\$50,000- 74,999	749	685,150	92	15.7	11.6-19.8	85	15.4	11.3-19.5	37	6.9	3.8-10.0	7	1.0	0.0- 2.0	5	1.2	0.0- 2.6	523	59.7	54.2-65.2
\$75,000+	1212	1,084,177	185	17.0	14.1-19.9	183	20.0	16.7-23.3	53	7.0	4.5- 9.5	17	1.5	0.5- 2.5	9	0.6	0.0- 1.2	765	53.9	50.0-57.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 45: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2594	2,471,462	311	14.9	12.9-16.9	264	13.8	11.8-15.8	80	4.5	3.3- 5.7	29	1.9	0.9- 2.9	16	0.7	0.3- 1.1	1894	64.2	61.5-66.9
White/Non-Hisp	2107	1,869,208	245	14.0	11.8-16.2	207	13.6	11.2-16.0	64	4.9	3.3- 6.5	21	1.5	0.7- 2.3	12	0.5	0.1- 0.9	1558	65.6	62.7-68.5
Black or Afr. Am./Non-Hisp	260	348,523	32	19.4	12.0-26.8	32	17.0	10.3-23.7	8	2.5	0.0- 5.2	4	2.8	0.0- 6.3	3	2.1	0.0- 4.5	181	56.4	47.8-65.0
Oth. Race/Non-Hisp.	64	74,353	12	16.5	5.1-27.9	6	10.3	0.0-22.5	3	3.0	0.0- 6.5	1	9.8	0.0-27.4				42	60.4	41.6-79.2
MultiRacial/Non-Hisp.	55	30,133	3	3.2	0.0- 7.1	5	24.1	1.8-46.4				2	1.9	0.0- 4.8				45	70.8	49.0-92.6
Hispanic	66	115,448	11	15.4	5.4-25.4	10	10.2	2.8-17.6	3	6.5	0.0-14.3	1	1.3	0.0- 3.8	1	1.2	0.0- 3.6	40	65.3	51.0-79.6
18-24	207	323,077	41	20.1	13.0-27.2	19	9.6	4.7-14.5	5	2.7	0.0- 5.6	2	1.4	0.0- 3.8				140	66.3	58.1-74.5
25-34	286	424,166	54	18.2	12.9-23.5	52	21.1	14.6-27.6	27	9.4	4.7-14.1	8	2.6	0.2- 5.0	3	1.0	0.0- 2.4	142	47.7	40.3-55.1
35-44	291	409,926	57	19.5	13.0-26.0	98	32.8	25.5-40.1	29	11.4	6.7-16.1	11	4.1	0.8- 7.4	4	1.4	0.0- 3.2	92	30.9	23.5-38.3
45-54	404	408,578	79	20.5	15.2-25.8	56	14.8	10.1-19.5	12	2.9	0.9- 4.9	6	2.8	0.0- 6.3	4	0.8	0.0- 1.8	247	58.3	51.6-65.0
55-64	590	406,502	50	9.7	6.4-13.0	25	4.4	2.4- 6.4	5	0.9	0.1- 1.7	2	0.6	0.0- 1.4	2	0.4	0.0- 1.2	506	84.0	80.1-87.9
65+	785	473,182	27	4.6	2.6- 6.6	13	1.8	0.4- 3.2	1	0.0	0.0- 0.0				2	0.4	0.0- 1.0	742	93.2	90.8-95.6
Less Than H.S.	245	359,510	32	18.2	10.9-25.5	16	7.2	2.7-11.7	7	4.0	0.7- 7.3	2	0.5	0.0- 1.3	4	1.7	0.0- 3.5	184	68.4	60.2-76.6
H.S. or G.E.D.	842	825,529	105	14.0	10.9-17.1	84	13.9	10.2-17.6	31	6.6	3.9- 9.3	13	3.4	0.9- 5.9	5	0.4	0.0- 0.8	604	61.6	56.7-66.5
Some Post-H.S.	651	697,930	82	15.9	11.8-20.0	78	17.1	12.8-21.4	22	3.5	1.7- 5.3	8	1.7	0.3- 3.1	3	0.9	0.0- 1.9	458	60.8	55.5-66.1
College Graduate	853	585,701	92	12.8	9.9-15.7	86	14.0	10.3-17.7	20	3.2	1.4- 5.0	6	0.8	0.0- 1.6	4	0.3	0.0- 0.7	645	68.9	64.4-73.4
Less than \$15,000	217	186,557	21	14.9	8.0-21.8	15	6.6	1.7-11.5	4	1.3	0.0- 2.7	1	0.2	0.0- 0.6				176	77.0	69.0-85.0
\$15,000- 24,999	339	325,749	28	10.9	6.2-15.6	24	11.0	5.3-16.7	10	2.7	0.5- 4.9	6	3.4	0.0- 7.1	4	1.6	0.0- 3.4	267	70.5	63.1-77.9
\$25,000- 34,999	270	264,981	35	16.5	10.4-22.6	20	9.0	4.1-13.9	9	5.1	1.4- 8.8	5	3.8	0.0- 7.7				201	65.6	57.8-73.4
\$35,000- 49,999	382	361,621	63	17.8	12.3-23.3	37	13.8	8.7-18.9	7	3.0	0.5- 5.5	4	2.9	0.0- 6.8	1	0.4	0.0- 1.2	270	62.2	54.9-69.5
\$50,000- 74,999	367	370,597	44	16.6	9.9-23.3	39	13.8	8.1-19.5	15	6.1	2.4- 9.8	3	1.1	0.0- 2.5	3	1.4	0.0- 3.2	263	61.0	53.2-68.8
\$75,000+	652	628,890	89	15.6	11.7-19.5	100	21.5	16.8-26.2	29	7.9	4.4-11.4	9	1.5	0.1- 2.9	6	0.7	0.0- 1.5	419	52.7	47.4-58.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 46: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3526	2,658,571	455	16.1	14.1-18.1	325	12.8	11.0-14.6	137	7.0	5.4- 8.6	35	1.1	0.7- 1.5	20	1.1	0.5- 1.7	2554	61.8	59.3-64.3
White/Non-Hisp	2837	1,993,484	351	14.5	12.7-16.3	258	12.6	10.6-14.6	99	6.0	4.2- 7.8	24	0.9	0.5- 1.3	11	0.7	0.1- 1.3	2094	65.2	62.7-67.7
Black or Afr. Am./Non-Hisp	489	459,445	76	20.6	14.9-26.3	46	12.1	7.4-16.8	23	7.8	3.7-11.9	5	1.4	0.0- 3.0	7	2.8	0.1- 5.5	332	55.4	48.3-62.5
Oth. Race/Non-Hisp.	58	44,651	8	22.1	6.2-38.0	8	20.8	3.9-37.7	2	3.0	0.0- 7.3	3	3.0	0.0- 6.7				37	51.1	32.1-70.1
Hispanic	50	96,892	10	20.5	7.6-33.4	8	17.0	2.9-31.1	8	23.5	6.3-40.7	3	4.1	0.0- 9.6	1	1.5	0.0- 4.4	20	33.4	16.9-49.9
18-24	169	311,332	43	21.4	14.3-28.5	12	5.1	1.8- 8.4	8	6.8	1.3-12.3	1	0.2	0.0- 0.6	3	1.3	0.0- 2.9	102	65.2	56.6-73.8
25-34	318	433,892	79	18.5	13.4-23.6	88	27.5	20.8-34.2	42	17.9	11.6-24.2	11	2.0	0.6- 3.4	4	1.2	0.0- 2.4	94	32.8	25.5-40.1
35-44	346	415,980	98	28.4	21.7-35.1	106	29.1	22.6-35.6	49	14.8	8.9-20.7	10	2.6	0.4- 4.8	6	2.9	0.0- 6.0	77	22.2	16.7-27.7
45-54	593	432,842	119	20.2	15.9-24.5	78	12.9	9.6-16.2	22	3.6	1.8- 5.4	10	1.8	0.4- 3.2	6	1.8	0.0- 3.8	358	59.7	54.4-65.0
55-64	717	431,800	59	9.7	6.8-12.6	25	3.7	1.9- 5.5	8	1.5	0.3- 2.7	2	0.2	0.0- 0.4	1	0.0	0.0- 0.0	622	84.9	81.4-88.4
65+	1319	594,520	52	5.3	3.5- 7.1	9	1.1	0.1- 2.1	8	0.8	0.2- 1.4	1	0.2	0.0- 0.6				1249	92.7	90.7-94.7
Less Than H.S.	400	393,026	48	15.8	9.5-22.1	22	6.7	3.2-10.2	12	7.0	1.5-12.5	7	1.8	0.2- 3.4	3	2.2	0.0- 5.1	308	66.5	58.9-74.1
H.S. or G.E.D.	1148	879,931	140	16.4	13.1-19.7	82	12.2	8.7-15.7	41	8.0	5.1-10.9	7	1.1	0.1- 2.1	8	0.9	0.1- 1.7	870	61.3	56.8-65.8
Some Post-H.S.	955	803,505	139	16.7	13.4-20.0	97	12.5	9.4-15.6	40	7.7	4.8-10.6	12	1.1	0.3- 1.9	6	1.3	0.1- 2.5	661	60.7	56.2-65.2
College Graduate	1012	577,689	128	15.4	12.1-18.7	124	18.0	14.3-21.7	44	4.6	3.0- 6.2	9	0.7	0.1- 1.3	3	0.4	0.0- 1.0	704	60.8	56.5-65.1
Less than \$15,000	439	300,954	47	15.1	9.4-20.8	36	8.4	5.1-11.7	18	8.5	3.2-13.8	4	0.6	0.0- 1.2	1	0.2	0.0- 0.6	333	67.2	59.9-74.5
\$15,000- 24,999	643	496,657	95	17.6	13.5-21.7	63	12.7	8.4-17.0	26	10.2	5.3-15.1	3	0.5	0.0- 1.1	4	0.8	0.0- 1.6	452	58.3	52.2-64.4
\$25,000- 34,999	352	254,377	44	20.3	11.5-29.1	24	8.5	4.4-12.6	17	8.4	2.9-13.9	6	2.6	0.0- 5.3	3	0.9	0.0- 2.3	258	59.2	50.4-68.0
\$35,000- 49,999	434	329,291	50	13.1	8.4-17.8	40	16.5	10.6-22.4	15	5.2	1.9- 8.5	3	0.4	0.0- 1.0	5	2.6	0.0- 5.3	321	62.1	55.2-69.0
\$50,000- 74,999	382	314,554	48	14.6	9.9-19.3	46	17.3	11.4-23.2	22	7.9	2.8-13.0	4	1.0	0.0- 2.2	2	1.0	0.0- 2.8	260	58.3	51.0-65.6
\$75,000+	559	453,377	96	18.9	14.2-23.6	83	17.9	13.2-22.6	24	5.8	2.7- 8.9	8	1.6	0.2- 3.0	3	0.5	0.0- 1.3	345	55.3	49.4-61.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 47: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5039	4,293,120	309	5.9	4.9- 6.9	347	5.4	4.6- 6.2	465	9.2	8.0-10.4	518	10.1	8.9-11.3	622	12.1	10.7-13.5	2778	57.3	55.3-59.3
Male	2228	2,139,899	101	4.4	3.2- 5.6	116	4.3	3.3- 5.3	149	7.2	5.4- 9.0	190	8.0	6.4- 9.6	270	12.4	10.4-14.4	1402	63.7	61.0-66.4
Female	2810	2,151,311	208	7.4	5.8- 9.0	231	6.6	5.4- 7.8	316	11.1	9.3-12.9	328	12.1	10.1-14.1	352	11.8	10.0-13.6	1375	51.0	48.3-53.7
White/Non-Hisp	4069	3,208,944	188	4.0	3.2- 4.8	255	4.8	4.0- 5.6	344	7.9	6.7- 9.1	405	9.6	8.4-10.8	484	11.9	10.5-13.3	2393	61.9	59.9-63.9
Black or Afr. Am./Non-Hisp	637	707,468	86	13.1	9.2-17.0	58	7.5	4.6-10.4	83	11.5	7.8-15.2	73	11.9	8.0-15.8	86	11.2	7.9-14.5	251	44.7	38.8-50.6
Oth. Race/Non-Hisp.	99	96,115	10	10.3	0.5-20.1	9	5.8	0.9-10.7	11	8.1	1.0-15.2	13	8.6	2.1-15.1	15	13.8	3.6-24.0	41	53.4	38.3-68.5
MultiRacial/Non-Hisp.	85	47,940	13	21.4	7.5-35.3	12	8.3	2.2-14.4	9	10.4	1.8-19.0	9	9.3	0.7-17.9	9	7.8	0.5-15.1	33	42.8	26.3-59.3
Hispanic	97	178,792	3	3.9	0.0- 8.6	9	7.3	0.6-14.0	14	21.5	9.2-33.8	11	13.7	3.3-24.1	14	12.6	5.0-20.2	46	41.1	28.2-54.0
18-24	279	471,301	18	6.3	2.8- 9.8	16	6.7	2.8-10.6	28	7.1	4.0-10.2	43	17.4	11.3-23.5	35	11.6	7.3-15.9	139	50.8	43.4-58.2
25-34	539	773,959	30	6.8	3.7- 9.9	24	3.2	1.6- 4.8	48	9.7	6.2-13.2	45	8.3	5.2-11.4	75	13.3	9.6-17.0	317	58.8	53.3-64.3
35-44	591	754,203	25	3.2	1.4- 5.0	32	3.6	1.8- 5.4	42	7.9	4.8-11.0	38	5.9	3.4- 8.4	60	11.2	7.3-15.1	394	68.1	62.8-73.4
45-54	882	748,315	69	8.0	5.5-10.5	46	4.4	2.6- 6.2	71	8.9	5.8-12.0	60	7.6	5.2-10.0	87	9.8	7.1-12.5	549	61.2	56.7-65.7
55-64	1100	696,238	80	6.8	4.8- 8.8	88	7.4	5.4- 9.4	99	8.7	6.7-10.7	98	9.3	6.9-11.7	131	12.0	9.5-14.5	604	55.9	52.2-59.6
65+	1612	820,670	85	4.6	3.2- 6.0	140	7.8	6.2- 9.4	175	11.7	9.3-14.1	232	14.5	12.3-16.7	225	14.2	11.8-16.6	755	47.2	43.9-50.5
Less Than H.S.	463	561,834	97	17.8	13.1-22.5	75	12.6	9.3-15.9	99	18.8	13.9-23.7	73	16.3	11.6-21.0	58	14.4	9.3-19.5	61	20.0	13.7-26.3
H.S. or G.E.D.	1596	1,413,071	121	6.4	4.6- 8.2	147	6.6	5.0- 8.2	204	12.4	10.0-14.8	225	13.2	10.7-15.7	263	15.3	12.9-17.7	636	46.2	42.7-49.7
Some Post-H.S.	1348	1,287,873	63	3.9	2.5- 5.3	88	4.0	2.8- 5.2	116	6.3	4.7- 7.9	153	9.1	7.1-11.1	162	11.6	9.1-14.1	766	64.9	61.4-68.4
College Graduate	1628	1,028,746	27	1.2	0.6- 1.8	36	1.8	0.8- 2.8	45	2.9	1.7- 4.1	67	3.5	2.3- 4.7	139	7.0	5.4- 8.6	1314	83.6	81.2-86.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 48: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2228	2,139,899	101	4.4	3.2- 5.6	116	4.3	3.3- 5.3	149	7.2	5.4- 9.0	190	8.0	6.4- 9.6	270	12.4	10.4-14.4	1402	63.7	61.0-66.4
White/Non-Hisp	1819	1,621,351	56	3.0	1.8- 4.2	83	3.8	2.8- 4.8	108	5.6	4.2- 7.0	143	6.9	5.5- 8.3	210	12.4	10.2-14.6	1219	68.3	65.6-71.0
Black or Afr. Am./Non-Hisp	227	311,860	26	8.8	4.3-13.3	16	4.9	1.6- 8.2	20	10.4	4.1-16.7	27	12.8	6.9-18.7	30	11.7	6.4-17.0	108	51.4	42.4-60.4
Oth. Race/Non-Hisp.	54	60,878	6	14.0	0.0-28.9	5	4.0	0.0- 8.9	8	11.8	0.8-22.8	3	5.6	0.0-13.2	10	18.0	2.7-33.3	22	46.6	26.0-67.2
Hispanic	57	97,376	2	3.9	0.0- 9.8	5	8.9	0.0-20.1	8	21.3	3.9-38.7	5	10.7	0.0-22.5	9	11.2	2.6-19.8	28	43.9	26.1-61.7
18-24	156	248,962	8	5.9	1.0-10.8	9	7.6	1.9-13.3	12	5.1	1.6- 8.6	17	14.2	6.9-21.5	19	10.5	5.2-15.8	91	56.8	47.0-66.6
25-34	256	383,810	7	1.6	0.0- 3.2	9	1.5	0.3- 2.7	20	6.8	2.9-10.7	15	6.7	2.8-10.6	39	15.4	9.5-21.3	166	67.9	60.6-75.2
35-44	278	389,829	9	2.9	0.2- 5.6	11	1.7	0.5- 2.9	14	6.8	2.1-11.5	11	2.8	1.0- 4.6	24	9.2	4.9-13.5	209	76.5	69.8-83.2
45-54	357	363,225	25	7.6	3.7-11.5	9	2.3	0.3- 4.3	22	7.6	2.5-12.7	20	6.6	3.1-10.1	37	11.7	6.8-16.6	244	64.1	56.8-71.4
55-64	518	355,913	37	6.6	3.5- 9.7	40	8.1	5.0-11.2	40	8.1	5.2-11.0	46	9.5	6.4-12.6	60	10.2	7.1-13.3	295	57.5	52.0-63.0
65+	651	387,626	13	2.5	0.9- 4.1	38	5.9	3.7- 8.1	41	8.2	4.9-11.5	81	10.7	8.0-13.4	89	16.5	12.6-20.4	389	56.2	51.1-61.3
Less Than H.S.	192	286,151	29	13.6	7.3-19.9	30	11.6	6.9-16.3	26	13.9	6.6-21.2	32	12.2	7.3-17.1	35	16.2	9.9-22.5	40	32.5	21.9-43.1
H.S. or G.E.D.	689	696,171	43	4.2	2.4- 6.0	40	4.3	2.1- 6.5	71	10.3	7.0-13.6	79	10.7	7.6-13.8	113	16.6	12.9-20.3	343	53.9	48.6-59.2
Some Post-H.S.	582	636,172	13	3.0	0.8- 5.2	31	3.5	1.7- 5.3	39	5.0	2.8- 7.2	48	6.9	4.4- 9.4	70	11.4	7.9-14.9	381	70.2	65.3-75.1
College Graduate	765	521,405	16	1.4	0.6- 2.2	15	1.2	0.4- 2.0	13	2.1	0.3- 3.9	31	3.6	1.8- 5.4	52	5.9	3.9- 7.9	638	85.8	82.7-88.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 49: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2810	2,151,311	208	7.4	5.8- 9.0	231	6.6	5.4- 7.8	316	11.1	9.3-12.9	328	12.1	10.1-14.1	352	11.8	10.0-13.6	1375	51.0	48.3-53.7
White/Non-Hisp	2250	1,587,593	132	5.1	3.9- 6.3	172	5.8	4.6- 7.0	236	10.2	8.4-12.0	262	12.2	10.2-14.2	274	11.3	9.5-13.1	1174	55.4	52.5-58.3
Black or Afr. Am./Non-Hisp	410	395,608	60	16.6	10.5-22.7	42	9.6	5.3-13.9	63	12.4	8.1-16.7	46	11.3	6.0-16.6	56	10.8	6.7-14.9	143	39.4	32.0-46.8
18-24	123	222,339	10	6.8	1.9-11.7	7	5.7	0.6-10.8	16	9.5	4.4-14.6	26	20.9	11.3-30.5	16	12.9	5.8-20.0	48	44.2	33.0-55.4
25-34	283	390,149	23	11.8	5.9-17.7	15	4.8	1.9- 7.7	28	12.6	6.9-18.3	30	9.8	4.9-14.7	36	11.1	6.4-15.8	151	49.9	42.1-57.7
35-44	313	364,374	16	3.6	1.4- 5.8	21	5.7	2.4- 9.0	28	9.0	4.9-13.1	27	9.3	4.2-14.4	36	13.2	6.7-19.7	185	59.2	51.4-67.0
45-54	524	383,179	44	8.4	5.1-11.7	37	6.5	3.6- 9.4	49	10.2	6.5-13.9	40	8.5	5.2-11.8	50	8.1	5.6-10.6	304	58.3	52.6-64.0
55-64	582	340,325	43	7.0	4.5- 9.5	48	6.6	4.2- 9.0	59	9.3	6.6-12.0	52	9.1	6.0-12.2	71	13.8	9.9-17.7	309	54.2	48.9-59.5
65+	961	433,044	72	6.6	4.6- 8.6	102	9.6	7.2-12.0	134	14.7	11.6-17.8	151	17.9	14.6-21.2	136	12.1	9.6-14.6	366	39.1	35.0-43.2
Less Than H.S.	270	273,773	68	22.3	15.2-29.4	45	13.8	8.9-18.7	73	24.0	17.3-30.7	41	20.7	12.9-28.5	23	12.7	4.7-20.7	20	6.5	3.4- 9.6
H.S. or G.E.D.	907	716,900	78	8.5	5.6-11.4	107	8.8	6.3-11.3	133	14.4	10.9-17.9	146	15.6	11.9-19.3	150	14.1	11.2-17.0	293	38.6	33.9-43.3
Some Post-H.S.	766	651,701	50	4.9	2.7- 7.1	57	4.4	2.6- 6.2	77	7.7	5.2-10.2	105	11.4	8.3-14.5	92	11.9	8.4-15.4	385	59.8	54.7-64.9
College Graduate	863	507,341	11	1.0	0.2- 1.8	21	2.5	0.7- 4.3	32	3.7	1.9- 5.5	36	3.4	1.8- 5.0	87	8.1	5.6-10.6	676	81.3	77.6-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 50: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6089	5,114,731	4570	80.3	78.9-81.7	1519	19.7	18.3-21.1
Male	2576	2,462,574	1981	80.0	77.8-82.2	595	20.0	17.8-22.2
Female	3510	2,648,643	2586	80.6	79.0-82.2	924	19.4	17.8-21.0
18-24	371	626,114	357	97.2	95.4-99.0	14	2.8	1.0- 4.6
25-34	599	851,652	567	95.2	93.0-97.4	32	4.8	2.6- 7.0
35-44	637	828,183	593	91.6	88.1-95.1	44	8.4	4.9-11.9
45-54	990	840,375	828	80.7	77.0-84.4	162	19.3	15.6-23.0
55-64	1302	833,039	991	74.7	71.6-77.8	311	25.3	22.2-28.4
65+	2087	1,059,419	1155	53.7	51.0-56.4	932	46.3	43.6-49.0
Less Than H.S.	637	745,611	223	47.0	41.3-52.7	414	53.0	47.3-58.7
H.S. or G.E.D.	1970	1,701,753	1285	75.7	73.3-78.1	685	24.3	21.9-26.7
Some Post-H.S.	1600	1,496,434	1312	90.0	88.4-91.6	288	10.0	8.4-11.6
College Graduate	1866	1,163,342	1742	96.2	95.2-97.2	124	3.8	2.8- 4.8
Less than \$15,000	655	487,019	299	52.6	46.9-58.3	356	47.4	41.7-53.1
\$15,000- 24,999	976	819,060	591	68.0	63.9-72.1	385	32.0	27.9-36.1
\$25,000- 34,999	619	518,267	453	77.0	72.5-81.5	166	23.0	18.5-27.5
\$35,000- 49,999	811	686,679	678	88.2	85.7-90.7	133	11.8	9.3-14.3
\$50,000- 74,999	748	684,756	672	91.3	88.0-94.6	76	8.7	5.4-12.0
\$75,000+	1213	1,085,681	1176	97.4	96.2-98.6	37	2.6	1.4- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 51: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2576	2,462,574	1981	80.0	77.8-82.2	595	20.0	17.8-22.2
18-24	205	320,445	198	97.1	94.6-99.6	7	2.9	0.4- 5.4
25-34	281	417,286	260	93.0	89.3-96.7	21	7.0	3.3-10.7
35-44	291	409,926	267	88.8	82.5-95.1	24	11.2	4.9-17.5
45-54	398	404,276	327	77.6	71.3-83.9	71	22.4	16.1-28.7
55-64	589	406,643	436	72.7	68.0-77.4	153	27.3	22.6-32.0
65+	776	467,929	461	56.7	52.2-61.2	315	43.3	38.8-47.8
Less Than H.S.	242	355,350	92	46.1	37.3-54.9	150	53.9	45.1-62.7
H.S. or G.E.D.	831	823,145	559	76.0	72.3-79.7	272	24.0	20.3-27.7
Some Post-H.S.	649	698,589	527	88.6	86.1-91.1	122	11.4	8.9-13.9
College Graduate	851	583,326	801	95.9	94.3-97.5	50	4.1	2.5- 5.7
Less than \$15,000	217	186,557	94	44.9	35.5-54.3	123	55.1	45.7-64.5
\$15,000- 24,999	337	322,721	199	64.1	56.7-71.5	138	35.9	28.5-43.3
\$25,000- 34,999	270	264,981	187	69.6	62.2-77.0	83	30.4	23.0-37.8
\$35,000- 49,999	378	358,775	305	86.6	82.7-90.5	73	13.4	9.5-17.3
\$50,000- 74,999	366	370,202	317	87.6	81.7-93.5	49	12.4	6.5-18.3
\$75,000+	653	630,394	627	96.5	94.5-98.5	26	3.5	1.5- 5.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 52: HAVE YOU USED THE INTERNET IN THE PAST 30 DAYS? (INTERNET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3510	2,648,643	2586	80.6	79.0-82.2	924	19.4	17.8-21.0
18-24	166	305,669	159	97.3	95.1-99.5	7	2.7	0.5- 4.9
25-34	317	433,040	306	97.4	95.0-99.8	11	2.6	0.2- 5.0
35-44	346	418,257	326	94.3	91.0-97.6	20	5.7	2.4- 9.0
45-54	591	434,189	500	83.6	79.5-87.7	91	16.4	12.3-20.5
55-64	713	426,397	555	76.7	72.6-80.8	158	23.3	19.2-27.4
65+	1310	591,213	693	51.3	47.8-54.8	617	48.7	45.2-52.2
Less Than H.S.	394	388,351	130	47.5	40.2-54.8	264	52.5	45.2-59.8
H.S. or G.E.D.	1139	878,609	726	75.4	72.3-78.5	413	24.6	21.5-27.7
Some Post-H.S.	950	796,519	784	91.3	89.5-93.1	166	8.7	6.9-10.5
College Graduate	1014	579,739	940	96.5	95.3-97.7	74	3.5	2.3- 4.7
Less than \$15,000	438	300,462	205	57.3	50.4-64.2	233	42.7	35.8-49.6
\$15,000- 24,999	639	496,339	392	70.6	65.9-75.3	247	29.4	24.7-34.1
\$25,000- 34,999	349	253,287	266	84.8	80.5-89.1	83	15.2	10.9-19.5
\$35,000- 49,999	433	327,904	373	89.9	86.6-93.2	60	10.1	6.8-13.4
\$50,000- 74,999	382	314,554	355	95.7	93.5-97.9	27	4.3	2.1- 6.5
\$75,000+	559	453,377	548	98.7	97.7-99.7	11	1.3	0.3- 2.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 53: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5720	4,845,570	53	0.7	0.5- 0.9	1551	25.7	24.1-27.3	2508	43.1	41.1-45.1	1196	22.3	20.7-23.9	408	8.0	7.0- 9.0	4	0.2	0.0- 0.4
Male	2524	2,415,775				226	10.4	8.4-12.4	1174	45.0	42.3-47.7	830	32.2	29.7-34.7	290	12.1	10.3-13.9	4	0.3	0.0- 0.7
Female	3193	2,426,281	53	1.4	0.8- 2.0	1324	41.0	38.5-43.5	1332	41.2	38.7-43.7	366	12.4	10.6-14.2	118	3.9	2.9- 4.9			
White/Non-Hisp	4623	3,646,459	41	0.7	0.5- 0.9	1301	26.9	25.1-28.7	2001	42.8	40.8-44.8	957	21.9	20.3-23.5	322	7.6	6.6- 8.6	1	0.1	0.0- 0.3
Black or Afr. Am./Non-Hisp	691	755,274	4	0.3	0.1- 0.5	134	18.0	13.9-22.1	325	45.0	39.5-50.5	168	25.8	20.7-30.9	59	10.7	7.2-14.2	1	0.3	0.0- 0.9
Oth. Race/Non-Hisp.	117	114,558	5	1.8	0.0- 3.8	28	27.0	13.9-40.1	59	45.4	32.1-58.7	17	17.9	5.2-30.6	6	6.3	0.2-12.4	2	1.7	0.0- 4.1
MultiRacial/Non-Hisp.	101	52,969				28	24.7	13.3-36.1	44	39.1	25.2-53.0	18	25.7	9.6-41.8	11	10.5	2.3-18.7			
Hispanic	110	202,878	1	1.4	0.0- 4.1	38	31.9	20.9-42.9	40	37.9	25.6-50.2	25	21.6	11.6-31.6	6	7.2	0.0-15.4			
18-24	357	594,027	3	0.6	0.0- 1.4	123	38.3	32.0-44.6	141	39.9	33.6-46.2	73	17.5	12.8-22.2	16	3.5	1.1- 5.9	1	0.2	0.0- 0.6
25-34	571	820,284	7	0.9	0.1- 1.7	162	26.1	21.4-30.8	225	40.7	35.4-46.0	132	23.6	18.9-28.3	43	8.0	5.3-10.7	2	0.6	0.0- 1.6
35-44	605	798,108	2	0.2	0.0- 0.4	133	22.6	17.9-27.3	238	41.5	36.0-47.0	164	24.6	20.3-28.9	68	11.2	7.9-14.5			
45-54	928	787,984	6	0.5	0.0- 1.1	225	20.7	17.4-24.0	388	42.0	37.7-46.3	211	25.3	21.0-29.6	97	11.2	8.1-14.3	1	0.3	0.0- 0.9
55-64	1218	785,243	10	0.7	0.1- 1.3	265	21.4	18.5-24.3	560	45.1	41.6-48.6	284	23.4	20.3-26.5	99	9.5	7.3-11.7			
65+	1982	1,006,522	25	1.1	0.5- 1.7	619	27.6	25.1-30.1	934	47.8	44.9-50.7	321	18.7	16.3-21.1	83	4.8	3.4- 6.2			
Less Than H.S.	616	711,581	12	1.1	0.3- 1.9	185	27.3	22.4-32.2	279	45.9	40.2-51.6	98	17.8	13.7-21.9	42	7.9	4.6-11.2			
H.S. or G.E.D.	1847	1,597,084	19	0.8	0.4- 1.2	514	27.1	24.2-30.0	800	41.6	38.3-44.9	379	22.4	19.7-25.1	135	8.1	6.3- 9.9			
Some Post-H.S.	1492	1,419,585	12	0.4	0.2- 0.6	380	22.9	20.0-25.8	620	40.5	37.0-44.0	341	26.1	22.8-29.4	136	9.6	7.4-11.8	3	0.5	0.0- 1.1
College Graduate	1756	1,111,731	9	0.5	0.0- 1.1	470	26.4	23.5-29.3	806	47.0	43.7-50.3	377	20.3	17.8-22.8	93	5.7	4.1- 7.3	1	0.1	0.0- 0.3
Less than \$15,000	626	458,965	12	0.9	0.3- 1.5	180	29.9	24.4-35.4	252	42.0	36.1-47.9	120	19.1	14.4-23.8	61	7.7	5.2-10.2	1	0.5	0.0- 1.5
\$15,000- 24,999	939	781,598	15	1.5	0.5- 2.5	267	26.1	22.2-30.0	418	44.3	39.6-49.0	171	19.3	15.8-22.8	68	8.9	5.8-12.0			
\$25,000- 34,999	583	496,408	4	0.6	0.0- 1.4	145	23.4	18.3-28.5	277	46.1	40.0-52.2	112	21.0	16.1-25.9	45	8.9	5.6-12.2			
\$35,000- 49,999	776	661,663	5	0.6	0.0- 1.2	195	22.4	18.5-26.3	337	39.3	34.4-44.2	174	27.9	22.8-33.0	65	9.7	6.6-12.8			
\$50,000- 74,999	719	665,696	2	0.4	0.0- 1.2	153	20.4	15.9-24.9	330	46.4	40.9-51.9	172	23.7	19.2-28.2	62	9.1	6.2-12.0			
\$75,000+	1171	1,051,474	2	0.1	0.0- 0.3	293	24.7	21.2-28.2	510	42.6	38.7-46.5	298	25.7	22.2-29.2	66	6.4	4.4- 8.4	2	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 54: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2524	2,415,775	226	10.4	8.4-12.4	1174	45.0	42.3-47.7	830	32.2	29.7-34.7	290	12.1	10.3-13.9	4	0.3	0.0- 0.7
White/Non-Hisp	2060	1,832,738	166	9.1	7.1-11.1	961	46.1	43.2-49.0	697	33.1	30.4-35.8	235	11.5	9.7-13.3	1	0.2	0.0- 0.6
Black or Afr. Am./Non-Hisp	247	339,403	26	9.8	5.1-14.5	110	43.1	34.5-51.7	79	30.6	22.4-38.8	31	15.8	9.1-22.5	1	0.6	0.0- 1.8
Oth. Race/Non-Hisp.	62	73,118	7	20.0	2.6-37.4	36	44.9	27.3-62.5	11	22.7	4.3-41.1	6	9.8	0.2-19.4	2	2.6	0.0- 6.3
MultiRacial/Non-Hisp.	53	29,279	7	13.1	2.9-23.3	22	38.6	20.0-57.2	13	29.2	7.6-50.8	11	19.1	4.8-33.4			
Hispanic	62	109,263	12	19.6	6.7-32.5	25	36.9	20.8-53.0	21	32.2	16.9-47.5	4	11.3	0.0-26.0			
18-24	200	305,869	42	21.4	14.3-28.5	87	45.0	36.4-53.6	59	28.1	20.5-35.7	11	5.2	1.1- 9.3	1	0.3	0.0- 0.9
25-34	276	413,043	35	13.3	7.8-18.8	116	41.1	33.7-48.5	94	32.8	25.7-39.9	29	11.6	6.9-16.3	2	1.2	0.0- 3.2
35-44	285	401,621	20	8.9	3.2-14.6	106	39.5	31.5-47.5	113	35.8	28.5-43.1	46	15.9	10.2-21.6			
45-54	392	400,151	23	6.7	3.0-10.4	176	44.4	37.7-51.1	125	30.8	24.1-37.5	67	17.5	11.8-23.2	1	0.5	0.0- 1.5
55-64	577	399,338	40	7.0	4.1- 9.9	259	44.1	38.8-49.4	200	34.3	29.4-39.2	78	14.5	10.8-18.2			
65+	767	464,471	66	8.5	6.0-11.0	413	53.5	48.8-58.2	229	29.8	25.5-34.1	59	8.1	5.6-10.6			
Less Than H.S.	235	340,518	28	14.3	7.0-21.6	126	49.7	40.9-58.5	54	23.6	16.5-30.7	27	12.4	6.1-18.7			
H.S. or G.E.D.	809	800,252	101	14.9	11.2-18.6	357	41.5	36.8-46.2	249	30.7	26.2-35.2	102	13.0	9.9-16.1			
Some Post-H.S.	644	696,623	39	6.1	3.6- 8.6	274	39.6	34.5-44.7	239	39.1	34.0-44.2	89	14.2	10.5-17.9	3	1.0	0.0- 2.4
College Graduate	834	576,466	58	6.9	4.5- 9.3	417	53.7	49.2-58.2	287	31.2	27.1-35.3	71	8.0	5.5-10.5	1	0.1	0.0- 0.3
Less than \$15,000	210	175,512	32	16.7	8.9-24.5	96	49.5	40.1-58.9	52	22.0	14.9-29.1	29	10.5	5.4-15.6	1	1.2	0.0- 3.6
\$15,000- 24,999	334	318,779	43	12.9	7.6-18.2	155	45.2	37.6-52.8	93	26.6	20.1-33.1	43	15.3	8.6-22.0			
\$25,000- 34,999	260	259,895	26	13.5	7.2-19.8	132	44.8	36.8-52.8	72	29.6	21.8-37.4	30	12.1	7.0-17.2			
\$35,000- 49,999	376	356,896	30	9.8	5.7-13.9	173	41.1	34.2-48.0	124	35.5	28.1-42.9	49	13.6	8.9-18.3			
\$50,000- 74,999	363	369,026	22	8.0	2.3-13.7	155	42.2	34.4-50.0	134	36.3	29.0-43.6	52	13.6	8.9-18.3			
\$75,000+	648	626,794	38	7.1	3.8-10.4	298	46.2	40.9-51.5	253	36.7	31.8-41.6	57	9.3	6.2-12.4	2	0.8	0.0- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 55: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3193	2,426,281	53	1.4	0.8- 2.0	1324	41.0	38.5-43.5	1332	41.2	38.7-43.7	366	12.4	10.6-14.2	118	3.9	2.9- 4.9
White/Non-Hisp	2561	1,812,117	41	1.4	0.8- 2.0	1134	44.9	42.2-47.6	1039	39.4	36.7-42.1	260	10.6	9.0-12.2	87	3.6	2.6- 4.6
Black or Afr. Am./Non-Hisp	444	415,870	4	0.5	0.0- 1.1	108	24.6	18.3-30.9	215	46.6	39.3-53.9	89	21.8	15.1-28.5	28	6.5	2.8-10.2
Oth. Race/Non-Hisp.	55	41,440	5	4.9	0.0-10.4	21	39.4	20.0-58.8	23	46.2	26.4-66.0	6	9.5	0.0-20.5			
18-24	157	288,158	3	1.3	0.0- 2.9	81	56.3	46.9-65.7	54	34.5	25.5-43.5	14	6.2	2.1-10.3	5	1.7	0.1- 3.3
25-34	294	405,914	7	1.9	0.1- 3.7	126	39.0	31.6-46.4	109	40.5	32.9-48.1	38	14.3	8.2-20.4	14	4.4	1.5- 7.3
35-44	320	396,487	2	0.3	0.0- 0.9	113	36.5	29.2-43.8	132	43.5	35.9-51.1	51	13.2	8.7-17.7	22	6.5	2.8-10.2
45-54	535	385,923	6	1.1	0.0- 2.3	202	35.3	30.0-40.6	211	39.2	33.7-44.7	86	19.8	14.5-25.1	30	4.7	2.7- 6.7
55-64	641	385,905	10	1.4	0.2- 2.6	225	36.2	31.3-41.1	301	46.0	40.9-51.1	84	12.1	9.0-15.2	21	4.3	1.9- 6.7
65+	1214	541,774	25	2.0	1.0- 3.0	553	43.9	40.2-47.6	520	42.9	39.2-46.6	92	9.1	6.6-11.6	24	2.0	1.0- 3.0
Less Than H.S.	380	369,153	12	2.1	0.5- 3.7	157	39.5	32.6-46.4	152	42.1	34.7-49.5	44	12.6	7.9-17.3	15	3.7	1.5- 5.9
H.S. or G.E.D.	1038	796,832	19	1.7	0.7- 2.7	413	39.3	34.8-43.8	443	41.7	37.2-46.2	130	14.0	10.7-17.3	33	3.3	1.5- 5.1
Some Post-H.S.	847	721,636	12	0.7	0.1- 1.3	340	39.1	34.2-44.0	346	41.4	36.5-46.3	102	13.6	9.9-17.3	47	5.2	3.2- 7.2
College Graduate	921	534,988	9	1.1	0.0- 2.3	412	47.4	42.7-52.1	388	39.8	35.3-44.3	90	8.5	6.1-10.9	22	3.2	1.4- 5.0
Less than \$15,000	416	283,453	12	1.4	0.4- 2.4	148	38.1	30.8-45.4	156	37.3	30.0-44.6	68	17.3	11.2-23.4	32	5.9	3.0- 8.8
\$15,000- 24,999	605	462,818	15	2.5	0.9- 4.1	224	35.1	29.6-40.6	263	43.8	37.7-49.9	78	14.2	10.1-18.3	25	4.4	2.2- 6.6
\$25,000- 34,999	323	236,513	4	1.3	0.0- 2.9	119	34.3	26.1-42.5	145	47.6	38.6-56.6	40	11.6	7.1-16.1	15	5.3	1.4- 9.2
\$35,000- 49,999	400	304,767	5	1.4	0.0- 2.8	165	37.3	30.6-44.0	164	37.1	30.2-44.0	50	19.0	12.5-25.5	16	5.2	1.3- 9.1
\$50,000- 74,999	356	296,670	2	1.0	0.0- 3.0	131	35.8	28.5-43.1	175	51.6	44.2-59.0	38	8.0	4.7-11.3	10	3.6	0.7- 6.5
\$75,000+	522	422,770	2	0.2	0.0- 0.6	255	50.9	44.8-57.0	211	37.1	31.4-42.8	45	9.5	5.0-14.0	9	2.3	0.3- 4.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 56: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5954	5,014,228	260	3.8	3.0- 4.6	2632	40.2	38.4-42.0	2482	45.3	43.5-47.1	572	10.4	9.2-11.6	4	0.1	0.0- 0.3	4	0.1	0.1- 0.1
Male	2548	2,442,473	6	0.6	0.0- 1.4	218	8.8	7.2-10.4	1756	69.0	66.5-71.5	561	21.3	19.1-23.5	4	0.3	0.0- 0.7	3	0.1	0.0- 0.3
Female	3403	2,568,241	254	6.9	5.7- 8.1	2413	70.1	67.7-72.5	724	22.8	20.6-25.0	11	0.2	0.0- 0.4				1	0.1	0.0- 0.3
White/Non-Hisp	4823	3,785,489	195	3.0	2.4- 3.6	2102	39.6	37.6-41.6	2037	46.2	44.2-48.2	486	11.0	9.8-12.2	3	0.1	0.0- 0.3			
Black or Afr. Am./Non-Hisp	717	779,375	38	5.9	3.2- 8.6	360	43.3	37.8-48.8	269	42.4	36.9-47.9	49	8.2	4.9-11.5	1	0.1	0.0- 0.3			
Oth. Race/Non-Hisp.	117	116,691	7	5.4	0.9- 9.9	44	33.3	20.6-46.0	52	45.0	31.7-58.3	12	15.2	2.9-27.5				2	1.1	0.0- 2.9
MultiRacial/Non-Hisp.	102	53,648	3	1.2	0.0- 2.6	41	30.3	17.8-42.8	52	60.2	46.3-74.1	6	8.3	0.3-16.3						
Hispanic	109	200,028	9	11.4	1.4-21.4	46	45.1	32.6-57.6	42	36.3	24.5-48.1	10	6.2	1.9-10.5				2	1.0	0.0- 2.6
18-24	365	610,548	10	3.9	1.2- 6.6	142	40.5	34.2-46.8	152	41.1	34.8-47.4	60	14.3	10.0-18.6				1	0.2	0.0- 0.6
25-34	592	842,825	19	2.5	0.7- 4.3	209	35.5	30.4-40.6	301	51.3	46.0-56.6	61	10.6	7.5-13.7	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0
35-44	628	810,240	15	2.2	0.8- 3.6	260	38.3	33.2-43.4	266	47.8	42.3-53.3	86	11.4	8.5-14.3	1	0.2	0.0- 0.6			
45-54	973	826,201	36	5.5	2.8- 8.2	422	38.4	34.3-42.5	424	45.2	40.9-49.5	88	10.3	7.4-13.2	2	0.5	0.0- 1.3	1	0.1	0.0- 0.3
55-64	1279	820,622	51	3.3	2.1- 4.5	550	41.4	37.9-44.9	546	45.2	41.7-48.7	131	10.0	8.0-12.0				1	0.2	0.0- 0.6
65+	2042	1,042,174	127	5.3	4.1- 6.5	1014	46.0	43.1-48.9	762	40.9	38.0-43.8	139	7.8	6.2- 9.4						
Less Than H.S.	625	729,406	44	6.0	3.3- 8.7	316	43.3	37.8-48.8	230	45.0	39.3-50.7	33	5.3	3.1- 7.5	1	0.3	0.0- 0.9	1	0.2	0.0- 0.6
H.S. or G.E.D.	1934	1,667,582	90	4.6	3.0- 6.2	903	42.7	39.6-45.8	761	41.6	38.5-44.7	178	10.9	8.9-12.9	1	0.2	0.0- 0.6	1	0.0	0.0- 0.0
Some Post-H.S.	1556	1,464,476	69	2.7	1.7- 3.7	690	37.7	34.4-41.0	639	48.1	44.6-51.6	155	11.2	9.0-13.4	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3
College Graduate	1827	1,146,097	56	2.7	1.7- 3.7	716	37.8	34.7-40.9	850	47.6	44.5-50.7	204	11.9	9.7-14.1				1	0.0	0.0- 0.0
Less than \$15,000	641	474,684	39	4.5	2.5- 6.5	333	49.2	43.3-55.1	225	39.1	33.4-44.8	43	6.9	4.2- 9.6	1	0.2	0.0- 0.6			
\$15,000- 24,999	965	803,472	57	5.9	3.0- 8.8	488	48.8	44.1-53.5	349	37.8	33.3-42.3	69	7.3	5.1- 9.5				2	0.3	0.0- 0.7
\$25,000- 34,999	606	512,679	31	5.0	2.3- 7.7	267	35.5	30.2-40.8	254	50.6	44.7-56.5	52	8.6	5.5-11.7	1	0.4	0.0- 1.2	1	0.0	0.0- 0.0
\$35,000- 49,999	802	677,905	33	3.4	1.8- 5.0	327	38.5	33.6-43.4	354	44.7	39.8-49.6	88	13.4	9.5-17.3						
\$50,000- 74,999	742	681,386	17	1.8	0.6- 3.0	286	35.5	30.4-40.6	352	50.1	44.6-55.6	87	12.5	9.2-15.8						
\$75,000+	1204	1,078,022	28	2.5	1.1- 3.9	416	31.1	27.6-34.6	594	52.1	48.2-56.0	166	14.3	11.6-17.0						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 57: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2548	2,442,473	6	0.6	0.0- 1.4	218	8.8	7.2-10.4	1756	69.0	66.5-71.5	561	21.3	19.1-23.5	4	0.3	0.0- 0.7	3	0.1	0.0- 0.3
White/Non-Hisp	2075	1,849,169	2	0.3	0.0- 0.7	155	6.7	5.3- 8.1	1437	70.3	67.8-72.8	478	22.4	20.0-24.8	3	0.3	0.0- 0.7			
Black or Afr. Am./Non-Hisp	251	342,530	1	0.2	0.0- 0.6	30	13.8	7.3-20.3	173	67.1	58.7-75.5	46	18.6	11.5-25.7	1	0.3	0.0- 0.9			
Oth. Race/Non-Hisp.	62	73,282				9	13.8	0.7-26.9	39	60.2	41.2-79.2	12	24.3	5.9-42.7				2	1.8	0.0- 4.7
MultiRacial/Non-Hisp.	54	29,959				5	3.8	0.0- 7.7	43	81.3	66.8-95.8	6	14.9	0.8-29.0						
Hispanic	63	113,665	2	8.4	0.0-22.3	11	22.0	6.7-37.3	39	58.0	40.8-75.2	10	10.9	3.5-18.3				1	0.6	0.0- 2.0
18-24	202	316,131	1	0.3	0.0- 0.9	18	8.1	3.2-13.0	122	63.6	55.2-72.0	60	27.7	19.9-35.5				1	0.3	0.0- 0.9
25-34	281	417,286				21	7.2	2.9-11.5	197	71.2	64.3-78.1	61	21.3	15.4-27.2	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3
35-44	289	404,710				20	6.9	3.0-10.8	184	70.1	63.4-76.8	84	22.6	16.7-28.5	1	0.5	0.0- 1.5			
45-54	396	403,081	3	3.4	0.0- 7.9	34	9.6	5.1-14.1	271	65.0	57.9-72.1	85	20.8	15.1-26.5	2	1.0	0.0- 2.6	1	0.2	0.0- 0.6
55-64	581	401,716	1	0.0	0.0- 0.0	52	10.9	7.2-14.6	400	69.0	64.1-73.9	128	20.1	16.2-24.0						
65+	771	467,588	1	0.1	0.0- 0.3	72	10.3	7.4-13.2	562	72.4	68.3-76.5	136	17.3	14.0-20.6						
Less Than H.S.	237	345,906	1	2.5	0.0- 7.2	34	14.1	8.0-20.2	168	71.7	63.7-79.7	33	11.2	6.5-15.9	1	0.5	0.0- 1.5			
H.S. or G.E.D.	823	818,404	4	0.7	0.0- 1.7	91	11.0	7.9-14.1	551	65.8	61.3-70.3	175	22.1	18.2-26.0	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3
Some Post-H.S.	648	698,666	1	0.1	0.0- 0.3	48	5.1	3.1- 7.1	443	70.8	66.1-75.5	153	23.5	19.2-27.8	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6
College Graduate	838	577,581				45	6.9	4.4- 9.4	594	69.8	65.5-74.1	198	23.2	19.3-27.1				1	0.0	0.0- 0.0
Less than \$15,000	216	184,382				25	11.2	5.3-17.1	149	70.5	62.1-78.9	41	17.7	10.8-24.6	1	0.6	0.0- 1.8			
\$15,000- 24,999	334	321,501	3	3.2	0.0- 8.3	33	11.7	6.0-17.4	231	67.0	59.4-74.6	66	17.9	12.6-23.2				1	0.2	0.0- 0.6
\$25,000- 34,999	264	261,973	2	1.8	0.0- 5.1	30	8.8	5.3-12.3	178	71.9	64.8-79.0	52	16.7	11.0-22.4	1	0.7	0.0- 2.1	1	0.1	0.0- 0.3
\$35,000- 49,999	378	357,668				31	10.3	5.2-15.4	261	64.5	57.2-71.8	86	25.3	18.6-32.0						
\$50,000- 74,999	365	369,696				17	5.8	1.3-10.3	262	71.3	64.4-78.2	86	22.9	16.8-29.0						
\$75,000+	651	630,100				33	5.0	2.8- 7.2	455	70.7	66.0-75.4	163	24.3	19.8-28.8						

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 58: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3403	2,568,241	254	6.9	5.7- 8.1	2413	70.1	67.7-72.5	724	22.8	20.6-25.0	11	0.2	0.0- 0.4	1	0.1	0.0- 0.3
White/Non-Hisp	2746	1,934,717	193	5.6	4.6- 6.6	1947	71.1	68.7-73.5	598	23.2	21.0-25.4	8	0.2	0.0- 0.4			
Black or Afr. Am./Non-Hisp	466	436,845	37	10.4	5.7-15.1	330	66.4	59.3-73.5	96	23.1	16.8-29.4	3	0.1	0.0- 0.3			
Oth. Race/Non-Hisp.	55	43,410	7	14.5	2.7-26.3	35	66.1	49.4-82.8	13	19.4	6.9-31.9						
18-24	163	294,417	9	7.7	2.2-13.2	124	75.3	67.3-83.3	30	17.0	10.3-23.7						
25-34	310	424,213	19	5.1	1.6- 8.6	188	63.5	56.2-70.8	103	31.5	24.4-38.6						
35-44	339	405,530	15	4.5	1.8- 7.2	240	69.7	62.6-76.8	82	25.5	18.6-32.4	2	0.3	0.0- 0.7			
45-54	576	421,210	33	7.5	4.2-10.8	387	65.8	60.5-71.1	153	26.5	21.6-31.4	3	0.2	0.0- 0.4			
55-64	698	418,907	50	6.4	4.2- 8.6	498	70.7	66.2-75.2	146	22.4	18.3-26.5	3	0.3	0.0- 0.7	1	0.3	0.0- 0.9
65+	1270	574,309	126	9.6	7.6-11.6	942	75.1	72.0-78.2	199	15.2	12.7-17.7	3	0.1	0.0- 0.3			
Less Than H.S.	387	381,589	43	9.2	5.9-12.5	281	69.6	62.5-76.7	62	20.9	14.0-27.8				1	0.3	0.0- 0.9
H.S. or G.E.D.	1111	849,178	86	8.4	5.7-11.1	812	73.3	69.4-77.2	210	18.2	15.1-21.3	3	0.1	0.0- 0.3			
Some Post-H.S.	907	764,483	68	5.1	3.3- 6.9	642	67.5	63.0-72.0	195	27.3	22.8-31.8	2	0.1	0.0- 0.3			
College Graduate	988	568,239	56	5.4	3.4- 7.4	671	69.2	65.1-73.3	255	24.9	21.2-28.6	6	0.4	0.0- 0.8			
Less than \$15,000	425	290,302	39	7.3	4.0-10.6	308	73.4	66.9-79.9	76	19.2	13.1-25.3	2	0.1	0.0- 0.3			
\$15,000- 24,999	631	481,971	54	7.7	4.4-11.0	455	73.6	68.7-78.5	118	18.3	14.2-22.4	3	0.2	0.0- 0.4	1	0.3	0.0- 0.9
\$25,000- 34,999	342	250,706	29	8.4	3.7-13.1	237	63.4	54.6-72.2	76	28.3	19.5-37.1						
\$35,000- 49,999	424	320,238	33	7.2	3.9-10.5	296	70.0	63.7-76.3	93	22.5	16.8-28.2	2	0.2	0.0- 0.6			
\$50,000- 74,999	377	311,690	17	4.0	1.3- 6.7	269	70.8	63.9-77.7	90	25.0	18.5-31.5	1	0.3	0.0- 0.9			
\$75,000+	552	446,012	28	5.9	2.8- 9.0	382	67.6	61.7-73.5	139	26.2	20.5-31.9	3	0.3	0.0- 0.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 59: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Female respondents aged 45 years and older

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	819	1,143,800	32	4.3	2.3- 6.3	787	95.7	93.7-97.7
White/Non-Hisp	605	754,572	22	4.5	2.1- 6.9	583	95.5	93.1-97.9
Black or Afr. Am./Non-Hisp	144	254,941	7	5.1	0.6- 9.6	137	94.9	90.4-99.4
18-24	163	301,994	12	6.6	2.3-10.9	151	93.4	89.1-97.7
25-34	313	427,983	12	4.3	1.0- 7.6	301	95.7	92.4-99.0
35-44	343	413,823	8	2.8	0.4- 5.2	335	97.2	94.8-99.6
H.S. or G.E.D.	217	349,348	9	3.1	0.7- 5.5	208	96.9	94.5-99.3
Some Post-H.S.	254	381,079	10	5.8	1.3-10.3	244	94.2	89.7-98.7
College Graduate	305	301,713	12	4.7	1.6- 7.8	293	95.3	92.2-98.4
Less than \$15,000	90	125,359	2	2.8	0.0- 7.5	88	97.2	92.5- 100
\$15,000- 24,999	154	218,282	5	2.1	0.0- 4.6	149	97.9	95.4- 100
\$25,000- 34,999	87	119,660	3	6.5	0.0-15.9	84	93.5	84.1- 100
\$35,000- 49,999	112	136,250	5	4.6	0.0- 9.5	107	95.4	90.5- 100
\$50,000- 74,999	104	152,343	4	5.9	0.0-12.2	100	94.1	87.8- 100
\$75,000+	164	213,207	7	3.5	0.6- 6.4	157	96.5	93.6-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 60: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5976	5,018,423	586	7.7	6.9- 8.5	5390	92.3	91.5-93.1
Male	2545	2,432,203	304	9.5	8.1-10.9	2241	90.5	89.1-91.9
Female	3429	2,582,983	282	6.0	5.0- 7.0	3147	94.0	93.0-95.0
18-24	361	606,109	11	3.7	1.2- 6.2	350	96.3	93.8-98.8
25-34	587	830,943	21	3.9	1.7- 6.1	566	96.1	93.9-98.3
35-44	627	816,628	24	2.7	1.3- 4.1	603	97.3	95.9-98.7
45-54	970	822,374	56	5.3	3.7- 6.9	914	94.7	93.1-96.3
55-64	1281	823,306	118	10.0	7.8-12.2	1163	90.0	87.8-92.2
65+	2055	1,045,844	353	17.5	15.3-19.7	1702	82.5	80.3-84.7
Less Than H.S.	628	729,079	113	14.4	11.1-17.7	515	85.6	82.3-88.9
H.S. or G.E.D.	1935	1,670,720	194	7.6	6.0- 9.2	1741	92.4	90.8-94.0
Some Post-H.S.	1571	1,468,142	147	6.4	5.0- 7.8	1424	93.6	92.2-95.0
College Graduate	1827	1,143,850	129	5.1	3.9- 6.3	1698	94.9	93.7-96.1
Less than \$15,000	646	477,483	97	14.7	10.8-18.6	549	85.3	81.4-89.2
\$15,000- 24,999	958	801,442	116	9.7	7.3-12.1	842	90.3	87.9-92.7
\$25,000- 34,999	603	511,902	63	9.4	6.1-12.7	540	90.6	87.3-93.9
\$35,000- 49,999	795	673,849	49	4.4	2.8- 6.0	746	95.6	94.0-97.2
\$50,000- 74,999	739	675,284	59	5.4	3.6- 7.2	680	94.6	92.8-96.4
\$75,000+	1199	1,061,785	63	3.8	2.6- 5.0	1136	96.2	95.0-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 61: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2545	2,432,203	304	9.5	8.1-10.9	2241	90.5	89.1-91.9
18-24	202	313,785	7	5.0	0.5- 9.5	195	95.0	90.5-99.5
25-34	278	409,278	14	5.6	1.9- 9.3	264	94.4	90.7-98.1
35-44	289	407,316	13	3.7	1.2- 6.2	276	96.3	93.8-98.8
45-54	393	399,152	25	5.6	3.1- 8.1	368	94.4	91.9-96.9
55-64	582	403,657	68	12.4	8.9-15.9	514	87.6	84.1-91.1
65+	766	463,626	177	22.7	18.8-26.6	589	77.3	73.4-81.2
Less Than H.S.	237	347,133	42	14.5	9.2-19.8	195	85.5	80.2-90.8
H.S. or G.E.D.	821	813,882	99	9.6	7.1-12.1	722	90.4	87.9-92.9
Some Post-H.S.	643	692,567	84	9.1	6.6-11.6	559	90.9	88.4-93.4
College Graduate	841	576,646	77	6.6	4.8- 8.4	764	93.4	91.6-95.2
Less than \$15,000	216	186,148	38	18.1	10.7-25.5	178	81.9	74.5-89.3
\$15,000- 24,999	330	317,739	49	13.6	8.5-18.7	281	86.4	81.3-91.5
\$25,000- 34,999	266	263,707	35	13.5	7.6-19.4	231	86.5	80.6-92.4
\$35,000- 49,999	373	354,516	36	6.1	3.6- 8.6	337	93.9	91.4-96.4
\$50,000- 74,999	362	366,407	42	7.4	4.7-10.1	320	92.6	89.9-95.3
\$75,000+	645	614,695	49	5.4	3.4- 7.4	596	94.6	92.6-96.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 62: ARE YOU DEAF OR DO YOU HAVE SERIOUS DIFFICULTY HEARING? (DEAF)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3429	2,582,983	282	6.0	5.0- 7.0	3147	94.0	93.0-95.0
18-24	159	292,323	4	2.2	0.0- 4.7	155	97.8	95.3- 100
25-34	308	420,339	7	2.3	0.3- 4.3	301	97.7	95.7-99.7
35-44	338	409,311	11	1.6	0.4- 2.8	327	98.4	97.2-99.6
45-54	576	421,312	31	5.0	2.8- 7.2	545	95.0	92.8-97.2
55-64	699	419,649	50	7.7	5.2-10.2	649	92.3	89.8-94.8
65+	1289	582,218	176	13.3	10.9-15.7	1113	86.7	84.3-89.1
Less Than H.S.	390	380,036	71	14.3	10.4-18.2	319	85.7	81.8-89.6
H.S. or G.E.D.	1114	856,838	95	5.8	4.2- 7.4	1019	94.2	92.6-95.8
Some Post-H.S.	927	774,249	63	4.0	2.6- 5.4	864	96.0	94.6-97.4
College Graduate	986	567,203	52	3.6	2.2- 5.0	934	96.4	95.0-97.8
Less than \$15,000	430	291,335	59	12.5	8.2-16.8	371	87.5	83.2-91.8
\$15,000- 24,999	628	483,703	67	7.1	4.9- 9.3	561	92.9	90.7-95.1
\$25,000- 34,999	337	248,195	28	5.1	2.7- 7.5	309	94.9	92.5-97.3
\$35,000- 49,999	422	319,333	13	2.5	0.7- 4.3	409	97.5	95.7-99.3
\$50,000- 74,999	377	308,877	17	3.0	1.2- 4.8	360	97.0	95.2-98.8
\$75,000+	553	445,179	14	1.7	0.5- 2.9	539	98.3	97.1-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 63: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5972	5,009,027	443	6.4	5.6- 7.2	5529	93.6	92.8-94.4
Male	2544	2,433,077	169	6.1	4.7- 7.5	2375	93.9	92.5-95.3
Female	3425	2,572,437	274	6.8	5.6- 8.0	3151	93.2	92.0-94.4
18-24	360	604,582	11	2.6	0.4- 4.8	349	97.4	95.2-99.6
25-34	587	833,105	28	4.5	2.3- 6.7	559	95.5	93.3-97.7
35-44	625	810,780	22	2.6	1.2- 4.0	603	97.4	96.0-98.8
45-54	965	819,033	92	10.0	7.1-12.9	873	90.0	87.1-92.9
55-64	1281	823,497	119	9.5	7.3-11.7	1162	90.5	88.3-92.7
65+	2060	1,046,236	168	8.0	6.4- 9.6	1892	92.0	90.4-93.6
Less Than H.S.	630	727,701	118	15.8	11.9-19.7	512	84.2	80.3-88.1
H.S. or G.E.D.	1929	1,664,228	167	6.9	5.3- 8.5	1762	93.1	91.5-94.7
Some Post-H.S.	1569	1,465,966	102	4.3	3.3- 5.3	1467	95.7	94.7-96.7
College Graduate	1829	1,144,499	52	2.2	1.4- 3.0	1777	97.8	97.0-98.6
Less than \$15,000	645	474,198	136	19.3	15.0-23.6	509	80.7	76.4-85.0
\$15,000- 24,999	957	797,928	102	9.6	6.5-12.7	855	90.4	87.3-93.5
\$25,000- 34,999	601	511,221	32	5.5	3.1- 7.9	569	94.5	92.1-96.9
\$35,000- 49,999	797	673,952	32	3.8	2.0- 5.6	765	96.2	94.4-98.0
\$50,000- 74,999	739	675,292	19	1.7	0.7- 2.7	720	98.3	97.3-99.3
\$75,000+	1199	1,062,951	26	2.0	1.0- 3.0	1173	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 64: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2544	2,433,077	169	6.1	4.7- 7.5	2375	93.9	92.5-95.3
18-24	202	313,785	4	3.3	0.0- 7.2	198	96.7	92.8- 100
25-34	278	411,440	10	2.9	0.9- 4.9	268	97.1	95.1-99.1
35-44	290	408,026	9	1.4	0.2- 2.6	281	98.6	97.4-99.8
45-54	389	396,759	29	8.8	3.9-13.7	360	91.2	86.3-96.1
55-64	584	404,222	58	10.9	7.6-14.2	526	89.1	85.8-92.4
65+	766	463,456	56	8.1	5.4-10.8	710	91.9	89.2-94.6
Less Than H.S.	238	347,166	44	13.7	7.8-19.6	194	86.3	80.4-92.2
H.S. or G.E.D.	819	813,140	67	7.1	4.7- 9.5	752	92.9	90.5-95.3
Some Post-H.S.	643	692,598	36	3.7	2.1- 5.3	607	96.3	94.7-97.9
College Graduate	841	578,198	20	2.5	1.1- 3.9	821	97.5	96.1-98.9
Less than \$15,000	216	186,069	43	15.2	9.5-20.9	173	84.8	79.1-90.5
\$15,000- 24,999	331	318,208	33	11.8	5.3-18.3	298	88.2	81.7-94.7
\$25,000- 34,999	265	263,433	15	5.3	2.0- 8.6	250	94.7	91.4-98.0
\$35,000- 49,999	374	354,679	13	3.9	1.2- 6.6	361	96.1	93.4-98.8
\$50,000- 74,999	362	366,415	10	2.0	0.6- 3.4	352	98.0	96.6-99.4
\$75,000+	646	617,287	19	2.7	1.3- 4.1	627	97.3	95.9-98.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 65: ARE YOU BLIND OR DO YOU HAVE SERIOUS DIFFICULTY SEEING, EVEN WHEN WEARING GLASSES? (BLIND)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3425	2,572,437	274	6.8	5.6- 8.0	3151	93.2	92.0-94.4
18-24	158	290,797	7	1.9	0.5- 3.3	151	98.1	96.7-99.5
25-34	308	420,339	18	6.1	2.6- 9.6	290	93.9	90.4-97.4
35-44	335	402,754	13	3.8	1.4- 6.2	322	96.2	93.8-98.6
45-54	575	420,363	63	11.2	7.5-14.9	512	88.8	85.1-92.5
55-64	697	419,276	61	8.2	5.7-10.7	636	91.8	89.3-94.3
65+	1293	582,503	112	7.9	6.1- 9.7	1181	92.1	90.3-93.9
Less Than H.S.	391	378,626	74	17.8	12.5-23.1	317	82.2	76.9-87.5
H.S. or G.E.D.	1110	851,088	100	6.7	4.9- 8.5	1010	93.3	91.5-95.1
Some Post-H.S.	925	772,041	66	4.8	3.2- 6.4	859	95.2	93.6-96.8
College Graduate	987	566,024	32	2.0	1.0- 3.0	955	98.0	97.0-99.0
Less than \$15,000	429	288,129	93	22.0	15.9-28.1	336	78.0	71.9-84.1
\$15,000- 24,999	626	479,720	69	8.1	5.6-10.6	557	91.9	89.4-94.4
\$25,000- 34,999	336	247,788	17	5.7	2.4- 9.0	319	94.3	91.0-97.6
\$35,000- 49,999	423	319,274	19	3.6	1.4- 5.8	404	96.4	94.2-98.6
\$50,000- 74,999	377	308,877	9	1.4	0.4- 2.4	368	98.6	97.6-99.6
\$75,000+	552	443,754	7	0.9	0.1- 1.7	545	99.1	98.3-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 66: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5923	4,971,420	805	13.9	12.7-15.1	5118	86.1	84.9-87.3
Male	2525	2,411,144	273	10.6	9.0-12.2	2252	89.4	87.8-91.0
Female	3395	2,556,762	531	17.0	15.0-19.0	2864	83.0	81.0-85.0
18-24	358	600,040	51	13.7	9.4-18.0	307	86.3	82.0-90.6
25-34	582	823,157	70	12.0	8.7-15.3	512	88.0	84.7-91.3
35-44	626	816,014	88	13.7	10.0-17.4	538	86.3	82.6-90.0
45-54	957	810,252	182	18.3	15.2-21.4	775	81.7	78.6-84.8
55-64	1266	811,519	186	15.8	13.1-18.5	1080	84.2	81.5-86.9
65+	2042	1,039,108	220	11.0	9.2-12.8	1822	89.0	87.2-90.8
Less Than H.S.	620	718,002	192	29.1	24.2-34.0	428	70.9	66.0-75.8
H.S. or G.E.D.	1910	1,655,733	294	14.7	12.5-16.9	1616	85.3	83.1-87.5
Some Post-H.S.	1561	1,456,609	206	12.1	9.9-14.3	1355	87.9	85.7-90.1
College Graduate	1818	1,135,187	109	5.3	3.9- 6.7	1709	94.7	93.3-96.1
Less than \$15,000	639	471,472	209	33.6	28.1-39.1	430	66.4	60.9-71.9
\$15,000- 24,999	950	796,954	197	21.4	17.7-25.1	753	78.6	74.9-82.3
\$25,000- 34,999	595	506,298	73	11.9	8.6-15.2	522	88.1	84.8-91.4
\$35,000- 49,999	794	670,750	75	10.2	7.1-13.3	719	89.8	86.7-92.9
\$50,000- 74,999	739	675,292	49	8.3	5.6-11.0	690	91.7	89.0-94.4
\$75,000+	1195	1,057,076	39	3.8	2.2- 5.4	1156	96.2	94.6-97.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 67: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2525	2,411,144	273	10.6	9.0-12.2	2252	89.4	87.8-91.0	
18-24	201	309,986	20	10.8	5.5-16.1	181	89.2	83.9-94.5	
25-34	273	401,491	25	9.0	4.9-13.1	248	91.0	86.9-95.1	
35-44	290	408,026	30	8.2	4.5-11.9	260	91.8	88.1-95.5	
45-54	388	394,032	55	13.3	9.0-17.6	333	86.7	82.4-91.0	
55-64	578	400,645	69	13.3	9.2-17.4	509	86.7	82.6-90.8	
65+	761	461,749	70	9.4	6.7-12.1	691	90.6	87.9-93.3	
Less Than H.S.	236	344,925	62	21.9	15.2-28.6	174	78.1	71.4-84.8	
H.S. or G.E.D.	814	808,236	102	10.7	8.0-13.4	712	89.3	86.6-92.0	
Some Post-H.S.	639	686,865	67	9.7	6.8-12.6	572	90.3	87.4-93.2	
College Graduate	833	569,143	40	4.4	2.6- 6.2	793	95.6	93.8-97.4	
Less than \$15,000	215	185,491	68	32.9	23.5-42.3	147	67.1	57.7-76.5	
\$15,000- 24,999	329	317,249	63	17.9	12.8-23.0	266	82.1	77.0-87.2	
\$25,000- 34,999	261	259,030	23	7.2	3.3-11.1	238	92.8	88.9-96.7	
\$35,000- 49,999	372	353,212	31	8.8	5.1-12.5	341	91.2	87.5-94.9	
\$50,000- 74,999	362	366,415	19	7.1	3.4-10.8	343	92.9	89.2-96.6	
\$75,000+	644	613,936	21	4.0	1.8- 6.2	623	96.0	93.8-98.2	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 68: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE SERIOUS DIFFICULTY CONCENTRATING, REMEMBERING, OR MAKING DECISIONS? (DECIDE)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3395	2,556,762	531	17.0	15.0-19.0	2864	83.0	81.0-85.0
18-24	157	290,054	31	16.9	10.0-23.8	126	83.1	76.2-90.0
25-34	308	420,339	44	14.6	9.3-19.9	264	85.4	80.1-90.7
35-44	336	407,988	58	19.2	13.1-25.3	278	80.8	74.7-86.9
45-54	568	414,309	127	23.1	18.6-27.6	441	76.9	72.4-81.4
55-64	688	410,874	117	18.3	14.4-22.2	571	81.7	77.8-85.6
65+	1280	577,081	150	12.3	9.8-14.8	1130	87.7	85.2-90.2
Less Than H.S.	383	371,167	130	35.9	29.0-42.8	253	64.1	57.2-71.0
H.S. or G.E.D.	1096	847,497	192	18.4	15.1-21.7	904	81.6	78.3-84.9
Some Post-H.S.	921	768,417	138	14.1	11.0-17.2	783	85.9	82.8-89.0
College Graduate	984	565,767	69	6.2	4.2- 8.2	915	93.8	91.8-95.8
Less than \$15,000	424	285,982	141	34.1	27.2-41.0	283	65.9	59.0-72.8
\$15,000- 24,999	621	479,705	134	23.7	18.6-28.8	487	76.3	71.2-81.4
\$25,000- 34,999	334	247,268	50	17.0	11.3-22.7	284	83.0	77.3-88.7
\$35,000- 49,999	422	317,537	44	11.7	6.8-16.6	378	88.3	83.4-93.2
\$50,000- 74,999	377	308,877	30	9.7	5.4-14.0	347	90.3	86.0-94.6
\$75,000+	550	441,229	18	3.4	1.0- 5.8	532	96.6	94.2-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 69: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5946	4,990,410	1350	17.8	16.6-19.0	4596	82.2	81.0-83.4
Male	2529	2,414,787	440	13.6	12.0-15.2	2089	86.4	84.8-88.0
Female	3414	2,572,109	910	21.8	19.8-23.8	2504	78.2	76.2-80.2
18-24	359	603,839	6	1.3	0.0- 2.7	353	98.7	97.3- 100
25-34	585	826,828	32	6.0	3.3- 8.7	553	94.0	91.3-96.7
35-44	627	816,677	67	9.4	6.7-12.1	560	90.6	87.9-93.3
45-54	965	815,590	243	23.9	20.2-27.6	722	76.1	72.4-79.8
55-64	1273	818,408	348	29.3	26.0-32.6	925	70.7	67.4-74.0
65+	2044	1,037,448	636	29.6	27.1-32.1	1408	70.4	67.9-72.9
Less Than H.S.	621	718,598	299	38.2	33.1-43.3	322	61.8	56.7-66.9
H.S. or G.E.D.	1922	1,664,981	493	18.4	16.2-20.6	1429	81.6	79.4-83.8
Some Post-H.S.	1564	1,461,360	344	14.6	12.4-16.8	1220	85.4	83.2-87.6
College Graduate	1825	1,139,581	208	8.0	6.4- 9.6	1617	92.0	90.4-93.6
Less than \$15,000	644	475,511	326	41.9	36.4-47.4	318	58.1	52.6-63.6
\$15,000- 24,999	953	798,967	315	25.3	21.6-29.0	638	74.7	71.0-78.4
\$25,000- 34,999	597	508,978	151	21.6	17.3-25.9	446	78.4	74.1-82.7
\$35,000- 49,999	796	673,750	124	12.7	9.6-15.8	672	87.3	84.2-90.4
\$50,000- 74,999	736	669,254	94	9.9	7.4-12.4	642	90.1	87.6-92.6
\$75,000+	1197	1,060,825	77	5.0	3.6- 6.4	1120	95.0	93.6-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 70: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2529	2,414,787	440	13.6	12.0-15.2	2089	86.4	84.8-88.0
18-24	202	313,785	3	0.8	0.0- 1.8	199	99.2	98.2- 100
25-34	276	405,163	10	3.1	0.9- 5.3	266	96.9	94.7-99.1
35-44	290	408,026	15	4.5	1.6- 7.4	275	95.5	92.6-98.4
45-54	388	392,600	69	16.3	11.4-21.2	319	83.7	78.8-88.6
55-64	580	402,804	144	27.7	22.8-32.6	436	72.3	67.4-77.2
65+	759	457,195	194	25.9	21.8-30.0	565	74.1	70.0-78.2
Less Than H.S.	233	339,321	81	27.5	20.4-34.6	152	72.5	65.4-79.6
H.S. or G.E.D.	816	811,575	167	14.9	12.0-17.8	649	85.1	82.2-88.0
Some Post-H.S.	638	687,732	111	10.7	8.2-13.2	527	89.3	86.8-91.8
College Graduate	839	574,182	79	6.9	4.9- 8.9	760	93.1	91.1-95.1
Less than \$15,000	216	185,301	81	36.0	26.8-45.2	135	64.0	54.8-73.2
\$15,000- 24,999	328	317,136	99	22.0	16.7-27.3	229	78.0	72.7-83.3
\$25,000- 34,999	264	263,206	64	21.4	15.1-27.7	200	78.6	72.3-84.9
\$35,000- 49,999	374	354,668	55	9.9	6.4-13.4	319	90.1	86.6-93.6
\$50,000- 74,999	359	360,377	34	6.6	3.9- 9.3	325	93.4	90.7-96.1
\$75,000+	644	615,161	35	4.0	2.4- 5.6	609	96.0	94.4-97.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 71: DO YOU HAVE SERIOUS DIFFICULTY WALKING OR CLIMBING STAIRS? (DIFFWALK)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3414	2,572,109	910	21.8	20.0-23.6	2504	78.2	76.4-80.0
18-24	157	290,054	3	1.9	0.0- 4.4	154	98.1	95.6- 100
25-34	308	420,339	22	8.8	3.9-13.7	286	91.2	86.3-96.1
35-44	337	408,651	52	14.3	9.6-19.0	285	85.7	81.0-90.4
45-54	576	421,080	174	31.0	25.9-36.1	402	69.0	63.9-74.1
55-64	693	415,604	204	30.8	26.1-35.5	489	69.2	64.5-73.9
65+	1284	579,976	442	32.5	29.2-35.8	842	67.5	64.2-70.8
Less Than H.S.	387	377,367	218	48.0	40.7-55.3	169	52.0	44.7-59.3
H.S. or G.E.D.	1106	853,406	326	21.7	18.6-24.8	780	78.3	75.2-81.4
Some Post-H.S.	925	772,301	233	18.1	14.8-21.4	692	81.9	78.6-85.2
College Graduate	985	565,122	129	9.3	6.8-11.8	856	90.7	88.2-93.2
Less than \$15,000	428	290,209	245	45.6	38.5-52.7	183	54.4	47.3-61.5
\$15,000- 24,999	625	481,831	216	27.6	22.7-32.5	409	72.4	67.5-77.3
\$25,000- 34,999	333	245,772	87	21.7	15.8-27.6	246	78.3	72.4-84.2
\$35,000- 49,999	422	319,082	69	15.7	10.6-20.8	353	84.3	79.2-89.4
\$50,000- 74,999	377	308,877	60	13.7	9.2-18.2	317	86.3	81.8-90.8
\$75,000+	552	443,754	42	6.3	3.8- 8.8	510	93.7	91.2-96.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 72: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5953	4,996,990	315	4.0	3.4- 4.6	5638	96.0	95.4-96.6
Male	2536	2,423,517	113	3.2	2.4- 4.0	2423	96.8	96.0-97.6
Female	3414	2,569,959	202	4.7	3.7- 5.7	3212	95.3	94.3-96.3
18-24	359	603,839				359	100.0	100.0- 100
25-34	584	825,226	6	1.7	0.1- 3.3	578	98.3	96.7-99.9
35-44	625	813,593	21	2.5	1.1- 3.9	604	97.5	96.1-98.9
45-54	967	820,546	74	6.7	4.7- 8.7	893	93.3	91.3-95.3
55-64	1273	819,478	86	6.4	4.6- 8.2	1187	93.6	91.8-95.4
65+	2054	1,044,547	122	5.2	4.0- 6.4	1932	94.8	93.6-96.0
Less Than H.S.	624	725,176	72	9.5	6.8-12.2	552	90.5	87.8-93.2
H.S. or G.E.D.	1924	1,662,125	119	3.9	2.9- 4.9	1805	96.1	95.1-97.1
Some Post-H.S.	1568	1,464,502	73	2.9	1.9- 3.9	1495	97.1	96.1-98.1
College Graduate	1824	1,139,467	51	2.1	1.3- 2.9	1773	97.9	97.1-98.7
Less than \$15,000	644	471,482	91	10.5	7.8-13.2	553	89.5	86.8-92.2
\$15,000- 24,999	956	799,834	77	6.3	4.5- 8.1	879	93.7	91.9-95.5
\$25,000- 34,999	599	510,872	27	4.2	2.2- 6.2	572	95.8	93.8-97.8
\$35,000- 49,999	798	673,106	29	2.3	1.1- 3.5	769	97.7	96.5-98.9
\$50,000- 74,999	737	674,890	20	2.2	0.8- 3.6	717	97.8	96.4-99.2
\$75,000+	1198	1,062,192	5	0.4	0.0- 0.8	1193	99.6	99.2- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 73: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2536	2,423,517	113	3.2	2.4- 4.0	2423	96.8	96.0-97.6
18-24	202	313,785				202	100.0	100.0- 100
25-34	277	407,599	1	0.5	0.0- 1.5	276	99.5	98.5- 100
35-44	289	406,342	4	0.6	0.0- 1.2	285	99.4	98.8- 100
45-54	390	397,247	23	4.7	2.5- 6.9	367	95.3	93.1-97.5
55-64	582	403,453	38	7.4	4.5-10.3	544	92.6	89.7-95.5
65+	763	461,545	45	5.1	3.3- 6.9	718	94.9	93.1-96.7
Less Than H.S.	236	345,084	28	7.4	4.1-10.7	208	92.6	89.3-95.9
H.S. or G.E.D.	816	811,195	41	3.0	1.8- 4.2	775	97.0	95.8-98.2
Some Post-H.S.	642	691,080	27	2.8	1.4- 4.2	615	97.2	95.8-98.6
College Graduate	839	574,182	17	1.5	0.7- 2.3	822	98.5	97.7-99.3
Less than \$15,000	216	184,887	21	7.3	3.6-11.0	195	92.7	89.0-96.4
\$15,000- 24,999	330	317,797	33	7.6	4.5-10.7	297	92.4	89.3-95.5
\$25,000- 34,999	265	263,433	11	3.4	1.0- 5.8	254	96.6	94.2-99.0
\$35,000- 49,999	374	353,425	14	2.4	0.8- 4.0	360	97.6	96.0-99.2
\$50,000- 74,999	361	366,315	7	1.1	0.3- 1.9	354	98.9	98.1-99.7
\$75,000+	645	616,528	2	0.1	0.0- 0.3	643	99.9	99.7- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 74: DO YOU HAVE DIFFICULTY DRESSING OR BATHING? (DIFFDRES)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3414	2,569,959	202	4.7	3.7- 5.7	3212	95.3	94.3-96.3
18-24	157	290,054				157	100.0	100.0- 100
25-34	306	416,300	5	2.8	0.0- 5.7	301	97.2	94.3- 100
35-44	336	407,250	17	4.3	1.8- 6.8	319	95.7	93.2-98.2
45-54	576	421,389	51	8.7	5.6-11.8	525	91.3	88.2-94.4
55-64	691	416,025	48	5.3	3.5- 7.1	643	94.7	92.9-96.5
65+	1290	582,725	77	5.3	3.7- 6.9	1213	94.7	93.1-96.3
Less Than H.S.	387	378,181	44	11.5	7.2-15.8	343	88.5	84.2-92.8
H.S. or G.E.D.	1108	850,930	78	4.8	3.4- 6.2	1030	95.2	93.8-96.6
Some Post-H.S.	925	772,096	46	2.9	1.5- 4.3	879	97.1	95.7-98.5
College Graduate	984	565,008	34	2.6	1.2- 4.0	950	97.4	96.0-98.8
Less than \$15,000	428	286,595	70	12.5	8.6-16.4	358	87.5	83.6-91.4
\$15,000- 24,999	626	482,036	44	5.4	3.0- 7.8	582	94.6	92.2-97.0
\$25,000- 34,999	334	247,439	16	5.0	1.9- 8.1	318	95.0	91.9-98.1
\$35,000- 49,999	424	319,681	15	2.2	0.8- 3.6	409	97.8	96.4-99.2
\$50,000- 74,999	376	308,575	13	3.5	0.8- 6.2	363	96.5	93.8-99.2
\$75,000+	552	443,754	3	0.7	0.0- 1.5	549	99.3	98.5- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 75: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5933	4,983,758	589	8.3	7.3- 9.3	5344	91.7	90.7-92.7
Male	2529	2,418,656	170	5.4	4.2- 6.6	2359	94.6	93.4-95.8
Female	3401	2,561,588	418	11.0	9.6-12.4	2983	89.0	87.6-90.4
18-24	357	600,378	12	3.0	0.8- 5.2	345	97.0	94.8-99.2
25-34	583	824,874	33	5.0	2.8- 7.2	550	95.0	92.8-97.2
35-44	622	811,727	48	6.6	4.2- 9.0	574	93.4	91.0-95.8
45-54	965	818,238	128	12.1	9.6-14.6	837	87.9	85.4-90.4
55-64	1270	816,980	129	10.5	8.0-13.0	1141	89.5	87.0-92.0
65+	2045	1,040,383	231	10.4	8.6-12.2	1814	89.6	87.8-91.4
Less Than H.S.	621	721,578	135	18.9	15.0-22.8	486	81.1	77.2-85.0
H.S. or G.E.D.	1914	1,654,662	224	8.4	7.0- 9.8	1690	91.6	90.2-93.0
Some Post-H.S.	1564	1,463,453	156	6.8	5.2- 8.4	1408	93.2	91.6-94.8
College Graduate	1821	1,138,344	74	3.2	2.2- 4.2	1747	96.8	95.8-97.8
Less than \$15,000	642	471,366	176	26.0	20.9-31.1	466	74.0	68.9-79.1
\$15,000- 24,999	951	793,283	149	12.9	10.2-15.6	802	87.1	84.4-89.8
\$25,000- 34,999	599	510,760	48	6.9	4.4- 9.4	551	93.1	90.6-95.6
\$35,000- 49,999	798	673,106	43	4.1	2.5- 5.7	755	95.9	94.3-97.5
\$50,000- 74,999	737	674,544	31	3.2	1.6- 4.8	706	96.8	95.2-98.4
\$75,000+	1197	1,061,829	23	2.0	1.0- 3.0	1174	98.0	97.0-99.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 76: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2529	2,418,656	170	5.4	4.2- 6.6	2359	94.6	93.4-95.8
18-24	201	311,375	1	0.2	0.0- 0.6	200	99.8	99.4- 100
25-34	276	407,007	10	2.0	0.4- 3.6	266	98.0	96.4-99.6
35-44	288	405,979	12	3.2	0.7- 5.7	276	96.8	94.3-99.3
45-54	389	395,514	35	7.8	4.9-10.7	354	92.2	89.3-95.1
55-64	580	402,480	45	9.4	5.5-13.3	535	90.6	86.7-94.5
65+	762	461,339	64	7.6	5.2-10.0	698	92.4	90.0-94.8
Less Than H.S.	235	344,941	41	14.1	8.8-19.4	194	85.9	80.6-91.2
H.S. or G.E.D.	812	807,189	64	4.4	3.0- 5.8	748	95.6	94.2-97.0
Some Post-H.S.	642	690,954	43	4.6	2.6- 6.6	599	95.4	93.4-97.4
College Graduate	837	573,597	22	2.4	1.2- 3.6	815	97.6	96.4-98.8
Less than \$15,000	215	185,553	41	20.3	12.5-28.1	174	79.7	71.9-87.5
\$15,000- 24,999	328	313,654	42	9.1	5.6-12.6	286	90.9	87.4-94.4
\$25,000- 34,999	264	263,206	17	4.9	2.2- 7.6	247	95.1	92.4-97.8
\$35,000- 49,999	374	353,425	20	4.4	1.9- 6.9	354	95.6	93.1-98.1
\$50,000- 74,999	362	366,415	7	1.2	0.2- 2.2	355	98.8	97.8-99.8
\$75,000+	644	616,164	6	1.2	0.0- 2.4	638	98.8	97.6- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 8: DEMOGRAPHICS**

**TABLE 77: BECAUSE OF A PHYSICAL, MENTAL, OR EMOTIONAL CONDITION, DO YOU HAVE DIFFICULTY DOING ERRANDS ALONE SUCH AS VISITING A DOCTOR'S OFFICE OR SHOPPING?  
(DIFFALON)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3401	2,561,588	418	11.0	9.6-12.4	2983	89.0	87.6-90.4
18-24	156	289,003	11	6.0	1.7-10.3	145	94.0	89.7-98.3
25-34	306	416,540	22	7.6	3.7-11.5	284	92.4	88.5-96.3
35-44	334	405,748	36	9.9	6.0-13.8	298	90.1	86.2-94.0
45-54	575	420,814	93	16.2	12.3-20.1	482	83.8	79.9-87.7
55-64	690	414,500	84	11.5	8.4-14.6	606	88.5	85.4-91.6
65+	1282	578,767	167	12.7	10.3-15.1	1115	87.3	84.9-89.7
Less Than H.S.	385	374,727	94	23.4	17.7-29.1	291	76.6	70.9-82.3
H.S. or G.E.D.	1102	847,474	160	12.3	9.8-14.8	942	87.7	85.2-90.2
Some Post-H.S.	921	771,173	112	8.6	6.2-11.0	809	91.4	89.0-93.8
College Graduate	983	564,470	52	4.0	2.4- 5.6	931	96.0	94.4-97.6
Less than \$15,000	427	285,813	135	29.7	23.0-36.4	292	70.3	63.6-77.0
\$15,000- 24,999	623	479,630	107	15.3	11.6-19.0	516	84.7	81.0-88.4
\$25,000- 34,999	335	247,553	31	9.0	4.5-13.5	304	91.0	86.5-95.5
\$35,000- 49,999	424	319,681	23	3.7	1.7- 5.7	401	96.3	94.3-98.3
\$50,000- 74,999	375	308,129	24	5.4	2.3- 8.5	351	94.6	91.5-97.7
\$75,000+	552	443,754	17	3.2	1.4- 5.0	535	96.8	95.0-98.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 9: TOBACCO USE CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	167
2	MALES ONLY	168
3	FEMALES ONLY	169
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4	MALES AND FEMALES	170
5	MALES ONLY	171
6	FEMALES ONLY	172
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	173
8	MALES ONLY	174
9	FEMALES ONLY	175
	HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)	
10	MALES AND FEMALES	176
11	MALES ONLY	177
12	FEMALES ONLY	178
	DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13	MALES AND FEMALES	179
14	MALES ONLY	180
15	FEMALES ONLY	181

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5908	4,963,303	2772	45.9	44.1-47.7	3136	54.1	52.3-55.9
Male	2517	2,403,352	1352	52.1	49.4-54.8	1165	47.9	45.2-50.6
Female	3388	2,556,437	1418	40.2	37.8-42.6	1970	59.8	57.4-62.2
White/Non-Hisp	4788	3,745,554	2318	48.8	46.8-50.8	2470	51.2	49.2-53.2
Black or Afr. Am./Non-Hisp	706	765,061	268	34.2	29.1-39.3	438	65.8	60.7-70.9
Oth. Race/Non-Hisp.	117	115,154	55	46.8	33.1-60.5	62	53.2	39.5-66.9
MultiRacial/Non-Hisp.	102	53,680	56	56.8	42.1-71.5	46	43.2	28.5-57.9
Hispanic	108	205,029	40	33.9	21.9-45.9	68	66.1	54.1-78.1
18-24	356	596,097	108	27.3	21.8-32.8	248	72.7	67.2-78.2
25-34	581	822,266	227	40.1	34.8-45.4	354	59.9	54.6-65.2
35-44	622	812,574	290	44.7	39.2-50.2	332	55.3	49.8-60.8
45-54	961	812,611	460	51.1	46.8-55.4	501	48.9	44.6-53.2
55-64	1262	811,314	672	54.9	51.4-58.4	590	45.1	41.6-48.6
65+	2034	1,037,247	981	51.8	48.9-54.7	1053	48.2	45.3-51.1
Less Than H.S.	625	727,117	415	67.0	61.5-72.5	210	33.0	27.5-38.5
H.S. or G.E.D.	1908	1,651,997	997	50.4	47.1-53.7	911	49.6	46.3-52.9
Some Post-H.S.	1551	1,447,096	732	42.7	39.4-46.0	819	57.3	54.0-60.6
College Graduate	1812	1,132,610	623	30.0	27.3-32.7	1189	70.0	67.3-72.7
Less than \$15,000	637	467,664	385	58.2	52.3-64.1	252	41.8	35.9-47.7
\$15,000- 24,999	947	794,015	531	53.0	48.3-57.7	416	47.0	42.3-51.7
\$25,000- 34,999	597	508,729	306	53.5	47.6-59.4	291	46.5	40.6-52.4
\$35,000- 49,999	794	668,919	334	42.8	37.9-47.7	460	57.2	52.3-62.1
\$50,000- 74,999	733	671,574	331	44.6	39.1-50.1	402	55.4	49.9-60.9
\$75,000+	1193	1,055,753	453	37.0	33.3-40.7	740	63.0	59.3-66.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2517	2,403,352	1352	52.1	49.4-54.8	1165	47.9	45.2-50.6
White/Non-Hisp	2047	1,820,670	1114	54.1	51.2-57.0	933	45.9	43.0-48.8
Black or Afr. Am./Non-Hisp	247	328,944	118	42.5	34.1-50.9	129	57.5	49.1-65.9
Oth. Race/Non-Hisp.	64	74,353	34	52.4	34.4-70.4	30	47.6	29.6-65.6
MultiRacial/Non-Hisp.	54	29,991	37	69.0	51.9-86.1	17	31.0	13.9-48.1
Hispanic	63	115,674	29	43.6	26.7-60.5	34	56.4	39.5-73.3
18-24	199	306,043	67	33.4	25.4-41.4	132	66.6	58.6-74.6
25-34	275	406,392	118	44.1	36.5-51.7	157	55.9	48.3-63.5
35-44	287	405,814	146	50.0	42.0-58.0	141	50.0	42.0-58.0
45-54	387	390,724	199	56.9	50.2-63.6	188	43.1	36.4-49.8
55-64	574	398,263	338	58.9	53.6-64.2	236	41.1	35.8-46.4
65+	759	460,046	473	65.4	61.1-69.7	286	34.6	30.3-38.9
Less Than H.S.	237	346,755	184	73.3	65.1-81.5	53	26.7	18.5-34.9
H.S. or G.E.D.	808	803,905	495	58.0	53.1-62.9	313	42.0	37.1-46.9
Some Post-H.S.	638	681,730	347	49.1	43.8-54.4	291	50.9	45.6-56.2
College Graduate	832	570,224	326	34.5	30.4-38.6	506	65.5	61.4-69.6
Less than \$15,000	213	181,869	149	62.0	52.4-71.6	64	38.0	28.4-47.6
\$15,000- 24,999	327	314,471	215	63.3	55.9-70.7	112	36.7	29.3-44.1
\$25,000- 34,999	265	263,433	174	64.2	56.2-72.2	91	35.8	27.8-43.8
\$35,000- 49,999	373	352,739	184	49.1	41.8-56.4	189	50.9	43.6-58.2
\$50,000- 74,999	360	364,499	194	56.1	48.3-63.9	166	43.9	36.1-51.7
\$75,000+	641	610,285	264	40.5	35.2-45.8	377	59.5	54.2-64.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3388	2,556,437	1418	40.2	37.8-42.6	1970	59.8	57.4-62.2
White/Non-Hisp	2739	1,923,281	1202	43.6	41.1-46.1	1537	56.4	53.9-58.9
Black or Afr. Am./Non-Hisp	459	436,117	150	28.0	21.7-34.3	309	72.0	65.7-78.3
Oth. Race/Non-Hisp.	53	40,800	21	36.7	17.9-55.5	32	63.3	44.5-82.1
18-24	157	290,054	41	20.9	13.8-28.0	116	79.1	72.0-86.2
25-34	305	414,547	108	36.0	28.7-43.3	197	64.0	56.7-71.3
35-44	335	406,760	144	39.4	32.1-46.7	191	60.6	53.3-67.9
45-54	573	419,976	261	46.0	40.5-51.5	312	54.0	48.5-59.5
55-64	688	413,050	334	51.0	46.1-55.9	354	49.0	44.1-53.9
65+	1274	576,924	507	41.0	37.5-44.5	767	59.0	55.5-62.5
Less Than H.S.	387	378,452	231	61.6	54.5-68.7	156	38.4	31.3-45.5
H.S. or G.E.D.	1100	848,092	502	43.2	38.9-47.5	598	56.8	52.5-61.1
Some Post-H.S.	912	764,040	384	36.9	32.6-41.2	528	63.1	58.8-67.4
College Graduate	979	562,109	296	25.5	21.8-29.2	683	74.5	70.8-78.2
Less than \$15,000	424	285,795	236	55.7	48.4-63.0	188	44.3	37.0-51.6
\$15,000- 24,999	620	479,544	316	46.2	40.3-52.1	304	53.8	47.9-59.7
\$25,000- 34,999	332	245,296	132	42.0	33.4-50.6	200	58.0	49.4-66.6
\$35,000- 49,999	421	316,181	150	35.8	29.3-42.3	271	64.2	57.7-70.7
\$50,000- 74,999	373	307,076	137	31.0	24.5-37.5	236	69.0	62.5-75.5
\$75,000+	551	443,558	189	32.3	27.0-37.6	362	67.7	62.4-73.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2768	2,276,648	853	33.0	30.5-35.5	325	15.1	12.9-17.3	1590	51.9	49.2-54.6
Male	1349	1,248,819	371	29.7	26.2-33.2	154	16.2	12.9-19.5	824	54.1	50.2-58.0
Female	1417	1,026,226	481	36.9	33.4-40.4	171	13.8	11.1-16.5	765	49.3	45.6-53.0
White/Non-Hisp	2315	1,823,993	705	33.2	30.5-35.9	237	12.4	10.4-14.4	1373	54.4	51.7-57.1
Black or Afr. Am./Non-Hisp	268	261,876	87	36.5	27.7-45.3	53	24.9	16.3-33.5	128	38.6	30.2-47.0
Oth. Race/Non-Hisp.	54	52,950	18	25.6	10.7-40.5	5	19.6	0.6-38.6	31	54.8	33.8-75.8
MultiRacial/Non-Hisp.	56	30,513	24	64.0	47.9-80.1	12	16.5	5.3-27.7	20	19.5	8.3-30.7
18-24	108	162,801	43	34.5	23.9-45.1	34	35.6	24.2-47.0	31	29.9	19.9-39.9
25-34	227	329,847	93	38.9	30.7-47.1	46	21.9	14.5-29.3	88	39.2	31.2-47.2
35-44	289	362,217	115	41.1	33.1-49.1	46	14.5	9.4-19.6	128	44.5	36.5-52.5
45-54	460	415,351	206	41.3	35.0-47.6	53	16.9	10.8-23.0	201	41.7	35.4-48.0
55-64	672	445,172	207	31.0	26.5-35.5	77	12.7	8.8-16.6	388	56.3	51.4-61.2
65+	979	536,825	184	19.6	16.3-22.9	67	6.0	4.2- 7.8	728	74.4	70.7-78.1
Less Than H.S.	415	487,408	165	41.0	34.3-47.7	53	16.6	10.5-22.7	197	42.4	35.7-49.1
H.S. or G.E.D.	996	831,707	356	36.9	32.8-41.0	128	16.4	12.9-19.9	512	46.8	42.5-51.1
Some Post-H.S.	731	617,581	224	31.3	26.6-36.0	87	14.6	10.7-18.5	420	54.1	49.0-59.2
College Graduate	621	337,767	107	15.2	11.7-18.7	56	10.8	7.5-14.1	458	74.0	69.5-78.5
Less than \$15,000	385	272,008	170	47.7	40.4-55.0	68	20.6	14.1-27.1	147	31.7	25.6-37.8
\$15,000- 24,999	531	420,561	186	39.7	33.8-45.6	71	17.3	11.6-23.0	274	43.0	37.1-48.9
\$25,000- 34,999	306	272,056	103	33.5	26.1-40.9	36	14.7	8.6-20.8	167	51.8	43.6-60.0
\$35,000- 49,999	334	286,380	101	28.8	22.3-35.3	48	19.8	13.3-26.3	185	51.4	43.8-59.0
\$50,000- 74,999	331	299,412	78	28.7	20.5-36.9	30	14.7	7.8-21.6	223	56.6	48.0-65.2
\$75,000+	452	389,082	82	18.7	14.0-23.4	37	10.4	5.7-15.1	333	71.0	65.1-76.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1349	1,248,819	371	29.7	26.2-33.2	154	16.2	12.9-19.5	824	54.1	50.2-58.0
White/Non-Hisp	1112	984,221	289	29.3	25.4-33.2	105	12.6	9.7-15.5	718	58.1	54.0-62.2
Black or Afr. Am./Non-Hisp	118	139,657	44	35.2	23.4-47.0	26	27.4	14.7-40.1	48	37.4	25.4-49.4
18-24	67	102,305	21	26.2	13.9-38.5	26	43.8	28.9-58.7	20	30.0	17.3-42.7
25-34	118	179,254	45	36.1	24.9-47.3	24	24.0	13.0-35.0	49	39.9	28.7-51.1
35-44	145	201,785	48	37.8	26.4-49.2	25	14.6	7.5-21.7	72	47.6	36.4-58.8
45-54	199	222,160	73	33.4	24.6-42.2	25	20.4	10.4-30.4	101	46.1	36.3-55.9
55-64	338	234,648	101	29.4	23.3-35.5	30	10.3	5.2-15.4	207	60.2	53.3-67.1
65+	472	300,294	81	19.8	14.9-24.7	23	4.7	2.3- 7.1	368	75.5	70.2-80.8
Less Than H.S.	184	254,335	77	40.8	31.0-50.6	23	20.5	10.7-30.3	84	38.7	29.7-47.7
H.S. or G.E.D.	494	465,640	153	32.4	26.7-38.1	67	18.8	13.3-24.3	274	48.8	42.7-54.9
Some Post-H.S.	347	334,438	94	26.7	20.4-33.0	38	13.2	7.9-18.5	215	60.1	53.0-67.2
College Graduate	324	194,405	47	13.9	9.0-18.8	26	9.7	5.2-14.2	251	76.4	70.3-82.5
Less than \$15,000	149	112,678	78	54.8	43.6-66.0	26	21.8	11.8-31.8	45	23.3	15.1-31.5
\$15,000- 24,999	215	199,185	69	34.5	25.7-43.3	29	23.0	12.6-33.4	117	42.5	33.3-51.7
\$25,000- 34,999	174	169,010	50	34.0	24.2-43.8	20	13.0	5.6-20.4	104	53.1	43.1-63.1
\$35,000- 49,999	184	173,143	51	27.2	18.8-35.6	31	24.8	15.2-34.4	102	47.9	37.7-58.1
\$50,000- 74,999	194	204,311	37	27.0	16.0-38.0	19	15.5	6.7-24.3	138	57.6	46.4-68.8
\$75,000+	263	245,951	47	18.4	12.1-24.7	16	8.5	2.4-14.6	200	73.1	65.3-80.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1417	1,026,226	481	36.9	33.4-40.4	171	13.8	11.1-16.5	765	49.3	45.6-53.0
White/Non-Hisp	1201	838,169	415	37.6	33.9-41.3	132	12.3	9.6-15.0	654	50.1	46.4-53.8
Black or Afr. Am./Non-Hisp	150	122,219	43	37.9	24.6-51.2	27	22.1	10.7-33.5	80	40.0	27.8-52.2
25-34	108	149,266	47	41.7	29.7-53.7	22	19.6	9.8-29.4	39	38.7	26.9-50.5
35-44	144	160,433	67	45.2	33.8-56.6	21	14.3	7.0-21.6	56	40.5	28.5-52.5
45-54	261	193,191	133	50.4	42.4-58.4	28	12.9	6.8-19.0	100	36.7	29.1-44.3
55-64	334	210,524	106	32.7	26.2-39.2	47	15.3	9.4-21.2	181	51.9	44.8-59.0
65+	506	236,254	103	19.4	15.1-23.7	44	7.7	5.0-10.4	359	72.9	68.0-77.8
Less Than H.S.	231	233,072	88	41.2	32.2-50.2	30	12.3	6.0-18.6	113	46.5	37.3-55.7
H.S. or G.E.D.	502	366,066	203	42.5	36.6-48.4	61	13.3	9.2-17.4	238	44.2	38.1-50.3
Some Post-H.S.	383	281,817	129	36.3	29.6-43.0	49	16.4	10.3-22.5	205	47.2	40.3-54.1
College Graduate	296	143,086	60	16.9	11.6-22.2	30	12.4	7.1-17.7	206	70.7	63.8-77.6
Less than \$15,000	236	159,330	92	42.6	33.2-52.0	42	19.8	11.4-28.2	102	37.6	29.0-46.2
\$15,000- 24,999	316	221,376	117	44.3	36.7-51.9	42	12.2	7.3-17.1	157	43.5	35.9-51.1
\$25,000- 34,999	132	103,046	53	32.7	21.5-43.9	16	17.6	7.2-28.0	63	49.7	35.4-64.0
\$35,000- 49,999	150	113,237	50	31.2	21.2-41.2	17	12.1	5.2-19.0	83	56.6	45.8-67.4
\$50,000- 74,999	137	95,102	41	32.4	21.2-43.6	11	13.0	3.2-22.8	85	54.5	42.5-66.5
\$75,000+	189	143,131	35	19.2	12.1-26.3	21	13.6	6.5-20.7	133	67.2	58.4-76.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1175	1,092,716	681	60.0	56.1-63.9	494	40.0	36.1-43.9
Male	524	572,554	295	60.2	54.1-66.3	229	39.8	33.7-45.9
Female	650	518,836	386	59.8	54.5-65.1	264	40.2	34.9-45.5
White/Non-Hisp	939	828,903	532	57.2	52.7-61.7	407	42.8	38.3-47.3
Black or Afr. Am./Non-Hisp	140	160,676	90	67.7	56.3-79.1	50	32.3	20.9-43.7
18-24	77	114,121	59	80.4	70.0-90.8	18	19.6	9.2-30.0
25-34	138	199,316	93	68.4	58.4-78.4	45	31.6	21.6-41.6
35-44	161	201,110	104	57.3	46.3-68.3	57	42.7	31.7-53.7
45-54	259	242,025	153	57.3	48.7-65.9	106	42.7	34.1-51.3
55-64	283	192,982	137	52.7	45.1-60.3	146	47.3	39.7-54.9
65+	250	137,343	130	48.5	40.3-56.7	120	51.5	43.3-59.7
Less Than H.S.	218	280,555	135	59.1	49.5-68.7	83	40.9	31.3-50.5
H.S. or G.E.D.	482	440,037	271	59.3	53.4-65.2	211	40.7	34.8-46.6
Some Post-H.S.	311	283,650	183	60.7	53.3-68.1	128	39.3	31.9-46.7
College Graduate	162	87,628	91	64.4	54.8-74.0	71	35.6	26.0-45.2
Less than \$15,000	238	185,753	148	64.6	55.8-73.4	90	35.4	26.6-44.2
\$15,000- 24,999	257	239,713	163	67.2	59.4-75.0	94	32.8	25.0-40.6
\$25,000- 34,999	139	131,097	85	65.4	54.8-76.0	54	34.6	24.0-45.2
\$35,000- 49,999	149	139,246	70	50.1	39.5-60.7	79	49.9	39.3-60.5
\$50,000- 74,999	108	129,941	61	60.6	45.7-75.5	47	39.4	24.5-54.3
\$75,000+	117	111,246	66	56.6	44.3-68.9	51	43.4	31.1-55.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime  
Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	524	572,554	295	60.2	54.3-66.1	229	39.8	33.9-45.7
White/Non-Hisp	393	410,910	211	55.4	48.3-62.5	182	44.6	37.5-51.7
Black or Afr. Am./Non-Hisp	70	87,402	44	70.1	56.2-84.0	26	29.9	16.0-43.8
25-34	68	106,553	44	73.9	61.4-86.4	24	26.1	13.6-38.6
35-44	73	105,684	47	52.7	36.6-68.8	26	47.3	31.2-63.4
45-54	98	119,685	58	59.8	46.3-73.3	40	40.2	26.7-53.7
55-64	131	93,326	66	57.9	47.3-68.5	65	42.1	31.5-52.7
65+	104	73,422	44	39.2	27.2-51.2	60	60.8	48.8-72.8
Less Than H.S.	100	155,833	63	61.9	47.8-76.0	37	38.1	24.0-52.2
H.S. or G.E.D.	219	237,291	126	61.0	52.4-69.6	93	39.0	30.4-47.6
Some Post-H.S.	132	133,584	71	58.7	47.3-70.1	61	41.3	29.9-52.7
College Graduate	73	45,846	35	54.9	40.2-69.6	38	45.1	30.4-59.8
Less than \$15,000	104	86,393	61	64.2	51.1-77.3	43	35.8	22.7-48.9
\$15,000- 24,999	98	114,583	65	74.3	63.1-85.5	33	25.7	14.5-36.9
\$25,000- 34,999	70	79,284	42	64.5	49.4-79.6	28	35.5	20.4-50.6
\$35,000- 49,999	82	90,124	39	51.2	37.5-64.9	43	48.8	35.1-62.5
\$50,000- 74,999	56	86,686	31	56.7	36.5-76.9	25	43.3	23.1-63.5
\$75,000+	63	66,081	29	49.3	31.7-66.9	34	50.7	33.1-68.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	650	518,836	386	59.8	54.5-65.1	264	40.2	34.9-45.5
White/Non-Hisp	545	416,666	321	59.2	53.7-64.7	224	40.8	35.3-46.3
Black or Afr. Am./Non-Hisp	70	73,275	46	65.0	46.8-83.2	24	35.0	16.8-53.2
25-34	69	91,437	49	62.9	47.2-78.6	20	37.1	21.4-52.8
35-44	88	95,426	57	62.4	49.1-75.7	31	37.6	24.3-50.9
45-54	161	122,340	95	54.7	44.3-65.1	66	45.3	34.9-55.7
55-64	152	99,656	71	47.9	37.3-58.5	81	52.1	41.5-62.7
65+	146	63,921	86	59.1	49.1-69.1	60	40.9	30.9-50.9
Less Than H.S.	118	124,722	72	55.5	43.0-68.0	46	44.5	32.0-57.0
H.S. or G.E.D.	263	202,746	145	57.2	49.2-65.2	118	42.8	34.8-50.8
Some Post-H.S.	178	148,739	112	63.1	53.3-72.9	66	36.9	27.1-46.7
College Graduate	89	41,782	56	74.8	65.0-84.6	33	25.2	15.4-35.0
Less than \$15,000	134	99,360	87	64.9	52.9-76.9	47	35.1	23.1-47.1
\$15,000- 24,999	159	125,129	98	60.7	50.3-71.1	61	39.3	28.9-49.7
\$25,000- 34,999	69	51,813	43	66.8	52.9-80.7	26	33.2	19.3-47.1
\$35,000- 49,999	67	49,122	31	48.1	31.8-64.4	36	51.9	35.6-68.2
\$50,000- 74,999	52	43,255	30	68.4	51.5-85.3	22	31.6	14.7-48.5
\$75,000+	54	45,166	37	67.2	51.1-83.3	17	32.8	16.7-48.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1564	1,165,722	163	13.4	10.9-15.9	218	18.1	15.4-20.8	175	11.2	9.0-13.4	1004	57.0	53.5-60.5	4	0.4	0.0- 0.8
Male	811	666,081	70	12.1	8.8-15.4	108	18.2	14.3-22.1	81	9.6	7.1-12.1	549	59.6	54.9-64.3	3	0.6	0.0- 1.4
Female	752	499,363	93	15.2	11.5-18.9	110	17.9	13.8-22.0	94	13.4	10.1-16.7	454	53.5	48.4-58.6	1	0.0	0.0- 0.0
White/Non-Hisp	1349	977,376	145	14.0	11.3-16.7	191	18.3	15.4-21.2	147	11.3	9.1-13.5	863	56.1	52.6-59.6	3	0.2	0.0- 0.4
Black or Afr. Am./Non-Hisp	126	100,704	9	7.0	1.7-12.3	17	22.1	9.8-34.4	20	12.7	4.7-20.7	80	58.1	45.2-71.0			
25-34	88	129,358	23	23.0	12.6-33.4	38	48.3	35.8-60.8	17	17.2	8.6-25.8	10	11.5	3.1-19.9			
35-44	127	160,115	33	23.2	13.4-33.0	30	22.8	13.4-32.2	24	16.4	8.4-24.4	40	37.6	24.5-50.7			
45-54	197	170,000	30	15.9	9.4-22.4	40	20.5	13.1-27.9	27	12.3	6.4-18.2	98	49.4	39.8-59.0	2	1.8	0.0- 4.7
55-64	380	246,146	41	8.4	5.5-11.3	53	14.9	10.2-19.6	49	11.4	7.7-15.1	237	65.4	59.5-71.3			
65+	718	394,574	15	2.4	0.8- 4.0	46	6.3	4.1- 8.5	54	7.3	4.8- 9.8	601	83.6	80.1-87.1	2	0.3	0.0- 0.9
Less Than H.S.	195	205,124	18	9.0	4.3-13.7	30	13.7	8.0-19.4	23	10.7	5.6-15.8	123	65.3	56.9-73.7	1	1.3	0.0- 3.8
H.S. or G.E.D.	499	382,212	61	14.6	10.1-19.1	74	19.4	14.3-24.5	57	11.8	7.7-15.9	306	54.1	48.0-60.2	1	0.1	0.0- 0.3
Some Post-H.S.	414	329,012	48	15.4	10.3-20.5	66	21.0	15.3-26.7	49	10.2	6.5-13.9	251	53.4	46.7-60.1			
College Graduate	453	248,035	36	12.7	7.8-17.6	48	15.8	10.3-21.3	46	12.0	7.9-16.1	321	59.0	52.5-65.5	2	0.5	0.0- 1.3
Less than \$15,000	144	84,519	25	20.4	11.4-29.4	23	15.2	7.9-22.5	18	7.9	3.4-12.4	78	56.5	46.1-66.9			
\$15,000- 24,999	271	179,822	34	14.4	8.7-20.1	45	21.3	13.7-28.9	33	11.0	6.5-15.5	159	53.4	45.0-61.8			
\$25,000- 34,999	167	140,960	14	11.0	3.9-18.1	25	17.3	9.5-25.1	17	9.1	3.8-14.4	111	62.6	51.8-73.4			
\$35,000- 49,999	184	146,909	18	13.0	5.4-20.6	33	24.2	15.0-33.4	21	11.4	5.7-17.1	111	51.0	40.4-61.6	1	0.4	0.0- 1.2
\$50,000- 74,999	221	168,970	19	11.0	5.1-16.9	32	20.7	12.7-28.7	27	13.4	6.7-20.1	142	54.7	45.7-63.7	1	0.1	0.0- 0.3
\$75,000+	327	270,566	30	13.7	7.8-19.6	37	16.5	10.4-22.6	33	11.3	6.8-15.8	225	57.2	49.8-64.6	2	1.3	0.0- 3.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	811	666,081	70	12.1	8.8-15.4	108	18.2	14.5-21.9	81	9.6	7.1-12.1	549	59.6	54.9-64.3	3	0.6	0.0- 1.4
White/Non-Hisp	705	563,127	62	12.5	8.8-16.2	95	18.3	14.2-22.4	67	9.0	6.5-11.5	479	60.0	55.1-64.9	2	0.3	0.0- 0.7
35-44	71	95,108	19	25.7	12.2-39.2	19	27.8	14.7-40.9	9	10.4	2.2-18.6	24	36.0	20.7-51.3			
45-54	99	99,822	8	9.2	1.9-16.5	17	15.9	7.5-24.3	17	15.8	6.6-25.0	55	56.0	42.7-69.3	2	3.1	0.0- 8.2
55-64	204	139,166	13	3.7	1.3- 6.1	31	18.4	11.1-25.7	27	10.4	5.7-15.1	133	67.5	59.5-75.5			
65+	363	224,771	5	1.6	0.0- 3.4	15	4.7	2.0- 7.4	16	4.3	1.9- 6.7	326	89.0	85.1-92.9	1	0.5	0.0- 1.5
Less Than H.S.	84	98,502	2	2.4	0.0- 6.1	13	15.5	6.3-24.7	7	8.2	1.7-14.7	61	71.3	60.1-82.5	1	2.7	0.0- 7.8
H.S. or G.E.D.	269	223,590	28	12.1	6.4-17.8	35	17.4	11.1-23.7	29	11.3	5.6-17.0	176	59.1	50.9-67.3	1	0.2	0.0- 0.6
Some Post-H.S.	210	196,908	24	16.5	9.1-23.9	33	20.5	12.5-28.5	24	8.4	4.5-12.3	129	54.5	45.3-63.7			
College Graduate	248	147,081	16	12.5	6.0-19.0	27	18.1	10.5-25.7	21	9.5	4.8-14.2	183	59.3	50.7-67.9	1	0.7	0.0- 2.1
\$15,000- 24,999	117	84,602	9	7.7	1.6-13.8	19	23.2	11.6-34.8	11	8.9	2.6-15.2	78	60.2	48.0-72.4			
\$25,000- 34,999	104	89,727	9	12.0	2.6-21.4	14	17.0	7.4-26.6	10	9.2	2.5-15.9	71	61.8	49.5-74.1			
\$35,000- 49,999	101	82,793	6	8.5	1.1-15.9	17	24.5	11.4-37.6	11	8.6	2.5-14.7	66	57.9	43.6-72.2	1	0.6	0.0- 1.8
\$50,000- 74,999	137	117,243	12	12.1	4.5-19.7	17	18.1	8.9-27.3	14	11.3	3.1-19.5	94	58.5	47.1-69.9			
\$75,000+	196	175,603	19	14.6	6.8-22.4	24	18.9	10.9-26.9	19	10.6	5.1-16.1	132	53.9	44.1-63.7	2	2.1	0.0- 5.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS? (LASTSMK2)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never smoked regularly		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	752	499,363	93	15.2	11.5-18.9	110	17.9	13.8-22.0	94	13.4	10.1-16.7	454	53.5	48.4-58.6	1	0.0	0.0- 0.0
White/Non-Hisp	643	413,972	83	16.1	12.0-20.2	96	18.4	14.1-22.7	80	14.5	10.8-18.2	383	50.9	46.0-55.8	1	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	78	48,448	7	11.4	2.0-20.8	10	19.6	2.0-37.2	12	11.6	3.0-20.2	49	57.5	39.9-75.1			
35-44	56	65,007	14	19.4	6.1-32.7	11	15.4	4.0-26.8	15	25.2	9.1-41.3	16	40.0	16.7-63.3			
45-54	98	70,179	22	25.4	14.0-36.8	23	27.1	14.8-39.4	10	7.5	2.2-12.8	43	40.0	27.7-52.3			
55-64	176	106,979	28	14.6	8.5-20.7	22	10.2	5.1-15.3	22	12.6	6.5-18.7	104	62.6	54.0-71.2			
65+	354	169,526	10	3.5	0.8- 6.2	31	8.5	4.8-12.2	38	11.4	7.1-15.7	274	76.4	70.7-82.1	1	0.1	0.0- 0.3
Less Than H.S.	111	106,622	16	15.2	6.8-23.6	17	12.0	4.9-19.1	16	13.1	5.5-20.7	62	59.7	47.0-72.4			
H.S. or G.E.D.	230	158,622	33	18.0	10.6-25.4	39	22.3	13.7-30.9	28	12.5	7.2-17.8	130	47.2	38.6-55.8			
Some Post-H.S.	204	132,104	24	13.7	7.4-20.0	33	21.8	14.0-29.6	25	12.9	6.0-19.8	122	51.6	42.6-60.6			
College Graduate	204	100,677	20	12.9	5.3-20.5	21	12.6	5.2-20.0	25	15.7	8.4-23.0	137	58.6	48.6-68.6	1	0.2	0.0- 0.6
Less than \$15,000	101	59,810	21	24.9	12.9-36.9	15	13.4	5.4-21.4	13	9.2	3.1-15.3	52	52.5	39.8-65.2			
\$15,000- 24,999	154	95,220	25	20.3	11.3-29.3	26	19.6	9.4-29.8	22	12.8	6.1-19.5	81	47.3	36.1-58.5			
\$25,000- 34,999	63	51,233	5	9.2	0.0-19.0	11	17.8	4.1-31.5	7	8.9	0.3-17.5	40	64.1	44.1-84.1			
\$35,000- 49,999	83	64,116	12	18.9	5.2-32.6	16	23.8	11.6-36.0	10	15.1	4.9-25.3	45	42.2	27.7-56.7			
\$50,000- 74,999	84	51,727	7	8.7	1.4-16.0	15	26.7	11.6-41.8	13	18.1	6.5-29.7	48	46.2	32.1-60.3	1	0.4	0.0- 1.2
\$75,000+	131	94,963	11	12.1	4.1-20.1	13	12.0	3.2-20.8	14	12.6	5.2-20.0	93	63.3	51.9-74.7			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5927	4,978,810	202	4.1	3.3- 4.9	127	2.7	2.1- 3.3	5598	93.2	92.2-94.2
Male	2524	2,413,040	185	7.9	6.5- 9.3	97	4.6	3.4- 5.8	2242	87.6	85.8-89.4
Female	3400	2,562,256	17	0.5	0.1- 0.9	30	1.0	0.6- 1.4	3353	98.5	97.9-99.1
White/Non-Hisp	4801	3,749,697	177	4.9	3.9- 5.9	106	2.8	2.0- 3.6	4518	92.2	91.0-93.4
Black or Afr. Am./Non-Hisp	710	774,981	13	1.2	0.2- 2.2	12	2.2	0.4- 4.0	685	96.6	94.6-98.6
Oth. Race/Non-Hisp.	117	115,154	2	1.5	0.0- 3.9	2	1.6	0.0- 4.0	113	97.0	93.7- 100
MultiRacial/Non-Hisp.	102	53,680	6	3.2	0.3- 6.1	3	2.7	0.0- 6.6	93	94.1	89.2-99.0
Hispanic	108	205,029	3	1.9	0.0- 4.1	3	3.6	0.0- 8.9	102	94.5	88.8- 100
18-24	358	601,429	19	4.9	2.4- 7.4	20	4.3	1.8- 6.8	319	90.8	87.3-94.3
25-34	581	822,134	25	5.6	2.9- 8.3	22	4.1	1.7- 6.5	534	90.2	86.7-93.7
35-44	621	810,382	29	3.8	2.2- 5.4	21	3.6	1.6- 5.6	571	92.6	90.1-95.1
45-54	963	818,146	42	4.6	3.0- 6.2	19	1.8	0.8- 2.8	902	93.6	91.6-95.6
55-64	1265	813,036	39	3.0	1.8- 4.2	16	1.6	0.8- 2.4	1210	95.5	94.1-96.9
65+	2046	1,041,651	47	3.2	2.0- 4.4	29	1.8	1.0- 2.6	1970	95.0	93.6-96.4
Less Than H.S.	627	728,936	30	4.2	2.4- 6.0	19	2.8	1.4- 4.2	578	93.1	90.7-95.5
H.S. or G.E.D.	1916	1,655,612	85	5.7	4.1- 7.3	56	4.0	2.4- 5.6	1775	90.2	88.0-92.4
Some Post-H.S.	1556	1,455,527	59	3.8	2.6- 5.0	25	1.7	0.7- 2.7	1472	94.4	92.8-96.0
College Graduate	1816	1,134,252	28	1.9	0.9- 2.9	27	2.1	1.1- 3.1	1761	96.0	94.6-97.4
Less than \$15,000	644	473,457	13	1.6	0.4- 2.8	20	5.4	2.3- 8.5	611	92.9	89.6-96.2
\$15,000- 24,999	951	795,799	25	2.6	1.4- 3.8	18	2.2	1.0- 3.4	908	95.2	93.6-96.8
\$25,000- 34,999	596	507,875	24	5.7	3.0- 8.4	15	2.5	0.9- 4.1	557	91.8	88.7-94.9
\$35,000- 49,999	795	669,522	37	5.9	3.5- 8.3	18	2.6	0.8- 4.4	740	91.4	88.5-94.3
\$50,000- 74,999	736	673,559	26	3.3	1.7- 4.9	17	4.1	1.4- 6.8	693	92.7	89.6-95.8
\$75,000+	1193	1,059,201	49	5.4	3.4- 7.4	26	2.2	1.2- 3.2	1118	92.4	90.2-94.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2524	2,413,040	185	7.9	6.5- 9.3	97	4.6	3.4- 5.8	2242	87.6	85.8-89.4
White/Non-Hisp	2050	1,820,141	164	9.7	7.9-11.5	86	5.1	3.7- 6.5	1800	85.2	83.0-87.4
Black or Afr. Am./Non-Hisp	250	338,554	9	1.3	0.3- 2.3	5	2.7	0.0- 5.8	236	96.0	92.7-99.3
Oth. Race/Non-Hisp.	64	74,353	2	2.3	0.0- 6.0	2	2.4	0.0- 6.1	60	95.3	90.0- 100
MultiRacial/Non-Hisp.	54	29,991	6	5.8	0.3-11.3	1	0.7	0.0- 2.1	47	93.5	87.8-99.2
Hispanic	63	115,674	3	3.4	0.0- 7.3	2	5.8	0.0-15.0	58	90.9	81.1- 100
18-24	201	311,375	19	9.5	4.8-14.2	17	7.5	2.8-12.2	165	83.0	76.7-89.3
25-34	274	405,231	23	10.8	5.5-16.1	18	7.8	3.3-12.3	233	81.4	74.9-87.9
35-44	286	403,622	29	7.7	4.4-11.0	17	5.7	2.2- 9.2	240	86.6	81.9-91.3
45-54	388	395,805	37	8.1	5.2-11.0	15	3.0	1.2- 4.8	336	88.9	85.6-92.2
55-64	577	400,005	36	5.6	3.4- 7.8	12	2.4	0.8- 4.0	529	92.0	89.3-94.7
65+	762	460,933	40	6.4	4.0- 8.8	18	2.4	1.0- 3.8	704	91.2	88.5-93.9
Less Than H.S.	237	346,755	25	8.2	4.3-12.1	13	4.1	1.6- 6.6	199	87.7	83.2-92.2
H.S. or G.E.D.	812	806,892	76	11.1	8.0-14.2	39	6.6	3.9- 9.3	697	82.4	78.5-86.3
Some Post-H.S.	637	687,240	56	7.3	4.9- 9.7	22	3.2	1.4- 5.0	559	89.5	86.6-92.4
College Graduate	836	571,414	28	3.8	2.0- 5.6	23	3.7	1.7- 5.7	785	92.5	90.0-95.0
Less than \$15,000	215	185,611	11	3.7	1.0- 6.4	15	11.2	3.9-18.5	189	85.2	77.6-92.8
\$15,000- 24,999	329	315,387	22	6.0	3.3- 8.7	7	2.3	0.3- 4.3	300	91.7	88.4-95.0
\$25,000- 34,999	264	262,593	23	10.8	5.5-16.1	13	4.3	1.6- 7.0	228	84.9	79.0-90.8
\$35,000- 49,999	372	351,577	37	11.3	6.8-15.8	13	4.0	1.1- 6.9	322	84.7	79.4-90.0
\$50,000- 74,999	361	366,034	24	4.9	2.7- 7.1	15	7.2	2.3-12.1	322	88.0	82.7-93.3
\$75,000+	642	614,033	47	8.9	5.6-12.2	24	3.6	1.8- 5.4	571	87.4	83.7-91.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 9: TOBACCO USE**

**TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3400	2,562,256	17	0.5	0.1- 0.9	30	1.0	0.6- 1.4	3353	98.5	97.9-99.1
White/Non-Hisp	2749	1,927,952	13	0.4	0.2- 0.6	20	0.8	0.4- 1.2	2716	98.8	98.4-99.2
Black or Afr. Am./Non-Hisp	460	436,428	4	1.2	0.0- 2.8	7	1.9	0.1- 3.7	449	97.0	94.6-99.4
Oth. Race/Non-Hisp.	53	40,800							53	100.0	100.0- 100
18-24	157	290,054				3	0.9	0.0- 2.1	154	99.1	97.9- 100
25-34	306	415,577	2	0.6	0.0- 1.4	4	0.6	0.0- 1.2	300	98.9	97.9-99.9
35-44	335	406,760				4	1.4	0.0- 3.0	331	98.6	97.0- 100
45-54	574	420,430	5	1.3	0.0- 2.9	4	0.8	0.0- 1.6	565	97.9	96.1-99.7
55-64	688	413,031	3	0.5	0.0- 1.1	4	0.7	0.0- 1.5	681	98.8	97.8-99.8
65+	1283	580,441	7	0.6	0.2- 1.0	11	1.4	0.2- 2.6	1265	98.0	96.8-99.2
Less Than H.S.	389	380,271	5	0.5	0.1- 0.9	6	1.5	0.0- 3.1	378	98.0	96.2-99.8
H.S. or G.E.D.	1104	848,720	9	0.7	0.3- 1.1	17	1.7	0.7- 2.7	1078	97.7	96.7-98.7
Some Post-H.S.	918	766,960	3	0.7	0.0- 1.7	3	0.4	0.0- 0.8	912	98.9	97.9-99.9
College Graduate	979	562,560				4	0.4	0.0- 0.8	975	99.6	99.2- 100
Less than \$15,000	429	287,846	2	0.3	0.0- 0.7	5	1.7	0.0- 3.7	422	98.0	96.0- 100
\$15,000- 24,999	622	480,412	3	0.4	0.0- 0.8	11	2.2	0.6- 3.8	608	97.4	95.8-99.0
\$25,000- 34,999	332	245,282	1	0.3	0.0- 0.9	2	0.5	0.0- 1.3	329	99.2	98.2- 100
\$35,000- 49,999	423	317,945				5	1.2	0.0- 2.4	418	98.8	97.6- 100
\$50,000- 74,999	375	307,525	2	1.4	0.0- 3.6	2	0.4	0.0- 1.0	371	98.3	95.9- 100
\$75,000+	550	443,258	2	0.5	0.0- 1.3	2	0.3	0.0- 0.7	546	99.2	98.4- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 10: E-CIGARETTES CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC "VAPING" PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)	
1	MALES AND FEMALES	183
2	MALES ONLY	184
3	FEMALES ONLY	185
	DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC "VAPING" PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)	
4	MALES AND FEMALES	186
5	MALES ONLY	187
6	FEMALES ONLY	188

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 1: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC "VAPING" PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5912	4,971,869	1177	25.1	23.3-26.9	4735	74.9	73.1-76.7
Male	2517	2,410,621	570	29.0	26.3-31.7	1947	71.0	68.3-73.7
Female	3392	2,557,734	606	21.4	19.2-23.6	2786	78.6	76.4-80.8
White/Non-Hisp	4790	3,743,858	960	25.4	23.4-27.4	3830	74.6	72.6-76.6
Black or Afr. Am./Non-Hisp	707	774,054	110	21.1	16.4-25.8	597	78.9	74.2-83.6
Oth. Race/Non-Hisp.	117	115,154	24	17.1	8.3-25.9	93	82.9	74.1-91.7
MultiRacial/Non-Hisp.	101	53,506	35	51.3	36.6-66.0	66	48.7	34.0-63.4
Hispanic	108	205,029	29	26.1	15.3-36.9	79	73.9	63.1-84.7
18-24	358	601,429	162	42.5	36.0-49.0	196	57.5	51.0-64.0
25-34	580	821,016	211	38.4	33.1-43.7	369	61.6	56.3-66.9
35-44	620	809,748	172	28.1	22.8-33.4	448	71.9	66.6-77.2
45-54	962	817,755	234	25.1	21.2-29.0	728	74.9	71.0-78.8
55-64	1263	812,073	236	19.4	16.5-22.3	1027	80.6	77.7-83.5
65+	2038	1,038,050	153	7.4	5.8-9.0	1885	92.6	91.0-94.2
Less Than H.S.	622	725,915	165	33.0	27.1-38.9	457	67.0	61.1-72.9
H.S. or G.E.D.	1911	1,652,951	448	27.9	25.0-30.8	1463	72.1	69.2-75.0
Some Post-H.S.	1554	1,455,137	338	26.0	22.9-29.1	1216	74.0	70.9-77.1
College Graduate	1814	1,133,443	225	14.7	12.3-17.1	1589	85.3	82.9-87.7
Less than \$15,000	641	472,658	188	34.1	28.4-39.8	453	65.9	60.2-71.6
\$15,000- 24,999	948	794,736	245	30.8	26.5-35.1	703	69.2	64.9-73.5
\$25,000- 34,999	596	507,875	146	33.5	27.4-39.6	450	66.5	60.4-72.6
\$35,000- 49,999	794	669,120	161	24.6	20.1-29.1	633	75.4	70.9-79.9
\$50,000- 74,999	736	673,559	124	23.9	18.4-29.4	612	76.1	70.6-81.6
\$75,000+	1190	1,057,059	157	18.3	15.0-21.6	1033	81.7	78.4-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 2: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC "VAPING" PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2517	2,410,621	570	29.0	26.3-31.7	1947	71.0	68.3-73.7
White/Non-Hisp	2044	1,817,897	449	29.1	26.2-32.0	1595	70.9	68.0-73.8
Black or Afr. Am./Non-Hisp	250	338,554	54	27.1	19.1-35.1	196	72.9	64.9-80.9
Oth. Race/Non-Hisp.	64	74,353	12	14.3	4.7-23.9	52	85.7	76.1-95.3
MultiRacial/Non-Hisp.	53	29,816	22	54.0	35.0-73.0	31	46.0	27.0-65.0
Hispanic	63	115,674	20	33.4	17.5-49.3	43	66.6	50.7-82.5
18-24	201	311,375	101	51.0	42.4-59.6	100	49.0	40.4-57.6
25-34	274	405,231	118	45.9	38.3-53.5	156	54.1	46.5-61.7
35-44	285	402,988	89	33.8	25.8-41.8	196	66.2	58.2-74.2
45-54	387	395,415	94	25.2	19.1-31.3	293	74.8	68.7-80.9
55-64	576	399,444	107	19.4	15.3-23.5	469	80.6	76.5-84.7
65+	760	460,334	57	7.9	5.4-10.4	703	92.1	89.6-94.6
Less Than H.S.	236	346,346	73	38.0	28.8-47.2	163	62.0	52.8-71.2
H.S. or G.E.D.	809	805,750	217	31.9	27.2-36.6	592	68.1	63.4-72.8
Some Post-H.S.	637	687,240	168	32.2	27.1-37.3	469	67.8	62.7-72.9
College Graduate	834	570,606	112	15.4	11.9-18.9	722	84.6	81.1-88.1
Less than \$15,000	214	185,202	71	41.4	31.6-51.2	143	58.6	48.8-68.4
\$15,000- 24,999	328	314,826	98	36.1	28.5-43.7	230	63.9	56.3-71.5
\$25,000- 34,999	264	262,593	76	36.3	28.1-44.5	188	63.7	55.5-71.9
\$35,000- 49,999	372	351,577	86	26.6	20.3-32.9	286	73.4	67.1-79.7
\$50,000- 74,999	361	366,034	70	31.9	23.3-40.5	291	68.1	59.5-76.7
\$75,000+	640	613,009	100	20.4	15.7-25.1	540	79.6	74.9-84.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 3: HAVE YOU EVER USED AN E-CIGARETTE OR OTHER ELECTRONIC "VAPING" PRODUCT, EVEN JUST ONE TIME, IN YOUR ENTIRE LIFE? (ECIGARET)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3392	2,557,734	606	21.4	19.2-23.6	2786	78.6	76.4-80.8
White/Non-Hisp	2744	1,924,358	510	21.9	19.7-24.1	2234	78.1	75.9-80.3
Black or Afr. Am./Non-Hisp	457	435,500	56	16.4	10.7-22.1	401	83.6	77.9-89.3
Oth. Race/Non-Hisp.	53	40,800	12	22.3	5.6-39.0	41	77.7	61.0-94.4
18-24	157	290,054	61	33.5	24.7-42.3	96	66.5	57.7-75.3
25-34	305	414,459	92	30.9	24.0-37.8	213	69.1	62.2-76.0
35-44	335	406,760	83	22.6	16.1-29.1	252	77.4	70.9-83.9
45-54	574	420,430	140	25.2	20.5-29.9	434	74.8	70.1-79.5
55-64	687	412,629	129	19.5	15.6-23.4	558	80.5	76.6-84.4
65+	1277	577,439	96	6.9	5.1- 8.7	1181	93.1	91.3-94.9
Less Than H.S.	385	377,659	92	28.6	21.5-35.7	293	71.4	64.3-78.5
H.S. or G.E.D.	1102	847,201	231	24.0	20.3-27.7	871	76.0	72.3-79.7
Some Post-H.S.	916	766,570	169	20.3	16.4-24.2	747	79.7	75.8-83.6
College Graduate	979	562,560	113	14.0	10.7-17.3	866	86.0	82.7-89.3
Less than \$15,000	427	287,456	117	29.3	22.6-36.0	310	70.7	64.0-77.4
\$15,000- 24,999	620	479,909	147	27.3	22.2-32.4	473	72.7	67.6-77.8
\$25,000- 34,999	332	245,282	70	30.5	21.5-39.5	262	69.5	60.5-78.5
\$35,000- 49,999	422	317,543	75	22.5	16.2-28.8	347	77.5	71.2-83.8
\$50,000- 74,999	375	307,525	54	14.4	9.3-19.5	321	85.6	80.5-90.7
\$75,000+	549	442,140	57	15.6	10.9-20.3	492	84.4	79.7-89.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 4: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC “VAPING” PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1176	1,246,171	92	8.4	6.0-10.8	169	14.4	11.7-17.1	915	77.2	73.9-80.5
Male	567	695,735	47	9.4	5.9-12.9	84	16.0	11.9-20.1	436	74.7	69.6-79.8
Female	608	549,110	45	7.2	4.5- 9.9	85	12.4	8.9-15.9	478	80.4	76.1-84.7
White/Non-Hisp	963	955,599	83	9.6	6.9-12.3	138	14.5	11.6-17.4	742	75.9	72.0-79.8
Black or Afr. Am./Non-Hisp	110	163,100	1	0.4	0.0- 1.2	16	13.8	5.0-22.6	93	85.8	77.0-94.6
18-24	162	255,859	12	7.6	1.9-13.3	27	16.6	9.5-23.7	123	75.8	67.4-84.2
25-34	212	316,684	16	8.2	2.7-13.7	32	12.2	6.7-17.7	164	79.5	72.2-86.8
35-44	172	227,905	20	10.5	4.8-16.2	28	17.1	9.3-24.9	124	72.4	63.2-81.6
45-54	232	203,204	20	9.2	4.1-14.3	28	10.7	6.0-15.4	184	80.1	73.4-86.8
55-64	235	158,435	14	8.3	3.2-13.4	35	17.9	11.2-24.6	186	73.7	66.1-81.3
65+	155	78,168	10	4.5	1.2- 7.8	18	10.6	4.7-16.5	127	84.9	78.2-91.6
Less Than H.S.	167	240,771	6	3.8	0.0- 8.1	26	11.8	6.1-17.5	135	84.4	77.5-91.3
H.S. or G.E.D.	448	461,163	43	12.2	7.3-17.1	56	13.2	9.1-17.3	349	74.6	68.7-80.5
Some Post-H.S.	339	379,488	30	8.7	5.0-12.4	58	19.7	13.6-25.8	251	71.6	64.9-78.3
College Graduate	221	164,019	13	3.9	1.2- 6.6	29	9.2	5.1-13.3	179	86.9	82.0-91.8
Less than \$15,000	186	159,426	15	8.3	1.4-15.2	35	18.6	11.0-26.2	136	73.1	63.7-82.5
\$15,000- 24,999	246	244,781	15	7.2	3.1-11.3	34	12.0	7.1-16.9	197	80.7	74.4-87.0
\$25,000- 34,999	147	170,811	13	12.8	4.4-21.2	12	8.4	2.1-14.7	122	78.8	69.0-88.6
\$35,000- 49,999	160	164,662	13	7.5	2.8-12.2	27	25.4	15.0-35.8	120	67.1	56.5-77.7
\$50,000- 74,999	124	160,795	9	6.6	0.9-12.3	17	10.3	3.8-16.8	98	83.1	74.7-91.5
\$75,000+	158	194,917	15	11.3	3.3-19.3	19	11.7	4.8-18.6	124	77.0	67.4-86.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 5: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC “VAPING” PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	567	695,735	47	9.4	5.7-13.1	84	16.0	11.9-20.1	436	74.7	69.6-79.8
White/Non-Hisp	450	529,803	40	10.3	6.0-14.6	69	16.0	11.3-20.7	341	73.7	68.0-79.4
Black or Afr. Am./Non-Hisp	54	91,747				7	14.0	2.8-25.2	47	86.0	74.8-97.2
18-24	101	158,784	7	7.7	0.0-15.5	18	19.8	9.8-29.8	76	72.6	61.0-84.2
25-34	118	186,192	10	10.9	2.1-19.7	15	11.5	4.6-18.4	93	77.6	67.2-88.0
35-44	89	136,047	11	9.4	2.5-16.3	16	19.4	7.6-31.2	62	71.2	58.1-84.3
45-54	92	97,452	8	10.5	1.5-19.5	11	11.8	4.0-19.6	73	77.7	66.3-89.1
55-64	106	78,014	8	10.7	2.7-18.7	17	21.1	11.7-30.5	81	68.2	57.0-79.4
65+	58	36,912	3	3.6	0.0- 8.3	7	10.4	1.8-19.0	48	86.0	76.2-95.8
Less Than H.S.	73	130,856	2	4.4	0.0-11.8	13	14.5	5.3-23.7	58	81.1	69.7-92.5
H.S. or G.E.D.	217	257,350	25	16.0	8.2-23.8	32	15.1	9.4-20.8	160	68.9	60.3-77.5
Some Post-H.S.	169	222,251	12	5.9	2.4- 9.4	27	20.7	11.9-29.5	130	73.4	64.2-82.6
College Graduate	108	85,278	8	6.1	1.2-11.0	12	8.5	2.4-14.6	88	85.4	77.8-93.0
Less than \$15,000	70	75,758	8	13.2	0.0-26.9	14	22.4	8.7-36.1	48	64.5	47.8-81.2
\$15,000- 24,999	98	113,585	5	5.5	0.6-10.4	14	14.8	6.0-23.6	79	79.7	69.9-89.5
\$25,000- 34,999	77	96,119	6	13.5	1.3-25.7	8	12.1	1.7-22.5	63	74.4	60.1-88.7
\$35,000- 49,999	85	93,352	6	7.3	1.0-13.6	18	30.0	16.3-43.7	61	62.7	49.0-76.4
\$50,000- 74,999	70	116,601	5	6.4	0.0-13.5	6	5.8	0.3-11.3	59	87.7	78.7-96.7
\$75,000+	100	124,840	9	13.4	1.8-25.0	12	14.2	4.0-24.4	79	72.4	59.1-85.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 10: E-CIGARETTES**

**TABLE 6: DO YOU NOW USE E-CIGARETTES OR OTHER ELECTRONIC “VAPING” PRODUCTS EVERY DAY, SOME DAYS, OR NOT AT ALL? (ECIGNOW)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	608	549,110	45	7.2	4.5-9.9	85	12.4	8.9-15.9	478	80.4	76.1-84.7
White/Non-Hisp	512	424,470	43	8.8	5.3-12.3	69	12.6	9.1-16.1	400	78.6	73.9-83.3
Black or Afr. Am./Non-Hisp	56	71,353	1	0.9	0.0-2.7	9	13.6	0.0-27.9	46	85.5	71.2-99.8
18-24	61	97,075	5	7.4	0.0-15.2	9	11.4	2.8-20.0	47	81.1	69.9-92.3
25-34	93	129,165	6	4.5	0.4-8.6	17	13.4	4.6-22.2	70	82.1	72.5-91.7
35-44	83	91,858	9	12.2	2.2-22.2	12	13.6	5.2-22.0	62	74.2	61.5-86.9
45-54	140	105,752	12	8.0	2.7-13.3	17	9.6	4.5-14.7	111	82.4	75.1-89.7
55-64	129	80,421	6	6.0	0.0-12.3	18	14.9	5.9-23.9	105	79.1	68.9-89.3
65+	97	41,257	7	5.3	0.6-10.0	11	10.9	2.7-19.1	79	83.9	74.9-92.9
Less Than H.S.	94	109,915	4	3.1	0.0-6.6	13	8.6	3.1-14.1	77	88.3	81.6-95.0
H.S. or G.E.D.	231	203,814	18	7.5	3.2-11.8	24	10.7	4.8-16.6	189	81.8	74.7-88.9
Some Post-H.S.	169	155,910	18	12.7	5.6-19.8	31	18.5	10.9-26.1	120	68.8	59.2-78.4
College Graduate	113	78,741	5	1.6	0.0-3.2	17	10.0	4.3-15.7	91	88.4	82.5-94.3
Less than \$15,000	116	83,668	7	3.9	0.8-7.0	21	15.2	7.8-22.6	88	81.0	72.8-89.2
\$15,000- 24,999	148	131,196	10	8.7	2.4-15.0	20	9.6	4.7-14.5	118	81.7	74.1-89.3
\$25,000- 34,999	70	74,692	7	11.9	0.7-23.1	4	3.7	0.0-8.0	59	84.4	72.4-96.4
\$35,000- 49,999	75	71,309	7	7.7	1.0-14.4	9	19.4	3.9-34.9	59	72.9	57.0-88.8
\$50,000- 74,999	54	44,194	4	7.2	0.0-15.8	11	22.0	5.7-38.3	39	70.9	53.7-88.1
\$75,000+	58	70,077	6	7.7	0.0-16.5	7	7.1	1.0-13.2	45	85.2	74.8-95.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 11: ALCOHOL CONSUMPTION CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)	
1 MALES AND FEMALES	190
2 MALES ONLY	191
3 FEMALES ONLY	192
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
4 MALES AND FEMALES	193
5 MALES ONLY	194
6 FEMALES ONLY	195
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
7 MALES AND FEMALES	196
8 MALES ONLY	197
9 FEMALES ONLY	198
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
10 MALES AND FEMALES	199
11 MALES ONLY	200
12 FEMALES ONLY	201

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAY5)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5849	4,913,795	644	13.0	11.6-14.4	108	2.0	1.4- 2.6	1270	24.7	22.9-26.5	322	6.1	5.1- 7.1	3505	54.2	52.4-56.0
Male	2479	2,370,791	332	15.4	13.2-17.6	72	2.9	2.1- 3.7	587	24.9	22.5-27.3	206	8.5	6.9-10.1	1282	48.3	45.6-51.0
Female	3367	2,539,490	312	10.8	9.2-12.4	36	1.3	0.7- 1.9	681	24.4	22.0-26.8	115	3.8	2.8- 4.8	2223	59.7	57.2-62.2
White/Non-Hisp	4747	3,706,355	521	12.8	11.4-14.2	90	2.2	1.6- 2.8	999	22.6	21.0-24.2	274	6.4	5.4- 7.4	2863	56.0	54.0-58.0
Black or Afr. Am./Non-Hisp	694	759,831	78	13.6	9.5-17.7	8	1.3	0.0- 2.7	176	32.0	26.5-37.5	28	5.4	2.9- 7.9	404	47.7	42.2-53.2
Oth. Race/Non-Hisp.	115	112,504	14	17.3	4.0-30.6	4	4.5	0.0-10.4	21	14.4	7.3-21.5	8	4.2	0.3- 8.1	68	59.6	45.7-73.5
MultiRacial/Non-Hisp.	101	53,511	5	6.5	0.0-14.1	3	1.6	0.0- 3.6	20	34.4	18.1-50.7	4	3.8	0.0- 9.1	69	53.7	38.4-69.0
Hispanic	107	203,900	17	14.5	6.9-22.1	2	0.3	0.0- 0.7	38	36.8	24.3-49.3	3	5.7	0.0-12.2	47	42.6	30.1-55.1
18-24	347	582,740	56	15.4	10.3-20.5	4	1.5	0.0- 3.3	118	31.6	25.5-37.7	14	5.0	2.1- 7.9	155	46.6	39.9-53.3
25-34	575	814,513	91	17.7	13.4-22.0	13	2.8	1.0- 4.6	207	35.5	30.2-40.8	37	6.5	4.0- 9.0	227	37.5	32.4-42.6
35-44	613	803,152	97	17.0	12.7-21.3	11	1.6	0.4- 2.8	182	31.6	26.5-36.7	32	6.2	3.5- 8.9	291	43.6	38.1-49.1
45-54	954	811,850	111	11.9	9.0-14.8	13	1.5	0.5- 2.5	230	23.6	19.9-27.3	50	6.5	4.1- 8.9	550	56.6	52.1-61.1
55-64	1247	801,208	123	9.9	7.7-12.1	22	2.5	1.3- 3.7	266	20.7	17.8-23.6	62	6.0	4.2- 7.8	774	60.9	57.4-64.4
65+	2023	1,029,452	154	8.0	6.4- 9.6	42	2.1	1.3- 2.9	253	11.3	9.5-13.1	123	6.1	4.7- 7.5	1451	72.6	70.1-75.1
Less Than H.S.	616	720,941	29	5.8	2.5- 9.1	5	0.7	0.1- 1.3	67	14.2	9.5-18.9	13	3.3	1.3- 5.3	502	76.0	70.5-81.5
H.S. or G.E.D.	1876	1,620,450	143	11.1	8.6-13.6	30	1.9	1.1- 2.7	336	21.3	18.4-24.2	63	4.5	3.1- 5.9	1304	61.3	58.0-64.6
Some Post-H.S.	1548	1,444,065	160	12.5	10.1-14.9	34	2.6	1.4- 3.8	356	27.7	24.4-31.0	79	6.3	4.3- 8.3	919	51.0	47.5-54.5
College Graduate	1798	1,124,105	311	21.1	18.4-23.8	39	2.4	1.4- 3.4	509	32.6	29.5-35.7	167	9.9	7.9-11.9	772	34.0	31.1-36.9
Less than \$15,000	635	464,066	39	7.2	3.9-10.5	5	0.5	0.0- 1.1	102	21.2	15.9-26.5	12	2.9	0.5- 5.3	477	68.1	62.4-73.8
\$15,000- 24,999	939	789,109	74	9.7	6.6-12.8	9	0.7	0.1- 1.3	168	22.8	18.3-27.3	35	4.6	2.2- 7.0	653	62.2	57.3-67.1
\$25,000- 34,999	592	502,817	63	9.9	6.8-13.0	13	2.1	0.7- 3.5	124	27.2	21.1-33.3	30	7.0	3.9-10.1	362	53.7	47.6-59.8
\$35,000- 49,999	789	665,066	78	13.0	8.9-17.1	13	1.3	0.3- 2.3	188	26.1	21.6-30.6	41	5.3	3.1- 7.5	469	54.3	49.2-59.4
\$50,000- 74,999	732	667,380	98	16.0	11.5-20.5	22	3.0	1.4- 4.6	180	23.5	19.2-27.8	47	6.1	3.9- 8.3	385	51.4	45.9-56.9
\$75,000+	1181	1,052,374	218	21.2	17.7-24.7	37	4.5	2.7- 6.3	365	31.5	27.8-35.2	119	10.4	7.9-12.9	442	32.5	29.0-36.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2479	2,370,791	332	15.4	13.2-17.6	72	2.9	2.1- 3.7	587	24.9	22.5-27.3	206	8.5	6.9-10.1	1282	48.3	45.6-51.0
White/Non-Hisp	2018	1,792,709	260	14.7	12.3-17.1	58	3.1	2.1- 4.1	483	25.2	22.7-27.7	174	8.7	6.9-10.5	1043	48.2	45.3-51.1
Black or Afr. Am./Non-Hisp	242	328,073	43	19.0	12.1-25.9	6	2.8	0.0- 5.9	53	21.9	14.5-29.3	19	9.0	3.7-14.3	121	47.4	38.6-56.2
Oth. Race/Non-Hisp.	63	73,098	6	17.7	0.0-36.3	2	1.5	0.0- 3.9	14	15.1	5.7-24.5	6	6.3	0.2-12.4	35	59.3	40.9-77.7
MultiRacial/Non-Hisp.	54	29,991	3	3.9	0.0- 8.8	3	2.8	0.0- 6.5	11	38.8	17.4-60.2	4	6.9	0.0-16.3	33	47.6	28.4-66.8
Hispanic	62	114,545	13	16.2	6.2-26.2	2	0.5	0.0- 1.3	19	32.8	16.1-49.5	2	7.4	0.0-17.6	26	43.1	26.0-60.2
18-24	192	294,670	37	16.2	9.5-22.9	4	3.1	0.0- 6.4	61	29.4	21.6-37.2	8	6.2	1.1-11.3	82	45.2	36.4-54.0
25-34	271	402,990	56	24.1	17.2-31.0	9	4.3	1.2- 7.4	91	31.0	24.1-37.9	24	8.1	4.2-12.0	91	32.4	25.3-39.5
35-44	281	399,659	48	17.9	11.0-24.8	7	2.0	0.2- 3.8	88	31.9	24.6-39.2	18	8.8	3.9-13.7	120	39.4	31.6-47.2
45-54	382	391,041	46	13.9	8.6-19.2	6	1.7	0.1- 3.3	103	24.3	18.4-30.2	35	9.9	5.8-14.0	192	50.2	43.1-57.3
55-64	566	393,251	64	10.5	7.4-13.6	16	3.2	1.4- 5.0	138	23.3	19.0-27.6	43	7.9	5.0-10.8	305	55.0	49.7-60.3
65+	754	454,262	74	9.9	7.2-12.6	27	2.7	1.3- 4.1	99	12.6	9.5-15.7	75	9.2	6.7-11.7	479	65.6	61.3-69.9
Less Than H.S.	230	339,835	17	8.2	1.7-14.7	5	1.4	0.0- 2.8	35	16.9	9.8-24.0	8	4.2	1.1- 7.3	165	69.3	60.5-78.1
H.S. or G.E.D.	788	785,894	77	13.7	9.8-17.6	22	2.8	1.2- 4.4	165	21.7	17.6-25.8	49	7.5	4.8-10.2	475	54.3	49.4-59.2
Some Post-H.S.	636	679,978	82	14.6	10.7-18.5	19	3.0	1.2- 4.8	159	27.6	22.9-32.3	48	9.3	5.8-12.8	328	45.5	40.2-50.8
College Graduate	824	564,595	156	23.1	18.8-27.4	26	3.7	1.9- 5.5	227	30.9	26.6-35.2	101	11.6	8.9-14.3	314	30.7	26.8-34.6
Less than \$15,000	210	178,295	22	8.5	4.4-12.6	4	0.8	0.0- 1.8	43	24.3	15.3-33.3	6	2.1	0.0- 4.3	135	64.2	54.8-73.6
\$15,000- 24,999	324	312,721	31	9.0	4.9-13.1	7	0.9	0.1- 1.7	67	26.3	18.5-34.1	22	9.6	4.3-14.9	197	54.1	46.1-62.1
\$25,000- 34,999	263	259,381	32	10.9	6.6-15.2	9	2.8	0.6- 5.0	51	23.8	16.2-31.4	20	8.7	3.8-13.6	151	53.8	45.6-62.0
\$35,000- 49,999	370	350,012	41	17.5	10.6-24.4	9	2.1	0.5- 3.7	89	23.4	17.7-29.1	24	5.2	2.5- 7.9	207	51.8	44.4-59.2
\$50,000- 74,999	358	363,527	54	19.6	12.2-27.0	14	3.0	1.0- 5.0	84	20.5	14.8-26.2	32	8.3	4.8-11.8	174	48.7	40.9-56.5
\$75,000+	633	608,814	114	20.7	16.0-25.4	24	5.8	3.1- 8.5	191	30.8	25.9-35.7	80	12.8	9.1-16.5	224	29.9	25.2-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (ALCDAYS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3367	2,539,490	312	10.8	9.2-12.4	36	1.3	0.7- 1.9	681	24.4	22.0-26.8	115	3.8	2.8- 4.8	2223	59.7	57.2-62.2
White/Non-Hisp	2727	1,912,043	261	11.1	9.3-12.9	32	1.4	0.8- 2.0	515	20.1	17.9-22.3	99	4.1	3.1- 5.1	1820	63.3	60.8-65.8
Black or Afr. Am./Non-Hisp	452	431,758	35	9.5	4.4-14.6	2	0.3	0.0- 0.7	123	39.6	32.2-47.0	9	2.7	0.5- 4.9	283	48.0	40.7-55.3
Oth. Race/Non-Hisp.	52	39,406	8	16.6	1.1-32.1	2	9.9	0.0-25.4	7	13.0	2.2-23.8	2	0.4	0.0- 1.0	33	60.2	40.0-80.4
18-24	155	288,069	19	14.5	6.9-22.1				57	33.8	24.8-42.8	6	3.7	0.4- 7.0	73	48.0	38.2-57.8
25-34	303	410,197	35	11.5	6.8-16.2	4	1.3	0.0- 3.1	116	40.0	32.4-47.6	12	4.6	1.7- 7.5	136	42.6	35.2-50.0
35-44	332	403,493	49	16.1	10.8-21.4	4	1.2	0.0- 2.6	94	31.4	24.1-38.7	14	3.6	1.2- 6.0	171	47.7	40.3-55.1
45-54	571	418,899	65	10.0	7.1-12.9	7	1.3	0.1- 2.5	126	22.7	17.8-27.6	15	3.3	0.9- 5.7	358	62.7	57.2-68.2
55-64	681	407,957	59	9.3	6.4-12.2	6	1.9	0.1- 3.7	128	18.2	14.5-21.9	19	4.1	1.9- 6.3	469	66.6	61.9-71.3
65+	1268	574,913	80	6.5	4.7- 8.3	15	1.6	0.4- 2.8	153	10.2	8.2-12.2	48	3.6	2.2- 5.0	972	78.1	75.2-81.0
Less Than H.S.	385	379,196	12	3.7	1.2- 6.2				31	11.4	5.1-17.7	5	2.6	0.1- 5.1	337	82.3	75.6-89.0
H.S. or G.E.D.	1088	834,556	66	8.7	5.8-11.6	8	1.0	0.2- 1.8	171	20.8	16.9-24.7	14	1.7	0.5- 2.9	829	67.9	63.4-72.4
Some Post-H.S.	911	762,761	78	10.7	7.6-13.8	15	2.3	0.7- 3.9	197	27.8	23.1-32.5	30	3.4	1.8- 5.0	591	55.9	51.0-60.8
College Graduate	973	559,233	155	19.1	15.4-22.8	13	1.1	0.3- 1.9	281	34.2	29.9-38.5	66	8.2	5.7-10.7	458	37.3	33.2-41.4
Less than \$15,000	425	285,771	17	6.4	1.7-11.1	1	0.4	0.0- 1.2	59	19.2	12.9-25.5	6	3.5	0.0- 7.0	342	70.5	63.1-77.9
\$15,000- 24,999	615	476,387	43	10.2	5.7-14.7	2	0.5	0.0- 1.3	101	20.4	15.3-25.5	13	1.3	0.3- 2.3	456	67.6	61.5-73.7
\$25,000- 34,999	329	243,436	31	8.8	4.3-13.3	4	1.4	0.0- 3.0	73	30.9	21.7-40.1	10	5.3	1.2- 9.4	211	53.6	44.8-62.4
\$35,000- 49,999	419	315,054	37	8.1	4.6-11.6	4	0.5	0.0- 1.1	99	29.0	21.9-36.1	17	5.3	2.2- 8.4	262	57.1	50.0-64.2
\$50,000- 74,999	374	303,853	44	11.7	7.4-16.0	8	3.0	0.3- 5.7	96	27.1	20.6-33.6	15	3.6	1.2- 6.0	211	54.7	47.4-62.0
\$75,000+	547	441,649	104	21.9	16.8-27.0	13	2.7	0.7- 4.7	173	32.1	26.2-38.0	39	7.1	4.2-10.0	218	36.2	30.7-41.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 4. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2278	2,174,931	1069	39.8	37.1-42.5	680	32.3	29.6-35.0	228	11.5	9.5-13.5	96	6.0	4.2- 7.8	205	10.4	8.6-12.2
Male	1162	1,183,378	419	29.2	25.9-32.5	358	33.0	29.1-36.9	158	14.4	11.7-17.1	66	8.0	5.1-10.9	161	15.4	12.5-18.3
Female	1113	988,040	649	52.4	48.1-56.7	321	31.5	27.4-35.6	70	8.1	5.6-10.6	30	3.7	1.9- 5.5	43	4.4	2.6- 6.2
White/Non-Hisp	1846	1,592,949	864	39.0	36.1-41.9	562	31.9	29.0-34.8	182	11.8	9.6-14.0	77	6.6	4.4- 8.8	161	10.6	8.6-12.6
Black or Afr. Am./Non-Hisp	271	365,883	131	43.2	34.6-51.8	81	34.1	25.9-42.3	26	10.1	5.2-15.0	10	4.5	1.0- 8.0	23	8.0	3.7-12.3
Hispanic	57	114,320	21	40.3	23.4-57.2	14	25.1	11.0-39.2	9	12.8	3.0-22.6	3	3.0	0.0- 6.7	10	18.9	3.6-34.2
18-24	184	292,307	52	28.7	19.9-37.5	51	27.2	19.2-35.2	27	14.7	8.6-20.8	16	9.2	3.9-14.5	38	20.2	13.1-27.3
25-34	339	489,234	109	29.4	22.9-35.9	112	35.1	28.4-41.8	58	17.6	12.5-22.7	22	8.6	3.9-13.3	38	9.3	5.8-12.8
35-44	313	442,884	118	34.8	27.9-41.7	110	39.3	31.7-46.9	30	9.6	5.5-13.7	17	6.4	1.3-11.5	38	9.9	6.2-13.6
45-54	392	344,387	174	41.1	34.2-48.0	132	31.8	25.1-38.5	33	8.5	4.6-12.4	16	4.6	2.1- 7.1	37	14.0	7.9-20.1
55-64	460	303,055	233	48.7	42.8-54.6	139	32.5	27.0-38.0	43	8.8	5.7-11.9	14	4.0	1.5- 6.5	31	6.0	3.5- 8.5
65+	560	276,387	364	64.2	58.9-69.5	129	22.1	17.6-26.6	34	7.4	4.5-10.3	11	2.0	0.2- 3.8	22	4.2	1.8- 6.6
Less Than H.S.	103	161,167	41	27.8	17.2-38.4	28	34.6	20.1-49.1	12	7.5	2.6-12.4	4	9.5	0.0-22.0	18	20.6	8.6-32.6
H.S. or G.E.D.	550	601,893	244	37.1	31.4-42.8	151	30.1	24.4-35.8	57	11.7	8.0-15.4	28	6.5	3.0-10.0	70	14.6	10.5-18.7
Some Post-H.S.	611	681,103	284	41.3	36.0-46.6	170	31.5	26.4-36.6	69	12.3	8.8-15.8	30	5.4	2.9- 7.9	58	9.3	6.6-12.0
College Graduate	1011	729,479	498	43.2	39.1-47.3	330	34.2	30.1-38.3	90	11.5	8.6-14.4	34	5.4	3.2- 7.6	59	5.8	4.0- 7.6
Less than \$15,000	149	134,048	65	37.0	25.8-48.2	37	32.8	21.0-44.6	19	11.3	4.8-17.8	8	4.2	0.7- 7.7	20	14.7	6.1-23.3
\$15,000- 24,999	274	289,026	129	39.3	30.5-48.1	72	27.4	19.4-35.4	31	14.7	8.6-20.8	11	4.8	1.5- 8.1	31	13.9	6.8-21.0
\$25,000- 34,999	220	223,975	94	35.8	26.8-44.8	61	36.8	26.4-47.2	26	12.0	6.3-17.7	12	4.1	1.2- 7.0	27	11.2	5.9-16.5
\$35,000- 49,999	313	289,450	148	38.6	31.0-46.2	86	32.0	24.0-40.0	34	10.0	5.9-14.1	16	7.5	3.2-11.8	29	11.9	6.6-17.2
\$50,000- 74,999	336	315,019	158	36.0	29.1-42.9	99	30.4	23.3-37.5	29	9.7	5.6-13.8	13	11.0	3.0-19.0	37	12.9	7.8-18.0
\$75,000+	734	700,955	342	42.0	37.1-46.9	252	33.2	28.5-37.9	73	12.7	9.0-16.4	25	5.2	2.3- 8.1	42	6.8	4.4- 9.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 5: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1162	1,183,378	419	29.2	25.9-32.5	358	33.0	29.1-36.9	158	14.4	11.7-17.1	66	8.0	5.3-10.7	161	15.4	12.5-18.3
White/Non-Hisp	955	902,650	352	29.9	26.2-33.6	293	31.6	27.5-35.7	127	14.4	11.5-17.3	55	9.0	5.5-12.5	128	15.0	12.1-17.9
Black or Afr. Am./Non-Hisp	114	161,961	35	26.4	15.6-37.2	40	39.7	27.4-52.0	17	14.1	5.9-22.3	6	6.7	0.8-12.6	16	13.1	5.3-20.9
18-24	106	151,845	22	21.0	10.6-31.4	24	23.0	12.2-33.8	17	15.4	7.6-23.2	12	10.6	3.5-17.7	31	30.1	19.5-40.7
25-34	175	262,630	39	17.6	10.7-24.5	58	38.0	28.8-47.2	34	18.0	10.9-25.1	16	12.9	5.1-20.7	28	13.4	7.7-19.1
35-44	155	233,179	40	20.9	13.1-28.7	55	40.2	29.8-50.6	22	15.7	8.3-23.1	10	8.6	0.0-17.6	28	14.6	8.3-20.9
45-54	183	189,077	57	27.4	19.0-35.8	62	31.5	21.9-41.1	22	11.4	5.1-17.7	13	7.6	2.9-12.3	29	22.1	11.9-32.3
55-64	254	172,069	101	39.1	31.7-46.5	82	34.8	27.4-42.2	35	13.2	8.3-18.1	10	4.2	1.1- 7.3	26	8.7	4.8-12.6
65+	270	154,495	150	57.3	49.5-65.1	72	23.2	16.9-29.5	25	10.9	5.8-16.0	5	2.0	0.0- 4.4	18	6.6	2.7-10.5
Less Than H.S.	59	96,241	15	18.3	7.3-29.3	16	27.5	12.2-42.8	11	11.9	3.7-20.1	2	11.7	0.0-31.5	15	30.6	12.6-48.6
H.S. or G.E.D.	301	346,914	109	26.9	20.6-33.2	80	30.3	22.7-37.9	33	12.4	7.3-17.5	23	10.1	4.2-16.0	56	20.3	14.2-26.4
Some Post-H.S.	297	353,588	96	29.9	23.2-36.6	87	34.4	27.1-41.7	51	15.7	10.4-21.0	16	5.2	2.1- 8.3	47	14.7	10.0-19.4
College Graduate	504	386,145	199	33.4	28.1-38.7	174	35.4	29.7-41.1	63	15.7	11.2-20.2	25	7.7	4.0-11.4	43	7.8	5.1-10.5
Less than \$15,000	72	61,079	25	40.1	22.9-57.3	16	27.5	11.0-44.0	12	11.3	3.5-19.1	6	5.7	0.4-11.0	13	15.4	5.8-25.0
\$15,000- 24,999	121	139,622	36	19.3	10.9-27.7	32	31.5	18.6-44.4	20	19.0	9.2-28.8	7	7.2	0.9-13.5	26	23.0	10.3-35.7
\$25,000- 34,999	103	111,717	29	26.0	14.8-37.2	33	40.8	27.5-54.1	15	13.4	5.0-21.8	8	4.5	1.0- 8.0	18	15.3	6.7-23.9
\$35,000- 49,999	161	159,814	59	27.8	18.8-36.8	45	30.6	19.8-41.4	23	11.9	5.8-18.0	12	10.2	3.5-16.9	22	19.5	10.5-28.5
\$50,000- 74,999	179	184,119	61	21.4	14.7-28.1	57	33.2	23.2-43.2	21	12.4	6.5-18.3	8	13.4	1.1-25.7	32	19.6	11.4-27.8
\$75,000+	404	417,474	154	32.7	26.6-38.8	140	34.0	27.7-40.3	54	16.2	10.9-21.5	18	6.7	2.6-10.8	38	10.5	6.8-14.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 6: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRINK2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1113	988,040	649	52.4	47.9-56.9	321	31.5	27.4-35.6	70	8.1	5.6-10.6	30	3.7	1.9- 5.5	43	4.4	2.6- 6.2
White/Non-Hisp	889	688,696	512	51.0	46.5-55.5	268	32.2	27.9-36.5	55	8.5	5.6-11.4	22	3.5	1.7- 5.3	32	4.7	2.5- 6.9
Black or Afr. Am./Non-Hisp	157	203,922	96	56.5	44.7-68.3	41	29.8	19.0-40.6	9	6.9	1.2-12.6	4	2.8	0.0- 6.9	7	3.9	0.0- 8.6
18-24	78	140,463	30	37.0	23.1-50.9	27	31.7	19.4-44.0	10	14.1	4.7-23.5	4	7.7	0.0-15.7	7	9.5	1.1-17.9
25-34	163	225,278	70	43.3	32.7-53.9	54	31.9	22.5-41.3	24	17.1	9.5-24.7	6	3.6	0.0- 7.3	9	4.0	0.7- 7.3
35-44	158	209,705	78	50.3	39.5-61.1	55	38.2	27.0-49.4	8	3.0	0.6- 5.4	7	4.0	0.7- 7.3	10	4.6	1.1- 8.1
45-54	208	153,399	116	57.2	48.0-66.4	70	32.5	23.7-41.3	11	5.0	1.1- 8.9	3	1.0	0.0- 2.4	8	4.3	0.8- 7.8
55-64	206	130,986	132	61.2	52.4-70.0	57	29.5	21.3-37.7	8	3.1	0.2- 6.0	4	3.9	0.0- 8.4	5	2.4	0.0- 4.9
65+	289	121,616	214	73.2	66.3-80.1	56	20.4	14.1-26.7	9	3.0	0.5- 5.5	6	2.1	0.0- 4.5	4	1.2	0.0- 2.8
H.S. or G.E.D.	249	254,979	135	51.0	41.8-60.2	71	29.8	21.4-38.2	24	10.8	5.5-16.1	5	1.6	0.0- 3.2	14	6.9	2.2-11.6
Some Post-H.S.	313	326,188	188	53.8	45.8-61.8	83	28.6	21.5-35.7	18	8.8	4.1-13.5	14	5.7	1.6- 9.8	10	3.1	0.6- 5.6
College Graduate	506	343,057	299	54.2	48.1-60.3	155	32.8	27.1-38.5	27	6.8	3.3-10.3	9	2.8	0.4- 5.2	16	3.5	1.1- 5.9
Less than \$15,000	77	72,968	40	34.5	20.6-48.4	21	37.2	20.7-53.7	7	11.3	1.1-21.5	2	2.9	0.0- 7.6	7	14.1	0.6-27.6
\$15,000- 24,999	153	149,403	93	57.9	46.1-69.7	40	23.6	14.4-32.8	11	10.6	3.0-18.2	4	2.6	0.0- 5.3	5	5.3	0.0-10.8
\$25,000- 34,999	117	112,259	65	45.6	31.1-60.1	28	32.8	16.7-48.9	11	10.7	3.1-18.3	4	3.7	0.0- 8.2	9	7.2	0.9-13.5
\$35,000- 49,999	152	129,637	89	51.9	39.9-63.9	41	33.7	21.9-45.5	11	7.6	2.1-13.1	4	4.2	0.0- 8.9	7	2.6	0.4- 4.8
\$50,000- 74,999	157	130,900	97	56.4	45.6-67.2	42	26.5	17.1-35.9	8	6.0	0.7-11.3	5	7.7	0.1-15.3	5	3.4	0.0- 6.9
\$75,000+	329	281,570	187	55.6	47.8-63.4	112	32.2	25.1-39.3	19	7.7	3.0-12.4	7	3.2	0.0- 6.7	4	1.3	0.0- 2.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days  
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2288	2,187,968	182	9.8	8.0-11.6	118	5.4	4.2- 6.6	56	3.2	2.2- 4.2	48	2.4	1.6- 3.2	150	8.2	6.6- 9.8	1734	70.9	68.2-73.6
Male	1168	1,190,600	97	9.2	6.8-11.6	70	5.8	4.2- 7.4	39	4.4	2.8- 6.0	26	2.8	1.4- 4.2	104	10.5	8.0-13.0	832	67.4	63.7-71.1
Female	1117	993,854	85	10.6	7.9-13.3	48	4.9	3.1- 6.7	17	1.9	0.5- 3.3	22	2.0	1.0- 3.0	45	5.4	3.4- 7.4	900	75.2	71.5-78.9
White/Non-Hisp	1854	1,602,233	150	10.1	8.1-12.1	93	5.8	4.4- 7.2	43	3.4	2.2- 4.6	36	2.5	1.5- 3.5	123	8.7	6.7-10.7	1409	69.5	66.6-72.4
Black or Afr. Am./Non-Hisp	275	373,415	21	9.8	4.5-15.1	16	4.1	1.4- 6.8	9	3.4	0.3- 6.5	7	2.3	0.3- 4.3	16	6.3	2.4-10.2	206	74.1	66.8-81.4
Hispanic	56	113,132	6	12.5	0.7-24.3	6	5.7	0.6-10.8	2	2.5	0.0- 6.0	1	1.5	0.0- 4.4	4	9.5	0.0-19.1	37	68.2	52.9-83.5
18-24	186	294,385	34	21.2	13.4-29.0	21	10.1	5.4-14.8	7	5.6	1.1-10.1	6	2.4	0.2- 4.6	23	12.9	7.2-18.6	95	47.8	38.6-57.0
25-34	335	487,565	49	14.0	9.3-18.7	20	6.2	3.1- 9.3	14	3.6	1.2- 6.0	9	2.7	0.7- 4.7	29	9.6	5.3-13.9	214	63.8	57.1-70.5
35-44	315	446,462	36	9.1	5.8-12.4	22	5.5	3.0- 8.0	7	2.4	0.2- 4.6	12	3.2	1.0- 5.4	24	6.3	3.2- 9.4	214	73.5	67.6-79.4
45-54	394	346,236	23	4.9	2.4- 7.4	21	4.0	2.0- 6.0	9	3.8	0.9- 6.7	7	2.4	0.0- 4.8	28	9.3	5.2-13.4	306	75.6	69.7-81.5
55-64	463	306,601	21	4.9	2.4- 7.4	21	4.0	2.0- 6.0	12	2.7	0.9- 4.5	8	2.0	0.4- 3.6	27	7.2	3.9-10.5	374	79.2	74.5-83.9
65+	563	277,138	17	3.8	1.4- 6.2	13	2.4	0.8- 4.0	7	1.8	0.0- 3.6	5	1.0	0.0- 2.2	16	3.3	0.9- 5.7	505	87.6	83.7-91.5
Less Than H.S.	110	168,207	6	2.8	0.3- 5.3	3	1.2	0.0- 2.6	4	2.7	0.0- 5.6				15	17.3	8.1-26.5	82	75.9	65.7-86.1
H.S. or G.E.D.	553	609,919	51	11.3	7.4-15.2	40	6.6	4.2- 9.0	13	3.9	1.2- 6.6	12	2.6	0.6- 4.6	49	10.5	6.8-14.2	388	65.0	59.3-70.7
Some Post-H.S.	616	687,070	51	9.6	6.3-12.9	39	6.0	3.6- 8.4	17	2.9	1.3- 4.5	21	3.5	1.7- 5.3	41	5.8	3.4- 8.2	447	72.2	67.5-76.9
College Graduate	1006	721,481	74	10.4	7.5-13.3	36	4.7	2.7- 6.7	22	3.2	1.6- 4.8	14	1.7	0.5- 2.9	45	6.5	4.3- 8.7	815	73.6	69.7-77.5
Less than \$15,000	154	144,360	12	5.7	2.0- 9.4	11	5.3	0.6-10.0	4	4.0	0.0-10.1	2	0.4	0.0- 1.0	14	14.5	5.9-23.1	111	70.1	59.3-80.9
\$15,000- 24,999	276	290,311	30	16.1	9.0-23.2	17	6.7	3.0-10.4	4	1.9	0.0- 4.3	3	1.1	0.0- 2.5	22	7.2	3.5-10.9	200	66.8	58.6-75.0
\$25,000- 34,999	222	226,197	16	5.7	2.6- 8.8	11	4.2	1.3- 7.1	5	3.0	0.1- 5.9	7	3.1	0.4- 5.8	19	11.8	5.7-17.9	164	72.2	64.2-80.2
\$35,000- 49,999	314	291,306	29	13.0	7.1-18.9	17	6.9	3.2-10.6	10	2.9	0.9- 4.9	5	1.3	0.0- 2.7	18	6.7	2.4-11.0	235	69.1	61.7-76.5
\$50,000- 74,999	338	312,431	20	6.6	3.5- 9.7	19	6.4	2.7-10.1	6	1.8	0.0- 3.6	10	5.2	1.5- 8.9	24	7.7	4.0-11.4	259	72.3	65.6-79.0
\$75,000+	731	700,230	56	10.4	7.1-13.7	34	4.5	2.7- 6.3	22	4.5	2.1- 6.9	18	2.9	1.3- 4.5	38	7.1	4.2-10.0	563	70.5	65.8-75.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1168	1,190,600	97	9.2	6.8-11.6	70	5.8	4.2- 7.4	39	4.4	2.8- 6.0	26	2.8	1.4- 4.2	104	10.5	8.0-13.0	832	67.4	63.7-71.1
White/Non-Hisp	958	908,053	81	8.8	6.4-11.2	58	6.4	4.4- 8.4	31	4.6	2.6- 6.6	19	2.7	1.1- 4.3	83	10.6	7.9-13.3	686	66.8	62.7-70.9
Black or Afr. Am./Non-Hisp	115	161,913	9	9.8	2.5-17.1	7	3.2	0.0- 6.9	4	3.9	0.0- 8.4	4	3.5	0.0- 7.4	12	9.7	3.0-16.4	79	69.9	58.9-80.9
18-24	106	149,490	16	19.2	8.4-30.0	12	10.0	3.7-16.3	4	4.3	0.0- 9.2	4	2.5	0.0- 5.2	18	18.5	9.7-27.3	52	45.6	33.6-57.6
25-34	173	260,560	23	12.2	6.3-18.1	13	7.4	2.9-11.9	12	5.5	1.6- 9.4	4	3.0	0.1- 5.9	18	11.1	4.6-17.6	103	60.8	51.6-70.0
35-44	158	239,634	23	10.6	5.7-15.5	14	6.4	2.7-10.1	5	3.9	0.0- 7.8	7	4.1	0.6- 7.6	16	9.6	3.9-15.3	93	65.5	56.3-74.7
45-54	186	191,489	9	3.5	1.0- 6.0	12	4.4	1.7- 7.1	7	6.2	1.1-11.3	4	3.6	0.0- 7.9	21	11.7	5.6-17.8	133	70.6	61.8-79.4
55-64	255	173,150	16	6.5	2.8-10.2	13	4.0	1.6- 6.4	8	3.7	0.8- 6.6	5	2.2	0.0- 4.6	19	8.1	3.8-12.4	194	75.4	68.9-81.9
65+	270	154,523	9	3.0	0.6- 5.4	6	2.5	0.3- 4.7	3	2.5	0.0- 5.4	1	0.2	0.0- 0.6	10	4.5	0.8- 8.2	241	87.2	81.7-92.7
Less Than H.S.	63	100,169	3	2.5	0.0- 5.4	2	1.5	0.0- 3.7	4	4.5	0.0- 9.4				11	20.3	7.6-33.0	43	71.3	57.0-85.6
H.S. or G.E.D.	304	351,533	24	8.7	4.2-13.2	29	8.3	4.6-12.0	7	4.9	1.0- 8.8	7	3.3	0.4- 6.2	41	15.2	9.3-21.1	196	59.6	51.8-67.4
Some Post-H.S.	302	359,291	26	9.3	5.0-13.6	20	6.1	3.2- 9.0	13	4.1	1.6- 6.6	13	4.0	1.5- 6.5	27	6.9	3.6-10.2	203	69.5	63.0-76.0
College Graduate	498	379,119	44	11.2	7.1-15.3	19	4.3	1.9- 6.7	15	4.1	1.6- 6.6	6	1.9	0.1- 3.7	25	7.0	3.9-10.1	389	71.5	66.0-77.0
Less than \$15,000	73	62,912	4	3.2	0.0- 7.1	7	6.1	0.0-12.4							9	13.8	4.2-23.4	53	76.8	64.8-88.8
\$15,000- 24,999	122	139,727	14	15.4	5.0-25.8	9	7.7	1.8-13.6	3	3.6	0.0- 8.5	1	0.3	0.0- 0.9	19	13.2	5.9-20.5	76	59.9	47.4-72.4
\$25,000- 34,999	106	114,732	8	6.2	1.3-11.1	5	2.9	0.0- 5.8	5	5.9	0.0-11.8	2	1.6	0.0- 4.1	13	12.7	4.5-20.9	73	70.7	59.7-81.7
\$35,000- 49,999	162	162,538	16	12.5	5.1-19.9	11	8.4	2.7-14.1	8	4.6	1.1- 8.1	2	1.4	0.0- 3.6	12	9.6	2.5-16.7	113	63.6	53.2-74.0
\$50,000- 74,999	180	184,468	15	7.9	3.6-12.2	13	6.1	2.0-10.2	4	1.7	0.0- 3.7	8	8.1	1.8-14.4	15	8.6	3.3-13.9	125	67.5	57.9-77.1
\$75,000+	403	417,549	32	9.0	5.1-12.9	20	5.2	2.7- 7.7	16	6.4	2.9- 9.9	11	3.1	0.9- 5.3	27	9.7	5.0-14.4	297	66.6	60.1-73.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1117	993,854	85	10.6	7.9-13.3	48	4.9	3.1- 6.7	17	1.9	0.5- 3.3	22	2.0	1.0- 3.0	45	5.4	3.4- 7.4	900	75.2	71.5-78.9
White/Non-Hisp	894	692,576	69	11.8	8.5-15.1	35	5.0	2.8- 7.2	12	1.8	0.4- 3.2	17	2.3	1.1- 3.5	39	6.1	3.7- 8.5	722	73.1	68.8-77.4
Black or Afr. Am./Non-Hisp	160	211,502	12	9.8	2.4-17.2	9	4.9	0.8- 9.0	5	3.0	0.0- 7.3	3	1.4	0.0- 3.2	4	3.6	0.0- 8.1	127	77.3	67.7-86.9
18-24	80	144,895	18	23.3	11.9-34.7	9	10.2	2.9-17.5	3	6.9	0.0-14.7	2	2.3	0.0- 5.6	5	7.1	0.0-14.2	43	50.2	36.5-63.9
25-34	161	225,679	26	16.2	8.6-23.8	7	4.9	0.6- 9.2	2	1.4	0.0- 3.4	5	2.5	0.0- 5.0	10	7.3	2.4-12.2	111	67.8	58.2-77.4
35-44	157	206,829	13	7.3	2.8-11.8	8	4.5	1.0- 8.0	2	0.6	0.0- 1.4	5	2.2	0.0- 4.4	8	2.6	0.2- 5.0	121	82.7	76.2-89.2
45-54	207	152,836	14	6.8	2.1-11.5	9	3.6	1.1- 6.1	2	0.8	0.0- 2.0	3	0.8	0.0- 1.8	7	6.5	0.8-12.2	172	81.6	74.2-89.0
55-64	208	133,451	5	2.9	0.0- 6.0	8	4.0	0.7- 7.3	4	1.4	0.0- 2.8	3	1.7	0.0- 4.1	8	5.9	1.0-10.8	180	84.1	77.4-90.8
65+	292	122,339	8	4.8	0.3- 9.3	7	2.3	0.0- 4.7	4	1.1	0.0- 2.3	4	2.0	0.0- 4.4	6	1.8	0.0- 3.6	263	88.1	82.4-93.8
H.S. or G.E.D.	249	258,386	27	14.8	7.9-21.7	11	4.2	1.3- 7.1	6	2.6	0.0- 6.1	5	1.7	0.0- 3.5	8	4.2	0.7- 7.7	192	72.4	64.2-80.6
Some Post-H.S.	313	326,453	25	10.0	4.9-15.1	19	6.0	2.5- 9.5	4	1.5	0.0- 3.7	8	2.9	0.5- 5.3	13	4.2	1.1- 7.3	244	75.3	68.4-82.2
College Graduate	507	342,086	30	9.4	5.3-13.5	17	5.2	2.3- 8.1	7	2.1	0.3- 3.9	8	1.5	0.3- 2.7	20	5.9	2.8- 9.0	425	75.9	70.4-81.4
Less than \$15,000	81	81,448	8	7.5	1.4-13.6	4	4.6	0.0-11.3	4	7.1	0.0-17.7	2	0.7	0.0- 1.7	5	15.1	1.8-28.4	58	65.0	48.9-81.1
\$15,000- 24,999	154	150,584	16	16.8	7.4-26.2	8	5.8	0.9-10.7	1	0.4	0.0- 1.2	2	2.0	0.0- 4.7	3	1.7	0.0- 3.9	124	73.3	62.7-83.9
\$25,000- 34,999	116	111,465	8	5.2	1.3- 9.1	6	5.5	0.2-10.8				5	4.6	0.0- 9.3	6	10.9	1.9-19.9	91	73.8	62.0-85.6
\$35,000- 49,999	152	128,768	13	13.6	4.4-22.8	6	5.1	0.6- 9.6	2	0.8	0.0- 2.0	3	1.3	0.0- 2.9	6	3.1	0.0- 7.0	122	76.1	65.7-86.5
\$50,000- 74,999	158	127,963	5	4.7	0.4- 9.0	6	6.8	0.0-13.9	2	2.0	0.0- 5.1	2	1.0	0.0- 2.6	9	6.4	1.3-11.5	134	79.2	70.0-88.4
\$75,000+	327	280,771	24	12.6	6.5-18.7	14	3.6	1.2- 6.0	6	1.8	0.0- 3.6	7	2.6	0.4- 4.8	11	3.2	1.0- 5.4	265	76.2	69.3-83.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 10: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2224	2,136,085	707	26.5	24.0-29.0	614	25.4	22.9-27.9	322	16.3	13.9-18.7	181	9.0	7.0-11.0	400	22.8	20.3-25.3
Male	1122	1,144,600	247	18.0	15.1-20.9	280	22.9	19.6-26.2	211	20.2	16.7-23.7	93	8.4	5.9-10.9	291	30.6	26.7-34.5
Female	1099	987,970	459	36.2	32.1-40.3	333	28.3	24.4-32.2	111	11.9	8.8-15.0	88	9.9	7.4-12.4	108	13.7	10.6-16.8
White/Non-Hisp	1806	1,571,139	566	25.7	23.2-28.2	507	24.8	22.3-27.3	251	15.4	13.0-17.8	146	9.4	7.2-11.6	336	24.8	21.9-27.7
Black or Afr. Am./Non-Hisp	266	355,608	87	28.1	20.3-35.9	74	28.4	20.8-36.0	48	21.1	13.5-28.7	23	9.5	4.4-14.6	34	12.8	7.3-18.3
Hispanic	55	111,712	13	27.8	11.5-44.1	11	17.0	5.4-28.6	12	13.9	4.3-23.5	4	6.4	0.0-13.3	15	34.9	17.5-52.3
18-24	177	282,518	28	17.2	9.8-24.6	34	15.2	8.9-21.5	21	12.7	5.6-19.8	22	12.3	6.4-18.2	72	42.6	33.4-51.8
25-34	333	489,014	71	19.1	13.2-25.0	80	22.6	16.9-28.3	53	18.9	13.4-24.4	35	11.3	6.8-15.8	94	28.1	21.8-34.4
35-44	302	435,924	69	20.9	15.2-26.6	80	27.9	20.6-35.2	49	20.1	13.6-26.6	23	8.8	3.1-14.5	81	22.3	16.8-27.8
45-54	385	331,446	124	31.7	25.4-38.0	114	26.5	20.6-32.4	58	14.8	9.3-20.3	33	7.2	4.3-10.1	56	19.9	13.2-26.6
55-64	456	303,533	159	32.8	27.3-38.3	130	29.4	23.9-34.9	71	15.6	11.5-19.7	35	7.8	4.7-10.9	61	14.5	10.4-18.6
65+	541	266,555	239	42.5	37.0-48.0	170	31.1	26.0-36.2	67	12.3	8.8-15.8	32	6.2	3.7- 8.7	33	7.9	4.6-11.2
Less Than H.S.	104	160,673	31	20.0	11.4-28.6	27	32.9	18.4-47.4	19	12.8	5.9-19.7	7	10.9	0.0-23.4	20	23.4	10.9-35.9
H.S. or G.E.D.	537	599,095	170	26.5	21.4-31.6	133	19.9	15.6-24.2	70	15.8	10.5-21.1	42	8.9	5.4-12.4	122	29.0	23.3-34.7
Some Post-H.S.	587	659,566	191	28.1	23.2-33.0	140	25.7	20.8-30.6	93	17.7	13.4-22.0	46	7.8	4.7-10.9	117	20.7	16.4-25.0
College Graduate	993	715,460	314	26.4	22.9-29.9	313	28.0	24.3-31.7	140	16.2	12.9-19.5	85	9.8	7.3-12.3	141	19.5	16.0-23.0
Less than \$15,000	143	140,248	49	30.4	19.2-41.6	35	30.0	18.6-41.4	16	9.1	3.8-14.4	14	8.5	2.6-14.4	29	21.9	11.7-32.1
\$15,000- 24,999	270	285,922	92	27.9	20.1-35.7	67	18.2	12.5-23.9	33	17.0	8.8-25.2	24	9.3	4.6-14.0	54	27.6	19.0-36.2
\$25,000- 34,999	216	221,288	74	27.4	19.4-35.4	48	26.5	15.9-37.1	35	15.6	8.9-22.3	19	11.3	5.0-17.6	40	19.2	12.3-26.1
\$35,000- 49,999	304	284,981	101	27.5	20.4-34.6	74	18.2	12.5-23.9	48	20.8	13.4-28.2	20	9.3	4.2-14.4	61	24.2	17.3-31.1
\$50,000- 74,999	333	310,275	102	22.5	16.6-28.4	96	26.4	20.1-32.7	45	15.3	9.6-21.0	24	9.0	2.1-15.9	66	26.8	19.5-34.1
\$75,000+	715	677,916	198	24.9	20.4-29.4	218	27.1	22.8-31.4	117	17.4	13.3-21.5	66	9.0	6.1-11.9	116	21.7	17.2-26.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 11: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1122	1,144,600	247	18.0	15.3-20.7	280	22.9	19.6-26.2	211	20.2	16.7-23.7	93	8.4	5.9-10.9	291	30.6	26.7-34.5
White/Non-Hisp	930	887,998	210	18.8	15.7-21.9	235	22.5	19.0-26.0	162	18.1	14.6-21.6	76	8.8	5.7-11.9	247	31.7	27.6-35.8
Black or Afr. Am./Non-Hisp	106	143,340	16	11.5	4.4-18.6	24	26.7	14.5-38.9	33	32.8	20.3-45.3	10	8.7	2.0-15.4	23	20.3	10.7-29.9
18-24	100	141,750	12	16.2	5.8-26.6	18	14.5	6.1-22.9	10	8.5	2.6-14.4	11	9.4	2.9-15.9	49	51.4	39.1-63.7
25-34	169	257,788	23	7.3	3.8-10.8	33	21.8	13.8-29.8	34	23.7	15.3-32.1	13	7.4	2.5-12.3	66	39.7	30.1-49.3
35-44	151	231,533	22	13.7	6.8-20.6	29	16.8	9.4-24.2	28	25.7	15.9-35.5	15	12.3	2.5-22.1	57	31.5	22.5-40.5
45-54	178	176,895	36	18.3	11.6-25.0	43	24.4	16.0-32.8	39	20.6	11.4-29.8	16	8.2	3.5-12.9	44	28.4	18.0-38.8
55-64	249	170,903	58	22.8	16.5-29.1	68	28.9	21.6-36.2	51	20.3	14.0-26.6	22	6.8	3.3-10.3	50	21.3	14.8-27.8
65+	257	146,464	88	35.1	27.1-43.1	85	33.4	25.8-41.0	46	16.2	10.9-21.5	15	5.3	2.0-8.6	23	10.0	5.1-14.9
Less Than H.S.	57	92,457	9	13.8	3.6-24.0	13	20.7	6.6-34.8	17	20.5	8.7-32.3	2	12.2	0.0-32.8	16	32.7	13.9-51.5
H.S. or G.E.D.	294	342,096	66	17.8	12.3-23.3	68	16.9	12.0-21.8	47	19.4	12.3-26.5	22	6.9	3.4-10.4	91	39.1	31.1-47.1
Some Post-H.S.	282	334,853	57	18.5	12.8-24.2	64	26.1	19.2-33.0	56	20.7	14.0-27.4	22	8.0	3.5-12.5	83	26.6	20.5-32.7
College Graduate	488	374,706	115	18.8	14.7-22.9	134	25.9	20.8-31.0	91	20.3	15.2-25.4	47	9.1	5.8-12.4	101	25.9	20.4-31.4
Less than \$15,000	66	58,450	13	28.5	10.9-46.1	21	34.8	17.2-52.4	11	14.5	5.1-23.9	6	4.6	0.5-8.7	15	17.6	6.8-28.4
\$15,000- 24,999	118	135,868	24	12.2	5.9-18.5	24	16.6	8.2-25.0	22	23.0	10.8-35.2	7	5.8	0.7-10.9	41	42.5	28.8-56.2
\$25,000- 34,999	101	110,495	21	15.8	8.2-23.4	19	26.4	13.3-39.5	21	17.2	8.0-26.4	11	14.2	3.8-24.6	29	26.4	15.8-37.0
\$35,000- 49,999	153	155,845	36	21.2	12.4-30.0	32	12.0	6.5-17.5	32	24.8	14.0-35.6	12	8.4	2.7-14.1	41	33.6	22.8-44.4
\$50,000- 74,999	177	180,435	35	10.8	6.1-15.5	45	25.4	16.8-34.0	30	18.5	10.1-26.9	16	10.5	0.0-21.5	51	34.8	24.2-45.4
\$75,000+	393	401,399	83	18.7	13.6-23.8	106	24.0	18.5-29.5	76	20.2	14.5-25.9	35	7.9	4.4-11.4	93	29.2	22.9-35.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 11: ALCOHOL CONSUMPTION**

**TABLE 12: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1099	987,970	459	36.2	32.1-40.3	333	28.3	24.2-32.4	111	11.9	8.8-15.0	88	9.9	7.4-12.4	108	13.7	10.6-16.8
White/Non-Hisp	874	681,538	356	34.6	30.5-38.7	271	27.7	23.8-31.6	89	11.9	8.8-15.0	70	10.2	7.5-12.9	88	15.6	11.9-19.3
Black or Afr. Am./Non-Hisp	160	212,267	71	39.4	28.0-50.8	50	29.6	19.4-39.8	15	13.2	3.6-22.8	13	10.0	2.6-17.4	11	7.8	1.7-13.9
18-24	77	140,769	16	18.1	7.5-28.7	16	16.0	6.6-25.4	11	16.9	4.6-29.2	11	15.2	5.6-24.8	23	33.8	20.7-46.9
25-34	163	229,900	48	32.3	21.7-42.9	47	23.7	15.5-31.9	19	13.6	6.7-20.5	22	15.6	8.0-23.2	27	14.8	8.1-21.5
35-44	151	204,392	47	29.1	19.7-38.5	51	40.4	29.0-51.8	21	13.7	6.1-21.3	8	4.8	1.3-8.3	24	12.0	6.3-17.7
45-54	206	152,641	87	46.3	36.9-55.7	71	29.3	21.3-37.3	19	8.2	3.5-12.9	17	6.1	3.0-9.2	12	10.2	3.1-17.3
55-64	207	132,630	101	45.6	36.8-54.4	62	30.0	21.6-38.4	20	9.6	4.7-14.5	13	9.1	3.4-14.8	11	5.7	1.6-9.8
65+	283	119,813	151	51.5	43.9-59.1	84	28.0	21.3-34.7	21	7.6	3.7-11.5	17	7.4	3.3-11.5	10	5.4	0.7-10.1
H.S. or G.E.D.	243	257,000	104	38.1	29.1-47.1	65	23.8	16.4-31.2	23	11.0	3.4-18.6	20	11.6	5.1-18.1	31	15.5	9.0-22.0
Some Post-H.S.	304	323,387	134	38.1	30.3-45.9	76	25.3	18.4-32.2	37	14.7	9.0-20.4	24	7.7	3.8-11.6	33	14.2	8.3-20.1
College Graduate	504	340,477	199	34.8	29.1-40.5	178	30.3	25.0-35.6	49	11.8	7.7-15.9	38	10.6	6.5-14.7	40	12.5	8.0-17.0
Less than \$15,000	77	81,798	36	31.7	17.0-46.4	14	26.6	11.7-41.5	5	5.3	0.0-11.2	8	11.3	1.9-20.7	14	25.1	10.0-40.2
\$15,000- 24,999	152	150,054	68	42.1	29.9-54.3	43	19.6	12.2-27.0	11	11.6	0.6-22.6	17	12.5	4.9-20.1	13	14.2	5.6-22.8
\$25,000- 34,999	115	110,793	53	39.0	25.1-52.9	29	26.6	10.1-43.1	14	13.9	4.3-23.5	8	8.4	1.9-14.9	11	12.1	3.3-20.9
\$35,000- 49,999	151	129,137	65	35.2	23.8-46.6	42	25.6	15.4-35.8	16	16.0	6.2-25.8	8	10.4	1.4-19.4	20	12.8	6.1-19.5
\$50,000- 74,999	156	129,840	67	38.8	28.2-49.4	51	27.8	18.6-37.0	15	10.9	4.0-17.8	8	6.8	0.9-12.7	15	15.7	6.9-24.5
\$75,000+	321	274,607	114	33.4	25.8-41.0	112	31.8	24.5-39.1	41	13.4	7.7-19.1	31	10.6	5.7-15.5	23	10.9	5.6-16.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 12: IMMUNIZATION CONTENTS**

\* NOTE \*\*\*\*\*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\*\*\*\*\*

TABLE	PAGE
NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)	
1 MALES AND FEMALES	203
2 MALES ONLY	204
3 FEMALES ONLY	205
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)	
4 MALES AND FEMALES	206
5 MALES ONLY	207
6 FEMALES ONLY	208
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
7 MALES AND FEMALES	209
8 MALES ONLY	210
9 FEMALES ONLY	211
SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)	
10 MALES AND FEMALES	212
11 MALES ONLY	213
12 FEMALES ONLY	214

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 1: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5838	4,892,441	2510	36.4	34.6-38.2	3328	63.6	61.8-65.4
Male	2480	2,367,338	980	32.7	30.3-35.1	1500	67.3	64.9-69.7
Female	3355	2,521,589	1527	39.7	37.3-42.1	1828	60.3	57.9-62.7
White/Non-Hisp	4735	3,691,107	2106	39.2	37.2-41.2	2629	60.8	58.8-62.8
Black or Afr. Am./Non-Hisp	699	758,380	236	26.0	21.3-30.7	463	74.0	69.3-78.7
Oth. Race/Non-Hisp.	114	112,469	56	47.4	33.3-61.5	58	52.6	38.5-66.7
MultiRacial/Non-Hisp.	100	52,869	43	30.3	18.1-42.5	57	69.7	57.5-81.9
Hispanic	104	201,002	37	23.6	14.6-32.6	67	76.4	67.4-85.4
18-24	347	572,040	95	27.2	21.3-33.1	252	72.8	66.9-78.7
25-34	572	810,782	174	27.7	23.2-32.2	398	72.3	67.8-76.8
35-44	609	799,863	178	24.1	20.0-28.2	431	75.9	71.8-80.0
45-54	949	804,698	345	31.7	27.8-35.6	604	68.3	64.4-72.2
55-64	1251	804,291	544	42.5	39.0-46.0	707	57.5	54.0-61.0
65+	2019	1,029,704	1141	56.9	54.0-59.8	878	43.1	40.2-46.0
Less Than H.S.	616	720,928	265	34.5	29.6-39.4	351	65.5	60.6-70.4
H.S. or G.E.D.	1885	1,622,421	759	33.3	30.4-36.2	1126	66.7	63.8-69.6
Some Post-H.S.	1530	1,426,251	627	35.3	32.0-38.6	903	64.7	61.4-68.0
College Graduate	1794	1,117,868	855	43.5	40.4-46.6	939	56.5	53.4-59.6
Less than \$15,000	636	470,295	250	31.7	26.6-36.8	386	68.3	63.2-73.4
\$15,000- 24,999	936	786,262	403	36.0	31.7-40.3	533	64.0	59.7-68.3
\$25,000- 34,999	586	498,018	248	33.5	28.4-38.6	338	66.5	61.4-71.6
\$35,000- 49,999	783	654,224	311	32.5	28.0-37.0	472	67.5	63.0-72.0
\$50,000- 74,999	728	656,638	309	35.5	30.6-40.4	419	64.5	59.6-69.4
\$75,000+	1177	1,046,071	533	40.6	36.7-44.5	644	59.4	55.5-63.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 2: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2480	2,367,338	980	32.7	30.3-35.1	1500	67.3	64.9-69.7
White/Non-Hisp	2021	1,792,444	818	34.5	31.8-37.2	1203	65.5	62.8-68.2
Black or Afr. Am./Non-Hisp	246	328,811	75	21.1	15.0-27.2	171	78.9	72.8-85.0
Oth. Race/Non-Hisp.	61	71,668	31	48.8	30.0-67.6	30	51.2	32.4-70.0
MultiRacial/Non-Hisp.	52	29,179	19	26.0	11.3-40.7	33	74.0	59.3-88.7
Hispanic	59	111,647	24	29.8	15.9-43.7	35	70.2	56.3-84.1
18-24	195	297,227	51	23.3	16.2-30.4	144	76.7	69.6-83.8
25-34	268	396,192	71	23.6	17.5-29.7	197	76.4	70.3-82.5
35-44	280	399,068	74	20.8	15.1-26.5	206	79.2	73.5-84.9
45-54	380	387,652	120	25.8	20.1-31.5	260	74.2	68.5-79.9
55-64	568	393,902	240	40.7	35.4-46.0	328	59.3	54.0-64.6
65+	754	457,908	414	56.8	52.1-61.5	340	43.2	38.5-47.9
Less Than H.S.	232	341,720	84	27.7	20.8-34.6	148	72.3	65.4-79.2
H.S. or G.E.D.	797	790,272	280	29.6	25.5-33.7	517	70.4	66.3-74.5
Some Post-H.S.	624	669,665	236	31.5	26.8-36.2	388	68.5	63.8-73.2
College Graduate	824	564,453	379	41.6	37.1-46.1	445	58.4	53.9-62.9
Less than \$15,000	211	183,734	70	28.4	20.2-36.6	141	71.6	63.4-79.8
\$15,000- 24,999	321	310,849	130	32.9	26.2-39.6	191	67.1	60.4-73.8
\$25,000- 34,999	259	254,953	97	29.9	23.0-36.8	162	70.1	63.2-77.0
\$35,000- 49,999	367	341,350	129	29.2	22.7-35.7	238	70.8	64.3-77.3
\$50,000- 74,999	360	364,268	146	32.0	25.5-38.5	214	68.0	61.5-74.5
\$75,000+	630	603,970	276	36.4	31.5-41.3	354	63.6	58.7-68.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 3: NOW I WILL ASK YOU QUESTIONS ABOUT THE FLU VACCINE. THERE ARE TWO WAYS TO GET THE FLU VACCINE, ONE IS A SHOT IN THE ARM AND THE OTHER IS A SPRAY, MIST, OR DROP IN THE NOSE CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD EITHER A FLU SHOT OR A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSHOT6)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3355	2,521,589	1527	39.7	37.3-42.1	1828	60.3	57.9-62.7
White/Non-Hisp	2712	1,897,059	1286	43.5	41.0-46.0	1426	56.5	54.0-59.0
Black or Afr. Am./Non-Hisp	453	429,569	161	29.7	23.0-36.4	292	70.3	63.6-77.0
Oth. Race/Non-Hisp.	53	40,800	25	44.8	25.0-64.6	28	55.2	35.4-75.0
18-24	152	274,813	44	31.4	22.0-40.8	108	68.6	59.2-78.0
25-34	303	413,264	102	31.5	24.6-38.4	201	68.5	61.6-75.4
35-44	329	400,795	104	27.5	21.4-33.6	225	72.5	66.4-78.6
45-54	568	415,135	224	36.9	31.8-42.0	344	63.1	58.0-68.2
55-64	683	410,389	304	44.2	39.3-49.1	379	55.8	50.9-60.7
65+	1264	571,518	726	56.9	53.4-60.4	538	43.1	39.6-46.6
Less Than H.S.	383	377,298	180	40.4	33.5-47.3	203	59.6	52.7-66.5
H.S. or G.E.D.	1088	832,149	479	36.7	32.6-40.8	609	63.3	59.2-67.4
Some Post-H.S.	905	755,259	390	38.5	34.0-43.0	515	61.5	57.0-66.0
College Graduate	969	553,138	475	45.4	40.9-49.9	494	54.6	50.1-59.1
Less than \$15,000	425	286,561	180	33.8	27.3-40.3	245	66.2	59.7-72.7
\$15,000- 24,999	615	475,413	273	38.1	32.4-43.8	342	61.9	56.2-67.6
\$25,000- 34,999	327	243,065	151	37.3	29.7-44.9	176	62.7	55.1-70.3
\$35,000- 49,999	416	312,874	182	36.0	29.7-42.3	234	64.0	57.7-70.3
\$50,000- 74,999	368	292,370	163	39.8	32.7-46.9	205	60.2	53.1-67.3
\$75,000+	546	440,191	256	46.1	40.2-52.0	290	53.9	48.0-59.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1605	1,095,041	4	0.2	0.0- 0.4	40	3.2	1.6- 4.8	1561	96.6	95.0-98.2
Male	584	448,847	2	0.2	0.0- 0.6	10	2.9	0.0- 6.2	572	96.9	93.6- 100
Female	1020	645,917	2	0.2	0.0- 0.4	30	3.3	1.7- 4.9	988	96.5	94.9-98.1
White/Non-Hisp	1386	920,815	4	0.2	0.0- 0.4	33	2.8	1.6- 4.0	1349	97.0	95.6-98.4
Black or Afr. Am./Non-Hisp	124	106,969				4	1.0	0.0- 2.4	120	99.0	97.6- 100
25-34	100	121,263				3	1.2	0.0- 2.6	97	98.8	97.4- 100
35-44	119	137,553	1	0.5	0.0- 1.5	2	2.5	0.0- 6.2	116	97.1	93.2- 100
45-54	238	166,714	1	0.2	0.0- 0.6	8	7.7	0.0-16.1	229	92.0	83.6- 100
55-64	358	216,475				10	1.9	0.5- 3.3	348	98.1	96.7-99.5
65+	737	377,946	2	0.3	0.0- 0.7	14	1.5	0.3- 2.7	721	98.1	96.9-99.3
Less Than H.S.	133	118,738				4	1.7	0.0- 3.7	129	98.3	96.3- 100
H.S. or G.E.D.	486	338,560	3	0.4	0.0- 1.0	16	5.2	0.7- 9.7	467	94.4	89.9-98.9
Some Post-H.S.	397	315,836				13	3.8	1.1- 6.5	384	96.2	93.5-98.9
College Graduate	586	320,381	1	0.2	0.0- 0.6	7	0.9	0.1- 1.7	578	98.8	97.8-99.8
Less than \$15,000	158	85,121				7	2.5	0.5- 4.5	151	97.5	95.5-99.5
\$15,000- 24,999	250	175,368	1	0.2	0.0- 0.6	6	1.5	0.1- 2.9	243	98.3	96.9-99.7
\$25,000- 34,999	157	102,622	1	0.3	0.0- 0.9	6	6.6	0.0-13.3	150	93.1	86.4-99.8
\$35,000- 49,999	205	130,674				4	8.1	0.0-18.7	201	91.9	81.3- 100
\$50,000- 74,999	201	158,684	1	0.4	0.0- 1.2	7	3.7	0.0- 7.4	193	95.9	92.2-99.6
\$75,000+	381	283,948				6	1.5	0.1- 2.9	375	98.5	97.1-99.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	584	448,847	2	0.2	0.0- 0.6	10	2.9	0.0- 6.2	572	96.9	93.6- 100
White/Non-Hisp	502	373,471	2	0.3	0.0- 0.7	9	1.6	0.2- 3.0	491	98.2	96.8-99.6
35-44	50	60,225	1	1.1	0.0- 3.3	1	1.3	0.0- 3.8	48	97.6	94.3- 100
45-54	78	65,506	1	0.5	0.0- 1.7	2	12.3	0.0-31.7	75	87.1	67.9- 100
55-64	142	88,783				3	1.3	0.0- 3.1	139	98.7	96.9- 100
65+	261	168,167				2	0.3	0.0- 0.7	259	99.7	99.3- 100
H.S. or G.E.D.	170	139,797	2	0.7	0.0- 1.7	4	7.3	0.0-17.3	164	91.9	81.9- 100
Some Post-H.S.	137	129,505				2	1.0	0.0- 2.4	135	99.0	97.6- 100
College Graduate	241	139,545				3	0.9	0.0- 2.1	238	99.1	97.9- 100
\$15,000- 24,999	74	58,293				2	2.6	0.0- 6.1	72	97.4	93.9- 100
\$25,000- 34,999	54	41,455	1	0.9	0.0- 2.7	1	5.0	0.0-14.4	52	94.2	84.8- 100
\$35,000- 49,999	80	58,027				2	13.4	0.0-35.0	78	86.6	65.0- 100
\$50,000- 74,999	87	78,927	1	0.8	0.0- 2.4	1	0.3	0.0- 0.9	85	98.9	97.1- 100
\$75,000+	191	144,895				3	0.8	0.0- 2.0	188	99.2	98.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT FLU SHOT INJECTED INTO YOUR ARM OR FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSHTMY2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2015			May-Aug 2015			Sep-Dec 2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1020	645,917	2	0.2	0.0- 0.4	30	3.3	1.7- 4.9	988	96.5	94.7-98.3
White/Non-Hisp	883	547,067	2	0.2	0.0- 0.6	24	3.6	1.6- 5.6	857	96.1	94.1-98.1
Black or Afr. Am./Non-Hisp	88	69,509				4	1.6	0.0- 3.6	84	98.4	96.4- 100
25-34	66	78,582				2	1.3	0.0- 3.1	64	98.7	96.9- 100
35-44	69	77,328				1	3.4	0.0- 9.9	68	96.6	90.1- 100
45-54	160	101,208				6	4.8	0.5- 9.1	154	95.2	90.9-99.5
55-64	216	127,692				7	2.4	0.4- 4.4	209	97.6	95.6-99.6
65+	475	209,502	2	0.6	0.0- 1.4	12	2.5	0.5- 4.5	461	96.9	94.7-99.1
Less Than H.S.	98	79,417				3	2.2	0.0- 5.1	95	97.8	94.9- 100
H.S. or G.E.D.	316	198,763	1	0.2	0.0- 0.6	12	3.7	1.0- 6.4	303	96.1	93.4-98.8
Some Post-H.S.	260	186,332				11	5.8	1.3-10.3	249	94.2	89.7-98.7
College Graduate	344	180,560	1	0.4	0.0- 1.2	4	1.0	0.0- 2.0	339	98.6	97.2- 100
Less than \$15,000	124	62,237				6	2.9	0.4- 5.4	118	97.1	94.6-99.6
\$15,000- 24,999	176	117,075	1	0.3	0.0- 0.9	4	1.0	0.0- 2.0	171	98.7	97.5-99.9
\$25,000- 34,999	103	61,167				5	7.7	0.0-16.7	98	92.3	83.3- 100
\$35,000- 49,999	125	72,647				2	3.9	0.0- 9.6	123	96.1	90.4- 100
\$50,000- 74,999	114	79,757				6	7.1	0.0-14.2	108	92.9	85.8- 100
\$75,000+	190	139,053				3	2.1	0.0- 4.8	187	97.9	95.2- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 7. A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5378	4,390,011	2375	34.3	32.5-36.1	3003	65.7	63.9-67.5
Male	2214	2,075,357	902	32.6	30.1-35.1	1312	67.4	64.9-69.9
Female	3161	2,311,140	1472	35.9	33.5-38.3	1689	64.1	61.7-66.5
White/Non-Hisp	4375	3,324,406	2005	36.9	34.9-38.9	2370	63.1	61.1-65.1
Black or Afr. Am./Non-Hisp	644	684,971	215	23.1	18.6-27.6	429	76.9	72.4-81.4
Oth. Race/Non-Hisp.	102	99,852	48	38.4	24.3-52.5	54	61.6	47.5-75.7
MultiRacial/Non-Hisp.	91	49,867	48	41.3	25.8-56.8	43	58.7	43.2-74.2
Hispanic	88	160,506	28	28.1	16.3-39.9	60	71.9	60.1-83.7
18-24	246	427,355	69	25.6	18.9-32.3	177	74.4	67.7-81.1
25-34	485	685,621	93	18.4	13.9-22.9	392	81.6	77.1-86.1
35-44	536	701,902	90	15.6	11.7-19.5	446	84.4	80.5-88.3
45-54	876	758,479	205	21.4	17.9-24.9	671	78.6	75.1-82.1
55-64	1189	760,833	412	32.1	28.8-35.4	777	67.9	64.6-71.2
65+	1962	992,113	1473	74.1	71.6-76.6	489	25.9	23.4-28.4
Less Than H.S.	567	641,193	290	40.3	34.8-45.8	277	59.7	54.2-65.2
H.S. or G.E.D.	1755	1,474,887	797	34.5	31.6-37.4	958	65.5	62.6-68.4
Some Post-H.S.	1421	1,294,138	619	33.1	29.8-36.4	802	66.9	63.6-70.2
College Graduate	1625	976,002	665	31.8	28.7-34.9	960	68.2	65.1-71.3
Less than \$15,000	580	418,259	288	38.7	33.0-44.4	292	61.3	55.6-67.0
\$15,000- 24,999	889	720,327	473	44.0	39.3-48.7	416	56.0	51.3-60.7
\$25,000- 34,999	539	446,459	246	35.4	29.7-41.1	293	64.6	58.9-70.3
\$35,000- 49,999	725	585,049	299	30.1	25.8-34.4	426	69.9	65.6-74.2
\$50,000- 74,999	674	604,891	259	28.5	24.0-33.0	415	71.5	67.0-76.0
\$75,000+	1074	925,914	352	26.5	23.0-30.0	722	73.5	70.0-77.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 8: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2214	2,075,357	902	32.6	30.1-35.1	1312	67.4	64.9-69.9
White/Non-Hisp	1807	1,568,457	765	35.2	32.3-38.1	1042	64.8	61.9-67.7
Black or Afr. Am./Non-Hisp	223	296,561	61	19.5	13.0-26.0	162	80.5	74.0-87.0
Oth. Race/Non-Hisp.	52	60,584	28	39.9	20.5-59.3	24	60.1	40.7-79.5
Hispanic	52	93,620	15	23.0	9.7-36.3	37	77.0	63.7-90.3
18-24	137	216,520	43	30.1	20.9-39.3	94	69.9	60.7-79.1
25-34	217	319,244	45	19.4	12.9-25.9	172	80.6	74.1-87.1
35-44	237	344,730	38	13.7	8.0-19.4	199	86.3	80.6-92.0
45-54	343	358,366	66	17.0	11.9-22.1	277	83.0	77.9-88.1
55-64	529	368,947	180	31.0	25.9-36.1	349	69.0	63.9-74.1
65+	720	435,745	521	73.8	69.7-77.9	199	26.2	22.1-30.3
Less Than H.S.	206	307,923	95	35.4	27.0-43.8	111	64.6	56.2-73.0
H.S. or G.E.D.	721	691,940	272	29.3	25.2-33.4	449	70.7	66.6-74.8
Some Post-H.S.	563	593,260	234	33.7	28.6-38.8	329	66.3	61.2-71.4
College Graduate	722	481,685	301	34.4	29.9-38.9	421	65.6	61.1-70.1
Less than \$15,000	177	151,871	70	37.1	27.1-47.1	107	62.9	52.9-72.9
\$15,000- 24,999	300	282,358	153	42.1	34.5-49.7	147	57.9	50.3-65.5
\$25,000- 34,999	231	225,692	98	35.8	27.8-43.8	133	64.2	56.2-72.2
\$35,000- 49,999	331	298,456	133	29.8	23.5-36.1	198	70.2	63.9-76.5
\$50,000- 74,999	326	326,229	123	25.2	19.5-30.9	203	74.8	69.1-80.5
\$75,000+	563	525,006	190	27.4	22.3-32.5	373	72.6	67.5-77.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 9: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3161	2,311,140	1472	35.9	33.5-38.3	1689	64.1	61.7-66.5
White/Non-Hisp	2566	1,754,345	1239	38.4	35.9-40.9	1327	61.6	59.1-64.1
Black or Afr. Am./Non-Hisp	421	388,410	154	25.9	19.8-32.0	267	74.1	68.0-80.2
Oth. Race/Non-Hisp.	50	39,269	20	36.0	15.4-56.6	30	64.0	43.4-84.6
18-24	109	210,835	26	20.9	11.5-30.3	83	79.1	69.7-88.5
25-34	267	365,051	48	17.6	11.1-24.1	219	82.4	75.9-88.9
35-44	299	357,172	52	17.5	12.0-23.0	247	82.5	77.0-88.0
45-54	532	398,203	139	25.4	20.5-30.3	393	74.6	69.7-79.5
55-64	660	391,886	232	33.0	28.5-37.5	428	67.0	62.5-71.5
65+	1241	556,092	951	74.4	71.1-77.7	290	25.6	22.3-28.9
Less Than H.S.	360	331,360	195	45.2	38.1-52.3	165	54.8	47.7-61.9
H.S. or G.E.D.	1034	782,947	525	39.2	34.9-43.5	509	60.8	56.5-65.1
Some Post-H.S.	857	699,551	385	32.6	28.3-36.9	472	67.4	63.1-71.7
College Graduate	902	494,040	363	29.3	25.2-33.4	539	70.7	66.6-74.8
Less than \$15,000	403	266,388	218	39.5	32.6-46.4	185	60.5	53.6-67.4
\$15,000- 24,999	589	437,969	320	45.2	39.3-51.1	269	54.8	48.9-60.7
\$25,000- 34,999	308	220,767	148	35.1	27.3-42.9	160	64.9	57.1-72.7
\$35,000- 49,999	394	286,593	166	30.4	24.5-36.3	228	69.6	63.7-75.5
\$50,000- 74,999	348	278,662	136	32.3	25.2-39.4	212	67.7	60.6-74.8
\$75,000+	510	398,998	162	25.4	20.3-30.5	348	74.6	69.5-79.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 10: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
TOTAL	5231	4,382,266	925	19.3	17.7-20.9
Male	2239	2,133,127	355	16.9	14.7-19.1
Female	2989	2,245,626	570	21.6	19.4-23.8
White/Non-Hisp	4231	3,298,225	769	20.6	18.8-22.4
Black or Afr. Am./Non-Hisp	643	701,434	100	15.6	11.7-19.5
Oth. Race/Non-Hisp.	101	99,196	15	12.4	3.8-21.0
MultiRacial/Non-Hisp.	90	47,521	13	13.1	4.1-22.1
Hispanic	89	167,599	20	17.4	8.8-26.0
18-24	311	507,863	88	26.7	20.8-32.6
25-34	525	740,659	155	28.8	23.7-33.9
35-44	551	726,734	127	20.4	16.3-24.5
45-54	856	733,498	168	16.8	13.7-19.9
55-64	1126	716,863	187	16.7	13.8-19.6
65+	1791	908,481	187	10.7	8.7-12.7
Less Than H.S.	535	609,011	57	10.0	6.9-13.1
H.S. or G.E.D.	1698	1,477,789	209	14.0	11.5-16.5
Some Post-H.S.	1369	1,274,377	250	22.1	19.0-25.2
College Graduate	1619	1,017,851	405	29.0	25.9-32.1
Less than \$15,000	569	413,314	82	12.7	9.0-16.4
\$15,000- 24,999	860	726,867	143	19.4	15.5-23.3
\$25,000- 34,999	525	442,426	74	15.8	11.1-20.5
\$35,000- 49,999	712	593,552	142	19.3	15.4-23.2
\$50,000- 74,999	666	609,708	140	22.1	17.4-26.8
\$75,000+	1074	954,246	248	25.7	22.0-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 10: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)  
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
493	9.7	8.5-10.9	1434	27.7	25.9-29.5	2379	43.3	41.3-45.3
224	10.8	8.6-13.0	755	32.2	29.5-34.9	905	40.1	37.2-43.0
268	8.5	7.1- 9.9	677	23.4	21.0-25.8	1474	46.5	43.8-49.2
410	9.7	8.3-11.1	1170	28.2	26.2-30.2	1882	41.4	39.4-43.4
47	8.3	5.2-11.4	151	24.1	19.2-29.0	345	52.0	46.1-57.9
14	21.8	6.7-36.9	26	20.1	10.5-29.7	46	45.8	31.1-60.5
10	11.8	1.6-22.0	27	29.4	16.3-42.5	40	45.7	30.4-61.0
8	6.9	0.0-13.8	31	35.9	23.0-48.8	30	39.8	25.5-54.1
33	8.7	5.0-12.4	109	35.2	28.5-41.9	81	29.4	22.7-36.1
51	8.8	5.9-11.7	141	27.0	21.9-32.1	178	35.4	29.9-40.9
58	13.1	8.4-17.8	147	25.1	20.4-29.8	219	41.4	35.5-47.3
74	9.6	6.3-12.9	275	30.3	26.2-34.4	339	43.3	38.6-48.0
121	10.3	8.1-12.5	306	27.3	24.0-30.6	512	45.7	42.0-49.4
148	7.4	5.8- 9.0	441	24.8	22.3-27.3	1015	57.2	54.1-60.3
46	11.7	6.4-17.0	152	26.6	21.7-31.5	280	51.8	45.5-58.1
138	8.9	6.7-11.1	478	28.4	25.3-31.5	873	48.7	45.2-52.2
157	10.7	8.3-13.1	372	27.7	24.4-31.0	590	39.5	35.8-43.2
152	8.2	6.4-10.0	428	27.4	24.3-30.5	634	35.4	32.3-38.5
45	9.6	5.5-13.7	151	26.9	21.8-32.0	291	50.8	44.7-56.9
86	9.2	6.7-11.7	197	23.0	19.1-26.9	434	48.4	43.3-53.5
55	10.4	6.7-14.1	138	26.2	20.9-31.5	258	47.7	41.2-54.2
69	10.6	6.7-14.5	182	28.1	23.2-33.0	319	42.0	36.7-47.3
64	12.7	7.6-17.8	190	24.9	20.4-29.4	272	40.3	34.8-45.8
112	9.4	7.0-11.8	320	29.7	25.8-33.6	394	35.1	31.0-39.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 11: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Male	2239	2,133,127	355	16.9	14.7-19.1
White/Non-Hisp	1821	1,616,142	304	18.6	16.1-21.1
Black or Afr. Am./Non-Hisp	226	300,826	26	10.8	5.5-16.1
Oth. Race/Non-Hisp.	56	64,289	6	4.5	0.4- 8.6
Hispanic	52	92,953	9	14.9	3.1-26.7
18-24	177	258,810	43	22.7	15.4-30.0
25-34	243	366,083	60	25.1	18.2-32.0
35-44	256	368,548	54	18.0	12.3-23.7
45-54	345	354,847	46	12.1	7.6-16.6
55-64	519	357,508	75	15.4	11.3-19.5
65+	676	407,021	75	10.6	7.7-13.5
Less Than H.S.	196	281,385	22	8.8	4.5-13.1
H.S. or G.E.D.	731	729,524	82	12.3	9.0-15.6
Some Post-H.S.	563	605,526	95	20.5	16.0-25.0
College Graduate	748	516,632	156	23.6	19.5-27.7
Less than \$15,000	188	154,035	19	9.0	3.9-14.1
\$15,000- 24,999	302	301,039	45	17.5	11.6-23.4
\$25,000- 34,999	231	224,825	31	13.8	7.9-19.7
\$35,000- 49,999	334	315,167	58	15.3	10.6-20.0
\$50,000- 74,999	331	331,997	64	20.3	13.8-26.8
\$75,000+	578	556,617	107	20.9	16.2-25.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 11: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
224	10.8	8.6-13.0	755	32.2	29.5-34.9	905	40.1	37.2-43.0
181	10.4	8.0-12.8	618	32.8	29.9-35.7	718	38.2	35.1-41.3
24	12.3	6.6-18.0	71	27.4	19.8-35.0	105	49.5	40.5-58.5
10	31.2	10.2-52.2	14	22.9	9.4-36.4	26	41.4	22.6-60.2
5	4.0	0.0- 8.1	19	42.2	23.8-60.6	19	38.9	19.7-58.1
20	9.1	4.0-14.2	68	38.4	29.8-47.0	46	29.8	21.0-38.6
28	9.4	5.5-13.3	81	34.8	27.0-42.6	74	30.7	23.1-38.3
27	16.8	8.4-25.2	91	30.4	23.3-37.5	84	34.8	26.8-42.8
34	10.8	5.5-16.1	136	34.0	27.5-40.5	129	43.0	35.6-50.4
56	11.3	7.8-14.8	176	32.0	26.9-37.1	212	41.3	35.8-46.8
56	6.8	4.4- 9.2	196	26.4	22.3-30.5	349	56.1	51.2-61.0
18	15.8	5.8-25.8	66	30.1	21.9-38.3	90	45.2	35.4-55.0
75	11.1	7.8-14.4	260	34.2	29.5-38.9	314	42.4	37.3-47.5
51	9.7	6.4-13.0	194	30.3	25.4-35.2	223	39.5	34.0-45.0
80	8.8	6.4-11.2	234	32.8	28.1-37.5	278	34.7	30.0-39.4
18	15.1	6.1-24.1	69	35.9	26.9-44.9	82	40.1	30.5-49.7
33	9.7	5.8-13.6	86	24.4	18.3-30.5	138	48.4	40.2-56.6
23	8.7	3.8-13.6	70	30.5	22.5-38.5	107	47.0	38.2-55.8
41	12.3	6.6-18.0	99	34.0	26.6-41.4	136	38.5	31.2-45.8
27	14.9	6.3-23.5	114	27.1	20.6-33.6	126	37.7	29.9-45.5
65	9.9	6.8-13.0	200	33.5	28.4-38.6	206	35.8	30.3-41.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 12: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, received Tdap		
	TOTAL	WEIGHTED	N	%	C.I. (95%)
Female	2989	2,245,626	570	21.6	19.4-23.8
White/Non-Hisp	2408	1,680,479	465	22.6	20.1-25.1
Black or Afr. Am./Non-Hisp	417	400,608	74	19.1	13.4-24.8
18-24	134	249,053	45	30.9	21.3-40.5
25-34	281	373,249	95	32.6	25.3-39.9
35-44	295	358,186	73	22.9	16.8-29.0
45-54	510	376,740	122	21.3	16.8-25.8
55-64	607	359,355	112	18.1	14.2-22.0
65+	1114	501,182	112	10.7	8.2-13.2
Less Than H.S.	338	325,716	35	11.0	6.7-15.3
H.S. or G.E.D.	967	748,265	127	15.7	12.0-19.4
Some Post-H.S.	805	667,524	155	23.6	19.1-28.1
College Graduate	870	500,942	249	34.6	29.9-39.3
Less than \$15,000	381	259,279	63	14.8	9.7-19.9
\$15,000- 24,999	558	425,828	98	20.7	15.8-25.6
\$25,000- 34,999	294	217,601	43	17.9	10.5-25.3
\$35,000- 49,999	378	278,385	84	23.8	17.5-30.1
\$50,000- 74,999	335	277,711	76	24.2	17.3-31.1
\$75,000+	495	395,719	141	32.6	26.5-38.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 12: IMMUNIZATION**

**TABLE 12: SINCE 2005, HAVE YOU HAD A TETANUS SHOT? (TETANUS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

Yes, received tetanus shot but not Tdap			Yes, received tetanus shot but not sure of type			No, did not receive any tetanus since 2005		
N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
268	8.5	7.1- 9.9	677	23.4	21.0-25.8	1474	46.5	43.8-49.2
229	9.1	7.5-10.7	550	23.8	21.3-26.3	1164	44.6	41.9-47.3
23	5.4	2.3- 8.5	80	21.6	15.1-28.1	240	53.9	46.3-61.5
13	8.2	2.9-13.5	41	31.9	21.9-41.9	35	29.0	18.8-39.2
23	8.4	4.1-12.7	59	19.0	12.7-25.3	104	40.1	32.3-47.9
31	9.3	5.4-13.2	56	19.6	13.7-25.5	135	48.2	40.2-56.2
39	8.0	4.3-11.7	139	27.0	21.7-32.3	210	43.8	37.9-49.7
65	9.3	6.6-12.0	130	22.6	18.3-26.9	300	50.0	44.9-55.1
92	7.8	5.8- 9.8	244	23.4	19.9-26.9	666	58.1	54.2-62.0
27	7.6	4.1-11.1	86	23.6	17.7-29.5	190	57.8	50.4-65.2
63	6.8	4.4- 9.2	218	22.7	18.8-26.6	559	54.7	50.0-59.4
106	11.7	8.6-14.8	177	25.1	20.4-29.8	367	39.6	34.7-44.5
72	7.6	5.1-10.1	193	21.7	18.0-25.4	356	36.1	31.8-40.4
27	6.4	2.9- 9.9	82	21.6	15.5-27.7	209	57.2	49.8-64.6
53	8.9	5.8-12.0	111	22.1	17.2-27.0	296	48.3	42.0-54.6
32	12.1	6.4-17.8	68	21.7	15.0-28.4	151	48.3	38.9-57.7
28	8.7	3.8-13.6	83	21.5	15.8-27.2	183	46.0	38.7-53.3
37	10.1	6.0-14.2	76	22.3	16.0-28.6	146	43.3	35.7-50.9
46	8.4	5.1-11.7	120	24.7	18.6-30.8	188	34.4	28.7-40.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 13: FALLS CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)	
1	MALES AND FEMALES	216
2	MALES ONLY	217
3	FEMALES ONLY	218
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	219
5	MALES ONLY	220
6	FEMALES ONLY	221

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 1: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4200	2,629,766	635	13.8	12.4-15.2	307	7.1	6.1- 8.1	166	4.0	3.2- 4.8	78	1.8	1.4- 2.2	213	4.4	3.4- 5.4	2801	68.9	66.9-70.9
Male	1681	1,225,143	199	11.0	9.0-13.0	116	5.7	4.3- 7.1	58	3.0	2.0- 4.0	28	1.6	0.8- 2.4	89	5.2	3.6- 6.8	1191	73.4	70.7-76.1
Female	2517	1,402,435	435	16.3	14.5-18.1	191	8.4	6.8-10.0	108	4.8	3.6- 6.0	50	1.9	1.3- 2.5	124	3.7	2.9- 4.5	1609	64.9	62.4-67.4
White/Non-Hisp	3472	2,106,062	548	14.8	13.2-16.4	255	7.5	6.3- 8.7	139	4.1	3.3- 4.9	59	1.7	1.1- 2.3	173	4.5	3.5- 5.5	2298	67.5	65.5-69.5
Black or Afr. Am./Non-Hisp	476	339,986	66	11.4	7.9-14.9	35	6.3	3.6- 9.0	14	3.1	0.6- 5.6	10	1.8	0.2- 3.4	20	2.6	1.0- 4.2	331	74.7	69.4-80.0
Oth. Race/Non-Hisp.	79	65,315	6	9.1	0.1-18.1	8	6.3	0.0-13.4	3	3.9	0.0- 8.8	3	1.1	0.0- 2.5	4	1.8	0.0- 4.2	55	77.7	65.0-90.4
MultiRacial/Non-Hisp.	70	25,395	10	10.7	2.3-19.1	2	0.9	0.0- 2.3	5	6.7	0.0-14.3	3	3.3	0.0- 7.2	10	13.5	4.3-22.7	40	64.9	50.8-79.0
45-54	926	783,825	133	13.4	10.5-16.3	71	7.3	5.1- 9.5	40	3.7	2.1- 5.3	24	1.9	0.9- 2.9	60	5.4	3.4- 7.4	598	68.4	64.5-72.3
55-64	1220	779,030	164	13.0	10.6-15.4	90	7.5	5.5- 9.5	55	4.6	3.2- 6.0	19	1.7	0.7- 2.7	62	4.1	2.9- 5.3	830	69.2	65.9-72.5
65+	1971	1,000,152	328	15.0	13.0-17.0	144	7.0	5.4- 8.6	69	3.8	2.6- 5.0	35	1.8	1.0- 2.6	90	3.7	2.7- 4.7	1305	68.7	66.0-71.4
Less Than H.S.	510	482,298	75	13.4	9.7-17.1	47	9.4	6.3-12.5	35	6.7	4.2- 9.2	13	2.1	0.9- 3.3	39	6.4	4.0- 8.8	301	62.0	56.7-67.3
H.S. or G.E.D.	1403	909,318	216	13.4	11.2-15.6	103	6.6	4.8- 8.4	63	4.5	3.1- 5.9	26	1.6	0.8- 2.4	67	5.1	3.1- 7.1	928	68.8	65.5-72.1
Some Post-H.S.	1039	681,923	142	13.3	10.6-16.0	81	7.0	5.0- 9.0	40	2.8	1.6- 4.0	22	1.9	0.9- 2.9	52	3.3	2.1- 4.5	702	71.7	68.2-75.2
College Graduate	1236	551,744	200	15.5	13.0-18.0	75	6.2	4.4- 8.0	28	2.3	1.3- 3.3	17	1.5	0.5- 2.5	55	3.1	1.9- 4.3	861	71.5	68.4-74.6
Less than \$15,000	477	273,100	70	15.3	10.2-20.4	52	9.9	6.8-13.0	29	7.6	3.9-11.3	20	4.4	2.2- 6.6	55	10.0	6.5-13.5	251	52.7	46.2-59.2
\$15,000- 24,999	686	436,846	107	14.8	11.5-18.1	65	9.0	6.1-11.9	43	5.2	3.2- 7.2	14	1.5	0.5- 2.5	45	4.5	2.7- 6.3	412	65.0	60.3-69.7
\$25,000- 34,999	417	262,474	63	12.1	8.2-16.0	27	5.2	2.8- 7.6	12	3.0	1.0- 5.0	10	2.6	0.8- 4.4	25	6.8	2.9-10.7	280	70.4	64.5-76.3
\$35,000- 49,999	537	335,182	90	14.2	10.7-17.7	29	4.9	2.5- 7.3	14	3.2	1.2- 5.2	8	1.1	0.3- 1.9	15	2.0	0.4- 3.6	381	74.6	69.9-79.3
\$50,000- 74,999	504	331,463	71	13.9	10.0-17.8	34	7.3	4.2-10.4	18	3.7	1.7- 5.7	7	1.0	0.0- 2.0	25	3.3	1.7- 4.9	349	70.7	65.4-76.0
\$75,000+	801	516,445	109	12.8	9.9-15.7	44	5.0	3.2- 6.8	16	1.6	0.6- 2.6	9	1.1	0.1- 2.1	13	1.4	0.4- 2.4	610	78.1	74.6-81.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 2: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1681	1,225,143	199	11.0	9.0-13.0	116	5.7	4.3- 7.1	58	3.0	2.0- 4.0	28	1.6	0.8- 2.4	89	5.2	3.6- 6.8	1191	73.4	70.7-76.1
White/Non-Hisp	1384	953,790	172	11.7	9.5-13.9	101	6.5	4.9- 8.1	47	3.1	2.1- 4.1	21	1.5	0.7- 2.3	67	5.0	3.4- 6.6	976	72.2	69.3-75.1
Black or Afr. Am./Non-Hisp	167	155,740	17	8.8	3.5-14.1	9	4.2	1.1- 7.3	5	2.5	0.0- 5.4	3	1.8	0.0- 4.7	12	4.3	1.0- 7.6	121	78.4	70.6-86.2
45-54	367	374,359	46	11.9	7.6-16.2	25	5.6	3.1- 8.1	8	1.5	0.3- 2.7	10	1.6	0.4- 2.8	24	6.1	3.0- 9.2	254	73.3	67.4-79.2
55-64	553	377,582	59	9.8	6.9-12.7	37	6.0	3.6- 8.4	26	4.3	2.3- 6.3	7	1.6	0.0- 3.2	30	4.9	2.7- 7.1	394	73.4	68.9-77.9
65+	730	440,196	92	11.6	8.5-14.7	52	5.7	3.7- 7.7	24	3.4	1.6- 5.2	11	1.8	0.6- 3.0	34	3.9	2.1- 5.7	517	73.6	69.5-77.7
Less Than H.S.	178	218,105	17	11.2	4.7-17.7	12	4.6	1.7- 7.5	12	4.6	1.7- 7.5	3	1.4	0.0- 3.0	18	8.5	4.0-13.0	116	69.7	61.5-77.9
H.S. or G.E.D.	542	413,997	66	9.5	6.8-12.2	46	6.8	4.3- 9.3	19	3.6	1.6- 5.6	10	1.5	0.5- 2.5	29	6.3	2.6-10.0	372	72.3	67.2-77.4
Some Post-H.S.	391	298,123	46	11.8	7.7-15.9	24	4.7	2.2- 7.2	13	1.8	0.4- 3.2	8	2.4	0.4- 4.4	19	3.4	1.4- 5.4	281	76.0	70.7-81.3
College Graduate	568	294,180	70	12.2	8.9-15.5	34	6.1	3.7- 8.5	14	2.3	0.9- 3.7	7	1.2	0.0- 2.4	23	3.2	1.6- 4.8	420	75.0	70.7-79.3
Less than \$15,000	149	110,539	17	15.6	5.6-25.6	16	8.3	3.4-13.2	7	5.9	1.4-10.4	6	4.0	0.3- 7.7	17	10.0	4.1-15.9	86	56.2	45.0-67.4
\$15,000- 24,999	227	175,909	29	11.9	6.6-17.2	16	4.5	2.0- 7.0	12	4.0	1.5- 6.5	6	1.7	0.3- 3.1	13	4.3	1.2- 7.4	151	73.6	66.5-80.7
\$25,000- 34,999	175	137,274	25	12.7	6.6-18.8	11	3.3	1.1- 5.5	4	1.6	0.0- 3.4	4	2.6	0.0- 5.3	14	9.5	2.4-16.6	117	70.3	61.3-79.3
\$35,000- 49,999	234	157,371	35	13.3	8.0-18.6	12	2.7	1.1- 4.3	6	1.9	0.1- 3.7	2	0.7	0.0- 1.7	7	3.1	0.0- 6.4	172	78.3	71.8-84.8
\$50,000- 74,999	239	175,959	25	10.7	5.8-15.6	17	7.7	3.2-12.2	6	1.8	0.0- 3.6	4	1.6	0.0- 3.2	13	3.3	1.1- 5.5	174	74.9	67.8-82.0
\$75,000+	421	289,147	41	8.6	5.5-11.7	22	4.7	2.5- 6.9	11	2.0	0.4- 3.6	3	0.2	0.0- 0.4	10	1.7	0.5- 2.9	334	82.7	78.6-86.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 13: FALLS**

**TABLE 3: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL12MN)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents who are < 45 years of age**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2517	1,402,435	435	16.3	14.5-18.1	191	8.4	6.8-10.0	108	4.8	3.6- 6.0	50	1.9	1.3- 2.5	124	3.7	2.9- 4.5	1609	64.9	62.4-67.4
White/Non-Hisp	2087	1,151,995	375	17.2	15.0-19.4	154	8.4	6.6-10.2	92	4.9	3.7- 6.1	38	1.9	1.1- 2.7	106	4.0	3.0- 5.0	1322	63.6	60.9-66.3
Black or Afr. Am./Non-Hisp	309	184,246	49	13.6	8.7-18.5	26	8.2	3.9-12.5	9	3.7	0.0- 7.6	7	1.7	0.3- 3.1	8	1.2	0.2- 2.2	210	71.6	64.5-78.7
45-54	558	407,556	87	14.8	11.1-18.5	46	8.9	5.8-12.0	32	5.6	2.9- 8.3	14	2.1	0.7- 3.5	36	4.8	2.6- 7.0	343	63.8	58.5-69.1
55-64	667	401,448	105	16.0	12.5-19.5	53	9.0	5.9-12.1	29	4.8	2.6- 7.0	12	1.8	0.6- 3.0	32	3.2	1.8- 4.6	436	65.2	60.5-69.9
65+	1240	559,678	235	17.6	14.9-20.3	92	8.1	5.9-10.3	45	4.0	2.4- 5.6	24	1.9	0.9- 2.9	56	3.6	2.4- 4.8	788	64.9	61.4-68.4
Less Than H.S.	331	262,282	58	15.3	11.0-19.6	35	13.5	8.4-18.6	23	8.4	4.3-12.5	10	2.7	0.9- 4.5	21	4.8	2.4- 7.2	184	55.3	48.6-62.0
H.S. or G.E.D.	861	495,322	150	16.7	13.6-19.8	57	6.4	4.2- 8.6	44	5.3	3.3- 7.3	16	1.6	0.4- 2.8	38	4.0	2.4- 5.6	556	66.0	61.9-70.1
Some Post-H.S.	648	383,800	96	14.4	10.9-17.9	57	8.9	6.0-11.8	27	3.5	1.7- 5.3	14	1.6	0.6- 2.6	33	3.2	1.8- 4.6	421	68.4	63.7-73.1
College Graduate	667	257,287	129	19.1	15.2-23.0	41	6.4	3.7- 9.1	14	2.2	0.8- 3.6	10	1.8	0.2- 3.4	32	3.0	1.6- 4.4	441	67.5	62.8-72.2
Less than \$15,000	328	162,561	53	15.1	9.8-20.4	36	11.1	6.8-15.4	22	8.8	3.3-14.3	14	4.7	2.0- 7.4	38	10.0	5.7-14.3	165	50.4	42.8-58.0
\$15,000- 24,999	459	260,937	78	16.8	12.5-21.1	49	12.1	7.8-16.4	31	6.0	3.5- 8.5	8	1.4	0.2- 2.6	32	4.6	2.6- 6.6	261	59.1	53.0-65.2
\$25,000- 34,999	242	125,199	38	11.5	7.0-16.0	16	7.3	2.8-11.8	8	4.5	0.8- 8.2	6	2.5	0.1- 4.9	11	3.7	0.8- 6.6	163	70.4	63.0-77.8
\$35,000- 49,999	303	177,811	55	15.0	10.3-19.7	17	6.8	2.7-10.9	8	4.4	0.9- 7.9	6	1.6	0.2- 3.0	8	1.0	0.2- 1.8	209	71.3	64.4-78.2
\$50,000- 74,999	265	155,503	46	17.5	11.2-23.8	17	6.9	2.6-11.2	12	5.9	2.2- 9.6	3	0.3	0.0- 0.7	12	3.4	1.2- 5.6	175	66.0	58.4-73.6
\$75,000+	379	225,388	68	18.2	13.3-23.1	22	5.5	2.4- 8.6	5	1.1	0.0- 2.5	6	2.3	0.0- 4.7	3	1.0	0.0- 2.6	275	71.9	66.0-77.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 13: FALLS**

**TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1391	814,528	376	25.4	22.5-28.3	95	6.2	4.6- 7.8	46	3.2	2.0- 4.4	17	0.9	0.3- 1.5	42	2.7	1.5- 3.9	815	61.6	58.3-64.9
Male	487	323,945	97	17.2	13.1-21.3	27	5.1	2.6- 7.6	15	2.7	1.1- 4.3	2	0.5	0.0- 1.3	12	1.9	0.5- 3.3	334	72.6	67.7-77.5
Female	903	490,306	278	30.8	26.7-34.9	68	6.9	4.7- 9.1	31	3.6	2.0- 5.2	15	1.2	0.4- 2.0	30	3.2	1.6- 4.8	481	54.3	50.0-58.6
White/Non-Hisp	1168	683,414	328	27.3	24.0-30.6	76	6.0	4.2- 7.8	40	3.5	2.1- 4.9	15	1.0	0.4- 1.6	30	2.4	1.2- 3.6	679	59.8	56.1-63.5
Black or Afr. Am./Non-Hisp	143	84,185	28	14.9	8.2-21.6	12	7.1	1.2-13.0	3	1.6	0.0- 3.6	1	0.2	0.0- 0.6	3	1.7	0.0- 3.7	96	74.5	65.7-83.3
45-54	326	245,596	78	22.3	16.6-28.0	23	4.8	2.3- 7.3	14	3.2	1.0- 5.4	9	1.8	0.2- 3.4	16	5.0	1.9- 8.1	186	62.9	56.2-69.6
55-64	388	239,380	112	28.7	22.8-34.6	29	7.9	4.4-11.4	13	3.7	1.2- 6.2	3	0.7	0.0- 1.7	15	2.9	1.1- 4.7	216	56.1	49.8-62.4
65+	662	312,301	184	26.4	21.9-30.9	42	5.9	3.4- 8.4	19	3.1	1.5- 4.7	5	0.4	0.0- 0.8	11	0.9	0.3- 1.5	401	63.3	58.4-68.2
Less Than H.S.	207	181,619	58	25.2	17.6-32.8	20	9.4	4.9-13.9	10	4.9	1.8- 8.0	4	1.6	0.0- 3.4	8	3.7	0.8- 6.6	107	55.2	46.8-63.6
H.S. or G.E.D.	473	282,192	136	28.3	23.0-33.6	32	5.1	2.7- 7.5	11	2.1	0.5- 3.7	4	0.3	0.0- 0.7	17	3.3	1.1- 5.5	273	60.8	54.9-66.7
Some Post-H.S.	336	192,448	79	22.3	16.4-28.2	26	7.0	3.5-10.5	17	4.6	1.9- 7.3	5	1.2	0.0- 2.4	8	2.0	0.0- 4.2	201	63.0	56.1-69.9
College Graduate	372	157,073	103	24.3	19.0-29.6	17	3.6	1.2- 6.0	8	1.6	0.2- 3.0	4	0.9	0.0- 1.9	9	1.1	0.1- 2.1	231	68.5	62.8-74.2
Less than \$15,000	224	128,330	67	25.9	18.5-33.3	22	7.3	3.6-11.0	8	4.5	0.8- 8.2	7	2.3	0.3- 4.3	14	6.8	1.7-11.9	106	53.3	44.1-62.5
\$15,000- 24,999	274	153,039	76	26.5	19.6-33.4	27	9.5	5.0-14.0	19	6.1	3.0- 9.2	2	0.3	0.0- 0.7	10	2.8	0.6- 5.0	140	54.9	47.3-62.5
\$25,000- 34,999	137	77,809	30	19.5	11.5-27.5	11	8.8	2.7-14.9	2	1.3	0.0- 3.5	4	3.5	0.0- 7.4	5	3.0	0.1- 5.9	85	63.9	53.5-74.3
\$35,000- 49,999	154	85,065	47	32.7	23.1-42.3	2	0.9	0.0- 2.5	4	4.3	0.0- 9.2	1	0.8	0.0- 2.4	3	0.9	0.0- 2.1	97	60.4	50.4-70.4
\$50,000- 74,999	153	95,916	43	31.1	21.3-40.9	6	3.4	0.3- 6.5	3	1.3	0.0- 3.3	1	0.2	0.0- 0.6				100	64.0	54.0-74.0
\$75,000+	191	113,283	51	23.1	15.7-30.5	6	1.3	0.0- 2.9	3	0.8	0.0- 1.8				1	1.6	0.0- 4.7	130	73.1	65.1-81.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 13: FALLS**

**TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	487	323,945	97	17.2	13.1-21.3	27	5.1	2.6- 7.6	15	2.7	1.3- 4.1	2	0.5	0.0- 1.3	12	1.9	0.5- 3.3	334	72.6	67.7-77.5
White/Non-Hisp	407	265,044	82	18.6	13.9-23.3	21	5.1	2.4- 7.8	13	2.9	1.1- 4.7	2	0.6	0.0- 1.4	6	1.3	0.0- 2.7	283	71.5	66.0-77.0
45-54	112	98,853	17	11.6	5.3-17.9	4	3.2	0.0- 6.5	4	2.1	0.0- 4.5	1	0.7	0.0- 2.1	5	3.8	0.1- 7.5	81	78.7	70.7-86.7
55-64	157	99,701	35	21.0	13.4-28.6	13	9.9	3.2-16.6	6	3.8	1.1- 6.5	1	0.9	0.0- 2.7	4	1.7	0.0- 3.5	98	62.7	53.5-71.9
65+	213	116,204	44	19.7	12.4-27.0	10	3.0	0.5- 5.5	5	2.4	0.2- 4.6				3	0.7	0.0- 1.7	151	74.1	66.5-81.7
Less Than H.S.	60	64,352	12	17.6	6.0-29.2	5	5.5	0.0-11.4	2	3.1	0.6- 5.6				3	4.1	0.0- 9.4	38	69.7	56.4-83.0
H.S. or G.E.D.	170	114,742	35	17.8	10.9-24.7	10	4.7	0.6- 8.8	6	3.1	0.4- 5.8				7	2.9	0.5- 5.3	112	71.5	63.1-79.9
Some Post-H.S.	109	71,342	15	10.5	4.0-17.0	6	5.7	0.0-12.0	5	2.7	0.2- 5.2	1	1.3	0.0- 3.8	1	0.1	0.0- 0.3	81	79.6	70.4-88.8
College Graduate	148	73,509	35	22.3	14.1-30.5	6	4.8	0.1- 9.5	2	1.6	0.0- 4.0	1	0.9	0.0- 2.7	1	0.2	0.0- 0.6	103	70.1	61.3-78.9
Less than \$15,000	62	47,999	18	22.9	10.7-35.1	5	4.9	0.0-10.8	2	2.0	0.0- 5.1				3	4.4	0.0-10.9	34	65.9	51.4-80.4
\$15,000- 24,999	76	46,416	17	19.2	7.8-30.6	7	12.5	2.1-22.9	6	5.6	1.1-10.1				2	1.1	0.0- 3.1	44	61.6	47.3-75.9
\$25,000- 34,999	58	40,801	10	11.5	3.1-19.9	3	2.5	0.0- 5.4	1	2.0	0.0- 5.9	1	2.3	0.0- 6.8	4	5.3	0.0-11.0	39	76.4	64.2-88.6
\$35,000- 49,999	62	34,140	13	23.5	10.2-36.8	1	1.9	0.0- 5.6	1	1.2	0.0- 3.6	1	2.0	0.0- 5.9				46	71.5	57.8-85.2
\$50,000- 74,999	65	44,100	13	21.5	9.3-33.7	2	1.9	0.0- 4.6	1	2.1	0.0- 6.2							49	74.4	61.7-87.1
\$75,000+	87	49,886	18	16.8	7.8-25.8	4	2.2	0.0- 5.3	1	0.9	0.0- 2.7							64	80.1	70.5-89.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 13: FALLS**

**TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents reporting not having a fall in the past 3 months**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	903	490,306	278	30.8	26.7-34.9	68	6.9	4.7- 9.1	31	3.6	2.0- 5.2	15	1.2	0.4- 2.0	30	3.2	1.6- 4.8	481	54.3	50.0-58.6
White/Non-Hisp	760	418,093	245	32.8	28.3-37.3	55	6.6	4.4- 8.8	27	3.9	1.9- 5.9	13	1.3	0.5- 2.1	24	3.1	1.3- 4.9	396	52.4	47.7-57.1
Black or Afr. Am./Non-Hisp	99	52,241	23	20.1	10.7-29.5	8	5.9	1.0-10.8	2	1.5	0.0- 3.9	1	0.3	0.0- 0.9	1	0.6	0.0- 1.8	64	71.6	60.8-82.4
45-54	214	146,742	61	29.4	21.4-37.4	19	6.0	2.5- 9.5	10	3.9	0.6- 7.2	8	2.6	0.2- 5.0	11	5.8	1.3-10.3	105	52.3	43.5-61.1
55-64	231	139,679	77	34.3	26.3-42.3	16	6.4	2.7-10.1	7	3.6	0.1- 7.1	2	0.6	0.0- 1.4	11	3.8	1.1- 6.5	118	51.4	43.2-59.6
65+	448	195,820	139	30.3	24.6-36.0	32	7.6	4.1-11.1	14	3.5	1.1- 5.9	5	0.6	0.0- 1.2	8	0.9	0.1- 1.7	250	57.0	50.7-63.3
Less Than H.S.	147	117,267	46	29.4	19.8-39.0	15	11.5	5.2-17.8	8	5.9	1.4-10.4	4	2.5	0.0- 5.2	5	3.5	0.2- 6.8	69	47.2	37.0-57.4
H.S. or G.E.D.	303	167,450	101	35.5	28.4-42.6	22	5.4	2.5- 8.3	5	1.5	0.0- 3.3	4	0.5	0.0- 1.1	10	3.6	0.5- 6.7	161	53.4	46.1-60.7
Some Post-H.S.	227	121,106	64	29.3	21.3-37.3	20	7.7	3.6-11.8	12	5.7	1.6- 9.8	4	1.1	0.0- 2.3	7	3.1	0.0- 6.4	120	53.2	44.4-62.0
College Graduate	223	83,287	67	25.8	18.7-32.9	11	2.6	0.8- 4.4	6	1.6	0.2- 3.0	3	0.9	0.0- 1.9	8	2.0	0.2- 3.8	128	67.2	59.8-74.6
Less than \$15,000	162	80,331	49	27.7	18.5-36.9	17	8.7	3.8-13.6	6	6.0	0.3-11.7	7	3.7	0.4- 7.0	11	8.3	1.2-15.4	72	45.8	35.0-56.6
\$15,000- 24,999	198	106,623	59	29.7	21.3-38.1	20	8.1	3.6-12.6	13	6.3	2.2-10.4	2	0.5	0.0- 1.1	8	3.5	0.6- 6.4	96	51.9	42.7-61.1
\$25,000- 34,999	79	37,008	20	28.4	15.3-41.5	8	15.8	4.0-27.6	1	0.6	0.0- 1.8	3	4.7	0.0-11.2	1	0.4	0.0- 1.2	46	50.1	35.8-64.4
\$35,000- 49,999	92	50,924	34	38.9	26.0-51.8	1	0.3	0.0- 0.9	3	6.4	0.0-14.2				3	1.5	0.0- 3.5	51	52.9	39.6-66.2
\$50,000- 74,999	88	51,816	30	39.3	25.2-53.4	4	4.6	0.0- 9.9	2	0.5	0.0- 1.3	1	0.4	0.0- 1.2				51	55.2	41.1-69.3
\$75,000+	104	63,397	33	28.0	17.0-39.0	2	0.7	0.0- 1.7	2	0.8	0.0- 2.0				1	2.9	0.0- 8.4	66	67.7	55.9-79.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 14: SEATBELT USE CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)	
1	MALES AND FEMALES	223
2	MALES ONLY	224
3	FEMALES ONLY	225

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 1: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5787	4,859,538	4975	84.0	82.6-85.4	494	9.5	8.3-10.7	163	3.3	2.5- 4.1	52	1.1	0.7- 1.5	91	1.9	1.3- 2.5	12	0.2	0.0- 0.4
Male	2455	2,344,646	1966	78.1	75.7-80.5	291	12.5	10.7-14.3	100	4.3	3.1- 5.5	36	1.8	1.0- 2.6	57	3.1	1.9- 4.3	5	0.2	0.0- 0.4
Female	3329	2,511,378	3006	89.4	87.8-91.0	203	6.8	5.4- 8.2	63	2.3	1.5- 3.1	16	0.5	0.3- 0.7	34	0.8	0.4- 1.2	7	0.2	0.0- 0.4
White/Non-Hisp	4694	3,663,994	4029	83.7	82.1-85.3	420	10.3	8.9-11.7	130	2.9	2.3- 3.5	43	1.2	0.8- 1.6	70	1.9	1.1- 2.7	2	0.0	0.0- 0.0
Black or Afr. Am./Non-Hisp	689	750,379	602	83.9	79.6-88.2	48	8.5	5.4-11.6	18	4.3	1.8- 6.8	6	1.2	0.2- 2.2	9	1.5	0.3- 2.7	6	0.7	0.1- 1.3
Oth. Race/Non-Hisp.	113	112,276	91	84.0	75.4-92.6	9	9.3	2.2-16.4	3	0.8	0.0- 1.8	2	0.6	0.0- 1.6	6	3.4	0.0- 6.9	2	1.9	0.0- 5.4
MultiRacial/Non-Hisp.	101	53,548	90	94.1	89.8-98.4	6	3.5	0.2- 6.8	3	1.3	0.0- 2.9				2	1.2	0.0- 3.2			
Hispanic	103	199,809	88	84.5	74.1-94.9	6	3.2	0.0- 6.5	5	7.3	0.0-15.9				2	3.3	0.0- 8.6	2	1.7	0.0- 4.2
18-24	348	581,064	267	75.3	69.6-81.0	53	16.1	11.4-20.8	17	5.3	2.4- 8.2	4	1.1	0.0- 2.5	6	1.7	0.0- 3.7	1	0.4	0.0- 1.2
25-34	570	806,925	468	82.3	78.2-86.4	62	10.7	7.6-13.8	20	3.3	1.3- 5.3	7	1.6	0.2- 3.0	12	2.0	0.6- 3.4	1	0.1	0.0- 0.3
35-44	606	799,860	500	81.7	77.4-86.0	65	10.9	7.8-14.0	18	3.1	1.3- 4.9	7	1.0	0.0- 2.0	16	3.3	0.6- 6.0			
45-54	935	790,277	810	83.9	80.2-87.6	74	9.0	6.5-11.5	29	4.1	1.6- 6.6	8	0.9	0.1- 1.7	13	1.9	0.3- 3.5	1	0.2	0.0- 0.6
55-64	1239	795,716	1073	87.2	84.8-89.6	97	7.3	5.5- 9.1	35	2.9	1.7- 4.1	9	0.9	0.3- 1.5	21	1.4	0.6- 2.2	4	0.3	0.0- 0.7
65+	1999	1,014,758	1775	88.9	87.1-90.7	137	6.1	4.7- 7.5	43	2.0	1.2- 2.8	17	1.2	0.4- 2.0	22	1.3	0.5- 2.1	5	0.4	0.0- 0.8
Less Than H.S.	607	710,907	525	82.4	77.5-87.3	38	8.2	5.3-11.1	20	4.4	1.5- 7.3	8	0.8	0.2- 1.4	11	3.2	0.3- 6.1	5	1.0	0.0- 2.0
H.S. or G.E.D.	1865	1,614,594	1552	81.7	79.2-84.2	168	9.3	7.3-11.3	75	4.3	2.9- 5.7	23	1.7	0.7- 2.7	42	2.6	1.4- 3.8	5	0.3	0.1- 0.5
Some Post-H.S.	1521	1,418,360	1319	84.6	81.9-87.3	137	10.9	8.5-13.3	31	2.3	1.1- 3.5	13	1.0	0.2- 1.8	20	1.2	0.6- 1.8	1	0.0	0.0- 0.0
College Graduate	1781	1,110,706	1567	87.4	85.2-89.6	151	9.0	7.0-11.0	37	2.2	1.2- 3.2	7	0.5	0.0- 1.1	18	0.9	0.5- 1.3	1	0.0	0.0- 0.0
Less than \$15,000	628	462,830	542	83.8	79.3-88.3	38	7.7	4.2-11.2	21	4.8	2.1- 7.5	8	1.1	0.1- 2.1	17	2.3	0.7- 3.9	2	0.4	0.0- 1.0
\$15,000- 24,999	921	772,408	797	84.4	80.5-88.3	73	7.8	5.6-10.0	22	3.7	1.0- 6.4	10	1.4	0.2- 2.6	16	2.5	0.5- 4.5	3	0.3	0.0- 0.7
\$25,000- 34,999	582	494,091	488	82.1	77.8-86.4	55	10.7	7.4-14.0	17	2.4	1.0- 3.8	7	1.9	0.3- 3.5	15	2.9	0.7- 5.1			
\$35,000- 49,999	779	652,216	655	82.1	78.2-86.0	80	11.6	8.3-14.9	33	4.2	2.4- 6.0	3	0.9	0.0- 2.1	8	1.2	0.2- 2.2			
\$50,000- 74,999	724	661,257	616	82.5	78.0-87.0	76	10.8	7.7-13.9	15	2.9	0.9- 4.9	5	0.9	0.0- 1.9	11	2.7	0.0- 5.6	1	0.2	0.0- 0.6
\$75,000+	1170	1,040,057	1013	85.1	82.2-88.0	105	10.2	7.7-12.7	25	2.0	1.0- 3.0	13	1.2	0.2- 2.2	14	1.5	0.5- 2.5			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 2: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2455	2,344,646	1966	78.1	75.7-80.5	291	12.5	10.7-14.3	100	4.3	3.1- 5.5	36	1.8	1.0- 2.6	57	3.1	1.9- 4.3	5	0.2	0.0- 0.4
White/Non-Hisp	2001	1,774,830	1599	78.0	75.5-80.5	250	13.5	11.3-15.7	81	3.7	2.7- 4.7	28	1.9	0.9- 2.9	43	2.9	1.5- 4.3			
Black or Afr. Am./Non-Hisp	242	324,439	198	77.0	69.6-84.4	23	12.0	6.1-17.9	7	5.1	0.8- 9.4	5	2.3	0.0- 4.7	6	3.0	0.1- 5.9	3	0.6	0.0- 1.4
Oth. Race/Non-Hisp.	60	71,476	45	79.5	67.0-92.0	8	14.2	3.2-25.2	1	0.8	0.0- 2.4	2	1.0	0.0- 2.8	4	4.6	0.0-10.1			
MultiRacial/Non-Hisp.	53	29,859	43	89.8	82.2-97.4	5	5.8	0.0-11.7	3	2.3	0.0- 5.2				2	2.2	0.0- 5.5			
Hispanic	58	110,455	49	80.8	64.5-97.1	2	0.9	0.0- 2.5	4	10.2	0.0-24.5				1	5.0	0.0-14.4	2	3.1	0.0- 7.6
18-24	196	299,847	144	69.9	61.7-78.1	32	17.8	11.1-24.5	11	6.4	1.9-10.9	4	2.2	0.0- 4.7	4	2.9	0.0- 6.6	1	0.8	0.0- 2.4
25-34	265	391,777	202	76.3	69.8-82.8	37	13.3	8.2-18.4	13	4.7	1.6- 7.8	4	2.6	0.0- 5.3	8	2.8	0.3- 5.3	1	0.3	0.0- 0.9
35-44	277	396,505	205	73.3	66.0-80.6	44	16.3	10.6-22.0	11	3.2	0.8- 5.6	5	1.8	0.0- 3.8	12	5.4	0.3-10.5			
45-54	374	380,680	306	78.8	72.5-85.1	37	10.5	6.6-14.4	14	5.4	0.7-10.1	7	1.7	0.1- 3.3	9	3.4	0.5- 6.3	1	0.3	0.0- 0.9
55-64	565	389,882	458	81.8	77.9-85.7	61	9.7	6.8-12.6	27	5.1	2.7- 7.5	6	1.3	0.3- 2.3	11	2.0	0.6- 3.4	2	0.2	0.0- 0.6
65+	744	450,691	622	84.7	81.4-88.0	76	9.2	6.7-11.7	23	2.2	1.0- 3.4	10	1.7	0.1- 3.3	13	2.3	0.7- 3.9			
Less Than H.S.	227	335,460	173	71.0	62.2-79.8	28	14.0	8.3-19.7	11	7.2	1.3-13.1	4	0.6	0.0- 1.4	8	6.0	0.0-12.1	3	1.3	0.0- 2.9
H.S. or G.E.D.	791	786,310	603	77.0	73.1-80.9	96	10.9	8.2-13.6	49	4.9	3.1- 6.7	17	3.0	1.2- 4.8	25	4.1	1.7- 6.5	1	0.1	0.0- 0.3
Some Post-H.S.	620	665,356	495	77.4	72.9-81.9	84	15.3	11.4-19.2	20	3.6	1.4- 5.8	9	1.8	0.4- 3.2	11	1.9	0.5- 3.3	1	0.0	0.0- 0.0
College Graduate	814	556,293	693	84.8	81.3-88.3	83	10.6	7.5-13.7	20	2.5	0.9- 4.1	5	0.9	0.0- 1.9	13	1.2	0.4- 2.0			
Less than \$15,000	205	177,784	165	75.9	67.3-84.5	19	11.8	4.9-18.7	12	7.0	1.7-12.3	4	1.8	0.0- 3.8	4	2.8	0.0- 5.9	1	0.7	0.0- 2.1
\$15,000- 24,999	316	307,259	253	76.5	68.9-84.1	41	12.0	7.5-16.5	10	5.3	0.0-11.2	4	1.8	0.0- 4.5	8	4.4	0.1- 8.7			
\$25,000- 34,999	256	251,905	194	74.6	67.5-81.7	36	15.0	9.3-20.7	9	2.4	0.6- 4.2	6	3.3	0.2- 6.4	11	4.6	0.5- 8.7			
\$35,000- 49,999	365	339,917	288	78.1	72.2-84.0	45	13.0	8.1-17.9	24	5.5	2.8- 8.2	3	1.8	0.0- 4.0	5	1.6	0.0- 3.4			
\$50,000- 74,999	357	361,539	281	76.8	69.5-84.1	51	12.4	7.9-16.9	11	4.6	1.1- 8.1	4	1.2	0.0- 2.8	9	4.6	0.0-10.1	1	0.3	0.0- 0.9
\$75,000+	626	599,513	513	80.3	76.0-84.6	71	12.9	9.2-16.6	19	2.5	1.1- 3.9	10	1.9	0.3- 3.5	13	2.3	0.5- 4.1			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 14: SEATBELT USE**

**TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never drive Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3329	2,511,378	3006	89.4	87.8-91.0	203	6.8	5.4- 8.2	63	2.3	1.5- 3.1	16	0.5	0.3- 0.7	34	0.8	0.4- 1.2	7	0.2	0.0- 0.4
White/Non-Hisp	2691	1,887,561	2428	89.1	87.3-90.9	170	7.3	5.7- 8.9	49	2.0	1.2- 2.8	15	0.6	0.2- 1.0	27	0.9	0.5- 1.3	2	0.1	0.1- 0.1
Black or Afr. Am./Non-Hisp	447	425,940	404	89.2	84.5-93.9	25	5.8	2.3- 9.3	11	3.7	0.6- 6.8	1	0.3	0.0- 0.9	3	0.3	0.0- 0.7	3	0.7	0.0- 1.5
Oth. Race/Non-Hisp.	53	40,800	46	91.8	81.8- 100	1	0.7	0.0- 2.1	2	0.8	0.0- 2.0				2	1.3	0.0- 3.3	2	5.3	0.0-14.9
18-24	152	281,217	123	81.1	73.7-88.5	21	14.2	7.5-20.9	6	4.2	0.3- 8.1				2	0.5	0.0- 1.1			
25-34	304	413,822	265	87.9	83.2-92.6	25	8.2	4.3-12.1	7	2.0	0.0- 4.2	3	0.7	0.0- 1.5	4	1.3	0.0- 2.9			
35-44	329	403,354	295	90.0	86.1-93.9	21	5.6	2.7- 8.5	7	2.9	0.5- 5.3	2	0.3	0.0- 0.7	4	1.2	0.0- 2.4			
45-54	560	407,686	503	88.6	84.5-92.7	37	7.7	4.2-11.2	15	3.0	0.8- 5.2	1	0.2	0.0- 0.6	4	0.5	0.0- 1.1			
55-64	674	405,834	615	92.4	90.0-94.8	36	5.0	2.8- 7.2	8	0.8	0.2- 1.4	3	0.5	0.0- 1.1	10	0.8	0.2- 1.4	2	0.4	0.0- 1.2
65+	1254	563,790	1152	92.3	90.3-94.3	61	3.6	2.4- 4.8	20	1.9	0.7- 3.1	7	0.9	0.1- 1.7	9	0.6	0.2- 1.0	5	0.8	0.0- 1.6
Less Than H.S.	379	373,536	351	92.6	89.3-95.9	10	3.1	0.7- 5.5	9	2.0	0.2- 3.8	4	0.9	0.0- 1.9	3	0.7	0.0- 1.7	2	0.7	0.0- 1.9
H.S. or G.E.D.	1074	828,284	949	86.2	82.9-89.5	72	7.8	5.3-10.3	26	3.8	1.8- 5.8	6	0.5	0.0- 1.1	17	1.2	0.4- 2.0	4	0.4	0.0- 0.8
Some Post-H.S.	900	751,678	823	90.9	88.2-93.6	53	7.0	4.5- 9.5	11	1.1	0.1- 2.1	4	0.4	0.0- 0.8	9	0.6	0.0- 1.2			
College Graduate	966	554,136	873	90.0	87.3-92.7	68	7.4	5.0- 9.8	17	1.9	0.7- 3.1	2	0.2	0.0- 0.4	5	0.5	0.0- 1.1	1	0.0	0.0- 0.0
Less than \$15,000	423	285,046	377	88.7	83.8-93.6	19	5.2	1.3- 9.1	9	3.3	0.6- 6.0	4	0.7	0.0- 1.7	13	2.0	0.4- 3.6	1	0.2	0.0- 0.6
\$15,000- 24,999	605	465,150	544	89.6	86.1-93.1	32	5.0	2.8- 7.2	12	2.6	0.2- 5.0	6	1.1	0.1- 2.1	8	1.2	0.0- 2.6	3	0.5	0.0- 1.1
\$25,000- 34,999	326	242,186	294	89.8	85.5-94.1	19	6.3	2.8- 9.8	8	2.5	0.1- 4.9	1	0.4	0.0- 1.2	4	1.1	0.0- 2.3			
\$35,000- 49,999	414	312,300	367	86.4	81.1-91.7	35	10.1	5.4-14.8	9	2.8	0.4- 5.2				3	0.7	0.0- 1.5			
\$50,000- 74,999	367	299,718	335	89.4	84.7-94.1	25	8.9	4.4-13.4	4	0.9	0.0- 1.9	1	0.4	0.0- 1.2	2	0.5	0.0- 1.3			
\$75,000+	543	438,634	499	91.6	88.3-94.9	34	6.6	3.5- 9.7	6	1.2	0.0- 2.4	3	0.4	0.0- 0.8	1	0.3	0.0- 0.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 15: DRINKING AND DRIVING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE		PAGE
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1	MALES AND FEMALES	227
2	MALES ONLY	228
3	FEMALES ONLY	229

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 15: DRINKING AND DRIVING**

**TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that didn't drink alcohol in the past 30 days  
Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2337	2,230,849	47	2.9	1.9- 3.9	11	0.9	0.3- 1.5	9	0.6	0.0- 1.2	3	0.2	0.0- 0.4	6	0.4	0.0- 0.8	2261	95.1	93.7-96.5
Male	1193	1,214,132	33	4.1	2.5- 5.7	7	1.2	0.2- 2.2	6	0.8	0.0- 1.8	2	0.1	0.0- 0.3	4	0.4	0.0- 0.8	1141	93.3	91.1-95.5
Female	1141	1,013,203	14	1.4	0.4- 2.4	4	0.6	0.0- 1.2	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	2	0.4	0.0- 1.0	1117	97.1	95.5-98.7
White/Non-Hisp	1878	1,619,558	41	3.4	2.2- 4.6	5	0.3	0.1- 0.5	9	0.8	0.0- 1.6	3	0.2	0.0- 0.6	2	0.1	0.0- 0.3	1818	95.2	93.6-96.8
Black or Afr. Am./Non-Hisp	289	388,102	4	2.1	0.0- 4.6	5	3.4	0.3- 6.5							3	1.8	0.0- 4.0	277	92.8	88.3-97.3
Hispanic	57	114,101	1	1.0	0.0- 3.0	1	2.3	0.0- 6.8										55	96.6	91.7- 100
18-24	195	311,531	11	6.4	2.1-10.7	3	2.4	0.0- 5.3	2	0.8	0.0- 2.2	1	0.8	0.0- 2.4				178	89.6	84.3-94.9
25-34	343	505,499	12	3.6	1.2- 6.0	3	0.6	0.0- 1.4	1	0.0	0.0- 0.0	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	325	95.2	92.7-97.7
35-44	320	452,608	8	3.0	0.6- 5.4	2	1.5	0.0- 3.7	4	1.7	0.0- 4.1				1	0.1	0.0- 0.3	305	93.7	90.0-97.4
45-54	395	336,863	5	2.0	0.0- 4.2	2	0.7	0.0- 1.7	1	0.5	0.0- 1.5				1	1.0	0.0- 3.0	386	95.8	92.7-98.9
55-64	474	310,922	6	1.2	0.0- 2.4	1	0.1	0.0- 0.3	1	0.2	0.0- 0.6				2	0.9	0.0- 2.3	464	97.6	95.8-99.4
65+	576	283,199	5	0.9	0.0- 2.1							1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	569	98.9	97.7- 100
Less Than H.S.	112	170,649	1	2.0	0.0- 5.9										1	2.1	0.0- 6.0	110	96.0	90.5- 100
H.S. or G.E.D.	581	630,275	12	3.0	1.0- 5.0	3	0.4	0.0- 1.0	2	0.6	0.0- 1.4	1	0.4	0.0- 1.2	2	0.5	0.0- 1.1	561	95.2	92.8-97.6
Some Post-H.S.	622	696,584	8	1.8	0.2- 3.4	5	1.7	0.0- 3.5	1	0.7	0.0- 2.1	1	0.0	0.0- 0.0				607	95.7	93.2-98.2
College Graduate	1017	731,313	26	4.0	2.0- 6.0	3	0.8	0.0- 1.8	6	0.5	0.1- 0.9	1	0.2	0.0- 0.6	3	0.3	0.0- 0.7	978	94.2	92.0-96.4
Less than \$15,000	159	153,650	1	0.5	0.0- 1.5	1	2.3	0.0- 6.8	1	0.2	0.0- 0.6	1	0.2	0.0- 0.6	1	2.3	0.0- 6.8	154	94.5	88.2- 100
\$15,000- 24,999	284	291,084	2	1.2	0.0- 3.0	1	0.3	0.0- 0.9							1	0.6	0.0- 1.8	280	97.9	95.7- 100
\$25,000- 34,999	223	230,048	5	4.0	0.3- 7.7	1	0.1	0.0- 0.3	1	0.9	0.0- 2.7				1	0.7	0.0- 2.1	215	94.3	90.0-98.6
\$35,000- 49,999	315	291,526	9	3.4	0.9- 5.9	5	3.3	0.0- 6.6	2	0.4	0.0- 1.0				1	0.2	0.0- 0.6	298	92.7	88.6-96.8
\$50,000- 74,999	347	323,122	8	3.6	0.3- 6.9	1	0.4	0.0- 1.2	1	0.2	0.0- 0.6				2	0.4	0.0- 1.2	335	95.3	92.0-98.6
\$75,000+	733	696,984	17	3.9	1.7- 6.1	1	0.4	0.0- 1.2	4	1.2	0.0- 2.8	1	0.2	0.0- 0.6				710	94.3	91.6-97.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 15: DRINKING AND DRIVING**

**TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1193	1,214,132	33	4.1	2.5- 5.7	7	1.2	0.2- 2.2	6	0.8	0.0- 1.8	2	0.1	0.0- 0.3	4	0.4	0.0- 0.8	1141	93.3	91.1-95.5
White/Non-Hisp	975	923,539	27	4.4	2.4- 6.4	3	0.3	0.0- 0.7	6	1.0	0.0- 2.2	2	0.2	0.0- 0.4	2	0.2	0.0- 0.4	935	93.9	91.7-96.1
Black or Afr. Am./Non-Hisp	121	167,489	4	4.9	0.0-10.6	4	7.1	0.0-14.2				2	2.0	0.0- 4.7	111	86.1	77.1-95.1			
18-24	116	169,311	10	10.6	3.3-17.9	1	2.1	0.0- 6.2	2	1.4	0.0- 3.8				103	85.9	77.7-94.1			
25-34	175	266,104	7	3.9	0.8- 7.0	1	0.5	0.0- 1.5				1	0.5	0.0- 1.5	1	0.6	0.0- 1.8	165	94.5	91.0-98.0
35-44	159	239,790	6	4.7	0.4- 9.0	2	2.9	0.0- 6.8	3	2.8	0.0- 6.9				1	0.3	0.0- 0.9	147	89.3	82.4-96.2
45-54	184	184,284	5	3.6	0.0- 7.7	2	1.2	0.0- 3.0										177	95.1	90.8-99.4
55-64	261	174,188	3	1.1	0.0- 2.5	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9				2	1.6	0.0- 4.0	254	96.7	94.0-99.4
65+	277	158,513	2	1.2	0.0- 3.2							1	0.2	0.0- 0.6				274	98.6	96.6- 100
Less Than H.S.	64	102,331	1	3.3	0.0- 9.8													63	96.7	90.2- 100
H.S. or G.E.D.	321	361,687	12	5.2	1.9- 8.5	3	0.8	0.0- 1.8	1	0.6	0.0- 1.8				2	0.8	0.0- 2.0	303	92.6	88.9-96.3
Some Post-H.S.	302	363,101	8	3.5	0.6- 6.4	3	2.4	0.0- 5.3	1	1.4	0.0- 4.1	1	0.1	0.0- 0.3				289	92.6	87.9-97.3
College Graduate	503	385,785	12	3.9	1.4- 6.4	1	0.8	0.0- 2.4	4	0.6	0.0- 1.2	1	0.3	0.0- 0.9	2	0.6	0.0- 1.4	483	93.7	90.6-96.8
Less than \$15,000	74	67,727	1	1.1	0.0- 3.3	1	5.3	0.0-15.3	1	0.5	0.0- 1.5	1	0.4	0.0- 1.2				70	92.7	82.5- 100
\$15,000- 24,999	128	143,424	2	2.5	0.0- 6.0	1	0.7	0.0- 2.1							1	1.2	0.0- 3.6	124	95.7	91.4- 100
\$25,000- 34,999	107	117,978	4	6.0	0.0-12.3				1	1.7	0.0- 5.0				1	1.3	0.0- 3.8	101	90.9	83.5-98.3
\$35,000- 49,999	160	158,467	7	5.8	1.3-10.3	3	3.6	0.0- 8.7							1	0.4	0.0- 1.2	149	90.2	83.5-96.9
\$50,000- 74,999	185	187,061	6	5.6	0.1-11.1	1	0.7	0.0- 2.1	1	0.4	0.0- 1.2				1	0.6	0.0- 1.8	176	92.7	87.0-98.4
\$75,000+	403	414,287	10	4.1	1.2- 7.0	1	0.7	0.0- 2.1	3	1.6	0.0- 4.0	1	0.3	0.0- 0.9				388	93.3	89.2-97.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 15: DRINKING AND DRIVING**

**TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1141	1,013,203	14	1.4	0.4- 2.4	4	0.6	0.0- 1.2	3	0.3	0.0- 0.7	1	0.2	0.0- 0.6	2	0.4	0.0- 1.0	1117	97.1	95.5-98.7
White/Non-Hisp	901	694,416	14	2.1	0.5- 3.7	2	0.2	0.0- 0.6	3	0.4	0.0- 1.0	1	0.3	0.0- 0.9				881	96.9	95.1-98.7
Black or Afr. Am./Non-Hisp	168	220,613				1	0.6	0.0- 1.8							1	1.6	0.0- 4.7	166	97.8	94.5- 100
18-24	79	142,221	1	1.4	0.0- 4.1	2	2.8	0.0- 6.9				1	1.7	0.0- 5.0				75	94.1	88.2- 100
25-34	167	238,069	5	3.3	0.0- 7.0	2	0.7	0.0- 1.9										159	95.9	92.0-99.8
35-44	161	212,818	2	1.0	0.0- 2.4				1	0.4	0.0- 1.2							158	98.6	97.0- 100
45-54	210	150,669							1	1.0	0.0- 3.0				1	2.3	0.0- 6.8	208	96.7	91.8- 100
55-64	213	136,733	3	1.3	0.0- 3.3													210	98.7	96.7- 100
65+	298	124,409	3	0.5	0.0- 1.1										1	0.2	0.0- 0.6	294	99.2	98.4- 100
H.S. or G.E.D.	260	268,588							1	0.6	0.0- 1.8	1	0.9	0.0- 2.7				258	98.5	96.3- 100
Some Post-H.S.	319	332,157				2	0.9	0.0- 2.5										317	99.1	97.5- 100
College Graduate	513	345,251	14	4.2	1.3- 7.1	2	0.8	0.0- 1.8	2	0.3	0.0- 0.9				1	0.1	0.0- 0.3	494	94.6	91.5-97.7
Less than \$15,000	85	85,923													1	4.1	0.0-11.9	84	95.9	88.1- 100
\$15,000- 24,999	156	147,660																156	100.0	100.0- 100
\$25,000- 34,999	116	112,071	1	1.8	0.0- 5.3	1	0.3	0.0- 0.9										114	97.9	94.4- 100
\$35,000- 49,999	155	133,060	2	0.5	0.0- 1.3	2	3.0	0.0- 7.3	2	0.9	0.0- 2.3							149	95.6	91.1- 100
\$50,000- 74,999	162	136,061	2	0.8	0.0- 2.2										1	0.2	0.0- 0.6	159	98.9	97.5- 100
\$75,000+	329	280,786	7	3.6	0.3- 6.9				1	0.5	0.0- 1.5							321	95.8	92.3-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016

SECTION 16: BREAST/CERVICAL CANCER SCREENING CONTENTS

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
1 A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	231
2 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	232
3 A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	233
4 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	234
5 NOW, I WOULD LIKE TO ASK YOU ABOUT THE HUMAN PAPILLOMAVIRUS (PAP•UH•LOH•MUH VIRUS) OR HPV. AN HPV TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN HPV TEST? (HPVTEST) FEMALES ONLY	235
6 HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST HPV TEST? (HPLSTTST) FEMALES ONLY	236
7 HAVE YOU HAD A HYSTERECTOMY? (HADHYST2) FEMALES ONLY	237

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3318	2,503,073	2688	66.6	64.1-69.1	630	33.4	30.9-35.9
White/Non-Hisp	2683	1,883,226	2205	69.7	67.0-72.4	478	30.3	27.6-33.0
Black or Afr. Am./Non-Hisp	446	425,649	347	60.7	53.1-68.3	99	39.3	31.7-46.9
Oth. Race/Non-Hisp.	53	40,800	40	50.3	30.1-70.5	13	49.7	29.5-69.9
18-24	151	280,036	22	14.1	6.7-21.5	129	85.9	78.5-93.3
25-34	302	409,872	70	22.3	16.0-28.6	232	77.7	71.4-84.0
35-44	327	402,341	171	49.4	42.0-56.8	156	50.6	43.2-58.0
45-54	560	407,686	516	92.0	89.1-94.9	44	8.0	5.1-10.9
55-64	672	405,020	650	96.0	94.0-98.0	22	4.0	2.0- 6.0
65+	1250	562,443	1209	95.8	94.2-97.4	41	4.2	2.6- 5.8
Less Than H.S.	376	369,531	320	73.1	64.9-81.3	56	26.9	18.7-35.1
H.S. or G.E.D.	1072	827,331	900	69.9	65.2-74.6	172	30.1	25.4-34.8
Some Post-H.S.	897	749,353	710	62.4	57.3-67.5	187	37.6	32.5-42.7
College Graduate	963	553,114	748	62.5	57.8-67.2	215	37.5	32.8-42.2
Less than \$15,000	419	280,852	338	68.4	61.0-75.8	81	31.6	24.2-39.0
\$15,000- 24,999	603	463,347	483	66.5	60.2-72.8	120	33.5	27.2-39.8
\$25,000- 34,999	325	241,847	263	66.0	56.6-75.4	62	34.0	24.6-43.4
\$35,000- 49,999	412	311,244	329	68.0	60.9-75.1	83	32.0	24.9-39.1
\$50,000- 74,999	367	299,718	294	63.2	55.4-71.0	73	36.8	29.0-44.6
\$75,000+	541	437,720	433	65.5	59.0-72.0	108	34.5	28.0-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2633	1,633,459	1569	58.9	56.2-61.6	472	17.2	15.2-19.2	194	7.7	6.3- 9.1	154	7.0	5.4- 8.6	244	9.2	7.6-10.8
White/Non-Hisp	2161	1,286,368	1273	58.1	55.2-61.0	385	17.9	15.7-20.1	158	7.8	6.2- 9.4	129	6.5	4.9- 8.1	216	9.8	8.0-11.6
Black or Afr. Am./Non-Hisp	340	253,297	221	64.5	56.5-72.5	60	11.7	7.4-16.0	27	8.1	4.0-12.2	16	8.7	3.4-14.0	16	7.1	1.8-12.4
25-34	69	89,967	32	44.4	28.5-60.3	10	10.0	2.7-17.3	9	17.1	4.4-29.8	9	17.8	3.7-31.9	9	10.6	1.6-19.6
35-44	169	197,235	89	54.5	44.7-64.3	30	16.7	9.3-24.1	14	6.3	2.4-10.2	14	10.3	3.8-16.8	22	12.1	5.0-19.2
45-54	509	370,181	292	55.6	49.7-61.5	102	21.3	16.2-26.4	48	9.4	5.9-12.9	30	7.0	4.1- 9.9	37	6.7	3.8- 9.6
55-64	638	381,653	396	62.9	58.0-67.8	114	15.4	11.9-18.9	42	6.4	3.9- 8.9	30	5.3	2.9- 7.7	56	10.0	7.1-12.9
65+	1179	525,310	718	61.3	57.6-65.0	203	17.3	14.4-20.2	77	7.1	5.1- 9.1	66	4.7	3.3- 6.1	115	9.6	7.2-12.0
Less Than H.S.	306	259,122	160	53.0	45.9-60.1	63	17.5	12.6-22.4	29	8.4	4.9-11.9	11	3.7	1.2- 6.2	43	17.4	11.1-23.7
H.S. or G.E.D.	883	567,360	528	59.9	55.2-64.6	155	18.5	15.0-22.0	59	7.0	4.3- 9.7	59	6.1	3.9- 8.3	82	8.5	6.0-11.0
Some Post-H.S.	698	460,966	400	55.9	50.6-61.2	117	16.3	12.0-20.6	57	9.2	6.3-12.1	51	10.5	6.6-14.4	73	8.1	5.7-10.5
College Graduate	738	343,118	477	66.0	61.1-70.9	137	16.3	12.8-19.8	47	6.1	3.7- 8.5	33	6.1	3.0- 9.2	44	5.5	3.3- 7.7
Less than \$15,000	327	183,854	153	45.2	37.2-53.2	62	13.8	9.1-18.5	32	11.8	5.5-18.1	23	10.7	5.0-16.4	57	18.4	11.9-24.9
\$15,000- 24,999	471	301,349	262	56.2	49.7-62.7	90	19.1	14.0-24.2	41	8.6	5.5-11.7	33	8.4	4.5-12.3	45	7.6	4.7-10.5
\$25,000- 34,999	257	157,684	155	56.7	47.7-65.7	38	14.2	8.1-20.3	22	11.2	5.5-16.9	22	9.9	2.6-17.2	20	8.0	3.7-12.3
\$35,000- 49,999	328	210,844	220	68.4	61.0-75.8	47	15.5	8.8-22.2	20	5.5	2.8- 8.2	18	4.7	2.0- 7.4	23	5.8	2.9- 8.7
\$50,000- 74,999	292	187,766	175	59.6	52.0-67.2	57	19.4	13.3-25.5	16	4.6	1.3- 7.9	18	8.5	3.4-13.6	26	7.9	3.6-12.2
\$75,000+	430	285,633	278	63.1	56.6-69.6	85	20.1	14.6-25.6	30	7.3	3.8-10.8	13	3.6	0.9- 6.3	24	6.0	2.7- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 3: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3296	2,491,258	3125	91.0	89.2-92.8	171	9.0	7.2-10.8
White/Non-Hisp	2668	1,873,909	2550	92.3	90.3-94.3	118	7.7	5.7- 9.7
Black or Afr. Am./Non-Hisp	441	422,376	410	89.4	83.7-95.1	31	10.6	4.9-16.3
Oth. Race/Non-Hisp.	51	39,576	42	71.6	51.4-91.8	9	28.4	8.2-48.6
18-24	146	273,594	83	49.3	39.1-59.5	63	50.7	40.5-60.9
25-34	303	413,411	292	96.2	93.3-99.1	11	3.8	0.9- 6.7
35-44	326	401,910	313	95.0	91.7-98.3	13	5.0	1.7- 8.3
45-54	556	404,529	546	97.5	95.7-99.3	10	2.5	0.7- 4.3
55-64	669	403,458	654	97.4	95.8-99.0	15	2.6	1.0- 4.2
65+	1240	558,683	1182	95.0	93.2-96.8	58	5.0	3.2- 6.8
Less Than H.S.	376	371,602	342	91.1	87.4-94.8	34	8.9	5.2-12.6
H.S. or G.E.D.	1058	817,813	994	87.4	83.3-91.5	64	12.6	8.5-16.7
Some Post-H.S.	891	746,091	843	90.8	87.7-93.9	48	9.2	6.1-12.3
College Graduate	961	552,007	936	96.7	94.9-98.5	25	3.3	1.5- 5.1
Less than \$15,000	417	282,156	391	91.7	86.8-96.6	26	8.3	3.4-13.2
\$15,000- 24,999	598	459,491	561	90.0	85.5-94.5	37	10.0	5.5-14.5
\$25,000- 34,999	324	241,156	306	91.2	85.7-96.7	18	8.8	3.3-14.3
\$35,000- 49,999	410	310,223	394	93.3	89.4-97.2	16	6.7	2.8-10.6
\$50,000- 74,999	366	298,289	358	94.8	89.3- 100	8	5.2	0.0-10.7
\$75,000+	540	437,282	526	94.5	90.8-98.2	14	5.5	1.8- 9.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap Test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3007	2,202,963	1200	46.0	43.3-48.7	534	18.3	16.3-20.3	286	9.4	7.8-11.0	241	6.9	5.7- 8.1	746	19.4	17.6-21.2
White/Non-Hisp	2460	1,680,211	944	43.2	40.5-45.9	431	18.2	16.0-20.4	226	9.1	7.5-10.7	205	7.2	5.8- 8.6	654	22.2	20.0-24.4
Black or Afr. Am./Non-Hisp	393	369,829	197	56.4	48.8-64.0	71	17.0	11.3-22.7	47	11.1	6.6-15.6	25	6.0	2.9- 9.1	53	9.5	5.2-13.8
18-24	82	134,282	47	52.5	39.6-65.4	25	34.6	21.9-47.3	6	8.8	1.0-16.6	4	4.2	0.0- 8.5			
25-34	289	394,995	185	65.3	58.0-72.6	53	15.7	10.8-20.6	27	11.0	6.1-15.9	13	5.0	1.7- 8.3	11	2.9	0.7- 5.1
35-44	308	375,936	175	58.5	51.1-65.9	63	21.3	14.8-27.8	25	6.7	3.6- 9.8	13	3.6	1.1- 6.1	32	9.9	5.2-14.6
45-54	540	390,865	257	47.5	41.8-53.2	104	18.9	14.4-23.4	53	9.8	6.7-12.9	41	7.6	4.7-10.5	85	16.3	12.0-20.6
55-64	632	376,925	264	41.8	36.7-46.9	121	16.6	12.9-20.3	52	8.4	5.7-11.1	48	8.4	5.5-11.3	147	24.9	20.4-29.4
65+	1102	495,228	254	22.6	19.3-25.9	153	13.2	10.7-15.7	118	10.8	8.4-13.2	116	9.8	7.4-12.2	461	43.5	39.6-47.4
Less Than H.S.	317	315,530	85	33.1	24.7-41.5	45	13.5	7.6-19.4	37	12.4	7.3-17.5	25	7.2	3.7-10.7	125	33.8	26.7-40.9
H.S. or G.E.D.	956	692,594	339	41.7	37.0-46.4	161	17.7	14.2-21.2	86	9.5	7.0-12.0	92	8.6	6.2-11.0	278	22.5	19.2-25.8
Some Post-H.S.	818	666,004	332	50.2	45.1-55.3	134	17.9	14.0-21.8	84	8.9	6.4-11.4	61	5.4	3.6- 7.2	207	17.7	14.6-20.8
College Graduate	908	525,584	444	54.4	49.7-59.1	192	22.7	18.6-26.8	78	8.2	5.8-10.6	62	6.1	3.9- 8.3	132	8.7	6.5-10.9
Less than \$15,000	376	250,038	113	37.9	30.1-45.7	59	15.5	9.6-21.4	35	11.1	5.8-16.4	39	7.0	4.3- 9.7	130	28.5	22.0-35.0
\$15,000- 24,999	542	404,659	180	41.3	34.8-47.8	89	19.8	14.1-25.5	56	7.6	5.1-10.1	41	6.9	4.2- 9.6	176	24.3	19.6-29.0
\$25,000- 34,999	295	211,694	116	49.3	40.1-58.5	42	13.3	7.8-18.8	33	12.4	7.3-17.5	25	5.5	3.0- 8.0	79	19.4	13.7-25.1
\$35,000- 49,999	384	281,015	165	49.4	42.1-56.7	71	21.4	15.1-27.7	37	8.1	5.0-11.2	36	8.0	4.3-11.7	75	13.2	9.3-17.1
\$50,000- 74,999	356	281,625	160	48.0	40.7-55.3	71	22.1	16.0-28.2	27	6.9	3.4-10.4	28	8.6	4.3-12.9	70	14.3	10.2-18.4
\$75,000+	521	411,005	275	57.9	52.0-63.8	117	19.6	15.1-24.1	49	9.0	5.7-12.3	25	3.7	1.7- 5.7	55	9.9	6.6-13.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 5: NOW, I WOULD LIKE TO ASK YOU ABOUT THE HUMAN PAPILLOMAVIRUS (PAP-UH-LOH-MUH VIRUS) OR HPV. AN HPV TEST IS SOMETIMES GIVEN WITH THE PAP TEST FOR CERVICAL CANCER SCREENING. HAVE YOU EVER HAD AN HPV TEST? (HPVTEST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2374	1,825,671	731	38.3	35.4-41.2	1643	61.7	58.8-64.6
White/Non-Hisp	1898	1,350,482	547	35.2	32.1-38.3	1351	64.8	61.7-67.9
Black or Afr. Am./Non-Hisp	335	332,459	124	43.9	35.5-52.3	211	56.1	47.7-64.5
18-24	129	242,416	53	37.8	27.6-48.0	76	62.2	52.0-72.4
25-34	229	318,638	157	68.8	60.6-77.0	72	31.2	23.0-39.4
35-44	235	287,067	134	59.4	51.4-67.4	101	40.6	32.6-48.6
45-54	378	275,244	179	41.0	34.5-47.5	199	59.0	52.5-65.5
55-64	457	268,119	112	23.4	18.5-28.3	345	76.6	71.7-81.5
65+	910	413,054	92	9.6	7.1-12.1	818	90.4	87.9-92.9
Less Than H.S.	253	228,585	41	20.2	13.1-27.3	212	79.8	72.7-86.9
H.S. or G.E.D.	756	606,477	175	29.9	24.8-35.0	581	70.1	65.0-75.2
Some Post-H.S.	646	566,848	222	44.2	38.3-50.1	424	55.8	49.9-61.7
College Graduate	711	421,200	292	52.2	46.9-57.5	419	47.8	42.5-53.1
Less than \$15,000	298	199,797	83	34.0	25.4-42.6	215	66.0	57.4-74.6
\$15,000- 24,999	433	342,781	124	37.5	30.2-44.8	309	62.5	55.2-69.8
\$25,000- 34,999	238	175,599	76	42.9	33.3-52.5	162	57.1	47.5-66.7
\$35,000- 49,999	301	218,727	99	41.7	33.5-49.9	202	58.3	50.1-66.5
\$50,000- 74,999	258	228,098	96	44.0	35.2-52.8	162	56.0	47.2-64.8
\$75,000+	403	331,238	173	49.1	42.0-56.2	230	50.9	43.8-58.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 16: BREAST/CERVICAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST HPV TEST? (HPLSTTST)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	673	641,946	253	45.0	39.7-50.3	128	19.5	15.4-23.6	74	10.1	7.2-13.0	69	8.0	5.6-10.4	149	17.5	13.8-21.2
White/Non-Hisp	502	433,012	184	45.6	39.7-51.5	91	17.6	13.3-21.9	54	10.3	6.6-14.0	53	8.1	5.6-10.6	120	18.4	14.1-22.7
Black or Afr. Am./Non-Hisp	116	139,709	45	47.6	34.1-61.1	27	20.6	10.6-30.6	14	8.8	2.9-14.7	12	9.1	2.6-15.6	18	13.8	5.2-22.4
18-24	51	88,521	23	39.3	24.0-54.6	16	36.4	20.5-52.3	4	9.1	0.0-18.7	5	6.6	0.1-13.1	3	8.6	0.0-19.2
25-34	150	206,135	67	54.3	43.5-65.1	33	18.3	10.3-26.3	18	10.3	4.6-16.0	12	5.5	2.2-8.8	20	11.6	5.1-18.1
35-44	121	145,527	54	51.6	40.4-62.8	19	12.8	5.9-19.7	11	9.1	2.8-15.4	13	8.7	3.0-14.4	24	17.9	9.9-25.9
45-54	159	103,016	54	36.6	27.0-46.2	32	21.1	13.3-28.9	19	7.7	3.8-11.6	16	7.9	3.8-12.0	38	26.7	17.9-35.5
55-64	108	61,365	30	26.8	16.2-37.4	23	19.7	10.1-29.3	12	15.2	5.4-25.0	14	16.2	6.6-25.8	29	22.0	12.6-31.4
65+	80	35,616	24	35.2	21.1-49.3	4	5.4	0.0-11.7	9	13.3	1.5-25.1	9	8.6	1.9-15.3	34	37.5	23.0-52.0
H.S. or G.E.D.	171	176,474	68	46.3	35.7-56.9	31	18.5	10.1-26.9	22	10.4	4.9-15.9	20	9.0	4.5-13.5	30	15.8	8.2-23.4
Some Post-H.S.	198	228,708	83	48.7	38.7-58.7	34	19.2	11.6-26.8	22	10.6	4.9-16.3	20	6.7	3.2-10.2	39	14.8	8.7-20.9
College Graduate	264	194,324	86	41.2	33.0-49.4	56	20.0	13.7-26.3	24	7.8	3.7-11.9	29	10.2	5.5-14.9	69	20.8	14.3-27.3
Less than \$15,000	82	67,624	34	42.6	26.7-58.5	12	13.3	2.9-23.7	10	11.7	1.5-21.9	6	5.1	0.6-9.6	20	27.3	11.2-43.4
\$15,000- 24,999	119	124,787	45	42.6	29.9-55.3	31	30.8	18.8-42.8	12	7.8	2.1-13.5	14	8.7	3.0-14.4	17	10.1	2.7-17.5
\$25,000- 34,999	66	64,717	31	60.3	44.2-76.4	11	13.6	3.6-23.6	7	10.8	1.4-20.2	5	2.4	0.0- 4.9	12	12.9	3.3-22.5
\$35,000- 49,999	92	87,269	35	44.2	30.3-58.1	19	20.4	10.4-30.4	8	9.3	1.9-16.7	12	8.4	3.3-13.5	18	17.7	7.9-27.5
\$50,000- 74,999	89	88,371	30	39.6	25.9-53.3	11	10.1	1.9-18.3	12	12.6	3.2-22.0	13	12.4	4.0-20.8	23	25.3	13.7-36.9
\$75,000+	155	145,805	58	50.4	39.0-61.8	29	17.0	9.2-24.8	16	9.6	3.5-15.7	16	8.9	3.6-14.2	36	14.1	8.0-20.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 16: BREAST/CERVICAL CANCER SCREENING  
 TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3263	2,441,589	1178	29.0	26.8-31.2	2085	71.0	68.8-73.2
White/Non-Hisp	2646	1,840,824	980	31.3	28.9-33.7	1666	68.7	66.3-71.1
Black or Afr. Am./Non-Hisp	431	408,623	141	22.8	17.3-28.3	290	77.2	71.7-82.7
Oth. Race/Non-Hisp.	53	40,800	18	24.4	8.7-40.1	35	75.6	59.9-91.3
18-24	139	260,118				139	100.0	100.0- 100
25-34	291	397,698	12	5.1	1.6- 8.6	279	94.9	91.4-98.4
35-44	319	390,950	49	16.3	10.0-22.6	270	83.7	77.4-90.0
45-54	554	402,985	173	33.3	28.0-38.6	381	66.7	61.4-72.0
55-64	662	396,752	268	42.5	37.6-47.4	394	57.5	52.6-62.4
65+	1242	557,410	651	54.7	51.0-58.4	591	45.3	41.6-49.0
Less Than H.S.	374	367,554	178	44.4	37.1-51.7	196	55.6	48.3-62.9
H.S. or G.E.D.	1054	812,608	425	31.8	28.1-35.5	629	68.2	64.5-71.9
Some Post-H.S.	881	720,613	334	27.8	24.1-31.5	547	72.2	68.5-75.9
College Graduate	944	537,069	236	15.7	13.0-18.4	708	84.3	81.6-87.0
Less than \$15,000	414	280,347	158	31.7	25.4-38.0	256	68.3	62.0-74.6
\$15,000- 24,999	592	452,586	250	33.5	28.2-38.8	342	66.5	61.2-71.8
\$25,000- 34,999	321	233,327	111	29.9	21.3-38.5	210	70.1	61.5-78.7
\$35,000- 49,999	403	299,489	129	23.7	18.6-28.8	274	76.3	71.2-81.4
\$50,000- 74,999	361	290,509	130	30.5	24.2-36.8	231	69.5	63.2-75.8
\$75,000+	531	430,576	138	19.2	15.3-23.1	393	80.8	76.9-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 17: PROSTATE CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
<p>A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)</p> <p>1 MALES ONLY</p>	239
<p>HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)</p> <p>2 MALES ONLY</p>	240
<p>HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)</p> <p>3 MALES ONLY</p>	241
<p>HAVE YOU EVER HAD A PSA TEST? (PSATEST1)</p> <p>4 MALES ONLY</p>	242
<p>HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)</p> <p>5 MALES ONLY</p>	243
<p>WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST - WAS IT ...? (PCPSARS1)</p> <p>6 MALES ONLY</p>	244

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE ADVANTAGES OF THE PSA TEST? (PCPSAAD2)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1741	1,372,985	1139	58.9	55.4-62.4	602	41.1	37.6-44.6
White/Non-Hisp	1442	1,080,109	951	60.7	57.0-64.4	491	39.3	35.6-43.0
Black or Afr. Am./Non-Hisp	170	177,148	119	59.7	48.9-70.5	51	40.3	29.5-51.1
35-44	131	203,072	42	29.8	19.4-40.2	89	70.2	59.8-80.6
45-54	361	366,752	175	46.6	39.3-53.9	186	53.4	46.1-60.7
55-64	542	376,477	367	66.1	60.8-71.4	175	33.9	28.6-39.2
65+	707	426,683	555	76.9	72.6-81.2	152	23.1	18.8-27.4
Less Than H.S.	176	249,282	76	36.8	27.2-46.4	100	63.2	53.6-72.8
H.S. or G.E.D.	562	453,734	334	56.8	50.9-62.7	228	43.2	37.3-49.1
Some Post-H.S.	406	341,497	264	61.5	55.0-68.0	142	38.5	32.0-45.0
College Graduate	596	327,983	465	75.9	71.0-80.8	131	24.1	19.2-29.0
Less than \$15,000	147	112,240	68	40.8	29.8-51.8	79	59.2	48.2-70.2
\$15,000- 24,999	233	188,261	128	47.6	38.2-57.0	105	52.4	43.0-61.8
\$25,000- 34,999	179	151,170	108	51.1	41.1-61.1	71	48.9	38.9-58.9
\$35,000- 49,999	244	179,978	159	56.8	47.6-66.0	85	43.2	34.0-52.4
\$50,000- 74,999	261	224,973	186	61.4	50.6-72.2	75	38.6	27.8-49.4
\$75,000+	467	366,393	347	68.5	62.4-74.6	120	31.5	25.4-37.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TALKED WITH YOU ABOUT THE DISADVANTAGES OF THE PSA TEST? (PCPSADI1)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1725	1,368,891	438	23.6	20.9-26.3	1287	76.4	73.7-79.1
White/Non-Hisp	1426	1,075,870	343	21.8	19.1-24.5	1083	78.2	75.5-80.9
Black or Afr. Am./Non-Hisp	167	174,500	60	35.3	24.5-46.1	107	64.7	53.9-75.5
35-44	132	204,796	24	16.7	8.7-24.7	108	83.3	75.3-91.3
45-54	357	361,387	79	23.4	17.1-29.7	278	76.6	70.3-82.9
55-64	532	372,771	135	23.0	18.5-27.5	397	77.0	72.5-81.5
65+	704	429,937	200	27.6	23.3-31.9	504	72.4	68.1-76.7
Less Than H.S.	180	252,421	31	16.2	8.6-23.8	149	83.8	76.2-91.4
H.S. or G.E.D.	561	454,205	120	23.4	18.5-28.3	441	76.6	71.7-81.5
Some Post-H.S.	406	341,753	87	20.4	15.3-25.5	319	79.6	74.5-84.7
College Graduate	577	320,022	200	33.3	28.4-38.2	377	66.7	61.8-71.6
Less than \$15,000	150	114,572	34	22.7	13.1-32.3	116	77.3	67.7-86.9
\$15,000- 24,999	234	190,847	51	19.6	12.7-26.5	183	80.4	73.5-87.3
\$25,000- 34,999	176	149,623	33	16.7	9.8-23.6	143	83.3	76.4-90.2
\$35,000- 49,999	241	180,616	57	22.2	15.3-29.1	184	77.8	70.9-84.7
\$50,000- 74,999	257	225,362	74	28.6	20.0-37.2	183	71.4	62.8-80.0
\$75,000+	464	365,086	141	25.4	20.1-30.7	323	74.6	69.3-79.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER RECOMMENDED THAT YOU HAVE A PSA TEST? (PCPSARE1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1721	1,348,224	990	51.6	48.1-55.1	731	48.4	44.9-51.9
White/Non-Hisp	1425	1,062,458	828	53.3	49.6-57.0	597	46.7	43.0-50.4
Black or Afr. Am./Non-Hisp	167	171,308	98	51.2	40.0-62.4	69	48.8	37.6-60.0
35-44	130	204,209	31	23.2	14.0-32.4	99	76.8	67.6-86.0
45-54	354	355,397	149	41.0	33.7-48.3	205	59.0	51.7-66.3
55-64	528	364,104	301	56.4	50.9-61.9	227	43.6	38.1-49.1
65+	709	424,514	509	69.9	65.4-74.4	200	30.1	25.6-34.6
Less Than H.S.	172	239,682	65	34.8	25.0-44.6	107	65.2	55.4-75.0
H.S. or G.E.D.	562	448,324	293	50.1	44.4-55.8	269	49.9	44.2-55.6
Some Post-H.S.	404	338,288	218	49.4	42.9-55.9	186	50.6	44.1-57.1
College Graduate	582	321,441	414	68.5	63.4-73.6	168	31.5	26.4-36.6
Less than \$15,000	146	103,861	57	34.2	23.8-44.6	89	65.8	55.4-76.2
\$15,000- 24,999	228	185,442	115	43.3	34.3-52.3	113	56.7	47.7-65.7
\$25,000- 34,999	176	145,806	93	45.1	35.3-54.9	83	54.9	45.1-64.7
\$35,000- 49,999	243	181,466	133	45.4	36.6-54.2	110	54.6	45.8-63.4
\$50,000- 74,999	259	224,292	158	55.6	45.2-66.0	101	44.4	34.0-54.8
\$75,000+	464	362,458	309	60.5	54.2-66.8	155	39.5	33.2-45.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 4: HAVE YOU EVER HAD A PSA TEST? (PSATEST1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never recommended to have a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	984	691,605	918	91.3	88.4-94.2	66	8.7	5.8-11.6
White/Non-Hisp	824	562,878	771	91.6	88.7-94.5	53	8.4	5.5-11.3
Black or Afr. Am./Non-Hisp	97	87,493	87	87.4	76.0-98.8	10	12.6	1.2-24.0
45-54	149	145,626	127	80.5	70.9-90.1	22	19.5	9.9-29.1
55-64	298	203,880	273	91.9	87.8-96.0	25	8.1	4.0-12.2
65+	506	294,745	492	97.4	95.8-99.0	14	2.6	1.0- 4.2
Less Than H.S.	65	83,307	55	87.7	77.3-98.1	10	12.3	1.9-22.7
H.S. or G.E.D.	291	222,543	262	87.9	82.4-93.4	29	12.1	6.6-17.6
Some Post-H.S.	216	166,699	202	90.2	83.1-97.3	14	9.8	2.7-16.9
College Graduate	412	219,055	399	96.9	94.9-98.9	13	3.1	1.1- 5.1
Less than \$15,000	57	35,468	45	74.1	54.1-94.1	12	25.9	5.9-45.9
\$15,000- 24,999	114	79,909	104	90.0	81.8-98.2	10	10.0	1.8-18.2
\$25,000- 34,999	92	64,813	87	92.0	83.8- 100	5	8.0	0.0-16.2
\$35,000- 49,999	132	80,748	124	87.2	77.6-96.8	8	12.8	3.2-22.4
\$50,000- 74,999	157	124,640	143	91.3	86.2-96.4	14	8.7	3.6-13.8
\$75,000+	308	218,990	300	95.0	90.1-99.9	8	5.0	0.1- 9.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1070	739,018	688	63.4	59.5-67.3	145	13.2	10.5-15.9	75	6.1	4.3- 7.9	74	7.6	5.4- 9.8	88	9.7	7.2-12.2
White/Non-Hisp	896	599,229	578	64.7	60.6-68.8	127	13.4	10.5-16.3	59	6.2	4.2- 8.2	61	6.9	4.9- 8.9	71	8.9	6.4-11.4
Black or Afr. Am./Non-Hisp	106	93,570	62	56.7	42.8-70.6	10	11.1	2.9-19.3	11	7.2	2.1-12.3	9	9.2	1.4-17.0	14	15.8	6.0-25.6
45-54	144	130,969	81	61.4	51.0-71.8	20	9.3	4.6-14.0	16	9.7	4.4-15.0	18	10.2	4.5-15.9	9	9.4	2.5-16.3
55-64	337	233,317	209	58.2	51.3-65.1	50	15.3	10.2-20.4	21	6.0	2.9- 9.1	29	11.4	6.5-16.3	28	9.1	5.0-13.2
65+	557	326,768	378	68.2	63.1-73.3	70	12.7	9.0-16.4	38	5.7	3.5- 7.9	24	3.7	2.1- 5.3	47	9.7	6.4-13.0
Less Than H.S.	74	93,841	44	62.5	49.0-76.0	8	8.8	1.9-15.7	6	5.7	0.4-11.0	4	5.4	0.0-12.3	12	17.5	6.9-28.1
H.S. or G.E.D.	307	226,283	190	60.4	53.3-67.5	46	14.8	9.3-20.3	21	6.2	3.1- 9.3	26	10.9	6.2-15.6	24	7.7	4.0-11.4
Some Post-H.S.	249	188,721	155	60.6	52.6-68.6	41	16.9	10.6-23.2	13	5.2	1.9- 8.5	15	5.6	2.3- 8.9	25	11.8	6.1-17.5
College Graduate	440	230,173	299	69.0	63.5-74.5	50	10.3	6.8-13.8	35	7.0	4.3- 9.7	29	7.0	3.9-10.1	27	6.8	3.7- 9.9
Less than \$15,000	59	36,943	27	49.0	32.1-65.9	7	12.2	0.0-24.4	7	6.6	1.1-12.1	8	9.2	1.6-16.8	10	23.1	6.6-39.6
\$15,000- 24,999	125	83,926	71	55.7	45.1-66.3	19	16.4	7.4-25.4	10	6.6	1.9-11.3	11	9.3	3.0-15.6	14	12.0	4.7-19.3
\$25,000- 34,999	103	72,934	61	57.2	45.0-69.4	12	11.7	2.7-20.7	10	9.9	2.8-17.0	7	9.1	1.7-16.5	13	12.0	4.6-19.4
\$35,000- 49,999	144	86,844	89	64.0	53.0-75.0	29	14.6	8.1-21.1	9	4.5	1.2- 7.8	6	3.9	0.0- 7.8	11	13.0	3.4-22.6
\$50,000- 74,999	174	132,200	116	67.2	57.4-77.0	19	11.4	4.7-18.1	10	5.0	1.1- 8.9	16	10.5	4.0-17.0	13	6.0	1.9-10.1
\$75,000+	328	226,240	238	70.3	63.6-77.0	34	11.1	6.6-15.6	18	4.6	2.2- 7.0	22	8.3	4.0-12.6	16	5.6	2.3- 8.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 17: PROSTATE CANCER SCREENING**

**TABLE 6: WHAT WAS THE MAIN REASON YOU HAD THIS PSA TEST – WAS IT ...? (PCPSARS1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Routine Exam			A Prostate Problem			Family History of Prostate Cancer			Told you had Prostate Cancer			Some Other Reason		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1081	746,279	764	71.8	68.3-75.3	91	7.6	5.6- 9.6	61	6.3	4.3- 8.3	52	3.4	2.2- 4.6	113	10.9	8.5-13.3
White/Non-Hisp	905	606,052	637	71.6	67.9-75.3	77	7.9	5.7-10.1	54	5.7	3.9- 7.5	44	3.7	2.3- 5.1	93	11.0	8.3-13.7
Black or Afr. Am./Non-Hisp	107	93,876	80	72.1	59.8-84.4	9	8.0	1.9-14.1	4	9.0	0.0-18.6	3	1.4	0.0- 3.2	11	9.5	1.9-17.1
45-54	143	131,447	96	73.9	64.9-82.9	9	4.4	1.3- 7.5	16	10.5	3.4-17.6	1	0.4	0.0- 1.2	21	10.9	5.6-16.2
55-64	338	232,367	239	70.7	64.6-76.8	25	6.5	3.4- 9.6	22	7.7	4.2-11.2	14	3.9	1.2- 6.6	38	11.2	6.9-15.5
65+	568	334,500	410	72.7	68.0-77.4	54	9.0	6.1-11.9	19	3.4	1.2- 5.6	37	4.8	3.0- 6.6	48	10.0	6.5-13.5
Less Than H.S.	76	94,085	48	68.9	57.1-80.7	7	6.1	1.4-10.8	6	6.3	2.4-10.2	3	1.8	0.0- 4.0	12	16.8	7.0-26.6
H.S. or G.E.D.	311	232,161	213	67.9	61.0-74.8	33	11.0	6.3-15.7	13	7.4	2.5-12.3	13	3.1	1.1- 5.1	39	10.6	6.7-14.5
Some Post-H.S.	250	189,743	175	72.8	65.7-79.9	13	3.3	1.1- 5.5	19	6.3	2.8- 9.8	11	3.0	0.3- 5.7	32	14.6	8.7-20.5
College Graduate	444	230,290	328	76.2	71.3-81.1	38	8.4	5.3-11.5	23	5.1	2.6- 7.6	25	4.7	2.5- 6.9	30	5.6	3.1- 8.1
Less than \$15,000	61	39,495	30	49.8	33.1-66.5	7	16.0	3.1-28.9	5	6.8	0.0-13.7	3	5.2	0.0-12.1	16	22.2	8.9-35.5
\$15,000- 24,999	125	84,006	86	67.5	57.5-77.5	11	5.9	1.8-10.0	7	10.9	3.8-18.0	7	3.7	0.6- 6.8	14	12.1	5.2-19.0
\$25,000- 34,999	106	76,015	68	66.5	55.5-77.5	13	12.0	4.4-19.6	8	7.3	2.2-12.4	3	2.0	0.0- 4.5	14	12.2	4.8-19.6
\$35,000- 49,999	147	87,692	105	74.9	65.5-84.3	10	6.9	1.8-12.0	6	5.0	0.0-11.5	6	3.1	0.2- 6.0	20	10.2	4.5-15.9
\$50,000- 74,999	176	133,565	134	76.1	67.3-84.9	11	7.7	1.6-13.8	8	4.1	1.0- 7.2	5	1.6	0.0- 3.2	18	10.5	4.2-16.8
\$75,000+	330	227,913	243	76.0	69.9-82.1	28	5.9	3.2- 8.6	21	7.4	3.1-11.7	22	4.5	1.8- 7.2	16	6.1	2.8- 9.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 18: COLORECTAL CANCER SCREENING CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	246
2	MALES ONLY	247
3	FEMALES ONLY	248
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4	MALES AND FEMALES	249
5	MALES ONLY	250
6	FEMALES ONLY	251
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	252
8	MALES ONLY	253
9	FEMALES ONLY	254
	FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGCOL)	
10	MALES AND FEMALES	255
11	MALES ONLY	256
12	FEMALES ONLY	257
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13	MALES AND FEMALES	258
14	MALES ONLY	259
15	FEMALES ONLY	260

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3640	2,167,698	1279	31.8	29.8-33.8	2361	68.2	66.2-70.2
Male	1456	996,828	474	30.0	26.9-33.1	982	70.0	66.9-73.1
Female	2182	1,168,683	803	33.2	30.7-35.7	1379	66.8	64.3-69.3
White/Non-Hisp	3043	1,784,343	1075	32.3	30.1-34.5	1968	67.7	65.5-69.9
Black or Afr. Am./Non-Hisp	403	268,307	142	28.3	22.2-34.4	261	71.7	65.6-77.8
Oth. Race/Non-Hisp.	61	43,330	21	39.8	20.2-59.4	40	60.2	40.6-79.8
MultiRacial/Non-Hisp.	61	20,429	20	27.0	10.1-43.9	41	73.0	56.1-89.9
45-54	480	398,396	91	17.8	13.3-22.3	389	82.2	77.7-86.7
55-64	1213	777,464	345	27.2	23.9-30.5	868	72.8	69.5-76.1
65+	1947	991,838	843	41.0	38.1-43.9	1104	59.0	56.1-61.9
Less Than H.S.	457	421,555	139	29.2	24.1-34.3	318	70.8	65.7-75.9
H.S. or G.E.D.	1247	763,926	441	30.7	27.4-34.0	806	69.3	66.0-72.6
Some Post-H.S.	893	546,749	322	32.6	28.5-36.7	571	67.4	63.3-71.5
College Graduate	1035	432,303	375	35.4	31.7-39.1	660	64.6	60.9-68.3
Less than \$15,000	437	238,066	141	31.1	24.8-37.4	296	68.9	62.6-75.2
\$15,000- 24,999	612	365,527	222	33.5	28.4-38.6	390	66.5	61.4-71.6
\$25,000- 34,999	377	228,103	128	29.6	23.9-35.3	249	70.4	64.7-76.1
\$35,000- 49,999	474	280,143	164	30.8	25.3-36.3	310	69.2	63.7-74.7
\$50,000- 74,999	424	267,322	158	34.2	27.9-40.5	266	65.8	59.5-72.1
\$75,000+	649	406,967	219	31.2	26.7-35.7	430	68.8	64.3-73.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1456	996,828	474	30.0	26.9-33.1	982	70.0	66.9-73.1
White/Non-Hisp	1225	816,080	404	30.6	27.5-33.7	821	69.4	66.3-72.5
Black or Afr. Am./Non-Hisp	137	116,590	42	24.2	14.8-33.6	95	75.8	66.4-85.2
45-54	184	178,623	25	14.3	7.4-21.2	159	85.7	78.8-92.6
55-64	551	379,397	151	26.0	21.3-30.7	400	74.0	69.3-78.7
65+	721	438,808	298	39.9	35.4-44.4	423	60.1	55.6-64.6
Less Than H.S.	156	187,756	39	25.2	16.8-33.6	117	74.8	66.4-83.2
H.S. or G.E.D.	475	330,689	142	26.3	21.4-31.2	333	73.7	68.8-78.6
Some Post-H.S.	343	248,217	120	32.1	25.8-38.4	223	67.9	61.6-74.2
College Graduate	481	229,677	173	37.0	31.5-42.5	308	63.0	57.5-68.5
Less than \$15,000	138	96,657	31	23.5	12.7-34.3	107	76.5	65.7-87.3
\$15,000- 24,999	206	141,963	66	28.9	20.7-37.1	140	71.1	62.9-79.3
\$25,000- 34,999	160	118,154	46	27.3	19.1-35.5	114	72.7	64.5-80.9
\$35,000- 49,999	211	140,954	73	32.0	23.8-40.2	138	68.0	59.8-76.2
\$50,000- 74,999	202	141,381	74	35.0	25.6-44.4	128	65.0	55.6-74.4
\$75,000+	351	226,884	122	31.6	25.5-37.7	229	68.4	62.3-74.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
 Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2182	1,168,683	803	33.2	30.7-35.7	1379	66.8	64.3-69.3
White/Non-Hisp	1817	967,986	670	33.8	31.1-36.5	1147	66.2	63.5-68.9
Black or Afr. Am./Non-Hisp	266	151,716	100	31.4	23.4-39.4	166	68.6	60.6-76.6
45-54	295	217,863	65	19.9	13.8-26.0	230	80.1	74.0-86.2
55-64	662	398,067	194	28.5	24.0-33.0	468	71.5	67.0-76.0
65+	1225	552,754	544	41.9	38.4-45.4	681	58.1	54.6-61.6
Less Than H.S.	300	231,889	99	31.8	25.5-38.1	201	68.2	61.9-74.5
H.S. or G.E.D.	772	433,237	299	34.0	29.7-38.3	473	66.0	61.7-70.3
Some Post-H.S.	550	298,532	202	33.0	27.7-38.3	348	67.0	61.7-72.3
College Graduate	553	202,349	201	33.4	28.5-38.3	352	66.6	61.7-71.5
Less than \$15,000	299	141,409	110	36.3	28.9-43.7	189	63.7	56.3-71.1
\$15,000- 24,999	406	223,564	156	36.5	30.0-43.0	250	63.5	57.0-70.0
\$25,000- 34,999	217	109,949	82	32.1	24.3-39.9	135	67.9	60.1-75.7
\$35,000- 49,999	263	139,189	91	29.7	22.8-36.6	172	70.3	63.4-77.2
\$50,000- 74,999	222	125,941	84	33.4	25.6-41.2	138	66.6	58.8-74.4
\$75,000+	297	178,172	96	29.9	23.0-36.8	201	70.1	63.2-77.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1215	661,439	381	33.3	29.8-36.8	183	14.9	12.2-17.6	114	8.3	6.3-10.3	139	11.2	8.8-13.6	398	32.2	28.7-35.7
Male	458	290,261	159	35.2	29.5-40.9	83	18.4	13.3-23.5	40	8.4	5.3-11.5	50	10.4	7.1-13.7	126	27.6	21.9-33.3
Female	756	369,268	222	32.0	27.3-36.7	100	12.3	9.4-15.2	74	8.4	6.0-10.8	89	12.0	8.7-15.3	271	35.4	30.9-39.9
White/Non-Hisp	1021	552,644	325	33.4	29.7-37.1	147	14.3	11.4-17.2	95	8.4	6.2-10.6	121	11.7	9.0-14.4	333	32.2	28.5-35.9
Black or Afr. Am./Non-Hisp	136	73,524	44	37.3	25.3-49.3	25	16.7	7.9-25.5	12	7.8	2.7-12.9	15	11.2	4.3-18.1	40	26.9	15.9-37.9
45-54	88	69,867	31	30.7	18.0-43.4	9	15.6	3.1-28.1	6	5.4	0.0-11.5	7	9.8	1.8-17.8	35	38.4	24.7-52.1
55-64	331	203,077	87	30.2	23.5-36.9	42	12.1	7.6-16.6	39	10.3	6.4-14.2	48	12.5	7.6-17.4	115	34.9	27.8-42.0
65+	796	388,495	263	35.4	31.1-39.7	132	16.2	12.9-19.5	69	7.8	5.4-10.2	84	10.8	8.1-13.5	248	29.7	25.8-33.6
Less Than H.S.	127	113,826	56	42.7	32.1-53.3	20	17.1	8.9-25.3	10	6.6	1.7-11.5	14	8.8	3.7-13.9	27	24.9	14.5-35.3
H.S. or G.E.D.	411	224,743	129	33.2	27.3-39.1	63	16.4	11.1-21.7	43	8.6	5.7-11.5	54	14.2	9.3-19.1	122	27.6	21.9-33.3
Some Post-H.S.	313	175,301	95	30.9	23.8-38.0	41	12.2	7.5-16.9	25	7.9	4.0-11.8	38	11.5	7.2-15.8	114	37.5	30.2-44.8
College Graduate	363	147,453	100	29.2	23.1-35.3	59	14.3	10.0-18.6	36	9.9	6.0-13.8	33	8.3	4.6-12.0	135	38.4	31.9-44.9
Less than \$15,000	130	67,371	55	38.9	26.7-51.1	17	14.0	5.0-23.0	13	7.7	3.0-12.4	8	4.7	0.4- 9.0	37	34.6	21.1-48.1
\$15,000- 24,999	212	118,606	75	40.6	31.0-50.2	30	14.0	8.1-19.9	26	9.7	4.8-14.6	27	14.5	6.9-22.1	54	21.2	14.1-28.3
\$25,000- 34,999	120	63,666	40	36.1	24.9-47.3	22	20.2	10.2-30.2	8	4.8	1.1- 8.5	14	12.1	4.8-19.4	36	26.7	17.1-36.3
\$35,000- 49,999	159	84,356	47	38.8	28.4-49.2	25	11.0	6.1-15.9	14	8.1	3.0-13.2	20	10.4	4.9-15.9	53	31.7	22.5-40.9
\$50,000- 74,999	156	89,745	41	26.0	17.0-35.0	22	16.0	6.2-25.8	14	8.7	3.6-13.8	16	13.9	6.1-21.7	63	35.4	25.4-45.4
\$75,000+	215	125,545	50	22.1	15.2-29.0	27	12.3	6.8-17.8	24	11.0	5.9-16.1	25	10.4	5.3-15.5	89	44.2	35.6-52.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	458	290,261	159	35.2	29.5-40.9	83	18.4	13.3-23.5	40	8.4	5.5-11.3	50	10.4	7.1-13.7	126	27.6	21.9-33.3
White/Non-Hisp	391	242,073	140	36.0	30.1-41.9	68	17.3	12.0-22.6	31	8.4	5.1-11.7	45	11.1	7.4-14.8	107	27.3	21.6-33.0
55-64	148	96,741	38	26.9	17.5-36.3	28	16.2	8.8-23.6	18	12.7	6.2-19.2	20	10.5	5.4-15.6	44	33.7	23.1-44.3
65+	286	168,314	112	41.8	34.5-49.1	49	16.5	10.8-22.2	22	7.2	3.5-10.9	28	10.2	5.7-14.7	75	24.3	18.0-30.6
H.S. or G.E.D.	135	84,917	48	35.8	25.6-46.0	23	17.6	7.8-27.4	13	8.7	3.2-14.2	21	13.8	7.3-20.3	30	24.1	14.3-33.9
Some Post-H.S.	117	78,242	41	34.4	23.0-45.8	23	19.7	10.3-29.1	8	5.9	0.6-11.2	9	9.0	2.3-15.7	36	31.0	20.8-41.2
College Graduate	168	81,684	51	32.2	23.4-41.0	30	16.3	9.4-23.2	15	10.4	5.3-15.5	17	9.1	3.4-14.8	55	32.0	23.0-41.0
\$15,000- 24,999	65	40,907	27	43.8	27.7-59.9	11	11.1	4.0-18.2	9	13.9	2.1-25.7	8	13.4	3.8-23.0	10	17.8	3.3-32.3
\$35,000- 49,999	69	43,313	30	48.2	32.9-63.5	13	11.4	4.1-18.7	7	10.0	3.5-16.5	6	9.5	1.3-17.7	13	20.9	8.4-33.4
\$50,000- 74,999	72	47,723	21	28.3	15.2-41.4	13	21.8	5.3-38.3	3	2.3	0.0- 5.0	9	16.0	4.6-27.4	26	31.6	16.3-46.9
\$75,000+	121	71,390	32	25.1	16.1-34.1	19	16.7	8.1-25.3	11	10.8	4.1-17.5	16	10.6	3.9-17.3	43	36.7	25.9-47.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	756	369,268	222	32.0	27.3-36.7	100	12.3	9.4-15.2	74	8.4	6.0-10.8	89	12.0	8.7-15.3	271	35.4	30.9-39.9
White/Non-Hisp	630	310,571	185	31.3	26.4-36.2	79	12.0	8.7-15.3	64	8.5	5.8-11.2	76	12.1	8.4-15.8	226	36.1	31.2-41.0
Black or Afr. Am./Non-Hisp	96	46,208	31	39.1	24.8-53.4	19	15.0	6.4-23.6	8	7.0	1.5-12.5	11	13.7	4.3-23.1	27	25.2	12.5-37.9
45-54	63	42,750	22	36.5	20.2-52.8	3	2.4	0.0- 5.7	6	8.9	0.0-18.5	5	9.5	0.0-19.1	27	42.7	26.2-59.2
55-64	183	106,336	49	33.2	23.8-42.6	14	8.4	2.9-13.9	21	8.2	4.3-12.1	28	14.3	6.5-22.1	71	35.9	26.7-45.1
65+	510	220,181	151	30.6	25.3-35.9	83	16.0	11.9-20.1	47	8.4	5.5-11.3	56	11.3	7.6-15.0	173	33.7	28.6-38.8
Less Than H.S.	88	66,498	37	45.1	32.6-57.6	13	14.5	6.1-22.9	6	5.6	0.3-10.9	11	9.2	3.3-15.1	21	25.7	15.1-36.3
H.S. or G.E.D.	276	139,826	81	31.6	24.2-39.0	40	15.7	9.8-21.6	30	8.6	5.1-12.1	33	14.5	7.6-21.4	92	29.7	22.8-36.6
Some Post-H.S.	196	97,059	54	28.1	18.9-37.3	18	6.1	3.0- 9.2	17	9.5	3.6-15.4	29	13.6	7.7-19.5	78	42.8	33.0-52.6
College Graduate	195	65,769	49	25.4	17.2-33.6	29	11.8	6.9-16.7	21	9.2	4.3-14.1	16	7.2	3.1-11.3	80	46.4	37.6-55.2
Less than \$15,000	102	47,002	44	44.2	31.3-57.1	11	7.0	2.3-11.7	11	8.7	3.2-14.2	7	6.2	0.1-12.3	29	33.9	20.8-47.0
\$15,000- 24,999	147	77,699	48	38.9	26.7-51.1	19	15.6	7.6-23.6	17	7.5	3.2-11.8	19	15.0	4.6-25.4	44	23.0	15.2-30.8
\$25,000- 34,999	76	32,980	23	26.8	14.5-39.1	15	19.9	6.2-33.6	3	2.8	0.0- 6.9	8	13.5	3.1-23.9	27	37.0	22.3-51.7
\$35,000- 49,999	90	41,043	17	28.8	15.3-42.3	12	10.6	3.9-17.3	7	6.1	0.8-11.4	14	11.4	4.3-18.5	40	43.1	30.2-56.0
\$50,000- 74,999	84	42,022	20	23.3	10.8-35.8	9	9.5	1.7-17.3	11	15.9	5.9-25.9	7	11.4	0.8-22.0	37	39.8	27.1-52.5
\$75,000+	93	52,245	18	18.8	8.4-29.2	8	6.7	1.6-11.8	13	11.5	3.1-19.9	9	10.5	2.3-18.7	45	52.5	38.6-66.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3641	2,171,980	2701	70.6	68.4-72.8	940	29.4	27.2-31.6
Male	1461	1,000,094	1068	68.7	65.4-72.0	393	31.3	28.0-34.6
Female	2178	1,169,699	1631	72.2	69.7-74.7	547	27.8	25.3-30.3
White/Non-Hisp	3044	1,788,449	2271	71.7	69.5-73.9	773	28.3	26.1-30.5
Black or Afr. Am./Non-Hisp	406	269,023	297	65.0	57.2-72.8	109	35.0	27.2-42.8
Oth. Race/Non-Hisp.	61	43,330	43	64.3	46.5-82.1	18	35.7	17.9-53.5
MultiRacial/Non-Hisp.	60	20,393	40	57.8	40.6-75.0	20	42.2	25.0-59.4
45-54	480	397,855	256	46.9	40.8-53.0	224	53.1	47.0-59.2
55-64	1213	778,097	890	71.6	68.3-74.9	323	28.4	25.1-31.7
65+	1948	996,028	1555	79.4	77.0-81.8	393	20.6	18.2-23.0
Less Than H.S.	459	422,940	276	59.9	54.2-65.6	183	40.1	34.4-45.8
H.S. or G.E.D.	1246	763,587	899	69.3	65.8-72.8	347	30.7	27.2-34.2
Some Post-H.S.	893	549,493	660	71.9	67.8-76.0	233	28.1	24.0-32.2
College Graduate	1036	433,030	862	82.0	78.9-85.1	174	18.0	14.9-21.1
Less than \$15,000	434	236,866	272	55.9	49.2-62.6	162	44.1	37.4-50.8
\$15,000- 24,999	610	366,325	437	68.8	63.9-73.7	173	31.2	26.3-36.1
\$25,000- 34,999	375	226,536	270	65.9	59.0-72.8	105	34.1	27.2-41.0
\$35,000- 49,999	476	281,059	372	73.8	68.1-79.5	104	26.2	20.5-31.9
\$50,000- 74,999	426	269,008	334	75.0	68.3-81.7	92	25.0	18.3-31.7
\$75,000+	651	407,875	525	78.8	74.3-83.3	126	21.2	16.7-25.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1461	1,000,094	1068	68.7	65.4-72.0	393	31.3	28.0-34.6
White/Non-Hisp	1228	819,052	906	70.2	66.9-73.5	322	29.8	26.5-33.1
Black or Afr. Am./Non-Hisp	139	116,885	99	60.9	47.8-74.0	40	39.1	26.0-52.2
45-54	184	178,082	93	38.9	29.9-47.9	91	61.1	52.1-70.1
55-64	552	380,091	392	70.8	65.9-75.7	160	29.2	24.3-34.1
65+	725	441,920	583	79.0	75.1-82.9	142	21.0	17.1-24.9
Less Than H.S.	158	188,129	85	54.8	45.0-64.6	73	45.2	35.4-55.0
H.S. or G.E.D.	476	330,426	322	65.9	60.4-71.4	154	34.1	28.6-39.6
Some Post-H.S.	343	250,628	252	69.4	62.5-76.3	91	30.6	23.7-37.5
College Graduate	483	230,421	408	83.4	79.1-87.7	75	16.6	12.3-20.9
Less than \$15,000	136	95,339	77	50.1	38.7-61.5	59	49.9	38.5-61.3
\$15,000- 24,999	204	141,636	136	62.9	54.3-71.5	68	37.1	28.5-45.7
\$25,000- 34,999	159	117,148	115	67.1	57.1-77.1	44	32.9	22.9-42.9
\$35,000- 49,999	212	141,498	161	74.0	66.2-81.8	51	26.0	18.2-33.8
\$50,000- 74,999	203	142,944	159	73.9	63.3-84.5	44	26.1	15.5-36.7
\$75,000+	354	227,788	287	76.2	69.5-82.9	67	23.8	17.1-30.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.  
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2178	1,169,699	1631	72.2	69.7-74.7	547	27.8	25.3-30.3
White/Non-Hisp	1815	969,120	1364	73.0	70.3-75.7	451	27.0	24.3-29.7
Black or Afr. Am./Non-Hisp	267	152,139	198	68.1	58.9-77.3	69	31.9	22.7-41.1
45-54	295	217,863	162	53.0	45.2-60.8	133	47.0	39.2-54.8
55-64	661	398,006	498	72.3	67.8-76.8	163	27.7	23.2-32.2
65+	1222	553,831	971	79.7	76.8-82.6	251	20.3	17.4-23.2
Less Than H.S.	300	232,900	190	63.8	57.1-70.5	110	36.2	29.5-42.9
H.S. or G.E.D.	770	433,161	577	71.8	67.3-76.3	193	28.2	23.7-32.7
Some Post-H.S.	550	298,865	408	74.0	69.1-78.9	142	26.0	21.1-30.9
College Graduate	552	202,332	453	80.3	75.8-84.8	99	19.7	15.2-24.2
Less than \$15,000	298	141,527	195	59.8	51.8-67.8	103	40.2	32.2-48.2
\$15,000- 24,999	406	224,689	301	72.6	66.7-78.5	105	27.4	21.5-33.3
\$25,000- 34,999	216	109,388	155	64.6	55.2-74.0	61	35.4	26.0-44.8
\$35,000- 49,999	264	139,561	211	73.5	65.1-81.9	53	26.5	18.1-34.9
\$50,000- 74,999	223	126,064	175	76.2	68.6-83.8	48	23.8	16.2-31.4
\$75,000+	296	178,177	237	81.9	76.4-87.4	59	18.1	12.6-23.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2629	1,493,792	65	2.6	1.6- 3.6	2564	97.4	96.4-98.4
Male	1038	668,662	23	2.4	1.0- 3.8	1015	97.6	96.2-99.0
Female	1589	822,942	42	2.8	1.6- 4.0	1547	97.2	96.0-98.4
White/Non-Hisp	2214	1,251,940	53	2.4	1.6- 3.2	2161	97.6	96.8-98.4
Black or Afr. Am./Non-Hisp	290	167,889	7	4.5	0.0- 9.0	283	95.5	91.0- 100
45-54	249	180,701	6	1.2	0.2- 2.2	243	98.8	97.8-99.8
55-64	877	548,620	16	2.3	0.9- 3.7	861	97.7	96.3-99.1
65+	1503	764,471	43	3.2	1.8- 4.6	1460	96.8	95.4-98.2
Less Than H.S.	260	240,613	6	3.4	0.1- 6.7	254	96.6	93.3-99.9
H.S. or G.E.D.	872	516,961	19	2.7	1.1- 4.3	853	97.3	95.7-98.9
Some Post-H.S.	651	385,732	13	1.7	0.5- 2.9	638	98.3	97.1-99.5
College Graduate	842	348,660	27	3.1	1.5- 4.7	815	96.9	95.3-98.5
Less than \$15,000	259	123,761	7	1.7	0.0- 3.5	252	98.3	96.5- 100
\$15,000- 24,999	424	245,404	12	3.0	0.1- 5.9	412	97.0	94.1-99.9
\$25,000- 34,999	266	146,528	8	2.8	0.4- 5.2	258	97.2	94.8-99.6
\$35,000- 49,999	365	204,151	7	2.2	0.0- 4.4	358	97.8	95.6- 100
\$50,000- 74,999	328	196,556	8	2.2	0.0- 4.4	320	97.8	95.6- 100
\$75,000+	518	318,480	12	2.2	0.8- 3.6	506	97.8	96.4-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1038	668,662	23	2.4	1.0- 3.8	1015	97.6	96.2-99.0
White/Non-Hisp	882	559,515	19	2.5	0.9- 4.1	863	97.5	95.9-99.1
Black or Afr. Am./Non-Hisp	97	70,034	1	0.6	0.0- 1.8	96	99.4	98.2- 100
45-54	91	67,803	2	1.0	0.0- 2.4	89	99.0	97.6- 100
55-64	386	265,382	5	1.4	0.0- 2.8	381	98.6	97.2- 100
65+	561	335,477	16	3.4	1.0- 5.8	545	96.6	94.2-99.0
Less Than H.S.	75	95,513	2	3.8	0.0- 9.5	73	96.2	90.5- 100
H.S. or G.E.D.	309	211,393	7	1.7	0.3- 3.1	302	98.3	96.9-99.7
Some Post-H.S.	249	171,448	6	2.6	0.1- 5.1	243	97.4	94.9-99.9
College Graduate	404	189,818	8	2.3	0.1- 4.5	396	97.7	95.5-99.9
Less than \$15,000	69	42,150	2	2.6	0.0- 6.9	67	97.4	93.1- 100
\$15,000- 24,999	130	85,458	2	0.8	0.0- 1.8	128	99.2	98.2- 100
\$25,000- 34,999	114	77,972	5	4.0	0.0- 8.3	109	96.0	91.7- 100
\$35,000- 49,999	156	102,634	4	3.2	0.0- 7.1	152	96.8	92.9- 100
\$50,000- 74,999	158	105,107	1	0.1	0.0- 0.3	157	99.9	99.7- 100
\$75,000+	285	171,833	8	2.9	0.5- 5.3	277	97.1	94.7-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1589	822,942	42	2.8	1.6- 4.0	1547	97.2	96.0-98.4
White/Non-Hisp	1331	692,147	34	2.3	1.3- 3.3	1297	97.7	96.7-98.7
Black or Afr. Am./Non-Hisp	193	97,854	6	7.2	0.0-14.8	187	92.8	85.2- 100
45-54	157	110,987	4	1.3	0.0- 2.7	153	98.7	97.3- 100
55-64	491	283,238	11	3.2	0.8- 5.6	480	96.8	94.4-99.2
65+	941	428,717	27	3.0	1.0- 5.0	914	97.0	95.0-99.0
Less Than H.S.	184	143,189	4	3.1	0.0- 7.2	180	96.9	92.8- 100
H.S. or G.E.D.	563	305,568	12	3.4	0.9- 5.9	551	96.6	94.1-99.1
Some Post-H.S.	402	214,284	7	0.9	0.1- 1.7	395	99.1	98.3-99.9
College Graduate	437	158,564	19	4.0	1.8- 6.2	418	96.0	93.8-98.2
Less than \$15,000	190	81,612	5	1.2	0.0- 2.4	185	98.8	97.6- 100
\$15,000- 24,999	294	159,947	10	4.2	0.0- 8.5	284	95.8	91.5- 100
\$25,000- 34,999	152	68,557	3	1.3	0.0- 3.1	149	98.7	96.9- 100
\$35,000- 49,999	209	101,517	3	1.1	0.0- 2.5	206	98.9	97.5- 100
\$50,000- 74,999	170	91,448	7	4.7	0.0- 9.4	163	95.3	90.6- 100
\$75,000+	232	144,737	4	1.4	0.0- 2.8	228	98.6	97.2- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2628	1,499,888	582	23.2	21.0-25.4	351	13.2	11.4-15.0	383	14.1	12.3-15.9	558	21.9	19.7-24.1	551	20.2	18.2-22.2	203	7.3	5.9- 8.7
Male	1045	674,714	249	24.0	20.7-27.3	143	13.8	11.1-16.5	155	13.9	11.2-16.6	210	21.5	18.2-24.8	216	20.5	17.2-23.8	72	6.3	4.3- 8.3
Female	1582	823,264	333	22.7	19.8-25.6	207	12.5	10.3-14.7	228	14.3	11.9-16.7	348	22.3	19.6-25.0	335	20.1	17.6-22.6	131	8.2	6.2-10.2
White/Non-Hisp	2209	1,252,300	469	21.7	19.3-24.1	297	13.7	11.7-15.7	320	13.7	11.9-15.5	480	22.9	20.5-25.3	460	20.2	18.0-22.4	183	7.9	6.3- 9.5
Black or Afr. Am./Non-Hisp	290	171,237	85	31.7	23.9-39.5	34	9.7	5.6-13.8	39	15.0	8.7-21.3	61	20.1	13.8-26.4	59	18.0	12.3-23.7	12	5.5	1.4- 9.6
45-54	251	184,368	66	29.1	21.5-36.7	47	20.0	13.3-26.7	42	14.6	8.9-20.3	42	16.2	10.3-22.1	32	11.7	7.0-16.4	22	8.5	3.8-13.2
55-64	878	550,716	193	22.8	19.1-26.5	103	10.3	7.9-12.7	127	14.4	11.5-17.3	191	23.1	19.4-26.8	205	23.0	19.3-26.7	59	6.5	4.3- 8.7
65+	1499	764,805	323	22.1	19.2-25.0	201	13.6	11.2-16.0	214	13.8	11.6-16.0	325	22.5	19.8-25.2	314	20.3	17.6-23.0	122	7.7	5.9- 9.5
Less Than H.S.	265	245,110	78	31.5	24.4-38.6	29	9.7	5.6-13.8	35	11.5	7.4-15.6	46	19.5	13.2-25.8	49	18.1	12.0-24.2	28	9.7	5.4-14.0
H.S. or G.E.D.	873	517,608	185	20.3	16.6-24.0	123	14.4	11.3-17.5	118	14.4	11.5-17.3	205	23.8	20.1-27.5	171	18.7	15.4-22.0	71	8.3	5.8-10.8
Some Post-H.S.	645	386,134	135	21.4	17.1-25.7	91	13.4	10.1-16.7	96	15.0	11.1-18.9	127	21.4	17.3-25.5	151	23.2	18.9-27.5	45	5.5	3.3- 7.7
College Graduate	841	349,210	184	23.9	20.0-27.8	107	13.6	10.7-16.5	133	14.2	11.3-17.1	180	21.4	17.9-24.9	180	20.8	17.3-24.3	57	6.0	4.0- 8.0
Less than \$15,000	256	124,609	49	19.1	12.6-25.6	37	11.0	6.7-15.3	40	15.1	9.2-21.0	44	18.5	11.8-25.2	53	22.6	14.4-30.8	33	13.8	7.7-19.9
\$15,000- 24,999	425	245,993	108	29.9	23.4-36.4	53	11.7	8.0-15.4	64	14.4	10.1-18.7	75	15.7	11.2-20.2	79	19.1	14.2-24.0	46	9.2	5.7-12.7
\$25,000- 34,999	267	147,161	61	27.0	19.4-34.6	33	11.6	6.9-16.3	46	16.2	11.1-21.3	49	16.3	11.0-21.6	58	21.4	15.3-27.5	20	7.6	3.5-11.7
\$35,000- 49,999	368	204,967	86	23.5	17.8-29.2	53	12.6	8.5-16.7	49	15.8	10.1-21.5	65	17.7	12.4-23.0	88	22.1	16.4-27.8	27	8.3	4.0-12.6
\$50,000- 74,999	325	196,233	62	17.8	12.5-23.1	34	12.5	7.0-18.0	53	18.3	12.4-24.2	85	26.9	20.6-33.2	74	20.1	14.6-25.6	17	4.5	1.8- 7.2
\$75,000+	519	319,387	115	20.9	16.6-25.2	75	15.1	11.4-18.8	68	10.2	7.3-13.1	126	26.6	21.5-31.7	107	21.8	17.1-26.5	28	5.4	2.9- 7.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1045	674,714	249	24.0	20.7-27.3	143	13.8	11.1-16.5	155	13.9	11.2-16.6	210	21.5	18.2-24.8	216	20.5	17.2-23.8	72	6.3	4.5- 8.1
White/Non-Hisp	885	562,289	203	22.5	19.0-26.0	122	14.1	11.2-17.0	129	13.9	11.0-16.8	181	22.0	18.3-25.7	184	20.4	16.9-23.9	66	7.0	4.8- 9.2
Black or Afr. Am./Non-Hisp	99	71,235	34	34.2	21.9-46.5	12	12.6	4.8-20.4	12	11.1	2.5-19.7	20	22.8	11.4-34.2	19	17.3	7.5-27.1	2	2.0	0.0- 5.5
45-54	92	68,318	25	26.4	15.0-37.8	20	24.4	12.1-36.7	14	15.5	5.7-25.3	18	18.8	8.8-28.8	9	9.6	2.9-16.3	6	5.3	0.0-10.6
55-64	390	268,525	95	23.1	17.8-28.4	47	10.3	6.8-13.8	55	14.6	9.9-19.3	90	25.5	19.6-31.4	83	21.9	16.2-27.6	20	4.6	2.1- 7.1
65+	563	337,871	129	24.2	19.3-29.1	76	14.5	10.8-18.2	86	13.0	9.7-16.3	102	18.9	14.6-23.2	124	21.6	17.1-26.1	46	7.7	4.8-10.6
Less Than H.S.	82	101,513	24	28.0	17.0-39.0	9	8.7	2.0-15.4	8	7.1	2.0-12.2	17	25.2	12.9-37.5	14	19.3	7.9-30.7	10	11.6	3.8-19.4
H.S. or G.E.D.	312	213,430	80	24.0	17.9-30.1	43	16.1	10.4-21.8	47	16.2	11.3-21.1	62	20.1	14.6-25.6	58	17.8	12.5-23.1	22	5.8	2.9- 8.7
Some Post-H.S.	246	168,551	57	23.3	16.4-30.2	37	13.8	8.7-18.9	32	12.9	6.8-19.0	45	20.3	13.8-26.8	60	24.9	18.0-31.8	15	4.8	1.7- 7.9
College Graduate	404	190,732	88	22.5	17.2-27.8	54	14.0	9.9-18.1	68	15.9	11.4-20.4	86	22.1	17.0-27.2	84	20.4	15.3-25.5	24	5.0	2.3- 7.7
Less than \$15,000	73	46,312	18	21.7	9.4-34.0	11	9.8	2.9-16.7	7	8.0	0.7-15.3	11	21.2	7.1-35.3	16	27.5	9.9-45.1	10	11.8	3.0-20.6
\$15,000- 24,999	134	87,671	31	25.6	15.4-35.8	19	13.8	6.9-20.7	24	16.6	9.0-24.2	23	18.5	8.7-28.3	24	19.6	10.2-29.0	13	6.0	1.9-10.1
\$25,000- 34,999	114	77,066	30	32.8	21.0-44.6	9	8.9	2.4-15.4	17	15.0	7.6-22.4	17	12.6	6.3-18.9	31	24.0	14.8-33.2	10	6.7	2.0-11.4
\$35,000- 49,999	158	102,791	45	24.9	15.9-33.9	24	16.1	9.0-23.2	22	14.8	6.2-23.4	21	12.4	5.0-19.8	34	21.2	12.4-30.0	12	10.5	2.9-18.1
\$50,000- 74,999	155	102,905	30	17.9	10.6-25.2	17	14.1	5.5-22.7	28	20.5	12.3-28.7	40	26.8	17.6-36.0	33	17.5	10.4-24.6	7	3.2	0.3- 6.1
\$75,000+	287	173,609	67	22.5	16.6-28.4	42	14.6	9.7-19.5	38	10.0	6.1-13.9	71	27.0	20.1-33.9	57	21.7	15.2-28.2	12	4.2	1.3- 7.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 18: COLORECTAL CANCER SCREENING**

**TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents less than 50 years old

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1582	823,264	333	22.7	19.8-25.6	207	12.5	10.3-14.7	228	14.3	11.9-16.7	348	22.3	19.6-25.0	335	20.1	17.6-22.6	131	8.2	6.2-10.2
White/Non-Hisp	1324	690,011	266	21.0	18.1-23.9	175	13.3	10.9-15.7	191	13.5	11.3-15.7	299	23.6	20.7-26.5	276	20.0	17.3-22.7	117	8.6	6.6-10.6
Black or Afr. Am./Non-Hisp	191	100,002	51	30.0	19.6-40.4	22	7.7	3.6-11.8	27	17.7	9.1-26.3	41	18.1	11.0-25.2	40	18.5	11.6-25.4	10	8.0	1.3-14.7
45-54	158	114,139	41	31.1	21.1-41.1	26	16.0	8.9-23.1	28	14.3	7.2-21.4	24	14.9	7.5-22.3	23	13.2	6.7-19.7	16	10.5	3.6-17.4
55-64	488	282,191	98	22.5	17.2-27.8	56	10.3	7.2-13.4	72	14.1	10.4-17.8	101	20.8	16.3-25.3	122	24.0	19.3-28.7	39	8.3	5.0-11.6
65+	936	426,934	194	20.5	17.0-24.0	125	13.0	10.1-15.9	128	14.3	11.4-17.2	223	25.3	21.6-29.0	190	19.3	16.0-22.6	76	7.6	5.4- 9.8
Less Than H.S.	182	141,687	54	34.4	25.4-43.4	19	9.2	4.7-13.7	27	14.7	9.0-20.4	29	15.6	9.5-21.7	35	17.5	11.0-24.0	18	8.5	3.8-13.2
H.S. or G.E.D.	561	304,178	105	17.7	13.2-22.2	80	13.2	9.9-16.5	71	13.2	9.5-16.9	143	26.4	21.5-31.3	113	19.4	15.3-23.5	49	10.1	6.6-13.6
Some Post-H.S.	399	217,584	78	19.9	14.4-25.4	54	13.0	8.5-17.5	64	16.7	11.6-21.8	82	22.3	16.8-27.8	91	21.9	16.6-27.2	30	6.1	3.2- 9.0
College Graduate	437	158,478	96	25.6	19.9-31.3	53	13.2	9.1-17.3	65	12.3	8.8-15.8	94	20.5	16.0-25.0	96	21.3	16.2-26.4	33	7.1	4.0-10.2
Less than \$15,000	183	78,297	31	17.5	10.4-24.6	26	11.8	6.3-17.3	33	19.3	11.3-27.3	33	16.9	10.4-23.4	37	19.7	12.1-27.3	23	14.9	6.9-22.9
\$15,000- 24,999	291	158,322	77	32.2	24.2-40.2	34	10.6	6.3-14.9	40	13.3	8.2-18.4	52	14.1	9.6-18.6	55	18.8	13.1-24.5	33	11.0	6.1-15.9
\$25,000- 34,999	153	70,095	31	20.5	11.9-29.1	24	14.6	7.5-21.7	29	17.5	10.4-24.6	32	20.3	12.1-28.5	27	18.5	10.9-26.1	10	8.5	1.4-15.6
\$35,000- 49,999	210	102,176	41	22.2	15.1-29.3	29	9.1	5.2-13.0	27	16.7	9.4-24.0	44	23.1	15.7-30.5	54	22.9	15.8-30.0	15	6.0	2.3- 9.7
\$50,000- 74,999	170	93,328	32	17.7	9.7-25.7	17	10.7	4.8-16.6	25	15.9	7.5-24.3	45	27.1	18.5-35.7	41	22.8	14.2-31.4	10	5.9	1.0-10.8
\$75,000+	231	143,868	48	19.3	13.0-25.6	32	14.7	9.2-20.2	30	10.7	6.6-14.8	55	26.4	18.6-34.2	50	22.2	15.1-29.3	16	6.8	2.3-11.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

**SECTION 19: HIV/AIDS CONTENTS**

\* NOTE \* \* \* \* \*

**WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.**

\* \* \* \* \*

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)	
1 MALES AND FEMALES	262
2 MALES ONLY	263
3 FEMALES ONLY	264
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD3)	
4 MALES AND FEMALES	265
5 MALES ONLY	266
6 FEMALES ONLY	267
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)	
7 MALES AND FEMALES	268
8 MALES ONLY	269
9 FEMALES ONLY	270

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)**  
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5385	4,581,819	1657	36.9	34.9-38.9	3728	63.1	61.1-65.1
Male	2299	2,221,719	730	35.7	33.0-38.4	1569	64.3	61.6-67.0
Female	3084	2,356,863	925	38.0	35.3-40.7	2159	62.0	59.3-64.7
White/Non-Hisp	4356	3,438,089	1165	30.5	28.5-32.5	3191	69.5	67.5-71.5
Black or Afr. Am./Non-Hisp	650	721,081	332	63.0	57.7-68.3	318	37.0	31.7-42.3
Oth. Race/Non-Hisp.	104	105,591	38	30.2	17.7-42.7	66	69.8	57.3-82.3
MultiRacial/Non-Hisp.	97	51,654	50	63.3	48.6-78.0	47	36.7	22.0-51.4
Hispanic	99	195,830	45	49.2	36.1-62.3	54	50.8	37.7-63.9
18-24	333	561,935	104	33.2	26.7-39.7	229	66.8	60.3-73.3
25-34	551	786,400	272	52.4	46.9-57.9	279	47.6	42.1-53.1
35-44	575	767,504	298	52.7	47.0-58.4	277	47.3	41.6-53.0
45-54	870	732,553	363	43.0	38.3-47.7	507	57.0	52.3-61.7
55-64	1150	741,613	353	31.5	28.0-35.0	797	68.5	65.0-72.0
65+	1824	928,876	250	13.6	11.4-15.8	1574	86.4	84.2-88.6
Less Than H.S.	552	662,676	159	34.2	28.3-40.1	393	65.8	59.9-71.7
H.S. or G.E.D.	1720	1,514,544	448	34.2	30.7-37.7	1272	65.8	62.3-69.3
Some Post-H.S.	1427	1,347,587	506	41.4	37.7-45.1	921	58.6	54.9-62.3
College Graduate	1676	1,053,520	542	37.0	33.7-40.3	1134	63.0	59.7-66.3
Less than \$15,000	570	430,079	206	42.0	35.7-48.3	364	58.0	51.7-64.3
\$15,000- 24,999	855	729,871	288	42.5	37.4-47.6	567	57.5	52.4-62.6
\$25,000- 34,999	550	473,618	175	41.6	35.3-47.9	375	58.4	52.1-64.7
\$35,000- 49,999	732	621,323	205	34.4	29.3-39.5	527	65.6	60.5-70.7
\$50,000- 74,999	682	624,927	232	39.8	34.3-45.3	450	60.2	54.7-65.7
\$75,000+	1108	988,715	351	36.4	32.3-40.5	757	63.6	59.5-67.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2299	2,221,719	730	35.7	33.0-38.4	1569	64.3	61.6-67.0
White/Non-Hisp	1868	1,674,016	518	30.7	27.8-33.6	1350	69.3	66.4-72.2
Black or Afr. Am./Non-Hisp	231	312,245	130	62.1	53.7-70.5	101	37.9	29.5-46.3
Oth. Race/Non-Hisp.	56	69,454	18	29.8	12.9-46.7	38	70.2	53.3-87.1
MultiRacial/Non-Hisp.	50	28,258	27	56.5	35.3-77.7	23	43.5	22.3-64.7
Hispanic	57	109,044	24	38.4	21.7-55.1	33	61.6	44.9-78.3
18-24	189	292,553	51	28.9	20.7-37.1	138	71.1	62.9-79.3
25-34	257	380,888	113	45.5	37.7-53.3	144	54.5	46.7-62.3
35-44	268	389,500	128	48.7	40.5-56.9	140	51.3	43.1-59.5
45-54	344	347,303	134	40.6	33.2-48.0	210	59.4	52.0-66.8
55-64	530	369,554	173	33.2	27.9-38.5	357	66.8	61.5-72.1
65+	681	411,766	125	18.1	14.2-22.0	556	81.9	78.0-85.8
Less Than H.S.	209	318,700	70	32.2	23.8-40.6	139	67.8	59.4-76.2
H.S. or G.E.D.	732	736,054	212	34.5	29.4-39.6	520	65.5	60.4-70.6
Some Post-H.S.	587	638,583	207	39.4	33.9-44.9	380	60.6	55.1-66.1
College Graduate	769	527,833	241	35.0	30.3-39.7	528	65.0	60.3-69.7
Less than \$15,000	191	170,001	80	43.6	33.4-53.8	111	56.4	46.2-66.6
\$15,000- 24,999	295	290,921	116	45.3	37.1-53.5	179	54.7	46.5-62.9
\$25,000- 34,999	239	240,467	81	38.8	30.4-47.2	158	61.2	52.8-69.6
\$35,000- 49,999	347	327,772	95	31.0	23.9-38.1	252	69.0	61.9-76.1
\$50,000- 74,999	334	336,688	107	39.2	31.0-47.4	227	60.8	52.6-69.0
\$75,000+	599	573,603	186	35.3	29.8-40.8	413	64.7	59.2-70.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST6)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3084	2,356,863	925	38.0	35.5-40.5	2159	62.0	59.5-64.5
White/Non-Hisp	2487	1,762,747	646	30.3	27.8-32.8	1841	69.7	67.2-72.2
Black or Afr. Am./Non-Hisp	419	408,836	202	63.7	56.8-70.6	217	36.3	29.4-43.2
18-24	144	269,382	53	37.9	27.9-47.9	91	62.1	52.1-72.1
25-34	293	404,186	158	58.7	51.3-66.1	135	41.3	33.9-48.7
35-44	307	378,004	170	56.9	49.5-64.3	137	43.1	35.7-50.5
45-54	525	383,339	228	44.8	38.9-50.7	297	55.2	49.3-61.1
55-64	620	372,059	180	29.9	25.2-34.6	440	70.1	65.4-74.8
65+	1143	517,110	125	10.0	7.6-12.4	1018	90.0	87.6-92.4
Less Than H.S.	342	342,066	88	35.7	27.7-43.7	254	64.3	56.3-72.3
H.S. or G.E.D.	988	778,489	236	33.9	29.2-38.6	752	66.1	61.4-70.8
Some Post-H.S.	839	707,678	298	43.1	38.0-48.2	541	56.9	51.8-62.0
College Graduate	907	525,687	301	38.9	34.2-43.6	606	61.1	56.4-65.8
Less than \$15,000	379	260,078	126	40.9	33.1-48.7	253	59.1	51.3-66.9
\$15,000- 24,999	560	438,950	172	40.6	33.9-47.3	388	59.4	52.7-66.1
\$25,000- 34,999	311	233,152	94	44.4	35.0-53.8	217	55.6	46.2-65.0
\$35,000- 49,999	385	293,550	110	38.1	30.7-45.5	275	61.9	54.5-69.3
\$50,000- 74,999	348	288,239	125	40.6	33.3-47.9	223	59.4	52.1-66.7
\$75,000+	508	413,202	164	37.7	31.2-44.2	344	62.3	55.8-68.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that did not report having been tested for HIV

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	916	937,206	23	1.5	0.7- 2.3	52	3.3	2.1- 4.5	84	6.9	4.9- 8.9	141	15.7	12.4-19.0	349	37.0	32.7-41.3	267	35.6	31.1-40.1
Male	396	433,377	8	1.2	0.2- 2.2	18	2.0	0.8- 3.2	31	7.6	3.9-11.3	62	17.7	12.2-23.2	147	37.8	31.3-44.3	130	33.7	27.2-40.2
Female	519	501,919	15	1.7	0.5- 2.9	34	4.5	2.5- 6.5	53	6.4	4.2- 8.6	79	14.0	9.7-18.3	201	36.0	30.3-41.7	137	37.4	30.9-43.9
White/Non-Hisp	665	579,768	23	2.4	1.2- 3.6	48	5.0	3.2- 6.8	76	9.7	6.8-12.6	115	20.9	16.2-25.6	249	37.7	32.8-42.6	154	24.3	20.0-28.6
Black or Afr. Am./Non-Hisp	178	273,907				1	0.2	0.0- 0.6	3	1.4	0.0- 3.2	16	4.7	2.0- 7.4	74	37.7	28.3-47.1	84	56.0	46.4-65.6
18-24	55	96,286													24	37.4	21.5-53.3	31	62.6	46.7-78.5
25-34	172	250,137							1	0.2	0.0- 0.6	21	14.5	7.1-21.9	81	41.4	32.0-50.8	69	43.9	33.9-53.9
35-44	179	232,066				6	2.7	0.0- 5.4	21	11.9	5.4-18.4	32	18.4	10.6-26.2	68	34.6	25.8-43.4	52	32.4	23.4-41.4
45-54	224	184,647	10	2.8	0.8- 4.8	18	6.5	3.0-10.0	28	11.3	6.4-16.2	41	20.5	12.7-28.3	81	37.1	28.5-45.7	46	21.8	13.2-30.4
55-64	174	115,119	7	3.9	0.0- 8.0	18	8.7	4.2-13.2	18	8.7	4.4-13.0	30	21.2	13.2-29.2	59	32.0	22.8-41.2	42	25.6	17.0-34.2
65+	104	52,708	6	8.0	0.7-15.3	10	5.6	1.7- 9.5	15	9.6	3.9-15.3	16	10.8	4.5-17.1	32	32.3	19.6-45.0	25	33.7	20.0-47.4
Less Than H.S.	67	92,712	2	1.7	0.0- 4.1	1	0.5	0.0- 1.5	8	10.3	0.5-20.1	12	14.3	5.5-23.1	25	36.1	21.8-50.4	19	37.1	20.6-53.6
H.S. or G.E.D.	240	287,777	2	0.3	0.0- 0.7	11	3.5	1.0- 6.0	16	4.5	2.0- 7.0	38	15.7	9.0-22.4	84	30.3	22.7-37.9	89	45.7	36.7-54.7
Some Post-H.S.	283	318,373	8	1.9	0.1- 3.7	17	3.1	1.3- 4.9	19	6.2	2.1-10.3	46	16.2	9.9-22.5	114	40.2	32.4-48.0	79	32.4	24.4-40.4
College Graduate	325	238,056	11	2.3	0.7- 3.9	23	4.5	2.0- 7.0	41	9.6	6.3-12.9	44	15.6	9.7-21.5	126	40.9	33.5-48.3	80	27.1	20.2-34.0
Less than \$15,000	100	91,687	1	0.2	0.0- 0.6	8	6.2	0.1-12.3	3	5.0	0.0-13.4	9	6.6	1.7-11.5	43	35.6	22.1-49.1	36	46.3	31.6-61.0
\$15,000- 24,999	163	172,207	4	1.5	0.0- 3.1	3	1.0	0.0- 2.2	9	3.2	0.1- 6.3	28	13.4	7.1-19.7	58	33.1	23.1-43.1	61	47.9	36.5-59.3
\$25,000- 34,999	94	92,146				3	2.1	0.0- 4.6	8	5.4	0.7-10.1	9	9.7	2.4-17.0	40	48.0	35.5-60.5	34	34.7	22.7-46.7
\$35,000- 49,999	113	122,254	3	0.6	0.0- 1.4	1	0.6	0.0- 1.8	9	4.6	1.1- 8.1	14	12.7	3.3-22.1	50	41.7	28.8-54.6	36	39.9	27.0-52.8
\$50,000- 74,999	139	149,493	5	2.3	0.0- 4.8	9	3.4	0.7- 6.1	15	7.1	2.8-11.4	27	14.3	7.8-20.8	50	37.9	27.1-48.7	33	35.0	23.0-47.0
\$75,000+	224	227,754	7	2.5	0.1- 4.9	22	6.0	2.9- 9.1	30	12.3	6.2-18.4	43	28.0	18.4-37.6	82	31.3	23.3-39.3	40	19.8	11.2-28.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	396	433,377	8	1.2	0.2- 2.2	18	2.0	0.8- 3.2	31	7.6	3.9-11.3	62	17.7	12.2-23.2	147	37.8	31.3-44.3	130	33.7	27.4-40.0
White/Non-Hisp	286	278,482	8	1.9	0.3- 3.5	18	3.2	1.2- 5.2	28	10.4	5.1-15.7	46	22.4	15.0-29.8	105	36.2	28.8-43.6	81	25.9	19.8-32.0
Black or Afr. Am./Non-Hisp	72	114,861										10	8.1	1.8-14.4	31	44.7	30.0-59.4	31	47.2	32.3-62.1
25-34	77	116,336										15	24.0	10.5-37.5	32	44.2	30.1-58.3	30	31.8	19.6-44.0
35-44	75	109,976				2	1.9	0.0- 5.0	11	17.7	5.4-30.0	12	19.1	6.9-31.3	31	37.4	23.5-51.3	19	23.9	11.9-35.9
45-54	74	63,480	4	4.2	0.0- 8.7	2	0.5	0.0- 1.3	8	11.2	3.0-19.4	13	16.5	6.9-26.1	28	36.4	21.7-51.1	19	31.2	12.6-49.8
55-64	83	60,134	1	0.3	0.0- 0.9	6	6.0	0.7-11.3	6	6.7	1.0-12.4	15	23.8	11.5-36.1	28	32.3	19.0-45.6	27	30.9	19.1-42.7
65+	54	28,156	3	9.0	0.0-20.0	8	9.5	2.2-16.8	5	5.3	0.0-10.6	7	10.5	1.7-19.3	16	28.4	13.1-43.7	15	37.2	18.6-55.8
H.S. or G.E.D.	108	125,621	1	0.2	0.0- 0.6	5	1.9	0.1- 3.7	6	5.0	0.9- 9.1	21	22.1	10.1-34.1	31	27.5	16.1-38.9	44	43.2	30.7-55.7
Some Post-H.S.	111	145,076	1	1.1	0.0- 3.3	4	1.5	0.0- 3.3	5	6.6	0.0-14.2	16	13.6	5.0-22.2	48	44.1	31.8-56.4	37	33.1	21.3-44.9
College Graduate	144	116,716	5	2.2	0.0- 4.6	8	3.3	0.0- 6.6	15	8.8	3.7-13.9	17	16.5	7.5-25.5	61	48.1	36.9-59.3	38	21.1	12.7-29.5
\$15,000- 24,999	67	74,950	1	1.3	0.0- 3.8				2	2.3	0.0- 5.8	13	17.4	7.4-27.4	21	34.4	18.9-49.9	30	44.5	28.4-60.6
\$50,000- 74,999	56	68,562	3	4.0	0.0- 9.3	1	0.4	0.0- 1.2	2	1.9	0.0- 4.4	12	18.5	6.5-30.5	24	41.3	23.7-58.9	14	34.0	14.0-54.0
\$75,000+	118	127,405	2	0.9	0.0- 2.3	8	3.7	0.2- 7.2	18	15.0	5.4-24.6	23	30.3	17.0-43.6	44	33.7	22.1-45.3	23	16.6	8.0-25.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD3)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that did not report having been tested for HIV**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2007			2008-2014			2015		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	519	501,919	15	1.7	0.5- 2.9	34	4.5	2.5- 6.5	53	6.4	4.2- 8.6	79	14.0	9.7-18.3	201	36.0	30.3-41.7	137	37.4	31.1-43.7
White/Non-Hisp	379	301,287	15	2.8	1.0- 4.6	30	6.7	3.8- 9.6	48	9.1	5.8-12.4	69	19.5	13.6-25.4	144	39.0	32.5-45.5	73	22.8	17.1-28.5
Black or Afr. Am./Non-Hisp	106	159,046				1	0.3	0.0- 0.9	3	2.4	0.0- 5.3	6	2.3	0.3- 4.3	43	32.7	20.9-44.5	53	62.3	50.1-74.5
25-34	95	133,801							1	0.4	0.0- 1.2	6	6.3	0.0-12.8	49	38.9	26.4-51.4	39	54.3	40.8-67.8
35-44	104	122,090				4	3.4	0.0- 7.7	10	6.8	1.5-12.1	20	17.7	7.5-27.9	37	32.0	20.6-43.4	33	40.1	27.2-53.0
45-54	149	119,257	6	2.1	0.3- 3.9	16	9.8	4.3-15.3	20	11.5	5.2-17.8	28	23.0	12.2-33.8	52	36.5	25.9-47.1	27	17.1	9.3-24.9
55-64	91	54,985	6	7.7	0.0-15.9	12	11.7	4.4-19.0	12	10.8	4.3-17.3	15	18.2	8.8-27.6	31	31.7	19.4-44.0	15	19.9	7.9-31.9
65+	50	24,551	3	6.8	0.0-15.0	2	1.2	0.0- 3.0	10	14.5	3.5-25.5	9	11.0	2.2-19.8	16	36.9	16.7-57.1	10	29.6	9.8-49.4
H.S. or G.E.D.	132	162,156	1	0.3	0.0- 0.9	6	4.8	0.5- 9.1	10	4.0	0.9- 7.1	17	10.7	4.0-17.4	53	32.5	22.1-42.9	45	47.6	35.3-59.9
Some Post-H.S.	172	173,297	7	2.6	0.0- 5.3	13	4.5	1.8- 7.2	14	5.9	2.0- 9.8	30	18.3	9.3-27.3	66	37.0	26.8-47.2	42	31.8	20.6-43.0
College Graduate	181	121,340	6	2.4	0.2- 4.6	15	5.7	2.0- 9.4	26	10.4	5.9-14.9	27	14.6	7.0-22.2	65	34.1	25.1-43.1	42	32.9	22.7-43.1
Less than \$15,000	61	55,465	1	0.4	0.0- 1.2	4	7.4	0.0-16.8	2	1.0	0.0- 2.4	4	4.3	0.0- 9.2	29	41.1	22.3-59.9	21	45.8	26.4-65.2
\$15,000- 24,999	96	97,258	3	1.7	0.0- 3.9	3	1.7	0.0- 3.9	7	3.9	0.0- 8.6	15	10.3	2.5-18.1	37	32.0	19.1-44.9	31	50.4	34.7-66.1
\$25,000- 34,999	52	44,317				1	2.0	0.0- 5.9	7	9.5	0.5-18.5	5	9.8	0.6-19.0	26	53.6	37.1-70.1	13	25.2	9.9-40.5
\$35,000- 49,999	66	68,688	1	0.3	0.0- 0.9	1	1.0	0.0- 3.2	5	2.6	0.0- 5.3	10	18.4	2.9-33.9	28	38.5	21.6-55.4	21	39.1	21.9-56.3
\$50,000- 74,999	83	80,931	2	0.9	0.0- 2.1	8	5.9	1.0-10.8	13	11.6	4.3-18.9	15	10.7	4.4-17.0	26	35.0	21.5-48.5	19	35.9	21.4-50.4
\$75,000+	105	98,439	5	4.7	0.0- 9.8	14	9.1	3.4-14.8	12	9.0	2.7-15.3	20	25.7	12.2-39.2	37	27.0	16.0-38.0	17	24.4	8.7-40.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
 SECTION 19: HIV/AIDS**

**TABLE 7: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5615	4,726,207	225	6.4	5.2- 7.6	5390	93.6	92.4-94.8
Male	2367	2,271,538	127	7.1	5.5- 8.7	2240	92.9	91.3-94.5
Female	3245	2,451,155	97	5.7	4.1- 7.3	3148	94.3	92.7-95.9
White/Non-Hisp	4566	3,574,638	160	5.2	4.2- 6.2	4406	94.8	93.8-95.8
Black or Afr. Am./Non-Hisp	661	720,225	40	10.1	6.2-14.0	621	89.9	86.0-93.8
Oth. Race/Non-Hisp.	111	111,849	7	5.5	0.0-11.6	104	94.5	88.4- 100
MultiRacial/Non-Hisp.	97	52,255	8	21.9	5.2-38.6	89	78.1	61.4-94.8
Hispanic	100	195,808	8	11.1	2.5-19.7	92	88.9	80.3-97.5
18-24	338	567,487	51	15.2	10.7-19.7	287	84.8	80.3-89.3
25-34	558	789,999	69	16.1	11.6-20.6	489	83.9	79.4-88.4
35-44	595	789,209	32	5.8	3.3- 8.3	563	94.2	91.7-96.7
45-54	905	762,050	28	2.8	1.4- 4.2	877	97.2	95.8-98.6
55-64	1203	769,479	34	2.2	1.2- 3.2	1169	97.8	96.8-98.8
65+	1931	982,886	10	0.4	0.0- 0.8	1921	99.6	99.2- 100
Less Than H.S.	581	691,840	17	4.3	1.8- 6.8	564	95.7	93.2-98.2
H.S. or G.E.D.	1798	1,554,997	77	7.0	4.8- 9.2	1721	93.0	90.8-95.2
Some Post-H.S.	1486	1,385,151	73	7.6	5.4- 9.8	1413	92.4	90.2-94.6
College Graduate	1740	1,090,726	58	5.4	3.6- 7.2	1682	94.6	92.8-96.4
Less than \$15,000	600	438,922	33	8.5	4.4-12.6	567	91.5	87.4-95.6
\$15,000- 24,999	886	744,182	49	8.0	4.9-11.1	837	92.0	88.9-95.1
\$25,000- 34,999	573	489,640	35	11.5	7.0-16.0	538	88.5	84.0-93.0
\$35,000- 49,999	760	637,208	26	6.1	3.2- 9.0	734	93.9	91.0-96.8
\$50,000- 74,999	711	650,439	26	4.9	2.5- 7.3	685	95.1	92.7-97.5
\$75,000+	1146	1,021,413	34	5.2	2.8- 7.6	1112	94.8	92.4-97.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 8: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2367	2,271,538	127	7.1	5.5- 8.7	2240	92.9	91.3-94.5
White/Non-Hisp	1930	1,722,905	92	6.4	4.6- 8.2	1838	93.6	91.8-95.4
Black or Afr. Am./Non-Hisp	234	310,909	24	13.0	6.5-19.5	210	87.0	80.5-93.5
Oth. Race/Non-Hisp.	58	71,048	3	1.8	0.0- 4.5	55	98.2	95.5- 100
MultiRacial/Non-Hisp.	51	28,980	6	27.5	4.8-50.2	45	72.5	49.8-95.2
Hispanic	56	108,097	1	1.2	0.0- 3.6	55	98.8	96.4- 100
18-24	191	294,376	34	19.2	12.3-26.1	157	80.8	73.9-87.7
25-34	261	387,730	29	13.9	7.8-20.0	232	86.1	80.0-92.2
35-44	270	388,467	15	6.2	2.3-10.1	255	93.8	89.9-97.7
45-54	355	359,965	14	2.8	1.2- 4.4	341	97.2	95.6-98.8
55-64	547	375,109	28	3.6	1.8- 5.4	519	96.4	94.6-98.2
65+	712	434,477	6	0.5	0.1- 0.9	706	99.5	99.1-99.9
Less Than H.S.	211	322,539	11	5.2	1.3- 9.1	200	94.8	90.9-98.7
H.S. or G.E.D.	758	754,915	42	6.6	3.9- 9.3	716	93.4	90.7-96.1
Some Post-H.S.	601	646,112	39	9.2	5.7-12.7	562	90.8	87.3-94.3
College Graduate	795	547,423	35	6.4	3.7- 9.1	760	93.6	90.9-96.3
Less than \$15,000	196	168,754	20	11.8	4.5-19.1	176	88.2	80.9-95.5
\$15,000- 24,999	297	293,513	25	9.3	4.6-14.0	272	90.7	86.0-95.4
\$25,000- 34,999	252	250,016	16	11.6	4.9-18.3	236	88.4	81.7-95.1
\$35,000- 49,999	354	332,883	16	7.2	2.7-11.7	338	92.8	88.3-97.3
\$50,000- 74,999	349	353,899	13	3.8	1.4- 6.2	336	96.2	93.8-98.6
\$75,000+	617	588,173	24	6.4	3.1- 9.7	593	93.6	90.3-96.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016  
SECTION 19: HIV/AIDS**

**TABLE 9: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. YOU HAD FOUR OR MORE SEX PARTNERS IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK4)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using \_LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3245	2,451,155	97	5.7	4.1- 7.3	3148	94.3	92.7-95.9
White/Non-Hisp	2634	1,850,129	67	4.0	2.8- 5.2	2567	96.0	94.8-97.2
Black or Afr. Am./Non-Hisp	427	409,315	16	7.9	3.0-12.8	411	92.1	87.2-97.0
Oth. Race/Non-Hisp.	53	40,800	4	11.9	0.0-27.2	49	88.1	72.8- 100
18-24	147	273,111	17	10.8	4.9-16.7	130	89.2	83.3-95.1
25-34	296	400,942	39	18.0	11.3-24.7	257	82.0	75.3-88.7
35-44	325	400,742	17	5.3	2.0- 8.6	308	94.7	91.4-98.0
45-54	549	400,175	14	2.7	0.7- 4.7	535	97.3	95.3-99.3
55-64	656	394,370	6	0.8	0.0- 1.6	650	99.2	98.4- 100
65+	1218	548,132	4	0.3	0.0- 0.7	1214	99.7	99.3- 100
Less Than H.S.	369	367,391	6	3.4	0.1- 6.7	363	96.6	93.3-99.9
H.S. or G.E.D.	1040	800,082	35	7.4	4.3-10.5	1005	92.6	89.5-95.7
Some Post-H.S.	884	737,713	33	5.9	3.4- 8.4	851	94.1	91.6-96.6
College Graduate	944	543,026	23	4.3	1.9- 6.7	921	95.7	93.3-98.1
Less than \$15,000	404	270,168	13	6.4	1.7-11.1	391	93.6	88.9-98.3
\$15,000- 24,999	589	450,669	24	7.3	3.2-11.4	565	92.7	88.6-96.8
\$25,000- 34,999	321	239,624	19	11.4	5.1-17.7	302	88.6	82.3-94.9
\$35,000- 49,999	406	304,325	10	5.0	0.9- 9.1	396	95.0	90.9-99.1
\$50,000- 74,999	362	296,540	13	6.3	2.0-10.6	349	93.7	89.4-98.0
\$75,000+	528	431,330	10	3.5	0.8- 6.2	518	96.5	93.8-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
TENNESSEE CORE QUESTIONS DATA REPORT, 2016**

End of Core Data Report