

TENNESSEE

2016 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2017



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016**

MODULE 3: HEALTHY DAYS (Symptoms) CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (PAINACT2)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MAY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)	
7	MALES AND FEMALES	9
8	MALES ONLY	10
9	FEMALES ONLY	11
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)	
10	MALES AND FEMALES	12
11	MALES ONLY	13
12	FEMALES ONLY	14

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (PAINACT2)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5184	4,214,699	89	2.0	01.4-02.6	453	9.0	07.8-10.2	195	3.2	02.6-03.8	282	5.1	04.3-05.9	590	9.7	08.7-10.7	3575	71.1	69.3-72.9
Male	2168	2,010,969	29	1.2	00.6-01.8	163	7.2	05.6-08.8	63	2.8	01.8-03.8	96	4.1	02.9-05.3	215	8.8	07.2-10.4	1602	75.9	73.4-78.4
Female	3013	2,200,216	60	2.7	01.5-03.9	287	10.5	08.7-12.3	132	3.6	02.8-04.4	186	6.0	04.8-07.2	375	10.5	09.1-11.9	1973	66.8	64.3-69.3
White/Non-Hisp	4221	3,197,766	77	2.1	01.3-02.9	350	8.5	07.3-09.7	162	3.3	02.7-03.9	232	4.8	04.0-05.6	473	10.2	09.0-11.4	2927	71.1	69.1-73.1
Black or Afr. Am./Non-Hisp	631	669,405	9	1.8	00.2-03.4	66	11.2	07.3-15.1	20	2.4	00.6-04.2	25	4.8	02.3-07.3	64	7.1	04.6-09.6	447	72.7	67.4-78.0
Oth. Race/Non-Hisp.	93	91,335				12	5.7	01.4-10.0	2	1.3	00.0-03.3	5	2.5	00.0-05.0	15	16.9	05.1-28.7	59	73.5	61.0-86.0
MultiRacial/Non-Hisp.	90	49,111	1	0.3	00.0-00.9	11	15.4	04.6-26.2	6	9.8	00.0-19.6	7	6.5	00.2-12.8	26	22.5	12.1-32.9	39	45.5	29.4-61.6
Hispanic	75	140,804	2	2.8	00.0-07.7	10	13.7	02.3-25.1	2	2.4	00.0-05.7	8	12.2	02.2-22.2	3	1.4	00.0-03.2	50	67.6	53.1-82.1
18-24	274	438,865	8	3.6	00.1-07.1	25	8.8	04.5-13.1	9	2.1	00.5-03.7	7	4.2	00.5-07.9				225	81.2	74.9-87.5
25-34	465	636,343	13	3.0	01.0-05.0	41	8.5	05.0-12.0	13	1.7	00.7-02.7	18	4.3	01.8-06.8	16	2.8	00.8-04.8	364	79.7	74.8-84.6
35-44	547	726,075	9	2.6	00.4-04.8	59	11.5	07.8-15.2	24	4.0	02.0-06.0	34	5.9	03.4-08.4	50	7.1	04.7-09.5	371	68.9	63.8-74.0
45-54	851	708,766	19	1.7	00.7-02.7	76	8.8	06.3-11.3	37	3.8	02.0-05.6	46	4.7	02.9-06.5	142	16.9	13.6-20.2	531	64.1	59.8-68.4
55-64	1131	710,498	14	1.0	00.4-01.6	99	8.6	06.2-11.0	44	3.7	02.3-05.1	81	7.0	05.0-09.0	177	15.7	12.8-18.6	716	64.0	60.3-67.7
65+	1833	931,448	25	1.0	00.4-01.6	150	8.3	06.5-10.1	65	3.4	02.4-04.4	95	4.4	03.2-05.6	199	11.0	09.0-13.0	1299	71.9	69.2-74.6
Less Than H.S.	530	635,174	3	0.3	00.0-00.7	42	7.1	04.4-09.8	25	3.4	01.8-05.0	41	6.8	04.1-09.5	144	24.0	19.3-28.7	275	58.3	52.6-64.0
H.S. or G.E.D.	1686	1,429,755	28	2.0	00.8-03.2	145	10.4	08.0-12.8	77	3.8	02.6-05.0	96	6.2	04.4-08.0	227	9.1	07.5-10.7	1113	68.6	65.3-71.9
Some Post-H.S.	1385	1,242,500	27	2.8	01.4-04.2	137	9.6	07.4-11.8	45	2.6	01.4-03.8	90	4.8	03.4-06.2	146	7.7	06.1-09.3	940	72.4	69.3-75.5
College Graduate	1572	903,213	31	2.0	01.0-03.0	128	7.4	05.8-09.0	48	2.9	01.7-04.1	55	2.4	01.6-03.2	71	3.1	02.1-04.1	1239	82.1	79.7-84.5
Less than \$15,000	557	392,236	6	0.5	00.1-00.9	58	11.6	07.1-16.1	26	4.4	02.4-06.4	64	8.6	05.7-11.5	165	28.0	22.5-33.5	238	47.0	40.7-53.3
\$15,000- 24,999	820	666,285	18	2.1	00.9-03.3	77	11.7	07.8-15.6	37	3.5	02.1-04.9	61	9.5	06.2-12.8	151	14.5	11.6-17.4	476	58.8	53.7-63.9
\$25,000- 34,999	535	425,497	4	0.8	00.0-01.8	46	7.4	04.5-10.3	29	4.4	02.2-06.6	30	6.5	03.4-09.6	50	8.9	05.8-12.0	376	72.1	66.8-77.4
\$35,000- 49,999	713	578,826	12	0.9	00.3-01.5	60	8.0	05.3-10.7	17	1.6	00.6-02.6	39	5.3	02.9-07.7	50	5.0	03.2-06.8	535	79.1	75.2-83.0
\$50,000- 74,999	664	595,100	14	4.6	01.5-07.7	72	10.8	07.5-14.1	27	3.2	01.8-04.6	25	2.1	01.1-03.1	27	3.7	01.7-05.7	499	75.6	70.7-80.5
\$75,000+	1038	890,333	20	2.0	00.6-03.4	67	5.8	04.0-07.6	28	2.9	01.3-04.5	27	1.9	00.9-02.9	29	3.1	01.7-04.5	867	84.3	81.4-87.2

NOTE:

'% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?
(PAINACT2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2168	2,010,969	29	1.2	00.6-01.8	163	7.2	05.6-08.8	63	2.8	01.8-03.8	96	4.1	02.9-05.3	215	8.8	07.2-10.4	1602	75.9	73.4-78.4
White/Non-Hisp	1779	1,544,683	24	1.0	00.6-01.4	133	7.6	06.0-09.2	51	2.7	01.7-03.7	78	3.9	02.7-05.1	173	9.2	07.4-11.0	1320	75.6	73.1-78.1
Black or Afr. Am./Non-Hisp	218	281,047	2	1.6	00.0-04.1	15	7.3	01.8-12.8	6	2.8	00.0-06.5	7	3.5	00.2-06.8	19	6.0	02.7-09.3	169	78.8	71.2-86.4
18-24	159	236,595	2	0.5	00.0-01.3	13	6.7	02.2-11.2	3	2.2	00.0-04.7	2	3.7	00.0-08.8				139	86.8	79.9-93.7
25-34	215	307,552	7	3.9	00.6-07.2	18	6.1	02.6-09.6	2	0.3	00.0-00.9	6	3.4	00.1-06.7	8	2.1	00.3-03.9	174	84.3	78.4-90.2
35-44	243	350,580	2	0.3	00.0-00.9	18	9.0	03.9-14.1	9	4.1	01.0-07.2	10	3.8	00.7-06.9	19	6.7	03.2-10.2	185	76.1	69.0-83.2
45-54	330	327,448	5	1.0	00.0-02.0	21	5.1	02.4-07.8	14	4.3	01.0-07.6	16	3.7	01.3-06.1	43	14.6	09.3-19.9	231	71.2	64.7-77.7
55-64	510	341,942	5	0.8	00.0-01.6	44	8.7	05.4-12.0	20	3.5	01.5-05.5	29	5.4	03.0-07.8	79	17.2	12.5-21.9	333	64.3	58.8-69.8
65+	683	418,753	8	0.9	00.0-01.9	47	7.7	05.0-10.4	15	2.3	00.7-03.9	33	4.4	02.2-06.6	64	9.2	06.5-11.9	516	75.5	71.2-79.8
Less Than H.S.	196	291,942	1	0.4	00.0-01.2	11	4.5	01.8-07.2	7	2.4	00.2-04.6	13	3.8	01.3-06.3	53	24.8	17.2-32.4	111	64.1	55.5-72.7
H.S. or G.E.D.	702	687,724	8	1.4	00.2-02.6	52	7.5	04.6-10.4	30	3.8	02.0-05.6	35	6.1	03.2-09.0	80	7.0	05.2-08.8	497	74.3	69.8-78.8
Some Post-H.S.	557	578,072	6	1.2	00.0-02.4	51	9.1	06.0-12.2	13	2.5	00.5-04.5	30	3.6	01.8-05.4	55	7.6	05.2-10.0	402	76.0	71.3-80.7
College Graduate	711	452,683	14	1.5	00.5-02.5	49	6.3	04.1-08.5	13	2.0	00.8-03.2	18	1.7	00.7-02.7	26	2.6	01.2-04.0	591	85.8	82.7-88.9
Less than \$15,000	177	144,606	2	0.5	00.0-01.5	16	6.4	02.3-10.5	11	5.4	01.5-09.3	13	5.5	01.8-09.2	45	30.9	20.3-41.5	90	51.2	40.6-61.8
\$15,000- 24,999	276	252,335	7	2.6	00.4-04.8	23	9.5	03.4-15.6	10	2.7	00.5-04.9	17	9.2	03.1-15.3	56	16.9	11.8-22.0	163	59.1	50.9-67.3
\$25,000- 34,999	229	209,228				16	5.2	02.1-08.3	12	4.7	01.4-08.0	12	6.2	01.5-10.9	27	9.2	05.1-13.3	162	74.7	67.6-81.8
\$35,000- 49,999	331	303,021	2	0.7	00.0-01.7	25	10.0	05.3-14.7	4	0.4	00.0-00.8	25	6.8	02.9-10.7	21	4.6	02.2-07.0	254	77.6	71.5-83.7
\$50,000- 74,999	325	332,732	5	1.5	00.0-03.5	27	8.0	03.9-12.1	8	1.9	00.5-03.3	10	1.5	00.5-02.5	12	2.8	00.4-05.2	263	84.3	79.0-89.6
\$75,000+	553	509,079	9	1.0	00.2-01.8	32	4.5	02.7-06.3	13	3.4	00.9-05.9	10	1.3	00.3-02.3	16	3.4	01.2-05.6	473	86.4	82.7-90.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID PAIN MAKE IT HARD FOR YOU TO DO YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION?
(PAINACT2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3013	2,200,216	60	2.7	01.5-03.9	287	10.5	08.7-12.3	132	3.6	02.8-04.4	186	6.0	04.8-07.2	375	10.5	09.1-11.9	1973	66.8	64.3-69.3
White/Non-Hisp	2440	1,651,480	53	3.1	01.7-04.5	215	9.3	07.5-11.1	111	3.9	03.1-04.7	154	5.7	04.5-06.9	300	11.1	09.5-12.7	1607	67.0	64.5-69.5
Black or Afr. Am./Non-Hisp	413	388,358	7	2.0	00.0-04.2	51	14.0	08.5-19.5	14	2.1	00.7-03.5	18	5.8	02.1-09.5	45	7.9	04.4-11.4	278	68.2	61.1-75.3
18-24	115	202,271	6	7.1	00.0-14.4	12	11.3	03.7-18.9	6	2.1	00.3-03.9	5	4.9	00.0-10.2				86	74.7	64.1-85.3
25-34	249	327,465	6	2.2	00.0-04.6	22	10.4	04.5-16.3	11	2.9	00.9-04.9	12	5.1	01.2-09.0	8	3.5	00.2-06.8	190	75.7	68.1-83.3
35-44	304	375,495	7	4.8	00.9-08.7	41	13.9	08.8-19.0	15	3.9	01.5-06.3	24	7.9	04.2-11.6	31	7.4	04.3-10.5	186	62.1	54.7-69.5
45-54	520	379,408	14	2.2	00.8-03.6	54	11.6	07.7-15.5	23	3.3	01.7-04.9	30	5.6	02.9-08.3	99	18.9	14.4-23.4	300	58.4	52.7-64.1
55-64	621	368,556	9	1.2	00.2-02.2	55	8.6	05.5-11.7	24	3.9	02.1-05.7	52	8.5	05.4-11.6	98	14.3	11.0-17.6	383	63.6	58.7-68.5
65+	1149	512,418	17	1.1	00.3-01.9	102	8.7	06.5-10.9	50	4.2	02.6-05.8	62	4.5	03.1-05.9	135	12.5	10.0-15.0	783	69.0	65.5-72.5
Less Than H.S.	333	341,322	2	0.2	00.0-00.4	30	8.8	04.3-13.3	18	4.3	01.9-06.7	28	9.4	04.9-13.9	91	23.6	17.9-29.3	164	53.8	46.2-61.4
H.S. or G.E.D.	984	742,031	20	2.5	00.3-04.7	93	13.0	09.3-16.7	47	3.9	02.5-05.3	61	6.2	03.8-08.6	147	11.0	08.6-13.4	616	63.4	58.9-67.9
Some Post-H.S.	827	663,101	21	4.3	01.8-06.8	85	9.9	07.0-12.8	32	2.8	01.6-04.0	60	5.9	03.7-08.1	91	7.8	05.6-10.0	538	69.4	64.9-73.9
College Graduate	860	450,253	17	2.5	00.7-04.3	78	8.4	06.0-10.8	35	3.8	02.0-05.6	37	3.2	01.6-04.8	45	3.7	02.3-05.1	648	78.5	74.8-82.2
Less than \$15,000	380	247,630	4	0.4	00.0-00.8	42	14.7	08.2-21.2	15	3.9	01.5-06.3	51	10.3	06.2-14.4	120	26.2	20.3-32.1	148	44.4	36.6-52.2
\$15,000- 24,999	544	413,950	11	1.8	00.6-03.0	54	13.0	07.9-18.1	27	3.9	02.1-05.7	44	9.6	05.7-13.5	95	13.1	09.8-16.4	313	58.6	52.1-65.1
\$25,000- 34,999	306	216,268	4	1.5	00.0-03.3	30	9.6	04.9-14.3	17	4.0	01.6-06.4	18	6.8	02.7-10.9	23	8.6	04.1-13.1	214	69.6	62.0-77.2
\$35,000- 49,999	382	275,805	10	1.2	00.4-02.0	35	5.9	03.5-08.3	13	3.0	01.0-05.0	14	3.7	01.2-06.2	29	5.5	03.0-08.0	281	80.7	76.0-85.4
\$50,000- 74,999	339	262,368	9	8.5	01.8-15.2	45	14.3	09.0-19.6	19	4.9	02.4-07.4	15	2.9	01.1-04.7	15	4.8	01.5-08.1	236	64.6	56.8-72.4
\$75,000+	484	379,343	11	3.3	00.4-06.2	34	7.2	04.3-10.1	15	2.1	00.7-03.5	17	2.8	01.0-04.6	13	2.7	00.9-04.5	394	81.8	77.1-86.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 4: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5173	4,193,718	203	4.1	03.3-04.9	798	15.5	14.1-16.9	264	5.9	04.9-06.9	269	5.3	04.5-06.1	348	6.3	05.3-07.3	3291	63.0	61.0-65.0
Male	2158	1,999,611	82	4.3	03.1-05.5	249	12.0	10.0-14.0	90	4.8	03.2-06.4	76	3.4	02.4-04.4	116	4.8	03.6-06.0	1545	70.8	68.1-73.5
Female	3012	2,190,593	121	3.9	02.7-05.1	549	18.7	16.5-20.9	173	6.8	05.2-08.4	192	7.0	05.6-08.4	232	7.6	06.2-09.0	1745	55.9	53.2-58.6
White/Non-Hisp	4214	3,181,324	158	3.8	03.0-04.6	651	15.4	13.8-17.0	203	5.3	04.1-06.5	216	5.2	04.2-06.2	276	6.5	05.5-07.5	2710	63.9	61.7-66.1
Black or Afr. Am./Non-Hisp	625	663,946	31	5.2	02.7-07.7	110	18.3	13.8-22.8	37	8.6	04.7-12.5	36	6.9	03.8-10.0	38	4.3	02.5-06.1	373	56.6	50.7-62.5
Oth. Race/Non-Hisp.	96	93,272	4	7.0	00.0-15.8	13	11.2	02.6-19.8	6	4.4	00.1-08.7	4	5.3	00.0-12.4	11	13.7	02.9-24.5	58	58.5	43.4-73.6
MultiRacial/Non-Hisp.	90	48,950	4	9.8	00.0-23.9	9	7.0	01.5-12.5	11	20.3	05.2-35.4	11	13.3	04.3-22.3	9	6.0	01.1-10.9	46	43.6	28.5-58.7
Hispanic	76	142,027	3	1.7	00.0-04.1	9	13.9	02.5-25.3	4	3.8	00.0-08.9				7	4.9	00.4-09.4	53	75.7	63.0-88.4
18-24	273	434,154	16	5.7	01.8-09.6	61	21.1	15.2-27.0	18	6.3	02.8-09.8	16	7.0	02.9-11.1	11	4.3	01.4-07.2	151	55.5	48.1-62.9
25-34	462	632,747	17	3.2	01.0-05.4	76	17.0	12.3-21.7	37	9.5	05.6-13.4	33	5.1	02.9-07.3	25	4.4	02.0-06.8	274	60.8	54.7-66.9
35-44	548	725,075	30	6.2	03.5-08.9	88	14.8	10.9-18.7	38	8.0	04.1-11.9	38	5.0	02.8-07.2	35	5.6	03.4-07.8	319	60.3	54.6-66.0
45-54	849	700,328	34	2.6	01.4-03.8	134	17.0	13.5-20.5	48	5.2	03.4-07.0	46	5.6	03.6-07.6	95	10.3	07.6-13.0	492	59.4	54.9-63.9
55-64	1127	716,448	43	4.2	02.4-06.0	164	14.3	11.8-16.8	54	4.6	03.0-06.2	69	7.3	05.1-09.5	86	7.7	05.5-09.9	711	61.9	58.2-65.6
65+	1832	923,689	57	3.2	02.2-04.2	265	12.3	10.3-14.3	68	3.3	02.3-04.3	66	3.5	02.3-04.7	94	5.1	03.7-06.5	1282	72.6	69.9-75.3
Less Than H.S.	545	633,348	13	2.0	00.6-03.4	73	10.7	07.6-13.8	39	11.1	06.4-15.8	55	8.9	06.0-11.8	90	14.8	10.9-18.7	275	52.6	46.5-58.7
H.S. or G.E.D.	1676	1,420,480	48	3.4	02.0-04.8	260	15.1	12.6-17.6	98	5.7	04.1-07.3	94	4.8	03.4-06.2	126	6.5	05.1-07.9	1050	64.4	61.1-67.7
Some Post-H.S.	1380	1,239,339	52	4.6	02.8-06.4	227	17.3	14.4-20.2	71	4.9	03.3-06.5	75	6.1	04.3-07.9	84	4.5	03.1-05.9	871	62.5	58.8-66.2
College Graduate	1562	896,751	89	5.9	04.1-07.7	238	16.9	14.2-19.6	56	3.9	02.5-05.3	45	2.5	01.5-03.5	47	2.4	01.6-03.2	1087	68.5	65.2-71.8
Less than \$15,000	562	395,274	15	2.5	00.5-04.5	86	13.2	09.1-17.3	36	7.3	03.6-11.0	54	11.7	07.4-16.0	107	19.0	14.1-23.9	264	46.4	40.3-52.5
\$15,000- 24,999	816	661,991	20	2.3	00.9-03.7	136	17.9	13.8-22.0	73	10.0	06.9-13.1	63	7.0	04.8-09.2	89	9.2	06.7-11.7	435	53.5	48.4-58.6
\$25,000- 34,999	534	424,400	13	3.0	00.8-05.2	78	12.9	09.2-16.6	24	3.3	01.3-05.3	36	7.7	04.6-10.8	34	6.4	03.7-09.1	349	66.7	61.0-72.4
\$35,000- 49,999	715	581,558	28	3.6	01.6-05.6	112	16.2	12.3-20.1	32	4.7	02.5-06.9	32	4.3	02.1-06.5	23	3.8	01.6-06.0	488	67.5	62.4-72.6
\$50,000- 74,999	661	589,216	36	5.6	02.7-08.5	117	17.3	13.2-21.4	30	5.4	01.7-09.1	22	4.2	01.8-06.6	13	2.2	00.6-03.8	443	65.3	59.6-71.0
\$75,000+	1034	885,985	54	5.7	03.5-07.9	147	14.0	11.1-16.9	37	4.8	02.8-06.8	15	1.4	00.2-02.6	13	1.3	00.5-02.1	768	72.8	68.9-76.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

TABLE 5: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2158	1,999,611	82	4.3	03.1-05.5	249	12.0	10.0-14.0	90	4.8	03.2-06.4	76	3.4	02.4-04.4	116	4.8	03.6-06.0	1545	70.8	68.1-73.5	
White/Non-Hisp	1774	1,536,135	66	4.0	02.6-05.4	199	11.6	09.6-13.6	69	4.2	02.6-05.8	60	3.5	02.3-04.7	91	5.0	03.6-06.4	1289	71.7	68.8-74.6	
Black or Afr. Am./Non-Hisp	212	276,223	8	4.4	00.7-08.1	32	16.8	09.7-23.9	13	8.2	02.1-14.3	9	4.4	00.7-08.1	12	2.9	00.7-05.1	138	63.3	54.1-72.5	
18-24	158	231,884	13	6.8	02.1-11.5	26	15.1	08.4-21.8	11	7.3	02.2-12.4	5	3.0	00.0-06.5	5	4.0	00.0-08.1	98	63.9	54.7-73.1	
25-34	214	306,108	12	4.8	01.1-08.5	37	17.1	10.8-23.4	14	5.4	01.9-08.9	7	2.1	00.3-03.9	8	1.9	00.3-03.5	136	68.7	60.9-76.5	
35-44	243	348,538	16	7.7	03.0-12.4	30	10.2	05.7-14.7	11	8.1	01.2-15.0	10	2.2	00.0-04.6	13	4.6	01.9-07.3	163	67.2	58.8-75.6	
45-54	327	321,087	12	2.5	00.7-04.3	40	13.4	08.3-18.5	12	2.6	01.0-04.2	13	4.9	01.8-08.0	22	6.5	02.8-10.2	228	70.1	63.4-76.8	
55-64	505	344,901	9	1.8	00.0-03.6	70	13.2	09.5-16.9	21	4.0	02.0-06.0	22	5.2	02.5-07.9	29	6.3	03.0-09.6	354	69.5	64.2-74.8	
65+	683	418,994	19	3.0	01.4-04.6	45	6.6	04.1-09.1	21	2.7	01.3-04.1	19	3.4	01.2-05.6	38	5.1	02.9-07.3	541	79.3	75.2-83.4	
Less Than H.S.	201	291,639	3	1.3	00.0-03.1	22	7.2	03.9-10.5	10	7.8	00.5-15.1	16	7.4	03.1-11.7	29	12.0	06.1-17.9	121	64.4	55.2-73.6	
H.S. or G.E.D.	699	687,098	24	3.2	01.8-04.6	82	11.7	08.6-14.8	33	5.0	02.5-07.5	23	3.5	01.7-05.3	44	4.8	03.0-06.6	493	71.8	67.3-76.3	
Some Post-H.S.	551	570,287	20	6.0	02.7-09.3	70	14.5	10.4-18.6	26	4.4	02.2-06.6	21	2.9	01.1-04.7	26	3.5	01.7-05.3	388	68.6	63.1-74.1	
College Graduate	705	450,038	35	5.6	03.1-08.1	75	12.3	08.8-15.8	21	2.9	01.3-04.5	16	1.5	00.5-02.5	17	1.7	00.7-02.7	541	76.0	71.7-80.3	
Less than \$15,000	180	148,478	8	2.8	00.4-05.2	20	8.6	04.1-13.1	8	3.5	00.6-06.4	14	10.9	03.5-18.3	36	19.2	10.0-28.4	94	55.0	44.6-65.4	
\$15,000- 24,999	272	249,850	8	2.9	00.4-05.4	35	14.4	08.5-20.3	18	9.5	03.4-15.6	17	6.1	02.6-09.6	29	8.3	05.0-11.6	165	58.7	50.5-66.9	
\$25,000- 34,999	232	209,295	4	1.3	00.0-02.7	28	12.7	07.0-18.4	10	2.2	00.6-03.8	10	2.9	00.7-05.1	14	5.7	01.6-09.8	166	75.2	68.1-82.3	
\$35,000- 49,999	331	303,803	14	4.0	01.1-06.9	37	11.9	07.0-16.8	19	5.3	02.2-08.4	10	4.0	00.9-07.1	9	2.6	00.2-05.0	242	72.2	65.3-79.1	
\$50,000- 74,999	321	326,253	13	4.1	01.4-06.8	37	10.3	06.2-14.4	11	5.8	00.0-11.9	7	1.6	00.0-03.2	7	1.7	00.1-03.3	246	76.5	69.1-83.9	
\$75,000+	550	507,929	23	6.3	02.8-09.8	55	11.1	07.2-15.0	17	3.4	01.4-05.4	6	0.5	00.0-01.1	6	1.5	00.1-02.9	443	77.3	72.2-82.4	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

TABLE 6: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT SAD, BLUE, OR DEPRESSED? (QLMENTL2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3012	2,190,593	121	3.9	02.7-05.1	549	18.7	16.5-20.9	173	6.8	05.2-08.4	192	7.0	05.6-08.4	232	7.6	06.2-09.0	1745	55.9	53.2-58.6
White/Non-Hisp	2438	1,643,586	92	3.5	02.3-04.7	452	18.9	16.7-21.1	134	6.3	04.9-07.7	155	6.7	05.3-08.1	185	7.8	06.4-09.2	1420	56.7	54.0-59.4
Black or Afr. Am./Non-Hisp	413	387,723	23	5.8	02.5-09.1	78	19.4	13.3-25.5	24	8.9	04.0-13.8	27	8.7	04.2-13.2	26	5.2	02.5-07.9	235	51.9	44.3-59.5
18-24	115	202,271	3	4.5	00.0-11.2	35	28.0	18.0-38.0	7	5.3	00.4-10.2	11	11.6	04.0-19.2	6	4.6	00.5-08.7	53	46.0	34.0-58.0
25-34	247	325,312	5	1.7	00.0-03.7	39	17.0	09.9-24.1	23	13.4	06.9-19.9	25	7.5	03.8-11.2	17	6.9	02.8-11.0	138	53.6	44.8-62.4
35-44	305	376,536	14	4.9	01.8-08.0	58	19.1	13.2-25.0	27	8.0	04.1-11.9	28	7.7	04.2-11.2	22	6.5	03.4-09.6	156	53.9	46.3-61.5
45-54	521	377,331	22	2.6	01.2-04.0	94	20.2	15.5-24.9	35	6.9	04.0-09.8	33	6.1	03.6-08.6	73	13.6	09.7-17.5	264	50.6	44.7-56.5
55-64	622	371,547	34	6.5	03.6-09.4	94	15.4	11.7-19.1	33	5.1	02.9-07.3	47	9.2	05.9-12.5	57	9.1	06.2-12.0	357	54.7	49.6-59.8
65+	1148	504,418	38	3.4	02.0-04.8	220	17.0	14.3-19.7	47	3.8	02.4-05.2	47	3.7	02.3-05.1	56	5.1	03.3-06.9	740	67.1	63.6-70.6
Less Than H.S.	343	339,798	10	2.6	00.6-04.6	51	13.8	08.9-18.7	28	13.5	07.4-19.6	39	10.2	06.3-14.1	61	17.2	12.1-22.3	154	42.7	34.9-50.5
H.S. or G.E.D.	977	733,382	24	3.6	01.2-06.0	178	18.4	14.5-22.3	65	6.3	04.1-08.5	71	6.1	04.1-08.1	82	8.0	05.6-10.4	557	57.5	52.8-62.2
Some Post-H.S.	828	667,726	32	3.3	01.7-04.9	157	19.8	15.7-23.9	45	5.4	03.2-07.6	53	8.7	05.8-11.6	58	5.4	03.4-07.4	483	57.4	52.5-62.3
College Graduate	856	446,435	54	6.2	03.7-08.7	163	21.6	17.5-25.7	35	4.8	02.4-07.2	29	3.5	01.5-05.5	30	3.0	01.6-04.4	545	60.9	56.2-65.6
Less than \$15,000	382	246,797	7	2.3	00.0-05.2	66	16.0	09.9-22.1	28	9.5	03.8-15.2	40	12.1	07.0-17.2	71	18.8	13.3-24.3	170	41.2	33.8-48.6
\$15,000- 24,999	544	412,141	12	2.0	00.4-03.6	101	20.1	14.6-25.6	55	10.3	06.8-13.8	46	7.5	04.8-10.2	60	9.8	06.5-13.1	270	50.2	43.7-56.7
\$25,000- 34,999	302	215,106	9	4.7	00.8-08.6	50	13.0	08.1-17.9	14	4.4	00.7-08.1	26	12.3	06.6-18.0	20	7.2	03.3-11.1	183	58.4	49.6-67.2
\$35,000- 49,999	384	277,754	14	3.2	01.0-05.4	75	20.9	14.8-27.0	13	4.0	00.9-07.1	22	4.5	01.8-07.2	14	5.2	01.7-08.7	246	62.3	55.0-69.6
\$50,000- 74,999	340	262,963	23	7.3	01.6-13.0	80	26.0	19.1-32.9	19	5.0	02.1-07.9	15	7.4	02.7-12.1	6	2.8	00.0-05.7	197	51.5	43.7-59.3
\$75,000+	483	376,145	31	5.0	02.8-07.2	92	18.1	13.4-22.8	19	6.2	02.7-09.7	9	2.6	00.1-05.1	7	1.0	00.2-01.8	325	67.1	61.2-73.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5145	4,182,435	243	5.0	04.0-06.0	1010	20.0	18.4-21.6	341	6.9	05.9-07.9	316	7.0	05.8-08.2	590	12.0	10.6-13.4	2645	49.1	47.1-51.1
Male	2144	1,987,839	106	5.4	04.0-06.8	366	18.6	16.2-21.0	120	5.8	04.4-07.2	95	5.6	03.8-07.4	177	8.3	06.7-09.9	1280	56.3	53.2-59.4
Female	2998	2,191,082	137	4.7	03.5-05.9	644	21.3	19.1-23.5	221	7.9	06.5-09.3	221	8.2	06.6-09.8	411	15.3	13.3-17.3	1364	42.6	39.9-45.3
White/Non-Hisp	4188	3,175,188	186	4.3	03.3-05.3	826	20.3	18.5-22.1	270	6.8	05.8-07.8	248	6.7	05.3-08.1	480	12.3	10.9-13.7	2178	49.5	47.3-51.7
Black or Afr. Am./Non-Hisp	624	664,011	37	6.9	03.6-10.2	137	22.3	17.4-27.2	44	7.3	04.2-10.4	39	8.4	04.9-11.9	65	10.5	07.0-14.0	302	44.5	38.6-50.4
Oth. Race/Non-Hisp.	94	89,979	5	5.7	00.0-11.6	11	10.0	01.6-18.4	8	10.8	01.2-20.4	8	7.1	00.0-14.7	13	15.4	03.8-27.0	49	51.1	35.2-67.0
MultiRacial/Non-Hisp.	92	49,493	7	6.5	00.0-13.2	16	24.8	09.3-40.3	11	12.8	03.0-22.6	11	16.9	03.4-30.4	15	12.8	03.8-21.8	32	26.2	14.6-37.8
Hispanic	75	139,315	7	13.8	02.4-25.2	12	8.9	02.8-15.0	2	3.8	00.0-09.3	6	5.4	00.0-10.9	8	9.4	00.0-18.8	40	58.7	43.6-73.8
18-24	272	437,669	16	6.0	02.1-09.9	59	21.4	15.1-27.7	25	10.1	05.6-14.6	32	11.1	06.6-15.6	32	12.5	07.6-17.4	108	39.0	31.6-46.4
25-34	460	630,959	23	6.1	02.6-09.6	97	20.6	15.7-25.5	40	8.6	05.1-12.1	40	8.7	05.4-12.0	58	11.9	08.0-15.8	202	44.1	38.0-50.2
35-44	544	719,713	31	6.1	03.4-08.8	121	21.6	16.9-26.3	51	8.8	05.9-11.7	50	9.5	05.0-14.0	81	13.1	09.6-16.6	210	40.8	34.9-46.7
45-54	843	702,630	41	3.7	02.1-05.3	193	22.9	19.2-26.6	46	4.3	02.9-05.7	58	6.7	04.3-09.1	154	17.3	13.8-20.8	351	45.1	40.4-49.8
55-64	1124	713,385	50	4.6	02.8-06.4	219	19.4	16.5-22.3	72	7.1	05.1-09.1	68	6.0	04.4-07.6	134	12.3	09.6-15.0	581	50.7	47.0-54.4
65+	1819	915,377	78	4.4	03.2-05.6	309	16.5	14.1-18.9	104	5.1	03.9-06.3	66	3.1	02.1-04.1	122	6.8	05.2-08.4	1140	64.2	61.3-67.1
Less Than H.S.	544	633,278	12	3.0	00.8-05.2	75	12.6	09.1-16.1	40	7.5	04.4-10.6	40	10.1	05.0-15.2	134	22.6	17.9-27.3	243	44.2	38.1-50.3
H.S. or G.E.D.	1675	1,420,343	62	4.2	02.6-05.8	280	17.4	14.7-20.1	110	6.3	04.7-07.9	117	7.0	05.2-08.8	203	11.2	09.0-13.4	903	54.0	50.5-57.5
Some Post-H.S.	1370	1,237,309	62	5.6	03.4-07.8	289	22.8	19.7-25.9	94	7.2	05.2-09.2	89	7.0	05.0-09.0	155	11.9	09.4-14.4	681	45.5	41.8-49.2
College Graduate	1546	887,705	107	7.1	05.1-09.1	365	25.5	22.4-28.6	96	7.3	05.3-09.3	70	4.7	03.1-06.3	97	6.0	04.4-07.6	811	49.4	45.9-52.9
Less than \$15,000	560	394,236	18	3.8	00.9-06.7	84	15.1	10.6-19.6	52	9.0	05.7-12.3	45	9.2	05.1-13.3	153	28.2	22.5-33.9	208	34.8	29.1-40.5
\$15,000- 24,999	820	657,965	32	3.6	01.8-05.4	134	15.5	11.8-19.2	61	7.7	05.2-10.2	77	9.9	07.2-12.6	132	16.2	12.5-19.9	384	47.1	42.0-52.2
\$25,000- 34,999	526	424,640	20	3.8	01.3-06.3	89	15.0	11.1-18.9	33	6.1	03.0-09.2	31	7.4	04.1-10.7	65	13.4	09.5-17.3	288	54.4	48.1-60.7
\$35,000- 49,999	709	576,532	28	3.5	01.7-05.3	136	21.3	17.0-25.6	37	3.8	02.2-05.4	43	6.5	03.8-09.2	52	7.9	05.0-10.8	413	57.1	51.8-62.4
\$50,000- 74,999	660	588,138	40	4.4	02.6-06.2	167	25.6	20.7-30.5	43	6.8	04.3-09.3	33	8.3	03.2-13.4	36	6.5	03.8-09.2	341	48.5	42.6-54.4
\$75,000+	1029	885,076	71	7.9	05.2-10.6	244	23.5	20.0-27.0	64	8.1	05.7-10.5	38	3.1	01.7-04.5	52	7.0	04.5-09.5	560	50.4	46.1-54.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2144	1,987,839	106	5.4	04.0-06.8	366	18.6	16.2-21.0	120	5.8	04.4-07.2	95	5.6	03.8-07.4	177	8.3	06.7-09.9	1280	56.3	53.2-59.4
White/Non-Hisp	1761	1,530,344	84	5.1	03.5-06.7	301	18.7	16.2-21.2	99	5.8	04.4-07.2	73	5.8	03.6-08.0	133	7.9	06.1-09.7	1071	56.7	53.4-60.0
Black or Afr. Am./Non-Hisp	214	277,101	10	4.6	00.9-08.3	41	21.3	13.5-29.1	9	4.4	00.5-08.3	13	7.1	02.0-12.2	27	10.9	05.2-16.6	114	51.7	42.5-60.9
18-24	157	235,399	10	7.9	01.4-14.4	41	23.5	15.5-31.5	14	9.2	03.7-14.7	13	8.5	03.2-13.8	13	9.0	03.1-14.9	66	41.9	32.1-51.7
25-34	214	305,336	9	5.0	01.1-08.9	50	22.5	15.4-29.6	20	8.5	03.8-13.2	14	7.0	02.5-11.5	20	7.8	03.9-11.7	101	49.2	40.4-58.0
35-44	242	345,232	15	6.4	02.3-10.5	53	20.6	13.7-27.5	16	6.0	02.5-09.5	13	9.8	01.6-18.0	27	9.1	05.0-13.2	118	48.1	39.3-56.9
45-54	324	322,320	21	5.4	02.5-08.3	75	21.9	16.2-27.6	15	3.6	01.6-05.6	13	3.3	00.9-05.7	34	11.8	06.5-17.1	166	54.0	46.6-61.4
55-64	506	342,138	22	4.7	02.0-07.4	84	17.0	12.9-21.1	30	6.9	03.8-10.0	25	4.7	02.5-06.9	42	7.6	04.3-10.9	303	59.0	53.3-64.7
65+	673	409,315	27	4.1	02.3-05.9	61	10.7	07.4-14.0	25	3.0	01.6-04.4	17	2.4	00.8-04.0	38	5.0	02.8-07.2	505	74.7	70.4-79.0
Less Than H.S.	192	286,273	6	4.1	00.0-08.2	26	11.8	06.7-16.9	8	3.3	00.8-05.8	11	12.2	02.4-22.0	37	15.9	09.2-22.6	104	52.7	42.7-62.7
H.S. or G.E.D.	701	686,514	27	4.1	01.9-06.3	101	16.7	12.8-20.6	40	5.7	03.5-07.9	35	5.3	02.9-07.7	61	7.5	05.1-09.9	437	60.8	55.7-65.9
Some Post-H.S.	549	569,236	30	6.3	03.4-09.2	94	21.0	16.1-25.9	39	8.0	04.9-11.1	25	4.1	01.7-06.5	43	8.6	05.3-11.9	318	51.9	46.2-57.6
College Graduate	700	445,268	43	7.3	04.6-10.0	145	22.7	18.4-27.0	33	5.0	02.8-07.2	24	3.8	01.8-05.8	36	4.1	02.5-05.7	419	57.2	52.3-62.1
Less than \$15,000	176	144,926	10	6.6	00.0-14.0	18	10.9	05.2-16.6	15	9.1	03.6-14.6	7	2.6	00.2-05.0	46	28.1	17.5-38.7	80	42.7	32.5-52.9
\$15,000- 24,999	270	245,202	11	3.4	00.9-05.9	39	17.7	10.4-25.0	20	9.1	03.8-14.4	18	6.6	02.3-10.9	34	11.1	06.8-15.4	148	52.1	43.7-60.5
\$25,000- 34,999	227	207,688	8	4.0	00.1-07.9	39	18.7	11.8-25.6	17	6.3	02.8-09.8	14	6.8	01.9-11.7	14	6.4	02.1-10.7	135	57.8	49.2-66.4
\$35,000- 49,999	328	299,906	10	2.7	00.7-04.7	54	19.7	13.4-26.0	13	2.3	00.9-03.7	19	6.0	02.3-09.7	20	7.9	03.6-12.2	212	61.4	54.0-68.8
\$50,000- 74,999	323	327,842	18	4.7	02.2-07.2	67	20.7	14.6-26.8	14	3.9	01.4-06.4	15	10.4	02.0-18.8	14	3.9	01.4-06.4	195	56.3	47.7-64.9
\$75,000+	548	507,041	38	7.5	04.2-10.8	107	20.4	15.7-25.1	27	6.0	03.3-08.7	11	1.5	00.5-02.5	25	5.6	02.7-08.5	340	58.9	53.0-64.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT WORRIED, TENSE, OR ANXIOUS? (QLSTRES2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2998	2,191,082	137	4.7	03.5-05.9	644	21.3	19.1-23.5	221	7.9	06.5-09.3	221	8.2	06.6-09.8	411	15.3	13.3-17.3	1364	42.6	39.9-45.3
White/Non-Hisp	2425	1,643,242	102	3.5	02.5-04.5	525	21.9	19.5-24.3	171	7.7	06.1-09.3	175	7.5	06.1-08.9	346	16.4	14.2-18.6	1106	42.9	40.2-45.6
Black or Afr. Am./Non-Hisp	410	386,910	27	8.5	03.4-13.6	96	23.0	16.5-29.5	35	9.5	05.0-14.0	26	9.4	04.5-14.3	38	10.3	05.8-14.8	188	39.4	32.0-46.8
18-24	115	202,271	6	3.8	00.5-07.1	18	18.9	08.9-28.9	11	11.1	03.7-18.5	19	14.1	06.8-21.4	19	16.6	08.4-24.8	42	35.5	23.9-47.1
25-34	245	324,296	14	7.1	01.4-12.8	47	18.9	12.4-25.4	20	8.8	03.9-13.7	26	10.4	05.3-15.5	37	15.5	09.0-22.0	101	39.4	31.0-47.8
35-44	302	374,481	16	5.9	02.2-09.6	68	22.5	16.0-29.0	35	11.4	06.9-15.9	37	9.3	05.2-13.4	54	16.8	11.5-22.1	92	34.1	26.1-42.1
45-54	518	378,400	20	2.4	01.0-03.8	118	23.8	18.9-28.7	31	4.8	02.6-07.0	45	9.6	05.9-13.3	119	21.5	17.0-26.0	185	37.8	31.9-43.7
55-64	618	371,247	28	4.5	02.0-07.0	135	21.6	17.5-25.7	42	7.2	04.5-09.9	43	7.2	04.8-09.6	92	16.5	12.4-20.6	278	42.9	37.8-48.0
65+	1145	505,784	51	4.5	02.7-06.3	248	21.2	18.3-24.1	79	6.7	04.9-08.5	49	3.6	02.4-04.8	84	8.2	05.8-10.6	634	55.7	52.0-59.4
Less Than H.S.	351	345,095	6	2.1	00.1-04.1	49	13.3	08.4-18.2	32	11.1	05.8-16.4	29	8.4	04.3-12.5	96	27.7	21.4-34.0	139	37.4	29.6-45.2
H.S. or G.E.D.	974	733,829	35	4.3	02.1-06.5	179	18.0	14.3-21.7	70	6.8	04.6-09.0	82	8.6	06.1-11.1	142	14.6	11.3-17.9	466	47.7	43.0-52.4
Some Post-H.S.	820	666,746	32	5.0	02.1-07.9	195	24.4	20.1-28.7	55	6.5	04.1-08.9	64	9.5	06.6-12.4	111	14.5	10.8-18.2	363	40.1	35.2-45.0
College Graduate	845	442,161	64	6.9	04.4-09.4	220	28.3	24.0-32.6	63	9.6	06.5-12.7	46	5.7	03.3-08.1	61	7.9	05.2-10.6	391	41.6	36.9-46.3
Less than \$15,000	384	249,309	8	2.2	00.2-04.2	66	17.5	11.4-23.6	37	8.9	04.8-13.0	38	13.0	06.9-19.1	107	28.3	21.8-34.8	128	30.1	23.0-37.2
\$15,000- 24,999	550	412,763	21	3.7	01.3-06.1	95	14.2	10.1-18.3	41	6.8	04.1-09.5	59	11.9	08.2-15.6	98	19.3	14.0-24.6	236	44.1	37.4-50.8
\$25,000- 34,999	299	216,952	12	3.6	00.7-06.5	50	11.4	07.3-15.5	16	5.9	00.8-11.0	17	8.0	03.3-12.7	51	20.0	13.3-26.7	153	51.1	41.9-60.3
\$35,000- 49,999	381	276,626	18	4.3	01.6-07.0	82	23.0	16.9-29.1	24	5.5	02.8-08.2	24	6.9	02.6-11.2	32	7.9	04.2-11.6	201	52.3	44.9-59.7
\$50,000- 74,999	337	260,296	22	4.0	01.8-06.2	100	31.7	24.1-39.3	29	10.4	05.7-15.1	18	5.6	02.3-08.9	22	9.7	04.6-14.8	146	38.7	31.4-46.0
\$75,000+	480	376,125	33	8.5	03.6-13.4	137	27.7	22.2-33.2	37	11.1	06.8-15.4	27	5.1	02.4-07.8	26	8.3	04.0-12.6	220	39.3	33.2-45.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 10 DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5035	4,114,565	62	1.5	00.9-02.1	391	8.6	07.4-09.8	341	7.2	06.0-08.4	843	17.4	15.8-19.0	2443	48.9	46.9-50.9	955	16.4	15.0-17.8	
Male	2119	1,972,361	22	1.3	00.5-02.1	125	6.9	05.3-08.5	126	5.9	04.3-07.5	368	17.8	15.4-20.2	1115	53.1	50.0-56.2	363	14.9	12.9-16.9	
Female	2913	2,138,690	40	1.7	00.9-02.5	266	10.2	08.4-12.0	215	8.5	06.9-10.1	475	17.0	14.8-19.2	1327	45.0	42.3-47.7	590	17.6	15.8-19.4	
White/Non-Hisp	4105	3,122,149	43	1.5	00.9-02.1	309	7.9	06.7-09.1	278	7.4	06.2-08.6	675	17.4	15.6-19.2	1995	47.8	45.6-50.0	805	18.0	16.4-19.6	
Black or Afr. Am./Non-Hisp	606	650,003	10	1.6	00.2-03.0	54	10.3	06.6-14.0	46	7.2	03.9-10.5	113	17.9	13.2-22.6	306	54.1	48.0-60.2	77	9.0	06.1-11.9	
Oth. Race/Non-Hisp.	91	90,264	2	0.7	00.0-01.7	5	6.2	00.0-14.4	5	3.0	00.0-06.1	16	15.9	06.3-25.5	38	50.0	34.1-65.9	25	24.1	11.2-37.0	
MultiRacial/Non-Hisp.	89	48,930	3	1.4	00.0-03.2	9	8.7	02.0-15.4	7	13.9	00.2-27.6	17	21.1	09.1-33.1	25	32.5	16.8-48.2	28	22.4	11.2-33.6	
Hispanic	74	140,377	4	2.8	00.0-05.9	8	20.1	06.4-33.8	3	6.2	00.0-14.0	12	16.3	06.1-26.5	39	45.8	30.3-61.3	8	8.8	00.0-18.8	
18-24	268	433,210	7	2.9	00.4-05.4	28	12.9	07.6-18.2	20	7.0	03.1-10.9	62	20.8	15.1-26.5	143	54.6	47.0-62.2	8	1.8	00.2-03.4	
25-34	459	627,259	8	1.7	00.1-03.3	29	7.8	04.1-11.5	36	5.7	03.2-08.2	100	20.7	15.6-25.8	237	53.6	47.3-59.9	49	10.5	06.6-14.4	
35-44	537	712,987	7	1.3	00.1-02.5	50	8.1	05.2-11.0	42	10.2	05.9-14.5	114	20.8	15.9-25.7	249	46.1	40.2-52.0	75	13.5	09.8-17.2	
45-54	841	702,154	11	1.5	00.3-02.7	88	11.2	08.1-14.3	68	8.6	06.1-11.1	123	14.3	11.2-17.4	386	45.5	40.8-50.2	165	18.9	15.4-22.4	
55-64	1108	702,200	10	0.9	00.3-01.5	85	9.0	06.6-11.4	69	6.4	04.6-08.2	185	16.2	13.3-19.1	503	44.8	41.1-48.5	256	22.7	19.4-26.0	
65+	1744	877,373	18	1.4	00.6-02.2	107	5.6	04.2-07.0	104	5.9	04.5-07.3	246	14.3	12.1-16.5	879	49.6	46.5-52.7	390	23.3	20.6-26.0	
Less Than H.S.	524	609,751	5	0.6	00.0-01.2	58	12.1	08.0-16.2	52	10.5	06.4-14.6	58	10.6	06.3-14.9	155	32.5	26.4-38.6	196	33.7	28.2-39.2	
H.S. or G.E.D.	1630	1,395,683	26	1.6	00.8-02.4	141	8.9	06.7-11.1	123	7.8	05.8-09.8	253	16.9	14.4-19.4	746	49.0	45.5-52.5	341	15.7	13.3-18.1	
Some Post-H.S.	1342	1,224,331	23	2.4	01.0-03.8	115	8.6	06.4-10.8	79	6.4	04.4-08.4	247	19.4	16.3-22.5	634	49.2	45.5-52.9	244	13.9	11.5-16.3	
College Graduate	1530	881,617	8	0.7	00.1-01.3	76	5.7	03.9-07.5	87	5.2	03.8-06.6	284	20.2	17.3-23.1	904	59.4	55.9-62.9	171	8.7	06.9-10.5	
Less than \$15,000	540	380,903	11	1.7	00.3-03.1	67	12.2	07.9-16.5	54	11.8	07.5-16.1	61	11.5	07.8-15.2	142	27.6	21.7-33.5	205	35.2	29.3-41.1	
\$15,000- 24,999	797	646,794	15	2.0	00.8-03.2	94	12.7	09.0-16.4	54	7.2	04.5-09.9	143	17.7	14.0-21.4	280	39.1	33.8-44.4	211	21.4	17.7-25.1	
\$25,000- 34,999	520	420,345	3	1.2	00.0-03.2	45	10.5	06.6-14.4	35	8.2	04.5-11.9	85	12.8	09.3-16.3	239	46.4	39.9-52.9	113	20.9	16.0-25.8	
\$35,000- 49,999	695	568,981	10	1.6	00.2-03.0	49	8.1	05.0-11.2	43	4.5	02.7-06.3	128	18.8	14.5-23.1	392	57.9	52.6-63.2	73	9.2	05.9-12.5	
\$50,000- 74,999	651	583,781	8	1.9	00.3-03.5	35	5.9	03.4-08.4	49	7.9	04.0-11.8	110	20.4	15.1-25.7	369	53.2	47.3-59.1	80	10.7	07.8-13.6	
\$75,000+	1023	880,837	5	0.7	00.1-01.3	44	5.3	03.1-07.5	61	6.9	04.5-09.3	190	20.1	16.4-23.8	633	58.8	54.5-63.1	90	8.3	06.1-10.5	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 11: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2119	1,972,361	22	1.3	00.5-02.1	125	6.9	05.3-08.5	126	5.9	04.3-07.5	368	17.8	15.4-20.2	1115	53.1	50.0-56.2	363	14.9	12.9-16.9	
White/Non-Hisp	1744	1,517,324	13	1.0	00.2-01.8	99	6.3	04.7-07.9	110	6.7	04.9-08.5	300	18.2	15.7-20.7	914	51.6	48.3-54.9	308	16.2	14.0-18.4	
Black or Afr. Am./Non-Hisp	208	271,780	4	2.5	00.0-05.6	16	9.0	03.7-14.3	9	4.0	00.0-08.9	33	15.2	08.3-22.1	123	61.6	52.4-70.8	23	7.6	03.9-11.3	
18-24	155	233,032	3	2.8	00.0-06.3	14	14.2	06.4-22.0	10	4.7	01.2-08.2	32	18.5	11.4-25.6	92	58.5	48.7-68.3	4	1.2	00.0-02.8	
25-34	212	302,903	2	2.1	00.0-05.0	7	2.4	00.4-04.4	15	3.8	01.6-06.0	49	20.9	14.0-27.8	125	62.9	54.5-71.3	14	7.9	02.4-13.4	
35-44	241	345,297	2	0.7	00.0-01.7	16	7.4	02.9-11.9	17	10.0	03.1-16.9	58	23.1	15.3-30.9	122	48.3	39.5-57.1	26	10.4	05.3-15.5	
45-54	323	321,347	2	0.3	00.0-00.7	25	8.7	04.2-13.2	24	7.7	04.2-11.2	52	14.1	09.6-18.6	176	54.7	47.3-62.1	44	14.5	09.4-19.6	
55-64	502	341,102	3	0.3	00.0-00.7	34	7.5	04.4-10.6	33	6.4	03.9-08.9	87	17.4	13.1-21.7	232	44.9	39.2-50.6	113	23.4	18.3-28.5	
65+	659	401,004	10	1.9	00.5-03.3	28	3.9	02.1-05.7	27	3.1	01.5-04.7	88	14.7	10.8-18.6	351	51.2	46.3-56.1	155	25.2	20.9-29.5	
Less Than H.S.	196	282,853				22	11.4	05.5-17.3	15	10.0	02.6-17.4	21	12.5	04.5-20.5	71	35.9	26.7-45.1	67	30.3	22.1-38.5	
H.S. or G.E.D.	695	683,201	9	1.4	00.2-02.6	48	7.1	04.4-09.8	45	6.4	03.7-09.1	125	18.3	14.4-22.2	338	52.2	46.9-57.5	130	14.6	11.1-18.1	
Some Post-H.S.	538	566,163	9	2.2	00.2-04.2	35	7.0	03.9-10.1	28	3.9	02.1-05.7	102	19.3	14.8-23.8	271	54.3	48.6-60.0	93	13.3	10.0-16.6	
College Graduate	688	439,596	4	0.7	00.0-01.7	20	3.5	01.3-05.7	38	5.0	03.0-07.0	120	18.8	14.7-22.9	434	64.4	59.5-69.3	72	7.5	05.3-09.7	
Less than \$15,000	172	140,997	4	2.0	00.0-04.7	16	12.3	03.9-20.7	14	6.7	02.8-10.6	23	12.1	06.2-18.0	55	30.1	20.3-39.9	60	36.7	26.3-47.1	
\$15,000- 24,999	272	248,346	6	2.3	00.1-04.5	28	10.6	04.9-16.3	18	8.8	02.9-14.7	48	16.6	10.9-22.3	105	42.4	34.2-50.6	67	19.4	13.9-24.9	
\$25,000- 34,999	225	206,722	1	1.9	00.0-05.6	19	11.1	05.0-17.2	13	5.1	01.4-08.8	42	16.4	10.7-22.1	99	42.9	34.3-51.5	51	22.7	15.3-30.1	
\$35,000- 49,999	319	294,467	5	1.6	00.0-03.4	16	5.6	02.3-08.9	17	4.3	01.6-07.0	65	20.9	14.6-27.2	178	56.7	48.9-64.5	38	11.0	05.3-16.7	
\$50,000- 74,999	319	325,784	2	0.4	00.0-01.0	13	3.1	01.1-05.1	19	7.2	01.1-13.3	53	22.0	14.0-30.0	195	58.9	50.3-67.5	37	8.4	04.9-11.9	
\$75,000+	543	504,139	3	0.6	00.0-01.4	16	4.2	01.5-06.9	30	4.9	02.7-07.1	97	17.5	13.2-21.8	343	64.4	58.9-69.9	54	8.5	05.8-11.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 3: HEALTHY DAYS (Symptoms)**

**TABLE 12: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT VERY HEALTHY AND FULL OF ENERGY? (QLHLTH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	2913	2,138,690	40	1.7	00.9-02.5	266	10.2	08.4-12.0	215	8.5	06.9-10.1	475	17.0	14.8-19.2	1327	45.0	42.3-47.7	590	17.6	15.8-19.4	
White/Non-Hisp	2359	1,603,221	30	2.0	01.0-03.0	210	9.4	07.6-11.2	168	8.1	06.3-09.9	375	16.7	14.5-18.9	1080	44.2	41.3-47.1	496	19.6	17.4-21.8	
Black or Afr. Am./Non-Hisp	398	378,223	6	0.9	00.1-01.7	38	11.2	06.3-16.1	37	9.4	05.1-13.7	80	19.8	13.3-26.3	183	48.8	41.0-56.6	54	9.9	05.8-14.0	
18-24	113	200,178	4	2.9	00.0-06.6	14	11.3	04.4-18.2	10	9.6	02.3-16.9	30	23.5	14.3-32.7	51	50.1	38.1-62.1	4	2.5	00.0-05.4	
25-34	246	323,029	6	1.3	00.0-02.7	22	12.8	06.1-19.5	21	7.6	03.3-11.9	51	20.6	13.3-27.9	112	45.1	36.5-53.7	34	12.5	07.2-17.8	
35-44	296	367,690	5	1.8	00.0-03.6	34	8.7	05.0-12.4	25	10.4	05.1-15.7	56	18.5	12.6-24.4	127	44.1	36.1-52.1	49	16.4	11.1-21.7	
45-54	517	378,896	9	2.5	00.5-04.5	63	13.3	09.0-17.6	44	9.5	06.0-13.0	71	14.6	10.3-18.9	210	38.0	32.3-43.7	120	22.1	17.4-26.8	
55-64	606	361,098	7	1.4	00.2-02.6	51	10.3	07.2-13.4	36	6.4	03.9-08.9	98	15.1	11.4-18.8	271	44.8	39.7-49.9	143	22.0	17.9-26.1	
65+	1084	476,092	8	1.0	00.2-01.8	79	6.9	04.9-08.9	77	8.2	05.8-10.6	158	14.0	11.5-16.5	527	48.3	44.4-52.2	235	21.6	18.3-24.9	
Less Than H.S.	327	324,988	5	1.1	00.0-02.3	36	12.8	07.3-18.3	37	10.9	06.4-15.4	37	9.0	05.3-12.7	84	29.8	21.4-38.2	128	36.4	29.1-43.7	
H.S. or G.E.D.	935	712,482	17	1.8	00.6-03.0	93	10.6	07.5-13.7	78	9.2	06.3-12.1	128	15.6	11.9-19.3	408	46.0	41.1-50.9	211	16.8	13.9-19.7	
Some Post-H.S.	803	656,842	14	2.7	00.9-04.5	80	10.0	06.9-13.1	51	8.6	05.5-11.7	145	19.5	15.2-23.8	363	44.9	39.8-50.0	150	14.2	11.1-17.3	
College Graduate	841	441,744	4	0.7	00.0-01.7	56	7.9	05.0-10.8	49	5.4	03.4-07.4	164	21.5	17.4-25.6	469	54.5	49.6-59.4	99	9.9	07.2-12.6	
Less than \$15,000	368	239,906	7	1.5	00.1-02.9	51	12.1	07.4-16.8	40	14.8	08.7-20.9	38	11.2	06.3-16.1	87	26.1	18.7-33.5	145	34.3	27.2-41.4	
\$15,000- 24,999	525	398,448	9	1.8	00.2-03.4	66	14.0	09.1-18.9	36	6.2	03.7-08.7	95	18.4	13.7-23.1	175	37.1	30.2-44.0	144	22.6	17.7-27.5	
\$25,000- 34,999	295	213,623	2	0.4	00.0-01.2	26	10.0	05.1-14.9	22	11.3	04.8-17.8	43	9.3	05.6-13.0	140	49.7	40.3-59.1	62	19.3	13.0-25.6	
\$35,000- 49,999	376	274,513	5	1.6	00.0-03.8	33	10.8	05.5-16.1	26	4.7	02.5-06.9	63	16.5	10.8-22.2	214	59.1	51.7-66.5	35	7.2	04.1-10.3	
\$50,000- 74,999	332	257,996	6	3.8	00.5-07.1	22	9.5	04.6-14.4	30	8.8	04.1-13.5	57	18.3	12.2-24.4	174	46.1	38.5-53.7	43	13.6	08.5-18.7	
\$75,000+	479	374,788	2	0.8	00.0-02.0	28	6.7	03.6-09.8	31	9.6	05.1-14.1	93	23.9	17.6-30.2	290	51.5	45.0-58.0	35	7.5	03.8-11.2	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016**

MODULE 6: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28
WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB2)	
13 MALES AND FEMALES	29
14 MALES ONLY	30
15 FEMALES ONLY	31
IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING? (CRGVPEPERS)	
16 MALES AND FEMALES	32
17 MALES ONLY	33
18 FEMALES ONLY	34

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016**

MODULE 6: CAREGIVER CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS? (CRGVHOUS)	
19	MALES AND FEMALES	35
20	MALES ONLY	36
21	FEMALES ONLY	37
	OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)	
22	MALES AND FEMALES	38
23	MALES ONLY	39
24	FEMALES ONLY	40
	IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)	
25	MALES AND FEMALES	41
26	MALES ONLY	42
27	FEMALES ONLY	43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 1: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5228	4,219,899	1475	28.2	26.4-30.0	3749	71.7	69.9-73.5	4	0.1	0.1-0.1
Male	2172	2,006,389	532	24.7	22.2-27.2	1638	75.3	72.8-77.8	2	0.0	0.0-0.0
Female	3053	2,209,995	942	31.4	29.0-33.8	2109	68.6	66.2-71.0	2	0.1	0.1-0.1
White/Non-Hisp	4259	3,213,235	1177	27.8	25.8-29.8	3078	72.1	70.1-74.1	4	0.1	0.1-0.1
Black or Afr. Am./Non-Hisp	631	664,119	197	31.1	25.6-36.6	434	68.9	63.4-74.4			
Oth. Race/Non-Hisp.	94	86,285	32	22.9	11.5-34.3	62	77.1	65.7-88.5			
MultiRacial/Non-Hisp.	91	47,577	37	56.5	41.8-71.2	54	43.5	28.8-58.2			
Hispanic	76	142,027	16	21.2	08.5-33.9	60	78.8	66.1-91.5			
18-24	269	429,535	64	22.9	16.6-29.2	205	77.1	70.8-83.4			
25-34	462	631,342	123	27.4	21.9-32.9	339	72.6	67.1-78.1			
35-44	544	723,009	156	27.1	22.0-32.2	388	72.9	67.8-78.0			
45-54	850	702,848	273	34.5	30.0-39.0	576	65.4	60.9-69.9	1	0.1	0.0-0.3
55-64	1140	722,016	361	30.9	27.4-34.4	777	69.0	65.5-72.5	2	0.1	0.0-0.3
65+	1879	947,766	478	25.3	22.8-27.8	1400	74.6	72.1-77.1	1	0.1	0.0-0.3
Less Than H.S.	561	649,858	130	23.6	18.7-28.5	430	76.3	71.4-81.2	1	0.1	0.0-0.3
H.S. or G.E.D.	1704	1,429,253	479	28.5	25.4-31.6	1225	71.5	68.4-74.6			
Some Post-H.S.	1385	1,238,654	454	32.7	29.2-36.2	929	67.2	63.7-70.7	2	0.1	0.0-0.3
College Graduate	1566	897,396	410	25.0	22.1-27.9	1155	74.9	72.0-77.8	1	0.0	0.0-0.0
Less than \$15,000	569	394,411	162	28.3	22.8-33.8	407	71.7	66.2-77.2			
\$15,000- 24,999	838	674,657	271	32.6	27.9-37.3	567	67.4	62.7-72.1			
\$25,000- 34,999	533	422,678	149	27.5	22.2-32.8	383	72.4	67.1-77.7	1	0.2	0.0-0.6
\$35,000- 49,999	713	576,811	218	32.9	27.6-38.2	495	67.1	61.8-72.4			
\$50,000- 74,999	664	595,392	205	30.2	25.1-35.3	456	69.5	64.4-74.6	3	0.3	0.0-0.7
\$75,000+	1033	885,816	250	23.0	19.5-26.5	783	77.0	73.5-80.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 2: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2172	2,006,389	532	24.7	22.2-27.2	1638	75.3	72.8-77.8	2	0.0	00.0-00.0
White/Non-Hisp	1783	1,548,031	434	24.0	21.3-26.7	1347	75.9	73.2-78.6	2	0.1	00.1-00.1
Black or Afr. Am./Non-Hisp	218	279,776	57	29.7	20.7-38.7	161	70.3	61.3-79.3			
18-24	157	233,404	32	20.3	12.3-28.3	125	79.7	71.7-87.7			
25-34	214	306,830	51	25.8	18.0-33.6	163	74.2	66.4-82.0			
35-44	240	347,747	52	21.1	14.2-28.0	188	78.9	72.0-85.8			
45-54	326	320,792	96	30.5	23.4-37.6	230	69.5	62.4-76.6			
55-64	512	346,297	144	28.7	23.4-34.0	367	71.2	65.9-76.5	1	0.1	00.0-00.3
65+	694	422,541	152	21.7	17.8-25.6	541	78.1	74.2-82.0	1	0.2	00.0-00.6
Less Than H.S.	203	298,487	44	22.9	14.7-31.1	159	77.1	68.9-85.3			
H.S. or G.E.D.	706	685,785	195	27.8	23.1-32.5	511	72.2	67.5-76.9			
Some Post-H.S.	553	572,087	138	24.0	19.3-28.7	414	75.8	71.1-80.5	1	0.1	00.0-00.3
College Graduate	707	448,802	155	22.1	18.0-26.2	551	77.9	73.8-82.0	1	0.1	00.0-00.3
Less than \$15,000	180	146,092	41	24.5	15.1-33.9	139	75.5	66.1-84.9			
\$15,000- 24,999	280	253,604	74	24.1	17.0-31.2	206	75.9	68.8-83.0			
\$25,000- 34,999	229	206,900	60	27.7	20.1-35.3	169	72.3	64.7-79.9			
\$35,000- 49,999	328	299,331	95	31.0	23.6-38.4	233	69.0	61.6-76.4			
\$50,000- 74,999	325	332,645	80	25.1	18.0-32.2	243	74.6	67.5-81.7	2	0.3	00.0-00.7
\$75,000+	549	506,237	111	19.3	14.8-23.8	438	80.7	76.2-85.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 3: PEOPLE MAY PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY. DURING THE PAST 30 DAYS, DID YOU PROVIDE REGULAR CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CAREGIV1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Caregiving recipient died in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3053	2,209,995	942	31.4	29.0-33.8	2109	68.6	66.2-71.0	2	0.1	0.1-0.1
White/Non-Hisp	2474	1,663,600	743	31.4	28.9-33.9	1729	68.5	66.0-71.0	2	0.1	0.0-0.3
Black or Afr. Am./Non-Hisp	413	384,343	140	32.1	25.2-39.0	273	67.9	61.0-74.8			
18-24	112	196,130	32	26.0	16.2-35.8	80	74.0	64.2-83.8			
25-34	247	323,186	72	29.0	21.4-36.6	175	71.0	63.4-78.6			
35-44	304	375,262	104	32.6	25.5-39.7	200	67.4	60.3-74.5			
45-54	523	380,146	176	37.5	31.8-43.2	346	62.4	56.7-68.1	1	0.1	0.0-0.3
55-64	628	375,719	217	33.0	28.3-37.7	410	66.9	62.2-71.6	1	0.2	0.0-0.6
65+	1184	524,948	326	28.2	24.9-31.5	858	71.8	68.5-75.1			
Less Than H.S.	357	349,461	85	23.8	17.9-29.7	271	76.0	70.1-81.9	1	0.2	0.0-0.6
H.S. or G.E.D.	998	743,468	284	29.1	25.0-33.2	714	70.9	66.8-75.0			
Some Post-H.S.	831	665,240	316	40.2	35.3-45.1	514	59.7	54.8-64.6	1	0.1	0.0-0.3
College Graduate	858	448,317	255	28.0	23.9-32.1	603	72.0	67.9-76.1			
Less than \$15,000	389	248,319	121	30.6	24.1-37.1	268	69.4	62.9-75.9			
\$15,000- 24,999	558	421,052	197	37.7	31.6-43.8	361	62.3	56.2-68.4			
\$25,000- 34,999	304	215,778	89	27.2	19.8-34.6	214	72.5	65.1-79.9	1	0.3	0.0-0.9
\$35,000- 49,999	385	277,480	123	34.9	27.6-42.2	262	65.1	57.8-72.4			
\$50,000- 74,999	339	262,747	125	36.7	29.3-44.1	213	63.1	55.7-70.5	1	0.2	0.0-0.6
\$75,000+	483	377,669	138	27.6	21.9-33.3	345	72.4	66.7-78.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 4: WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1456	1,178,041	416	30.6	27.1-34.1	223	15.7	13.0-18.4	242	13.8	11.4-16.2	213	15.7	13.2-18.2	112	8.1	05.9-10.3	250	16.1	13.4-18.8
Male	525	491,340	159	30.0	24.3-35.7	75	13.1	09.4-16.8	100	15.7	11.4-20.0	59	12.9	09.0-16.8	36	8.1	04.4-11.8	96	20.3	15.2-25.4
Female	930	684,791	257	31.1	26.8-35.4	148	17.7	14.0-21.4	142	12.4	09.9-14.9	153	17.4	13.9-20.9	76	8.1	05.6-10.6	154	13.2	10.5-15.9
White/Non-Hisp	1163	883,864	343	32.3	28.6-36.0	170	14.9	12.2-17.6	204	14.6	12.2-17.0	169	16.6	13.5-19.7	86	7.7	05.3-10.1	191	13.9	11.5-16.3
Black or Afr. Am./Non-Hisp	194	204,346	47	22.8	13.8-31.8	41	22.9	13.9-31.9	18	5.4	02.3-08.5	35	13.8	07.7-19.9	21	11.5	04.1-18.9	32	23.5	13.5-33.5
18-24	62	96,852	19	30.0	15.7-44.3	5	11.4	01.4-21.4	2	1.6	00.0-04.1	17	29.1	15.4-42.8	9	12.9	02.7-23.1	10	15.0	03.6-26.4
25-34	120	169,955	40	37.3	26.1-48.5	9	8.7	02.0-15.4	10	10.4	01.4-19.4	28	16.9	09.1-24.7	8	8.0	01.3-14.7	25	18.7	10.7-26.7
35-44	154	192,874	53	33.7	23.5-43.9	21	17.5	08.9-26.1	9	4.8	00.9-08.7	39	24.0	15.2-32.8	12	6.1	01.4-10.8	20	14.0	06.7-21.3
45-54	272	242,211	111	39.0	31.2-46.8	45	20.6	13.7-27.5	25	7.7	04.4-11.0	33	11.3	06.6-16.0	22	7.9	02.4-13.4	36	13.5	06.8-20.2
55-64	353	219,412	130	33.5	27.2-39.8	56	16.3	11.4-21.2	48	14.0	08.9-19.1	39	14.1	09.2-19.0	30	8.7	04.6-12.8	50	13.3	08.6-18.0
65+	477	239,857	58	12.9	08.6-17.2	81	14.9	11.2-18.6	145	33.9	28.2-39.6	57	9.7	06.6-12.8	30	7.4	03.7-11.1	106	21.1	16.6-25.6
Less Than H.S.	129	152,966	26	26.5	15.9-37.1	26	19.0	10.4-27.6	20	13.5	06.4-20.6	26	14.5	08.0-21.0	9	6.7	00.0-13.6	22	19.8	09.2-30.4
H.S. or G.E.D.	472	400,745	133	32.8	26.5-39.1	82	16.4	11.7-21.1	79	14.6	09.9-19.3	68	14.7	10.2-19.2	38	9.4	05.5-13.3	72	12.1	08.6-15.6
Some Post-H.S.	448	402,725	126	28.3	22.4-34.2	60	15.6	10.7-20.5	77	11.9	08.8-15.0	67	17.8	12.7-22.9	32	8.2	04.3-12.1	86	18.1	13.2-23.0
College Graduate	406	221,399	130	33.6	27.1-40.1	55	12.5	08.4-16.6	66	15.7	11.2-20.2	52	14.3	09.6-19.0	33	6.4	03.7-09.1	70	17.5	12.4-22.6
Less than \$15,000	161	110,754	45	34.2	23.4-45.0	20	14.4	06.6-22.2	15	10.6	04.5-16.7	22	10.0	04.3-15.7	19	13.2	03.8-22.6	40	17.6	10.7-24.5
\$15,000- 24,999	268	218,464	68	29.0	20.6-37.4	43	17.3	10.8-23.8	41	10.9	06.8-15.0	46	15.6	09.9-21.3	22	11.2	04.9-17.5	48	15.9	10.2-21.6
\$25,000- 34,999	147	115,604	32	20.5	11.7-29.3	24	18.7	09.3-28.1	30	16.8	09.5-24.1	26	24.1	14.1-34.1	10	4.7	01.4-08.0	25	15.2	08.3-22.1
\$35,000- 49,999	218	189,839	78	37.6	27.8-47.4	31	16.5	08.5-24.5	33	13.9	06.1-21.7	28	11.3	06.2-16.4	13	8.1	02.2-14.0	35	12.6	07.1-18.1
\$50,000- 74,999	204	178,521	65	32.3	23.3-41.3	27	14.4	07.3-21.5	43	17.8	11.1-24.5	24	11.8	04.9-18.7	8	2.5	00.1-04.9	37	21.2	11.8-30.6
\$75,000+	248	201,483	79	31.8	24.0-39.6	45	15.2	09.9-20.5	36	11.8	06.7-16.9	34	16.3	09.6-23.0	23	8.9	03.6-14.2	31	15.9	08.8-23.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 5: WHAT IS HIS/HER RELATIONSHIP TO YOU? FOR EXAMPLE IS HE/SHE YOUR (MOTHER/DAUGHTER OR FATHER/SON)? (CRGVREL1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	525	491,340	159	30.0	24.3-35.7	75	13.1	09.4-16.8	100	15.7	11.4-20.0	59	12.9	09.0-16.8	36	8.1	04.4-11.8	96	20.3	15.2-25.4
White/Non-Hisp	429	367,562	137	32.9	26.8-39.0	59	13.1	09.0-17.2	83	16.0	11.9-20.1	52	14.6	10.1-19.1	31	8.4	04.3-12.5	67	14.9	10.8-19.0
Black or Afr. Am./Non-Hisp	56	82,878	13	22.2	05.9-38.5	10	13.5	01.7-25.3	7	5.8	00.7-10.9	5	9.3	00.0-19.5	5	10.5	00.0-22.3	16	38.6	19.6-57.6
25-34	50	78,596	20	44.8	27.4-62.2	5	6.9	00.2-13.6	5	14.6	00.0-31.3	7	6.8	01.1-12.5	2	5.8	00.0-14.0	11	21.1	07.8-34.4
35-44	52	73,273	20	41.1	22.5-59.7	7	15.3	02.2-28.4	3	3.3	00.0-07.2	10	15.6	04.2-27.0	4	5.0	00.0-12.1	8	19.7	05.0-34.4
45-54	96	97,999	38	27.8	17.6-38.0	16	18.6	07.6-29.6	11	9.5	03.0-16.0	8	10.0	02.4-17.6	4	10.6	00.0-22.9	19	23.4	09.1-37.7
55-64	139	96,186	49	26.6	18.4-34.8	19	13.5	06.4-20.6	19	16.3	07.1-25.5	16	15.3	07.5-23.1	12	9.9	02.5-17.3	24	18.5	09.3-27.7
65+	152	91,817	19	10.0	04.7-15.3	26	14.5	08.2-20.8	60	40.6	30.8-50.4	10	4.5	01.4-07.6	11	9.7	02.4-17.0	26	20.6	12.4-28.8
H.S. or G.E.D.	191	187,450	56	31.6	22.0-41.2	33	15.1	08.4-21.8	32	15.0	07.0-23.0	23	13.2	06.7-19.7	12	8.6	02.7-14.5	35	16.6	10.3-22.9
Some Post-H.S.	136	137,167	43	28.8	19.0-38.6	16	11.8	04.5-19.1	27	12.8	07.5-18.1	13	14.3	06.1-22.5	10	8.8	01.7-15.9	27	23.5	13.5-33.5
College Graduate	155	98,976	51	32.7	22.3-43.1	18	9.2	04.3-14.1	35	22.7	14.3-31.1	17	13.6	06.2-21.0	10	4.8	01.3-08.3	24	17.0	09.6-24.4
\$15,000- 24,999	72	60,681	22	32.1	14.5-49.7	16	24.6	10.9-38.3	12	9.1	02.8-15.4	4	6.3	00.0-13.2	6	7.2	00.1-14.3	12	20.6	08.1-33.1
\$25,000- 34,999	60	57,291	13	17.3	05.9-28.7	9	18.3	05.4-31.2	12	16.8	06.0-27.6	12	28.9	13.0-44.8	1	0.4	00.0-01.2	13	18.4	07.4-29.4
\$35,000- 49,999	95	92,905	30	29.8	16.7-42.9	15	15.5	05.1-25.9	16	19.3	05.0-33.6	11	9.1	02.6-15.6	4	9.7	00.0-19.7	19	16.7	07.3-26.1
\$50,000- 74,999	80	83,625	26	30.9	17.2-44.6	9	10.2	00.6-19.8	23	18.9	09.3-28.5	4	5.2	00.0-10.9	1	2.0	00.0-05.7	17	32.8	16.1-49.5
\$75,000+	111	97,623	35	31.2	19.2-43.2	15	9.9	04.4-15.4	17	13.0	04.2-21.8	16	14.9	06.9-22.9	13	13.3	03.5-23.1	15	17.6	07.4-27.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 6: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Parent (1,2)			In-Laws (3,4,9,10)			Spouse or Same-sex Partner (6,7,8)			Child, Grandparent GrandChild (5,11,12,13)			Other Relative (14)			Non-Relative (15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	930	684,791	257	31.1	26.8-35.4	148	17.7	14.0-21.4	142	12.4	09.9-14.9	153	17.4	13.9-20.9	76	8.1	05.6-10.6	154	13.2	10.5-15.9
White/Non-Hisp	734	516,302	206	31.9	27.2-36.6	111	16.1	12.4-19.8	121	13.6	10.7-16.5	117	18.0	13.9-22.1	55	7.2	04.7-09.7	124	13.1	10.2-16.0
Black or Afr. Am./Non-Hisp	138	121,468	34	23.2	13.0-33.4	31	29.2	17.0-41.4	11	5.1	01.0-09.2	30	17.0	09.6-24.4	16	12.1	02.5-21.7	16	13.3	04.1-22.5
25-34	70	91,359	20	30.9	16.8-45.0	4	10.3	00.0-21.3	5	6.7	00.0-14.3	21	25.6	12.7-38.5	6	9.9	00.0-20.3	14	16.7	07.3-26.1
35-44	102	119,600	33	29.2	17.8-40.6	14	18.9	07.5-30.3	6	5.7	00.0-11.6	29	29.1	17.1-41.1	8	6.7	00.6-12.8	12	10.5	03.2-17.8
45-54	175	142,302	73	47.3	37.3-57.3	29	22.2	13.4-31.0	14	6.6	02.9-10.3	24	11.1	05.8-16.4	18	6.1	02.4-09.8	17	6.8	03.1-10.5
55-64	214	123,226	81	38.9	30.5-47.3	37	18.6	11.9-25.3	29	12.3	07.0-17.6	23	13.1	06.8-19.4	18	7.8	03.5-12.1	26	9.3	05.0-13.6
65+	325	148,039	39	14.8	08.9-20.7	55	15.1	10.4-19.8	85	29.7	23.2-36.2	47	13.0	08.3-17.7	19	6.0	02.1-09.9	80	21.5	16.2-26.8
Less Than H.S.	85	83,309	17	28.8	16.5-41.1	18	22.2	10.2-34.2	14	14.2	06.2-22.2	19	17.9	08.9-26.9	5	4.2	00.3-08.1	12	12.6	04.6-20.6
H.S. or G.E.D.	281	213,295	77	33.9	25.9-41.9	49	17.5	10.8-24.2	47	14.3	09.0-19.6	45	16.1	10.0-22.2	26	10.1	05.0-15.2	37	8.1	04.8-11.4
Some Post-H.S.	312	265,558	83	28.1	20.8-35.4	44	17.6	11.5-23.7	50	11.5	07.6-15.4	54	19.7	13.0-26.4	22	7.9	03.0-12.8	59	15.3	10.0-20.6
College Graduate	251	122,424	79	34.3	26.3-42.3	37	15.2	08.7-21.7	31	10.0	06.1-13.9	35	14.8	08.7-20.9	23	7.7	03.6-11.8	46	18.0	11.3-24.7
Less than \$15,000	120	74,926	29	32.4	20.4-44.4	18	18.6	08.2-29.0	11	9.6	02.7-16.5	18	12.1	04.5-19.7	13	9.3	03.4-15.2	31	18.0	10.4-25.6
\$15,000- 24,999	196	157,783	46	27.8	18.6-37.0	27	14.5	07.2-21.8	29	11.6	06.3-16.9	42	19.2	11.9-26.5	16	12.8	04.6-21.0	36	14.1	07.8-20.4
\$25,000- 34,999	87	58,314	19	23.6	10.3-36.9	15	19.1	05.2-33.0	18	16.8	07.6-26.0	14	19.4	07.6-31.2	9	8.9	02.2-15.6	12	12.2	03.8-20.6
\$35,000- 49,999	123	96,934	48	45.1	31.6-58.6	16	17.5	05.2-29.8	17	8.8	03.3-14.3	17	13.5	05.7-21.3	9	6.6	00.7-12.5	16	8.6	03.1-14.1
\$50,000- 74,999	124	94,896	39	33.5	21.7-45.3	18	18.0	08.0-28.0	20	16.7	07.3-26.1	20	17.7	06.3-29.1	7	2.9	00.2-05.6	20	11.1	05.6-16.6
\$75,000+	136	101,949	44	33.0	22.4-43.6	30	20.4	11.8-29.0	19	10.9	05.2-16.6	17	16.1	06.1-26.1	10	4.9	00.8-09.0	16	14.6	04.4-24.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 7: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1443	1,165,258	285	20.6	17.5-23.7	141	10.5	08.1-12.9	246	16.3	13.8-18.8	303	18.3	15.8-20.8	468	34.3	30.8-37.8
Male	525	490,800	107	24.3	18.8-29.8	55	10.0	06.1-13.9	94	16.4	12.1-20.7	101	14.0	10.7-17.3	168	35.3	29.4-41.2
Female	917	672,547	177	17.6	14.1-21.1	86	10.9	07.8-14.0	152	16.3	13.0-19.6	202	21.5	17.8-25.2	300	33.7	29.4-38.0
White/Non-Hisp	1155	873,809	223	19.7	16.4-23.0	106	8.9	06.7-11.1	202	17.0	14.1-19.9	249	18.8	16.1-21.5	375	35.5	31.6-39.4
Black or Afr. Am./Non-Hisp	191	203,463	42	22.5	13.7-31.3	18	8.4	03.3-13.5	26	13.1	06.0-20.2	34	19.1	10.9-27.3	71	36.9	26.5-47.3
18-24	61	92,497	20	32.3	17.2-47.4	8	9.0	00.6-17.4	11	26.8	12.3-41.3	12	18.4	06.2-30.6	10	13.4	04.4-22.4
25-34	120	169,306	29	27.8	17.4-38.2	15	15.1	05.3-24.9	18	13.1	06.0-20.2	24	14.5	07.4-21.6	34	29.5	18.7-40.3
35-44	154	192,854	28	20.4	11.6-29.2	20	12.4	06.3-18.5	21	11.9	05.4-18.4	32	17.5	09.9-25.1	53	37.7	27.1-48.3
45-54	269	238,316	49	15.8	09.9-21.7	23	10.9	04.8-17.0	43	16.4	10.5-22.3	61	18.5	12.8-24.2	93	38.4	30.2-46.6
55-64	355	220,028	59	13.6	09.7-17.5	27	6.6	03.5-09.7	67	17.8	12.7-22.9	72	18.2	12.9-23.5	130	43.8	36.9-50.7
65+	466	235,961	98	23.1	17.6-28.6	45	9.0	05.7-12.3	83	16.4	12.3-20.5	98	21.7	17.0-26.4	142	29.8	24.5-35.1
Less Than H.S.	130	153,619	23	18.0	08.2-27.8	14	8.2	03.3-13.1	16	9.0	03.5-14.5	20	13.5	06.4-20.6	57	51.3	39.5-63.1
H.S. or G.E.D.	466	396,198	83	16.8	12.3-21.3	44	11.4	06.5-16.3	82	16.5	11.8-21.2	97	19.3	14.6-24.0	160	36.0	29.7-42.3
Some Post-H.S.	441	393,395	80	22.2	16.3-28.1	43	11.5	06.8-16.2	78	17.4	12.5-22.3	98	18.9	14.2-23.6	142	30.0	24.1-35.9
College Graduate	404	221,552	98	26.0	20.1-31.9	40	8.7	05.4-12.0	70	19.2	13.9-24.5	87	18.8	14.1-23.5	109	27.3	21.2-33.4
Less than \$15,000	158	110,091	26	18.8	08.8-28.8	20	12.7	05.4-20.0	27	16.6	08.8-24.4	29	14.0	07.3-20.7	56	37.9	27.1-48.7
\$15,000- 24,999	263	214,793	49	20.4	13.0-27.8	24	9.3	04.4-14.2	46	14.8	09.1-20.5	54	15.8	10.5-21.1	90	39.7	31.1-48.3
\$25,000- 34,999	147	115,571	20	9.6	04.9-14.3	14	13.2	04.8-21.6	29	20.8	11.6-30.0	32	19.6	11.4-27.8	52	36.9	26.3-47.5
\$35,000- 49,999	218	189,839	41	18.1	10.3-25.9	21	15.9	06.3-25.5	33	12.9	07.0-18.8	48	20.9	13.1-28.7	75	32.2	23.6-40.8
\$50,000- 74,999	203	177,189	52	25.9	17.5-34.3	20	8.8	03.9-13.7	28	11.5	06.2-16.8	41	18.8	11.5-26.1	62	34.9	24.3-45.5
\$75,000+	245	200,837	54	25.2	17.4-33.0	23	6.3	03.0-09.6	44	20.8	13.5-28.1	56	19.0	12.7-25.3	68	28.6	20.8-36.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
 MODULE 6: CAREGIVER**

TABLE 8: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	525	490,800	107	24.3	18.8-29.8	55	10.0	06.3-13.7	94	16.4	12.1-20.7	101	14.0	10.7-17.3	168	35.3	29.4-41.2
White/Non-Hisp	429	367,022	81	23.0	17.1-28.9	43	8.5	05.4-11.6	78	17.1	12.4-21.8	83	14.4	10.9-17.9	144	37.1	30.8-43.4
Black or Afr. Am./Non-Hisp	56	82,878	16	27.6	11.3-43.9	5	5.2	00.3-10.1	8	14.4	01.3-27.5	9	13.5	02.5-24.5	18	39.3	19.9-58.7
25-34	51	79,249	13	32.4	16.1-48.7	7	18.1	00.9-35.3	8	10.3	02.3-18.3	7	7.0	01.3-12.7	16	32.2	15.9-48.5
35-44	52	73,273	13	31.3	14.1-48.5	8	11.2	02.4-20.0	6	10.0	00.2-19.8	10	12.3	03.1-21.5	15	35.1	16.5-53.7
45-54	94	96,550	17	17.1	05.9-28.3	10	8.9	02.0-15.8	15	16.7	06.3-27.1	19	12.4	05.7-19.1	33	44.9	30.0-59.8
55-64	140	96,692	25	15.3	08.8-21.8	10	5.8	00.9-10.7	31	19.8	11.2-28.4	28	16.7	08.7-24.7	46	42.4	31.2-53.6
65+	152	91,817	26	21.5	12.3-30.7	16	10.1	04.4-15.8	28	17.4	10.1-24.7	30	20.5	12.9-28.1	52	30.5	21.7-39.3
H.S. or G.E.D.	192	187,782	35	17.9	10.8-25.0	17	12.1	03.7-20.5	39	20.2	12.2-28.2	33	12.1	07.4-16.8	68	37.6	27.8-47.4
Some Post-H.S.	134	135,643	29	29.6	18.2-41.0	16	9.9	04.4-15.4	20	15.9	07.5-24.3	31	15.7	08.8-22.6	38	28.9	18.7-39.1
College Graduate	155	98,976	32	27.2	17.0-37.4	17	7.2	03.3-11.1	33	20.0	12.4-27.6	29	15.2	08.5-21.9	44	30.4	20.4-40.4
\$15,000- 24,999	71	59,720	11	15.8	05.4-26.2	6	9.6	00.8-18.4	17	19.1	08.1-30.1	15	11.8	04.7-18.9	22	43.7	26.3-61.1
\$25,000- 34,999	59	57,126	12	13.5	05.5-21.5	4	5.6	00.0-11.5	12	20.6	07.1-34.1	12	19.5	07.3-31.7	19	40.9	24.4-57.4
\$35,000- 49,999	95	92,905	17	23.0	09.9-36.1	12	18.3	03.8-32.8	17	16.2	06.4-26.0	17	10.0	04.3-15.7	32	32.6	19.3-45.9
\$50,000- 74,999	80	83,625	19	29.8	15.5-44.1	8	8.6	01.3-15.9	12	8.2	02.9-13.5	16	17.2	06.8-27.6	25	36.2	19.0-53.4
\$75,000+	110	96,952	27	32.1	19.6-44.6	12	6.6	01.5-11.7	20	19.9	08.7-31.1	20	13.9	06.8-21.0	31	27.6	16.4-38.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 9: FOR HOW LONG HAVE YOU PROVIDED CARE FOR THAT PERSON? WOULD YOU SAY... (CRGVLNG1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 30 days			1 mnth to LT 6 mnths			6 mnths to LT 2 yrs			2 yrs LT 5 yrs			More than 5 yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	917	672,547	177	17.6	14.1-21.1	86	10.9	07.8-14.0	152	16.3	13.0-19.6	202	21.5	17.8-25.2	300	33.7	29.4-38.0
White/Non-Hisp	726	506,787	142	17.3	13.6-21.0	63	9.3	06.4-12.2	124	17.0	13.3-20.7	166	22.0	18.1-25.9	231	34.4	29.5-39.3
Black or Afr. Am./Non-Hisp	135	120,585	26	19.0	08.8-29.2	13	10.6	02.8-18.4	18	12.2	04.2-20.2	25	23.0	11.2-34.8	53	35.2	23.8-46.6
25-34	69	90,057	16	23.7	10.0-37.4	8	12.5	02.5-22.5	10	15.6	04.8-26.4	17	21.1	09.3-32.9	18	27.1	12.8-41.4
35-44	102	119,581	15	13.7	05.1-22.3	12	13.2	05.0-21.4	15	13.1	04.5-21.7	22	20.8	10.0-31.6	38	39.3	26.6-52.0
45-54	174	139,856	31	13.7	07.8-19.6	13	12.5	03.5-21.5	28	16.4	09.1-23.7	42	22.9	14.9-30.9	60	34.4	25.2-43.6
55-64	215	123,336	34	12.3	07.6-17.0	17	7.2	03.3-11.1	36	16.2	10.1-22.3	44	19.4	12.5-26.3	84	45.0	36.4-53.6
65+	314	144,144	72	24.2	17.5-30.9	29	8.3	04.0-12.6	55	15.8	11.3-20.3	68	22.4	16.5-28.3	90	29.4	22.7-36.1
Less Than H.S.	85	83,309	11	8.6	02.1-15.1	9	8.4	02.1-14.7	14	15.1	05.9-24.3	12	13.2	04.4-22.0	39	54.7	41.6-67.8
H.S. or G.E.D.	274	208,416	48	15.8	10.1-21.5	27	10.8	05.3-16.3	43	13.1	08.0-18.2	64	25.8	18.2-33.4	92	34.4	26.4-42.4
Some Post-H.S.	307	257,752	51	18.3	11.6-25.0	27	12.3	06.0-18.6	58	18.2	12.3-24.1	67	20.5	14.4-26.6	104	30.7	23.6-37.8
College Graduate	249	122,576	66	24.9	18.0-31.8	23	10.0	05.1-14.9	37	18.5	10.9-26.1	58	21.7	15.0-28.4	65	24.9	17.5-32.3
Less than \$15,000	118	74,751	16	10.9	03.6-18.2	17	17.1	07.1-27.1	24	21.9	11.3-32.5	21	15.0	06.6-23.4	40	35.1	23.7-46.5
\$15,000- 24,999	192	155,073	38	22.2	12.8-31.6	18	9.2	03.5-14.9	29	13.2	06.3-20.1	39	17.3	10.6-24.0	68	38.1	28.5-47.7
\$25,000- 34,999	88	58,445	8	5.7	00.8-10.6	10	20.6	06.1-35.1	17	21.0	08.3-33.7	20	19.6	08.8-30.4	33	33.0	20.3-45.7
\$35,000- 49,999	123	96,934	24	13.5	04.9-22.1	9	13.6	01.3-25.9	16	9.7	03.0-16.4	31	31.4	18.5-44.3	43	31.8	20.6-43.0
\$50,000- 74,999	123	93,564	33	22.4	12.8-32.0	12	9.0	02.3-15.7	16	14.5	05.9-23.1	25	20.3	10.3-30.3	37	33.8	21.1-46.5
\$75,000+	134	101,975	26	17.4	09.0-25.8	11	6.2	01.9-10.5	24	22.0	12.0-32.0	36	24.3	14.1-34.5	37	30.1	18.7-41.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 10: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1370	1,104,608	742	55.4	51.7-59.1	168	12.4	10.0-14.8	161	12.0	09.6-14.4	299	20.2	17.3-23.1
Male	497	452,680	297	63.8	58.1-69.5	63	12.7	08.6-16.8	52	8.7	05.8-11.6	85	14.8	11.1-18.5
Female	872	650,017	444	49.4	44.7-54.1	105	12.3	09.4-15.2	109	14.3	11.0-17.6	214	24.0	20.1-27.9
White/Non-Hisp	1099	831,421	604	54.3	50.4-58.2	130	11.7	09.3-14.1	126	12.0	09.5-14.5	239	22.0	18.7-25.3
Black or Afr. Am./Non-Hisp	183	188,439	90	57.8	47.0-68.6	28	16.3	08.3-24.3	25	12.6	05.5-19.7	40	13.3	08.0-18.6
18-24	58	82,976	40	71.4	57.9-84.9	7	10.8	02.2-19.4	3	5.7	00.0-13.5	8	12.1	03.1-21.1
25-34	115	160,178	66	64.4	53.4-75.4	12	7.8	02.5-13.1	14	11.8	04.2-19.4	23	16.1	07.9-24.3
35-44	150	186,441	71	51.8	41.0-62.6	24	14.2	07.1-21.3	25	13.9	07.6-20.2	30	20.0	11.2-28.8
45-54	260	233,808	144	53.2	44.8-61.6	36	16.0	09.7-22.3	25	10.4	05.7-15.1	55	20.4	14.1-26.7
55-64	339	206,385	173	49.6	42.7-56.5	52	15.1	10.4-19.8	49	14.2	09.5-18.9	65	21.2	15.5-26.9
65+	430	218,515	238	53.5	47.4-59.6	34	8.8	05.1-12.5	44	12.3	07.8-16.8	114	25.4	20.3-30.5
Less Than H.S.	112	128,707	45	46.3	33.8-58.8	16	13.6	06.0-21.2	19	11.6	05.7-17.5	32	28.5	17.9-39.1
H.S. or G.E.D.	445	381,048	239	52.8	46.1-59.5	48	12.2	07.7-16.7	53	13.8	09.1-18.5	105	21.2	16.3-26.1
Some Post-H.S.	426	383,915	221	58.5	52.2-64.8	58	12.2	08.3-16.1	51	10.8	07.3-14.3	96	18.5	13.6-23.4
College Graduate	386	210,732	237	59.9	53.4-66.4	46	12.6	08.3-16.9	37	11.0	06.5-15.5	66	16.5	11.8-21.2
Less than \$15,000	148	99,802	64	42.2	30.6-53.8	23	15.4	07.8-23.0	21	14.7	07.4-22.0	40	27.6	17.4-37.8
\$15,000- 24,999	248	207,537	112	47.8	38.8-56.8	27	10.9	05.6-16.2	31	12.8	06.7-18.9	78	28.5	21.1-35.9
\$25,000- 34,999	141	111,871	67	44.5	33.3-55.7	21	17.9	09.1-26.7	16	10.2	04.5-15.9	37	27.4	17.4-37.4
\$35,000- 49,999	209	186,041	115	61.0	51.6-70.4	29	12.2	06.1-18.3	27	13.3	07.0-19.6	38	13.5	08.0-19.0
\$50,000- 74,999	193	164,406	127	69.8	60.8-78.8	13	4.7	01.6-07.8	22	9.7	04.4-15.0	31	15.8	08.4-23.2
\$75,000+	237	192,842	150	58.7	49.9-67.5	32	17.0	09.9-24.1	24	12.2	06.5-17.9	31	12.0	06.1-17.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 11: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	497	452,680	297	63.8	58.1-69.5	63	12.7	08.6-16.8	52	8.7	05.8-11.6	85	14.8	11.1-18.5
White/Non-Hisp	407	341,487	246	63.7	57.8-69.6	48	10.4	06.9-13.9	42	9.3	05.8-12.8	71	16.6	12.1-21.1
Black or Afr. Am./Non-Hisp	52	71,457	29	61.6	42.8-80.4	11	26.8	09.2-44.4	6	5.1	00.0-12.2	6	6.5	00.4-12.6
35-44	51	69,241	31	66.2	49.3-83.1	8	17.5	03.2-31.8	5	4.3	00.0-08.6	7	12.0	01.2-22.8
45-54	91	94,952	54	57.6	43.3-71.9	15	17.4	06.8-28.0	9	10.3	02.7-17.9	13	14.7	05.7-23.7
55-64	136	91,447	74	57.3	46.9-67.7	19	12.1	06.2-18.0	20	11.3	05.4-17.2	23	19.3	10.7-27.9
65+	138	83,243	77	55.8	45.2-66.4	15	12.5	04.7-20.3	10	6.3	01.8-10.8	36	25.3	16.3-34.3
H.S. or G.E.D.	180	178,770	110	64.0	54.2-73.8	21	11.9	05.0-18.8	16	8.4	03.1-13.7	33	15.7	09.0-22.4
Some Post-H.S.	131	128,850	71	60.5	49.7-71.3	20	15.8	07.0-24.6	14	9.0	02.9-15.1	26	14.7	08.2-21.2
College Graduate	147	91,018	96	66.7	57.1-76.3	17	13.5	06.8-20.2	16	8.2	03.5-12.9	18	11.6	04.9-18.3
\$15,000- 24,999	68	57,964	35	54.0	37.1-70.9	9	12.4	02.0-22.8	7	7.6	01.1-14.1	17	26.1	12.2-40.0
\$25,000- 34,999	56	54,655	30	48.2	31.9-64.5	8	16.7	03.6-29.8	5	6.9	00.2-13.6	13	28.3	12.8-43.8
\$35,000- 49,999	90	91,207	52	64.2	50.3-78.1	12	14.2	03.6-24.8	11	11.5	02.7-20.3	15	10.1	03.4-16.8
\$50,000- 74,999	74	72,708	51	80.1	69.9-90.3	5	4.5	00.2-08.8	10	7.1	01.4-12.8	8	8.3	01.2-15.4
\$75,000+	106	91,632	79	71.0	58.8-83.2	13	17.8	06.6-29.0	6	6.2	00.1-12.3	8	5.0	00.7-09.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 12: IN AN AVERAGE WEEK, HOW MANY HOURS DO YOU PROVIDE CARE OR ASSISTANCE? WOULD YOU SAY... (CRGVHRS1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Up to 8 hrs per wk			9 to 19 hrs per wk			20 to 39 hrs per wk			40 hrs or more		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	872	650,017	444	49.4	44.7-54.1	105	12.3	09.4-15.2	109	14.3	11.2-17.4	214	24.0	20.1-27.9
White/Non-Hisp	692	489,934	358	47.8	42.7-52.9	82	12.6	09.5-15.7	84	13.8	10.3-17.3	168	25.8	21.1-30.5
Black or Afr. Am./Non-Hisp	131	116,982	61	55.5	43.0-68.0	17	9.8	03.9-15.7	19	17.2	07.2-27.2	34	17.5	09.7-25.3
25-34	68	90,877	30	49.7	34.4-65.0	9	9.7	02.4-17.0	8	14.8	02.8-26.8	21	25.8	12.7-38.9
35-44	99	117,199	40	43.4	30.3-56.5	16	12.2	04.8-19.6	20	19.6	10.2-29.0	23	24.8	12.8-36.8
45-54	168	136,945	89	49.5	39.3-59.7	21	15.2	07.6-22.8	16	10.6	04.7-16.5	42	24.6	16.2-33.0
55-64	203	114,938	99	43.5	34.9-52.1	33	17.4	10.5-24.3	29	16.5	09.4-23.6	42	22.7	15.1-30.3
65+	292	135,271	161	52.0	44.4-59.6	19	6.5	03.2-09.8	34	16.0	09.5-22.5	78	25.5	19.4-31.6
Less Than H.S.	72	72,754	24	30.4	17.7-43.1	11	18.9	07.1-30.7	13	13.2	05.2-21.2	24	37.5	23.2-51.8
H.S. or G.E.D.	265	202,278	129	42.9	34.5-51.3	27	12.5	06.8-18.2	37	18.6	11.5-25.7	72	26.0	18.7-33.3
Some Post-H.S.	295	255,066	150	57.5	49.7-65.3	38	10.4	06.5-14.3	37	11.7	07.4-16.0	70	20.4	13.9-26.9
College Graduate	239	119,714	141	54.8	46.2-63.4	29	11.8	06.5-17.1	21	13.2	06.1-20.3	48	20.2	13.7-26.7
Less than \$15,000	110	69,731	52	42.0	29.3-54.7	14	14.5	05.1-23.9	15	14.0	05.8-22.2	29	29.5	17.2-41.8
\$15,000- 24,999	180	149,573	77	45.4	35.0-55.8	18	10.3	04.2-16.4	24	14.8	07.0-22.6	61	29.5	20.7-38.3
\$25,000- 34,999	85	57,216	37	41.0	25.9-56.1	13	19.1	07.3-30.9	11	13.3	04.3-22.3	24	26.6	13.7-39.5
\$35,000- 49,999	119	94,834	63	57.9	45.2-70.6	17	10.2	04.1-16.3	16	15.0	06.4-23.6	23	16.8	08.2-25.4
\$50,000- 74,999	119	91,698	76	61.5	49.0-74.0	8	4.9	00.6-09.2	12	11.8	03.8-19.8	23	21.8	10.4-33.2
\$75,000+	130	99,300	70	46.6	34.4-58.8	19	16.6	07.8-25.4	18	18.1	08.7-27.5	23	18.7	08.3-29.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 13: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB2)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism Asthma COPD Values (1,2,4)			Cancer (3)			Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1366	1,094,015	117	7.7	05.9-09.5	97	6.3	04.5-08.1	381	28.7	25.4-32.0	224	15.1	12.4-17.8	26	2.9	01.5-04.3	521	39.4	35.9-42.9
Male	486	451,508	36	5.8	03.6-08.0	29	5.9	03.0-08.8	142	28.9	23.2-34.6	72	12.4	08.7-16.1	11	2.6	00.2-05.0	196	44.5	38.4-50.6
Female	879	640,597	81	9.1	06.6-11.6	68	6.5	04.5-08.5	239	28.7	24.4-33.0	152	17.0	13.3-20.7	14	2.8	01.0-04.6	325	35.9	31.4-40.4
White/Non-Hisp	1098	826,480	100	8.5	06.3-10.7	78	6.3	04.5-08.1	319	30.6	26.9-34.3	175	13.8	11.3-16.3	18	2.5	00.9-04.1	408	38.4	34.5-42.3
Black or Afr. Am./Non-Hisp	183	196,995	11	5.8	01.5-10.1	9	3.2	00.0-06.5	48	27.1	16.9-37.3	37	18.2	10.0-26.4	6	4.2	00.0-08.7	72	41.6	30.8-52.4
18-24	54	78,576	3	4.2	00.0-09.7	5	7.3	00.0-15.7	16	27.9	14.0-41.8	5	12.2	00.0-24.4				25	48.4	31.7-65.1
25-34	111	150,995	8	6.5	00.8-12.2	7	6.4	01.1-11.7	24	24.7	14.1-35.3	15	14.0	05.8-22.2	2	3.4	00.0-08.5	55	45.1	33.7-56.5
35-44	144	179,672	6	6.0	00.7-11.3	11	8.5	02.0-15.0	39	29.1	19.3-38.9	25	14.2	06.4-22.0	4	4.5	00.0-09.0	59	37.6	27.0-48.2
45-54	259	235,072	27	8.3	04.6-12.0	19	5.6	02.7-08.5	65	25.1	16.9-33.3	42	17.3	10.8-23.8	5	3.1	00.0-06.8	101	40.6	32.6-48.6
55-64	342	212,865	30	9.5	05.4-13.6	18	4.6	02.1-07.1	102	31.9	25.4-38.4	56	14.4	10.1-18.7	10	3.9	00.8-07.0	126	35.6	28.7-42.5
65+	441	222,428	43	9.3	06.2-12.4	37	6.6	03.9-09.3	129	30.8	25.1-36.5	77	15.4	11.3-19.5	5	1.2	00.0-02.6	150	36.8	30.9-42.7
Less Than H.S.	122	147,538	10	9.2	03.1-15.3	6	3.5	00.4-06.6	37	35.6	23.4-47.8	21	12.1	05.2-19.0	2	2.6	00.0-06.1	46	37.0	25.4-48.6
H.S. or G.E.D.	445	376,047	35	7.9	04.4-11.4	39	8.3	04.8-11.8	117	23.8	18.7-28.9	81	17.2	12.3-22.1	9	2.9	00.4-05.4	164	39.9	33.4-46.4
Some Post-H.S.	413	356,157	37	7.2	04.5-09.9	27	4.7	02.2-07.2	114	30.8	24.5-37.1	72	14.7	09.8-19.6	11	4.2	01.1-07.3	152	38.5	32.0-45.0
College Graduate	385	214,067	35	7.2	04.3-10.1	25	7.2	02.9-11.5	112	29.1	23.0-35.2	50	14.0	09.1-18.9	4	0.8	00.0-01.6	159	41.8	35.1-48.5
Less than \$15,000	156	107,004	9	6.9	01.4-12.4	23	11.4	05.5-17.3	38	27.7	16.7-38.7	23	14.2	06.0-22.4	3	1.7	00.0-04.1	60	38.2	27.4-49.0
\$15,000- 24,999	248	205,928	24	9.9	04.8-15.0	13	2.9	00.9-04.9	75	31.8	23.4-40.2	40	15.8	09.3-22.3	3	1.3	00.0-03.3	93	38.2	29.4-47.0
\$25,000- 34,999	136	100,634	22	12.6	06.1-19.1	8	7.6	00.3-14.9	43	32.1	22.1-42.1	14	10.1	03.4-16.8	3	2.9	00.0-07.2	46	34.7	23.9-45.5
\$35,000- 49,999	209	175,295	13	5.9	02.2-09.6	11	5.1	01.2-09.0	46	20.6	13.0-28.2	49	23.3	14.3-32.3	3	3.1	00.0-07.6	87	42.0	32.4-51.6
\$50,000- 74,999	191	164,482	15	5.3	02.0-08.6	13	3.9	01.2-06.6	50	31.3	20.5-42.1	32	14.9	08.2-21.6	4	4.2	00.0-09.3	77	40.5	30.5-50.5
\$75,000+	235	193,178	18	7.8	02.9-12.7	16	10.6	04.1-17.1	72	26.3	19.4-33.2	29	10.1	05.0-15.2	8	5.6	00.9-10.3	92	39.6	30.8-48.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 14: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism Asthma COPD Values (1,2,4)			Cancer (3)			Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	486	451,508	36	5.8	03.6-08.0	29	5.9	02.8-09.0	142	28.9	23.2-34.6	72	12.4	08.7-16.1	11	2.6	00.2-05.0	196	44.5	38.4-50.6
White/Non-Hisp	401	344,110	33	7.2	04.5-09.9	20	5.4	02.3-08.5	115	27.5	21.8-33.2	62	12.7	08.6-16.8	9	3.2	00.3-06.1	162	44.0	37.5-50.5
Black or Afr. Am./Non-Hisp	52	77,057				4	1.9	00.0-04.1	21	40.2	20.6-59.8	6	11.6	00.4-22.8	1	0.6	00.0-01.8	20	45.8	26.4-65.2
45-54	89	94,296	8	5.2	01.3-09.1	6	4.7	00.4-09.0	26	32.8	16.9-48.7	11	8.7	03.4-14.0	2	5.1	00.0-13.1	36	43.4	29.1-57.7
55-64	134	92,942	9	6.0	01.9-10.1	7	3.9	00.8-07.0	35	30.4	19.8-41.0	18	9.6	04.5-14.7	6	4.1	00.0-08.8	59	46.0	34.8-57.2
65+	137	82,067	14	11.0	05.1-16.9	8	5.5	00.2-10.8	51	35.0	25.4-44.6	23	13.1	07.2-19.0	2	0.7	00.0-01.7	39	34.7	24.9-44.5
H.S. or G.E.D.	179	174,031	15	6.2	02.7-09.7	15	9.8	03.5-16.1	43	19.5	12.6-26.4	32	14.6	08.7-20.5	5	3.9	00.0-08.8	69	46.0	36.0-56.0
Some Post-H.S.	122	118,635	9	5.1	01.4-08.8	8	5.7	00.0-12.0	40	32.1	21.3-42.9	14	7.0	02.1-11.9	4	3.5	00.0-08.0	47	46.6	34.8-58.4
College Graduate	146	95,051	10	6.0	01.9-10.1	5	2.0	00.0-04.0	46	33.0	22.4-43.6	18	13.1	04.9-21.3	2	1.0	00.0-02.4	65	44.9	34.5-55.3
\$15,000- 24,999	68	56,881	2	2.5	00.0-06.0	5	2.6	00.1-05.1	21	26.1	12.8-39.4	11	9.8	03.3-16.3	1	0.7	00.0-02.3	28	58.2	42.5-73.9
\$25,000- 34,999	54	53,461	9	14.1	03.5-24.7	4	12.2	00.0-25.3	17	27.6	13.7-41.5	5	9.8	00.0-19.6	1	0.4	00.0-01.2	18	35.8	19.1-52.5
\$35,000- 49,999	88	80,847	3	4.9	00.0-10.8	5	5.2	00.0-11.1	22	21.0	09.4-32.6	16	16.3	06.7-25.9				42	52.6	38.7-66.5
\$50,000- 74,999	74	78,448	4	3.0	00.0-06.3	5	2.6	00.1-05.1	23	37.5	19.5-55.5	12	11.8	03.8-19.8	2	5.5	00.0-14.9	28	39.6	23.7-55.5
\$75,000+	104	90,921	8	4.9	01.0-08.8	8	12.2	01.6-22.8	28	25.1	15.1-35.1	12	9.5	01.5-17.5	5	6.9	00.0-14.2	43	41.4	28.3-54.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 15: WHAT IS THE MAIN HEALTH PROBLEM, LONG-TERM ILLNESS, OR DISABILITY THAT THE PERSON YOU CARE FOR HAS? (CRGVPRB2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Arthritis, Rheumatism Asthma COPD Values (1,2,4)			Cancer (3)			Values (5,6,10,14)			Diabetes, Heart Disease, Hypertension Stroke (Values 7,8)			HIV Organ Failure Kidney, Liver Disease Values (9,11)			Substance Abuse, Addiction Disorder, Other (Values 12,13,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	879	640,597	81	9.1	06.6-11.6	68	6.5	04.5-08.5	239	28.7	24.4-33.0	152	17.0	13.3-20.7	14	2.8	01.0-04.6	325	35.9	31.4-40.4
White/Non-Hisp	697	482,370	67	9.4	06.5-12.3	58	6.9	04.5-09.3	204	32.8	27.9-37.7	113	14.5	11.2-17.8	9	2.1	00.5-03.7	246	34.4	29.7-39.1
Black or Afr. Am./Non-Hisp	131	119,939	11	9.5	02.6-16.4	5	4.0	00.0-09.3	27	18.7	08.9-28.5	31	22.5	11.1-33.9	5	6.5	00.0-13.8	52	38.9	26.4-51.4
25-34	67	86,069	6	9.5	00.1-18.9	5	8.0	00.4-15.6	14	27.6	12.7-42.5	9	11.1	01.7-20.5	2	5.9	00.0-14.7	31	38.0	23.5-52.5
35-44	95	111,305	5	7.8	00.4-15.2	7	6.8	00.3-13.3	28	32.4	19.9-44.9	15	12.8	02.8-22.8	3	4.9	00.0-10.6	37	35.3	22.8-47.8
45-54	169	138,865	19	10.5	05.0-16.0	13	6.3	02.2-10.4	39	20.2	12.8-27.6	31	23.3	13.5-33.1	2	0.4	00.0-01.0	65	39.3	29.5-49.1
55-64	208	119,923	21	12.2	05.9-18.5	11	5.2	01.3-09.1	67	33.1	25.1-41.1	38	18.1	11.6-24.6	4	3.8	00.0-08.1	67	27.6	20.0-35.2
65+	304	140,362	29	8.3	04.8-11.8	29	7.2	04.3-10.1	78	28.3	21.4-35.2	54	16.7	11.4-22.0	3	1.6	00.0-03.8	111	38.0	30.7-45.3
Less Than H.S.	82	81,837	8	12.5	03.7-21.3	5	5.1	00.0-10.2	24	31.3	18.6-44.0	13	9.9	03.6-16.2	1	2.3	00.0-06.8	31	38.9	25.8-52.0
H.S. or G.E.D.	266	202,016	20	9.4	03.7-15.1	24	7.0	03.5-10.5	74	27.5	20.1-34.9	49	19.5	11.9-27.1	4	2.1	00.0-04.6	95	34.6	26.6-42.6
Some Post-H.S.	291	237,523	28	8.2	04.5-11.9	19	4.2	02.0-06.4	74	30.1	22.3-37.9	58	18.5	11.8-25.2	7	4.6	00.5-08.7	105	34.4	26.8-42.0
College Graduate	239	119,016	25	8.1	04.2-12.0	20	11.3	04.0-18.6	66	26.0	19.1-32.9	32	14.7	08.8-20.6	2	0.6	00.0-01.6	94	39.2	30.8-47.6
Less than \$15,000	119	74,841	8	8.8	01.4-16.2	21	14.5	06.9-22.1	26	23.0	13.2-32.8	16	10.3	04.0-16.6	2	2.1	00.0-05.4	46	41.3	29.1-53.5
\$15,000- 24,999	180	149,046	22	12.8	05.9-19.7	8	3.0	00.5-05.5	54	34.0	23.8-44.2	29	18.2	09.8-26.6	2	1.6	00.0-04.1	65	30.5	21.5-39.5
\$25,000- 34,999	82	47,174	13	10.9	04.2-17.6	4	2.3	00.0-05.0	26	37.2	23.3-51.1	9	10.5	01.7-19.3	2	5.6	00.0-14.6	28	33.4	19.9-46.9
\$35,000- 49,999	121	94,448	10	6.7	01.8-11.6	6	5.0	00.0-10.5	24	20.2	10.2-30.2	33	29.4	15.5-43.3	3	5.8	00.0-13.8	45	32.9	20.7-45.1
\$50,000- 74,999	117	86,034	11	7.4	01.7-13.1	8	5.2	00.7-09.7	27	25.7	13.4-38.0	20	17.6	07.4-27.8	2	2.9	00.0-07.0	49	41.2	28.5-53.9
\$75,000+	130	100,346	10	10.5	02.1-18.9	8	9.4	01.8-17.0	44	27.8	18.2-37.4	17	10.9	04.4-17.4	2	2.6	00.0-07.5	49	38.8	26.8-50.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 16: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1446	1,162,692	773	54.6	50.9-58.3	673	45.4	41.7-49.1
Male	523	487,487	233	46.0	39.9-52.1	290	54.0	47.9-60.1
Female	922	673,295	539	60.6	56.1-65.1	383	39.4	34.9-43.9
White/Non-Hisp	1155	869,794	604	52.8	48.9-56.7	551	47.2	43.3-51.1
Black or Afr. Am./Non-Hisp	194	205,045	120	63.1	52.7-73.5	74	36.9	26.5-47.3
18-24	60	89,811	31	49.3	33.4-65.2	29	50.7	34.8-66.6
25-34	119	167,965	72	57.6	45.8-69.4	47	42.4	30.6-54.2
35-44	153	192,333	89	57.5	46.9-68.1	64	42.5	31.9-53.1
45-54	267	239,893	154	60.8	52.8-68.8	113	39.2	31.2-47.2
55-64	356	219,549	187	51.2	44.3-58.1	169	48.8	41.9-55.7
65+	473	236,820	231	49.3	43.4-55.2	242	50.7	44.8-56.6
Less Than H.S.	128	151,756	68	54.2	42.6-65.8	60	45.8	34.2-57.4
H.S. or G.E.D.	468	393,207	238	52.0	45.5-58.5	230	48.0	41.5-54.5
Some Post-H.S.	446	396,891	270	59.6	53.3-65.9	176	40.4	34.1-46.7
College Graduate	403	220,633	196	50.4	43.7-57.1	207	49.6	42.9-56.3
Less than \$15,000	161	110,779	86	53.1	42.1-64.1	75	46.9	35.9-57.9
\$15,000- 24,999	265	214,256	151	56.0	47.2-64.8	114	44.0	35.2-52.8
\$25,000- 34,999	147	114,408	74	51.7	40.7-62.7	73	48.3	37.3-59.3
\$35,000- 49,999	217	189,613	132	61.2	51.4-71.0	85	38.8	29.0-48.6
\$50,000- 74,999	201	174,366	103	52.5	42.3-62.7	98	47.5	37.3-57.7
\$75,000+	244	200,925	121	50.9	42.3-59.5	123	49.1	40.5-57.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 17: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	523	487,487	233	46.0	39.9-52.1	290	54.0	47.9-60.1
White/Non-Hisp	428	364,721	189	45.3	38.8-51.8	239	54.7	48.2-61.2
Black or Afr. Am./Non-Hisp	56	82,878	27	54.6	35.8-73.4	29	45.4	26.6-64.2
35-44	52	73,273	23	45.6	27.4-63.8	29	54.4	36.2-72.6
45-54	95	97,544	48	55.2	41.3-69.1	47	44.8	30.9-58.7
55-64	141	96,857	62	41.6	31.4-51.8	79	58.4	48.2-68.6
65+	149	89,838	64	42.0	32.0-52.0	85	58.0	48.0-68.0
H.S. or G.E.D.	191	185,447	81	43.4	33.4-53.4	110	56.6	46.6-66.6
Some Post-H.S.	136	137,215	72	53.6	42.6-64.6	64	46.4	35.4-57.4
College Graduate	153	97,438	65	44.1	33.5-54.7	88	55.9	45.3-66.5
\$15,000- 24,999	72	60,681	34	40.3	24.6-56.0	38	59.7	44.0-75.4
\$25,000- 34,999	59	56,550	24	45.6	29.3-61.9	35	54.4	38.1-70.7
\$35,000- 49,999	94	92,679	46	41.8	27.5-56.1	48	58.2	43.9-72.5
\$50,000- 74,999	78	80,802	37	57.3	42.0-72.6	41	42.7	27.4-58.0
\$75,000+	110	96,826	45	44.9	32.4-57.4	65	55.1	42.6-67.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 18: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING PERSONAL CARE SUCH AS GIVING MEDICATIONS, FEEDING, DRESSING, OR BATHING?
(CRGVPER)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	922	673,295	539	60.6	56.1-65.1	383	39.4	34.9-43.9
White/Non-Hisp	727	505,073	415	58.2	53.3-63.1	312	41.8	36.9-46.7
Black or Afr. Am./Non-Hisp	138	122,168	93	68.8	57.0-80.6	45	31.2	19.4-43.0
25-34	70	91,880	49	65.9	51.2-80.6	21	34.1	19.4-48.8
35-44	101	119,059	66	64.8	52.5-77.1	35	35.2	22.9-47.5
45-54	171	140,439	105	64.1	54.5-73.7	66	35.9	26.3-45.5
55-64	215	122,692	125	58.8	50.4-67.2	90	41.2	32.8-49.6
65+	324	146,981	167	53.8	46.7-60.9	157	46.2	39.1-53.3
Less Than H.S.	84	82,459	52	64.3	52.0-76.6	32	35.7	23.4-48.0
H.S. or G.E.D.	277	207,760	157	59.7	51.5-67.9	120	40.3	32.1-48.5
Some Post-H.S.	310	259,676	198	62.7	54.9-70.5	112	37.3	29.5-45.1
College Graduate	250	123,195	131	55.3	47.1-63.5	119	44.7	36.5-52.9
Less than \$15,000	121	75,963	68	57.2	45.4-69.0	53	42.8	31.0-54.6
\$15,000- 24,999	193	153,575	117	62.1	52.1-72.1	76	37.9	27.9-47.9
\$25,000- 34,999	88	57,858	50	57.7	42.6-72.8	38	42.3	27.2-57.4
\$35,000- 49,999	123	96,934	86	79.8	71.0-88.6	37	20.2	11.4-29.0
\$50,000- 74,999	123	93,564	66	48.4	35.7-61.1	57	51.6	38.9-64.3
\$75,000+	133	102,188	75	55.6	43.8-67.4	58	44.4	32.6-56.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 19: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOUS)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1441	1,159,348	1138	80.2	77.3-83.1	303	19.8	16.9-22.7
Male	521	486,839	388	74.2	68.9-79.5	133	25.8	20.5-31.1
Female	919	670,599	749	84.5	81.2-87.8	170	15.5	12.2-18.8
White/Non-Hisp	1151	866,760	910	80.2	77.1-83.3	241	19.8	16.7-22.9
Black or Afr. Am./Non-Hisp	193	204,735	157	82.1	74.1-90.1	36	17.9	09.9-25.9
18-24	60	89,811	49	85.3	75.7-94.9	11	14.7	05.1-24.3
25-34	119	167,965	96	79.2	69.8-88.6	23	20.8	11.4-30.2
35-44	151	190,484	128	77.6	68.0-87.2	23	22.4	12.8-32.0
45-54	268	240,583	230	89.0	84.9-93.1	38	11.0	06.9-15.1
55-64	353	217,436	280	78.9	73.0-84.8	73	21.1	15.2-27.0
65+	472	236,747	343	74.2	69.1-79.3	129	25.8	20.7-30.9
Less Than H.S.	127	150,278	94	77.2	68.0-86.4	33	22.8	13.6-32.0
H.S. or G.E.D.	468	392,624	365	80.2	75.3-85.1	103	19.8	14.9-24.7
Some Post-H.S.	445	396,566	367	83.5	78.6-88.4	78	16.5	11.6-21.4
College Graduate	400	219,675	311	76.4	70.3-82.5	89	23.6	17.5-29.7
Less than \$15,000	160	110,706	124	78.2	69.0-87.4	36	21.8	12.6-31.0
\$15,000- 24,999	264	210,894	211	84.4	79.1-89.7	53	15.6	10.3-20.9
\$25,000- 34,999	146	112,930	110	75.6	66.2-85.0	36	24.4	15.0-33.8
\$35,000- 49,999	216	189,287	169	76.6	68.0-85.2	47	23.4	14.8-32.0
\$50,000- 74,999	202	176,528	167	83.3	75.5-91.1	35	16.7	08.9-24.5
\$75,000+	243	200,602	194	78.9	71.6-86.2	49	21.1	13.8-28.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 20: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOU5)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	521	486,839	388	74.2	68.9-79.5	133	25.8	20.5-31.1
White/Non-Hisp	426	364,073	318	74.1	68.4-79.8	108	25.9	20.2-31.6
Black or Afr. Am./Non-Hisp	56	82,878	42	76.5	62.0-91.0	14	23.5	09.0-38.0
35-44	50	72,625	40	71.3	54.1-88.5	10	28.7	11.5-45.9
45-54	95	97,544	77	84.3	76.1-92.5	18	15.7	07.5-23.9
55-64	141	96,857	107	71.7	61.3-82.1	34	28.3	17.9-38.7
65+	149	89,838	102	68.1	58.5-77.7	47	31.9	22.3-41.5
H.S. or G.E.D.	191	185,447	145	78.6	71.2-86.0	46	21.4	14.0-28.8
Some Post-H.S.	136	137,215	108	77.3	67.5-87.1	28	22.7	12.9-32.5
College Graduate	151	96,790	109	67.2	56.4-78.0	42	32.8	22.0-43.6
\$15,000- 24,999	72	60,681	54	77.4	65.6-89.2	18	22.6	10.8-34.4
\$25,000- 34,999	59	56,550	40	68.5	54.0-83.0	19	31.5	17.0-46.0
\$35,000- 49,999	93	92,353	66	68.9	55.6-82.2	27	31.1	17.8-44.4
\$50,000- 74,999	78	80,802	62	76.9	63.0-90.8	16	23.1	09.2-37.0
\$75,000+	109	96,503	79	69.6	57.4-81.8	30	30.4	18.2-42.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 21: IN THE PAST 30 DAYS, DID YOU PROVIDE CARE FOR THIS PERSON BY... ..MANAGING HOUSEHOLD TASKS SUCH AS CLEANING, MANAGING MONEY, OR PREPARING MEALS?
(CRGVHOUS)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	919	670,599	749	84.5	81.2-87.8	170	15.5	12.2-18.8
White/Non-Hisp	725	502,687	592	84.6	81.3-87.9	133	15.4	12.1-18.7
Black or Afr. Am./Non-Hisp	137	121,858	115	86.0	76.4-95.6	22	14.0	04.4-23.6
25-34	70	91,880	63	89.5	80.3-98.7	7	10.5	01.3-19.7
35-44	101	117,859	88	81.5	70.3-92.7	13	18.5	07.3-29.7
45-54	172	141,129	152	92.2	88.1-96.3	20	7.8	03.7-11.9
55-64	212	120,579	173	84.7	78.6-90.8	39	15.3	09.2-21.4
65+	323	146,908	241	77.8	72.1-83.5	82	22.2	16.5-27.9
Less Than H.S.	83	80,980	67	86.0	78.0-94.0	16	14.0	06.0-22.0
H.S. or G.E.D.	277	207,177	220	81.6	74.7-88.5	57	18.4	11.5-25.3
Some Post-H.S.	309	259,351	259	86.8	81.9-91.7	50	13.2	08.3-18.1
College Graduate	249	122,885	202	83.5	77.2-89.8	47	16.5	10.2-22.8
Less than \$15,000	120	75,890	96	82.6	73.6-91.6	24	17.4	08.4-26.4
\$15,000- 24,999	192	150,213	157	87.2	81.5-92.9	35	12.8	07.1-18.5
\$25,000- 34,999	87	56,379	70	82.8	71.2-94.4	17	17.2	05.6-28.8
\$35,000- 49,999	123	96,934	103	83.9	72.5-95.3	20	16.1	04.7-27.5
\$50,000- 74,999	124	95,726	105	88.6	81.0-96.2	19	11.4	03.8-19.0
\$75,000+	133	102,188	114	87.4	80.3-94.5	19	12.6	05.5-19.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 22: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1371	1,093,159	20	1.8	00.8-02.8	115	8.4	06.4-10.4	45	3.0	01.8-04.2	29	2.7	01.3-04.1	34	2.2	01.2-03.2	1128	81.9	79.2-84.6
Male	495	457,214	10	2.3	00.7-03.9	41	7.4	04.5-10.3	9	1.4	00.4-02.4	10	1.2	00.2-02.2	6	0.9	00.1-01.7	419	86.8	83.3-90.3
Female	875	634,035	10	1.5	00.3-02.7	74	9.0	06.3-11.7	36	4.2	02.4-06.0	19	3.7	01.3-06.1	28	3.2	01.8-04.6	708	78.4	74.5-82.3
White/Non-Hisp	1106	827,021	6	0.7	00.1-01.3	90	7.8	05.8-09.8	33	2.3	01.5-03.1	19	2.5	00.9-04.1	29	2.5	01.3-03.7	929	84.3	81.6-87.0
Black or Afr. Am./Non-Hisp	180	182,522	12	6.6	02.3-10.9	18	9.2	02.9-15.5	9	7.1	01.6-12.6	6	3.8	00.3-07.3	3	1.1	00.0-02.5	132	72.2	63.0-81.4
18-24	57	83,742	1	2.5	00.0-07.2	3	5.5	00.0-12.2				1	1.3	00.0-03.8	1	0.8	00.0-02.4	51	89.9	81.5-98.3
25-34	111	156,678	4	3.4	00.0-06.9	5	4.1	00.0-08.8	1	0.4	00.0-01.2	4	2.1	00.0-04.5	3	1.0	00.0-02.2	94	89.0	82.5-95.5
35-44	143	178,273	3	1.6	00.0-03.8	17	8.9	03.2-14.6	9	5.9	00.8-11.0	4	5.8	00.0-12.3	5	3.4	00.0-06.9	105	74.3	64.7-83.9
45-54	254	222,278	2	1.2	00.0-03.0	36	16.4	09.9-22.9	7	2.5	00.3-04.7	6	2.6	00.1-05.1	4	1.9	00.1-03.7	199	75.4	68.3-82.5
55-64	337	208,074	3	1.1	00.0-02.5	30	7.4	04.3-10.5	17	4.8	02.1-07.5	8	2.5	00.1-04.9	11	3.3	01.1-05.5	268	80.9	75.8-86.0
65+	452	229,728	7	2.0	00.2-03.8	23	5.4	02.7-08.1	10	2.2	00.4-04.0	6	1.5	00.1-02.9	10	2.1	00.5-03.7	396	86.8	82.7-90.9
Less Than H.S.	118	136,744				12	11.2	03.9-18.5	2	1.3	00.0-03.1	3	2.2	00.0-04.7				101	85.3	77.5-93.1
H.S. or G.E.D.	440	368,037	7	1.9	00.1-03.7	29	5.5	02.8-08.2	17	2.4	01.0-03.8	7	1.0	00.2-01.8	8	1.5	00.3-02.7	372	87.7	84.0-91.4
Some Post-H.S.	425	377,963	10	2.5	00.7-04.3	43	10.6	06.5-14.7	17	3.3	01.5-05.1	14	5.5	01.8-09.2	10	2.1	00.3-03.9	331	76.0	70.3-81.7
College Graduate	386	209,921	3	1.6	00.0-03.8	30	7.3	04.2-10.4	9	4.7	00.6-08.8	5	0.9	00.0-01.9	16	5.1	02.4-07.8	323	80.4	74.7-86.1
Less than \$15,000	149	103,219	2	2.0	00.0-04.7	15	12.0	04.4-19.6	7	2.3	00.5-04.1	10	7.4	01.3-13.5	3	1.2	00.0-02.6	112	75.2	65.6-84.8
\$15,000- 24,999	251	202,874	5	1.9	00.1-03.7	26	10.3	05.0-15.6	10	3.4	00.9-05.9	5	2.7	00.0-05.4	9	2.7	00.7-04.7	196	78.9	72.2-85.6
\$25,000- 34,999	141	107,363	2	1.5	00.0-04.4	12	8.2	02.1-14.3	4	2.1	00.0-04.3	4	4.7	00.0-10.2				119	83.4	75.0-91.8
\$35,000- 49,999	208	181,610	4	1.9	00.0-04.3	11	4.7	00.2-09.2	5	2.3	00.0-04.7	4	2.0	00.0-04.5	3	1.6	00.0-04.1	181	87.6	81.1-94.1
\$50,000- 74,999	192	161,972	3	2.9	00.0-06.2	15	8.6	03.1-14.1	7	3.8	00.0-07.7	3	3.5	00.0-09.4	7	2.7	00.3-05.1	157	78.4	69.6-87.2
\$75,000+	233	188,914	1	1.0	00.0-03.0	17	7.4	03.1-11.7	5	3.0	00.0-06.5	2	0.4	00.0-01.0	10	4.8	01.7-07.9	198	83.6	77.3-89.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 23: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	495	457,214	10	2.3	00.7-03.9	41	7.4	04.5-10.3	9	1.4	00.4-02.4	10	1.2	00.4-02.0	6	0.9	00.1-01.7	419	86.8	83.3-90.3
White/Non-Hisp	410	350,798	4	1.2	00.0-02.6	35	7.2	04.5-09.9	7	1.3	00.3-02.3	7	1.2	00.4-02.0	6	1.2	00.2-02.2	351	87.8	84.3-91.3
Black or Afr. Am./Non-Hisp	52	68,925	5	7.6	00.0-15.2	4	11.2	00.0-23.4	2	2.4	00.0-05.7	2	1.8	00.0-05.3				39	77.1	62.8-91.4
45-54	89	84,844	1	1.2	00.0-03.6	11	11.9	03.9-19.9	2	2.3	00.0-05.4	1	1.1	00.0-03.3	2	2.2	00.0-05.1	72	81.3	71.7-90.9
55-64	136	94,369	1	0.2	00.0-00.6	13	8.1	03.0-13.2	6	4.0	00.7-07.3	4	2.1	00.0-04.5	2	1.7	00.0-04.1	110	84.0	77.1-90.9
65+	140	86,723	4	3.8	00.0-07.7	7	5.0	01.1-08.9	1	0.7	00.0-02.1	4	2.9	00.2-05.6	1	0.2	00.0-00.6	123	87.4	81.3-93.5
H.S. or G.E.D.	180	177,952	5	3.4	00.0-06.9	12	3.6	01.2-06.0	3	0.9	00.0-01.9	3	0.5	00.0-01.1	2	0.8	00.0-02.0	155	90.7	86.2-95.2
Some Post-H.S.	130	130,033	3	2.1	00.0-04.5	17	14.0	05.8-22.2	2	1.3	00.0-03.1	4	2.9	00.4-05.4				104	79.8	71.0-88.6
College Graduate	145	90,967	2	1.6	00.0-04.3	9	6.5	02.2-10.8	2	1.3	00.0-03.5	2	0.2	00.0-00.6	4	3.0	00.0-06.1	126	87.3	81.0-93.6
\$15,000- 24,999	69	59,912	2	3.1	00.0-07.4	8	7.5	01.0-14.0	3	3.6	00.0-07.9	1	1.6	00.0-04.7	3	2.9	00.0-06.6	52	81.3	71.1-91.5
\$25,000- 34,999	56	52,475				6	10.2	00.2-20.2	1	1.2	00.0-03.6	1	1.5	00.0-04.4				48	87.1	76.5-97.7
\$35,000- 49,999	90	90,698	3	3.3	00.0-08.0	6	6.3	00.0-14.7	1	1.1	00.0-03.3	1	0.7	00.0-02.1				79	88.6	78.8-98.4
\$50,000- 74,999	75	70,893	2	4.4	00.0-10.7	6	5.8	01.1-10.5	1	0.9	00.0-02.7				1	1.3	00.0-03.8	65	87.7	79.5-95.9
\$75,000+	107	92,537				7	7.9	01.2-14.6	1	1.0	00.0-03.0	2	0.7	00.0-01.9	2	1.7	00.0-04.1	95	88.6	81.3-95.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

**TABLE 24: OF THE FOLLOWING SUPPORT SERVICES, WHICH ONE DO YOU MOST NEED, THAT YOU ARE NOT CURRENTLY GETTING? (CRGVMST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Classes about giving care, such as giving medications			Help in getting access to services			Support groups			Individual counseling to help cope with giving care			Respite care			You dont need any of these support services		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	875	634,035	10	1.5	00.3-02.7	74	9.0	06.3-11.7	36	4.2	02.4-06.0	19	3.7	01.3-06.1	28	3.2	01.8-04.6	708	78.4	74.5-82.3
White/Non-Hisp	696	476,222	2	0.2	00.0-00.6	55	8.3	05.6-11.0	26	2.9	01.5-04.3	12	3.5	00.8-06.2	23	3.4	01.6-05.2	578	81.6	77.5-85.7
Black or Afr. Am./Non-Hisp	128	113,597	7	6.0	00.7-11.3	14	8.0	01.7-14.3	7	10.0	01.8-18.2	4	4.9	00.0-10.2	3	1.8	00.0-04.2	93	69.2	57.8-80.6
25-34	64	84,516	2	2.8	00.0-06.9	3	6.4	00.0-14.6	1	0.7	00.0-02.1	3	3.7	00.0-08.2	2	1.1	00.0-02.7	53	85.3	75.3-95.3
35-44	94	107,640	2	2.0	00.0-05.3	10	6.9	02.0-11.8	9	9.8	01.8-17.8	4	9.7	00.0-20.1	5	5.7	00.0-11.4	64	66.0	52.9-79.1
45-54	164	135,524	1	1.2	00.0-03.6	25	19.4	10.4-28.4	5	2.7	00.0-05.8	5	3.6	00.0-07.7	2	1.7	00.0-04.1	126	71.4	61.6-81.2
55-64	201	113,705	2	1.8	00.0-04.3	17	6.8	02.9-10.7	11	5.6	01.7-09.5	4	2.9	00.0-06.6	9	4.7	01.2-08.2	158	78.2	70.9-85.5
65+	312	143,005	3	1.0	00.0-02.4	16	5.6	01.9-09.3	9	3.2	00.7-05.7	2	0.6	00.0-01.6	9	3.2	00.7-05.7	273	86.4	81.3-91.5
Less Than H.S.	77	76,572				9	15.4	03.8-27.0				2	2.9	00.0-07.0				66	81.8	69.8-93.8
H.S. or G.E.D.	260	190,085	2	0.5	00.0-01.5	17	7.3	02.6-12.0	14	3.7	01.2-06.2	4	1.4	00.0-03.0	6	2.2	00.0-04.4	217	84.9	79.0-90.8
Some Post-H.S.	295	247,930	7	2.7	00.5-04.9	26	8.9	04.6-13.2	15	4.3	01.8-06.8	10	6.8	01.5-12.1	10	3.2	00.7-05.7	227	74.0	66.7-81.3
College Graduate	241	118,954	1	1.5	00.0-04.4	21	7.9	03.6-12.2	7	7.2	00.3-14.1	3	1.5	00.0-03.3	12	6.7	02.6-10.8	197	75.2	66.8-83.6
Less than \$15,000	114	70,777				11	12.7	02.9-22.5	6	2.9	00.4-05.4	6	8.4	00.4-16.4	3	1.7	00.0-03.7	88	74.3	62.5-86.1
\$15,000- 24,999	182	142,962	3	1.4	00.0-03.2	18	11.5	04.4-18.6	7	3.3	00.2-06.4	4	3.2	00.0-06.7	6	2.6	00.1-05.1	144	78.0	69.6-86.4
\$25,000- 34,999	85	54,888	2	3.0	00.0-08.7	6	6.2	00.0-13.1	3	3.1	00.0-06.8	3	7.9	00.0-18.1				71	79.9	67.0-92.8
\$35,000- 49,999	118	90,911	1	0.4	00.0-01.2	5	3.0	00.0-06.1	4	3.4	00.0-07.3	3	3.4	00.0-08.1	3	3.2	00.0-08.5	102	86.6	78.2-95.0
\$50,000- 74,999	117	91,079	1	1.7	00.0-05.0	9	10.8	02.0-19.6	6	6.1	00.0-13.0	3	6.3	00.0-16.5	6	3.9	00.4-07.4	92	71.2	58.1-84.3
\$75,000+	125	94,467	1	1.9	00.0-05.6	10	7.0	01.3-12.7	4	5.0	00.0-11.7				8	7.8	02.1-13.5	102	78.3	68.1-88.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 25: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3423	2,786,439	604	18.3	16.3-20.3	2819	81.7	79.7-83.7
Male	1517	1,404,539	269	18.1	15.4-20.8	1248	81.9	79.2-84.6
Female	1905	1,380,574	334	18.4	15.9-20.9	1571	81.6	79.1-84.1
White/Non-Hisp	2825	2,125,019	491	17.8	15.8-19.8	2334	82.2	80.2-84.2
Black or Afr. Am./Non-Hisp	386	427,287	64	16.8	11.3-22.3	322	83.2	77.7-88.7
Oth. Race/Non-Hisp.	57	64,440	13	27.7	09.7-45.7	44	72.3	54.3-90.3
Hispanic	54	101,396	10	21.5	06.8-36.2	44	78.5	63.8-93.2
18-24	192	306,590	35	16.9	10.2-23.6	157	83.1	76.4-89.8
25-34	320	425,200	50	15.7	10.2-21.2	270	84.3	78.8-89.8
35-44	375	512,726	73	18.8	13.7-23.9	302	81.2	76.1-86.3
45-54	529	435,899	125	23.0	18.1-27.9	404	77.0	72.1-81.9
55-64	693	438,000	129	20.5	16.4-24.6	564	79.5	75.4-83.6
65+	1260	627,670	181	15.6	12.9-18.3	1079	84.4	81.7-87.1
Less Than H.S.	372	440,611	80	21.6	15.7-27.5	292	78.4	72.5-84.3
H.S. or G.E.D.	1109	925,339	185	17.9	14.6-21.2	924	82.1	78.8-85.4
Some Post-H.S.	850	779,995	136	16.2	12.7-19.7	714	83.8	80.3-87.3
College Graduate	1084	636,722	203	19.3	16.0-22.6	881	80.7	77.4-84.0
Less than \$15,000	365	252,580	63	20.1	13.8-26.4	302	79.9	73.6-86.2
\$15,000- 24,999	509	398,760	85	18.9	13.6-24.2	424	81.1	75.8-86.4
\$25,000- 34,999	359	285,367	60	15.8	10.7-20.9	299	84.2	79.1-89.3
\$35,000- 49,999	467	365,501	73	13.5	09.8-17.2	394	86.5	82.8-90.2
\$50,000- 74,999	417	385,644	79	18.2	13.1-23.3	338	81.8	76.7-86.9
\$75,000+	736	651,453	155	22.2	17.9-26.5	581	77.8	73.5-82.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 26: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1517	1,404,539	269	18.1	15.4-20.8	1248	81.9	79.2-84.6
White/Non-Hisp	1252	1,090,454	221	17.6	14.7-20.5	1031	82.4	79.5-85.3
Black or Afr. Am./Non-Hisp	146	184,556	23	17.7	08.7-26.7	123	82.3	73.3-91.3
18-24	116	168,472	20	18.2	09.2-27.2	96	81.8	72.8-90.8
25-34	157	212,593	26	13.9	07.4-20.4	131	86.1	79.6-92.6
35-44	187	274,951	40	20.4	12.8-28.0	147	79.6	72.0-87.2
45-54	217	217,527	42	20.5	13.1-27.9	175	79.5	72.1-86.9
55-64	332	222,818	57	21.0	14.5-27.5	275	79.0	72.5-85.5
65+	487	288,790	80	15.0	11.1-18.9	407	85.0	81.1-88.9
Less Than H.S.	139	200,166	26	19.8	10.8-28.8	113	80.2	71.2-89.2
H.S. or G.E.D.	473	462,255	93	19.5	14.8-24.2	380	80.5	75.8-85.2
Some Post-H.S.	384	409,187	58	15.9	10.6-21.2	326	84.1	78.8-89.4
College Graduate	518	331,703	92	17.9	13.4-22.4	426	82.1	77.6-86.6
Less than \$15,000	125	96,507	21	21.2	10.0-32.4	104	78.8	67.6-90.0
\$15,000- 24,999	191	173,304	39	19.1	12.0-26.2	152	80.9	73.8-88.0
\$25,000- 34,999	159	140,488	21	10.9	05.2-16.6	138	89.1	83.4-94.8
\$35,000- 49,999	219	198,765	39	15.1	09.4-20.8	180	84.9	79.2-90.6
\$50,000- 74,999	216	226,317	44	17.6	10.7-24.5	172	82.4	75.5-89.3
\$75,000+	418	392,075	81	22.8	16.7-28.9	337	77.2	71.1-83.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 6: CAREGIVER**

TABLE 27: IN THE NEXT 2 YEARS, DO YOU EXPECT TO PROVIDE CARE OR ASSISTANCE TO A FRIEND OR FAMILY MEMBER WHO HAS A HEALTH PROBLEM OR DISABILITY? (CRGVEXPT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1905	1,380,574	334	18.4	15.9-20.9	1571	81.6	79.1-84.1
White/Non-Hisp	1572	1,033,239	269	17.9	15.4-20.4	1303	82.1	79.6-84.6
Black or Afr. Am./Non-Hisp	240	242,731	41	16.2	09.5-22.9	199	83.8	77.1-90.5
18-24	76	138,118	15	15.3	05.7-24.9	61	84.7	75.1-94.3
25-34	162	211,281	23	16.9	08.3-25.5	139	83.1	74.5-91.7
35-44	188	237,775	33	17.0	10.3-23.7	155	83.0	76.3-89.7
45-54	312	218,372	83	25.5	19.0-32.0	229	74.5	68.0-81.0
55-64	361	215,183	72	19.9	14.8-25.0	289	80.1	75.0-85.2
65+	773	338,880	101	16.1	12.4-19.8	672	83.9	80.2-87.6
Less Than H.S.	233	240,446	54	23.1	15.7-30.5	179	76.9	69.5-84.3
H.S. or G.E.D.	636	463,084	92	16.3	11.8-20.8	544	83.7	79.2-88.2
Some Post-H.S.	465	369,481	77	16.2	11.7-20.7	388	83.8	79.3-88.3
College Graduate	566	305,019	111	20.8	16.1-25.5	455	79.2	74.5-83.9
Less than \$15,000	240	156,073	42	19.5	12.1-26.9	198	80.5	73.1-87.9
\$15,000- 24,999	318	225,456	46	18.7	11.3-26.1	272	81.3	73.9-88.7
\$25,000- 34,999	200	144,879	39	20.6	12.2-29.0	161	79.4	71.0-87.8
\$35,000- 49,999	248	166,736	34	11.6	06.9-16.3	214	88.4	83.7-93.1
\$50,000- 74,999	201	159,327	35	18.9	11.3-26.5	166	81.1	73.5-88.7
\$75,000+	318	259,378	74	21.4	15.3-27.5	244	78.6	72.5-84.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016**

MODULE 7: COGNITIVE DECLINE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)	
1 MALES AND FEMALES	45
2 MALES ONLY	46
3 FEMALES ONLY	47
DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)	
4 MALES AND FEMALES	48
5 MALES ONLY	49
6 FEMALES ONLY	50
AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)	
7 MALES AND FEMALES	51
8 MALES ONLY	52
9 FEMALES ONLY	53
WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)	
10 MALES AND FEMALES	54
11 MALES ONLY	55
12 FEMALES ONLY	56
DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)	
13 MALES AND FEMALES	57
14 MALES ONLY	58
15 FEMALES ONLY	59
HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)	
16 MALES AND FEMALES	60
17 MALES ONLY	61
18 FEMALES ONLY	62

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3767	2,311,996	534	13.8	12.2-15.4	3233	86.2	84.6-87.8
Male	1497	1,068,060	206	13.3	10.9-15.7	1291	86.7	84.3-89.1
Female	2268	1,241,749	328	14.2	12.2-16.2	1940	85.8	83.8-87.8
White/Non-Hisp	3150	1,884,560	430	13.8	12.2-15.4	2720	86.2	84.6-87.8
Black or Afr. Am./Non-Hisp	418	293,004	67	13.9	09.6-18.2	351	86.1	81.8-90.4
Oth. Race/Non-Hisp.	67	58,957	12	14.8	00.0-29.9	55	85.2	70.1-0100
MultiRacial/Non-Hisp.	62	23,937	15	21.8	10.0-33.6	47	78.2	66.4-90.0
45-54	817	684,834	125	13.0	10.1-15.9	692	87.0	84.1-89.9
55-64	1118	703,753	159	15.6	12.7-18.5	959	84.4	81.5-87.3
65+	1832	923,409	250	13.1	11.1-15.1	1582	86.9	84.9-88.9
Less Than H.S.	460	428,917	107	22.5	17.6-27.4	353	77.5	72.6-82.4
H.S. or G.E.D.	1273	809,454	200	13.8	11.4-16.2	1073	86.2	83.8-88.6
Some Post-H.S.	929	596,816	131	13.0	10.1-15.9	798	87.0	84.1-89.9
College Graduate	1098	473,878	95	7.0	05.2-08.8	1003	93.0	91.2-94.8
Less than \$15,000	442	252,219	107	25.2	18.9-31.5	335	74.8	68.5-81.1
\$15,000- 24,999	619	381,116	123	17.4	13.7-21.1	496	82.6	78.9-86.3
\$25,000- 34,999	381	232,512	55	14.3	09.8-18.8	326	85.7	81.2-90.2
\$35,000- 49,999	504	310,772	60	9.5	06.6-12.4	444	90.5	87.6-93.4
\$50,000- 74,999	470	307,334	39	8.6	05.3-11.9	431	91.4	88.1-94.7
\$75,000+	712	451,767	47	6.3	04.1-08.5	665	93.7	91.5-95.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1497	1,068,060	206	13.3	10.9-15.7	1291	86.7	84.3-89.1
White/Non-Hisp	1251	857,910	165	13.2	10.7-15.7	1086	86.8	84.3-89.3
Black or Afr. Am./Non-Hisp	147	130,267	24	13.8	07.1-20.5	123	86.2	79.5-92.9
45-54	316	315,655	37	9.7	05.4-14.0	279	90.3	86.0-94.6
55-64	506	339,583	76	16.6	12.1-21.1	430	83.4	78.9-87.9
65+	675	412,822	93	13.5	10.2-16.8	582	86.5	83.2-89.8
Less Than H.S.	157	191,383	42	25.2	16.6-33.8	115	74.8	66.2-83.4
H.S. or G.E.D.	490	366,294	75	11.9	08.6-15.2	415	88.1	84.8-91.4
Some Post-H.S.	350	261,109	52	13.6	09.1-18.1	298	86.4	81.9-90.9
College Graduate	499	248,784	36	5.9	03.5-08.3	463	94.1	91.7-96.5
Less than \$15,000	137	101,526	39	29.9	17.7-42.1	98	70.1	57.9-82.3
\$15,000- 24,999	202	149,156	41	18.6	12.1-25.1	161	81.4	74.9-87.9
\$25,000- 34,999	163	123,154	27	13.1	07.2-19.0	136	86.9	81.0-92.8
\$35,000- 49,999	217	149,830	28	8.7	05.0-12.4	189	91.3	87.6-95.0
\$50,000- 74,999	219	160,672	14	6.2	02.1-10.3	205	93.8	89.7-97.9
\$75,000+	374	250,958	28	7.5	04.2-10.8	346	92.5	89.2-95.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU EXPERIENCED CONFUSION OR MEMORY LOSS THAT IS HAPPENING MORE OFTEN OR IS GETTING WORSE? (CIMEMLOS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2268	1,241,749	328	14.2	12.2-16.2	1940	85.8	83.8-87.8
White/Non-Hisp	1898	1,026,373	265	14.2	12.0-16.4	1633	85.8	83.6-88.0
Black or Afr. Am./Non-Hisp	271	162,737	43	14.0	08.5-19.5	228	86.0	80.5-91.5
45-54	500	367,268	88	15.8	11.9-19.7	412	84.2	80.3-88.1
55-64	612	364,171	83	14.6	10.7-18.5	529	85.4	81.5-89.3
65+	1156	510,310	157	12.7	10.2-15.2	999	87.3	84.8-89.8
Less Than H.S.	302	235,624	65	20.4	14.9-25.9	237	79.6	74.1-85.1
H.S. or G.E.D.	783	443,160	125	15.3	12.0-18.6	658	84.7	81.4-88.0
Some Post-H.S.	579	335,708	79	12.5	08.8-16.2	500	87.5	83.8-91.2
College Graduate	598	224,817	59	8.2	05.7-10.7	539	91.8	89.3-94.3
Less than \$15,000	305	150,693	68	22.0	15.7-28.3	237	78.0	71.7-84.3
\$15,000- 24,999	417	231,960	82	16.6	12.3-20.9	335	83.4	79.1-87.7
\$25,000- 34,999	218	109,357	28	15.8	08.9-22.7	190	84.2	77.3-91.1
\$35,000- 49,999	287	160,942	32	10.2	05.9-14.5	255	89.8	85.5-94.1
\$50,000- 74,999	251	146,662	25	11.3	05.8-16.8	226	88.7	83.2-94.2
\$75,000+	337	198,899	19	5.0	02.3-07.7	318	95.0	92.3-97.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 4: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	514	307,792	34	7.4	03.5-11.3	47	9.2	06.1-12.3	169	33.9	28.6-39.2	73	12.7	09.0-16.4	191	36.7	31.0-42.4
Male	199	134,613	12	8.1	00.7-15.5	20	9.0	04.3-13.7	47	23.0	15.7-30.3	29	14.8	09.1-20.5	91	45.1	36.1-54.1
Female	315	173,180	22	7.0	03.3-10.7	27	9.3	05.0-13.6	122	42.3	34.9-49.7	44	11.2	06.1-16.3	100	30.2	23.5-36.9
White/Non-Hisp	413	248,706	27	6.4	03.1-09.7	35	8.5	05.2-11.8	131	32.1	26.2-38.0	65	14.8	10.3-19.3	155	38.2	32.1-44.3
Black or Afr. Am./Non-Hisp	66	40,374	3	3.7	00.0-08.0	6	7.3	00.0-14.7	30	54.3	38.4-70.2	6	5.2	00.5-09.9	21	29.5	14.6-44.4
45-54	122	82,692	11	8.7	02.0-15.4	17	16.4	08.2-24.6	38	33.3	23.1-43.5	17	9.0	04.1-13.9	39	32.6	22.2-43.0
55-64	152	107,780	12	8.8	00.4-17.2	10	5.9	01.2-10.6	64	40.9	30.7-51.1	21	13.3	05.3-21.3	45	31.1	21.1-41.1
65+	240	117,321	11	5.4	00.5-10.3	20	7.1	03.4-10.8	67	27.8	20.2-35.4	35	14.8	09.3-20.3	107	44.9	36.3-53.5
Less Than H.S.	101	89,082	8	11.7	00.7-22.7	13	11.4	04.7-18.1	45	39.0	27.6-50.4	13	16.1	05.9-26.3	22	21.8	11.8-31.8
H.S. or G.E.D.	192	108,558	18	9.6	03.9-15.3	20	8.4	03.7-13.1	72	40.7	31.7-49.7	24	10.6	06.1-15.1	58	30.7	22.5-38.9
Some Post-H.S.	129	77,244	4	1.7	00.0-03.7	10	8.5	02.2-14.8	35	28.1	17.5-38.7	15	6.4	02.7-10.1	65	55.4	43.8-67.0
College Graduate	91	32,418	4	2.6	00.0-05.5	4	7.8	00.0-16.8	17	11.0	05.1-16.9	21	25.9	13.9-37.9	45	52.7	39.2-66.2
Less than \$15,000	101	56,156	15	20.9	04.8-37.0	16	14.1	04.3-23.9	35	34.4	22.4-46.4	14	11.0	03.9-18.1	21	19.7	09.7-29.7
\$15,000- 24,999	120	65,201	6	4.5	00.2-08.8	11	9.1	03.4-14.8	47	43.6	32.2-55.0	16	13.0	05.7-20.3	40	29.8	19.4-40.2
\$25,000- 34,999	54	32,891	2	1.7	00.0-04.4	4	8.7	00.0-18.3	18	39.4	22.9-55.9	11	17.8	06.2-29.4	19	32.3	16.6-48.0
\$35,000- 49,999	60	29,433	2	1.9	00.0-04.6	4	7.7	00.0-16.3	11	15.4	05.2-25.6	9	14.1	04.3-23.9	34	60.9	46.4-75.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 5: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Usually			Sometimes			Rarely		Never			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	199	134,613	12	8.1	00.5-15.7	20	9.0	04.3-13.7	47	23.0	16.1-29.9	29	14.8	09.1-20.5	91	45.1	36.1-54.1
White/Non-Hisp	158	105,699	9	5.2	00.0-10.5	15	8.4	03.3-13.5	34	22.5	15.1-29.9	27	18.0	11.1-24.9	73	46.0	36.8-55.2
55-64	73	55,278	6	11.5	00.0-26.8	4	6.6	00.0-14.4	23	32.5	19.4-45.6	12	14.6	05.2-24.0	28	34.8	22.3-47.3
65+	91	54,534	4	6.6	00.0-16.2	13	11.9	05.4-18.4	17	15.0	08.1-21.9	11	14.8	06.2-23.4	46	51.7	38.6-64.8
H.S. or G.E.D.	71	41,715	4	3.2	00.0-06.5	7	5.6	01.3-09.9	24	37.6	23.5-51.7	9	13.0	04.2-21.8	27	40.6	26.5-54.7
Some Post-H.S.	52	35,402	3	3.2	00.0-07.3	6	12.3	01.3-23.3	7	14.8	01.7-27.9	5	6.8	00.1-13.5	31	62.8	46.3-79.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 6: DURING THE PAST 12 MONTHS, AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN HAVE YOU GIVEN UP DAY-TO-DAY HOUSEHOLD ACTIVITIES OR CHORES YOU USED TO DO, SUCH AS COOKING, CLEANING, TAKING MEDICATIONS, DRIVING, OR PAYING BILLS? (CDHOUSE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	315	173,180	22	7.0	03.3-10.7	27	9.3	05.0-13.6	122	42.3	34.9-49.7	44	11.2	06.1-16.3	100	30.2	23.7-36.7
White/Non-Hisp	255	143,007	18	7.3	03.0-11.6	20	8.6	04.1-13.1	97	39.2	31.0-47.4	38	12.4	06.3-18.5	82	32.5	25.1-39.9
45-54	87	57,892	9	10.9	01.9-19.9	14	20.0	09.2-30.8	31	39.2	26.3-52.1	11	6.4	02.5-10.3	22	23.6	13.4-33.8
55-64	79	52,501	6	5.9	00.2-11.6	6	5.2	00.5-09.9	41	49.6	33.9-65.3	9	12.1	00.0-25.6	17	27.1	13.0-41.2
65+	149	62,787	7	4.3	00.6-08.0	7	3.0	00.0-06.3	50	39.0	27.6-50.4	24	14.8	07.9-21.7	61	39.0	28.6-49.4
Less Than H.S.	61	46,527	5	5.5	00.6-10.4	7	10.5	01.9-19.1	31	54.2	38.3-70.1	6	15.4	00.0-31.3	12	14.5	05.1-23.9
H.S. or G.E.D.	121	66,844	14	13.6	04.8-22.4	13	10.1	02.8-17.4	48	42.7	31.3-54.1	15	9.1	04.2-14.0	31	24.5	15.3-33.7
Some Post-H.S.	77	41,841	1	0.3	00.0-00.9	4	5.3	00.0-11.6	28	39.4	24.5-54.3	10	6.0	01.9-10.1	34	49.0	33.7-64.3
College Graduate	56	17,968	2	1.7	00.0-04.2	3	12.9	00.0-28.2	15	16.8	07.4-26.2	13	20.0	08.8-31.2	23	48.6	33.1-64.1
Less than \$15,000	64	31,744	9	18.7	04.0-33.4	10	12.6	02.0-23.2	25	43.1	27.0-59.2	9	8.0	02.1-13.9	11	17.6	05.3-29.9
\$15,000- 24,999	81	38,327	5	6.3	00.0-13.2	7	9.5	02.2-16.8	32	46.6	32.1-61.1	11	11.5	03.7-19.3	26	26.2	14.6-37.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

**TABLE 7: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	519	311,517	28	7.3	03.6-11.0	36	7.1	04.4-09.8	134	26.9	22.0-31.8	87	14.9	10.6-19.2	234	43.8	37.9-49.7
Male	200	139,763	9	6.1	01.2-11.0	15	5.4	02.5-08.3	41	18.8	11.9-25.7	33	16.3	08.1-24.5	102	53.4	43.6-63.2
Female	319	171,755	19	8.3	02.8-13.8	21	8.5	04.0-13.0	93	33.4	26.5-40.3	54	13.7	09.4-18.0	132	36.1	29.2-43.0
White/Non-Hisp	418	252,465	24	8.1	03.6-12.6	30	7.7	04.4-11.0	97	23.8	18.7-28.9	75	15.8	10.9-20.7	192	44.6	38.1-51.1
Black or Afr. Am./Non-Hisp	66	40,374	4	5.8	00.0-11.7	2	1.9	00.0-04.8	28	46.9	30.6-63.2	8	12.0	01.8-22.2	24	33.4	18.3-48.5
45-54	124	88,489	10	7.9	01.4-14.4	9	8.1	02.4-13.8	38	33.4	22.6-44.2	22	19.9	08.5-31.3	45	30.8	20.6-41.0
55-64	155	108,326	8	8.5	00.7-16.3	18	8.2	03.5-12.9	40	25.3	16.5-34.1	23	12.8	06.7-18.9	66	45.1	34.5-55.7
65+	240	114,703	10	5.7	00.6-10.8	9	5.3	01.0-09.6	56	23.3	16.8-29.8	42	13.0	08.3-17.7	123	52.7	44.5-60.9
Less Than H.S.	103	94,403	10	11.8	02.2-21.4	7	5.7	01.2-10.2	46	37.6	26.2-49.0	8	12.5	01.3-23.7	32	32.3	20.0-44.6
H.S. or G.E.D.	193	106,757	12	8.8	02.5-15.1	16	9.0	03.5-14.5	49	24.4	16.8-32.0	35	16.3	10.4-22.2	81	41.4	32.8-50.0
Some Post-H.S.	128	77,067	4	2.4	00.0-05.1	8	6.7	01.2-12.2	25	23.3	13.1-33.5	23	13.5	06.8-20.2	68	54.0	42.2-65.8
College Graduate	94	32,801	2	0.8	00.0-02.0	5	6.0	00.0-13.3	14	12.7	05.4-20.0	21	20.6	10.4-30.8	52	60.0	47.3-72.7
Less than \$15,000	103	61,400	12	12.7	02.9-22.5	10	5.9	01.0-10.8	34	30.0	18.4-41.6	13	16.1	00.4-31.8	34	35.2	19.5-50.9
\$15,000- 24,999	120	64,908	3	2.0	00.0-04.4	10	8.2	02.3-14.1	38	37.5	26.1-48.9	23	16.3	08.9-23.7	46	36.0	25.4-46.6
\$25,000- 34,999	55	33,360	3	4.6	00.0-10.7	3	10.4	00.0-22.6	12	26.2	11.7-40.7	12	17.0	05.6-28.4	25	41.9	25.6-58.2
\$35,000- 49,999	60	29,433	2	4.0	00.0-09.9	3	6.1	00.0-14.3	10	14.7	04.9-24.5	11	14.5	05.5-23.5	34	60.7	46.0-75.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
 MODULE 7: COGNITIVE DECLINE**

TABLE 8: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	200	139,763	9	6.1	01.2-11.0	15	5.4	02.5-08.3	41	18.8	12.5-25.1	33	16.3	08.1-24.5	102	53.4	43.6-63.2	
White/Non-Hisp	159	110,849	7	6.6	00.5-12.7	11	5.5	02.0-09.0	26	15.6	09.3-21.9	29	18.5	08.9-28.1	86	53.9	43.1-64.7	
55-64	73	55,278	4	5.8	00.0-13.1	9	9.1	02.4-15.8	15	22.9	10.9-34.9	8	9.3	01.7-16.9	37	52.9	38.4-67.4	
65+	90	53,887	4	8.1	00.0-18.1	4	2.9	00.0-06.0	19	17.4	09.8-25.0	15	11.4	05.3-17.5	48	60.2	47.7-72.7	
H.S. or G.E.D.	71	41,978	2	6.5	00.0-15.5	4	3.7	00.0-07.6	20	26.6	13.7-39.5	13	14.2	06.0-22.4	32	48.9	34.8-63.0	
Some Post-H.S.	52	35,402	3	4.9	00.0-11.0	3	3.5	00.0-07.8	9	17.0	03.9-30.1	7	10.7	02.3-19.1	30	63.9	48.0-79.8	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 9: AS A RESULT OF CONFUSION OR MEMORY LOSS, HOW OFTEN DO YOU NEED ASSISTANCE WITH THESE DAY-TO-DAY ACTIVITIES? (CDASSIST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	319	171,755	19	8.3	02.8-13.8	21	8.5	04.0-13.0	93	33.4	26.7-40.1	54	13.7	09.4-18.0	132	36.1	29.2-43.0
White/Non-Hisp	259	141,616	17	9.2	02.7-15.7	19	9.4	04.3-14.5	71	30.2	22.9-37.5	46	13.8	09.1-18.5	106	37.3	29.7-44.9
45-54	87	57,892	9	10.4	01.4-19.4	7	10.7	02.3-19.1	31	43.6	30.5-56.7	12	10.5	03.8-17.2	28	24.7	14.7-34.7
55-64	82	53,048	4	11.3	00.0-25.4	9	7.3	00.2-14.4	25	27.9	15.7-40.1	15	16.4	06.6-26.2	29	37.0	22.3-51.7
65+	150	60,816	6	3.6	00.1-07.1	5	7.4	00.0-14.8	37	28.5	18.9-38.1	27	14.4	07.7-21.1	75	46.1	36.1-56.1
Less Than H.S.	62	46,961	7	15.5	00.2-30.8	1	2.7	00.0-07.8	35	56.9	41.0-72.8	4	5.6	00.0-11.9	15	19.3	08.9-29.7
H.S. or G.E.D.	122	64,779	10	10.3	02.3-18.3	12	12.4	04.2-20.6	29	23.0	13.8-32.2	22	17.7	09.5-25.9	49	36.6	26.4-46.8
Some Post-H.S.	76	41,665	1	0.3	00.0-00.9	5	9.4	00.0-18.8	16	28.7	14.0-43.4	16	15.9	05.7-26.1	38	45.7	29.2-62.2
College Graduate	59	18,350	1	0.6	00.0-01.8	3	7.5	00.0-19.3	13	21.1	09.1-33.1	12	15.4	05.8-25.0	30	55.4	40.7-70.1
Less than \$15,000	66	32,164	10	18.2	03.7-32.7	5	4.1	00.2-08.0	25	45.6	29.1-62.1	8	9.7	02.1-17.3	18	22.4	10.4-34.4
\$15,000- 24,999	81	38,327	2	1.9	00.0-04.6	5	7.7	00.0-15.9	27	38.0	23.9-52.1	15	14.7	06.3-23.1	32	37.7	24.6-50.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

**TABLE 10: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	198	128,613	63	41.1	31.7-50.5	46	19.8	13.1-26.5	54	25.9	17.9-33.9	16	5.8	02.1-09.5	19	7.5	03.8-11.2
Male	65	42,337	24	49.3	34.4-64.2	17	19.5	09.5-29.5	12	19.6	07.3-31.9	2	1.8	00.0-04.3	10	9.7	03.0-16.4
Female	133	86,276	39	37.1	25.1-49.1	29	19.9	11.1-28.7	42	28.9	18.5-39.3	14	7.7	02.4-13.0	9	6.4	01.7-11.1
White/Non-Hisp	151	99,924	50	44.3	33.5-55.1	37	20.5	12.7-28.3	41	22.3	14.7-29.9	11	6.3	01.8-10.8	12	6.5	02.4-10.6
45-54	57	43,668	21	40.9	24.6-57.2	10	17.4	06.0-28.8	12	20.4	06.5-34.3	9	12.2	02.4-22.0	5	9.0	00.8-17.2
55-64	66	45,616	17	36.0	17.8-54.2	18	24.7	11.4-38.0	19	31.3	16.6-46.0	5	2.9	00.0-05.8	7	5.0	00.7-09.3
65+	75	39,328	25	47.2	33.7-60.7	18	16.7	07.7-25.7	23	25.6	13.3-37.9	2	2.0	00.0-04.7	7	8.6	01.3-15.9
Less Than H.S.	63	52,101	21	41.9	26.4-57.4	7	8.5	01.8-15.2	23	35.8	21.9-49.7	5	4.1	00.0-08.4	7	9.8	02.2-17.4
H.S. or G.E.D.	77	45,113	25	45.1	29.6-60.6	24	26.6	13.9-39.3	14	11.9	05.0-18.8	6	9.1	00.5-17.7	8	7.3	01.6-13.0
Less than \$15,000	56	29,870	15	36.3	18.1-54.5	11	16.2	04.4-28.0	21	33.7	18.0-49.4	2	1.8	00.0-04.7	7	12.1	01.7-22.5
\$15,000- 24,999	51	30,953	13	26.6	11.1-42.1	12	18.4	06.6-30.2	12	31.9	14.8-49.0	7	9.0	01.4-16.6	7	14.2	03.6-24.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 11: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	65	42,337	24	49.3	39.5-59.1	17	19.5	10.1-28.9	12	19.6	11.2-28.0	2	1.8	00.0-03.6	10	9.7	04.0-15.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

**TABLE 12: WHEN YOU NEED HELP WITH THESE DAY-TO-DAY ACTIVITIES, HOW OFTEN ARE YOU ABLE TO GET THE HELP THAT YOU NEED? (CDHELP)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	133	86,276	39	37.1	25.3-48.9	29	19.9	11.3-28.5	42	28.9	18.7-39.1	14	7.7	02.4-13.0	9	6.4	01.9-10.9
White/Non-Hisp	107	69,255	32	38.9	25.8-52.0	23	19.3	09.3-29.3	34	26.7	16.7-36.7	10	8.5	02.0-15.0	8	6.6	01.5-11.7
H.S. or G.E.D.	51	29,645	14	36.1	16.9-55.3	16	28.6	11.5-45.7	12	16.7	06.9-26.5	5	12.6	00.1-25.1	4	6.1	00.2-12.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 13: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
TOTAL	523	313,148	68	14.0	09.3-18.7	30	7.9	03.8-12.0	120	21.6	17.1-26.1	83	17.1	12.6-21.6	222	39.4	33.7-45.1
Male	203	141,800	23	11.6	04.0-19.2	14	10.8	02.8-18.8	36	14.8	09.1-20.5	37	19.6	12.9-26.3	93	43.1	33.7-52.5
Female	320	171,348	45	16.0	10.3-21.7	16	5.4	01.9-08.9	84	27.2	20.5-33.9	46	15.0	08.7-21.3	129	36.4	29.7-43.1
White/Non-Hisp	419	253,488	55	13.3	09.0-17.6	23	8.3	03.4-13.2	94	21.0	16.1-25.9	70	18.1	12.8-23.4	177	39.2	33.1-45.3
Black or Afr. Am./Non-Hisp	67	40,743	6	7.9	00.6-15.2	6	8.1	00.0-16.3	17	27.9	12.4-43.4	9	12.9	02.5-23.3	29	43.3	27.4-59.2
45-54	124	88,522	23	17.3	08.9-25.7	9	11.4	00.2-22.6	41	28.9	18.9-38.9	19	15.6	08.0-23.2	32	26.7	16.7-36.7
55-64	155	108,478	27	18.1	08.5-27.7	11	8.1	02.2-14.0	32	19.4	11.4-27.4	31	21.8	12.2-31.4	54	32.6	23.2-42.0
65+	244	116,149	18	7.7	02.2-13.2	10	5.0	01.3-08.7	47	18.0	11.9-24.1	33	13.8	08.3-19.3	136	55.5	47.1-63.9
Less Than H.S.	106	95,770	23	21.4	10.0-32.8	9	11.4	00.6-22.2	25	18.2	10.4-26.0	13	14.9	05.3-24.5	36	34.0	23.0-45.0
H.S. or G.E.D.	193	107,231	27	17.2	09.9-24.5	13	7.3	02.0-12.6	45	22.1	14.8-29.4	34	17.3	10.8-23.8	74	36.2	28.0-44.4
Some Post-H.S.	130	77,152	10	4.8	01.1-08.5	6	6.9	00.6-13.2	38	29.2	18.2-40.2	14	13.4	04.6-22.2	62	45.7	33.9-57.5
College Graduate	93	32,506	8	3.8	01.1-06.5	2	1.8	00.0-04.3	12	12.1	04.1-20.1	22	31.8	19.3-44.3	49	50.6	37.9-63.3
Less than \$15,000	106	62,875	24	28.1	12.2-44.0	8	13.3	00.0-29.0	30	22.5	13.1-31.9	11	10.1	03.4-16.8	33	26.0	14.4-37.6
\$15,000- 24,999	119	65,387	17	10.6	04.7-16.5	10	8.3	03.0-13.6	28	27.6	16.8-38.4	14	12.3	04.3-20.3	50	41.2	30.4-52.0
\$25,000- 34,999	54	32,988	3	7.9	00.0-17.1	3	9.3	00.0-20.1	16	27.4	12.1-42.7	12	22.0	08.3-35.7	20	33.4	17.3-49.5
\$35,000- 49,999	59	29,077	2	2.6	00.0-06.5	1	0.6	00.0-01.8	14	26.7	11.4-42.0	10	21.1	07.6-34.6	32	49.0	33.1-64.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 14: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Male	203	141,800	23	11.6	03.8-19.4	14	10.8	02.6-19.0	36	14.8	09.3-20.3	37	19.6	13.3-25.9	93	43.1	33.7-52.5
White/Non-Hisp	162	112,886	19	9.6	03.7-15.5	10	12.1	02.1-22.1	26	12.7	07.4-18.0	33	22.4	15.1-29.7	74	43.3	32.9-53.7
55-64	73	55,674	9	15.5	00.2-30.8	5	8.9	00.0-18.3	16	19.6	08.2-31.0	16	21.4	12.0-30.8	27	34.6	20.5-48.7
65+	93	55,528	9	9.9	00.1-19.7	6	6.9	01.2-12.6	12	10.8	05.1-16.5	13	17.7	07.5-27.9	53	54.7	41.8-67.6
H.S. or G.E.D.	74	43,500	10	9.7	03.2-16.2	3	8.7	00.0-19.9	18	21.7	10.9-32.5	15	24.7	12.2-37.2	28	35.3	22.6-48.0
Some Post-H.S.	51	35,047	4	3.7	00.0-07.6	4	6.3	00.0-13.0	8	17.8	03.5-32.1	7	13.6	03.8-23.4	28	58.7	42.2-75.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 15: DURING THE PAST 12 MONTHS, HOW OFTEN HAS CONFUSION OR MEMORY LOSS INTERFERED WITH YOUR ABILITY TO WORK, VOLUNTEER, OR ENGAGE IN SOCIAL ACTIVITIES OUTSIDE THE HOME? (CDSOCIAL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		Usually		Sometimes		Rarely		Never					
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)			
Female	320	171,348	45	16.0	10.5-21.5	16	5.4	01.9-08.9	84	27.2	20.5-33.9	46	15.0	08.7-21.3	129	36.4	29.9-42.9
White/Non-Hisp	257	140,602	36	16.3	10.2-22.4	13	5.3	01.6-09.0	68	27.8	20.4-35.2	37	14.7	07.8-21.6	103	35.9	28.6-43.2
45-54	87	57,924	18	22.5	10.9-34.1	6	6.1	00.0-12.4	33	37.1	24.4-49.8	11	13.4	05.4-21.4	19	20.9	11.1-30.7
55-64	82	52,803	18	20.8	10.2-31.4	6	7.2	00.0-14.5	16	19.2	08.0-30.4	15	22.3	06.2-38.4	27	30.5	17.6-43.4
65+	151	60,621	9	5.7	00.0-11.8	4	3.2	00.0-07.9	35	24.7	15.5-33.9	20	10.2	05.3-15.1	83	56.2	45.8-66.6
Less Than H.S.	64	47,458	16	20.9	09.5-32.3	3	4.1	00.0-10.4	17	26.7	13.8-39.6	6	13.7	00.0-28.8	22	34.6	20.5-48.7
H.S. or G.E.D.	119	63,731	17	22.3	11.7-32.9	10	6.3	02.0-10.6	27	22.3	12.3-32.3	19	12.4	06.1-18.7	46	36.8	26.4-47.2
Some Post-H.S.	79	42,105	6	5.8	00.0-11.7	2	7.4	00.0-17.2	30	38.7	23.4-54.0	7	13.2	00.0-27.3	34	34.8	20.1-49.5
College Graduate	58	18,055	6	5.0	00.7-09.3	1	1.0	00.0-03.0	10	18.7	05.6-31.8	14	31.9	17.4-46.4	27	43.3	28.2-58.4
Less than \$15,000	67	32,533	12	26.6	10.3-42.9	6	9.1	00.0-18.9	22	27.3	15.0-39.6	7	10.1	02.3-17.9	20	26.9	13.8-40.0
\$15,000- 24,999	79	37,936	12	12.5	03.9-21.1	5	5.5	00.4-10.6	24	38.5	23.6-53.4	8	6.5	01.6-11.4	30	37.0	23.3-50.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 16: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	523	313,299	241	46.1	40.4-51.8	282	53.9	48.2-59.6
Male	204	142,155	72	34.0	25.6-42.4	132	66.0	57.6-74.4
Female	319	171,144	169	56.3	49.0-63.6	150	43.7	36.4-51.0
White/Non-Hisp	419	253,639	191	46.4	40.3-52.5	228	53.6	47.5-59.7
Black or Afr. Am./Non-Hisp	67	40,743	34	50.8	34.7-66.9	33	49.2	33.1-65.3
45-54	125	88,731	63	45.8	34.4-57.2	62	54.2	42.8-65.6
55-64	155	108,706	73	45.2	34.6-55.8	82	54.8	44.2-65.4
65+	243	115,862	105	47.3	39.3-55.3	138	52.7	44.7-60.7
Less Than H.S.	106	95,770	45	40.6	28.6-52.6	61	59.4	47.4-71.4
H.S. or G.E.D.	195	107,622	79	48.8	40.4-57.2	116	51.2	42.8-59.6
Some Post-H.S.	128	76,743	66	48.5	36.9-60.1	62	51.5	39.9-63.1
College Graduate	93	32,674	51	48.7	36.0-61.4	42	51.3	38.6-64.0
Less than \$15,000	105	62,748	49	39.2	26.7-51.7	56	60.8	48.3-73.3
\$15,000- 24,999	121	65,778	61	46.2	34.8-57.6	60	53.8	42.4-65.2
\$25,000- 34,999	54	32,988	28	60.6	44.9-76.3	26	39.4	23.7-55.1
\$35,000- 49,999	60	29,433	19	37.3	21.2-53.4	41	62.7	46.6-78.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 17: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	204	142,155	72	34.0	26.0-42.0	132	66.0	58.0-74.0
White/Non-Hisp	163	113,241	55	33.7	24.9-42.5	108	66.3	57.5-75.1
55-64	74	56,029	25	29.3	16.0-42.6	49	70.7	57.4-84.0
65+	93	55,528	33	43.6	32.0-55.2	60	56.4	44.8-68.0
H.S. or G.E.D.	74	43,500	24	38.3	24.6-52.0	50	61.7	48.0-75.4
Some Post-H.S.	52	35,402	22	43.8	26.6-61.0	30	56.2	39.0-73.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 7: COGNITIVE DECLINE**

TABLE 18: HAVE YOU OR ANYONE ELSE DISCUSSED YOUR CONFUSION OR MEMORY LOSS WITH A HEALTH CARE PROFESSIONAL? (CDDISCUS)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	319	171,144	169	56.3	49.2-63.4	150	43.7	36.6-50.8
White/Non-Hisp	256	140,398	136	56.7	49.4-64.0	120	43.3	36.0-50.6
45-54	88	58,134	49	56.8	44.1-69.5	39	43.2	30.5-55.9
55-64	81	52,676	48	62.1	47.4-76.8	33	37.9	23.2-52.6
65+	150	60,334	72	50.7	40.3-61.1	78	49.3	38.9-59.7
Less Than H.S.	64	47,458	33	57.5	42.4-72.6	31	42.5	27.4-57.6
H.S. or G.E.D.	121	64,122	55	55.9	46.3-65.5	66	44.1	34.5-53.7
Some Post-H.S.	76	41,341	44	52.6	37.7-67.5	32	47.4	32.5-62.3
College Graduate	58	18,223	37	62.5	48.4-76.6	21	37.5	23.4-51.6
Less than \$15,000	66	32,405	39	62.9	48.0-77.8	27	37.1	22.2-52.0
\$15,000- 24,999	81	38,327	42	47.0	33.3-60.7	39	53.0	39.3-66.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016

MODULE 10: MARIJUANA USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR HASHISH? (MARIJANA)	
1	MALES AND FEMALES	64
2	MALES ONLY	65
3	FEMALES ONLY	66
	DURING THE PAST 30 DAYS, HOW DID YOU USE MARIJUANA? PLEASE TELL ME ALL THAT APPLY. DID YOU... (USEMRJNA)	
4	MALES AND FEMALES	67
5	MALES ONLY	68
6	FEMALES ONLY	69

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 10: MARIJUANA USE**

TABLE 1: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR HASHISH? (MARIJANA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5130	4,141,300	4946	94.5	93.5-95.5	24	0.9	0.0-1.5	42	1.2	0.8-1.6	12	0.3	0.0-0.5	26	0.6	0.4-0.8	80	2.5	0.1-3.3
Male	2132	1,979,026	2011	92.4	90.6-94.2	14	1.2	0.4-2.0	27	1.5	0.7-2.3	8	0.5	0.1-0.9	18	0.7	0.3-1.1	54	3.7	0.5-4.9
Female	2995	2,158,760	2932	96.5	95.3-97.7	10	0.7	0.1-1.3	15	0.9	0.3-1.5	4	0.3	0.0-0.7	8	0.4	0.2-0.6	26	1.3	0.5-2.1
White/Non-Hisp	4183	3,147,170	4041	95.1	94.1-96.1	19	0.9	0.3-1.5	32	1.1	0.7-1.5	10	0.4	0.0-0.8	17	0.5	0.3-0.7	64	2.0	0.1-2.6
Black or Afr. Am./Non-Hisp	619	654,688	591	91.3	87.6-95.0	3	1.5	0.0-3.5	6	1.5	0.0-3.1				5	0.9	0.0-1.9	14	4.8	0.1-9.7
Oth. Race/Non-Hisp.	95	89,481	92	98.5	96.5-100.0				2	0.8	0.0-2.2				1	0.7	0.0-2.1			
MultiRacial/Non-Hisp.	88	46,608	81	93.4	88.1-98.7	2	2.2	0.0-5.5	1	1.0	0.0-3.0	2	1.3	0.0-3.5	2	2.0	0.0-4.9			
Hispanic	74	139,729	70	92.5	83.7-100.0				1	2.4	0.0-6.9				1	0.5	0.0-1.5	2	4.7	0.0-12.3
18-24	262	417,208	216	80.8	74.5-87.1	6	3.8	0.5-7.1	8	2.3	0.1-4.5	2	1.0	0.0-2.6	7	1.9	0.1-3.7	23	10.1	0.5-15.0
25-34	451	616,041	420	91.9	88.4-95.4	4	1.2	0.0-3.0	7	1.9	0.3-3.5	4	1.1	0.0-2.5	3	0.3	0.0-0.7	13	3.5	0.1-5.9
35-44	542	719,374	514	95.1	92.9-97.3	4	0.5	0.0-1.1	9	1.8	0.4-3.2	1	0.1	0.0-0.3	3	0.5	0.0-1.1	11	2.0	0.4-3.6
45-54	822	688,155	787	94.9	92.5-97.3	5	1.2	0.0-2.8	7	1.1	0.0-2.3	2	0.2	0.0-0.4	6	0.8	0.0-1.6	15	1.9	0.7-3.1
55-64	1120	709,358	1087	96.9	95.5-98.3	3	0.3	0.0-0.7	9	0.8	0.2-1.4	3	0.1	0.0-0.3	6	0.5	0.1-0.9	12	1.4	0.4-2.4
65+	1851	928,620	1840	99.6	99.4-99.8	2	0.1	0.0-0.3	2	0.0	0.0-0.0				1	0.0	0.0-0.0	6	0.2	0.0-0.4
Less Than H.S.	554	645,868	535	94.7	91.8-97.6	3	1.6	0.0-3.6	5	1.4	0.0-2.8				3	0.5	0.0-1.1	8	1.7	0.0-3.5
H.S. or G.E.D.	1656	1,388,940	1594	94.1	92.1-96.1	4	0.2	0.0-0.4	18	1.4	0.6-2.2	6	0.5	0.0-1.1	3	0.3	0.0-0.7	31	3.6	0.2-5.2
Some Post-H.S.	1363	1,218,017	1300	93.3	91.1-95.5	11	1.7	0.3-3.1	11	1.2	0.2-2.2	2	0.3	0.0-0.9	14	0.9	0.3-1.5	25	2.6	0.1-4.0
College Graduate	1546	883,952	1506	96.9	95.7-98.1	6	0.6	0.0-1.2	8	0.4	0.0-1.0	4	0.5	0.0-1.1	6	0.6	0.0-1.2	16	1.1	0.5-1.7
Less than \$15,000	557	385,470	524	92.4	88.5-96.3	6	1.2	0.0-2.4	6	0.8	0.0-1.8	4	0.4	0.0-0.8	8	1.5	0.3-2.7	9	3.7	0.2-7.2
\$15,000- 24,999	818	656,825	778	92.6	89.7-95.5	4	0.5	0.0-1.1	11	2.3	0.5-4.1	2	0.2	0.0-0.6	1	0.0	0.0-0.0	22	4.3	0.1-6.7
\$25,000- 34,999	524	418,456	504	93.1	89.4-96.8	3	1.8	0.0-4.2	4	1.1	0.0-2.5	2	0.9	0.0-2.5	3	0.7	0.0-1.5	8	2.4	0.2-4.6
\$35,000- 49,999	707	575,526	685	95.5	93.1-97.9	1	0.1	0.0-0.3	3	0.5	0.0-1.1	1	0.1	0.0-0.3	2	0.5	0.0-1.3	15	3.4	0.1-5.6
\$50,000- 74,999	654	584,938	637	97.0	95.0-99.0				6	1.3	0.0-2.7	1	0.4	0.0-1.2	1	0.1	0.0-0.3	9	1.3	0.1-2.5
\$75,000+	1015	866,047	985	94.8	92.4-97.2	7	1.9	0.1-3.7	8	1.2	0.2-2.2	1	0.5	0.0-1.5	7	0.7	0.1-1.3	7	0.9	0.1-1.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 10: MARIJUANA USE**

TABLE 2: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR HASHISH? (MARIJANA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2132	1,979,026	2011	92.4	90.6-94.2	14	1.2	00.4-02.0	27	1.5	00.7-02.3	8	0.5	00.1-00.9	18	0.7	00.3-01.1	54	3.7	02.5-04.9
White/Non-Hisp	1751	1,521,435	1659	93.4	91.6-95.2	9	0.8	00.0-01.6	19	1.2	00.6-01.8	6	0.5	00.0-01.1	12	0.6	00.2-01.0	46	3.4	02.2-04.6
Black or Afr. Am./Non-Hisp	215	277,146	196	85.7	78.4-93.0	3	3.4	00.0-07.9	6	3.6	00.1-07.1				4	1.6	00.0-03.6	6	5.7	01.0-10.4
Oth. Race/Non-Hisp.	50	63,378	49	99.8	99.4-0100				1	0.2	00.0-00.6									
18-24	153	228,342	122	78.2	69.6-86.8	2	2.5	00.0-06.4	7	2.7	00.2-05.2				7	3.5	00.4-06.6	15	13.1	05.5-20.7
25-34	208	297,599	186	86.9	80.8-93.0	3	2.5	00.0-05.8	5	3.1	00.0-06.2	3	2.2	00.0-05.1	1	0.2	00.0-00.6	10	5.2	01.7-08.7
35-44	242	351,114	226	93.3	89.6-97.0	2	0.3	00.0-00.7	4	1.9	00.0-03.9	1	0.3	00.0-00.9	2	0.8	00.0-02.0	7	3.4	00.5-06.3
45-54	315	316,131	296	93.5	89.6-97.4	4	2.5	00.0-05.6	3	0.9	00.0-02.1	1	0.2	00.0-00.6	2	0.4	00.0-01.0	9	2.6	00.4-04.8
55-64	504	341,248	477	95.5	93.3-97.7	2	0.3	00.0-00.7	7	1.1	00.1-02.1	3	0.3	00.0-00.7	5	0.5	00.0-01.1	10	2.3	00.5-04.1
65+	681	416,051	675	99.5	99.1-99.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3				1	0.1	00.0-00.3	3	0.2	00.0-00.4
Less Than H.S.	200	295,876	187	93.2	88.7-97.7	2	2.1	00.0-05.4	5	3.1	00.4-05.8				1	0.1	00.0-00.3	5	1.5	00.1-02.9
H.S. or G.E.D.	689	675,856	648	91.6	88.5-94.7	2	0.1	00.0-00.3	10	1.5	00.5-02.5	4	0.7	00.0-01.9	3	0.6	00.0-01.4	22	5.5	02.8-08.2
Some Post-H.S.	545	567,533	506	90.3	86.6-94.0	5	2.2	00.0-04.6	6	1.5	00.0-03.1	1	0.1	00.0-00.3	9	1.1	00.1-02.1	18	4.8	02.1-07.5
College Graduate	695	438,532	667	95.9	93.9-97.9	5	0.9	00.1-01.7	6	0.3	00.1-00.5	3	0.8	00.0-01.8	5	0.9	00.0-01.9	9	1.3	00.3-02.3
Less than \$15,000	176	142,701	159	92.7	88.4-97.0	4	2.8	00.0-05.7	3	1.5	00.0-03.7	2	0.2	00.0-00.6	4	1.1	00.1-02.1	4	1.7	00.0-03.5
\$15,000- 24,999	272	250,726	245	85.8	79.1-92.5	2	0.3	00.0-00.9	8	4.5	00.6-08.4	2	0.6	00.0-01.6	1	0.1	00.0-00.3	14	8.7	02.8-14.6
\$25,000- 34,999	225	206,374	211	90.0	83.5-96.5	3	3.6	00.0-08.5	3	2.2	00.0-04.7	1	0.2	00.0-00.6	1	0.3	00.0-00.9	6	3.8	00.1-07.5
\$35,000- 49,999	325	299,471	308	92.1	87.6-96.6				3	0.9	00.0-02.1	1	0.1	00.0-00.3	2	0.9	00.0-02.5	11	5.9	01.8-10.0
\$50,000- 74,999	319	327,308	307	96.5	94.0-99.0				3	0.7	00.0-01.7	1	0.7	00.0-02.1	1	0.1	00.0-00.3	7	2.0	00.0-04.0
\$75,000+	541	496,864	518	93.3	89.8-96.8	5	2.3	00.0-04.8	4	0.9	00.0-02.1	1	0.8	00.0-02.4	6	1.1	00.1-02.1	7	1.6	00.2-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 10: MARIJUANA USE**

TABLE 3: DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE MARIJUANA OR HASHISH? (MARIJANA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		NONE			1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days				
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
Female	2995	2,158,760	2932	96.5	95.3-97.7	10	0.7	0.0-01.3	15	0.9	0.0-01.5	4	0.3	0.0-00.7	8	0.4	0.0-00.6	26	1.3	0.0-02.1		
White/Non-Hisp	2430	1,624,131	2380	96.7	95.5-97.9	10	0.9	0.0-01.7	13	0.9	0.0-01.5	4	0.3	0.0-00.7	5	0.3	0.0-00.7	18	0.8	0.0-01.2		
Black or Afr. Am./Non-Hisp	404	377,541	395	95.4	91.7-99.1									1	0.4	0.0-01.2				8	4.2	0.0-07.9
18-24	109	188,866	94	84.0	75.0-93.0	4	5.4	0.0-11.3	1	1.8	0.0-05.3	2	2.2	0.0-05.7				8	6.5	0.0-12.0		
25-34	242	317,116	233	96.6	93.3-99.9	1	0.1	0.0-00.3	2	0.7	0.0-01.7	1	0.2	0.0-00.6	2	0.5	0.0-01.1	3	1.9	0.0-05.0		
35-44	300	368,260	288	96.9	94.7-99.1	2	0.6	0.0-01.8	5	1.6	0.0-03.4				1	0.2	0.0-00.6	4	0.6	0.0-01.4		
45-54	506	370,114	490	96.0	93.5-98.5	1	0.1	0.0-00.3	4	1.2	0.0-03.0	1	0.2	0.0-00.6	4	1.2	0.0-02.6	6	1.4	0.0-02.6		
55-64	616	368,109	610	98.2	96.6-99.8	1	0.4	0.0-01.2	2	0.5	0.0-01.3				1	0.4	0.0-01.2	2	0.5	0.0-01.5		
65+	1169	512,292	1164	99.7	99.5-99.9	1	0.0	0.0-00.0	1	0.0	0.0-00.0							3	0.2	0.0-00.4		
Less Than H.S.	353	348,081	347	96.0	92.1-99.9	1	1.3	0.0-03.7							2	0.8	0.0-02.0	3	2.0	0.0-04.9		
H.S. or G.E.D.	967	713,084	946	96.4	94.4-98.4	2	0.2	0.0-00.6	8	1.3	0.0-02.5	2	0.2	0.0-00.4				9	1.8	0.0-03.4		
Some Post-H.S.	817	649,157	793	95.9	93.7-98.1	6	1.2	0.0-02.6	5	1.0	0.0-02.2	1	0.5	0.0-01.5	5	0.7	0.0-01.3	7	0.7	0.0-01.3		
College Graduate	850	445,142	838	97.8	96.2-99.4	1	0.3	0.0-00.9	2	0.5	0.0-01.5	1	0.1	0.0-00.3	1	0.2	0.0-00.6	7	1.0	0.0-02.0		
Less than \$15,000	381	242,770	365	92.2	86.5-97.9	2	0.2	0.0-00.6	3	0.4	0.0-01.0	2	0.5	0.0-01.1	4	1.7	0.0-03.7	5	4.9	0.0-10.2		
\$15,000- 24,999	546	406,099	533	96.9	94.7-99.1	2	0.6	0.0-01.6	3	1.0	0.0-02.6							8	1.6	0.0-02.8		
\$25,000- 34,999	299	212,082	293	96.2	92.3-0100				1	0.1	0.0-00.3	1	1.6	0.0-04.7	2	1.1	0.0-02.7	2	1.1	0.0-02.9		
\$35,000- 49,999	382	276,055	377	99.2	98.4-0100	1	0.1	0.0-00.3										4	0.7	0.0-01.5		
\$50,000- 74,999	335	257,630	330	97.6	94.9-0100				3	2.0	0.0-04.7							2	0.3	0.0-00.9		
\$75,000+	473	367,272	466	96.8	94.3-99.3	2	1.4	0.0-03.4	4	1.5	0.0-03.1				1	0.3	0.0-00.9					

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 10: MARIJUANA USE**

**TABLE 4: DURING THE PAST 30 DAYS, HOW DID YOU USE MARIJUANA? PLEASE TELL ME ALL THAT APPLY. DID YOU.... (USEMRJNA)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Vaporize It			Dab It			Used some other way Multiple Uses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	183	225,621	145	79.9	72.5-87.3	4	2.2	00.0-04.7	2	0.3	00.0-00.7	1	0.6	00.0-01.8	31	17.0	09.9-24.1
Male	120	150,103	89	73.4	63.0-83.8	2	1.7	00.0-04.1	2	0.4	00.0-01.0	1	1.0	00.0-03.0	26	23.5	13.5-33.5
Female	63	75,518	56	92.8	85.9-99.7	2	3.2	00.0-08.9							5	3.9	00.0-07.8
White/Non-Hisp	141	153,644	108	72.5	63.1-81.9	2	1.9	00.0-04.8	1	0.1	00.0-00.3	1	0.9	00.0-02.7	29	24.5	15.1-33.9
H.S. or G.E.D.	62	82,282	51	76.6	62.3-90.9	1	2.0	00.0-05.9							10	21.4	07.5-35.3
Some Post-H.S.	63	81,786	50	81.9	70.9-92.9				1	0.6	00.0-01.8	1	1.8	00.0-05.3	11	15.7	05.1-26.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
 MODULE 10: MARIJUANA USE**

**TABLE 5: DURING THE PAST 30 DAYS, HOW DID YOU USE MARIJUANA? PLEASE TELL ME ALL THAT APPLY. DID YOU.... (USEMRJNA)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke It			Eat It			Vaporize It			Dab It			Used some other way Multiple Uses		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	120	150,103	89	73.4	63.0-83.8	2	1.7	00.0-04.1	2	0.4	00.0-01.0	1	1.0	00.0-03.0	26	23.5	13.5-33.5
White/Non-Hisp	91	100,701	63	62.6	50.3-74.9	1	0.8	00.0-02.4	1	0.2	00.0-00.6	1	1.4	00.0-04.1	25	35.0	22.7-47.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 10: MARIJUANA USE**

**TABLE 6: DURING THE PAST 30 DAYS, HOW DID YOU USE MARIJUANA? PLEASE TELL ME ALL THAT APPLY. DID YOU.... (USEMRJNA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Smoke It		N	Eat It		N	Used some other way Multiple Uses	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	63	75,518	56	92.8	85.7-99.9	2	3.2	00.0-08.9	5	3.9	00.2-07.6
White/Non-Hisp	50	52,943	45	91.4	82.0-0100	1	4.1	00.0-12.1	4	4.5	00.0-09.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016

MODULE 24: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	71
2	MALES ONLY	72
3	FEMALES ONLY	73
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	74
5	MALES ONLY	75
6	FEMALES ONLY	76

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
 MODULE 24: EMOTIONAL SUPPORT AND LIFE SATISFACTION
 TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5059	4,083,142	2524	49.4	47.4-51.4	1213	24.2	22.4-26.0	728	14.5	13.1-15.9	253	4.9	03.9-05.9	341	7.1	05.9-08.3
Male	2096	1,944,867	1082	51.0	47.9-54.1	474	22.6	20.1-25.1	264	13.0	11.0-15.0	84	4.2	02.6-05.8	192	9.2	07.2-11.2
Female	2960	2,134,761	1441	48.0	45.3-50.7	739	25.6	23.2-28.0	463	15.8	13.8-17.8	168	5.4	04.2-06.6	149	5.2	03.8-06.6
White/Non-Hisp	4129	3,107,074	2090	50.6	48.4-52.8	1043	26.1	24.1-28.1	549	12.6	11.2-14.0	199	4.6	03.6-05.6	248	6.1	04.9-07.3
Black or Afr. Am./Non-Hisp	612	648,293	284	45.0	38.9-51.1	110	16.8	12.1-21.5	130	23.9	18.8-29.0	32	5.5	02.6-08.4	56	8.8	05.7-11.9
Oth. Race/Non-Hisp.	92	82,472	37	42.9	26.4-59.4	23	31.0	16.3-45.7	14	10.5	04.2-16.8	3	3.5	00.0-08.4	15	12.1	04.1-20.1
MultiRacial/Non-Hisp.	87	45,846	42	51.4	35.3-67.5	14	8.8	03.1-14.5	18	19.2	07.8-30.6	10	18.7	04.0-33.4	3	1.9	00.0-04.4
Hispanic	72	138,123	30	37.2	22.7-51.7	16	24.8	10.5-39.1	9	13.6	03.2-24.0	5	5.5	00.0-13.1	12	19.0	05.3-32.7
18-24	267	423,616	122	45.3	37.5-53.1	80	30.0	22.9-37.1	44	15.5	10.2-20.8	12	5.6	01.5-09.7	9	3.6	00.9-06.3
25-34	450	609,948	221	47.8	41.5-54.1	113	24.4	18.9-29.9	75	14.7	10.6-18.8	24	6.1	03.0-09.2	17	7.0	02.7-11.3
35-44	537	714,089	256	46.8	40.9-52.7	158	30.3	25.0-35.6	77	13.5	09.6-17.4	25	4.2	01.1-07.3	21	5.3	02.4-08.2
45-54	812	670,677	371	47.8	43.1-52.5	205	24.0	19.7-28.3	138	15.7	12.6-18.8	55	5.5	03.7-07.3	43	7.1	04.6-09.6
55-64	1104	697,700	531	48.9	45.0-52.8	271	22.6	19.5-25.7	162	16.2	13.3-19.1	60	5.1	03.5-06.7	80	7.3	05.1-09.5
65+	1807	904,768	978	55.5	52.6-58.4	365	18.0	15.6-20.4	225	12.5	10.5-14.5	74	3.8	02.6-05.0	165	10.2	08.2-12.2
Less Than H.S.	535	621,569	232	41.6	35.5-47.7	73	18.0	12.5-23.5	114	19.7	15.4-24.0	41	8.4	04.3-12.5	75	12.4	08.9-15.9
H.S. or G.E.D.	1630	1,369,830	831	50.5	47.0-54.0	309	19.8	17.1-22.5	264	16.3	13.6-19.0	86	4.8	03.2-06.4	140	8.6	06.2-11.0
Some Post-H.S.	1347	1,207,421	684	52.1	48.4-55.8	325	25.0	21.7-28.3	189	12.9	10.5-15.3	76	4.4	03.0-05.8	73	5.6	03.8-07.4
College Graduate	1537	880,479	771	49.5	46.0-53.0	504	34.1	30.8-37.4	160	10.0	08.0-12.0	50	3.1	01.9-04.3	52	3.2	01.8-04.6
Less than \$15,000	552	381,390	194	33.9	28.2-39.6	102	19.6	14.1-25.1	124	26.5	20.6-32.4	55	7.4	04.7-10.1	77	12.6	08.9-16.3
\$15,000- 24,999	806	646,720	347	42.5	37.4-47.6	146	18.8	14.5-23.1	165	20.3	16.4-24.2	64	7.2	04.7-09.7	84	11.1	07.8-14.4
\$25,000- 34,999	519	406,589	266	46.3	39.8-52.8	116	24.5	18.8-30.2	71	14.8	10.5-19.1	27	4.8	02.3-07.3	39	9.6	05.9-13.3
\$35,000- 49,999	699	571,840	384	57.5	52.2-62.8	169	21.9	17.8-26.0	86	11.6	08.3-14.9	24	3.4	01.4-05.4	36	5.6	02.7-08.5
\$50,000- 74,999	649	580,655	341	52.0	46.1-57.9	183	28.0	22.7-33.3	79	11.1	08.0-14.2	21	5.3	01.4-09.2	25	3.6	01.6-05.6
\$75,000+	1004	858,909	553	55.3	51.0-59.6	319	30.4	26.5-34.3	90	8.5	06.1-10.9	22	2.1	00.7-03.5	20	3.7	01.3-06.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 24: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 2: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2096	1,944,867	1082	51.0	47.9-54.1	474	22.6	20.1-25.1	264	13.0	11.0-15.0	84	4.2	02.6-05.8	192	9.2	07.2-11.2
White/Non-Hisp	1725	1,500,921	910	53.3	50.0-56.6	410	23.6	20.9-26.3	195	10.5	08.7-12.3	65	3.9	02.3-05.5	145	8.7	06.7-10.7
Black or Afr. Am./Non-Hisp	211	273,894	96	41.7	32.5-50.9	35	18.0	09.8-26.2	50	26.4	18.2-34.6	9	4.1	00.0-08.2	21	9.7	04.4-15.0
18-24	158	234,749	72	42.1	32.3-51.9	49	32.4	23.0-41.8	24	13.4	07.3-19.5	7	8.4	01.5-15.3	6	3.7	00.4-07.0
25-34	207	292,671	98	47.3	38.3-56.3	55	24.4	16.8-32.0	37	16.6	10.5-22.7	6	2.3	00.0-04.7	11	9.4	02.3-16.5
35-44	239	347,820	129	54.8	46.0-63.6	68	24.4	17.7-31.1	22	9.4	04.1-14.7	10	4.8	00.0-10.5	10	6.6	01.7-11.5
45-54	311	306,068	158	48.8	41.2-56.4	70	24.3	17.0-31.6	45	13.7	09.0-18.4	15	3.7	01.3-06.1	23	9.6	04.9-14.3
55-64	493	333,464	253	52.9	47.2-58.6	114	21.3	16.6-26.0	64	13.6	09.7-17.5	19	3.4	01.4-05.4	43	8.7	05.4-12.0
65+	660	401,996	355	55.3	50.4-60.2	111	14.2	10.9-17.5	70	11.6	08.3-14.9	26	3.6	01.8-05.4	98	15.3	11.8-18.8
Less Than H.S.	193	284,220	89	44.7	35.1-54.3	21	16.6	08.2-25.0	30	12.5	07.2-17.8	13	8.5	01.1-15.9	40	17.7	11.2-24.2
H.S. or G.E.D.	673	660,589	361	52.2	46.7-57.7	107	16.6	12.7-20.5	100	16.4	12.3-20.5	30	4.3	01.9-06.7	75	10.5	06.8-14.2
Some Post-H.S.	537	561,670	282	53.3	47.6-59.0	127	25.2	20.3-30.1	64	11.9	08.4-15.4	22	3.1	01.1-05.1	42	6.6	03.7-09.5
College Graduate	691	437,840	349	50.2	45.1-55.3	219	32.4	27.5-37.3	70	9.5	07.0-12.0	19	2.7	00.9-04.5	34	5.1	02.7-07.5
Less than \$15,000	176	144,096	60	31.2	22.2-40.2	35	23.8	13.0-34.6	37	26.2	16.8-35.6	10	3.4	00.7-06.1	34	15.3	08.6-22.0
\$15,000- 24,999	265	245,319	114	42.3	34.1-50.5	38	15.1	09.2-21.0	51	21.4	14.1-28.7	19	7.3	02.2-12.4	43	13.9	08.2-19.6
\$25,000- 34,999	222	197,266	122	47.5	38.9-56.1	39	20.3	12.7-27.9	22	11.0	05.3-16.7	12	5.7	01.2-10.2	27	15.4	08.7-22.1
\$35,000- 49,999	318	296,192	172	58.6	51.0-66.2	72	20.0	14.3-25.7	35	9.8	05.5-14.1	12	2.1	00.5-03.7	27	9.5	04.2-14.8
\$50,000- 74,999	318	322,937	173	55.0	46.4-63.6	77	24.3	17.0-31.6	37	9.0	05.3-12.7	12	6.6	00.1-13.1	19	5.1	02.0-08.2
\$75,000+	531	490,137	306	57.2	51.3-63.1	153	26.8	21.7-31.9	49	9.0	05.9-12.1	6	1.7	00.0-03.7	17	5.3	01.4-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 24: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 3: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2960	2,134,761	1441	48.0	45.3-50.7	739	25.6	23.2-28.0	463	15.8	13.8-17.8	168	5.4	04.2-06.6	149	5.2	03.8-06.6
White/Non-Hisp	2402	1,604,550	1179	48.1	45.4-50.8	633	28.5	25.8-31.2	354	14.7	12.7-16.7	133	5.1	03.9-06.3	103	3.7	02.7-04.7
Black or Afr. Am./Non-Hisp	401	374,399	188	47.4	39.6-55.2	75	15.9	10.6-21.2	80	22.1	15.6-28.6	23	6.4	02.5-10.3	35	8.2	04.3-12.1
18-24	109	188,866	50	49.4	37.1-61.7	31	26.9	16.3-37.5	20	18.1	08.9-27.3	5	2.1	00.1-04.1	3	3.5	00.0-08.2
25-34	242	315,950	123	48.5	39.7-57.3	58	24.5	16.7-32.3	38	13.0	07.7-18.3	17	9.2	03.9-14.5	6	4.8	00.1-09.5
35-44	298	366,269	127	39.2	31.4-47.0	90	35.8	28.2-43.4	55	17.4	11.5-23.3	15	3.5	01.1-05.9	11	4.1	00.8-07.4
45-54	500	362,699	213	47.2	41.3-53.1	135	23.8	18.9-28.7	92	16.9	12.8-21.0	40	7.0	04.5-09.5	20	5.0	02.1-07.9
55-64	611	364,237	278	45.1	40.0-50.2	157	23.7	19.6-27.8	98	18.6	14.5-22.7	41	6.6	04.2-09.0	37	6.0	03.5-08.5
65+	1146	502,495	622	55.7	52.0-59.4	254	21.0	17.9-24.1	155	13.2	10.7-15.7	48	4.0	02.6-05.4	67	6.1	04.3-07.9
Less Than H.S.	341	335,439	143	39.1	31.5-46.7	52	19.3	12.2-26.4	83	25.3	18.8-31.8	28	8.3	04.2-12.4	35	7.9	04.4-11.4
H.S. or G.E.D.	957	709,241	470	48.9	44.0-53.8	202	22.7	18.8-26.6	164	16.3	12.8-19.8	56	5.3	03.3-07.3	65	6.8	04.1-09.5
Some Post-H.S.	809	644,424	402	51.1	46.0-56.2	198	25.0	20.7-29.3	125	13.8	10.7-16.9	53	5.4	03.2-07.6	31	4.6	02.2-07.0
College Graduate	845	442,362	421	48.8	44.1-53.5	285	35.8	31.1-40.5	90	10.5	07.6-13.4	31	3.5	01.7-05.3	18	1.4	00.6-02.2
Less than \$15,000	376	237,294	134	35.5	28.2-42.8	67	17.1	11.4-22.8	87	26.7	19.4-34.0	45	9.8	05.9-13.7	43	10.9	06.2-15.6
\$15,000- 24,999	541	401,401	233	42.7	36.2-49.2	108	21.1	15.2-27.0	114	19.7	15.2-24.2	45	7.2	04.7-09.7	41	9.3	05.0-13.6
\$25,000- 34,999	297	209,323	144	45.2	35.6-54.8	77	28.3	19.9-36.7	49	18.5	11.8-25.2	15	4.0	01.5-06.5	12	4.0	00.9-07.1
\$35,000- 49,999	381	275,648	212	56.3	49.0-63.6	97	24.1	18.2-30.0	51	13.5	08.2-18.8	12	4.8	01.1-08.5	9	1.4	00.2-02.6
\$50,000- 74,999	331	257,717	168	48.3	40.5-56.1	106	32.7	24.9-40.5	42	13.7	08.4-19.0	9	3.6	00.1-07.1	6	1.7	00.0-03.5
\$75,000+	472	366,862	247	53.2	46.7-59.7	166	35.5	29.2-41.8	40	7.3	04.4-10.2	16	2.6	01.0-04.2	3	1.4	00.0-03.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
 MODULE 24: EMOTIONAL SUPPORT AND LIFE SATISFACTION
 TABLE 4: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
 Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5091	4,106,516	2195	42.9	40.9-44.9	2515	49.8	47.8-51.8	279	5.4	04.4-06.4	102	1.9	01.3-02.5
Male	2122	1,969,467	974	45.2	42.1-48.3	1009	48.4	45.3-51.5	111	5.1	03.7-06.5	28	1.4	00.6-02.2
Female	2966	2,133,535	1220	40.9	38.2-43.6	1505	51.1	48.4-53.8	167	5.6	04.4-06.8	74	2.5	01.7-03.3
White/Non-Hisp	4158	3,129,865	1849	44.7	42.5-46.9	2008	48.4	46.2-50.6	221	5.0	04.2-05.8	80	1.9	01.3-02.5
Black or Afr. Am./Non-Hisp	610	643,597	209	31.2	25.5-36.9	355	60.9	55.0-66.8	33	6.5	03.4-09.6	13	1.3	00.3-02.3
Oth. Race/Non-Hisp.	93	86,087	35	34.7	18.6-50.8	48	52.0	35.7-68.3	7	6.6	00.7-12.5	3	6.6	00.0-16.8
MultiRacial/Non-Hisp.	86	46,077	31	34.0	18.1-49.9	45	52.5	36.2-68.8	6	10.0	00.0-22.9	4	3.5	00.0-08.0
Hispanic	74	138,860	34	54.8	39.3-70.3	35	39.5	24.8-54.2	4	5.5	00.0-13.3	1	0.2	00.0-00.6
18-24	266	422,698	103	40.1	32.3-47.9	146	53.9	46.1-61.7	17	6.0	02.3-09.7			
25-34	450	609,322	186	41.1	35.0-47.2	229	51.3	45.0-57.6	25	5.4	02.7-08.1	10	2.2	00.2-04.2
35-44	533	710,581	210	41.6	35.5-47.7	277	51.4	45.5-57.3	35	5.4	02.9-07.9	11	1.6	00.2-03.0
45-54	817	679,558	325	39.2	34.5-43.9	400	50.4	45.7-55.1	60	6.9	04.5-09.3	32	3.6	01.6-05.6
55-64	1113	703,804	454	41.9	38.2-45.6	560	48.3	44.6-52.0	73	6.8	04.8-08.8	26	2.9	01.1-04.7
65+	1833	921,432	871	48.4	45.3-51.5	874	47.7	44.6-50.8	67	3.1	02.1-04.1	21	0.9	00.5-01.3
Less Than H.S.	542	628,781	157	32.5	26.4-38.6	317	54.7	48.6-60.8	44	8.1	05.2-11.0	24	4.7	02.0-07.4
H.S. or G.E.D.	1644	1,383,243	645	43.6	40.1-47.1	859	48.6	45.1-52.1	104	6.0	04.2-07.8	36	1.8	01.0-02.6
Some Post-H.S.	1351	1,208,372	562	40.3	36.6-44.0	683	53.1	49.4-56.8	82	5.3	03.9-06.7	24	1.4	00.6-02.2
College Graduate	1544	882,275	826	52.7	49.2-56.2	652	43.7	40.2-47.2	48	2.6	01.6-03.6	18	1.0	00.4-01.6
Less than \$15,000	544	370,695	114	23.2	17.7-28.7	323	58.9	52.6-65.2	61	9.8	06.7-12.9	46	8.1	04.2-12.0
\$15,000- 24,999	809	650,075	244	30.2	25.3-35.1	473	56.7	51.4-62.0	74	10.6	07.1-14.1	18	2.5	00.9-04.1
\$25,000- 34,999	523	416,517	208	39.0	32.5-45.5	278	52.2	45.7-58.7	33	7.7	04.2-11.2	4	1.1	00.0-02.5
\$35,000- 49,999	706	575,287	297	43.8	38.3-49.3	375	52.7	47.2-58.2	28	3.2	01.6-04.8	6	0.3	00.1-00.5
\$50,000- 74,999	656	587,511	333	49.9	44.0-55.8	299	45.9	40.0-51.8	20	3.2	01.4-05.0	4	1.1	00.0-02.5
\$75,000+	1009	860,551	614	56.4	51.9-60.9	376	42.3	37.8-46.8	11	0.8	00.2-01.4	8	0.6	00.0-01.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
MODULE 24: EMOTIONAL SUPPORT AND LIFE SATISFACTION**

TABLE 5: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2122	1,969,467	974	45.2	42.1-48.3	1009	48.4	45.3-51.5	111	5.1	03.7-06.5	28	1.4	00.6-02.2
White/Non-Hisp	1747	1,518,506	815	46.3	43.0-49.6	823	48.0	44.7-51.3	88	4.5	03.3-05.7	21	1.2	00.4-02.0
Black or Afr. Am./Non-Hisp	214	276,867	81	33.3	24.5-42.1	117	58.0	48.6-67.4	14	7.8	02.1-13.5	2	0.9	00.0-02.7
18-24	158	234,749	67	40.4	30.8-50.0	80	51.2	41.2-61.2	11	8.4	02.1-14.7			
25-34	209	297,618	86	45.0	36.0-54.0	108	50.1	41.3-58.9	13	4.6	01.5-07.7	2	0.3	00.0-00.7
35-44	237	344,473	99	43.5	34.7-52.3	123	51.4	42.6-60.2	13	4.8	00.7-08.9	2	0.2	00.0-00.6
45-54	313	313,413	134	41.6	34.0-49.2	152	48.2	40.6-55.8	20	6.8	02.9-10.7	7	3.4	00.0-06.9
55-64	503	340,783	210	42.0	36.3-47.7	253	49.6	43.9-55.3	31	5.1	02.9-07.3	9	3.3	00.2-06.4
65+	675	412,002	360	52.9	48.0-57.8	286	44.1	39.2-49.0	22	2.5	01.1-03.9	7	0.6	00.0-01.2
Less Than H.S.	193	288,706	67	38.0	28.2-47.8	104	50.8	41.0-60.6	16	6.6	02.7-10.5	6	4.7	00.0-09.4
H.S. or G.E.D.	686	674,397	290	46.3	41.0-51.6	342	45.8	40.5-51.1	45	7.1	04.0-10.2	9	0.9	00.1-01.7
Some Post-H.S.	543	564,557	242	40.6	35.1-46.1	266	54.9	49.2-60.6	29	4.1	02.1-06.1	6	0.4	00.0-00.8
College Graduate	698	441,258	374	54.1	49.0-59.2	296	42.6	37.7-47.5	21	2.2	01.0-03.4	7	1.2	00.0-02.4
Less than \$15,000	172	139,520	45	29.3	19.1-39.5	96	54.6	43.6-65.6	19	6.3	03.0-09.6	12	9.7	00.5-18.9
\$15,000- 24,999	269	246,221	75	25.5	18.2-32.8	156	56.9	48.5-65.3	32	16.3	08.7-23.9	6	1.3	00.1-02.5
\$25,000- 34,999	227	208,052	100	41.5	33.1-49.9	115	51.9	43.1-60.7	12	6.6	01.3-11.9			
\$35,000- 49,999	324	299,267	141	46.5	38.7-54.3	168	50.6	42.8-58.4	13	2.8	01.0-04.6	2	0.2	00.0-00.4
\$50,000- 74,999	323	330,383	168	52.5	44.1-60.9	144	44.4	36.0-52.8	9	2.6	00.2-05.0	2	0.5	00.0-01.3
\$75,000+	537	492,352	320	55.8	49.7-61.9	207	42.6	36.5-48.7	7	0.9	00.1-01.7	3	0.7	00.0-01.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 TENNESSEE MODULE QUESTIONS DATA REPORT, 2016
 MODULE 24: EMOTIONAL SUPPORT AND LIFE SATISFACTION
 TABLE 6: IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very satisfied			Satisfied			Dissatisfied			Very dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2966	2,133,535	1220	40.9	38.2-43.6	1505	51.1	48.4-53.8	167	5.6	04.4-06.8	74	2.5	01.7-03.3
White/Non-Hisp	2409	1,609,756	1033	43.2	40.5-45.9	1185	48.8	46.1-51.5	132	5.4	04.2-06.6	59	2.6	01.6-03.6
Black or Afr. Am./Non-Hisp	396	366,730	128	29.7	22.4-37.0	238	63.2	55.6-70.8	19	5.5	02.0-09.0	11	1.6	00.6-02.6
18-24	108	187,948	36	39.7	27.0-52.4	66	57.4	44.9-69.9	6	2.9	00.4-05.4			
25-34	240	310,378	100	37.5	29.3-45.7	121	52.6	43.8-61.4	11	5.8	01.5-10.1	8	4.1	00.4-07.8
35-44	296	366,107	111	39.7	31.7-47.7	154	51.3	43.3-59.3	22	5.9	03.0-08.8	9	3.0	00.5-05.5
45-54	503	364,235	191	37.4	31.5-43.3	247	51.9	46.0-57.8	40	6.9	04.2-09.6	25	3.7	01.9-05.5
55-64	610	363,021	244	41.9	36.8-47.0	307	47.2	42.1-52.3	42	8.4	05.3-11.5	17	2.5	00.9-04.1
65+	1157	509,153	510	44.7	41.0-48.4	588	50.6	46.9-54.3	45	3.6	02.2-05.0	14	1.1	00.5-01.7
Less Than H.S.	348	338,165	90	28.0	20.6-35.4	212	57.8	50.0-65.6	28	9.4	04.9-13.9	18	4.8	01.7-07.9
H.S. or G.E.D.	958	708,845	355	41.2	36.3-46.1	517	51.3	46.4-56.2	59	4.9	03.3-06.5	27	2.7	01.3-04.1
Some Post-H.S.	807	642,489	320	40.1	35.0-45.2	417	51.6	46.5-56.7	52	6.1	03.9-08.3	18	2.2	00.8-03.6
College Graduate	845	440,740	451	51.2	46.3-56.1	356	44.9	40.0-49.8	27	3.1	01.3-04.9	11	0.8	00.4-01.2
Less than \$15,000	372	231,175	69	19.4	12.9-25.9	227	61.5	54.1-68.9	42	12.0	07.3-16.7	34	7.1	04.0-10.2
\$15,000- 24,999	540	403,854	169	33.1	26.6-39.6	317	56.6	49.9-63.3	42	7.1	04.6-09.6	12	3.2	00.7-05.7
\$25,000- 34,999	296	208,464	108	36.5	26.5-46.5	163	52.6	43.0-62.2	21	8.8	04.3-13.3	4	2.1	00.0-04.8
\$35,000- 49,999	382	276,020	156	40.9	33.6-48.2	207	55.0	47.6-62.4	15	3.7	01.2-06.2	4	0.4	00.0-00.8
\$50,000- 74,999	333	257,128	165	46.7	38.9-54.5	155	47.8	40.0-55.6	11	3.8	00.9-06.7	2	1.7	00.0-04.4
\$75,000+	471	366,288	294	57.4	50.7-64.1	168	41.5	34.8-48.2	4	0.6	00.0-01.4	5	0.5	00.0-01.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a Confidence Interval with a RSE > 0.30 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
TENNESSEE MODULE QUESTIONS DATA REPORT, 2016**

End of Module Data Report