



2016

DRIVE YOUR COUNTY TO THE
TOP TEN

INFORMING • CONNECTING • ACCELERATING


Campbell County

TN

Department of
Health


Demographics

Population:	39,918	<18 YOA:	21.04%	65+ YOA:	19.29%	% Rural:	55.00%
Unemployment:	9.36%	% Females:	51.30%	% Males:	48.70%	Graduation Rate:	81.00%
Single parent households:	28.24%	MHI:	\$33,333				




Top Third

Measure	Value
Sexually Transmitted Infections	175.66
Excessive Drinking	10.90%
Air Pollution - Particulate Matter	13.27
Children in Single-Parent Households	28.24%
Physical Inactivity	33.60%
Access to Exercise Opportunities	68.94%
Alcohol-Impaired Driving Deaths	25.00%



Middle Third

Measure	Value
Severe Housing Problems	13.28%
Adult Obesity	32.00%
Mammography Screening	61.00%
Primary Care Physicians	2118:1
Social Associations	11.43
Long Commute - Driving Alone	35.60%
Uninsured	16.66%
Violent Crime	373.43
Dentists	3992:1
Mental Health Providers	3327:1



Bottom Third

Measure	Value
Adult Smoking	26.10%
Preventable Hospital Stays	130.50
Poor Mental Health Days	5.00
High School Graduation	81.00%
Children in Poverty	34.30%
Unemployment	9.36%
Driving Alone to Work	87.68%
Premature Death	11422.70
Income Inequality	5.01
Poor or Fair Health	23.90%



Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@tn.gov or 615-741-5001.

Health Outcomes	Length of Life	Premature Death		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Years of potential life lost before age 75 per 100,000 population (age-adjusted)		82	Knox	11422.70	7735.80	3686.90	↑Bad ↓Good	6,600.00	Starke, IN	11081.90
		For every 100 people in the county, 1 people in the county need to live one year closer to age 75.								Itawamba, MS	10659.20	
		Source		National Center for Health Statistics - Mortality files		Year(s)		2011-2013		Prentiss, MS	10711.20	
Health Outcomes	Quality of Life	Poor or Fair Health*		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Percentage of adults reporting fair or poor health (age-adjusted)		79	Rutherford	23.90%	19.60%	4.30%	↑Bad ↓Good	18.00%	Starke, IN	18.90%
		Improve the health of 5 out of every 100 people in the county who, in general, report being in poor or fair health.								Itawamba, MS	17.40%	
		Source		Behavioral Risk Factor Surveillance System		Year(s)		2014		Prentiss, MS	19.60%	
Health Outcomes	Quality of Life	Poor Physical Health Days*		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Average number of physically unhealthy days reported in past 30 days (age-adjusted)		78	Knox	5.10	4.30	0.80	↑Bad ↓Good	3.8	Starke, IN	4.20
		Engage people in the county on ways to reduce number of poor physical health days reported by residents by 1 days per month.								Itawamba, MS	3.80	
		Source		Behavioral Risk Factor Surveillance System		Year(s)		2014		Prentiss, MS	4.00	
Health Outcomes	Quality of Life	Poor Mental Health Days*		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Average number of mentally unhealthy days reported in past 30 days (age-adjusted)		87	Williamson	5.00	3.80	1.20	↑Bad ↓Good	2.8	Starke, IN	4.20
		Engage people in the county on ways to reduce number of poor physical health days reported by residents by 2 days per month.								Itawamba, MS	3.90	
		Source		Behavioral Risk Factor Surveillance System		Year(s)		2014		Prentiss, MS	4.00	
Health Outcomes	Quality of Life	Low Birthweight		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Percentage of live births with low birthweight (< 2500 grams)		72	Pickett	9.54%	7.24%	2.30%	↑Bad ↓Good	8.00%	Starke, IN	6.89%
		Reduce the number of low birth weight babies by 3 for every 100 live births.								Itawamba, MS	9.19%	
		Source		National Center for Health Statistics - Natality files		Year(s)		2007-2013		Prentiss, MS	10.72%	
Health Factors	Health Behaviors	Adult Smoking*		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Percentage of adults who are current smokers		89	Humphreys	26.10%	21.10%	5.00%	↑Bad ↓Good	17.00%	Starke, IN	22.50%
		Get 20 out of every 100 current adult smokers in the county to quit smoking.								Itawamba, MS	19.30%	
		Source		Behavioral Risk Factor Surveillance System		Year(s)		2014		Prentiss, MS	20.10%	
Health Factors	Health Behaviors	Adult Obesity		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Percentage of adults that report a BMI of 30 or more		36	Hamilton	32.00%	29.90%	2.10%	↑Bad ↓Good	27.00%	Starke, IN	35.70%
		Get 7 out of every 100 current obese adults in the county to reduce their BMI below 30.								Itawamba, MS	32.90%	
		Source		CDC Diabetes Interactive Atlas		Year(s)		2012		Prentiss, MS	31.20%	
Health Factors	Health Behaviors	Food Environment Index		Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Index of factors that contribute to a healthy food environment, 0 (worst) to 10 (best)		78	Cannon	6.40	7.9	1.5	↑Good ↓Bad	7.20	Starke, IN	7.50
		Increase the county's food index score by 1.5.								Itawamba, MS	7.00	
		Source		USDA Food Environment Atlas, Map the Meal Gap		Year(s)		2013		Prentiss, MS	6.50	

Prepared by the Division of Administrative Services, Tennessee Department of Health, Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: <http://tn.gov/health/topic/specialreports>. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. *The action statements are based on the assumption that no new additional cases occur. **Data should not be compared with prior years due to changes in definition/methods. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

Health Factors		Health Behaviors		Physical Inactivity							Peer County		Peer Value	
				Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
Percentage of adults aged 20 and over reporting no leisure-time physical activity		23	Shelby	33.60%	30.20%	3.40%	↑Bad ↓Good	23.00%	Starke, IN	34.10%				
		Get 11 out of every 100 currently physically inactive adults to exercise during leisure time.							Itawamba, MS	38.10%				
		Source			CDC Diabetes Interactive Atlas			Year(s)	2012	Prentiss, MS	37.60%			
		Access to Exercise Opportunities		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value		
Percentage of population with adequate access to locations for physical activity		23	Loudon	68.94%	78.48%	9.54%	↑Good ↓Bad	84.00%	Starke, IN	54.52%				
		Consider how to remove barriers to access exercise locations to reach an additional 9.54 percent of the county's population.							Itawamba, MS	29.24%				
		Source			Business Analyst, Delorme, ESRI, & US Census Tigerline Files			Year(s)	2010 & 2014	Prentiss, MS	43.95%			
Percentage of adults reporting binge or heavy drinking		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		19	Benton	10.90%	10.60%	0.30%	↑Bad ↓Good	17.00%	Starke, IN	15.00%				
		Get 3 out of every 100 adults in the county that currently drink to excess (binge and heavy drinkers) to stop drinking more than one (women) or two (men) drinks per day on average.							Itawamba, MS	15.00%				
Source			Behavioral Risk Factor Surveillance System			Year(s)	2014	Prentiss, MS	14.10%					
Percentage of driving deaths with alcohol involvement		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		30	Sullivan	25.00%	19.17%	5.83%	↑Bad ↓Good	31.00%	Starke, IN	20.69%				
		Reduce the number of alcohol related driving deaths by 5.83 percent.							Itawamba, MS	6.25%				
Source			Fatality Analysis Reporting System			Year(s)	2010-2014	Prentiss, MS	40.00%					
Number of newly diagnosed chlamydia cases per 100,000 population		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		14	Overton	175.66	153.22	22.43	↑Bad ↓Good	446.60	Starke, IN	168.01				
		Consider ways to educate 2 out of every 10 persons self-reporting to be involved in any sexual contact to commit to using safe sex practices to prevent the infection of Chlamydia.							Itawamba, MS	359.90				
Source			National Center for HIV/AIDS, Viral Hepatitis, STD, & TB Prevention			Year(s)	2013	Prentiss, MS	244.19					
Teen birth rate per 1,000 female population, ages 15-19		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		64	Putnam	53.53	34.87	18.66	↑Bad ↓Good	35.00	Starke, IN	44.11				
		For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 35 teen(s) from becoming pregnant.							Itawamba, MS	45.25				
Source			National Center for Health Statistics - Natality files			Year(s)	2007-2013	Prentiss, MS	64.90					
Percentage of population under age 65 without health insurance		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		50	Cheatham	16.66%	14.54%	2.12%	↑Bad ↓Good	17.00%	Starke, IN	17.08%				
		Get 13 out of every 100 currently uninsured adults ages 18-64 to obtain health insurance.							Itawamba, MS	20.13%				
Source			Small Area Health Insurance Estimates			Year(s)	2013	Prentiss, MS	21.46%					
Ratio of population to primary care physicians		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		38	Coffee	2118:1	1368:1	750	↑Bad ↓Good	1320:1	Starke, IN	2900:1				
		To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 32 primary care providers would need to be recruited to the county. More importantly, if the county's value is greater than 3,500, this county would be considered a Health Professional Shortage Area.							Itawamba, MS	3906:1				
Source			Area Health Resource File/American Medical Association			Year(s)	2013	Prentiss, MS	1953:1					
Ratio of population to dentists		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value				
		58	Dickson	3992:1	1744:1	2248	↑Bad ↓Good	1540:1	Starke, IN	11537:1				
		To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 40 dental care providers would need to be recruited to the county. More importantly, if the county's value is greater than 5,000, this county would be considered a Health Professional Shortage Area.							Itawamba, MS	5882:1				
Source			Area Health Resource File/National Provider Identification file			Year(s)	2014	Prentiss, MS	2543:1					

Health Factors	Clinical Care	Mental Health Providers	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Ratio of population to mental health providers	58	Henry	3327:1	644:1	2683	↑Bad ↓Good	490:1	Starke, IN	7691:1
To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 153 mental health providers would need to be recruited to the county. More importantly, if the county's value is greater than 30,000, this county would be considered a Health Professional Shortage Area.								Itawamba, MS	5882:1		
Source	CMS, National Provider Identification file				Year(s)	2015	Prentiss, MS	1695:1			
Preventable Hospital Stays											
Number of hospital stays for ambulatory-care sensitive conditions per 1,000 Medicare enrollees	89	Anderson	130.50	50.27	80.23	↑Bad ↓Good	54.00	Starke, IN	91.32		
	For every 100 Medicare enrollees, prevent 1 Medicare enrollees from being hospitalized for ambulatory-care sensitive conditions.								Itawamba, MS	57.65	
	Source	Dartmouth Atlas of Health Care				Year(s)	2013	Prentiss, MS	82.34		
	Diabetic Monitoring										
Percentage of diabetic Medicare enrollees ages 65-75 that receive HbA1c monitoring	78	Giles	84.38%	89.20%	4.83%	↑Good ↓Bad	63.00%	Starke, IN	84.79%		
	For every 100 diabetic Medicare enrollees, get 5 additional Medicare enrollees to receive HbA1c screening.								Itawamba, MS	89.27%	
	Source	Dartmouth Atlas of Health Care				Year(s)	2013	Prentiss, MS	87.22%		
	Mammography Screening										
Percentage of female Medicare enrollees ages 67-69 that receive mammography screening	36	Cumberland	61.00%	71.00%	10.00%	↑Good ↓Bad	63.00%	Starke, IN	42.00%		
	For every 100 female Medicare enrollees, get 10 additional Medicare enrollees to receive their mammography screening.								Itawamba, MS	58.00%	
	Source	Dartmouth Atlas of Health Care				Year(s)	2013	Prentiss, MS	48.00%		
	High School Graduation										
Percentage of ninth-grade cohort that graduates in four years	87	Tipton	81.00%	98.00%	17.00%	↑Good ↓Bad	82.00%	Starke, IN	87.11%		
	For every 100 ninth graders, assist 17 additional ninth graders to graduate within four years.								Itawamba, MS	82.00%	
	Source	EDFacts				Year(s)	2012-2013	Prentiss, MS	83.83%		
	Some College										
Percentage of adults ages 25-44 years with some post-secondary education	77	Shelby	37.85%	62.28%	24.44%	↑Good ↓Bad	64.00%	Starke, IN	50.40%		
	For every 100 adults between 25-44 years of age, assist 25 additional adults to complete some coursework at the collegiate level.								Itawamba, MS	52.09%	
	Source	American Community Survey				Year(s)	2010-2014	Prentiss, MS	48.01%		
	Unemployment										
Percentage of population ages 16 and older unemployed but seeking work	83	Robertson	9.36%	5.69%	3.67%	↑Bad ↓Good	6.20%	Starke, IN	7.43%		
	For every 100 persons ages 16 years and older, help 4 persons successfully find employment.								Itawamba, MS	7.43%	
	Source	Bureau of Labor Statistics				Year(s)	2014	Prentiss, MS	7.86%		
	Children in Poverty										
Percentage of children under age 18 in poverty	84	Dickson	34.30%	21.10%	13.20%	↑Bad ↓Good	22.00%	Starke, IN	23.60%		
	For every 100 children (under 18 years) in poverty, help 39 children to find assistance to get out of poverty.								Itawamba, MS	23.80%	
	Source	Small Area Income and Poverty Estimates				Year(s)	2014	Prentiss, MS	29.90%		
	Income Inequality										
Ratio of household income at the 80th percentile to income at the 20th percentile	82	Houston	5.01	4.11	0.90	↑Bad ↓Good	4.70	Starke, IN	3.81		
	To reach a household income ratio at or below that of the 10th ranking county reduce the gap between the 80th percentile and 20th percentile by 1 household(s).								Itawamba, MS	4.56	
	Source	American Community Survey				Year(s)	2010-2014	Prentiss, MS	4.43		
	Social & Economic Factors										

Health Factors	Social & Economic Factors	Children in Single-Parent Households								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		20	Lawrence	28.24%	23.36%	4.87%	↑Bad ↓Good	34.00%	Starke, IN	30.76%
		For every 100 single parent households in the county, investigate ways to encourage 18 households to be a multi-parent household.							Itawamba, MS	25.91%
		Source		American Community Survey		Year(s)		2010-2014	Prentiss, MS	35.96%
		Percentage of children that live in a household headed by single parent								
Health Factors	Social & Economic Factors	Social Associations								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		42	Johnson	11.43	16.13	4.70	↑Good ↓Bad	9.00	Starke, IN	11.64
		For every 100 people in the county, increase the number of membership associations by 1.							Itawamba, MS	10.24
		Source		County Business Patterns		Year(s)		2013	Prentiss, MS	10.63
		Number of membership associations per 10,000 population								
Health Factors	Social & Economic Factors	Violent Crime								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		52	Carter	373.43	206.33	167.10	↑Bad ↓Good	392.00	Starke, IN	178.27
		For every 100 persons in the county, prevent 45 people from committing a violent crime.							Itawamba, MS	121.61
		Source		Uniform Crime Reporting - FBI		Year(s)		2010-2012	Prentiss, MS	NA
		Number of reported violent crime offenses per 100,000 population								
Health Factors	Social & Economic Factors	Injury Deaths								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		73	Washington	105.59	70.04	35.55	↑Bad ↓Good	60.00	Starke, IN	105.75
		For every 1,000 population consider ways to prevent 337 deaths as a result of intentional and unintentional injury.							Itawamba, MS	111.27
		Source		CDC WONDER mortality data		Year(s)		2009-2013	Prentiss, MS	85.87
		Number of deaths due to injury per 100,000 population								
Health Factors	Social & Economic Factors	Air Pollution - Particulate Matter								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		19	Greene	13.27	13.14	0.13	↑Bad ↓Good	11.40	Starke, IN	13.21
		Reduce the average daily measure of fine particulate matter by 0.13 micrograms per cubic meter (PM2.5).							Itawamba, MS	12.16
		Source		CDC WONDER Environmental data		Year(s)		2011	Prentiss, MS	12.52
		Average daily density of fine particulate matter in micrograms per cubic meter (PM2.5)								
Health Factors	Physical Environment	Drinking Water Violations								
		Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		No Rank	NA	No	No	NA	NA	NA	Starke, IN	No
		There were no health-based drinking water violations.							Itawamba, MS	No
		Source		Safe Drinking Water Information System		Year(s)		FY2013-14	Prentiss, MS	No
		Percentage of population potentially exposed to water exceeding a violation limit during the past year								
Health Factors	Physical Environment	Severe Housing Problems								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		34	Unicoi	13.28%	11.70%	1.58%	↑Bad ↓Good	19.00%	Starke, IN	15.04%
		For every 100 persons in the county experiencing housing problems, help 12 person(s) to find housing assistance.							Itawamba, MS	9.44%
		Source		Comprehensive Housing Affordability Strategy (CHAS) data		Year(s)		2008-2012	Prentiss, MS	12.92%
		Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities								
Health Factors	Physical Environment	Driving Alone to Work								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		83	Grundy	87.68%	80.27%	7.41%	↑Bad ↓Good	76.00%	Starke, IN	81.49%
		For every 100 persons that currently drive alone to work, convince 9 to carpool or take mass-transportation.							Itawamba, MS	88.28%
		Source		American Community Survey		Year(s)		2010-2014	Prentiss, MS	83.56%
		Percentage of the workforce that drives alone to work								
Health Factors	Physical Environment	Long Commute - Driving Alone								
		Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		43	Hamilton	35.60%	25.20%	10.40%	↑Bad ↓Good	31.00%	Starke, IN	41.10%
		For every 100 persons that currently drive more than 30 minutes alone to work, convince 30 to carpool or take mass-transportation.							Itawamba, MS	36.50%
		Source		American Community Survey		Year(s)		2010-2014	Prentiss, MS	34.30%
		Among workers who commute in their car alone, the percentage that commute more than 30 minutes								