






CARTER COUNTY Summary

Demographics


Population: Unemployment: Single parent households: 56,886 **<18**7.61% **% Fer**31.78%

<18 YOA: 19.08% % Females: 51.00% MHI: \$34,354 **65+ YOA:** 19.73% **Males:** 49.00%


% Rural: 41.00% Graduation Rate: 92.06%



Top Third	
Measure	Value
Air Pollution - Particulate Matter	13.03
Access to Exercise Opportunities	81.68%
Adult Obesity	29.50%
Violent Crime	206.33
Excessive Drinking	10.70%
Sexually Transmitted Infections	190.04
Social Associations	14.30
Premature Death	8725.70
Injury Deaths	78.06
Physical Inactivity	34.20%



Middle Third	
Measure	Value
Preventable Hosptial Stays	67.53
Alcohol-Impaired Driving Deaths	27.03%
High School Graduation	92.06%
Driving Alone to Work	83.89%
Teen Births	45.89
Unemployment	7.61%
Children in Single-Parent Households	31.78%
Dentists	3346:1
Income Inequality	4.63
Severe Housing Problems	14.00%



Bottom Third								
Measure	Value							
Food Environment Index	5.90							
Children in Poverty	33.20%							
Poor Mental Health Days	4.90							
Low Birthweight	9.65%							
Adult Smoking	24.40%							
Poor Physical Health Days	5.00							
Uninsured	17.75%							
Diabetic Monitoring	85.41%							









Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@tn.gov or 615-741-5001.





Permature Death Permature Death 25 Knox 872.570 7735.80 989.90 781.00 781.00 744.5	_											
Poor of Parish Rank Surge Sharked Value		Life	Premature Death	Rank	10th Ranked	Value		Difference	Shift in Value	US Average	Peer County	Peer Value
Poor of Parish For every 100 people in the country, 1 people in the country need to live one year closer to age 75. 1,2coming, PA 6628.50] .		25	Knox	8725.70	7735.80	989.90	↑Bad ↓Good	6,600.00	Mercer, PA	7414.50
Poor or Fair Health's 10th Ranked value 10th Ranked Value 280% 19.00% 3.30% [Bad [Good 18.00% Mercer, PA 14.80% Mercer,			before age 75 per 100,000	For ever	ry 100 people in	the county	y, 1 people in the	county need to	o live one year clos	ser to age 75.	Lycoming, PA	6628.50
Poor of Fair Health Health Go Ruberford 22.89% 19.60% 3.20% Bald Good 18.00% Mercer, PA 14.80% 14.80% 14.00%		Ľ	population (age-adjusted)	Source	National C	enter for H	Iealth Statistics - N	Iortality files	Year(s)	2011-2013	Dickinson, MI	6979.90
Personage of ability regarding first are part. Lyper of the county of the county who, in general, report being in poor or fair health. Poor Physical Health Days* Annual He				Rank	10th Ranked	Value		Difference	Shift in Value	US Average	Peer County	Peer Value
Poor Physical Health Days Accessed matter Poor Physical Health Days Poor Mental Health Days Po			Health*	60	Rutherford	22.80%	19.60%	3.20%	↑Bad ↓Good	18.00%	Mercer, PA	14.80%
Parcentage of live births with low birthweight Control Risk Factor Surveillance System Source Behavioral Risk Factor Surveillance System Source Shift in Value US Average Peer County Peer Value Percentage of live births Source National Center for Health Statistics - Natality files Year(s) 2007-2013 Dickinson, MI 8.8% Difference Shift in Value US Average Peer County Peer Value Percentage of July Shift Source Source Shift in Value Difference Shift in Value US Average Peer County Peer Value Percentage of July Shift Source Source Shift in Value Difference Shift in Value US Average Peer County Peer Value Percentage of July Shift Source Shift in Value Shift in Value US Average Peer County Peer Value Percentage of July Shift	Ś		reporting fair or poor	Improve tl	he health of 4 ou	it of every		•	n general, report b	oeing in poor or	Lycoming, PA	13.80%
Parcentage of live births with low birthweight Control Risk Factor Surveillance System Source Behavioral Risk Factor Surveillance System Source So	le l			Source	Behav	ioral Risk F	Factor Surveillance	System	Year(s)	2014	Dickinson, MI	12.30%
Parcentage of live births with low birthweight Control Risk Factor Surveillance System Source Behavioral Risk Factor Surveillance System Source So	con		•	Rank	5th Ranked	Value		Difference	Shift in Value	US Average	Peer County	Peer Value
Parcentage of live births with low birthweight Control Risk Factor Surveillance System Source Behavioral Risk Factor Surveillance System Source So	ΙŤ		Ticaim Days	69	Knox	5.00	4.30	0.70	†Bad ↓Good	3.8	Mercer, PA	3.70
Parcentage of live births with low birthweight Control Risk Factor Surveillance System Source Behavioral Risk Factor Surveillance System Source So	lth O	f Life	physically unhealthy days reported in past 30 days	Engage	people in the co	•	•		hysical health day	s reported by	Lycoming, PA	3.50
Parcentage of live births with low birthweight Control Risk Factor Surveillance System Source Behavioral Risk Factor Surveillance System Source So	ह			Source	Behav	ioral Risk F	Factor Surveillance	System	Year(s)	2014	Dickinson, MI	3.40
Adult Smoking* Adult Smoking* Percentage of adults who are current smokers	He	alit			1st Ranked	Value		Difference	Shift in Value	US Average	Peer County	Peer Value
Percentage of live births saith look brithweight (c. 2000 grams) Source Behavioral Risk Factor Surveillance System Year(s) 2014 Dickinson, MI 3.60		Õ	24,5	76	Williamson	4.90	3.80	1.10	†Bad ↓Good	2.8	Mercer, PA	4.00
Low Birthweight Rank 10th Ranked Value			mentally unhealthy days reported in past 30 days								Lycoming, PA	3.90
Low Birthweight 75 Pickett 9.65% 7.24% 2.41% †Bad Good 8.00% Mercer, PA 7.88%				Source	Behav	ioral Risk F	Factor Surveillance	System	Year(s)	2014	Dickinson, MI	3.60
Percentage of live births Source National Center for Health Statistics - Natality files Year(s) 2007-2013 Dickinson, MI 8.38%			Low Birthweight				10th Ranked					
Source National Center for Health Statistics - Natality files Year(s) 2007-2013 Dickinson, MI 8.38% Adult Smoking* Rank 10th Ranked Value 10th			Low Birthweight				Value		Shift in Value			Peer Value
Adult Smoking* Rank 10th Ranked Value 10th Ranked 10th Ra			Low Birthweight				Value					
Adult Smoking* Percentage of adults who are current smokers Percentage of adults that report a BMI of 30 or more			Percentage of live births with low birthweight (<		Pickett	9.65%	Value 7.24%	2.41%	↑Bad ↓Good	8.00%	Mercer, PA	7.88%
Percentage of adults who are current smokers Source Behavioral Risk Factor Surveillance System Year(s) 2014 Dickinson, MI 17.20%			Percentage of live births with low birthweight (<	75	Pickett Reduce the n	9.65% umber of 1	Value 7.24% ow birth weight	2.41% babies by 3 for	↑Bad ↓Good every 100 live birt	8.00% hs.	Mercer, PA Lycoming, PA	7.88%
Adult Obesity Rank Source Behavioral Risk Factor Surveillance System Year(s) 2014 Dickinson, MI 17.20% Rank Sth Ranked Value Sth Ranked Value Bercentage of adults that report a BMI of 30 or more Source CDC Diabetes Interactive Atlas Food Environment Index Rank Sth Ranked Value Sth Ranked Value Bercentage of adults that report a BMI of 30 or more Source CDC Diabetes Interactive Atlas Food Environment Index Index of factors that contribute to a healthy food environment, 0 (worst) to 10 (best) Increase the county's food index score by 2.			Percentage of live births with low birthweight (< 2500 grams)	75 Source	Pickett Reduce the n National 0	9.65% umber of I	Value 7.24% low birth weight Health Statistics - 1 10th Ranked	2.41% babies by 3 for Natality files	↑Bad ↓Good every 100 live birt Year(s)	8.00% hs.	Mercer, PA Lycoming, PA Dickinson, MI	7.88% 7.35% 8.38%
Adult Obesity Hard Percentage of adults that report a BMI of 30 or more Source CDC Diabetes Interactive Atlas Food Environment Index Rank Sth Ranked Value Statistical Contribution Value Va			Percentage of live births with low birthweight (< 2500 grams)	75 Source Rank	Pickett Reduce the n National (9.65% umber of I Center for I Value	Value 7.24% low birth weight Health Statistics - 1 10th Ranked Value	2.41% babies by 3 for Natality files Difference	↑Bad ↓Good every 100 live birt Year(s) Shift in Value	8.00% hs. 2007-2013 US Average	Mercer, PA Lycoming, PA Dickinson, MI Peer County	7.88% 7.35% 8.38% Peer Value
Percentage of adults that report a BMI of 30 or more Source CDC Diabetes Interactive Atlas Year(s) 2012 Dickinson, MI 30.30% Food Environment Index Rank 5th Ranked Value Value 90 Cannon 5.90 7.9 2 ↑Good ↓Bad 7.20 Mercer, PA 7.50 Lycoming, PA 29.90% Lycoming, PA 29.90% Lycoming, PA 29.90% Lycoming, PA 7.20			Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who	75 Source Rank	Pickett Reduce the n National (10th Ranked Humphreys	9.65% umber of I Center for I Value 24.40%	Value 7.24% low birth weight Health Statistics - 1 10th Ranked Value 21.10%	2.41% babies by 3 for Natality files Difference 3.30%	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good	8.00% hs. 2007-2013 US Average 17.00%	Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA	7.88% 7.35% 8.38% Peer Value 22.20%
Percentage of adults that report a BMI of 30 or more Source CDC Diabetes Interactive Atlas Year(s) 2012 Dickinson, MI 30.30% Food Environment Index Rank 5th Ranked Value Value 90 Cannon 5.90 7.9 2 ↑Good ↓Bad 7.20 Mercer, PA 7.50 Lycoming, PA 29.90% Lycoming, PA 29.90% Lycoming, PA 29.90% Lycoming, PA 7.20	Ş		Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who	75 Source Rank 70	Pickett Reduce the n National (10th Ranked Humphreys Get 14 out of (9.65% umber of I Center for I Value 24.40% every 100 c	Value 7.24% low birth weight Health Statistics - 1 10th Ranked Value 21.10% current adult smo	2.41% babies by 3 for Natality files Difference 3.30% okers in the cou	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good unty to quit smoking	8.00% hs. 2007-2013 US Average 17.00%	Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA	7.88% 7.35% 8.38% Peer Value 22.20% 20.30%
Percentage of adults that report a BMI of 30 or more Source CDC Diabetes Interactive Atlas Year(s) 2012 Dickinson, MI 30.30% Food Environment Index Rank 5th Ranked Value Value 90 Cannon 5.90 7.9 2 ↑Good ↓Bad 7.20 Mercer, PA 7.50 Lycoming, PA 29.90% Lycoming, PA 29.90% Lycoming, PA 29.90% Lycoming, PA 7.20	ctors	viors	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers	75 Source Rank 70 Source Rank	Pickett Reduce the n National 0 10th Ranked Humphreys Get 14 out of o Behav 5th Ranked	9.65% umber of I Center for I Value 24.40% every 100 c ioral Risk I Value	Value 7.24% Town birth weight Health Statistics - 1 10th Ranked Value 21.10% Current adult smo	2.41% babies by 3 for Natality files Difference 3.30% okers in the cou	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good unty to quit smoking Year(s)	8.00% hs. 2007-2013 US Average 17.00% 2014 US Average	Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County	7.88% 7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value
Index Solution Superior S	actors	haviors	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers	75 Source Rank 70 Source Rank	Pickett Reduce the n National 0 10th Ranked Humphreys Get 14 out of o Behav 5th Ranked	9.65% umber of I Center for I Value 24.40% every 100 c ioral Risk I Value	Value 7.24% Town birth weight Health Statistics - 1 10th Ranked Value 21.10% Current adult smo	2.41% babies by 3 for Natality files Difference 3.30% okers in the cou	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good inty to quit smokin Year(s) Shift in Value	8.00% hs. 2007-2013 US Average 17.00% 2014 US Average	Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County	7.88% 7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value
Index Solution Superior S		В	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or.	75 Source Rank 70 Source Rank 8	Pickett Reduce the n National (10th Ranked Humphreys Get 14 out of a Behav 5th Ranked Knox t 3 out of every 1	9.65% umber of I Value 24.40% every 100 c ioral Risk F Value 29.50% 00 current	Value 7.24% low birth weight Health Statistics - 1 10th Ranked Value 21.10% current adult smo Factor Surveillance 5th Ranked Value 28.70% cobese adults in	2.41% babies by 3 for Natality files Difference 3.30% okers in the cou- System Difference 0.80% the county to re-	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good inty to quit smokin Year(s) Shift in Value ↑Bad ↓Good	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00% below 30.	Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA	7.88% 7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value 33.40%
90 Cannon 5.90 7.9 2 ↑Good ↓Bad 7.20 Mercer, PA 7.50 Index of factors that contribute to a healthy food environment, 0 (worst) to 10 (best) Increase the county's food index score by 2. Lycoming, PA 7.20		ealth B	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or.	Source Rank 70 Source Rank 8	Pickett Reduce the n National (10th Ranked Humphreys Get 14 out of a Behav 5th Ranked Knox t 3 out of every 1	9.65% umber of I Value 24.40% every 100 c ioral Risk F Value 29.50% 00 current	Value 7.24% low birth weight Health Statistics - 1 10th Ranked Value 21.10% current adult smo Factor Surveillance 5th Ranked Value 28.70% cobese adults in etes Interactive At	2.41% babies by 3 for Natality files Difference 3.30% okers in the cou- System Difference 0.80% the county to re-	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good unty to quit smokin Year(s) Shift in Value ↑Bad ↓Good educe their BMI be	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00% below 30.	Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA	7.88% 7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value 33.40% 29.90%
contribute to a healthy food environment, 0 (worst) to 10 (best) Lycoming, PA 7.20 Lycoming, PA 7.20		ealth B	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more Food Environment	Source Rank 70 Source Rank 8 Get Source Rank	Pickett Reduce the n National (10th Ranked Humphreys Get 14 out of o Behav 5th Ranked Knox t 3 out of every 1	9.65% umber of I Value 24.40% every 100 c ioral Risk F Value 29.50% 00 current	Value 7.24% low birth weight Health Statistics - 1 10th Ranked Value 21.10% current adult smo Factor Surveillance 5th Ranked Value 28.70% to obese adults in etes Interactive Atl 5th Ranked Value Value	2.41% babies by 3 for Natality files Difference 3.30% okers in the country to receive the country the country the country to receive the country t	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good anty to quit smokin Year(s) Shift in Value ↑Bad ↓Good educe their BMI b Year(s) Shift in Value	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00% pelow 30. 2012 US Average	Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Dickinson, MI Peer County	7.88% 7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value 33.40% 29.90% 30.30% Peer Value
Source USDA Food Environment Atlas, Map the Meal Gap Year(s) 2013 Dickinson, MI 7.30		ealth B	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more Food Environment	Source Rank 70 Source Rank 8 Get Source Rank	Pickett Reduce the n National (10th Ranked Humphreys Get 14 out of o Behav 5th Ranked Knox t 3 out of every 1	9.65% umber of I Value 24.40% every 100 c ioral Risk F Value 29.50% 00 current	Value 7.24% low birth weight Health Statistics - 1 10th Ranked Value 21.10% current adult smo Factor Surveillance 5th Ranked Value 28.70% to obese adults in etes Interactive Atl 5th Ranked Value Value	2.41% babies by 3 for Natality files Difference 3.30% okers in the country to receive the country the country the country to receive the country t	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good anty to quit smokin Year(s) Shift in Value ↑Bad ↓Good educe their BMI b Year(s) Shift in Value	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00% pelow 30. 2012 US Average	Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Dickinson, MI Peer County	7.88% 7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value 33.40% 29.90% 30.30% Peer Value
		ealth B	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more Food Environment Index Index of factors that contribute to a healthy food environment, 0	Source Rank 70 Source Rank 8 Get Source Rank	Pickett Reduce the n National (10th Ranked Humphreys Get 14 out of o Behav 5th Ranked Knox t 3 out of every 1	9.65% umber of I Value 24.40% every 100 c ioral Risk F Value 29.50% 00 current CDC Diabe Value 5.90	Value 7.24% low birth weight Health Statistics - 1 10th Ranked Value 21.10% current adult smo Factor Surveillance 5th Ranked Value 28.70% tobese adults in etes Interactive Atl 5th Ranked Value 7.9	2.41% babies by 3 for Natality files Difference 3.30% okers in the county System Difference 0.80% the county to relas Difference	↑Bad ↓Good every 100 live birt Year(s) Shift in Value ↑Bad ↓Good unty to quit smokin Year(s) Shift in Value ↑Bad ↓Good educe their BMI b Year(s) Shift in Value ↑Good ↓Bad	8.00% hs. 2007-2013 US Average 17.00% ng. 2014 US Average 27.00% pelow 30. 2012 US Average	Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Dickinson, MI Peer County Mercer, PA	7.88% 7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value 33.40% 29.90% 30.30% Peer Value 7.50

Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: http://tn.gov/health/topic/specialreports. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 **County Health Rankings and Roadmaps** report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. **The action statements are based on the assumption that no new additional cases occur. **Data should not be compared with prior years due to changes in definition/methods. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

		Physical Inactivity	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			28	Shelby	34.20%	30.20%	4.00%	↑Bad ↓Good	23.00%	Mercer, PA	27.20%
		Percentage of adults aged 20 and over reporting no leisure-time physical	Get	Lycoming, PA	25.00%						
		<u>activity</u>	Source	(CDC Diabo	etes Interactive Atl	las	Year(s)	2012	Dickinson, MI	20.40%
		Access to Exercise Opportunities	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		TP	6	Sevier	81.68%	82.47%	0.78%	↑Good ↓Bad	84.00%	Mercer, PA	84.52%
		Percentage of population with adequate access to locations for physical activity	Consider	how to remove	barriers to	access exercise the county's p		ach an additional (0.78 percent of	Lycoming, PA	75.21%
		<u>activity</u>	Source	Business Analy	st, Delorme	, ESRI, & US Cens	sus Tigerline Files	Year(s)	2010 & 2014	Dickinson, MI	90.50%
		Excessive Drinking	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	rs		12	Benton	10.70%	10.60%	0.10%	↑Bad ↓Good	17.00%	Mercer, PA	16.40%
	Health Behaviors	Percentage of adults reporting binge or heavy drinking	Get 1 out o	•		•	•	ess (binge and he ks per day on aver	•	Lycoming, PA	17.50%
	Be		Source	Behav	ioral Risk I	actor Surveillance	System	Year(s)	2014	Dickinson, MI	19.30%
	alth	Alcohol-Impaired Driving Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	He	Ü	36	Sullivan	27.03%	19.17%	7.86%	↑Bad ↓Good	31.00%	Mercer, PA	32.26%
		Percentage of driving deaths with alcohol involvement		Reduce th	e number	of alcohol related	d driving death	s by 7.86 percent.		Lycoming, PA	42.86%
S		mvoivement	Source	Fa	itality Anal	ysis Reporting Sys	tem	Year(s)	2010-2014	Dickinson, MI	75.00%
ctoı		Sexually Transmitted	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Fa		Infections	17	Overton	190.04	153.22	36.82	↑Bad ↓Good	446.60	Mercer, PA	366.61
Health Factors		Number of newly diagnosed chlamydia cases per 100,000 population		to commit to	using safe	sex practices to	prevent the infe	be involved in any	lia.	Lycoming, PA	366.14
$\overline{1}e$			Sou	rce National Center for	HIV/AIDS, VI	ral Hepatitis, STD, & TB 10th Ranked	Prevention	Year(s)	2013	Dickinson, MI	183.07
I		Teen Births	Rank 38	10th Ranked Putnam	Value 45.89	Value 34.87	Difference	Shift in Value ↑Bad ↓Good	US Average	Peer County Mercer, PA	Peer Value
								· · · · · · · · · · · · · · · · · · ·		1.101001, 111	20.07
		Teen birth rate per 1,000 female population, ages 15- 19	For every	100 teenage iem	aies (ages	from becoming	•	nsider ways to pro	.,	Lycoming, PA	32.65
			Source	National (Center for I	Health Statistics - 1	Natality files	Year(s)	2007-2013	Dickinson, MI	23.67
		Uninsured	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			67	Cheatham	17.75%	14.54%	3.21%	↑Bad ↓Good	17.00%	Mercer, PA	11.49%
		Percentage of population under age 65 without health insurance	Get					to obtain health in		Lycoming, PA	11.33%
			Source	Sma	ll Area Hea	1041- Barrian 4	mates	Year(s)	2013	Dickinson, MI	12.30%
	are	Primary Care Physicians	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	1 C		55	Coffee	2606:1	1368:1	1238	↑Bad ↓Good	1320:1	Mercer, PA	1355:1
	Clinical Care	Ratio of population to primary care physicians	care prov grea	riders would nee ter than 3,500, tl	d to be re	would be consid	unty. More imp lered a Health l	10th ranking cour portantly, if the co Professional Short	unty's value is age Area.	Lycoming, PA	1390:1
			Source	Area Health F	Resource Fi	le/American Med	ical Association	Year(s)	2013	Dickinson, MI	1135:1
		Dentists	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			46 To reach a	Dickson population-to-n	3346:1 rovider ra	1744:1	1602	↑Bad ↓Good Oth ranking count	v. 34 dental care	Mercer, PA	1915:1
		Ratio of population to dentists	providers	would need to b	e recruite	l to the county. I	More important	ly, if the county's essional Shortage	value is greater	Lycoming, PA	2330:1
			Source			National Provider l		Year(s)	2014	Dickinson, MI	1082:1

		Mental Health	Rank	10th Ranked	Value	10th Ranked	Difference	Shift in Value	US Average	Peer County	Peer Value
		Providers	59	Henry	3346:1	Value 644:1	2702	↑Bad ↓Good	490:1	Mercer, PA	653:1
		Ratio of population to mental health providers	To reach	a population-to oviders would ne ter than 30,000, t	Lycoming, PA	826:1					
		mental nearth providers	Source			Provider Identificat		Year(s)	2015	Dickinson, MI	448:1
		Preventable	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Hospital Stays	32	Anderson	67.53	50.27	17.26	↑Bad ↓Good	54.00	Mercer, PA	62.21
	Sare	Number of hospital stays for ambulatory-care sensitive conditions per	For e	every 100 Medica		es, prevent 1 Med oulatory-care sens		s from being hospi as.	talized for	Lycoming, PA	48.28
	al (1,000 Medicare enrollees	Source	I	Dartmouth	Atlas of Health Ca	ıre	Year(s)	2013	Dickinson, MI	42.78
	Clinical Care	Diabetic Monitoring	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	C	Monitoring	65	Giles	85.41%	89.20%	3.80%	↑Good ↓Bad	63.00%	Mercer, PA	83.08%
		Percentage of diabetic Medicare enrollees ages 65- 75 that receive HbA1c	For eve	ry 100 diabetic M	Aedicare e	enrollees, get 4 ad screenin		care enrollees to re	ceive HbA1c	Lycoming, PA	88.30%
		monitoring	Source	I	Dartmouth	Atlas of Health Ca	ire	Year(s)	2013	Dickinson, MI	87.98%
		Mammography Screening	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		cereening	62	Cumberland	57.00%	71.00%	14.00%	↑Good ↓Bad	63.00%	Mercer, PA	63.00%
		Percentage of female Medicare enrollees ages 67- 69 that receive	For ev	ery 100 female N	Aedicare e	enrollees, get 14 a mammography		icare enrollees to r	eceive their	Lycoming, PA	74.00%
rs		mammography screening	Source	I	Dartmouth	Atlas of Health Ca	ire	Year(s)	2013	Dickinson, MI	70.00%
cto		High School Graduation Percentage of ninth-grade cohort that graduates in four years	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Fa			37	Tipton	92.06%	98.00%	5.94%	↑Good ↓Bad	82.00%	Mercer, PA	89.14%
Health Factors			For e	Lycoming, PA	84.27%						
$\overline{1}e$			Source			EDFacts		Year(s)	2012-2013	Dickinson, MI	85.64%
F		Some College	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			29	Shelby	48.78%	62.28%	13.51%	↑Good ↓Bad	64.00%	Mercer, PA	56.60%
	tors	Percentage of adults ages 25-44 years with some post-secondary education	For ev	very 100 adults b		-44 years of age, oursework at the c		onal adults to com	plete some	Lycoming, PA	54.82%
	-¹ac		Source		American	Community Surve	у	Year(s)	2010-2014	Dickinson, MI	58.67%
	onomic Factors	Unemployment	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	ιοι		44	Robertson	7.61%	5.69%	1.92%	†Bad ↓Good	6.20%	Mercer, PA	5.94%
	Ec	Percentage of population ages 16 and older unemployed but seeking	For e	very 100 persons	ages 16 ye	ears and older, he	elp 2 persons su	uccessfully find en	nployment.	Lycoming, PA	6.07%
	1 &	<u>work</u>	Source		Bureau o	of Labor Statistics		Year(s)	2014	Dickinson, MI	6.65%
	Social	Children in Poverty	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	S		79	Dickson	33.20%	21.10%	12.10%	†Bad ↓Good	22.00%	Mercer, PA	25.00%
		Percentage of children under age 18 in poverty	For ever	y 100 children (u	ınder 18 ye	ears) in poverty, l povert	•	n to find assistance	e to get out of	Lycoming, PA	22.60%
			Source	Small	Area Inco	me and Poverty Es	timates	Year(s)	2014	Dickinson, MI	18.50%
		Income Inequality	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			47	Houston	4.63	4.11	0.52	↑Bad ↓Good	4.70	Mercer, PA	4.20
		Ratio of household income at the 80th percentile to	ATT.	.1 1 1 1.1	inaama #a	ماء بسمام ما سم عم ماع.	. C.1 10.1		uce the con		
		at the 80th percentile to income at the 20th	1 o rea			percentile and 20t		anking county red 1 household(s).	uce the gap	Lycoming, PA	4.16

		Children in Single-	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Parent Households	45	Lawrence	31.78%	23.36%	8.42%	↑Bad ↓Good	34.00%	Mercer, PA	32.22%
		Percentage of children that live in a household headed by single parent	For every 1	00 single paren	Lycoming, PA	35.42%					
		<u>by single parent</u>	Source		American	Community Surve	у	Year(s)	2010-2014	Dickinson, MI	29.79%
		Social Associations	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			22	Johnson	14.30	16.13	1.83	↑Good ↓Bad	9.00	Mercer, PA	17.19
	tors	Number of membership associations per 10,000 population	For e	every 100 people	in the co	unty, increase the	number of me	embership associa	tions by 1.	Lycoming, PA	16.62
	ac	роршанон	Source		County	Business Patterns		Year(s)	2013	Dickinson, MI	18.78
	nic F	Violent Crime	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	lon		10	Grainger	206.33	144.58	61.75	↑Bad ↓Good	392.00	Mercer, PA	214.83
	z Economic Factors	Number of reported violent crime offenses per 100,000 population	For	every 100 persor	ns in the c	county, prevent 30) people from c	committing a viole		Lycoming, PA	176.81
	18		Source	J	Jniform C	rime Reporting - F	BI	Year(s)	2010-2012	Dickinson, MI	NA
	Social	Injury Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	S		25	Washington	78.06	70.04	8.03	↑Bad ↓Good	60.00	Mercer, PA	75.11
		Number of deaths due to injury per 100,000 population	For ev	very 1,000 popula	ation cons	sider ways to prev unintentiona		as a result of inter	ntional and	Lycoming, PA	57.65
(0)			Source	(CDC WOY	NDER mortality da	ıta	Year(s)	2009-2013	Dickinson, MI	79.37
tors		Air Pollution - Particulate Matter	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
ac			4	Shelby	13.03	12.83	0.20	↑Bad ↓Good	11.40	Mercer, PA	13.98
Health Factors		Average daily density of fine particulate matter in micrograms per cubic	Reduce	Lycoming, PA	12.51						
व		meter (PM2.5)	Source	CD	C WOND	ER Environmenta	l data	Year(s)	2011	Dickinson, MI	10.38
He		Drinking Water Violations	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Violations	No Rank	NA	No	No	NA	NA	NA	Mercer, PA	Yes
		Percentage of population potentially exposed to water exceeding a violation	There were no health-based drinking water violations.							Lycoming, PA	Yes
		limit during the past year	Source	Safe 1	Drinking V	Vater Information	System	Year(s)	FY2013-14	Dickinson, MI	No
		Severe Housing Problems	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	ıt	1 TODICITIS	48	Unicoi	14.00%	11.70%	2.30%	↑Bad ↓Good	19.00%	Mercer, PA	12.32%
	Physical Environment	Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing	For every 1	00 persons in th	e county	experiencing hou assistan		, help 17 person(s)	to find housing	Lycoming, PA	13.59%
	E	<u>facilities</u>	Source	Comprehensive	e Housing	Affordability Strate	egy (CHAS) data	a Year(s)	2008-2012	Dickinson, MI	10.38%
	ical	Driving Alone to	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	hys	Work	37	Grundy	83.89%	80.27%	3.62%	†Bad ↓Good	76.00%	Mercer, PA	82.14%
	P.	Percentage of the workforce that drives	For ev	very 100 persons	that curre	ently drive alone t transporta		nce 5 to carpool or	take mass-	Lycoming, PA	81.95%
		alone to work	Source		American	Community Surve	у	Year(s)	2010-2014	Dickinson, MI	84.88%
		Long Commute - Driving Alone	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Ü	30	Hamilton	30.00%	25.20%	4.80%	↑Bad ↓Good	31.00%	Mercer, PA	24.00%
		Among workers who commute in their car alone, the percentage that	For every 1	00 persons that	currently	drive more than a or take mass-tra		ne to work, convin	ice 16 to carpool	Lycoming, PA	20.10%
		commute more than 30 minutes	Source		American	Community Surve	у	Year(s)	2010-2014	Dickinson, MI	10.70%