





## PUTNAM COUNTY Summary


Demographics

| Population:              |
|--------------------------|
| Unemployment:            |
| ingle parent households: |


74,165 <18 YOA: 6.86% % Females: 32.40% MHI: 21.27% 50.60% \$37,693

**65+ YOA:** 16.22% **Males:** 49.40%


% Rural: 35.00% Graduation Rate: 92.00%



| Top Third               |         |  |  |  |  |  |  |  |
|-------------------------|---------|--|--|--|--|--|--|--|
| Measure                 | Value   |  |  |  |  |  |  |  |
| Low Birthweight         | 6.97%   |  |  |  |  |  |  |  |
| Mental Health Providers | 553:1   |  |  |  |  |  |  |  |
| Teen Births             | 34.87   |  |  |  |  |  |  |  |
| Primary Care Physicians | 1387:1  |  |  |  |  |  |  |  |
| Dentists                | 1809:1  |  |  |  |  |  |  |  |
| Diabetic Monitoring     | 89.15%  |  |  |  |  |  |  |  |
| Physical Inactivity     | 32.20%  |  |  |  |  |  |  |  |
| Injury Deaths           | 74.53   |  |  |  |  |  |  |  |
| Mammography Screening   | 63.00%  |  |  |  |  |  |  |  |
| Premature Death         | 8510.10 |  |  |  |  |  |  |  |



| Middle Third                         |        |  |  |  |  |  |  |  |  |
|--------------------------------------|--------|--|--|--|--|--|--|--|--|
| Measure Value                        |        |  |  |  |  |  |  |  |  |
| Access to Exercise Opportunities     | 62.13% |  |  |  |  |  |  |  |  |
| Children in Poverty                  | 25.90% |  |  |  |  |  |  |  |  |
| Preventable Hosptial Stays           | 68.97  |  |  |  |  |  |  |  |  |
| High School Graduation               | 92.00% |  |  |  |  |  |  |  |  |
| Adult Smoking                        | 23.20% |  |  |  |  |  |  |  |  |
| Social Associations                  | 11.15  |  |  |  |  |  |  |  |  |
| Children in Single-Parent Households | 32.40% |  |  |  |  |  |  |  |  |
| Poor Physical Health Days            | 4.90   |  |  |  |  |  |  |  |  |
| Violent Crime                        | 386.10 |  |  |  |  |  |  |  |  |
| Air Pollution - Particulate Matter   | 13.91  |  |  |  |  |  |  |  |  |



| Bottom Third                    |        |
|---------------------------------|--------|
| Measure                         | Value  |
| Income Inequality               | 5.49   |
| Severe Housing Problems         | 18.52% |
| Driving Alone to Work           | 89.47% |
| Excessive Drinking              | 12.40% |
| Uninsured                       | 18.60% |
| Food Environment Index          | 6.40   |
| Sexually Transmitted Infections | 379.63 |
| Poor or Fair Health             | 23.20% |
|                                 |        |
|                                 |        |



Tobacco Use







## Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

## Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@tn.gov or 615-741-5001.





|                 |           | Health NIGHAMG CONNECTION ACCELEATING I I I I I I  |            |                   |              |   |                 |                      |                 |              |            |
|-----------------|-----------|--|------------|-------------------|--------------|---|-----------------|----------------------|-----------------|--------------|------------|
|                 | Life      | Premature Death  | Rank       | 10th Ranked       | Value        | 10th Ranked<br>Value                    | Difference      | Shift in Value       | US Average      | Peer County  | Peer Value |
|                 | of        |  | 20         | Knox              | 8510.10      | 7735.80                                 | 774.30          | ↑Bad ↓Good           | 6,600.00        | Guernsey, OH | 8679.90    |
|                 | Length    | Years of potential life lost<br>before age 75 per 100,000<br>population (age-adjusted)       | For eve    | ry 100 people in  | the county   | y, 1 people in the                      | county need to  | o live one year clos | ser to age 75.  | Randolph, IN | 8328.50    |
|                 | Ľ         | population (age-adjusted)  | Source     | National C        | enter for H  | Health Statistics - N                   | Iortality files | Year(s)              | 2011-2013       | Lawrence, OH | 9427.20    |
|                 |           | Poor or Fair<br>Health*  | Rank       | 10th Ranked       | Value        | 10th Ranked<br>Value                    | Difference      | Shift in Value       | US Average      | Peer County  | Peer Value |
|                 |           |  | 66         | Rutherford        | 23.20%       | 19.60%                                  | 3.60%           | ↑Bad ↓Good           | 18.00%          | Guernsey, OH | 18.00%     |
| တ္              |           | Percentage of adults<br>reporting fair or poor<br>health (age-adjusted)                      | Improve th | ne health of 4 ou | it of every  | 100 people in the<br>fair heal          | •               | n general, report b  | eing in poor or | Randolph, IN | 17.60%     |
| ne              |           |  | Source     | Behav             | ioral Risk F | Factor Surveillance                     | System          | Year(s)              | 2014            | Lawrence, OH | 18.30%     |
| con             |           | Poor Physical<br>Health Days*  | Rank       | 5th Ranked        | Value        | 5th Ranked<br>Value                     | Difference      | Shift in Value       | US Average      | Peer County  | Peer Value |
| nt              |           | •  | 54         | Knox              | 4.90         | 4.30                                    | 0.60            | ↑Bad ↓Good           | 3.8             | Guernsey, OH | 4.10       |
| Health Outcomes | of Life   | Average number of<br>physically unhealthy days<br>reported in past 30 days<br>(age-adjusted) | Engage     | people in the co  |              | rays to reduce nu<br>residents by 1 day |                 | hysical health day   | 's reported by  | Randolph, IN | 4.00       |
| ह               |           |  | Source     | Behav             | ioral Risk F | Factor Surveillance                     | System          | Year(s)              | 2014            | Lawrence, OH | 4.30       |
| He              | Quality   | Poor Mental Health<br>Days*  | Rank       | 1st Ranked        | Value        | 1st Ranked<br>Value                     | Difference      | Shift in Value       | US Average      | Peer County  | Peer Value |
|                 | Õ         | Zuyo   | 26         | Williamson        | 4.60         | 3.80                                    | 0.80            | ↑Bad ↓Good           | 2.8             | Guernsey, OH | 4.30       |
|                 |           | Average number of mentally unhealthy days reported in past 30 days                           | Engage     | people in the co  | •            | rays to reduce nu<br>esidents by 1 day  |                 | hysical health day   | 's reported by  | Randolph, IN | 4.10       |
|                 |           | (age-adjusted)   | Source     | Behav             | ioral Risk F | Factor Surveillance                     | System          | Year(s)              | 2014            | Lawrence, OH | 4.50       |
|                 |           | Low Birthweight  Percentage of live births with low birthweight (< 2500 grams)               | Rank       | 1st Ranked        | Value        | 1st Ranked<br>Value                     | Difference      | Shift in Value       | US Average      | Peer County  | Peer Value |
|                 |           |  | 5          | Perry             | 6.97%        | 5.91%                                   | 1.06%           | †Bad ↓Good           | 8.00%           | Guernsey, OH | 8.11%      |
|                 |           |  |            | Reduce the n      | umber of l   | ow birth weight                         | babies by 2 for | every 100 live birt  | hs.             | Randolph, IN | 9.25%      |
|                 |           |  | Source     | National (        | Center for I | Health Statistics - N                   | Natality files  | Year(s)              | 2007-2013       | Lawrence, OH | 10.07%     |
|                 |           | Adult Smoking*   | Rank       | 10th Ranked       | Value        | 10th Ranked<br>Value                    | Difference      | Shift in Value       | US Average      | Peer County  | Peer Value |
|                 |           | Percentage of adults who are current smokers   | 43         | Humphreys         | 23.20%       | 21.10%                                  | 2.10%           | ↑Bad ↓Good           | 17.00%          | Guernsey, OH | 21.00%     |
|                 |           |  |            | Get 10 out of 6   | every 100 c  | current adult smo                       | kers in the cou | inty to quit smoki   | ng.             | Randolph, IN | 20.20%     |
| S               | ~         |  | Source     | Behav             | ioral Risk F | Factor Surveillance                     | System          | Year(s)              | 2014            | Lawrence, OH | 20.90%     |
| Factors         | Behaviors | Adult Obesity  | Rank       | 10th Ranked       | Value        | 10th Ranked<br>Value                    | Difference      | Shift in Value       | US Average      | Peer County  | Peer Value |
| ğ               | ha        |  | 63         | Hamilton          | 33.90%       | 29.90%                                  | 4.00%           | ↑Bad ↓Good           | 27.00%          | Guernsey, OH | 36.40%     |
| Health F        | Health Be | Percentage of adults that<br>report a BMI of 30 or<br>more                                   |            |                   |              |   |                 | educe their BMI b    |                 | Randolph, IN | 33.80%     |
| [ě]             | łeź       |  | Source     |                   | CDC Diabe    | etes Interactive Atl                    | as              | Year(s)              | 2012            | Lawrence, OH | 38.90%     |
| H               | I.        | Food Environment<br>Index  | Rank       | 5th Ranked        | Value        | 5th Ranked<br>Value                     | Difference      | Shift in Value       | US Average      | Peer County  | Peer Value |
|                 |           |  | 78         | Cannon            | 6.40         | 7.9                                     | 1.5             | ↑Good ↓Bad           | 7.20            | Guernsey, OH | 7.00       |
|                 |           | Index of factors that contribute to a healthy food environment, 0                            |            |                   | Increase     | the county's foo                        | d index score b | эу 1.5.              |                 | Randolph, IN | 6.80       |
|                 |           | (worst) to 10 (best)   |            |                   |              |   |                 |                      |                 |              |            |
|                 |           |  | Source     | USDA Foo          | od Environi  | ment Atlas, Map tl                      | he Meal Gap     | Year(s)              | 2013            | Lawrence, OH | 7.00       |

Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: http://tn.gov/health/topic/specialreports. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 \*County Health Rankings and Roadmaps\* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. \*The action statements are based on the assumption that no new additional cases occur. \*\*Data should not be compared with prior years due to changes in definition/methods. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

| 14   Salely   32.20%   30.20%   200%   Blad   Good   23.00%   Genemosy, OH   34.20%  |        |          | Physical Inactivity                               | Rank      | 10th Ranked             | Value        | 10th Ranked<br>Value | Difference          | Shift in Value      | US Average       | Peer County  | Peer Value |
|--|--------|----------|---|-----------|-------------------------|--------------|----------------------|---------------------|---------------------|------------------|--------------|------------|
|  |        |          |   | 14        | Shelby                  | 32.20%       | 30.20%               | 2.00%               | ↑Bad ↓Good          | 23.00%           | Guernsey, OH | 34.20%     |
| Access to Exercise Opportunities   Sank   10th Ranked Value   Williamsked   10th Ranked Value   10th Ranke |        |          | 20 and over reporting no leisure-time physical    | Get       | Randolph, IN            | 32.40%       |                      |                     |                     |                  |              |            |
| Necrosing of continues   Consider how to remove barriers to access exercise locations to reach an additional 16-35 percent of learning his phagean access. In the county's population.   Source   Business Analyst, Deberms, ESRI, & US Consider Files   Vear(s)   2010 & 2014   Lowering, OH   48,09%   18,00%   1   |        |          | <u>activity</u>                                   | Source    | (                       | CDC Diabo    | etes Interactive Atl | as                  | Year(s)             | 2012             | Lawrence, OH | 37.30%     |
| Processor of groundation and adjustines account in the country's population.  Source Business Analyst, Deletions, 1981, 4 St. Gross 1981,  |        |          |   |           |                         |              | Value                |                     |                     | <u> </u>         | ,            |            |
| Part      |        |          | Percentage of population                          | 32        | Loudon                  | 62.13%       | 78.48%               | 16.35%              | ↑Good ↓Bad          | 84.00%           | Guernsey, OH | 48.09%     |
| Excessive Drinking  Rank   10th Ranked   10t |        |          | with adequate access to<br>locations for physical | Consider  | how to remove l         | barriers to  |                      |                     | ch an additional 1  | 6.35 percent of  | Randolph, IN | 33.21%     |
| Percentage of adults treatments below to large the properties of population to stop drinking more than one (women) or two (men) drinks per day on average.   Pert County   Pere Value   Percentage of adults treatments bear or heavy drinking more than one (women) or two (men) drinks per day on average.   Percentage of adults treatments bear or heavy drinking more than one (women) or two (men) drinks per day on average.   Percentage of adults treatments bear or heavy drinking more than one (women) or two (men) drinks per day on average.   Percentage of adults to stop drinking more than one (women) or two (men) drinks per day on average.   Percentage of adults to stop drinking more than one (women) or two (men) drinks per day on average.   Percentage of adults to stop drinking more than one (women) or two (men) drinks per day on average.   Percentage of adults to stop drinking more than one (women) or two (men) drinks per day on average.   Percentage value of the percentage value valu   |        |          | <u>activity</u>                                   | Source    | Business Analy          | st, Delorme  | <u> </u>             | sus Tigerline Files | Year(s)             | 2010 & 2014      | Lawrence, OH | 96.23%     |
| Precentage of adults   Get 15 out of every 100 adults in the county that currently drink to excess (binge and heavy drinkers)   Randolph, IN   14.20% to stop drinking more than one (women) or two (men) drinks per day on average.   Randolph, IN   14.20% to stop drinking more than one (women) or two (men) drinks per day on average.   Randolph, IN   14.20% to stop drinking more than one (women) or two (men) drinks per day on average.   Randolph, IN   14.20% to stop drinking more than one (women) or two (men) drinks per day on average.   Randolph, IN   14.20% to stop drinking more than one (women) or two (men) drinks per day on average.   Randolph, IN   14.20% to stop drinking more than one (women) or two (men) drinks per day on average.   Randolph, IN   14.20% to stop drinking more than one (women) or two (men) drinks per day on average.   Randolph, IN   14.20% to stop drinking more than one (women) or two (men) drinks per day on average.   Randolph, IN   14.20% to stop drinking more than one (women) or two (men) drinks per day on average.   Randolph, IN   14.20% to stop drinking more than one (women) or two (men) drinks per day on average.   Randolph, IN   14.20% to stop drinking deaths by 3.91 percent.   Randolph, IN   22.22% to stop drinking deaths by 3.91 percent.   Randolph, IN   22.22% to stop drinking deaths by 3.91 percent.   Randolph, IN   22.22% transmitted Infections of Chalmydria.   Randolph, IN   22.22% transmitted Infections of Chalmydria.   Randolph, IN   22.22% transmitted Infections of Chalmydria.   Randolph, IN   27.89     |        |          | Excessive Drinking                                |           |                         |              | Value                |                     |                     |                  | •            |            |
| Percentage of population uses age 55 without this marrance.    Percentage of population uses age 55 without the first age 55 without the first age 65 without the first age |        | rs.      |   | 84        | Benton                  | 12.40%       | 10.60%               | 1.80%               | ↑Bad ↓Good          | 17.00%           | Guernsey, OH | 17.60%     |
| Percentage of population uses age 55 without this marrance.    Percentage of population uses age 55 without the first age 55 without the first age 65 without the first age |        | havio    | reporting binge or heavy                          |           | •                       |              | •                    | •                   | , ,                 | • /              | Randolph, IN | 14.20%     |
| Percentage of population under age 65 without under |        | Be       | <del></del>                                       | Source    | Behav                   | ioral Risk I |                      | System              | Year(s)             | 2014             | Lawrence, OH | 15.20%     |
| Percentage of population under age 65 without under |        | alth     | •   |           |                         |              | Value                |                     |                     | · ·              | ,            |            |
| Percentage of population under age 65 without under |        | He       | 0   | 23        | Sullivan                | 23.08%       | 19.17%               | 3.91%               | ↑Bad ↓Good          | 31.00%           | Guernsey, OH | 30.56%     |
| Sexually   Transmitted Infections   Rank   10th Ranked   Value   Value   Value   Difference   Shift in Value   US Average   Peer County   Peer Value   Value   Value   Value   Difference   Shift in Value   US Average   Peer County   Peer Value     |        |          | Percentage of driving deaths with alcohol         |           | Reduce th               | e number     | of alcohol related   | d driving death     | s by 3.91 percent.  |                  | Randolph, IN | 22.22%     |
| Teen Births    Teen Births   10   Knox   34.87   31.09   3.78   7   8   8   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   10   | rs.    |          |   | Source    | Fa                      | atality Anal | ysis Reporting Syst  | tem                 | Year(s)             | 2010-2014        | Lawrence, OH | 35.48%     |
| Teen Births    Teen Births   10   Knox   34.87   31.09   3.78   7   8   8   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   10   | cto    |          | Transmitted                                       |           |                         |              | Value                |                     | Shift in Value      |                  | ,            |            |
| Teen Births    Teen Births   10   Knox   34.87   31.09   3.78   7   8   8   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   10   | Fа     |          |   | 71        | Overton                 | 379.63       | 153.22               | 226.41              | ↑Bad ↓Good          | 446.60           | Guernsey, OH | 296.36     |
| Teen Births    Teen Births   10   Knox   34.87   31.09   3.78   7   8   8   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   10   | alth ] |          | diagnosed chlamydia cases                         |           | to commit to            | using safe   | sex practices to     | prevent the infe    | •                   | lia.             | Randolph, IN |            |
| Teen Births    Teen Births   10   Knox   34.87   31.09   3.78   7   8   8   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   8   10   10   | [e     |          |   | Sou       | rce National Center for | HIV/AIDS, V  |                      | Prevention          | Year(s)             | 2013             | Lawrence, OH | 175.50     |
| For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 11 teen(s) from becoming pregnant.    Percentage of population under age 65 without health insurance   Primary Care Physicians   11   Coffee   1387:1   1368:1   19   18ad ↓Good   1320:1   Guernsey, OH   2086:1  | H      |          | Teen Births                                       |           |                         |              | Value                |                     |                     |                  | •            |            |
| Source   National Center for Health Statistics - Natality files   Year(s)   2007-2013   Lawrence, OH   47.68   |        |          | female population, ages 15-                       |           |                         |              |                      |                     | · · · · · ·         |                  | Guernsey, OH | 39.09      |
| Percentage of population under age 65 without health insurance   Rank   10th Ranked   Value   Value   10th Ranked   Value   V    |        |          |   | For every | 100 teenage fem         | ales (ages   |                      |                     | nsider ways to pro  | event 11 teen(s) | Randolph, IN | 44.54      |
| Uninsured    Rank   10th Ranked   Value   Valu |        |          | _   | Source    | National (              | Center for I |                      | Natality files      | Year(s)             | 2007-2013        | Lawrence, OH | 47.68      |
| Percentage of population under age 65 without health insurance    Primary Care Physicians   Ratio of population to primary care physicians   Ratio of population to primary care physicians   Ratio of population to primary care and the state of population to primary care physicians   Ratio of population to dentists   Ratio of populat |        |          | Uninsured   | Rank      | 10th Ranked             | Value        |                      | Difference          | Shift in Value      | US Average       | Peer County  | Peer Value |
| Primary Care Physicians   Primary Care Physicians   Rank   10th Ranked   Value   Val   |        |          | Uninsured   | 83        | Cheatham                | 18.60%       |                      | 4.06%               | ↑Bad ↓Good          | 17.00%           | Guernsey, OH | 14.10%     |
| Primary Care Physicians  Ratio of population to primary care physicians  Poentists  Ratio of population to dentists  Ratio of population to dentists  Poentists  Ratio of population to dentists  Primary Care Physicians  Rank 10th Ranked Value 10th Ranked Value Valu |        |          | under age 65 without                              | Get       | 22 out of every         | 100 curren   | tly uninsured adu    | ults ages 18-64 t   | to obtain health in | nsurance.        | Randolph, IN | 16.94%     |
| Primary Care Physicians    11   Coffee   1387:1   1368:1   19   ↑Bad ↓Good   1320:1   Guernsey, OH   2086:1  |        |          | nemer mourance                                    | Source    | Sma                     | ll Area Hea  |                      | mates               | Year(s)             | 2013             | Lawrence, OH | 13.43%     |
| Source   Area Health Resource File/American Medical Association   Year(s)   2013   Lawrence, OH   1876:1   |        | are      | •   |           |                         |              | Value                |                     |                     | 9                | •            |            |
| Source   Area Health Resource File/American Medical Association   Year(s)   2013   Lawrence, OH   1876:1   |        | Č        | y = 1   | 11        | Coffee                  | 1387:1       | 1368:1               | 19                  | ↑Bad ↓Good          | 1320:1           | Guernsey, OH | 2086:1     |
| Source   Area Health Resource File/American Medical Association   Year(s)   2013   Lawrence, OH   1876:1   |        | Clinical |   | care prov | viders would nee        | d to be re   | cruited to the cor   | unty. More imp      | ortantly, if the co | unty's value is  | Randolph, IN | 3661:1     |
| Dentists    Continuous Continuou  |        |          |   | Source    | Area Health F           | Resource Fi  |                      | ical Association    | Year(s)             | 2013             | Lawrence, OH | 1876:1     |
| To reach a population-to-provider ratio at or exceeding that of the 10th ranking county, 3 dental care providers would need to be recruited to the county. More importantly, if the county's value is greater than 5,000, this county would be considered a Health Professional Shortage Area.  Randolph, IN 4231:1  |        |          | Dentists  |           |                         |              | Value                |                     |                     |                  | ,            |            |
| Ratio of population to dentists providers would need to be recruited to the county. More importantly, if the county's value is greater than 5,000, this county would be considered a Health Professional Shortage Area.  Randolph, IN 4231:1   |        |          |   |           |                         |              |                      |                     |                     |                  | Guernsey, OH | 2084:1     |
|  |        |          |   | providers | would need to b         | e recruite   | d to the county. N   | More important      | ly, if the county's | value is greater | Randolph, IN | 4231:1     |
| ,  |        |          |   | Source    |                         |              |                      |                     | Year(s)             | 2014             | Lawrence, OH | 2934:1     |

|                |                | Mental Health  | Rank       | 5th Ranked                         | Value                    | 5th Ranked<br>Value                      | Difference                         | Shift in Value   | US Average                         | Peer County              | Peer Value         |
|----------------|----------------|--|------------|------------------------------------|--------------------------|--|------------------------------------|--|------------------------------------|--------------------------|--------------------|
|                |                | Providers  | 7          | Maury                              | 553:1                    | 450:1                                    | 103                                | ↑Bad ↓Good   | 490:1                              | Guernsey, OH             | 1042:1             |
|                |                | Ratio of population to mental health providers   | health pro | a population-to                    | o-provider<br>ed to be r | ratio at or exceed<br>ecruited to the co | ding that of the<br>ounty. More im | e 5th ranking cour<br>aportantly, if the co<br>Professional Shor | nty, 51 mental<br>ounty's value is | Randolph, IN             | 3626:1             |
|                |                | •  | Source     |                                    |                          | Provider Identificat                     |                                    | Year(s)  | 2015                               | Lawrence, OH             | 1712:1             |
|                |                | Preventable  | Rank       | 10th Ranked                        | Value                    | 10th Ranked<br>Value                     | Difference                         | Shift in Value   | US Average                         | Peer County              | Peer Value         |
|                |                | Hospital Stays   | 36         | Anderson                           | 68.97                    | 50.27                                    | 18.70                              | †Bad ↓Good   | 54.00                              | Guernsey, OH             | 96.44              |
|                | Care           | Number of hospital stays<br>for ambulatory-care<br>sensitive conditions per                          | For e      | very 100 Medica                    |                          | es, prevent 1 Med<br>ulatory-care sens   |                                    | s from being hospi<br>s.   | talized for                        | Randolph, IN             | 78.71              |
|                | عا (           | 1,000 Medicare enrollees   | Source     | I                                  | Dartmouth                | Atlas of Health Ca                       | ıre                                | Year(s)  | 2013                               | Lawrence, OH             | 105.81             |
|                | Clinical Care  | Diabetic<br>Monitoring   | Rank       | 10th Ranked                        | Value                    | 10th Ranked<br>Value                     | Difference                         | Shift in Value   | US Average                         | Peer County              | Peer Value         |
|                | C              | g  | 13         | Giles                              | 89.15%                   | 89.20%                                   | 0.06%                              | ↑Good ↓Bad   | 63.00%                             | Guernsey, OH             | 84.23%             |
|                |                | Percentage of diabetic<br>Medicare enrollees ages 65-<br>75 that receive HbA1c                       | For eve    | ry 100 diabetic N                  | Aedicare e               | enrollees, get 1 ad<br>screenin          |                                    | are enrollees to re  | ceive HbA1c                        | Randolph, IN             | 85.27%             |
|                |                | monitoring   | Source     | I                                  | Dartmouth                | Atlas of Health Ca                       | ıre                                | Year(s)  | 2013                               | Lawrence, OH             | 85.02%             |
|                |                | Mammography<br>Screening   | Rank       | 5th Ranked                         | Value                    | 5th Ranked<br>Value                      | Difference                         | Shift in Value   | US Average                         | Peer County              | Peer Value         |
|                |                | g  | 19         | Cumberland                         | 63.00%                   | 71.00%                                   | 8.00%                              | ↑Good ↓Bad   | 63.00%                             | Guernsey, OH             | 64.00%             |
|                |                | Percentage of female  Medicare enrollees ages 67- 69 that receive                                    | For ev     | very 100 female l                  | Medicare o               | enrollees, get 8 ac<br>mammography       |                                    | care enrollees to re   | eceive their                       | Randolph, IN             | 71.00%             |
| rs             |                | mammography screening  | Source     | I                                  | Dartmouth                | Atlas of Health Ca                       | ıre                                | Year(s)  | 2013                               | Lawrence, OH             | 56.00%             |
| cto            |                | High School<br>Graduation  | Rank       | 1st Ranked                         | Value                    | 1st Ranked<br>Value                      | Difference                         | Shift in Value   | US Average                         | Peer County              | Peer Value         |
| Fa             |                |  | 38         | Tipton                             | 92.00%                   | 98.00%                                   | 6.00%                              | ↑Good ↓Bad   | 82.00%                             | Guernsey, OH             | 88.53%             |
| Health Factors |                | Percentage of ninth-grade<br>cohort that graduates in<br>four years                                  | For e      | very 100 ninth g                   | Randolph, IN             | 87.15%                                   |                                    |  |                                    |                          |                    |
| Ie             |                |  | Source     |                                    |                          | EDFacts                                  |                                    | Year(s)  | 2012-2013                          | Lawrence, OH             | 92.20%             |
| $\mathbf{H}$   |                | Some College  Percentage of adults ages. 25-44 years with some post-secondary education              | Rank       | 10th Ranked                        | Value                    | 10th Ranked<br>Value                     | Difference                         | Shift in Value   | US Average                         | Peer County              | Peer Value         |
|                |                |  | 21         | Shelby                             | 53.43%                   | 62.28%                                   | 8.86%                              | ↑Good ↓Bad   | 64.00%                             | Guernsey, OH             | 49.67%             |
|                | tors           |  | For e      | very 100 adults b                  |                          | 5-44 years of age,<br>ursework at the c  |                                    | onal adults to com   | plete some                         | Randolph, IN             | 55.48%             |
|                | 7ac            |  | Source     |                                    | American                 | Community Surve                          | у                                  | Year(s)  | 2010-2014                          | Lawrence, OH             | 48.02%             |
|                | onomic Factors | Unemployment   | Rank       | 10th Ranked                        | Value                    | 10th Ranked<br>Value                     | Difference                         | Shift in Value   | US Average                         | Peer County              | Peer Value         |
|                | 10I            |  | 29         | Robertson                          | 6.86%                    | 5.69%                                    | 1.17%                              | †Bad ↓Good   | 6.20%                              | Guernsey, OH             | 6.67%              |
|                | Ес             | Percentage of population<br>ages 16 and older<br>unemployed but seeking                              | For e      | very 100 persons                   | ages 16 ye               | ears and older, he                       | elp 2 persons su                   | accessfully find en  | nployment.                         | Randolph, IN             | 6.58%              |
|                | 1 &            | <u>work</u>  | Source     |                                    | Bureau o                 | of Labor Statistics                      |                                    | Year(s)  | 2014                               | Lawrence, OH             | 6.53%              |
|                | Social         | Children in Poverty  | Rank       | 10th Ranked                        | Value                    | 10th Ranked<br>Value                     | Difference                         | Shift in Value   | US Average                         | Peer County              | Peer Value         |
|                | S              |  | 32         | Dickson                            | 25.90%                   | 21.10%                                   | 4.80%                              | ↑Bad ↓Good   | 22.00%                             | Guernsey, OH             | 26.40%             |
|                |                | Percentage of children<br>under age 18 in poverty  | For ever   | y 100 children (ı                  | ınder 18 ye              | ears) in poverty, l<br>povert            | •                                  | n to find assistance   |                                    | Randolph, IN             | 23.70%             |
|                |                | <u> </u>   | _          | Small                              | Area Incor               | me and Poverty Es                        | timates                            | Year(s)  | 2014                               | Lawrence, OH             | 27.40%             |
|                |                |  | Source     | Oman                               |                          |  |                                    |  |                                    |                          |                    |
|                |                | Income Inequality  | Rank       | 10th Ranked                        | Value                    | 10th Ranked<br>Value                     | Difference                         | Shift in Value   | US Average                         | Peer County              | Peer Value         |
|                |                |  |            |                                    | Value<br>5.49            |  | Difference                         | Shift in Value  ↑Bad ↓Good                                       | US Average 4.70                    | Peer County Guernsey, OH | Peer Value<br>4.37 |
|                |                | Income Inequality  Ratio of household income at the 80th percentile to income at the 20th percentile | Rank<br>92 | 10th Ranked Houston ch a household | 5.49<br>income ra        | Value<br>4.11                            | 1.38<br>at of the 10th r           | ↑Bad ↓Good<br>anking county red                                  | 4.70                               |                          |                    |

|                |                      | Children in Single-<br>Parent Households   | Rank        | 10th Ranked      | Value        | 10th Ranked<br>Value                   | Difference      | Shift in Value       | US Average       | Peer County  | Peer Value |
|----------------|----------------------|--|-------------|------------------|--------------|--|-----------------|----------------------|------------------|--------------|------------|
|                |                      | Parent Households  | 48          | Lawrence         | 32.40%       | 23.36%                                 | 9.04%           | ↑Bad ↓Good           | 34.00%           | Guernsey, OH | 32.59%     |
|                |                      | Percentage of children that<br>live in a household headed<br>by single parent  | For every 1 | 00 single paren  | Randolph, IN | 34.44%                                 |                 |                      |                  |              |            |
|                |                      | by single patent   | Source      |                  | American     | Community Surve                        | у               | Year(s)              | 2010-2014        | Lawrence, OH | 37.01%     |
|                |                      | Social Associations  | Rank        | 10th Ranked      | Value        | 10th Ranked<br>Value                   | Difference      | Shift in Value       | US Average       | Peer County  | Peer Value |
|                |                      |  | 46          | Johnson          | 11.15        | 16.13                                  | 4.98            | ↑Good ↓Bad           | 9.00             | Guernsey, OH | 15.64      |
|                | tors                 | Number of membership<br>associations per 10,000<br>population  | For e       | every 100 people | in the co    | unty, increase the                     | number of me    | embership associa    | tions by 1.      | Randolph, IN | 19.90      |
|                | ac                   | population   | Source      |                  | County       | Business Patterns                      |                 | Year(s)              | 2013             | Lawrence, OH | 10.50      |
|                | nic F                | Violent Crime  | Rank        | 10th Ranked      | Value        | 10th Ranked<br>Value                   | Difference      | Shift in Value       | US Average       | Peer County  | Peer Value |
|                | lon                  |  | 57          | Carter           | 386.10       | 206.33                                 | 179.77          | ↑Bad ↓Good           | 392.00           | Guernsey, OH | 141.84     |
|                | Economic Factors     | Number of reported<br>violent crime offenses per<br>100,000 population   | For         | every 100 persor | ns in the c  | ounty, prevent 47                      | people from c   | committing a viole   |                  | Randolph, IN | 24.93      |
|                | 18                   |  | Source      | J                | Jniform C    | rime Reporting - F                     | BI              | Year(s)              | 2010-2012        | Lawrence, OH | 166.55     |
|                | Social               | Injury Deaths  | Rank        | 10th Ranked      | Value        | 10th Ranked<br>Value                   | Difference      | Shift in Value       | US Average       | Peer County  | Peer Value |
|                | S                    |  | 17          | Washington       | 74.53        | 70.04                                  | 4.49            | †Bad ↓Good           | 60.00            | Guernsey, OH | 71.10      |
|                |                      | Number of deaths due to<br>injury per 100,000<br>population  | For e       | very 1,000 popul | ation con    | sider ways to pre-<br>unintentiona     |                 | as a result of inten | itional and      | Randolph, IN | 65.41      |
| (0)            |                      |  | Source      | (                | CDC WOY      | NDER mortality da                      | ta              | Year(s)              | 2009-2013        | Lawrence, OH | 73.81      |
| tors           |                      | Air Pollution -<br>Particulate Matter  | Rank        | 10th Ranked      | Value        | 10th Ranked<br>Value                   | Difference      | Shift in Value       | US Average       | Peer County  | Peer Value |
| ac             |                      | T difficulate Matter   | 62          | Greene           | 13.91        | 13.14                                  | 0.77            | †Bad ↓Good           | 11.40            | Guernsey, OH | 13.73      |
| Health Factors |                      | Average daily density of fine particulate matter in micrograms per cubic   | Reduce      | the average dail | y measure    | e of fine particula<br>(PM2.5          | •               | 77 micrograms pe     | r cubic meter    | Randolph, IN | 13.46      |
| ह              |                      | meter (PM2.5)  | Source      | CD               | C WOND       | ER Environmenta                        | l data          | Year(s)              | 2011             | Lawrence, OH | 13.13      |
| He             |                      | Drinking Water<br>Violations   | Rank        | 1st Ranked       | Value        | 1st Ranked<br>Value                    | Difference      | Shift in Value       | US Average       | Peer County  | Peer Value |
|                |                      | v rotations  | No Rank     | NA               | No           | No                                     | NA              | NA                   | NA               | Guernsey, OH | No         |
|                |                      | Percentage of population<br>potentially exposed to<br>water exceeding a violation  |             | Th               | ere were i   | no health-based d                      | Irinking water  | violations.          |                  | Randolph, IN | No         |
|                |                      | limit during the past year   | Source      | Safe l           | Drinking V   | Vater Information S                    | System          | Year(s)              | FY2013-14        | Lawrence, OH | No         |
|                |                      | Severe Housing<br>Problems   | Rank        | 10th Ranked      | Value        | 10th Ranked<br>Value                   | Difference      | Shift in Value       | US Average       | Peer County  | Peer Value |
|                | ıt                   | 1 TODICIIIS  | 91          | Unicoi           | 18.52%       | 11.70%                                 | 6.82%           | ↑Bad ↓Good           | 19.00%           | Guernsey, OH | 12.71%     |
|                | Physical Environment | Percentage of households<br>with at least 1 of 4 housing<br>problems: overcrowding,<br>high housing costs, or lack<br>of kitchen or plumbing | For every 1 | 00 persons in th | e county (   | experiencing hou<br>assistan           | · ·             | , help 37 person(s)  | to find housing  | Randolph, IN | 12.45%     |
|                | E                    | <u>facilities</u>  | Source      | Comprehensive    | e Housing    | Affordability Strate                   | egy (CHAS) data | Year(s)              | 2008-2012        | Lawrence, OH | 12.07%     |
|                | ical                 | Driving Alone to   | Rank        | 10th Ranked      | Value        | 10th Ranked<br>Value                   | Difference      | Shift in Value       | US Average       | Peer County  | Peer Value |
|                | hys                  | Work   | 90          | Grundy           | 89.47%       | 80.27%                                 | 9.20%           | ↑Bad ↓Good           | 76.00%           | Guernsey, OH | 85.38%     |
|                | P                    | Percentage of the workforce that drives  | For ev      | ery 100 persons  | that curre   | ntly drive alone to<br>transporta      |                 | ce 11 to carpool or  | take mass-       | Randolph, IN | 83.75%     |
|                |                      | alone to work  | Source      |                  | American     | Community Surve                        | у               | Year(s)              | 2010-2014        | Lawrence, OH | 89.07%     |
|                |                      | Long Commute -<br>Driving Alone  | Rank        | 10th Ranked      | Value        | 10th Ranked<br>Value                   | Difference      | Shift in Value       | US Average       | Peer County  | Peer Value |
|                |                      | Ü  | 22          | Hamilton         | 28.40%       | 25.20%                                 | 3.20%           | ↑Bad ↓Good           | 31.00%           | Guernsey, OH | 27.40%     |
|                |                      | Among workers who commute in their car alone, the percentage that  | For every 1 | uu persons that  | currently    | drive more than a<br>or take mass-trai |                 | ne to work, convin   | ce 12 to carpool | Randolph, IN | 34.00%     |
|                |                      | commute more than 30 minutes   | Source      |                  | American     | Community Surve                        | у               | Year(s)              | 2010-2014        | Lawrence, OH | 29.20%     |