





ROANE COUNTY Summary

Demographics


Population: Unemployment: Single parent households:

52,748 7.45% 31.80% <18 YOA: % Females: MHI:


19.79% 6 50.90% \$43,269

65+ YOA: 21.20% **Males:** 49.10%


% Rural: 51.00% Graduation Rate: 93.00%



Top Third	
Measure	Value
Uninsured	13.67%
Adult Smoking	21.40%
Severe Housing Problems	11.90%
Sexually Transmitted Infections	190.76
Dentists	2029:1
Violent Crime	257.46
Alcohol-Impaired Driving Deaths	22.03%
Social Associations	14.70
Diabetic Monitoring	88.18%
High School Graduation	93.00%



Middle Third							
Measure	Value						
Access to Exercise Opportunities	60.29%						
Mammography Screening	61.00%						
Poor or Fair Health	21.60%						
Air Pollution - Particulate Matter	13.56						
Unemployment	7.45%						
Preventable Hosptial Stays	71.10						
Mental Health Providers	2293:1						
Children in Single-Parent Households	31.80%						
Driving Alone to Work	85.07%						
Food Environment Index	7.00						



Bottom Third							
Measure	Value						
Physical Inactivity	40.50%						
Injury Deaths	122.35						
Low Birthweight	10.12%						
Premature Death	11039.50						
Primary Care Physicians	2947:1						









Tennessee's Big 3 + 1

Why were these charts selected? The "Big 3 + 1" directly influences at least six of the top ten leading causes of death in Tennessee, and also directly influence other public health threats, such as heart disease, cancer, and diabetes. Overall, the Big Three plus One influences two-thirds of the factors that contribute to Tennessee's overall rank.

Comparative Counties:

Each graph provides the Tennessee county with its respective region and three non-Tennessee comparative counties from around the US based on county-level demographics. The vertical lines represent: the TN Average, the US Average, Top US Performers (top 10%) and the Healthy People 2020 (HP) Goal. For all measures a decrease (shift left) in percentage represents improvement.

YOA: Years of Age. MHI: Median Household Income. HP 2020: Healthy People 2020 Goal. Adult Smoking: Percentage of adults who are current smokers. Source: Behavioral Risk Factor Surveillance System; 2006-2012. Adult Obesity: Percentage of adults that report a BMI of 30 or more. Source: CDC Diabetes Interactive Atlas; 2011. Physical Inactivity: Percentage of adults aged 20 and over reporting no leisure-time physical activity. Source: CDC Diabetes Interactive Atlas; 2011. Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. admin.health@in.gov or 615-741-5001.





	Life	Premature Death	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	of		76	Knox	11039.50	7735.80	3303.70	↑Bad ↓Good	6,600.00	Mercer, PA	7414.50
	Length	Years of potential life lost before age 75 per 100,000 population (age-adjusted).	For ever	ry 100 people in	the county	, 1 people in the	county need to	o live one year clos	ser to age 75.	Lycoming, PA	6628.50
	T	P-P	Source	National C	enter for H	ealth Statistics - N	Iortality files	Year(s)	2011-2013	Dickinson, MI	6979.90
		Poor or Fair	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Health*	37	Rutherford	21.60%	19.60%	2.00%	↑Bad ↓Good	18.00%	Mercer, PA	14.80%
တ္က		Percentage of adults reporting fair or poor health (age-adjusted)	Improve th	prove the health of 2 out of every 100 people in the county who, in general, report being in poor or fair health.							13.80%
19			Source	Behav	ioral Risk F	actor Surveillance	System	Year(s)	2014	Dickinson, MI	12.30%
con		Poor Physical Health Days*	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
17		Health Days"	30	Knox	4.70	4.30	0.40	↑Bad ↓Good	3.8	Mercer, PA	3.70
Health Outcomes	of Life	Average number of physically unhealthy days reported in past 30 days (age-adjusted)	Engage	people in the co	•	ays to reduce nu esidents by 1 day		hysical health day	s reported by	Lycoming, PA	3.50
न्			Source	Behav	ioral Risk F	actor Surveillance	System	Year(s)	2014	Dickinson, MI	3.40
He	Quality	Poor Mental Health Days*	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	Ιŏ	Days	26	Williamson	4.60	3.80	0.80	↑Bad ↓Good	2.8	Mercer, PA	4.00
		Average number of mentally unhealthy days reported in past 30 days (age-adjusted)	Engage	people in the co	•	ays to reduce nu esidents by 1 day		hysical health day	rs reported by	Lycoming, PA	3.90
			Source	Behav	ioral Risk F	actor Surveillance	System	Year(s)	2014	Dickinson, MI	3.60
		Low Birthweight	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			82	Pickett	10.12%	7.24%	2.88%	↑Bad ↓Good	8.00%	Mercer, PA	7.88%
		Percentage of live births with low birthweight (<	82					↑Bad ↓Good every 100 live birt		Mercer, PA Lycoming, PA	7.88% 7.35%
		Percentage of live births	82 Source	Reduce the n	umber of le		babies by 3 for				
		Percentage of live births with low birthweight (<		Reduce the n	umber of le	ow birth weight	babies by 3 for	every 100 live birt	hs.	Lycoming, PA	7.35%
		Percentage of live births with low birthweight (< 2500 grams)	Source	Reduce the n	umber of lo	ow birth weight Health Statistics - N 10th Ranked	babies by 3 for	every 100 live birt Year(s)	hs. 2007-2013	Lycoming, PA Dickinson, MI	7.35% 8.38%
		Percentage of live births with low birthweight (< 2500 grams)	Source Rank	Reduce the n National (10th Ranked Humphreys	Center for F Value 21.40%	ow birth weight Health Statistics - N 10th Ranked Value 21.10%	babies by 3 for Natality files Difference 0.30%	every 100 live birt Year(s) Shift in Value	2007-2013 US Average 17.00%	Lycoming, PA Dickinson, MI Peer County	7.35% 8.38% Peer Value
S		Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who	Source Rank	Reduce the n National (10th Ranked Humphreys Get 2 out of 6	Center for F Value 21.40%	ow birth weight Health Statistics - N 10th Ranked Value 21.10%	babies by 3 for Natality files Difference 0.30% kers in the cou	every 100 live birt Year(s) Shift in Value ↑Bad ↓Good	17.00%	Lycoming, PA Dickinson, MI Peer County Mercer, PA	7.35% 8.38% Peer Value 22.20%
ctors	viors	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who	Source Rank	Reduce the n National (10th Ranked Humphreys Get 2 out of 6	Center for F Value 21.40%	ow birth weight Health Statistics - 1 10th Ranked Value 21.10% urrent adult smo	babies by 3 for Natality files Difference 0.30% kers in the cou	every 100 live birt Year(s) Shift in Value ↑Bad ↓Good nty to quit smokir	17.00% 2014 US Average	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA	7.35% 8.38% Peer Value 22.20% 20.30%
actors	haviors	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers	Source Rank 13 Source	Reduce the n National (10th Ranked Humphreys Get 2 out of e	Center for F Value 21.40% every 100 cu	ow birth weight Health Statistics - N 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked	babies by 3 for Natality files Difference 0.30% kers in the cou	every 100 live birt Year(s) Shift in Value ↑Bad ↓Good nty to quit smokin Year(s)	17.00% Disp.	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI	7.35% 8.38% Peer Value 22.20% 20.30% 17.20%
lth Factors	dth Behaviors	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers	Source Rank 13 Source Rank 63	Reduce the n National (10th Ranked Humphreys Get 2 out of 6 Behav 10th Ranked Hamilton	Value 21.40% every 100 cu ioral Risk F Value 33.90%	ow birth weight Iealth Statistics - 1 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked Value 29.90%	Difference 0.30% kers in the cou System Difference 4.00%	every 100 live birt Year(s) Shift in Value ↑Bad ↓Good nty to quit smokin Year(s) Shift in Value	17.00% 2014 US Average 27.00%	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County	7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value
		Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or	Source Rank 13 Source Rank 63	Reduce the n National O 10th Ranked Humphreys Get 2 out of o Behav 10th Ranked Hamilton 12 out of every	Value 21.40% every 100 cuioral Risk F Value 33.90%	ow birth weight Iealth Statistics - 1 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked Value 29.90%	Difference 0.30% kers in the cou System Difference 4.00% the county to r	every 100 live birt Year(s) Shift in Value ↑Bad ↓Good nty to quit smokin Year(s) Shift in Value ↑Bad ↓Good	17.00% 2014 US Average 27.00%	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA	7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value 33.40%
Health Factors	Health Behaviors	Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more Food Environment	Source Rank 13 Source Rank 63 Get Source Rank	Reduce the n National O 10th Ranked Humphreys Get 2 out of o Behav 10th Ranked Hamilton 12 out of every	Center for F Value 21.40% every 100 cu ioral Risk F Value 33.90% 100 current CDC Diabe Value	ow birth weight Iealth Statistics - N 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked Value 29.90% t obese adults in	Difference 0.30% kers in the cou System Difference 4.00% the county to r	every 100 live birt Year(s) Shift in Value †Bad ↓Good nty to quit smokin Year(s) Shift in Value †Bad ↓Good reduce their BMI I Year(s) Shift in Value	17.00% 19. 2014 US Average 27.00% Delow 30.	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA	7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value 33.40% 29.90%
		Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more	Source Rank 13 Source Rank 63 Get Source	Reduce the n National (10th Ranked Humphreys Get 2 out of e Behav 10th Ranked Hamilton	Value 21.40% every 100 cu ioral Risk F Value 33.90% 100 current	ow birth weight Iealth Statistics - N 10th Ranked Value 21.10% urrent adult smo factor Surveillance 10th Ranked Value 29.90% to obese adults in tes Interactive Atl 5th Ranked	babies by 3 for Natality files Difference 0.30% kers in the cou System Difference 4.00% the county to r	every 100 live birt Year(s) Shift in Value ↑Bad ↓Good nty to quit smokin Year(s) Shift in Value ↑Bad ↓Good reduce their BMI I	17.00% 2014 US Average 27.00% Delow 30. 2012	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Lycoming, PA Dickinson, MI	7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value 33.40% 29.90% 30.30%
		Percentage of live births with low birthweight (≤ 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more Food Environment Index Index of factors that contribute to a healthy food environment, 0	Source Rank 13 Source Rank 63 Get Source Rank	Reduce the n National (10th Ranked Humphreys Get 2 out of e Behav 10th Ranked Hamilton 12 out of every	Value 21.40% Every 100 cu ioral Risk F Value 33.90% 100 current CDC Diabe Value 7.00	ow birth weight Health Statistics - N 10th Ranked Value 21.10% current adult smo factor Surveillance 10th Ranked Value 29.90% to obese adults in tes Interactive Atl 5th Ranked Value	babies by 3 for Natality files Difference 0.30% kers in the cou System Difference 4.00% the county to r as Difference 0.9	every 100 live birt Year(s) Shift in Value †Bad ↓Good Inty to quit smokin Year(s) Shift in Value †Bad ↓Good reduce their BMI I Year(s) Shift in Value †Good ↓Bad	17.00% 18. 2007-2013 US Average 17.00% 2014 US Average 27.00% Delow 30. 2012 US Average	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Peer County	7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value 33.40% 29.90% 30.30% Peer Value
		Percentage of live births with low birthweight (< 2500 grams) Adult Smoking* Percentage of adults who are current smokers Adult Obesity Percentage of adults that report a BMI of 30 or more Food Environment Index Index of factors that contribute to a healthy.	Source Rank 13 Source Rank 63 Get Source Rank	Reduce the n National (10th Ranked Humphreys Get 2 out of c Behav 10th Ranked Hamilton 12 out of every 3 5th Ranked Cannon	very 100 current CDC Diabe Value 7.00 Increase	Weight Weight Health Statistics - No. 10th Ranked Value 21.10% Control of the Con	Difference 0.30% kers in the cou System Difference 4.00% the county to r as Difference 0.9	every 100 live birt Year(s) Shift in Value †Bad ↓Good Inty to quit smokin Year(s) Shift in Value †Bad ↓Good reduce their BMI I Year(s) Shift in Value †Good ↓Bad	17.00% 18. 2007-2013 US Average 17.00% 2014 US Average 27.00% Delow 30. 2012 US Average	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Lycoming, PA Lycoming, PA Lycoming, PA Mercer, PA Dickinson, MI Peer County Mercer, PA	7.35% 8.38% Peer Value 22.20% 20.30% 17.20% Peer Value 33.40% 29.90% 30.30% Peer Value 7.50

Prepared by the Division of Administrative Services, Tennessee Department of Health. Nashville, TN. May 2016. admin.health@tn.gov or 615-741-9398. The full report can be accessed at: http://tn.gov/health/topic/specialreports. All data is from the University of Wisconsin Population Health Institute and Robert Wood Johnson Foundation's, 2015 *County Health Rankings and Roadmaps* report. Difference statements represent the absolute value using the following formula: ["Value" - "10th Ranked Value"]. *The action statements are based on the assumption that no new additional cases occur. **Data should not be compared with prior years due to changes in definition/methods. All rankings and action statements presented in this report must be interpreted with caution due to various limitations of each measurement. Further information with regards to the strengths and limitations of each measurement may be found by clicking the hyperlink found in the description of each measurement.

		Physical Inactivity	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			93	Shelby	40.50%	30.20%	10.30%	↑Bad ↓Good	23.00%	Mercer, PA	27.20%
		Percentage of adults aged 20 and over reporting no leisure-time physical	Get	Lycoming, PA	25.00%						
		activity	Source	(CDC Diabe	tes Interactive At	las	Year(s)	2012	Dickinson, MI	20.40%
		Access to Exercise Opportunities	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Opportunities	34	Loudon	60.29%	78.48%	18.19%	↑Good ↓Bad	84.00%	Mercer, PA	84.52%
		Percentage of population with adequate access to locations for physical	Consider	how to remove l	parriers to	access exercise the county's p		ch an additional 1	8.19 percent of	Lycoming, PA	75.21%
		<u>activity</u>	Source	Business Analy	st, Delorme	, ESRI, & US Cen:	sus Tigerline Files	Year(s)	2010 & 2014	Dickinson, MI	90.50%
		Excessive Drinking	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	rs		31	Benton	11.10%	10.60%	0.50%	↑Bad ↓Good	17.00%	Mercer, PA	16.40%
	Health Behaviors	Percentage of adults reporting binge or heavy drinking	Get 5 out o	•		•	•	ess (binge and he ks per day on aver	•	Lycoming, PA	17.50%
	Be		Source	Behav	ioral Risk F	actor Surveillance	System	Year(s)	2014	Dickinson, MI	19.30%
	alth	Alcohol-Impaired Driving Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	He	Ö	21	Sullivan	22.03%	19.17%	2.87%	↑Bad ↓Good	31.00%	Mercer, PA	32.26%
		Percentage of driving deaths with alcohol involvement		Reduce th	e number	of alcohol relate	d driving death	s by 2.87 percent.		Lycoming, PA	42.86%
S		mvoivement	Source	Fa	itality Analy	sis Reporting Sys	tem	Year(s)	2010-2014	Dickinson, MI	75.00%
cto		Sexually Transmitted	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Fa		Infections	19	Overton	190.76	153.22	37.54	↑Bad ↓Good	446.60	Mercer, PA	366.61
Health Factors		Number of newly diagnosed chlamydia cases per 100,000 population		to commit to	using safe	sex practices to	prevent the infe	be involved in any	lia.	Lycoming, PA	366.14
I e			Sot	arce National Center for	HIV/AIDS, Vii	10th Ranked	Prevention	Year(s)	2013	Dickinson, MI	183.07
ŀ		Teen Births	Rank 30	10th Ranked Putnam	Value 43.67	Value 34.87	Difference 8.80	Shift in Value ↑Bad ↓Good	US Average	Peer County Mercer, PA	Peer Value
										,	
		Teen birth rate per 1,000 female population, ages 15-	For every 100 teenage females (ages 15 to 19 years) in the county, consider ways to prevent 21 teen(s) from becoming pregnant.								32.65
			Source	National (Center for F	Health Statistics - 1	Natality files	Year(s)	2007-2013	Dickinson, MI	23.67
		Uninsured	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			4	Williamson	13.67%	8.89%	4.78%	↑Bad ↓Good	17.00%	Mercer, PA	11.49%
		Percentage of population under age 65 without health insurance	Get					to obtain health in		Lycoming, PA	11.33%
			Source	Sma	ll Area Hea	lth Insurance Esti	imates	Year(s)	2013	Dickinson, MI	12.30%
	are	Primary Care Physicians	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	1 C		64	Coffee	2947:1	1368:1	1579	↑Bad ↓Good	1320:1	Mercer, PA	1355:1
	Clinical Care	Ratio of population to primary care physicians	care pro- grea	viders would nee ater than 3,500, th	d to be red is county	cruited to the co would be consid	unty. More imp lered a Health l	10th ranking cour cortantly, if the cor Professional Short	unty's value is age Area.	Lycoming, PA	1390:1
			Source	Area Health F	lesource Fil	e/American Med	ical Association	Year(s)	2013	Dickinson, MI	1135:1
		Dentists	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Ratio of population to					_	↑Bad ↓Good Oth ranking count ly, if the county's	•	Mercer, PA Lycoming, PA	1915:1 2330:1
		Ratio of population to dentists	•	than 5,000, this c	ounty wou	ıld be considere	d a Health Prof	essional Shortage	Area.	, ,	
			Source	Area Health Re	source Pile/	National Provider	idenuncation file	Year(s)	2014	Dickinson, MI	1082:1

		Mental Health	Rank	10th Ranked	Value	10th Ranked	Difference	Shift in Value	US Average	Peer County	Peer Value
		Providers	45	Henry	2293:1	Value 644:1	1649	↑Bad ↓Good	490:1	Mercer, PA	653:1
		Ratio of population to mental health providers	To reach	a population-to oviders would ne ter than 30,000, t	nty, 137 mental ounty's value is	Lycoming, PA	826:1				
		•	Source			Provider Identificat		Year(s)	2015	Dickinson, MI	448:1
		Preventable Hospital Stays	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			43	Anderson	71.10	50.27	20.83	↑Bad ↓Good	54.00	Mercer, PA	62.21
	Sare	Number of hospital stays for ambulatory-care sensitive conditions per	For e	every 100 Medica	Lycoming, PA	48.28					
	ا ا	1,000 Medicare enrollees	Source	I	Dartmouth	Atlas of Health Ca	are	Year(s)	2013	Dickinson, MI	42.78
	Clinical Care	Diabetic Monitoring	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	Ö	Monitoring	22	Giles	88.18%	89.20%	1.03%	↑Good ↓Bad	63.00%	Mercer, PA	83.08%
		Percentage of diabetic Medicare enrollees ages 65- 75 that receive HbA1c	For eve	ry 100 diabetic N	Aedicare e	enrollees, get 2 ad screenin		care enrollees to re	ceive HbA1c	Lycoming, PA	88.30%
		monitoring	Source	I	Dartmouth	Atlas of Health Ca	are	Year(s)	2013	Dickinson, MI	87.98%
		Mammography Screening	Rank	5th Ranked	Value	5th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			36	Cumberland	61.00%	71.00%	10.00%	↑Good ↓Bad	63.00%	Mercer, PA	63.00%
		Percentage of female Medicare enrollees ages 67- 69 that receive	For ev	ery 100 female N	Medicare e	enrollees, get 10 a mammography		care enrollees to r	eceive their	Lycoming, PA	74.00%
rs		mammography screening	Source	I	Dartmouth	Atlas of Health Ca	ıre	Year(s)	2013	Dickinson, MI	70.00%
cto		High School Graduation	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
Fa			22	Tipton	93.00%	98.00%	5.00%	↑Good ↓Bad	82.00%	Mercer, PA	89.14%
Health Factors		Percentage of ninth-grade cohort that graduates in four years	For e	every 100 ninth g	Lycoming, PA	84.27%					
le			Source			EDFacts		Year(s)	2012-2013	Dickinson, MI	85.64%
Н		Some College	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			28	Shelby	49.27%	62.28%	13.01%	↑Good ↓Bad	64.00%	Mercer, PA	56.60%
	tors	Percentage of adults ages 25-44 years with some post-secondary education	For ev	very 100 adults b		6-44 years of age, oursework at the c		onal adults to com	plete some	Lycoming, PA	54.82%
	7ac		Source		American	Community Surve	у	Year(s)	2010-2014	Dickinson, MI	58.67%
	onomic Factors	Unemployment	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	וסנ		40	Robertson	7.45%	5.69%	1.76%	↑Bad ↓Good	6.20%	Mercer, PA	5.94%
	Ec	Percentage of population ages 16 and older unemployed but seeking	For e	very 100 persons	ages 16 ye	ears and older, he	elp 2 persons su	uccessfully find en	nployment.	Lycoming, PA	6.07%
	1 &	<u>work</u>	Source		Bureau o	of Labor Statistics		Year(s)	2014	Dickinson, MI	6.65%
	Social	Children in Poverty	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	9)		29	Dickson	25.50%	21.10%	4.40%	↑Bad ↓Good	22.00%	Mercer, PA	25.00%
		Percentage of children under age 18 in poverty	For ever	y 100 children (ı	ınder 18 y	ears) in poverty, l povert	•	n to find assistance	e to get out of	Lycoming, PA	22.60%
			Source	Small	Area Inco	me and Poverty Es	timates	Year(s)	2014	Dickinson, MI	18.50%
		Income Inequality	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			62	Houston	4.74	4.11	0.63	↑Bad ↓Good	4.70	Mercer, PA	4.20
		Ratio of household income at the 80th percentile to income at the 20th percentile	To rea			tio at or below the percentile and 20t		anking county red 7 1 household(s).	uce the gap	Lycoming, PA	4.16

		Children in Single-	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
		Parent Households	46	Lawrence	31.80%	23.36%	8.44%	↑Bad ↓Good	34.00%	Mercer, PA	32.22%
		Percentage of children that live in a household headed by single parent	For every	Lycoming, PA	35.42%						
		by single parent	Source		American	Community Surve	У	Year(s)	2010-2014	Dickinson, MI	29.79%
		Social Associations	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			21	Johnson	14.70	16.13	1.43	↑Good ↓Bad	9.00	Mercer, PA	17.19
	ctors	Number of membership associations per 10,000 population population Por every 100 people in the county, increase the number of membership associations by a population populati								Lycoming, PA	16.62
	Fac	Yielent Crime	Source		County	Business Patterns		Year(s)	2013	Dickinson, MI	18.78
	mic]	Violent Crime	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	noī		19	Carter	257.46	206.33	51.13	↑Bad ↓Good	392.00	Mercer, PA	214.83
	z Economic Factors	Number of reported violent crime offenses per 100,000 population	For			• • •		ommitting a viole	nt crime.	Lycoming, PA	176.81
	11 &		Source	J	Jniform C	rime Reporting - Fl	BI	Year(s)	2010-2012	Dickinson, MI	NA
	Social	Injury Deaths	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	93		88	Washington	122.35	70.04	52.31	↑Bad ↓Good	60.00	Mercer, PA	75.11
		Number of deaths due to injury per 100,000 population	For ev	ery 1,000 popula	ation cons	ider ways to prev unintentiona		as a result of inter	ntional and	Lycoming, PA	57.65
70		* .	Source	(CDC WON	NDER mortality da	ta	Year(s)	2009-2013	Dickinson, MI	79.37
tors		Air Pollution - Particulate Matter	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
ac		T difficulate 192deter	39	Greene	13.56	13.14	0.42	↑Bad ↓Good	11.40	Mercer, PA	13.98
Health Factors		Average daily density of fine particulate matter in micrograms per cubic	Reduce the average daily measure of fine particulate matter by 0.42 micrograms per cubic meter (PM2.5).								12.51
al		meter (PM2.5)	Source	CD	C WOND	ER Environmental	data	Year(s)	2011	Dickinson, MI	10.38
He		Drinking Water Violations	Rank	1st Ranked	Value	1st Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
			No Rank	NA	No	No	NA	NA	NA	Mercer, PA	Yes
		Percentage of population potentially exposed to water exceeding a violation		There were no health-based drinking water violations.							Yes
		limit during the past year	Source	Safe l	Orinking V	Vater Information S	System	Year(s)	FY2013-14	Dickinson, MI	No
		Severe Housing Problems	Rank	10th Ranked	Value	10th Ranked Value	Difference	Shift in Value	US Average	Peer County	Peer Value
	Ħ	1100101110	13	Unicoi	11.90%	11.70%					12.32%
	vironmen					11.7070	0.20%	↑Bad ↓Good	19.00%	Mercer, PA	
	nvironme	Percentage of households with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing.	For every	100 persons in th	e county		sing problems	↑Bad ↓Good , help 2 person(s)		Mercer, PA Lycoming, PA	13.59%
	l Environme	with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack	For every			experiencing hou	ising problems ce.	, help 2 person(s)		,	
	sical Environme	with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities Driving Alone to				experiencing hou assistan	ising problems ce.	, help 2 person(s)	to find housing	Lycoming, PA	13.59%
	hysical Environme	with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities	Source Rank 51	Comprehensive 10th Ranked Grundy	Value 85.07%	experiencing hou assistan Affordability Strate 10th Ranked Value 80.27%	using problems ce. egy (CHAS) data Difference 4.80%	, help 2 person(s) Year(s) Shift in Value ↑Bad ↓Good	2008-2012 US Average 76.00%	Lycoming, PA Dickinson, MI	13.59%
	Physical Environment	with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing, facilities Driving Alone to Work Percentage of the workforce that drives	Source Rank 51	Comprehensive 10th Ranked Grundy	Value 85.07%	experiencing hou assistan Affordability Strate 10th Ranked Value 80.27%	egy (CHAS) data Difference 4.80% o work, convin	, help 2 person(s) Year(s) Shift in Value	2008-2012 US Average 76.00%	Lycoming, PA Dickinson, MI Peer County	13.59% 10.38% Peer Value
	Physical Environme	with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities Driving Alone to Work Percentage of the	Source Rank 51	Comprehensive 10th Ranked Grundy	Value 85.07% that curre	experiencing hou assistan Affordability Strate 10th Ranked Value 80.27% ently drive alone t	bising problems ce. Egy (CHAS) data Difference 4.80% o work, convintion.	, help 2 person(s) Year(s) Shift in Value ↑Bad ↓Good	2008-2012 US Average 76.00%	Lycoming, PA Dickinson, MI Peer County Mercer, PA	13.59% 10.38% Peer Value 82.14%
	Physical Environme	with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing, facilities Driving Alone to Work Percentage of the workforce that drives	Source Rank 51 For ex Source Rank	Comprehensive 10th Ranked Grundy very 100 persons 10th Ranked	Value 85.07% that curre	Affordability Strate 10th Ranked Value 80.27% ently drive alone t transporta Community Surve 10th Ranked Value	bifference 4.80% o work, convintion.	help 2 person(s) Year(s) Shift in Value ↑Bad ↓Good ace 6 to carpool or Year(s) Shift in Value	2008-2012 US Average 76.00% take mass- 2010-2014 US Average	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County	13.59% 10.38% Peer Value 82.14% 81.95% 84.88% Peer Value
	Physical Environme	with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities Driving Alone to Work Percentage of the workforce that drives alone to work Long Commute - Driving Alone	Source Rank 51 For ex Source Rank 62	Comprehensive 10th Ranked Grundy very 100 persons 10th Ranked Hamilton	Value 85.07% that curre American Value 41.30%	Affordability Strate 10th Ranked Value 80.27% ently drive alone t transporta Community Surve 10th Ranked Value 25.20%	pegy (CHAS) data Difference 4.80% o work, convintion. Difference 16.10%	help 2 person(s) Year(s) Shift in Value ↑Bad ↓Good ace 6 to carpool or Year(s) Shift in Value ↑Bad ↓Good	2008-2012 US Average 76.00% take mass- 2010-2014 US Average 31.00%	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI	13.59% 10.38% Peer Value 82.14% 81.95% 84.88%
	Physical Environme	with at least 1 of 4 housing problems: overcrowding, high housing costs, or lack of kitchen or plumbing facilities Driving Alone to Work Percentage of the workforce that drives alone to work Long Commute -	Source Rank 51 For ex Source Rank 62	Comprehensive 10th Ranked Grundy very 100 persons 10th Ranked Hamilton	Value 85.07% that curre American Value 41.30%	Affordability Strate 10th Ranked Value 80.27% ently drive alone t transporta Community Surve 10th Ranked Value 25.20%	per problems ce. Difference 4.80% o work, convintion. Difference 16.10% o minutes alor	help 2 person(s) Year(s) Shift in Value ↑Bad ↓Good ace 6 to carpool or Year(s) Shift in Value	2008-2012 US Average 76.00% take mass- 2010-2014 US Average 31.00%	Lycoming, PA Dickinson, MI Peer County Mercer, PA Lycoming, PA Dickinson, MI Peer County	13.59% 10.38% Peer Value 82.14% 81.95% 84.88% Peer Value