Tennessee

| Occupational Health Indicators - 2019 Data Profile: Employment Demographics | 2019 |
|--|--|
| Employed Persons, 16 Years and Older (in thousands) - use value P3B under Employment Demographics How-to | 3,245 |
| P1. Percentage of civilian workforce unemployed | 3.4 |
| P2. Percentage of civilian employment self-employed | 7.0 |
| P3. Percentage of civilian employment in part-time jobs | 15.4 |
| P4. Percentage of civilian employment by number of hours worked | .0.1 |
| 40 hours 41+ hours | 28.1 47.4 24.5 |
| P5. Percentage of civilian employment by sex Males Females | 53.3 46.7 |
| P6. Percentage of civilian employment by age group 16 to 17 18 to 64 65+ | 1.2 92.2 6.7 |
| P7. Percentage of civilian employment by race White Black Other | 79.2 16.2 4.5 |
| P8. Percentage of civilian employment by Hispanic Origin | 6.1 |
| P9. Percentage of civilian employment by industry Mining and logging Construction Manufacturing: Durable Goods Manufacturing: Nondurable Goods Wholesale and retail trade Transportation and utilities Information Financial activities Professional and business services Education and health services Leisure and hospitality Other services Public administration Agriculture and related industries | 0.2 7.6 7.7 4.4 12.7 7.2 1.4 5.7 10.5 21.8 10.1 5.5 4.3 1.0 |
| P10. Percentage of civilian employment by occupation Management, business and financial operations Professional and related occupations Service Sales and related occupations Office and administrative support Farming, fishing, and forestry Construction and extraction Installation, maintenance, and repair Production Transportation and material moving | 15.2 22.6 16.9 10.4 11.8 0.3 5.6 3.1 7.3 6.9 |
| P11. Percentage of civilian employment by union membership | |
| Union members Represented by a union | 4.6 5.5 |
| Indicator 1: Non-Fatal Work-Related Injuries and Illnesses Reported by Employers 1.1 Estimated Annual Total Number of Work-Related Injuries and Illnesses | 58,200 |
| 1.2 Estimated Annual Total Work-Related Injuries and Illness Incidence Rate (per 100,000 FTEs) | 2,700 |
| 1.3 Estimated Annual Total Number of Cases Involving Days Away From Work | 15,200 |
| 1.4 Estimated Annual Total Incidence Rate for Cases Involving Days Away From Work (per 100,000 FTEs) | 700 |
| 1.5 Estimated Annual Total Number of Cases Involving More Than 10 Days Away From Work | 7,420 |
| Indicator 2: Work-Related Hospitalizations 2.1 Annual Number of Inpatient Work-Related Hospitalizations | 2,729 |
| 2.2 Annual Rate of Inpatient Work-Related Hospitalization (per 100,000 employed persons) | 84.1 |
| Indicator 3: Fatal Work-Related Injuries 3.1 Annual Number of Fatal Work-Related Injuries | 124 |
| 3.2 Annual Fatality Rate (per 100,000 FTEs) | 3.9 |
| Indicator 4: Work-Related Amputations with Days Away from Work Reported by Employers 4.1 Estimated Annual Number of Work-Related Amputations Involving Days Away from Work | 170 |
| | |
| 4.2 Estimated Annual Incidence Rate of Work-Related Amputations Involving Days Away from Work (per 100,000 FTEs) | 8.0 |

| Indicator 5: State Workers' Compensation Claims for Amputations with Lost Work-Time 5.1 Annual Number of Amputation Cases with Lost Work-Time Filed with State Workers' Compensation System | 138 |
|--|-------|
| | |
| 5.2 Annual Incidence Rate of Amputation Cases with Lost Work-Time Filed with State Workers' Compensation System (per 100,000 covered workers) Indicator 6: Hospitalizations for Work-Related Burns | 4.8 |
| 6.1 Annual Number of Inpatient Hospitalizations for Work-Related Burns | 48 |
| 6.2 Annual Rate of Inpatient Hospitalizations for Work-Related Burns (per 100,000 employed persons) | 1.5 |
| Indicator 7: Work-Related Musculoskeletal Disorders (MSDs) with Days Away from Work Reported by Employers 7.1 Estimated Annual Number of All MSDs Involving Days Away from Work | 4,680 |
| 7.2 Estimated Annual Incidence Rate of All MSDs Involving Days Away from Work (per 100,000 FTEs) | 217 |
| 7.3 Estimated Annual Number of MSDs of the Neck, Shoulder & Upper Extremities Involving Days Away from Work | |
| 7.3 Estimated Allituda Rumber of modes of the Reck, Shoulder & Opper Extremities involving Days Away from Work | 1,880 |
| 7.4 Estimated Annual Incidence Rate of MSDs of Neck, Shoulder, and Upper Extremities Involving Days Away from Work (per 100,000 FTEs) | 87 |
| 7.5 Estimated Annual Number of Carpal Tunnel Syndrome Cases Involving Days Away from Work | 70 |
| 7.6 Estimated Annual Incidence Rate of Carpal Tunnel Syndrome Cases Involving Days Away from Work (per 100,000 FTEs) | 3.0 |
| 7.7 Estimated Annual Number of MSDs of the Back Involving Days Away from Work | 1,560 |
| 7.8 Estimated Annual Incidence Rate of MSDs of the Back Involving Days Away from Work (per 100,000 FTEs) | 73 |
| Indicator 8: State Workers' Compensation Claims for Carpal Tunnel Syndrome With Lost Work-Time 8.1 Annual Number of Carpal Tunnel Syndrome Cases with Lost Work-Time Filed with State Workers' Compensation System | 109 |
| | |
| covered workers) Indicator 9: Hospitalizations from or with Pneumoconiosis | 3.8 |
| 9.1.1 Annual Number of Inpatient Hospital Discharges for Total Pneumoconiosis | 535 |
| 9.1.2 Annual Rate of Inpatient Hospital Discharges for Total Pneumoconiosis (per 1,000,000 residents) | 96.0 |
| 9.1.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Total Pneumoconiosis (per 1,000,000 residents) | 80.5 |
| 9.2.1 Annual Number of Inpatient Hospital Discharges for Coal Workers' Pneumoconiosis | 181 |
| 9.2.2 Annual Rate of Inpatient Hospital Discharges for Coal Workers' Pneumoconiosis (per 1,000,000 residents) | 32.5 |
| 9.2.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Coal Workers' Pneumoconiosis (per 1,000,000 residents) | 26.7 |
| 9.3.1 Annual Number of Inpatient Hospital Discharges for Asbestosis | 260 |
| 9.3.2 Annual Rate of Inpatient Hospital Discharges for Asbestosis (per 1,000,000 residents) | 46.7 |
| 9.3.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Asbestosis (per 1,000,000 residents) | 39.9 |
| 9.4.1 Annual Number of Inpatient Hospital Discharges for Silicosis | 23 |
| 9.4.2 Annual Rate of Inpatient Hospital Discharges for Silicosis (per 1,000,000 residents) | 4.1 |
| 9.4.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Silicosis (per 1,000,000 residents) | 3.4 |
| 9.5.1 Annual Number of Inpatient Hospital Discharges for Other and Unspecified Pneumoconiosis | 76 |
| 9.5.2 Annual Rate of Inpatient Hospital Discharges for Other and Unspecified Pneumoconiosis (per 1,000,000 residents) | 13.6 |
| | |
| 9.5.3 Annual Age-Standardized Rate of Inpatient Hospital Discharges for Other and Unspecified Pneumoconiosis (per 1,000,000 residents) | 11.2 |
| Indicator 10: Mortality from or with Pneumoconiosis 10.1.1 Annual Number of Total Pneumoconiosis Deaths | 58 |
| 10.1.2 Annual Total Pneumoconiosis Death Rate (per 1,000,000 residents) | 10.4 |
| 10.1.3 Annual Age-Standardized Total Pneumoconiosis Death Rate (per 1,000,000 residents) | 8.9 |
| 10.2.1 Annual Number of Coal Workers' Pneumoconiosis Deaths | 9 |
| 10.2.2 Annual Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) | 1.6 |
| 10.2.3 Annual Age-Standardized Coal Workers' Pneumoconiosis Death Rate (per 1,000,000 residents) | 1.3 |
| 10.3.1 Annual Number of Asbestosis Deaths | 33 |
| 10.3.2 Annual Asbestosis Death Rate (per 1,000,000 residents) | 5.9 |
| 10.3.3 Annual Age-Standardized Asbestosis Death Rate (per 1,000,000 residents) | 5.0 |
| 10.4.1 Annual Number of Silicosis Deaths | <5 |
| 10.4.2 Annual Silicosis Death Rate (per 1,000,000 residents) | * |
| 10.4.3 Annual Age-Standardized Silicosis Death Rate (per 1,000,000 residents) | * |
| 13.7.0 Famuu Ago Standardized Onicosis Death Nato (por 1,000,000 residents) | |

| 10.5.1 Annual Number of Other and Unspecified Pneumoconiosis Deaths | 15 | |
|---|-----------|--|
| 10.5.2 Annual Other and Unspecified Pneumoconiosis Death Rate (per 1,000,000 residents) | 2.7 | |
| 10.5.3 Annual Age-Standardized Other and Unspecified Pneumoconiosis Death Rate (per 1,000,000 residents) | 2.3 | |
| Indicator 11: Acute Work-Related Pesticide-Associated Illness and Injury Reported to Poison Control Centers - Not collecting this year. 11.1 Annual Number of Reported Work-Related Pesticide Poisoning Cases | | |
| 11.2 Annual Incidence Rate of Reported Work-Related Pesticide Poisoning Cases (per 100,000 employed persons) | | |
| Indicator 12: Incidence of Malignant Mesothelioma, Ages 15 and Older 12.1 Annual Number of Incident Mesothelioma Cases | 50 | |
| 12.2 Annual Mesothelioma Incidence Rate (per 1,000,000 residents) | 9.0 | |
| | | |
| 12.3 Annual Age-Standardized Mesothelioma Incidence Rate (per 1,000,000 residents) Indicator 13: Elevated Blood Lead Levels (BLL) Among Adults | 7.4 | |
| 13.1.1 Annual Number of Residents with Elevated Blood Lead Levels (≥ 5 μg/dL) | 987 | |
| 13.1.2 Annual Prevalence Rate of Blood Lead Levels (≥ 5 µg/dL) (per 100,000 employed persons) | 30 | |
| 13.1.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (≥ 5 μg/dL) | 604 | |
| 13.1.4 Annual Incidence Rate of Blood Lead Levels (≥ 5 μg/dL) (per 100,000 employed persons) | 19 | |
| 13.2.1 Annual Number of Residents with Elevated Blood Lead Levels (≥ 10 μg/dL) | 468 | |
| 13.2.2 Annual Prevalence Rate of Blood Lead Levels (≥ 10 μg/dL) (per 100,000 employed persons) | 14.4 | |
| 13.2.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (≥ 10 µg/dL) | 249 | |
| 13.2.4 Annual Incidence Rate of Blood Lead Levels (≥ 10 μg/dL) (per 100,000 employed persons) | 7.7 | |
| 13.3.1 Annual Number of Residents with Elevated Blood Lead Levels (≥ 25 μg/dL) | 73 | |
| 13.3.2 Annual Prevalence Rate of Blood Lead Levels (≥ 25 μg/dL) (per 100,000 employed persons) | 2.2 | |
| 13.3.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (≥ 25 μg/dL) | 40 | |
| 13.3.4 Annual Incidence Rate of Blood Lead Levels (≥ 25 μg/dL) (per 100,000 employed persons) | 1.2 | |
| 13.4.1 Annual Number of Residents with Elevated Blood Lead Levels (≥ 40 μg/dL) | 14 | |
| 13.4.2 Annual Prevalence Rate of Blood Lead Levels (≥ 40 μg/dL) (per 100,000 employed persons) | 0.4 | |
| 13.4.3 Annual Number of Incident Cases with Elevated Blood Lead Levels (≥ 40 μg/dL) | 8 | |
| 13.4.4 Annual Incidence Rate of Blood Lead Levels (≥ 40 µg/dL) (per 100,000 employed persons) | 0.2 | |
| Indicator 14: Percentage of Workers Employed in Industries at High Risk for Occupational Morbidity 14.1 Number of Employed Persons in High Morbidity Risk North American Industry Classification System (NAICS) Industries | 163,631 | |
| 14.2 Percentage of Employed Persons in High Morbidity Risk NAICS Industries | 6.0 | |
| Indicator 15: Percentage of Workers Employed in Occupations at High Risk for Occupational Morbidity 15.1 Number of Employed Persons in High Morbidity Risk Bureau of the Census (BOC) Occupations | 365,606 | |
| 15.2 Percentage of Employed Persons in High Morbidity Risk BOC Occupations | 14.6 | |
| Indicator 16: Percentage of Workers Employed in Industries and Occupations at High Risk for Occupational Mortality 16.1 Number of Employed Persons in High Mortality Risk Bureau of Census (BOC) Industries | 440,538 | |
| 16.2 Percentage of Employed Persons in High Mortality Risk BOC Industries | 15.6 | |
| 16.3 Number of Employed Persons in High Mortality Risk BOC Occupations | 348,290 | |
| 16.4 Percentage of Employed Persons in High Mortality Risk BOC Occupations | 12.3 | |
| Indicator 17: Occupational Safety and Health Professionals Indicator no longer collected | | |
| Indicator 18: OSHA Enforcement Activities 18.1 Annual Number of Employer Establishments Inspected by OSHA | 1,631 | |
| 18.2 Number of OSHA-Covered Establishments that are Eligible for OSHA Inspection (EXCLUDING MINES & FARMS) | · | |
| · · · · · · · · · · · · · · · · · · · | 158,545 | |
| 18.3 Percentage of OSHA-Covered Establishments Eligible for Inspection that were Inspected by OSHA | 1.0 | |
| 18.4 Annual Number of Employees Whose Work Areas were Inspected by OSHA | N/A | |
| 18.5 Number of OSHA-Covered Employees (EXCLUDING MINERS & FARMERS) | N/A | |
| 18.6 Percentage of OSHA-Covered Employees Eligible for Inspection Whose Work Areas were Inspected by OSHA Indicator 19: Workers' Compensation Awards | N/A | |
| 19.1 Total Amount of Workers' Compensation Benefits Paid <u>(in thousands)</u> | \$551,752 | |
| 19.2 Average Amount of Workers' Compensation Benefits Paid (per covered worker) Indicator 20: Work-Related Low Back Disorder Hospitalizations - Not collecting this year. | \$191.12 | |
| 20.1 Annual Number of Work-Related Surgical Low Back Disorder Hospitalizations | | |
| 20.2 Annual Rate of Work-Related Surgical Low Back Disorder Hospitalization (per 100,000 employed persons) | | |
| | | |

| 20.3 Annual Number of Work-Related Low Back Disorder Hospitalizations | | |
|--|---------------------|--|
| | | |
| 20.4 Annual Rate of Work-Related Low Back Disorder Hospitalizations (per 100,000 employed persons) | | |
| Indicator 21: Asthma Among Adults Caused or Made Worse by Work | | |
| 21.1a Weighted estimate of the number of ever-employed adults with current asthma who report that their asthma was caused or made worse by exposures at work (LANDLINE ONLY ESTIMATES) | No longer collected | |
| 21.2a Estimated proportion of ever-employed adults with current asthma who report that their asthma was caused or made worse by exposures at work (LANDLINE ONLY ESTIMATES) | No longer collected | |
| | | |
| 21.1b Weighted estimate of the number of ever-employed adults with current asthma who report that their asthma was caused or made worse by | | |
| exposures at work (LANDLINE & CELLPHONE ESTIMATES) | N/A | |
| | | |
| 21.2b Estimated percent of ever-employed adults with current asthma who report that their asthma was caused or made worse by exposures at work | | |
| (LANDLINE & CELLPHONE ESTIMATES) | N/A | |
| Indicator 22: Work-Related Severe Traumatic Injury Hospitalizations | | |
| 22.1 Annual Number of Work-Related Inpatient Hospitalizations for Severe Traumatic Injury | 223 | |
| | | |
| 22.2 Annual Rate of Work-Related Inpatient Hospitalizations for Severe Traumatic Injury (per 100,000 employed persons) | 6.9 | |
| Indicator 23: Influenza Vaccination Coverage Among Healthcare Personnel - Not collecting this year. | | |
| 23.1 Pooled Proportion of Healthcare Personnel Influenza Vaccination Coverage in Acute Care Hospitals (2019-2020 influenza season) | | |
| Indicator 24: Occupational Heat-Related Emergency Department (ED) Visits | | |
| 24.1 Annual Number of Emergency Department Visits for Occupational Heat-Related Illness † | 285 | |
| | | |
| 24.2 Annual Rate of Emergency Department Visits for Occupational Heat-Relatd Illness (per 100,000 employed persons) † | 8.8 | |
| Indicator 25: Hospitalizations for or with Occupational Eye Injuries | | |
| 25.1 Annual Number of Inpatient Hospitalizatios for or with Occupational Eye Injuries | 29 | |
| | | |
| 25.2 Annual Rate of Inpatient Hospitalizations for Occupational Eye Injuries (per 100,000 employed persons) | 0.9 | |
| <5 Count is less than 5 | | |

<5 Count is less than 5

^{*}rate based on counts <5.

[†]Contains all ED visits (both those that were admited to the hosptial and those who were not)